Person with disabilities experiencing problems accessing NCHS birth and death tables should contact **nchsed@cdc.gov**, or call 301-458-4688

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 27,259 | - | - | - | 3 | 6 | 31 | 83 | 210 | 403 | 818 | 1,377 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 27,259 | - | - | - | 3 | 6 | 31 | 83 | 210 | 403 | 818 | 1,377 |
| White, both sexes | 23,216 | - | - | - | 2 | 5 | 25 | 56 | 168 | 316 | 626 | 1,089 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 23,216 | - | - | - | 2 | 5 | 25 | 56 | 168 | 316 | 626 | 1,089 |
| Black, both sexes | 3,307 | - | - | - | 1 | 1 | 6 | 22 | 36 | 67 | 157 | 219 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3,307 | - | - | - | 1 | 1 | 6 | 22 | 36 | 67 | 157 | 219 |
| American Indian 1/, both sexes | 126 | - | - | - | - | - | - | 2 | - | 4 | 2 | 13 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 126 | - | - | - | - | - | - | 2 | - | 4 | 2 | 13 |
| Asian or Pacific Islander 2/, both sexes | 610 | - | - | - | - | - | - | 3 | 6 | 16 | 33 | 56 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 610 | - | - | - | - | - | - | 3 | 6 | 16 | 33 | 56 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 469 | - | - | - | - | - | 1 | 1 | 6 | 4 | 16 | 21 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 469 | - | - | - | - | - | 1 | 1 | 6 | 4 | 16 | 21 |
| White, both sexes | 335 | - | - | - | - | - | - | 1 | 5 | 3 | 9 | 11 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 335 | - | - | - | - | - | - | 1 | 5 | 3 | 9 | 11 |
| Black, both sexes | 131 | - | - | - | - | - | 1 | - | 1 | 1 | 7 | 10 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 131 | - | - | - | - | - | 1 | - | 1 | 1 | 7 | 10 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 26 | - | - | - | - | - | - | 1 | - | - | 1 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 26 | - | - | - | - | - | - | 1 | - | - | 1 | 4 |
| White, both sexes | 19 | - | - | - | - | - | - | - | - | - | 1 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 19 | - | - | - | - | - | - | - | - | - | 1 | 4 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 5 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 494 | - | - | - | - | - | 1 | - | 6 | 5 | 14 | 25 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 494 | - | - | - | - | - | 1 | - | 6 | 5 | 14 | 25 |
| White, both sexes | 455 | - | - | - | - | - | 1 | - | 5 | 5 | 13 | 21 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 455 | - | - | - | - | - | 1 | - | 5 | 5 | 13 | 21 |
| Black, both sexes | 17 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| American Indian 1/, both sexes | 16 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | 2 |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 257 | - | - | - | - | - | - | 2 | 3 | 1 | 9 | 18 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 257 | - | - | - | - | - | - | 2 | 3 | 1 | 9 | 18 |
| White, both sexes | 218 | - | - | - | - | - | - | 2 | 2 | 1 | 8 | 12 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 218 | - | - | - | - | - | - | 2 | 2 | 1 | 8 | 12 |
| Black, both sexes | 37 | - | - | - | - | - | - | - | 1 | - | - | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 37 | - | - | - | - | - | - | - | 1 | - | - | 6 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 2,834 | - | - | - | - | 2 | 2 | 10 | 20 | 61 | 84 | 162 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2,834 | - | - | - | - | 2 | 2 | 10 | 20 | 61 | 84 | 162 |
| White, both sexes | 2,377 | - | - | - | - | 2 | 2 | 7 | 16 | 46 | 67 | 129 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2,377 | - | - | - | - | 2 | 2 | 7 | 16 | 46 | 67 | 129 |
| Black, both sexes | 196 | - | - | - | - | - | - | 2 | 2 | 6 | 5 | 10 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 196 | - | - | - | - | - | - | 2 | 2 | 6 | 5 | 10 |
| American Indian 1/, both sexes | 13 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 248 | - | - | - | - | - | - | - | 2 | 9 | 12 | 22 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 248 | - | - | - | - | - | - | - | 2 | 9 | 12 | 22 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 356 | - | - | - | - | - | 2 | 1 | - | 3 | 6 | 16 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 356 | - | - | - | - | - | 2 | 1 | - | 3 | 6 | 16 |
| White, both sexes | 341 | - | - | - | - | - | 2 | 1 | - | 3 | 6 | 15 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 341 | - | - | - | - | - | 2 | 1 | - | 3 | 6 | 15 |
| Black, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 339 | - | - | - | - | - | - | - | 2 | 3 | 8 | 14 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 339 | - | - | - | - | - | - | - | 2 | 3 | 8 | 14 |
| White, both sexes | 315 | - | - | - | - | - | - | - | 2 | 2 | 7 | 13 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 315 | - | - | - | - | - | - | - | 2 | 2 | 7 | 13 |
| Black, both sexes | 22 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 22 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 82 | - | - | - | - | - | - | - | - | 1 | 2 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 82 | - | - | - | - | - | - | - | - | 1 | 2 | 5 |
| White, both sexes | 69 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 69 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| Black, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | 2 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 63 | - | - | - | - | - | - | - | - | 2 | - | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 63 | - | - | - | - | - | - | - | - | 2 | - | 6 |
| White, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 49 | - | - | - | - | - | - | - | - | 2 | - | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 49 | - | - | - | - | - | - | - | - | 2 | - | 5 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 1,846 | - | - | - | - | 1 | 2 | 4 | 11 | 34 | 57 | 101 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,846 | - | - | - | - | 1 | 2 | 4 | 11 | 34 | 57 | 101 |
| White, both sexes | 1,595 | - | - | - | - | 1 | 2 | 2 | 8 | 31 | 40 | 85 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,595 | - | - | - | - | 1 | 2 | 2 | 8 | 31 | 40 | 85 |
| Black, both sexes | 223 | - | - | - | - | - | - | 2 | 3 | 3 | 16 | 15 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 223 | - | - | - | - | - | - | 2 | 3 | 3 | 16 | 15 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 26 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 26 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 683 | - | - | - | 1 | - | - | 7 | 7 | 8 | 27 | 41 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 683 | - | - | - | 1 | - | - | 7 | 7 | 8 | 27 | 41 |
| White, both sexes | 469 | - | - | - | 1 | - | - | 3 | 3 | 6 | 13 | 29 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 469 | - | - | - | 1 | - | - | 3 | 3 | 6 | 13 | 29 |
| Black, both sexes | 203 | - | - | - | - | - | - | 4 | 4 | 2 | 13 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 203 | - | - | - | - | - | - | 4 | 4 | 2 | 13 | 7 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 10 | - | - | - | - | - | - | - | - | - | 1 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | - | - | - | - | - | - | - | - | - | 1 | 4 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 90 | - | - | - | - | - | - | - | - | 3 | 4 | 8 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 90 | - | - | - | - | - | - | - | - | 3 | 4 | 8 |
| White, both sexes | 26 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 26 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 63 | - | - | - | - | - | - | - | - | 2 | 3 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 63 | - | - | - | - | - | - | - | - | 2 | 3 | 6 |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 105 | - | - | - | - | - | - | - | - | 1 | 4 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 105 | - | - | - | - | - | - | - | - | 1 | 4 | - |
| White, both sexes | 104 | - | - | - | - | - | - | - | - | 1 | 4 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 104 | - | - | - | - | - | - | - | - | 1 | 4 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 1,227 | - | - | - | - | - | 3 | 4 | 6 | 19 | 38 | 61 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,227 | - | - | - | - | - | 3 | 4 | 6 | 19 | 38 | 61 |
| White, both sexes | 1,006 | - | - | - | - | - | 2 | 3 | 3 | 14 | 26 | 43 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,006 | - | - | - | - | - | 2 | 3 | 3 | 14 | 26 | 43 |
| Black, both sexes | 198 | - | - | - | - | - | 1 | 1 | 3 | 3 | 11 | 15 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 198 | - | - | - | - | - | 1 | 1 | 3 | 3 | 11 | 15 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 21 | - | - | - | - | - | - | - | - | 2 | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 21 | - | - | - | - | - | - | - | - | 2 | 1 | 2 |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 643 | - | - | - | - | - | - | 2 | 6 | 12 | 17 | 25 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 643 | - | - | - | - | - | - | 2 | 6 | 12 | 17 | 25 |
| White, both sexes | 602 | - | - | - | - | - | - | 2 | 6 | 12 | 15 | 24 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 602 | - | - | - | - | - | - | 2 | 6 | 12 | 15 | 24 |
| Black, both sexes | 38 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 38 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 330 | - | - | - | - | - | - | - | 2 | 1 | 9 | 9 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 330 | - | - | - | - | - | - | - | 2 | 1 | 9 | 9 |
| White, both sexes | 325 | - | - | - | - | - | - | - | 2 | 1 | 9 | 9 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 325 | - | - | - | - | - | - | - | 2 | 1 | 9 | 9 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 251 | - | - | - | - | - | - | 1 | 4 | 2 | 12 | 14 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 251 | - | - | - | - | - | - | 1 | 4 | 2 | 12 | 14 |
| White, both sexes | 236 | - | - | - | - | - | - | 1 | 4 | 2 | 11 | 10 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 236 | - | - | - | - | - | - | 1 | 4 | 2 | 11 | 10 |
| Black, both sexes | 12 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 12 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 2 |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 362 | - | - | - | - | - | - | 2 | 3 | 5 | 15 | 27 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 362 | - | - | - | - | - | - | 2 | 3 | 5 | 15 | 27 |
| White, both sexes | 331 | - | - | - | - | - | - | 2 | 3 | 4 | 14 | 20 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 331 | - | - | - | - | - | - | 2 | 3 | 4 | 14 | 20 |
| Black, both sexes | 29 | - | - | - | - | - | - | - | - | 1 | 1 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 29 | - | - | - | - | - | - | - | - | 1 | 1 | 6 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 384 | - | - | - | - | - | 1 | 2 | 6 | 11 | 20 | 19 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 384 | - | - | - | - | - | 1 | 2 | 6 | 11 | 20 | 19 |
| White, both sexes | 249 | - | - | - | - | - | 1 | 1 | 5 | 6 | 13 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 249 | - | - | - | - | - | 1 | 1 | 5 | 6 | 13 | 7 |
| Black, both sexes | 134 | - | - | - | - | - | - | 1 | 1 | 4 | 7 | 12 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 134 | - | - | - | - | - | - | 1 | 1 | 4 | 7 | 12 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 133 | - | - | - | - | - | - | - | - | 1 | 4 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 133 | - | - | - | - | - | - | - | - | 1 | 4 | 3 |
| White, both sexes | 132 | - | - | - | - | - | - | - | - | 1 | 3 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 132 | - | - | - | - | - | - | - | - | 1 | 3 | 3 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 467 | - | - | - | - | - | 1 | - | 6 | 4 | 12 | 27 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 467 | - | - | - | - | - | 1 | - | 6 | 4 | 12 | 27 |
| White, both sexes | 335 | - | - | - | - | - | 1 | - | 4 | 3 | 5 | 15 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 335 | - | - | - | - | - | 1 | - | 4 | 3 | 5 | 15 |
| Black, both sexes | 124 | - | - | - | - | - | - | - | 2 | 1 | 7 | 12 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 124 | - | - | - | - | - | - | - | 2 | 1 | 7 | 12 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 623 | - | - | - | - | 1 | 1 | 2 | 3 | 3 | 15 | 27 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 623 | - | - | - | - | 1 | 1 | 2 | 3 | 3 | 15 | 27 |
| White, both sexes | 593 | - | - | - | - | - | 1 | 1 | 3 | 2 | 13 | 26 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 593 | - | - | - | - | - | 1 | 1 | 3 | 2 | 13 | 26 |
| Black, both sexes | 23 | - | - | - | - | 1 | - | 1 | - | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 23 | - | - | - | - | 1 | - | 1 | - | - | 1 | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 1,018 | - | - | - | - | - | 2 | 3 | 7 | 13 | 34 | 47 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,018 | - | - | - | - | - | 2 | 3 | 7 | 13 | 34 | 47 |
| White, both sexes | 869 | - | - | - | - | - | 2 | 2 | 6 | 10 | 22 | 39 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 869 | - | - | - | - | - | 2 | 2 | 6 | 10 | 22 | 39 |
| Black, both sexes | 139 | - | - | - | - | - | - | 1 | 1 | 2 | 11 | 8 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 139 | - | - | - | - | - | - | 1 | 1 | 2 | 11 | 8 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | - | 1 | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 459 | - | - | - | - | - | - | - | 2 | 3 | 10 | 17 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 459 | - | - | - | - | - | - | - | 2 | 3 | 10 | 17 |
| White, both sexes | 445 | - | - | - | - | - | - | - | 1 | 3 | 10 | 16 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 445 | - | - | - | - | - | - | - | 1 | 3 | 10 | 16 |
| Black, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | 1 | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 280 | - | - | - | - | - | 1 | 1 | - | 7 | 9 | 12 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 280 | - | - | - | - | - | 1 | 1 | - | 7 | 9 | 12 |
| White, both sexes | 176 | - | - | - | - | - | 1 | - | - | 2 | 2 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 176 | - | - | - | - | - | 1 | - | - | 2 | 2 | 7 |
| Black, both sexes | 99 | - | - | - | - | - | - | 1 | - | 5 | 7 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 99 | - | - | - | - | - | - | 1 | - | 5 | 7 | 5 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 522 | - | - | - | 1 | - | - | 2 | 7 | 2 | 11 | 27 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 522 | - | - | - | 1 | - | - | 2 | 7 | 2 | 11 | 27 |
| White, both sexes | 464 | - | - | - | 1 | - | - | 2 | 6 | 1 | 9 | 26 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 464 | - | - | - | 1 | - | - | 2 | 6 | 1 | 9 | 26 |
| Black, both sexes | 53 | - | - | - | - | - | - | - | 1 | 1 | 2 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 53 | - | - | - | - | - | - | - | 1 | 1 | 2 | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 110 | - | - | - | - | - | - | 1 | - | 1 | 2 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 110 | - | - | - | - | - | - | 1 | - | 1 | 2 | 4 |
| White, both sexes | 106 | - | - | - | - | - | - | 1 | - | 1 | 2 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 106 | - | - | - | - | - | - | 1 | - | 1 | 2 | 4 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 167 | - | - | - | - | - | 1 | - | 1 | - | 1 | 8 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 167 | - | - | - | - | - | 1 | - | 1 | - | 1 | 8 |
| White, both sexes | 161 | - | - | - | - | - | 1 | - | 1 | - | 1 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 161 | - | - | - | - | - | 1 | - | 1 | - | 1 | 7 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 189 | - | - | - | - | - | - | - | 3 | 3 | 9 | 11 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 189 | - | - | - | - | - | - | - | 3 | 3 | 9 | 11 |
| White, both sexes | 162 | - | - | - | - | - | - | - | 1 | 3 | 7 | 8 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 162 | - | - | - | - | - | - | - | 1 | 3 | 7 | 8 |
| Black, both sexes | 15 | - | - | - | - | - | - | - | 1 | - | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 15 | - | - | - | - | - | - | - | 1 | - | 1 | 3 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 11 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | - | - | - | - | - | - | - | 1 | - | 1 | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 103 | - | - | - | - | - | - | 1 | 1 | 2 | 3 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 103 | - | - | - | - | - | - | 1 | 1 | 2 | 3 | 6 |
| White, both sexes | 102 | - | - | - | - | - | - | 1 | 1 | 2 | 3 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 102 | - | - | - | - | - | - | 1 | 1 | 2 | 3 | 6 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 887 | - | - | - | - | - | 1 | 3 | 3 | 13 | 36 | 43 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 887 | - | - | - | - | - | 1 | 3 | 3 | 13 | 36 | 43 |
| White, both sexes | 757 | - | - | - | - | - | - | 3 | 3 | 10 | 29 | 34 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 757 | - | - | - | - | - | - | 3 | 3 | 10 | 29 | 34 |
| Black, both sexes | 109 | - | - | - | - | - | 1 | - | - | 3 | 6 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 109 | - | - | - | - | - | 1 | - | - | 3 | 6 | 6 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 20 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 20 | - | - | - | - | - | - | - | - | - | 1 | 3 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 171 | - | - | - | - | - | - | - | 3 | 3 | 3 | 8 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 171 | - | - | - | - | - | - | - | 3 | 3 | 3 | 8 |
| White, both sexes | 155 | - | - | - | - | - | - | - | 3 | 2 | 3 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 155 | - | - | - | - | - | - | - | 3 | 2 | 3 | 6 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 14 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 2,039 | - | - | - | 1 | 1 | 2 | 7 | 16 | 28 | 51 | 71 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2,039 | - | - | - | 1 | 1 | 2 | 7 | 16 | 28 | 51 | 71 |
| White, both sexes | 1,648 | - | - | - | - | 1 | 1 | 3 | 14 | 15 | 33 | 52 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,648 | - | - | - | - | 1 | 1 | 3 | 14 | 15 | 33 | 52 |
| Black, both sexes | 344 | - | - | - | 1 | - | 1 | 4 | 1 | 13 | 15 | 14 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 344 | - | - | - | 1 | - | 1 | 4 | 1 | 13 | 15 | 14 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 45 | - | - | - | - | - | - | - | 1 | - | 3 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 45 | - | - | - | - | - | - | - | 1 | - | 3 | 5 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 819 | - | - | - | - | - | - | - | 8 | 12 | 25 | 39 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 819 | - | - | - | - | - | - | - | 8 | 12 | 25 | 39 |
| White, both sexes | 624 | - | - | - | - | - | - | - | 5 | 7 | 16 | 30 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 624 | - | - | - | - | - | - | - | 5 | 7 | 16 | 30 |
| Black, both sexes | 187 | - | - | - | - | - | - | - | 3 | 4 | 8 | 9 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 187 | - | - | - | - | - | - | - | 3 | 4 | 8 | 9 |
| American Indian 1/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 64 | - | - | - | - | - | - | - | - | 1 | 3 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 64 | - | - | - | - | - | - | - | - | 1 | 3 | 5 |
| White, both sexes | 61 | - | - | - | - | - | - | - | - | 1 | 3 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 61 | - | - | - | - | - | - | - | - | 1 | 3 | 3 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 2 |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 1,074 | - | - | - | - | - | 1 | 2 | 8 | 15 | 26 | 55 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,074 | - | - | - | - | - | 1 | 2 | 8 | 15 | 26 | 55 |
| White, both sexes | 959 | - | - | - | - | - | - | 1 | 7 | 14 | 25 | 54 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 959 | - | - | - | - | - | - | 1 | 7 | 14 | 25 | 54 |
| Black, both sexes | 110 | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 110 | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 | 1 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 337 | - | - | - | - | - | 1 | - | - | 9 | 9 | 16 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 337 | - | - | - | - | - | 1 | - | - | 9 | 9 | 16 |
| White, both sexes | 300 | - | - | - | - | - | 1 | - | - | 8 | 7 | 15 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 300 | - | - | - | - | - | 1 | - | - | 8 | 7 | 15 |
| Black, both sexes | 20 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 20 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| American Indian 1/, both sexes | 15 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 15 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 354 | - | - | - | - | - | - | 2 | - | 5 | 7 | 11 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 354 | - | - | - | - | - | - | 2 | - | 5 | 7 | 11 |
| White, both sexes | 342 | - | - | - | - | - | - | 1 | - | 5 | 7 | 10 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 342 | - | - | - | - | - | - | 1 | - | 5 | 7 | 10 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | 1 | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 1,521 | - | - | - | - | - | 1 | 5 | 13 | 14 | 41 | 74 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,521 | - | - | - | - | - | 1 | 5 | 13 | 14 | 41 | 74 |
| White, both sexes | 1,378 | - | - | - | - | - | 1 | 5 | 13 | 13 | 34 | 67 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,378 | - | - | - | - | - | 1 | 5 | 13 | 13 | 34 | 67 |
| Black, both sexes | 133 | - | - | - | - | - | - | - | - | 1 | 6 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 133 | - | - | - | - | - | - | - | - | 1 | 6 | 6 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 10 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | - | - | - | - | - | - | - | - | - | 1 | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 106 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 106 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| White, both sexes | 99 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 99 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 383 | - | - | - | - | - | - | 2 | 6 | 4 | 15 | 22 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 383 | - | - | - | - | - | - | 2 | 6 | 4 | 15 | 22 |
| White, both sexes | 245 | - | - | - | - | - | - | 1 | 2 | 2 | 8 | 13 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 245 | - | - | - | - | - | - | 1 | 2 | 2 | 8 | 13 |
| Black, both sexes | 136 | - | - | - | - | - | - | 1 | 4 | 2 | 7 | 8 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 136 | - | - | - | - | - | - | 1 | 4 | 2 | 7 | 8 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 68 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 68 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| White, both sexes | 65 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 65 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 630 | - | - | - | - | - | 1 | 3 | 6 | 20 | 21 | 33 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 630 | - | - | - | - | - | 1 | 3 | 6 | 20 | 21 | 33 |
| White, both sexes | 534 | - | - | - | - | - | - | 1 | 4 | 17 | 18 | 25 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 534 | - | - | - | - | - | - | 1 | 4 | 17 | 18 | 25 |
| Black, both sexes | 89 | - | - | - | - | - | 1 | 2 | 1 | 3 | 3 | 8 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 89 | - | - | - | - | - | 1 | 2 | 1 | 3 | 3 | 8 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 1,701 | - | - | - | - | 1 | 4 | 10 | 19 | 34 | 72 | 103 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,701 | - | - | - | - | 1 | 4 | 10 | 19 | 34 | 72 | 103 |
| White, both sexes | 1,425 | - | - | - | - | 1 | 4 | 7 | 14 | 31 | 59 | 78 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,425 | - | - | - | - | 1 | 4 | 7 | 14 | 31 | 59 | 78 |
| Black, both sexes | 234 | - | - | - | - | - | - | 1 | 5 | 2 | 10 | 22 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 234 | - | - | - | - | - | - | 1 | 5 | 2 | 10 | 22 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 40 | - | - | - | - | - | - | 2 | - | 1 | 3 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 40 | - | - | - | - | - | - | 2 | - | 1 | 3 | 3 |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 136 | - | - | - | - | - | - | 1 | 1 | 1 | 4 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 136 | - | - | - | - | - | - | 1 | 1 | 1 | 4 | 7 |
| White, both sexes | 132 | - | - | - | - | - | - | 1 | 1 | 1 | 4 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 132 | - | - | - | - | - | - | 1 | 1 | 1 | 4 | 7 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 46 | - | - | - | - | - | - | - | - | - | - | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 46 | - | - | - | - | - | - | - | - | - | - | 4 |
| White, both sexes | 46 | - | - | - | - | - | - | - | - | - | - | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 46 | - | - | - | - | - | - | - | - | - | - | 4 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 661 | - | - | - | - | - | 1 | - | 4 | 6 | 12 | 43 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 661 | - | - | - | - | - | 1 | - | 4 | 6 | 12 | 43 |
| White, both sexes | 525 | - | - | - | - | - | 1 | - | 4 | 4 | 7 | 25 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 525 | - | - | - | - | - | 1 | - | 4 | 4 | 7 | 25 |
| Black, both sexes | 119 | - | - | - | - | - | - | - | - | 2 | 5 | 13 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 119 | - | - | - | - | - | - | - | - | 2 | 5 | 13 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 17 | - | - | - | - | - | - | - | - | - | - | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | 5 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 561 | - | - | - | - | - | - | - | 4 | 7 | 17 | 29 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 561 | - | - | - | - | - | - | - | 4 | 7 | 17 | 29 |
| White, both sexes | 536 | - | - | - | - | - | - | - | 4 | 6 | 16 | 27 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 536 | - | - | - | - | - | - | - | 4 | 6 | 16 | 27 |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 7 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | 12 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 12 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 183 | - | - | - | - | - | - | 1 | 2 | 8 | 5 | 12 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 183 | - | - | - | - | - | - | 1 | 2 | 8 | 5 | 12 |
| White, both sexes | 177 | - | - | - | - | - | - | 1 | 2 | 6 | 5 | 12 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 177 | - | - | - | - | - | - | 1 | 2 | 6 | 5 | 12 |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | 2 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 568 | - | - | - | - | - | 1 | - | 4 | 7 | 12 | 28 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 568 | - | - | - | - | - | 1 | - | 4 | 7 | 12 | 28 |
| White, both sexes | 540 | - | - | - | - | - | 1 | - | 4 | 6 | 10 | 23 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 540 | - | - | - | - | - | 1 | - | 4 | 6 | 10 | 23 |
| Black, both sexes | 22 | - | - | - | - | - | - | - | - | 1 | 1 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 22 | - | - | - | - | - | - | - | - | 1 | 1 | 4 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 38 | - | - | - | - | - | - | - | 1 | - | 3 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 38 | - | - | - | - | - | - | - | 1 | - | 3 | 3 |
| White, both sexes | 37 | - | - | - | - | - | - | - | 1 | - | 3 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 37 | - | - | - | - | - | - | - | 1 | - | 3 | 3 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 1,959 | 2,649 | 2,836 | 2,994 | 3,240 | 3,476 | 3,468 | 2,326 | 1,105 | 243 | 32 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,959 | 2,649 | 2,836 | 2,994 | 3,240 | 3,476 | 3,468 | 2,326 | 1,105 | 243 | 32 | - |
| White, both sexes | 1,622 | 2,197 | 2,355 | 2,509 | 2,750 | 3,027 | 3,109 | 2,105 | 1,000 | 226 | 29 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,622 | 2,197 | 2,355 | 2,509 | 2,750 | 3,027 | 3,109 | 2,105 | 1,000 | 226 | 29 | - |
| Black, both sexes | 246 | 341 | 401 | 408 | 412 | 379 | 305 | 192 | 96 | 15 | 3 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 246 | 341 | 401 | 408 | 412 | 379 | 305 | 192 | 96 | 15 | 3 | - |
| American Indian 1/, both sexes | 23 | 18 | 11 | 18 | 13 | 10 | 6 | 3 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 23 | 18 | 11 | 18 | 13 | 10 | 6 | 3 | 2 | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | 68 | 93 | 69 | 59 | 65 | 60 | 48 | 26 | 7 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 68 | 93 | 69 | 59 | 65 | 60 | 48 | 26 | 7 | 1 | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 32 | 47 | 40 | 56 | 63 | 54 | 59 | 42 | 22 | 3 | 2 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 32 | 47 | 40 | 56 | 63 | 54 | 59 | 42 | 22 | 3 | 2 | - |
| White, both sexes | 17 | 36 | 33 | 40 | 42 | 42 | 44 | 36 | 12 | 2 | 2 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | 36 | 33 | 40 | 42 | 42 | 44 | 36 | 12 | 2 | 2 | - |
| Black, both sexes | 14 | 10 | 7 | 16 | 20 | 12 | 15 | 6 | 10 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14 | 10 | 7 | 16 | 20 | 12 | 15 | 6 | 10 | 1 | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 4 | 4 | 2 | 1 | 4 | 1 | 3 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 4 | 2 | 1 | 4 | 1 | 3 | 1 | - | - | - | - |
| White, both sexes | 2 | 2 | 2 | - | 3 | 1 | 3 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 2 | 2 | - | 3 | 1 | 3 | 1 | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | 2 | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 45 | 48 | 55 | 61 | 59 | 58 | 58 | 42 | 15 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 45 | 48 | 55 | 61 | 59 | 58 | 58 | 42 | 15 | 2 | - | - |
| White, both sexes | 40 | 42 | 52 | 56 | 54 | 53 | 56 | 40 | 15 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 40 | 42 | 52 | 56 | 54 | 53 | 56 | 40 | 15 | 2 | - | - |
| Black, both sexes | 1 | - | 2 | 3 | 2 | 2 | 2 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 2 | 3 | 2 | 2 | 2 | 1 | - | - | - | - |
| American Indian 1/, both sexes | 3 | 3 | 1 | 2 | 2 | 2 | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 3 | 1 | 2 | 2 | 2 | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 3 | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 3 | - | - | 1 | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 18 | 17 | 24 | 29 | 44 | 31 | 29 | 21 | 7 | 3 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 18 | 17 | 24 | 29 | 44 | 31 | 29 | 21 | 7 | 3 | 1 | - |
| White, both sexes | 16 | 15 | 20 | 24 | 37 | 26 | 28 | 19 | 5 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | 15 | 20 | 24 | 37 | 26 | 28 | 19 | 5 | 3 | - | - |
| Black, both sexes | 2 | 2 | 4 | 5 | 7 | 4 | 1 | 2 | 2 | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 2 | 4 | 5 | 7 | 4 | 1 | 2 | 2 | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 230 | 290 | 272 | 316 | 323 | 342 | 331 | 253 | 108 | 24 | 4 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 230 | 290 | 272 | 316 | 323 | 342 | 331 | 253 | 108 | 24 | 4 | - |
| White, both sexes | 179 | 239 | 215 | 261 | 270 | 287 | 298 | 232 | 101 | 22 | 4 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 179 | 239 | 215 | 261 | 270 | 287 | 298 | 232 | 101 | 22 | 4 | - |
| Black, both sexes | 16 | 23 | 27 | 26 | 26 | 25 | 19 | 4 | 3 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | 23 | 27 | 26 | 26 | 25 | 19 | 4 | 3 | 2 | - | - |
| American Indian 1/, both sexes | 5 | - | 1 | 2 | 1 | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | 1 | 2 | 1 | 1 | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 30 | 28 | 29 | 27 | 26 | 29 | 13 | 17 | 4 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 30 | 28 | 29 | 27 | 26 | 29 | 13 | 17 | 4 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 34 | 33 | 43 | 39 | 33 | 53 | 47 | 31 | 10 | 5 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 34 | 33 | 43 | 39 | 33 | 53 | 47 | 31 | 10 | 5 | - | - |
| White, both sexes | 33 | 28 | 43 | 37 | 32 | 49 | 46 | 31 | 10 | 5 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 33 | 28 | 43 | 37 | 32 | 49 | 46 | 31 | 10 | 5 | - | - |
| Black, both sexes | - | 2 | - | 2 | 1 | 3 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | - | 2 | 1 | 3 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 3 | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 3 | - | - | - | 1 | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 19 | 29 | 33 | 43 | 42 | 30 | 40 | 45 | 25 | 5 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 19 | 29 | 33 | 43 | 42 | 30 | 40 | 45 | 25 | 5 | 1 | - |
| White, both sexes | 16 | 26 | 30 | 38 | 38 | 29 | 40 | 43 | 25 | 5 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | 26 | 30 | 38 | 38 | 29 | 40 | 43 | 25 | 5 | 1 | - |
| Black, both sexes | 3 | 3 | 3 | 4 | 3 | 1 | - | 2 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 3 | 3 | 4 | 3 | 1 | - | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 8 | 7 | 8 | 7 | 10 | 14 | 11 | 5 | 4 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | 7 | 8 | 7 | 10 | 14 | 11 | 5 | 4 | - | - | - |
| White, both sexes | 8 | 7 | 5 | 5 | 9 | 12 | 10 | 4 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | 7 | 5 | 5 | 9 | 12 | 10 | 4 | 3 | - | - | - |
| Black, both sexes | - | - | 3 | 2 | 1 | 2 | 1 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 3 | 2 | 1 | 2 | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 3 | 6 | 7 | 8 | 10 | 9 | 10 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 6 | 7 | 8 | 10 | 9 | 10 | 1 | 1 | - | - | - |
| White, both sexes | - | 3 | 1 | 1 | 3 | 2 | 2 | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 3 | 1 | 1 | 3 | 2 | 2 | - | 1 | - | - | - |
| Black, both sexes | 3 | 3 | 6 | 7 | 7 | 7 | 8 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 3 | 6 | 7 | 7 | 7 | 8 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 112 | 176 | 206 | 215 | 199 | 259 | 237 | 151 | 64 | 14 | 3 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 112 | 176 | 206 | 215 | 199 | 259 | 237 | 151 | 64 | 14 | 3 | - |
| White, both sexes | 95 | 151 | 181 | 177 | 172 | 218 | 221 | 140 | 56 | 12 | 3 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 95 | 151 | 181 | 177 | 172 | 218 | 221 | 140 | 56 | 12 | 3 | - |
| Black, both sexes | 10 | 17 | 22 | 34 | 27 | 38 | 15 | 11 | 8 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | 17 | 22 | 34 | 27 | 38 | 15 | 11 | 8 | 2 | - | - |
| American Indian 1/, both sexes | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | 7 | 3 | 4 | - | 3 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 7 | 3 | 4 | - | 3 | 1 | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 41 | 54 | 73 | 94 | 87 | 75 | 86 | 58 | 22 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 41 | 54 | 73 | 94 | 87 | 75 | 86 | 58 | 22 | 2 | - | - |
| White, both sexes | 22 | 39 | 44 | 67 | 58 | 60 | 64 | 45 | 13 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 22 | 39 | 44 | 67 | 58 | 60 | 64 | 45 | 13 | 2 | - | - |
| Black, both sexes | 18 | 15 | 29 | 26 | 27 | 15 | 21 | 13 | 9 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 18 | 15 | 29 | 26 | 27 | 15 | 21 | 13 | 9 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | 2 | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | 1 | 2 | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 6 | 6 | 7 | 9 | 12 | 7 | 20 | 6 | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 6 | 7 | 9 | 12 | 7 | 20 | 6 | 1 | 1 | - | - |
| White, both sexes | 2 | 1 | 4 | 4 | 1 | 3 | 3 | 3 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | 4 | 4 | 1 | 3 | 3 | 3 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | 5 | 3 | 5 | 11 | 4 | 16 | 3 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 5 | 3 | 5 | 11 | 4 | 16 | 3 | 1 | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 17 | 11 | 7 | 5 | 12 | 14 | 16 | 9 | 5 | 4 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | 11 | 7 | 5 | 12 | 14 | 16 | 9 | 5 | 4 | - | - |
| White, both sexes | 17 | 11 | 7 | 5 | 12 | 13 | 16 | 9 | 5 | 4 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | 11 | 7 | 5 | 12 | 13 | 16 | 9 | 5 | 4 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 83 | 118 | 145 | 117 | 151 | 145 | 156 | 99 | 62 | 19 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 83 | 118 | 145 | 117 | 151 | 145 | 156 | 99 | 62 | 19 | 1 | - |
| White, both sexes | 68 | 94 | 115 | 92 | 129 | 118 | 136 | 88 | 55 | 19 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 68 | 94 | 115 | 92 | 129 | 118 | 136 | 88 | 55 | 19 | 1 | - |
| Black, both sexes | 13 | 20 | 27 | 22 | 22 | 26 | 18 | 10 | 6 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | 20 | 27 | 22 | 22 | 26 | 18 | 10 | 6 | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 3 | 3 | 3 | - | 1 | 2 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 3 | 3 | 3 | - | 1 | 2 | 1 | 1 | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 49 | 52 | 72 | 59 | 73 | 91 | 90 | 56 | 26 | 10 | 3 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 49 | 52 | 72 | 59 | 73 | 91 | 90 | 56 | 26 | 10 | 3 | - |
| White, both sexes | 45 | 48 | 70 | 55 | 62 | 83 | 87 | 54 | 26 | 10 | 3 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 45 | 48 | 70 | 55 | 62 | 83 | 87 | 54 | 26 | 10 | 3 | - |
| Black, both sexes | 3 | 4 | 2 | 4 | 9 | 8 | 3 | 2 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 4 | 2 | 4 | 9 | 8 | 3 | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | 2 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | 2 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 25 | 26 | 33 | 35 | 43 | 41 | 47 | 34 | 22 | 2 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 25 | 26 | 33 | 35 | 43 | 41 | 47 | 34 | 22 | 2 | 1 | - |
| White, both sexes | 25 | 26 | 32 | 34 | 43 | 39 | 46 | 34 | 22 | 2 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 25 | 26 | 32 | 34 | 43 | 39 | 46 | 34 | 22 | 2 | 1 | - |
| Black, both sexes | - | - | - | - | - | 2 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 2 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 11 | 22 | 23 | 22 | 19 | 36 | 52 | 16 | 13 | 4 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | 22 | 23 | 22 | 19 | 36 | 52 | 16 | 13 | 4 | - | - |
| White, both sexes | 10 | 22 | 21 | 20 | 18 | 34 | 51 | 16 | 12 | 4 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | 22 | 21 | 20 | 18 | 34 | 51 | 16 | 12 | 4 | - | - |
| Black, both sexes | 1 | - | 2 | 2 | - | 2 | 1 | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 2 | 2 | - | 2 | 1 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 23 | 30 | 55 | 45 | 49 | 39 | 37 | 23 | 7 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 23 | 30 | 55 | 45 | 49 | 39 | 37 | 23 | 7 | 2 | - | - |
| White, both sexes | 23 | 28 | 52 | 40 | 47 | 37 | 32 | 21 | 6 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 23 | 28 | 52 | 40 | 47 | 37 | 32 | 21 | 6 | 2 | - | - |
| Black, both sexes | - | 2 | 2 | 5 | 2 | 2 | 5 | 2 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 2 | 5 | 2 | 2 | 5 | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 35 | 36 | 33 | 35 | 50 | 38 | 42 | 32 | 18 | 5 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 35 | 36 | 33 | 35 | 50 | 38 | 42 | 32 | 18 | 5 | 1 | - |
| White, both sexes | 22 | 22 | 24 | 25 | 30 | 27 | 32 | 20 | 11 | 2 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 22 | 22 | 24 | 25 | 30 | 27 | 32 | 20 | 11 | 2 | 1 | - |
| Black, both sexes | 13 | 14 | 9 | 10 | 20 | 11 | 10 | 12 | 7 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | 14 | 9 | 10 | 20 | 11 | 10 | 12 | 7 | 3 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 7 | 12 | 14 | 20 | 13 | 19 | 18 | 16 | 6 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 12 | 14 | 20 | 13 | 19 | 18 | 16 | 6 | - | - | - |
| White, both sexes | 7 | 12 | 14 | 20 | 13 | 19 | 18 | 16 | 6 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 12 | 14 | 20 | 13 | 19 | 18 | 16 | 6 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 33 | 39 | 66 | 60 | 50 | 63 | 52 | 33 | 19 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 33 | 39 | 66 | 60 | 50 | 63 | 52 | 33 | 19 | 2 | - | - |
| White, both sexes | 21 | 23 | 52 | 40 | 32 | 47 | 44 | 29 | 17 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 21 | 23 | 52 | 40 | 32 | 47 | 44 | 29 | 17 | 2 | - | - |
| Black, both sexes | 11 | 14 | 11 | 20 | 17 | 15 | 8 | 4 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | 14 | 11 | 20 | 17 | 15 | 8 | 4 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 2 | 3 | - | 1 | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | 3 | - | 1 | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 29 | 58 | 60 | 59 | 76 | 89 | 102 | 58 | 34 | 6 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 29 | 58 | 60 | 59 | 76 | 89 | 102 | 58 | 34 | 6 | - | - |
| White, both sexes | 26 | 55 | 53 | 58 | 73 | 88 | 99 | 57 | 32 | 6 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 26 | 55 | 53 | 58 | 73 | 88 | 99 | 57 | 32 | 6 | - | - |
| Black, both sexes | 2 | 2 | 5 | - | 3 | 1 | 3 | 1 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 2 | 5 | - | 3 | 1 | 3 | 1 | 2 | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | 2 | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 2 | 1 | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 70 | 93 | 104 | 120 | 124 | 135 | 133 | 87 | 39 | 7 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 70 | 93 | 104 | 120 | 124 | 135 | 133 | 87 | 39 | 7 | - | - |
| White, both sexes | 61 | 73 | 79 | 107 | 110 | 121 | 118 | 78 | 34 | 7 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 61 | 73 | 79 | 107 | 110 | 121 | 118 | 78 | 34 | 7 | - | - |
| Black, both sexes | 9 | 18 | 21 | 13 | 13 | 14 | 14 | 9 | 5 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | 18 | 21 | 13 | 13 | 14 | 14 | 9 | 5 | - | - | - |
| American Indian 1/, both sexes | - | - | 2 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 2 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | 2 | - | 1 | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 2 | - | 1 | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 38 | 51 | 51 | 52 | 51 | 61 | 47 | 35 | 33 | 7 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 38 | 51 | 51 | 52 | 51 | 61 | 47 | 35 | 33 | 7 | 1 | - |
| White, both sexes | 37 | 48 | 46 | 51 | 51 | 59 | 47 | 35 | 33 | 7 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 37 | 48 | 46 | 51 | 51 | 59 | 47 | 35 | 33 | 7 | 1 | - |
| Black, both sexes | 1 | 2 | 4 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | 4 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | 1 | - | 2 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | 1 | - | 2 | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 18 | 24 | 27 | 28 | 27 | 40 | 42 | 26 | 14 | 4 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 18 | 24 | 27 | 28 | 27 | 40 | 42 | 26 | 14 | 4 | - | - |
| White, both sexes | 10 | 17 | 16 | 21 | 19 | 21 | 29 | 17 | 11 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | 17 | 16 | 21 | 19 | 21 | 29 | 17 | 11 | 3 | - | - |
| Black, both sexes | 8 | 6 | 9 | 6 | 8 | 18 | 13 | 9 | 3 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | 6 | 9 | 6 | 8 | 18 | 13 | 9 | 3 | 1 | - | - |
| American Indian 1/, both sexes | - | - | 1 | 1 | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | 1 | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 30 | 43 | 56 | 62 | 60 | 82 | 62 | 43 | 28 | 6 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 30 | 43 | 56 | 62 | 60 | 82 | 62 | 43 | 28 | 6 | - | - |
| White, both sexes | 27 | 31 | 47 | 51 | 58 | 77 | 57 | 39 | 26 | 6 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 27 | 31 | 47 | 51 | 58 | 77 | 57 | 39 | 26 | 6 | - | - |
| Black, both sexes | 3 | 9 | 9 | 11 | 2 | 4 | 4 | 4 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 9 | 9 | 11 | 2 | 4 | 4 | 4 | 2 | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | - | - | - | 1 | 1 | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 3 | 12 | 15 | 8 | 12 | 21 | 10 | 18 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 12 | 15 | 8 | 12 | 21 | 10 | 18 | 2 | 1 | - | - |
| White, both sexes | 1 | 12 | 14 | 8 | 12 | 20 | 10 | 18 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 12 | 14 | 8 | 12 | 20 | 10 | 18 | 2 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 7 | 19 | 17 | 17 | 28 | 19 | 27 | 16 | 6 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 19 | 17 | 17 | 28 | 19 | 27 | 16 | 6 | - | - | - |
| White, both sexes | 7 | 18 | 16 | 16 | 27 | 19 | 26 | 16 | 6 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 18 | 16 | 16 | 27 | 19 | 26 | 16 | 6 | - | - | - |
| Black, both sexes | - | 1 | 1 | 1 | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | 1 | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 18 | 21 | 17 | 24 | 30 | 20 | 15 | 8 | 8 | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 18 | 21 | 17 | 24 | 30 | 20 | 15 | 8 | 8 | 1 | 1 | - |
| White, both sexes | 17 | 15 | 17 | 21 | 25 | 19 | 14 | 6 | 7 | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | 15 | 17 | 21 | 25 | 19 | 14 | 6 | 7 | 1 | 1 | - |
| Black, both sexes | - | 2 | - | 2 | 2 | - | 1 | 2 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | - | 2 | 2 | - | 1 | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 4 | - | - | 3 | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 4 | - | - | 3 | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 5 | 15 | 10 | 7 | 9 | 17 | 16 | 8 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 15 | 10 | 7 | 9 | 17 | 16 | 8 | 2 | 1 | - | - |
| White, both sexes | 5 | 14 | 10 | 7 | 9 | 17 | 16 | 8 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 14 | 10 | 7 | 9 | 17 | 16 | 8 | 2 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 64 | 88 | 86 | 105 | 91 | 97 | 120 | 93 | 37 | 6 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 64 | 88 | 86 | 105 | 91 | 97 | 120 | 93 | 37 | 6 | 1 | - |
| White, both sexes | 47 | 69 | 72 | 81 | 80 | 88 | 112 | 86 | 36 | 6 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 47 | 69 | 72 | 81 | 80 | 88 | 112 | 86 | 36 | 6 | 1 | - |
| Black, both sexes | 13 | 16 | 11 | 20 | 11 | 9 | 5 | 7 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | 16 | 11 | 20 | 11 | 9 | 5 | 7 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | 3 | 3 | 3 | - | - | 3 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 3 | 3 | 3 | - | - | 3 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 13 | 20 | 16 | 16 | 20 | 20 | 23 | 17 | 9 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | 20 | 16 | 16 | 20 | 20 | 23 | 17 | 9 | - | - | - |
| White, both sexes | 11 | 17 | 15 | 15 | 19 | 19 | 20 | 16 | 9 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | 17 | 15 | 15 | 19 | 19 | 20 | 16 | 9 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | 3 | 1 | 1 | 1 | 1 | 2 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 3 | 1 | 1 | 1 | 1 | 2 | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 162 | 232 | 219 | 240 | 261 | 260 | 223 | 177 | 69 | 16 | 3 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 162 | 232 | 219 | 240 | 261 | 260 | 223 | 177 | 69 | 16 | 3 | - |
| White, both sexes | 137 | 185 | 161 | 192 | 201 | 218 | 199 | 156 | 62 | 15 | 3 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 137 | 185 | 161 | 192 | 201 | 218 | 199 | 156 | 62 | 15 | 3 | - |
| Black, both sexes | 20 | 40 | 51 | 42 | 58 | 39 | 21 | 17 | 6 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 20 | 40 | 51 | 42 | 58 | 39 | 21 | 17 | 6 | 1 | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | 6 | 7 | 6 | 1 | 3 | 3 | 4 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 6 | 7 | 6 | 1 | 3 | 3 | 4 | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 48 | 78 | 86 | 105 | 87 | 101 | 108 | 73 | 39 | 9 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 48 | 78 | 86 | 105 | 87 | 101 | 108 | 73 | 39 | 9 | 1 | - |
| White, both sexes | 31 | 62 | 63 | 76 | 70 | 80 | 86 | 56 | 35 | 6 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 31 | 62 | 63 | 76 | 70 | 80 | 86 | 56 | 35 | 6 | 1 | - |
| Black, both sexes | 17 | 16 | 21 | 27 | 15 | 21 | 22 | 17 | 4 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | 16 | 21 | 27 | 15 | 21 | 22 | 17 | 4 | 3 | - | - |
| American Indian 1/, both sexes | - | - | 2 | 2 | 2 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 2 | 2 | 2 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 5 | 8 | 5 | 5 | 3 | 9 | 6 | 8 | 4 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 8 | 5 | 5 | 3 | 9 | 6 | 8 | 4 | 2 | - | - |
| White, both sexes | 5 | 8 | 5 | 4 | 3 | 9 | 6 | 8 | 4 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 8 | 5 | 4 | 3 | 9 | 6 | 8 | 4 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 87 | 107 | 99 | 98 | 129 | 156 | 140 | 91 | 49 | 10 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 87 | 107 | 99 | 98 | 129 | 156 | 140 | 91 | 49 | 10 | 1 | - |
| White, both sexes | 76 | 90 | 83 | 86 | 109 | 144 | 129 | 85 | 45 | 10 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 76 | 90 | 83 | 86 | 109 | 144 | 129 | 85 | 45 | 10 | 1 | - |
| Black, both sexes | 10 | 15 | 15 | 12 | 20 | 11 | 11 | 6 | 4 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | 15 | 15 | 12 | 20 | 11 | 11 | 6 | 4 | - | - | - |
| American Indian 1/, both sexes | 1 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 15 | 32 | 37 | 44 | 45 | 41 | 44 | 28 | 13 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 15 | 32 | 37 | 44 | 45 | 41 | 44 | 28 | 13 | 3 | - | - |
| White, both sexes | 14 | 27 | 32 | 38 | 42 | 37 | 42 | 23 | 12 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14 | 27 | 32 | 38 | 42 | 37 | 42 | 23 | 12 | 2 | - | - |
| Black, both sexes | - | 2 | 5 | 3 | - | 3 | 1 | 4 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 5 | 3 | - | 3 | 1 | 4 | - | - | - | - |
| American Indian 1/, both sexes | 1 | 2 | - | 3 | 3 | - | 1 | 1 | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | - | 3 | 3 | - | 1 | 1 | 1 | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 28 | 42 | 34 | 44 | 43 | 40 | 51 | 31 | 13 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 28 | 42 | 34 | 44 | 43 | 40 | 51 | 31 | 13 | 3 | - | - |
| White, both sexes | 27 | 40 | 32 | 42 | 42 | 39 | 50 | 31 | 13 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 27 | 40 | 32 | 42 | 42 | 39 | 50 | 31 | 13 | 3 | - | - |
| Black, both sexes | - | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | - | 1 | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | - | 1 | 1 | 1 | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 82 | 126 | 151 | 170 | 197 | 219 | 213 | 148 | 56 | 10 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 82 | 126 | 151 | 170 | 197 | 219 | 213 | 148 | 56 | 10 | 1 | - |
| White, both sexes | 72 | 110 | 135 | 151 | 172 | 204 | 196 | 140 | 55 | 9 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 72 | 110 | 135 | 151 | 172 | 204 | 196 | 140 | 55 | 9 | 1 | - |
| Black, both sexes | 9 | 15 | 15 | 18 | 22 | 15 | 17 | 8 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | 15 | 15 | 18 | 22 | 15 | 17 | 8 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | 1 | 1 | 3 | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | 1 | 1 | 3 | - | - | - | - | 1 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 11 | 9 | 13 | 13 | 13 | 14 | 17 | 6 | 4 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | 9 | 13 | 13 | 13 | 14 | 17 | 6 | 4 | 2 | - | - |
| White, both sexes | 9 | 7 | 13 | 13 | 11 | 13 | 17 | 6 | 4 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | 7 | 13 | 13 | 11 | 13 | 17 | 6 | 4 | 2 | - | - |
| Black, both sexes | 1 | - | - | - | 2 | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | 2 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 2 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 28 | 44 | 43 | 43 | 37 | 48 | 48 | 27 | 13 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 28 | 44 | 43 | 43 | 37 | 48 | 48 | 27 | 13 | 3 | - | - |
| White, both sexes | 22 | 30 | 22 | 28 | 25 | 28 | 34 | 18 | 10 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 22 | 30 | 22 | 28 | 25 | 28 | 34 | 18 | 10 | 2 | - | - |
| Black, both sexes | 6 | 14 | 21 | 14 | 12 | 20 | 14 | 9 | 3 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 14 | 21 | 14 | 12 | 20 | 14 | 9 | 3 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 8 | 6 | 5 | 3 | 9 | 10 | 12 | 3 | 6 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | 6 | 5 | 3 | 9 | 10 | 12 | 3 | 6 | - | - | - |
| White, both sexes | 7 | 5 | 5 | 3 | 9 | 9 | 12 | 3 | 6 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 5 | 5 | 3 | 9 | 9 | 12 | 3 | 6 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 52 | 65 | 60 | 68 | 77 | 80 | 67 | 47 | 26 | 4 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 52 | 65 | 60 | 68 | 77 | 80 | 67 | 47 | 26 | 4 | - | - |
| White, both sexes | 42 | 52 | 52 | 54 | 70 | 70 | 60 | 43 | 22 | 4 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 42 | 52 | 52 | 54 | 70 | 70 | 60 | 43 | 22 | 4 | - | - |
| Black, both sexes | 8 | 12 | 8 | 12 | 6 | 10 | 7 | 4 | 4 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | 12 | 8 | 12 | 6 | 10 | 7 | 4 | 4 | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | 2 | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | - | 2 | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 133 | 171 | 181 | 159 | 213 | 197 | 218 | 117 | 50 | 16 | 3 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 133 | 171 | 181 | 159 | 213 | 197 | 218 | 117 | 50 | 16 | 3 | - |
| White, both sexes | 109 | 134 | 147 | 134 | 174 | 173 | 195 | 105 | 43 | 15 | 2 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 109 | 134 | 147 | 134 | 174 | 173 | 195 | 105 | 43 | 15 | 2 | - |
| Black, both sexes | 18 | 31 | 30 | 23 | 31 | 20 | 21 | 11 | 7 | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 18 | 31 | 30 | 23 | 31 | 20 | 21 | 11 | 7 | 1 | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | 2 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 2 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | 6 | 4 | 2 | 6 | 4 | 2 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 6 | 4 | 2 | 6 | 4 | 2 | 1 | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 13 | 13 | 14 | 14 | 10 | 18 | 19 | 15 | 5 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | 13 | 14 | 14 | 10 | 18 | 19 | 15 | 5 | 1 | - | - |
| White, both sexes | 12 | 12 | 13 | 14 | 10 | 18 | 18 | 15 | 5 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 12 | 12 | 13 | 14 | 10 | 18 | 18 | 15 | 5 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 3 | 8 | 6 | 1 | 8 | 9 | 2 | 2 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 8 | 6 | 1 | 8 | 9 | 2 | 2 | 3 | - | - | - |
| White, both sexes | 3 | 8 | 6 | 1 | 8 | 9 | 2 | 2 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 8 | 6 | 1 | 8 | 9 | 2 | 2 | 3 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 50 | 68 | 74 | 67 | 70 | 85 | 90 | 61 | 25 | 3 | 2 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 50 | 68 | 74 | 67 | 70 | 85 | 90 | 61 | 25 | 3 | 2 | - |
| White, both sexes | 44 | 56 | 58 | 56 | 56 | 68 | 71 | 50 | 21 | 3 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 44 | 56 | 58 | 56 | 56 | 68 | 71 | 50 | 21 | 3 | 1 | - |
| Black, both sexes | 6 | 7 | 15 | 11 | 12 | 14 | 18 | 11 | 4 | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 7 | 15 | 11 | 12 | 14 | 18 | 11 | 4 | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 5 | 1 | - | 2 | 3 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 5 | 1 | - | 2 | 3 | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 40 | 54 | 63 | 62 | 63 | 71 | 66 | 51 | 27 | 6 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 40 | 54 | 63 | 62 | 63 | 71 | 66 | 51 | 27 | 6 | 1 | - |
| White, both sexes | 35 | 51 | 59 | 59 | 62 | 68 | 64 | 51 | 27 | 6 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 35 | 51 | 59 | 59 | 62 | 68 | 64 | 51 | 27 | 6 | 1 | - |
| Black, both sexes | 1 | - | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | 1 | 1 | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | 1 | 1 | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 3 | 2 | 1 | - | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 3 | 2 | 1 | - | 1 | 1 | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 16 | 24 | 11 | 22 | 25 | 24 | 22 | 5 | 3 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | 24 | 11 | 22 | 25 | 24 | 22 | 5 | 3 | 3 | - | - |
| White, both sexes | 16 | 24 | 11 | 21 | 25 | 23 | 21 | 4 | 3 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | 24 | 11 | 21 | 25 | 23 | 21 | 4 | 3 | 3 | - | - |
| Black, both sexes | - | - | - | 1 | - | 1 | 1 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | 1 | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of female genital organs (C51-C58) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 46 | 51 | 56 | 60 | 69 | 72 | 77 | 49 | 30 | 6 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 46 | 51 | 56 | 60 | 69 | 72 | 77 | 49 | 30 | 6 | - | - |
| White, both sexes | 42 | 49 | 54 | 58 | 66 | 68 | 75 | 48 | 30 | 6 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 42 | 49 | 54 | 58 | 66 | 68 | 75 | 48 | 30 | 6 | - | - |
| Black, both sexes | 4 | 2 | 2 | 2 | 2 | 2 | 1 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 2 | 2 | 2 | 2 | 2 | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | 2 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | 2 | 1 | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 2 | 4 | 2 | 2 | 7 | 2 | 7 | 4 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 4 | 2 | 2 | 7 | 2 | 7 | 4 | 1 | - | - | - |
| White, both sexes | 2 | 3 | 2 | 2 | 7 | 2 | 7 | 4 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 3 | 2 | 2 | 7 | 2 | 7 | 4 | 1 | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 1,191 | - | - | - | - | - | 1 | 4 | 9 | 5 | 30 | 37 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,191 | - | - | - | - | - | 1 | 4 | 9 | 5 | 30 | 37 |
| White, both sexes | 1,069 | - | - | - | - | - | - | - | 7 | 5 | 21 | 32 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,069 | - | - | - | - | - | - | - | 7 | 5 | 21 | 32 |
| Black, both sexes | 99 | - | - | - | - | - | 1 | 4 | 1 | - | 9 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 99 | - | - | - | - | - | 1 | 4 | 1 | - | 9 | 5 |
| American Indian 1/, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 12 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 12 | - | - | - | - | - | - | - | 1 | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 18 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 15 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 15 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 17 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 16 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 120 | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 120 | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 2 |
| White, both sexes | 109 | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 109 | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 |
| Black, both sexes | 6 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 18 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 18 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 16 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 85 | - | - | - | - | - | - | - | 1 | 1 | 3 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 85 | - | - | - | - | - | - | - | 1 | 1 | 3 | 4 |
| White, both sexes | 74 | - | - | - | - | - | - | - | - | 1 | 1 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 74 | - | - | - | - | - | - | - | - | 1 | 1 | 4 |
| Black, both sexes | 11 | - | - | - | - | - | - | - | 1 | - | 2 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | - | - | - | - | - | - | - | 1 | - | 2 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 53 | - | - | - | - | - | - | - | - | 1 | 5 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 53 | - | - | - | - | - | - | - | - | 1 | 5 | 1 |
| White, both sexes | 48 | - | - | - | - | - | - | - | - | 1 | 3 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 48 | - | - | - | - | - | - | - | - | 1 | 3 | 1 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | 2 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 36 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 36 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 36 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 36 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 18 | - | - | - | - | - | - | - | - | - | - | 2 |
| White, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 18 | - | - | - | - | - | - | - | - | - | - | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| White, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 27 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 27 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| White, both sexes | 26 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 26 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 27 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 27 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| White, both sexes | 24 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 24 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 34 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 34 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 33 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 33 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 47 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 47 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 43 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 43 | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 22 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 22 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 22 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 22 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 26 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 26 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| White, both sexes | 25 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 25 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 34 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 34 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 32 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 32 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 90 | - | - | - | - | - | - | 1 | 1 | - | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 90 | - | - | - | - | - | - | 1 | 1 | - | 1 | 3 |
| White, both sexes | 76 | - | - | - | - | - | - | - | 1 | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 76 | - | - | - | - | - | - | - | 1 | - | - | 2 |
| Black, both sexes | 13 | - | - | - | - | - | - | 1 | - | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | - | - | - | - | - | - | 1 | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 30 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 30 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 24 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 24 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 50 | - | - | - | - | - | 1 | - | - | - | 2 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 50 | - | - | - | - | - | 1 | - | - | - | 2 | 1 |
| White, both sexes | 48 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 48 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Black, both sexes | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 76 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 76 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| White, both sexes | 70 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 70 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 16 | - | - | - | - | - | - | 1 | - | - | - | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | - | - | - | - | - | - | 1 | - | - | - | 3 |
| White, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | 2 |
| Black, both sexes | 4 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 32 | - | - | - | - | - | - | - | 1 | - | 2 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 32 | - | - | - | - | - | - | - | 1 | - | 2 | 1 |
| White, both sexes | 31 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 31 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 71 | - | - | - | - | - | - | - | 1 | - | 4 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 71 | - | - | - | - | - | - | - | 1 | - | 4 | 2 |
| White, both sexes | 59 | - | - | - | - | - | - | - | 1 | - | 3 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 59 | - | - | - | - | - | - | - | 1 | - | 3 | 1 |
| Black, both sexes | 9 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 21 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 21 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| White, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 18 | - | - | - | - | - | - | - | - | - | - | 3 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 23 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 23 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| White, both sexes | 22 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 22 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 24 | - | - | - | - | - | - | - | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 24 | - | - | - | - | - | - | - | 2 | - | - | - |
| White, both sexes | 24 | - | - | - | - | - | - | - | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 24 | - | - | - | - | - | - | - | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 57 | 71 | 61 | 91 | 114 | 146 | 230 | 174 | 126 | 32 | 3 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 57 | 71 | 61 | 91 | 114 | 146 | 230 | 174 | 126 | 32 | 3 | - |
| White, both sexes | 44 | 57 | 54 | 82 | 102 | 136 | 219 | 160 | 116 | 31 | 3 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 44 | 57 | 54 | 82 | 102 | 136 | 219 | 160 | 116 | 31 | 3 | - |
| Black, both sexes | 10 | 11 | 5 | 7 | 9 | 6 | 10 | 11 | 9 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | 11 | 5 | 7 | 9 | 6 | 10 | 11 | 9 | 1 | - | - |
| American Indian 1/, both sexes | 1 | 2 | 2 | 2 | 2 | 1 | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | 2 | 2 | 2 | 1 | - | - | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 1 | - | - | 1 | 3 | 1 | 3 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | - | - | 1 | 3 | 1 | 3 | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 4 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 4 | - | - | - |
| White, both sexes | 1 | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 2 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | 2 | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 3 | 2 | 1 | 1 | 3 | 1 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | 3 | 2 | 1 | 1 | 3 | 1 | 2 | 1 | - | - |
| White, both sexes | 1 | 1 | 3 | 2 | 1 | 1 | 3 | 1 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | 3 | 2 | 1 | 1 | 3 | 1 | 2 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | 2 | 4 | 3 | 2 | 3 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | 2 | 4 | 3 | 2 | 3 | - | - | - | - |
| White, both sexes | 1 | - | - | 2 | 3 | 2 | 2 | 3 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | 2 | 3 | 2 | 2 | 3 | - | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 5 | 7 | 6 | 8 | 10 | 17 | 24 | 24 | 10 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 7 | 6 | 8 | 10 | 17 | 24 | 24 | 10 | 3 | - | - |
| White, both sexes | 5 | 5 | 5 | 8 | 10 | 15 | 24 | 20 | 10 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 5 | 5 | 8 | 10 | 15 | 24 | 20 | 10 | 3 | - | - |
| Black, both sexes | - | 1 | 1 | - | - | - | - | 2 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | - | - | - | - | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | 2 | - | 2 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | 2 | - | 2 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | - | - | 1 | 1 | 1 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 1 | - | - | 1 | 1 | 1 | - | 1 | - | - |
| White, both sexes | 1 | - | 1 | - | - | 1 | 1 | 1 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 1 | - | - | 1 | 1 | 1 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 2 | - | 1 | 1 | 1 | - | 3 | 4 | 3 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | 1 | 1 | 1 | - | 3 | 4 | 3 | 2 | - | - |
| White, both sexes | 1 | - | 1 | 1 | 1 | - | 3 | 3 | 3 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 1 | 1 | 1 | - | 3 | 3 | 3 | 2 | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | 2 | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | 2 | - | 1 | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | 2 | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | 2 | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | 1 | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 2 | 6 | 4 | 12 | 8 | 10 | 17 | 8 | 9 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 6 | 4 | 12 | 8 | 10 | 17 | 8 | 9 | - | - | - |
| White, both sexes | 2 | 5 | 4 | 11 | 5 | 10 | 17 | 8 | 6 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 5 | 4 | 11 | 5 | 10 | 17 | 8 | 6 | - | - | - |
| Black, both sexes | - | 1 | - | 1 | 3 | - | - | - | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | 1 | 3 | - | - | - | 3 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 2 | - | 2 | 1 | 6 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | 2 | - | 2 | 1 | 6 | 1 | 1 | - | - | - |
| White, both sexes | 1 | 2 | 1 | - | 2 | 1 | 6 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | 1 | - | 2 | 1 | 6 | 1 | - | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | 1 | 1 | - | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | 1 | 1 | - | 1 | 1 | - | - |
| White, both sexes | - | 1 | - | - | - | 1 | 1 | - | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | 1 | 1 | - | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 1 | 5 | 1 | 3 | 5 | 2 | 10 | 9 | 8 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 5 | 1 | 3 | 5 | 2 | 10 | 9 | 8 | 2 | - | - |
| White, both sexes | 1 | 4 | 1 | 3 | 5 | 2 | 9 | 8 | 8 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 4 | 1 | 3 | 5 | 2 | 9 | 8 | 8 | 2 | - | - |
| Black, both sexes | - | 1 | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 2 | - | 3 | 3 | 1 | 3 | 10 | 6 | 3 | 4 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | 3 | 3 | 1 | 3 | 10 | 6 | 3 | 4 | - | - |
| White, both sexes | 2 | - | 3 | 3 | 1 | 3 | 10 | 6 | 3 | 4 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | 3 | 3 | 1 | 3 | 10 | 6 | 3 | 4 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 4 | 2 | 1 | 4 | 5 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 4 | 2 | 1 | 4 | 5 | - | - | - |
| White, both sexes | - | - | - | - | 4 | 2 | 1 | 4 | 5 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 4 | 2 | 1 | 4 | 5 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 2 | - | - | 3 | 2 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | 2 | - | - | 3 | 2 | - | 1 | - | - |
| White, both sexes | - | 1 | - | 1 | - | - | 3 | 2 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | 1 | - | - | 3 | 2 | - | 1 | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 4 | 1 | 2 | 3 | 6 | 5 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 4 | 1 | 2 | 3 | 6 | 5 | 1 | - | - | - |
| White, both sexes | - | 2 | 4 | 1 | 2 | 3 | 5 | 5 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 4 | 1 | 2 | 3 | 5 | 5 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | 1 | - | 2 | 2 | 4 | 2 | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | 1 | - | 2 | 2 | 4 | 2 | - | 1 | - |
| White, both sexes | - | - | - | 1 | - | 1 | 2 | 4 | 2 | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | 1 | 2 | 4 | 2 | - | 1 | - |
| Black, both sexes | - | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 2 | 1 | 1 | - | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | 2 | 1 | 1 | - | 1 | 1 | - | - | - |
| White, both sexes | - | 1 | - | 2 | 1 | 1 | - | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | 2 | 1 | 1 | - | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 3 | 4 | 4 | 5 | 4 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | 3 | 4 | 4 | 5 | 4 | 2 | 1 | - | - |
| White, both sexes | - | - | 1 | 3 | 4 | 2 | 5 | 4 | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | 3 | 4 | 2 | 5 | 4 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 3 | 3 | 2 | 5 | 10 | 1 | 8 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 3 | 3 | 2 | 5 | 10 | 1 | 8 | - | - | - |
| White, both sexes | 1 | - | 3 | 3 | 1 | 5 | 10 | 1 | 8 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 3 | 3 | 1 | 5 | 10 | 1 | 8 | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 5 | 5 | 1 | 2 | 5 | 8 | 6 | 10 | 4 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 5 | 1 | 2 | 5 | 8 | 6 | 10 | 4 | - | - | - |
| White, both sexes | 3 | 5 | 1 | 1 | 5 | 8 | 5 | 10 | 4 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 5 | 1 | 1 | 5 | 8 | 5 | 10 | 4 | - | - | - |
| Black, both sexes | 2 | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | 1 | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 3 | 1 | 1 | - | - | 5 | 2 | 4 | 3 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 1 | 1 | - | - | 5 | 2 | 4 | 3 | 2 | - | - |
| White, both sexes | 3 | 1 | 1 | - | - | 5 | 2 | 4 | 3 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 1 | 1 | - | - | 5 | 2 | 4 | 3 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | - | - | 2 | - | 3 | 3 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | - | - | - | 2 | - | 3 | 3 | 1 | - | - |
| White, both sexes | - | 1 | - | - | - | 2 | - | 2 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | 2 | - | 2 | 3 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | - | 5 | - | 3 | 4 | 5 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 2 | - | 5 | - | 3 | 4 | 5 | 2 | 1 | - | - |
| White, both sexes | 1 | 2 | - | 5 | - | 3 | 4 | 5 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | - | 5 | - | 3 | 4 | 5 | 2 | 1 | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | 2 | - | 1 | - | - | 3 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 2 | - | 1 | - | - | 3 | - | - | - | - |
| White, both sexes | - | - | 1 | - | 1 | - | - | 3 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | 1 | - | - | 3 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 2 | - | 3 | 1 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 2 | - | 3 | 1 | 2 | - | - | - |
| White, both sexes | - | - | - | - | 2 | - | 3 | 1 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 2 | - | 3 | 1 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | 1 | - | - | - | 2 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | 1 | - | - | - | 2 | 2 | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 2 | 4 | 3 | 6 | 7 | 4 | 2 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | 2 | 4 | 3 | 6 | 7 | 4 | 2 | 2 | - | - |
| White, both sexes | 2 | 1 | 2 | 2 | 3 | 6 | 7 | 4 | 2 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | 2 | 2 | 3 | 6 | 7 | 4 | 2 | 2 | - | - |
| Black, both sexes | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 2 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 2 | - | - | - | 2 | 1 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 2 | - | - | - | 2 | 1 | 2 | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | 2 | 1 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | 2 | 1 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 4 | 2 | 4 | 6 | 9 | 14 | 18 | 18 | 8 | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 2 | 4 | 6 | 9 | 14 | 18 | 18 | 8 | - | 1 | - |
| White, both sexes | 2 | 2 | 4 | 5 | 8 | 12 | 17 | 14 | 8 | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 2 | 4 | 5 | 8 | 12 | 17 | 14 | 8 | - | 1 | - |
| Black, both sexes | 2 | - | - | 1 | 1 | 2 | 1 | 3 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | 1 | 1 | 2 | 1 | 3 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 1 | 3 | 4 | 5 | 5 | 2 | 5 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 1 | 3 | 4 | 5 | 5 | 2 | 5 | 2 | - | - |
| White, both sexes | - | 2 | - | 3 | 4 | 5 | 3 | 1 | 4 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | - | 3 | 4 | 5 | 3 | 1 | 4 | 2 | - | - |
| Black, both sexes | - | - | 1 | - | - | - | 2 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | 2 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | 1 | - | - | 1 | - | - | - |
| White, both sexes | 1 | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | - | 3 | 3 | 5 | 4 | 8 | 10 | 7 | 5 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 3 | 3 | 5 | 4 | 8 | 10 | 7 | 5 | 1 | - | - |
| White, both sexes | - | 2 | 3 | 5 | 4 | 8 | 10 | 7 | 5 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 3 | 5 | 4 | 8 | 10 | 7 | 5 | 1 | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | - | - | 2 | 4 | 2 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 2 | - | - | 2 | 4 | 2 | 1 | 1 | - | - | - |
| White, both sexes | 2 | 2 | - | - | 1 | 4 | 2 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 2 | - | - | 1 | 4 | 2 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | 2 | 1 | 3 | 4 | 1 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | 2 | 1 | 3 | 4 | 1 | - | 1 | - | - |
| White, both sexes | 1 | - | - | 2 | 1 | 3 | 4 | 1 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | 2 | 1 | 3 | 4 | 1 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 3 | 3 | 3 | 5 | 9 | 10 | 21 | 11 | 6 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 3 | 3 | 5 | 9 | 10 | 21 | 11 | 6 | 1 | - | - |
| White, both sexes | 2 | 2 | 3 | 4 | 9 | 10 | 19 | 10 | 6 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 2 | 3 | 4 | 9 | 10 | 19 | 10 | 6 | 1 | - | - |
| Black, both sexes | 1 | 1 | - | 1 | - | - | 2 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | - | 1 | - | - | 2 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | 1 | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | 3 | - | 1 | 2 | 1 | 2 | 1 | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 3 | - | 1 | 2 | 1 | 2 | 1 | 1 | 1 | - | - |
| White, both sexes | - | 2 | - | - | 2 | - | 2 | 1 | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | - | - | 2 | - | 2 | 1 | 1 | 1 | - | - |
| Black, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 1 | 1 | 4 | 4 | 8 | 4 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | 1 | 1 | 4 | 4 | 8 | 4 | 3 | - | - | - |
| White, both sexes | 1 | 2 | 1 | 1 | 4 | 4 | 8 | 4 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | 1 | 1 | 4 | 4 | 8 | 4 | 3 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 6 | 7 | 4 | 4 | 11 | 6 | 13 | 5 | 5 | 2 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 7 | 4 | 4 | 11 | 6 | 13 | 5 | 5 | 2 | 1 | - |
| White, both sexes | 4 | 4 | 4 | 4 | 7 | 6 | 12 | 5 | 5 | 2 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 4 | 4 | 4 | 7 | 6 | 12 | 5 | 5 | 2 | 1 | - |
| Black, both sexes | 1 | 3 | - | - | 2 | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 3 | - | - | 2 | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | - | 4 | 4 | 5 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 1 | - | 4 | 4 | 5 | 1 | 1 | - | - | - |
| White, both sexes | 1 | - | 1 | - | 4 | 3 | 4 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 1 | - | 4 | 3 | 4 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 1 | 4 | 1 | 2 | 1 | 4 | 3 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | 1 | 4 | 1 | 2 | 1 | 4 | 3 | 1 | - | - |
| White, both sexes | - | 2 | 1 | 4 | 1 | 2 | 1 | 4 | 3 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 1 | 4 | 1 | 2 | 1 | 4 | 3 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | - | - | 1 | 3 | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | - | - | - | 1 | 3 | - | - | 1 | - | - |
| White, both sexes | 1 | 1 | - | - | - | 1 | 3 | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | - | - | - | 1 | 3 | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of vulva and vagina (C51-C52) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 2 | 2 | 2 | 1 | 3 | 4 | 6 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 2 | 2 | 2 | 1 | 3 | 4 | 6 | - | - | - |
| White, both sexes | - | 2 | 2 | 2 | 2 | 1 | 3 | 4 | 6 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 2 | 2 | 2 | 1 | 3 | 4 | 6 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 3,924 | - | - | - | - | 1 | 13 | 39 | 129 | 235 | 387 | 492 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3,924 | - | - | - | - | 1 | 13 | 39 | 129 | 235 | 387 | 492 |
| White, both sexes | 2,982 | - | - | - | - | 1 | 9 | 27 | 106 | 182 | 289 | 355 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2,982 | - | - | - | - | 1 | 9 | 27 | 106 | 182 | 289 | 355 |
| Black, both sexes | 783 | - | - | - | - | - | 4 | 9 | 21 | 44 | 89 | 112 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 783 | - | - | - | - | - | 4 | 9 | 21 | 44 | 89 | 112 |
| American Indian 1/, both sexes | 34 | - | - | - | - | - | - | 1 | - | 2 | 2 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 34 | - | - | - | - | - | - | 1 | - | 2 | 2 | 6 |
| Asian or Pacific Islander 2/, both sexes | 125 | - | - | - | - | - | - | 2 | 2 | 7 | 7 | 19 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 125 | - | - | - | - | - | - | 2 | 2 | 7 | 7 | 19 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 92 | - | - | - | - | - | 1 | 1 | 4 | 3 | 8 | 12 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 92 | - | - | - | - | - | 1 | 1 | 4 | 3 | 8 | 12 |
| White, both sexes | 48 | - | - | - | - | - | - | 1 | 3 | 2 | 4 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 48 | - | - | - | - | - | - | 1 | 3 | 2 | 4 | 4 |
| Black, both sexes | 42 | - | - | - | - | - | 1 | - | 1 | 1 | 4 | 8 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 42 | - | - | - | - | - | 1 | - | 1 | 1 | 4 | 8 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 67 | - | - | - | - | - | 1 | - | 3 | 4 | 6 | 11 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 67 | - | - | - | - | - | 1 | - | 3 | 4 | 6 | 11 |
| White, both sexes | 62 | - | - | - | - | - | 1 | - | 3 | 4 | 6 | 9 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 62 | - | - | - | - | - | 1 | - | 3 | 4 | 6 | 9 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 52 | - | - | - | - | - | - | - | 3 | 1 | 8 | 9 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 52 | - | - | - | - | - | - | - | 3 | 1 | 8 | 9 |
| White, both sexes | 35 | - | - | - | - | - | - | - | 2 | 1 | 7 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 35 | - | - | - | - | - | - | - | 2 | 1 | 7 | 5 |
| Black, both sexes | 16 | - | - | - | - | - | - | - | 1 | - | - | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | - | - | - | - | - | - | - | 1 | - | - | 4 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 411 | - | - | - | - | 1 | - | 2 | 10 | 41 | 38 | 49 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 411 | - | - | - | - | 1 | - | 2 | 10 | 41 | 38 | 49 |
| White, both sexes | 327 | - | - | - | - | 1 | - | 2 | 8 | 33 | 33 | 39 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 327 | - | - | - | - | 1 | - | 2 | 8 | 33 | 33 | 39 |
| Black, both sexes | 33 | - | - | - | - | - | - | - | 1 | 3 | 3 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 33 | - | - | - | - | - | - | - | 1 | 3 | 3 | 3 |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 47 | - | - | - | - | - | - | - | 1 | 5 | 2 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 47 | - | - | - | - | - | - | - | 1 | 5 | 2 | 7 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 42 | - | - | - | - | - | - | 1 | - | 1 | 3 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 42 | - | - | - | - | - | - | 1 | - | 1 | 3 | 2 |
| White, both sexes | 38 | - | - | - | - | - | - | 1 | - | 1 | 3 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 38 | - | - | - | - | - | - | 1 | - | 1 | 3 | 2 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 36 | - | - | - | - | - | - | - | 1 | 2 | 2 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 36 | - | - | - | - | - | - | - | 1 | 2 | 2 | 2 |
| White, both sexes | 32 | - | - | - | - | - | - | - | 1 | 2 | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 32 | - | - | - | - | - | - | - | 1 | 2 | 1 | 2 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| White, both sexes | 10 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 15 | - | - | - | - | - | - | - | - | 1 | - | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 15 | - | - | - | - | - | - | - | - | 1 | - | 3 |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 13 | - | - | - | - | - | - | - | - | 1 | - | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | - | - | - | - | - | - | - | - | 1 | - | 3 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 294 | - | - | - | - | - | 1 | 2 | 9 | 22 | 34 | 38 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 294 | - | - | - | - | - | 1 | 2 | 9 | 22 | 34 | 38 |
| White, both sexes | 230 | - | - | - | - | - | 1 | 1 | 8 | 20 | 23 | 31 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 230 | - | - | - | - | - | 1 | 1 | 8 | 20 | 23 | 31 |
| Black, both sexes | 56 | - | - | - | - | - | - | 1 | 1 | 2 | 11 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 56 | - | - | - | - | - | - | 1 | 1 | 2 | 11 | 6 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 117 | - | - | - | - | - | - | 5 | 5 | 5 | 11 | 15 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 117 | - | - | - | - | - | - | 5 | 5 | 5 | 11 | 15 |
| White, both sexes | 61 | - | - | - | - | - | - | 2 | 3 | 3 | 4 | 9 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 61 | - | - | - | - | - | - | 2 | 3 | 3 | 4 | 9 |
| Black, both sexes | 52 | - | - | - | - | - | - | 3 | 2 | 2 | 7 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 52 | - | - | - | - | - | - | 3 | 2 | 2 | 7 | 4 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 13 | - | - | - | - | - | - | - | - | - | 3 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | - | - | - | - | - | - | - | - | - | 3 | - |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | - | 3 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | - | - | - | - | - | - | - | - | - | 3 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 183 | - | - | - | - | - | 1 | 2 | 4 | 12 | 15 | 26 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 183 | - | - | - | - | - | 1 | 2 | 4 | 12 | 15 | 26 |
| White, both sexes | 124 | - | - | - | - | - | - | 1 | 1 | 9 | 9 | 17 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 124 | - | - | - | - | - | - | 1 | 1 | 9 | 9 | 17 |
| Black, both sexes | 54 | - | - | - | - | - | 1 | 1 | 3 | 1 | 6 | 8 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 54 | - | - | - | - | - | 1 | 1 | 3 | 1 | 6 | 8 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | 2 | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | 2 | - | 1 |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 87 | - | - | - | - | - | - | 2 | 3 | 9 | 11 | 10 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 87 | - | - | - | - | - | - | 2 | 3 | 9 | 11 | 10 |
| White, both sexes | 81 | - | - | - | - | - | - | 2 | 3 | 9 | 10 | 9 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 81 | - | - | - | - | - | - | 2 | 3 | 9 | 10 | 9 |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 33 | - | - | - | - | - | - | - | - | 1 | 7 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 33 | - | - | - | - | - | - | - | - | 1 | 7 | 2 |
| White, both sexes | 33 | - | - | - | - | - | - | - | - | 1 | 7 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 33 | - | - | - | - | - | - | - | - | 1 | 7 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 38 | - | - | - | - | - | - | - | 4 | 1 | 7 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 38 | - | - | - | - | - | - | - | 4 | 1 | 7 | 4 |
| White, both sexes | 34 | - | - | - | - | - | - | - | 4 | 1 | 7 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 34 | - | - | - | - | - | - | - | 4 | 1 | 7 | 3 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 70 | - | - | - | - | - | - | 2 | 1 | 4 | 7 | 11 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 70 | - | - | - | - | - | - | 2 | 1 | 4 | 7 | 11 |
| White, both sexes | 62 | - | - | - | - | - | - | 2 | 1 | 3 | 6 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 62 | - | - | - | - | - | - | 2 | 1 | 3 | 6 | 7 |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 78 | - | - | - | - | - | 1 | 1 | 5 | 7 | 12 | 12 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 78 | - | - | - | - | - | 1 | 1 | 5 | 7 | 12 | 12 |
| White, both sexes | 44 | - | - | - | - | - | 1 | 1 | 4 | 2 | 7 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 44 | - | - | - | - | - | 1 | 1 | 4 | 2 | 7 | 4 |
| Black, both sexes | 33 | - | - | - | - | - | - | - | 1 | 4 | 5 | 8 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 33 | - | - | - | - | - | - | - | 1 | 4 | 5 | 8 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 16 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| White, both sexes | 15 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 15 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 62 | - | - | - | - | - | - | - | 3 | 2 | 5 | 13 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 62 | - | - | - | - | - | - | - | 3 | 2 | 5 | 13 |
| White, both sexes | 34 | - | - | - | - | - | - | - | 2 | 1 | 1 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 34 | - | - | - | - | - | - | - | 2 | 1 | 1 | 6 |
| Black, both sexes | 27 | - | - | - | - | - | - | - | 1 | 1 | 4 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 27 | - | - | - | - | - | - | - | 1 | 1 | 4 | 7 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 61 | - | - | - | - | - | - | 1 | 2 | 1 | 4 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 61 | - | - | - | - | - | - | 1 | 2 | 1 | 4 | 7 |
| White, both sexes | 54 | - | - | - | - | - | - | 1 | 2 | 1 | 3 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 54 | - | - | - | - | - | - | 1 | 2 | 1 | 3 | 7 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 123 | - | - | - | - | - | 1 | - | 5 | 5 | 14 | 16 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 123 | - | - | - | - | - | 1 | - | 5 | 5 | 14 | 16 |
| White, both sexes | 82 | - | - | - | - | - | 1 | - | 5 | 4 | 8 | 11 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 82 | - | - | - | - | - | 1 | - | 5 | 4 | 8 | 11 |
| Black, both sexes | 39 | - | - | - | - | - | - | - | - | 1 | 6 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 39 | - | - | - | - | - | - | - | - | 1 | 6 | 5 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 48 | - | - | - | - | - | - | - | 1 | 1 | 6 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 48 | - | - | - | - | - | - | - | 1 | 1 | 6 | 2 |
| White, both sexes | 45 | - | - | - | - | - | - | - | 1 | 1 | 6 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 45 | - | - | - | - | - | - | - | 1 | 1 | 6 | 2 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 59 | - | - | - | - | - | - | 1 | - | 3 | 4 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 59 | - | - | - | - | - | - | 1 | - | 3 | 4 | 4 |
| White, both sexes | 29 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 29 | - | - | - | - | - | - | - | - | - | - | 3 |
| Black, both sexes | 28 | - | - | - | - | - | - | 1 | - | 3 | 4 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 28 | - | - | - | - | - | - | 1 | - | 3 | 4 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 79 | - | - | - | - | - | - | - | 4 | 1 | 4 | 8 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 79 | - | - | - | - | - | - | - | 4 | 1 | 4 | 8 |
| White, both sexes | 62 | - | - | - | - | - | - | - | 3 | - | 3 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 62 | - | - | - | - | - | - | - | 3 | - | 3 | 7 |
| Black, both sexes | 17 | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 9 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 15 | - | - | - | - | - | - | - | 1 | - | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 15 | - | - | - | - | - | - | - | 1 | - | 1 | 3 |
| White, both sexes | 14 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 35 | - | - | - | - | - | - | - | 1 | 1 | 3 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 35 | - | - | - | - | - | - | - | 1 | 1 | 3 | 3 |
| White, both sexes | 29 | - | - | - | - | - | - | - | 1 | 1 | 2 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 29 | - | - | - | - | - | - | - | 1 | 1 | 2 | 2 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | - | - | - | 2 | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | - | - | - | - | - | - | - | - | 2 | 1 | 1 |
| White, both sexes | 16 | - | - | - | - | - | - | - | - | 2 | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | - | - | - | - | - | - | - | - | 2 | 1 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 132 | - | - | - | - | - | - | 3 | 2 | 12 | 17 | 13 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 132 | - | - | - | - | - | - | 3 | 2 | 12 | 17 | 13 |
| White, both sexes | 105 | - | - | - | - | - | - | 3 | 2 | 9 | 12 | 9 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 105 | - | - | - | - | - | - | 3 | 2 | 9 | 12 | 9 |
| Black, both sexes | 24 | - | - | - | - | - | - | - | - | 3 | 4 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 24 | - | - | - | - | - | - | - | - | 3 | 4 | 3 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | 1 | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 29 | - | - | - | - | - | - | - | 3 | 2 | 2 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 29 | - | - | - | - | - | - | - | 3 | 2 | 2 | 3 |
| White, both sexes | 27 | - | - | - | - | - | - | - | 3 | 1 | 2 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 27 | - | - | - | - | - | - | - | 3 | 1 | 2 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 284 | - | - | - | - | - | 1 | 3 | 9 | 14 | 23 | 24 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 284 | - | - | - | - | - | 1 | 3 | 9 | 14 | 23 | 24 |
| White, both sexes | 198 | - | - | - | - | - | - | 1 | 7 | 6 | 13 | 17 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 198 | - | - | - | - | - | - | 1 | 7 | 6 | 13 | 17 |
| Black, both sexes | 71 | - | - | - | - | - | 1 | 2 | 1 | 8 | 8 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 71 | - | - | - | - | - | 1 | 2 | 1 | 8 | 8 | 6 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 15 | - | - | - | - | - | - | - | 1 | - | 2 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 15 | - | - | - | - | - | - | - | 1 | - | 2 | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 138 | - | - | - | - | - | - | - | 6 | 9 | 14 | 20 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 138 | - | - | - | - | - | - | - | 6 | 9 | 14 | 20 |
| White, both sexes | 90 | - | - | - | - | - | - | - | 4 | 6 | 9 | 15 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 90 | - | - | - | - | - | - | - | 4 | 6 | 9 | 15 |
| Black, both sexes | 46 | - | - | - | - | - | - | - | 2 | 3 | 5 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 46 | - | - | - | - | - | - | - | 2 | 3 | 5 | 5 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 135 | - | - | - | - | - | - | 1 | 4 | 6 | 9 | 20 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 135 | - | - | - | - | - | - | 1 | 4 | 6 | 9 | 20 |
| White, both sexes | 111 | - | - | - | - | - | - | - | 4 | 6 | 9 | 19 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 111 | - | - | - | - | - | - | - | 4 | 6 | 9 | 19 |
| Black, both sexes | 21 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 21 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 50 | - | - | - | - | - | - | - | - | 6 | 5 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 50 | - | - | - | - | - | - | - | - | 6 | 5 | 7 |
| White, both sexes | 42 | - | - | - | - | - | - | - | - | 5 | 3 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 42 | - | - | - | - | - | - | - | - | 5 | 3 | 7 |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 40 | - | - | - | - | - | - | 2 | - | 3 | 4 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 40 | - | - | - | - | - | - | 2 | - | 3 | 4 | 4 |
| White, both sexes | 34 | - | - | - | - | - | - | 1 | - | 3 | 4 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 34 | - | - | - | - | - | - | 1 | - | 3 | 4 | 3 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 158 | - | - | - | - | - | - | 2 | 7 | 7 | 19 | 15 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 158 | - | - | - | - | - | - | 2 | 7 | 7 | 19 | 15 |
| White, both sexes | 131 | - | - | - | - | - | - | 2 | 7 | 6 | 15 | 11 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 131 | - | - | - | - | - | - | 2 | 7 | 6 | 15 | 11 |
| Black, both sexes | 25 | - | - | - | - | - | - | - | - | 1 | 4 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 25 | - | - | - | - | - | - | - | - | 1 | 4 | 4 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 64 | - | - | - | - | - | - | 1 | 5 | 1 | 6 | 8 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 64 | - | - | - | - | - | - | 1 | 5 | 1 | 6 | 8 |
| White, both sexes | 30 | - | - | - | - | - | - | 1 | 2 | - | 3 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 30 | - | - | - | - | - | - | 1 | 2 | - | 3 | 4 |
| Black, both sexes | 34 | - | - | - | - | - | - | - | 3 | 1 | 3 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 34 | - | - | - | - | - | - | - | 3 | 1 | 3 | 4 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 108 | - | - | - | - | - | 1 | 1 | 4 | 11 | 10 | 14 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 108 | - | - | - | - | - | 1 | 1 | 4 | 11 | 10 | 14 |
| White, both sexes | 81 | - | - | - | - | - | - | 1 | 3 | 8 | 8 | 9 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 81 | - | - | - | - | - | - | 1 | 3 | 8 | 8 | 9 |
| Black, both sexes | 25 | - | - | - | - | - | 1 | - | 1 | 3 | 2 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 25 | - | - | - | - | - | 1 | - | 1 | 3 | 2 | 5 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 321 | - | - | - | - | - | 3 | 5 | 14 | 17 | 32 | 49 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 321 | - | - | - | - | - | 3 | 5 | 14 | 17 | 32 | 49 |
| White, both sexes | 251 | - | - | - | - | - | 3 | 4 | 12 | 17 | 28 | 35 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 251 | - | - | - | - | - | 3 | 4 | 12 | 17 | 28 | 35 |
| Black, both sexes | 58 | - | - | - | - | - | - | - | 2 | - | 4 | 12 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 58 | - | - | - | - | - | - | - | 2 | - | 4 | 12 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 12 | - | - | - | - | - | - | 1 | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 12 | - | - | - | - | - | - | 1 | - | - | - | 2 |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 14 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 81 | - | - | - | - | - | 1 | - | 3 | 1 | 6 | 11 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 81 | - | - | - | - | - | 1 | - | 3 | 1 | 6 | 11 |
| White, both sexes | 64 | - | - | - | - | - | 1 | - | 3 | 1 | 4 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 64 | - | - | - | - | - | 1 | - | 3 | 1 | 4 | 7 |
| Black, both sexes | 15 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 15 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 63 | - | - | - | - | - | - | - | 2 | 3 | 8 | 8 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 63 | - | - | - | - | - | - | - | 2 | 3 | 8 | 8 |
| White, both sexes | 59 | - | - | - | - | - | - | - | 2 | 3 | 8 | 8 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 59 | - | - | - | - | - | - | - | 2 | 3 | 8 | 8 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 35 | - | - | - | - | - | - | - | 1 | 5 | 4 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 35 | - | - | - | - | - | - | - | 1 | 5 | 4 | 6 |
| White, both sexes | 33 | - | - | - | - | - | - | - | 1 | 3 | 4 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 33 | - | - | - | - | - | - | - | 1 | 3 | 4 | 6 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | 2 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 61 | - | - | - | - | - | 1 | - | - | 4 | 4 | 10 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 61 | - | - | - | - | - | 1 | - | - | 4 | 4 | 10 |
| White, both sexes | 54 | - | - | - | - | - | 1 | - | - | 3 | 4 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 54 | - | - | - | - | - | 1 | - | - | 3 | 4 | 6 |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | 1 | - | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | 1 | - | 3 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 466 | 456 | 340 | 308 | 267 | 258 | 260 | 164 | 81 | 26 | 2 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 466 | 456 | 340 | 308 | 267 | 258 | 260 | 164 | 81 | 26 | 2 | - |
| White, both sexes | 358 | 338 | 257 | 233 | 210 | 195 | 204 | 127 | 67 | 23 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 358 | 338 | 257 | 233 | 210 | 195 | 204 | 127 | 67 | 23 | 1 | - |
| Black, both sexes | 77 | 92 | 67 | 64 | 48 | 56 | 51 | 33 | 12 | 3 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 77 | 92 | 67 | 64 | 48 | 56 | 51 | 33 | 12 | 3 | 1 | - |
| American Indian 1/, both sexes | 11 | 3 | 4 | 2 | 2 | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | 3 | 4 | 2 | 2 | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 20 | 23 | 12 | 9 | 7 | 7 | 5 | 3 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 20 | 23 | 12 | 9 | 7 | 7 | 5 | 3 | 2 | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 9 | 11 | 6 | 6 | 5 | 6 | 10 | 7 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | 11 | 6 | 6 | 5 | 6 | 10 | 7 | 3 | - | - | - |
| White, both sexes | 3 | 8 | 5 | 5 | 1 | 3 | 4 | 4 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 8 | 5 | 5 | 1 | 3 | 4 | 4 | 1 | - | - | - |
| Black, both sexes | 5 | 3 | 1 | 1 | 3 | 3 | 6 | 3 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 3 | 1 | 1 | 3 | 3 | 6 | 3 | 2 | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 7 | 11 | 3 | 4 | 6 | 3 | 7 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 11 | 3 | 4 | 6 | 3 | 7 | 1 | - | - | - | - |
| White, both sexes | 6 | 11 | 3 | 4 | 6 | 2 | 7 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 11 | 3 | 4 | 6 | 2 | 7 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 4 | 4 | 4 | 2 | 7 | 3 | 3 | 1 | 2 | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 4 | 4 | 2 | 7 | 3 | 3 | 1 | 2 | - | 1 | - |
| White, both sexes | 3 | 3 | 2 | - | 5 | 2 | 3 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 3 | 2 | - | 5 | 2 | 3 | 1 | 1 | - | - | - |
| Black, both sexes | 1 | 1 | 2 | 2 | 2 | 1 | - | - | 1 | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | 2 | 2 | 2 | 1 | - | - | 1 | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 50 | 59 | 37 | 34 | 30 | 23 | 17 | 11 | 8 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 50 | 59 | 37 | 34 | 30 | 23 | 17 | 11 | 8 | 1 | - | - |
| White, both sexes | 34 | 48 | 31 | 28 | 22 | 18 | 13 | 9 | 7 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 34 | 48 | 31 | 28 | 22 | 18 | 13 | 9 | 7 | 1 | - | - |
| Black, both sexes | 5 | 6 | 3 | 3 | 3 | - | 3 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 6 | 3 | 3 | 3 | - | 3 | - | - | - | - | - |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | 5 | 3 | 3 | 5 | 5 | 1 | 2 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 5 | 3 | 3 | 5 | 5 | 1 | 2 | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 6 | 6 | 7 | 4 | 1 | 6 | 2 | 3 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 6 | 7 | 4 | 1 | 6 | 2 | 3 | - | - | - | - |
| White, both sexes | 5 | 5 | 7 | 4 | 1 | 4 | 2 | 3 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 5 | 7 | 4 | 1 | 4 | 2 | 3 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | 2 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 2 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 6 | 4 | 3 | 2 | 4 | 2 | 4 | 2 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 4 | 3 | 2 | 4 | 2 | 4 | 2 | 2 | - | - | - |
| White, both sexes | 5 | 3 | 3 | 2 | 4 | 2 | 4 | 1 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 3 | 3 | 2 | 4 | 2 | 4 | 1 | 2 | - | - | - |
| Black, both sexes | 1 | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 1 | - | 2 | 2 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | 1 | - | 2 | 2 | - | - | - | - | - | - |
| White, both sexes | 1 | 2 | - | - | 2 | 2 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | - | - | 2 | 2 | - | - | - | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 2 | 3 | 1 | - | 3 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 2 | 3 | 1 | - | 3 | - | - | - | - | - |
| White, both sexes | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | 1 | 2 | 2 | 1 | - | 3 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 2 | 2 | 1 | - | 3 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 28 | 34 | 36 | 23 | 14 | 17 | 16 | 12 | 5 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 28 | 34 | 36 | 23 | 14 | 17 | 16 | 12 | 5 | 3 | - | - |
| White, both sexes | 20 | 27 | 30 | 17 | 10 | 10 | 14 | 10 | 5 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 20 | 27 | 30 | 17 | 10 | 10 | 14 | 10 | 5 | 3 | - | - |
| Black, both sexes | 4 | 5 | 5 | 6 | 4 | 7 | 2 | 2 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 5 | 5 | 6 | 4 | 7 | 2 | 2 | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | 2 | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 2 | 1 | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 17 | 11 | 4 | 9 | 7 | 6 | 13 | 6 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | 11 | 4 | 9 | 7 | 6 | 13 | 6 | 3 | - | - | - |
| White, both sexes | 10 | 6 | 1 | 7 | 5 | 1 | 4 | 5 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | 6 | 1 | 7 | 5 | 1 | 4 | 5 | 1 | - | - | - |
| Black, both sexes | 6 | 5 | 3 | 2 | 2 | 5 | 8 | 1 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 5 | 3 | 2 | 2 | 5 | 8 | 1 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | 2 | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | 2 | - | 1 | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 5 | 3 | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 3 | - | 1 | - | - | 1 | - | - | - | - | - |
| White, both sexes | 5 | 3 | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 3 | - | 1 | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 24 | 19 | 14 | 17 | 15 | 10 | 14 | 7 | 1 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 24 | 19 | 14 | 17 | 15 | 10 | 14 | 7 | 1 | 2 | - | - |
| White, both sexes | 16 | 13 | 9 | 12 | 12 | 7 | 9 | 6 | 1 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | 13 | 9 | 12 | 12 | 7 | 9 | 6 | 1 | 2 | - | - |
| Black, both sexes | 7 | 5 | 5 | 5 | 3 | 3 | 5 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 5 | 5 | 5 | 3 | 3 | 5 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 7 | 5 | 6 | 5 | 4 | 6 | 10 | 5 | 3 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 5 | 6 | 5 | 4 | 6 | 10 | 5 | 3 | 1 | - | - |
| White, both sexes | 7 | 5 | 6 | 4 | 3 | 6 | 10 | 3 | 3 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 5 | 6 | 4 | 3 | 6 | 10 | 3 | 3 | 1 | - | - |
| Black, both sexes | - | - | - | 1 | 1 | - | - | 2 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | 1 | - | - | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 5 | 3 | 4 | 1 | 2 | 3 | - | 2 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 3 | 4 | 1 | 2 | 3 | - | 2 | 3 | - | - | - |
| White, both sexes | 5 | 3 | 4 | 1 | 2 | 3 | - | 2 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 3 | 4 | 1 | 2 | 3 | - | 2 | 3 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 3 | 4 | 3 | 3 | 3 | 5 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 4 | 3 | 3 | 3 | 5 | 1 | - | - | - | - | - |
| White, both sexes | 2 | 4 | 2 | 3 | 3 | 4 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 4 | 2 | 3 | 3 | 4 | 1 | - | - | - | - | - |
| Black, both sexes | 1 | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 1 | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 8 | 3 | 10 | 7 | 6 | 7 | 1 | 2 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | 3 | 10 | 7 | 6 | 7 | 1 | 2 | 1 | - | - | - |
| White, both sexes | 8 | 3 | 10 | 6 | 6 | 7 | 1 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | 3 | 10 | 6 | 6 | 7 | 1 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 10 | 8 | 3 | 4 | 4 | 2 | 5 | 2 | - | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | 8 | 3 | 4 | 4 | 2 | 5 | 2 | - | 2 | - | - |
| White, both sexes | 6 | 3 | 2 | 4 | 3 | 2 | 4 | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 3 | 2 | 4 | 3 | 2 | 4 | - | - | 1 | - | - |
| Black, both sexes | 4 | 5 | 1 | - | 1 | - | 1 | 2 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 5 | 1 | - | 1 | - | 1 | 2 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 3 | 2 | 2 | 1 | 2 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | 3 | 2 | 2 | 1 | 2 | - | - | - | - | - |
| White, both sexes | 1 | 1 | 3 | 2 | 2 | 1 | 2 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | 3 | 2 | 2 | 1 | 2 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 7 | 5 | 7 | 6 | 3 | 1 | 5 | 3 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 5 | 7 | 6 | 3 | 1 | 5 | 3 | 2 | - | - | - |
| White, both sexes | 4 | 2 | 4 | 4 | 1 | 1 | 3 | 3 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 2 | 4 | 4 | 1 | 1 | 3 | 3 | 2 | - | - | - |
| Black, both sexes | 3 | 3 | 2 | 2 | 2 | - | 2 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 3 | 2 | 2 | 2 | - | 2 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 9 | 7 | 5 | 5 | 3 | 5 | 7 | 4 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | 7 | 5 | 5 | 3 | 5 | 7 | 4 | 1 | - | - | - |
| White, both sexes | 6 | 6 | 3 | 5 | 3 | 5 | 7 | 4 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 6 | 3 | 5 | 3 | 5 | 7 | 4 | 1 | - | - | - |
| Black, both sexes | 2 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 10 | 19 | 11 | 12 | 4 | 9 | 6 | 8 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | 19 | 11 | 12 | 4 | 9 | 6 | 8 | 3 | - | - | - |
| White, both sexes | 7 | 10 | 5 | 9 | 4 | 4 | 4 | 8 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 10 | 5 | 9 | 4 | 4 | 4 | 8 | 2 | - | - | - |
| Black, both sexes | 3 | 9 | 4 | 3 | - | 5 | 2 | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 9 | 4 | 3 | - | 5 | 2 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 9 | 7 | 4 | 6 | 2 | 3 | 3 | 2 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | 7 | 4 | 6 | 2 | 3 | 3 | 2 | 2 | - | - | - |
| White, both sexes | 9 | 6 | 2 | 6 | 2 | 3 | 3 | 2 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | 6 | 2 | 6 | 2 | 3 | 3 | 2 | 2 | - | - | - |
| Black, both sexes | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 4 | 6 | 6 | 7 | 6 | 9 | 2 | 4 | 1 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 6 | 6 | 7 | 6 | 9 | 2 | 4 | 1 | 2 | - | - |
| White, both sexes | 1 | 5 | 4 | 4 | 3 | 4 | 2 | 1 | - | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 5 | 4 | 4 | 3 | 4 | 2 | 1 | - | 2 | - | - |
| Black, both sexes | 3 | - | 1 | 3 | 3 | 5 | - | 3 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | 1 | 3 | 3 | 5 | - | 3 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 5 | 7 | 11 | 10 | 7 | 8 | 7 | 4 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 7 | 11 | 10 | 7 | 8 | 7 | 4 | 2 | 1 | - | - |
| White, both sexes | 5 | 4 | 9 | 6 | 7 | 8 | 5 | 3 | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 4 | 9 | 6 | 7 | 8 | 5 | 3 | 1 | 1 | - | - |
| Black, both sexes | - | 3 | 2 | 4 | - | - | 2 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 3 | 2 | 4 | - | - | 2 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 2 | - | 2 | 2 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | 2 | - | 2 | 2 | 1 | - | - | - | - | - |
| White, both sexes | - | 1 | 2 | - | 2 | 2 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 2 | - | 2 | 2 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 1 | 2 | 1 | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 2 | 1 | 2 | 1 | 1 | 1 | - | - | - | - | - |
| White, both sexes | 2 | 2 | 1 | 2 | 1 | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 2 | 1 | 2 | 1 | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 5 | 8 | 3 | 6 | 3 | 1 | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 8 | 3 | 6 | 3 | 1 | - | - | 1 | - | - | - |
| White, both sexes | 5 | 5 | 3 | 5 | 3 | 1 | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 5 | 3 | 5 | 3 | 1 | - | - | 1 | - | - | - |
| Black, both sexes | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 2 | - | - | 3 | 3 | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 2 | 2 | - | - | 3 | 3 | - | 1 | - | - | - |
| White, both sexes | 2 | 1 | 2 | - | - | 3 | 3 | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | 2 | - | - | 3 | 3 | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 16 | 18 | 5 | 7 | 4 | 6 | 11 | 11 | 6 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | 18 | 5 | 7 | 4 | 6 | 11 | 11 | 6 | 1 | - | - |
| White, both sexes | 13 | 15 | 5 | 2 | 4 | 6 | 10 | 9 | 5 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | 15 | 5 | 2 | 4 | 6 | 10 | 9 | 5 | 1 | - | - |
| Black, both sexes | 3 | 3 | - | 4 | - | - | 1 | 2 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 3 | - | 4 | - | - | 1 | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 3 | 6 | - | 2 | 3 | 1 | 2 | 2 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 6 | - | 2 | 3 | 1 | 2 | 2 | - | - | - | - |
| White, both sexes | 3 | 6 | - | 2 | 3 | 1 | 2 | 2 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 6 | - | 2 | 3 | 1 | 2 | 2 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 38 | 40 | 24 | 17 | 22 | 26 | 15 | 16 | 10 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 38 | 40 | 24 | 17 | 22 | 26 | 15 | 16 | 10 | 2 | - | - |
| White, both sexes | 28 | 33 | 12 | 14 | 15 | 19 | 12 | 12 | 7 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 28 | 33 | 12 | 14 | 15 | 19 | 12 | 12 | 7 | 2 | - | - |
| Black, both sexes | 7 | 5 | 10 | 3 | 7 | 6 | 2 | 3 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 5 | 10 | 3 | 7 | 6 | 2 | 3 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | 2 | 2 | - | - | 1 | 1 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 2 | 2 | - | - | 1 | 1 | 1 | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 15 | 16 | 14 | 9 | 8 | 7 | 11 | 5 | 2 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 15 | 16 | 14 | 9 | 8 | 7 | 11 | 5 | 2 | 2 | - | - |
| White, both sexes | 9 | 10 | 9 | 4 | 6 | 4 | 10 | 2 | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | 10 | 9 | 4 | 6 | 4 | 10 | 2 | 1 | 1 | - | - |
| Black, both sexes | 6 | 6 | 3 | 5 | 2 | 3 | 1 | 3 | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 6 | 3 | 5 | 2 | 3 | 1 | 3 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | 2 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 2 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | 1 | - | 1 | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | 1 | - | 1 | - | - | 1 | - | - | - |
| White, both sexes | 1 | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 25 | 14 | 14 | 10 | 11 | 12 | 4 | 3 | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 25 | 14 | 14 | 10 | 11 | 12 | 4 | 3 | 1 | 1 | - | - |
| White, both sexes | 21 | 9 | 9 | 9 | 7 | 10 | 3 | 3 | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 21 | 9 | 9 | 9 | 7 | 10 | 3 | 3 | 1 | 1 | - | - |
| Black, both sexes | 4 | 3 | 4 | 1 | 4 | 2 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 3 | 4 | 1 | 4 | 2 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 1 | 5 | 9 | 6 | 4 | 2 | 1 | 2 | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 5 | 9 | 6 | 4 | 2 | 1 | 2 | 1 | 1 | - | - |
| White, both sexes | 1 | 4 | 7 | 5 | 3 | 2 | 1 | 2 | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 4 | 7 | 5 | 3 | 2 | 1 | 2 | 1 | 1 | - | - |
| Black, both sexes | - | 1 | 2 | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 2 | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 5 | 3 | 6 | 5 | 2 | 1 | 2 | - | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 3 | 6 | 5 | 2 | 1 | 2 | - | 3 | - | - | - |
| White, both sexes | 4 | 3 | 5 | 3 | 2 | 1 | 2 | - | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 3 | 5 | 3 | 2 | 1 | 2 | - | 3 | - | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 15 | 20 | 9 | 13 | 10 | 12 | 16 | 11 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 15 | 20 | 9 | 13 | 10 | 12 | 16 | 11 | 2 | - | - | - |
| White, both sexes | 14 | 14 | 8 | 12 | 8 | 9 | 14 | 9 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14 | 14 | 8 | 12 | 8 | 9 | 14 | 9 | 2 | - | - | - |
| Black, both sexes | 1 | 5 | 1 | 1 | 1 | 3 | 2 | 2 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 5 | 1 | 1 | 1 | 3 | 2 | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 1 | 3 | 1 | 1 | 2 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | 1 | 3 | 1 | 1 | 2 | - | - | - | - | - |
| White, both sexes | 1 | - | 1 | 3 | - | 1 | 2 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 1 | 3 | - | 1 | 2 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 6 | 8 | 2 | 6 | 5 | 6 | 8 | 1 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 8 | 2 | 6 | 5 | 6 | 8 | 1 | - | 1 | - | - |
| White, both sexes | 5 | 2 | 1 | 3 | 3 | 3 | 3 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 2 | 1 | 3 | 3 | 3 | 3 | - | - | - | - | - |
| Black, both sexes | 1 | 6 | 1 | 3 | 2 | 3 | 5 | 1 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 6 | 1 | 3 | 2 | 3 | 5 | 1 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 2 | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | 2 | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | 2 | - | 2 | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | 2 | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 9 | 6 | 8 | 11 | 14 | 7 | 4 | 7 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | 6 | 8 | 11 | 14 | 7 | 4 | 7 | 1 | - | - | - |
| White, both sexes | 8 | 3 | 7 | 6 | 12 | 4 | 4 | 7 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | 3 | 7 | 6 | 12 | 4 | 4 | 7 | 1 | - | - | - |
| Black, both sexes | 1 | 2 | 1 | 4 | 2 | 3 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | 1 | 4 | 2 | 3 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 48 | 33 | 31 | 21 | 19 | 15 | 18 | 11 | 2 | 2 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 48 | 33 | 31 | 21 | 19 | 15 | 18 | 11 | 2 | 2 | 1 | - |
| White, both sexes | 39 | 21 | 22 | 17 | 14 | 13 | 13 | 8 | 2 | 2 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 39 | 21 | 22 | 17 | 14 | 13 | 13 | 8 | 2 | 2 | 1 | - |
| Black, both sexes | 6 | 9 | 9 | 3 | 4 | 2 | 4 | 3 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 9 | 9 | 3 | 4 | 2 | 4 | 3 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | 3 | - | 1 | 1 | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 3 | - | 1 | 1 | - | 1 | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 3 | 2 | 1 | - | - | - | 3 | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 2 | 1 | - | - | - | 3 | - | 1 | - | - | - |
| White, both sexes | 3 | 1 | 1 | - | - | - | 3 | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 1 | 1 | - | - | - | 3 | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 8 | 11 | 4 | 7 | 5 | 8 | 7 | 6 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | 11 | 4 | 7 | 5 | 8 | 7 | 6 | 3 | - | - | - |
| White, both sexes | 7 | 9 | 3 | 5 | 5 | 6 | 6 | 4 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 9 | 3 | 5 | 5 | 6 | 6 | 4 | 3 | - | - | - |
| Black, both sexes | 1 | 1 | 1 | 2 | - | 2 | 1 | 2 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | 1 | 2 | - | 2 | 1 | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 11 | 6 | 3 | 4 | 7 | 4 | 3 | 1 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | 6 | 3 | 4 | 7 | 4 | 3 | 1 | 2 | 1 | - | - |
| White, both sexes | 9 | 6 | 3 | 3 | 7 | 4 | 2 | 1 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | 6 | 3 | 3 | 7 | 4 | 2 | 1 | 2 | 1 | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 6 | 2 | - | 1 | 5 | - | 2 | - | 1 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 2 | - | 1 | 5 | - | 2 | - | 1 | 2 | - | - |
| White, both sexes | 6 | 2 | - | 1 | 5 | - | 2 | - | 1 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 2 | - | 1 | 5 | - | 2 | - | 1 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of cervix uteri (C53) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 6 | 9 | 8 | 2 | 3 | 4 | 6 | 2 | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 9 | 8 | 2 | 3 | 4 | 6 | 2 | 1 | 1 | - | - |
| White, both sexes | 5 | 8 | 8 | 2 | 3 | 4 | 6 | 2 | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 8 | 8 | 2 | 3 | 4 | 6 | 2 | 1 | 1 | - | - |
| Black, both sexes | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 7,096 | - | - | - | - | 1 | 3 | 7 | 15 | 54 | 92 | 208 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7,096 | - | - | - | - | 1 | 3 | 7 | 15 | 54 | 92 | 208 |
| White, both sexes | 5,742 | - | - | - | - | - | 2 | 3 | 10 | 40 | 70 | 164 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5,742 | - | - | - | - | - | 2 | 3 | 10 | 40 | 70 | 164 |
| Black, both sexes | 1,180 | - | - | - | - | 1 | 1 | 3 | 4 | 9 | 16 | 37 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,180 | - | - | - | - | 1 | 1 | 3 | 4 | 9 | 16 | 37 |
| American Indian 1/, both sexes | 22 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 22 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 152 | - | - | - | - | - | - | 1 | 1 | 5 | 6 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 152 | - | - | - | - | - | - | 1 | 1 | 5 | 6 | 7 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 95 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 95 | - | - | - | - | - | - | - | - | - | - | 3 |
| White, both sexes | 57 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 57 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 38 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 38 | - | - | - | - | - | - | - | - | - | - | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 110 | - | - | - | - | - | - | - | 2 | 1 | 2 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 110 | - | - | - | - | - | - | - | 2 | 1 | 2 | 7 |
| White, both sexes | 99 | - | - | - | - | - | - | - | 1 | 1 | 2 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 99 | - | - | - | - | - | - | - | 1 | 1 | 2 | 6 |
| Black, both sexes | 7 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 48 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 48 | - | - | - | - | - | - | - | - | - | - | 2 |
| White, both sexes | 40 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 40 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 715 | - | - | - | - | - | - | - | 1 | 8 | 13 | 27 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 715 | - | - | - | - | - | - | - | 1 | 8 | 13 | 27 |
| White, both sexes | 583 | - | - | - | - | - | - | - | 1 | 4 | 9 | 24 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 583 | - | - | - | - | - | - | - | 1 | 4 | 9 | 24 |
| Black, both sexes | 67 | - | - | - | - | - | - | - | - | 2 | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 67 | - | - | - | - | - | - | - | - | 2 | 1 | 1 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 63 | - | - | - | - | - | - | - | - | 2 | 3 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 63 | - | - | - | - | - | - | - | - | 2 | 3 | 2 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 81 | - | - | - | - | - | - | - | - | - | 1 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 81 | - | - | - | - | - | - | - | - | - | 1 | 4 |
| White, both sexes | 77 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 77 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 106 | - | - | - | - | - | - | - | - | - | 3 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 106 | - | - | - | - | - | - | - | - | - | 3 | 5 |
| White, both sexes | 99 | - | - | - | - | - | - | - | - | - | 3 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 99 | - | - | - | - | - | - | - | - | - | 3 | 5 |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 26 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 26 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 21 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 21 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 16 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 12 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 12 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 460 | - | - | - | - | - | - | 1 | 1 | 4 | 7 | 17 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 460 | - | - | - | - | - | - | 1 | 1 | 4 | 7 | 17 |
| White, both sexes | 371 | - | - | - | - | - | - | - | - | 4 | 7 | 14 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 371 | - | - | - | - | - | - | - | - | 4 | 7 | 14 |
| Black, both sexes | 83 | - | - | - | - | - | - | 1 | 1 | - | - | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 83 | - | - | - | - | - | - | 1 | 1 | - | - | 3 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 152 | - | - | - | - | - | - | - | 1 | - | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 152 | - | - | - | - | - | - | - | 1 | - | 1 | 3 |
| White, both sexes | 82 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 82 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | 68 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 68 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 2 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 30 | - | - | - | - | - | - | - | - | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 30 | - | - | - | - | - | - | - | - | 2 | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 23 | - | - | - | - | - | - | - | - | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 23 | - | - | - | - | - | - | - | - | 2 | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 31 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 31 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 31 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 31 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 330 | - | - | - | - | - | - | - | 1 | 2 | 3 | 13 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 330 | - | - | - | - | - | - | - | 1 | 2 | 3 | 13 |
| White, both sexes | 260 | - | - | - | - | - | - | - | 1 | - | 2 | 9 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 260 | - | - | - | - | - | - | - | 1 | - | 2 | 9 |
| Black, both sexes | 67 | - | - | - | - | - | - | - | - | 2 | 1 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 67 | - | - | - | - | - | - | - | - | 2 | 1 | 4 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 176 | - | - | - | - | - | - | - | 1 | 2 | 3 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 176 | - | - | - | - | - | - | - | 1 | 2 | 3 | 5 |
| White, both sexes | 158 | - | - | - | - | - | - | - | 1 | 2 | 2 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 158 | - | - | - | - | - | - | - | 1 | 2 | 2 | 5 |
| Black, both sexes | 17 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 95 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 95 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| White, both sexes | 90 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 90 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 50 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 50 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| White, both sexes | 48 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 48 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 73 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 73 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| White, both sexes | 62 | - | - | - | - | - | - | - | - | 1 | 2 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 62 | - | - | - | - | - | - | - | - | 1 | 2 | 1 |
| Black, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 94 | - | - | - | - | - | - | - | 1 | - | 2 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 94 | - | - | - | - | - | - | - | 1 | - | 2 | 4 |
| White, both sexes | 55 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 55 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Black, both sexes | 39 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 39 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 37 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 37 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 37 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 37 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 111 | - | - | - | - | - | 1 | - | - | - | 1 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 111 | - | - | - | - | - | 1 | - | - | - | 1 | 5 |
| White, both sexes | 69 | - | - | - | - | - | 1 | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 69 | - | - | - | - | - | 1 | - | - | - | - | 2 |
| Black, both sexes | 40 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 40 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 183 | - | - | - | - | 1 | 1 | 1 | - | - | 2 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 183 | - | - | - | - | 1 | 1 | 1 | - | - | 2 | 2 |
| White, both sexes | 171 | - | - | - | - | - | 1 | - | - | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 171 | - | - | - | - | - | 1 | - | - | - | 1 | 1 |
| Black, both sexes | 10 | - | - | - | - | 1 | - | 1 | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | - | - | - | - | 1 | - | 1 | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 298 | - | - | - | - | - | - | - | - | 2 | 8 | 8 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 298 | - | - | - | - | - | - | - | - | 2 | 8 | 8 |
| White, both sexes | 242 | - | - | - | - | - | - | - | - | 2 | 5 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 242 | - | - | - | - | - | - | - | - | 2 | 5 | 7 |
| Black, both sexes | 54 | - | - | - | - | - | - | - | - | - | 3 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 54 | - | - | - | - | - | - | - | - | - | 3 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 120 | - | - | - | - | - | - | - | 1 | 2 | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 120 | - | - | - | - | - | - | - | 1 | 2 | 1 | 2 |
| White, both sexes | 115 | - | - | - | - | - | - | - | - | 2 | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 115 | - | - | - | - | - | - | - | - | 2 | 1 | 2 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 71 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 71 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| White, both sexes | 36 | - | - | - | - | - | - | - | - | 1 | 2 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 36 | - | - | - | - | - | - | - | - | 1 | 2 | 1 |
| Black, both sexes | 34 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 34 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 156 | - | - | - | - | - | - | - | 1 | 1 | 2 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 156 | - | - | - | - | - | - | - | 1 | 1 | 2 | 7 |
| White, both sexes | 138 | - | - | - | - | - | - | - | 1 | 1 | 1 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 138 | - | - | - | - | - | - | - | 1 | 1 | 1 | 7 |
| Black, both sexes | 18 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 18 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 33 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 33 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| White, both sexes | 32 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 32 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 48 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 48 | - | - | - | - | - | - | - | - | - | - | 2 |
| White, both sexes | 47 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 47 | - | - | - | - | - | - | - | - | - | - | 2 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 39 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 39 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| White, both sexes | 36 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 36 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 29 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 29 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 29 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 29 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 273 | - | - | - | - | - | 1 | - | - | - | 4 | 8 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 273 | - | - | - | - | - | 1 | - | - | - | 4 | 8 |
| White, both sexes | 219 | - | - | - | - | - | - | - | - | - | 3 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 219 | - | - | - | - | - | - | - | - | - | 3 | 6 |
| Black, both sexes | 48 | - | - | - | - | - | 1 | - | - | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 48 | - | - | - | - | - | 1 | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 40 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 40 | - | - | - | - | - | - | - | - | - | - | 2 |
| White, both sexes | 36 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 36 | - | - | - | - | - | - | - | - | - | - | 2 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 601 | - | - | - | - | - | - | 2 | - | 5 | 4 | 12 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 601 | - | - | - | - | - | - | 2 | - | 5 | 4 | 12 |
| White, both sexes | 450 | - | - | - | - | - | - | 1 | - | 3 | 3 | 9 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 450 | - | - | - | - | - | - | 1 | - | 3 | 3 | 9 |
| Black, both sexes | 144 | - | - | - | - | - | - | 1 | - | 2 | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 144 | - | - | - | - | - | - | 1 | - | 2 | 1 | 2 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 199 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 199 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| White, both sexes | 133 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 133 | - | - | - | - | - | - | - | - | - | - | 2 |
| Black, both sexes | 63 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 63 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 18 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 302 | - | - | - | - | - | - | - | - | 3 | 2 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 302 | - | - | - | - | - | - | - | - | 3 | 2 | 6 |
| White, both sexes | 257 | - | - | - | - | - | - | - | - | 3 | 2 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 257 | - | - | - | - | - | - | - | - | 3 | 2 | 6 |
| Black, both sexes | 45 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 45 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 82 | - | - | - | - | - | - | - | - | 3 | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 82 | - | - | - | - | - | - | - | - | 3 | 1 | 3 |
| White, both sexes | 67 | - | - | - | - | - | - | - | - | 3 | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 67 | - | - | - | - | - | - | - | - | 3 | 1 | 3 |
| Black, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 83 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 83 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| White, both sexes | 79 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 79 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 449 | - | - | - | - | - | - | 1 | 1 | 3 | 3 | 12 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 449 | - | - | - | - | - | - | 1 | 1 | 3 | 3 | 12 |
| White, both sexes | 389 | - | - | - | - | - | - | 1 | 1 | 3 | 3 | 12 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 389 | - | - | - | - | - | - | 1 | 1 | 3 | 3 | 12 |
| Black, both sexes | 58 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 58 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 27 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 27 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 26 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 26 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 108 | - | - | - | - | - | - | - | - | 2 | 3 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 108 | - | - | - | - | - | - | - | - | 2 | 3 | 1 |
| White, both sexes | 52 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 52 | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | 56 | - | - | - | - | - | - | - | - | 1 | 3 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 56 | - | - | - | - | - | - | - | - | 1 | 3 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 18 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 139 | - | - | - | - | - | - | - | - | 2 | 2 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 139 | - | - | - | - | - | - | - | - | 2 | 2 | 3 |
| White, both sexes | 120 | - | - | - | - | - | - | - | - | 2 | 2 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 120 | - | - | - | - | - | - | - | - | 2 | 2 | 2 |
| Black, both sexes | 19 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 19 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 375 | - | - | - | - | - | - | 1 | 1 | 3 | 7 | 13 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 375 | - | - | - | - | - | - | 1 | 1 | 3 | 7 | 13 |
| White, both sexes | 301 | - | - | - | - | - | - | - | - | 2 | 7 | 10 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 301 | - | - | - | - | - | - | - | - | 2 | 7 | 10 |
| Black, both sexes | 68 | - | - | - | - | - | - | - | 1 | 1 | - | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 68 | - | - | - | - | - | - | - | 1 | 1 | - | 3 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | 1 | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 23 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 23 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 22 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 22 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 184 | - | - | - | - | - | - | - | - | 2 | 1 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 184 | - | - | - | - | - | - | - | - | 2 | 1 | 7 |
| White, both sexes | 126 | - | - | - | - | - | - | - | - | 2 | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 126 | - | - | - | - | - | - | - | - | 2 | - | 2 |
| Black, both sexes | 52 | - | - | - | - | - | - | - | - | - | 1 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 52 | - | - | - | - | - | - | - | - | - | 1 | 5 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 130 | - | - | - | - | - | - | - | - | - | 2 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 130 | - | - | - | - | - | - | - | - | - | 2 | 6 |
| White, both sexes | 117 | - | - | - | - | - | - | - | - | - | 1 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 117 | - | - | - | - | - | - | - | - | - | 1 | 5 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 49 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 49 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| White, both sexes | 47 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 47 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 156 | - | - | - | - | - | - | - | 1 | - | 2 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 156 | - | - | - | - | - | - | - | 1 | - | 2 | 2 |
| White, both sexes | 144 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 144 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Black, both sexes | 11 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | 8 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 360 | 642 | 826 | 885 | 923 | 972 | 983 | 689 | 352 | 73 | 11 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 360 | 642 | 826 | 885 | 923 | 972 | 983 | 689 | 352 | 73 | 11 | - |
| White, both sexes | 285 | 504 | 614 | 688 | 726 | 783 | 856 | 605 | 316 | 66 | 10 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 285 | 504 | 614 | 688 | 726 | 783 | 856 | 605 | 316 | 66 | 10 | - |
| Black, both sexes | 58 | 111 | 190 | 178 | 177 | 165 | 113 | 77 | 34 | 5 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 58 | 111 | 190 | 178 | 177 | 165 | 113 | 77 | 34 | 5 | 1 | - |
| American Indian 1/, both sexes | 3 | 2 | 2 | 4 | 3 | 5 | 1 | 1 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 2 | 2 | 4 | 3 | 5 | 1 | 1 | - | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | 14 | 25 | 20 | 15 | 17 | 19 | 13 | 6 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14 | 25 | 20 | 15 | 17 | 19 | 13 | 6 | 2 | 1 | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 7 | 8 | 7 | 16 | 16 | 9 | 18 | 7 | 4 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 8 | 7 | 16 | 16 | 9 | 18 | 7 | 4 | - | - | - |
| White, both sexes | 3 | 5 | 4 | 7 | 10 | 7 | 12 | 7 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 5 | 4 | 7 | 10 | 7 | 12 | 7 | 1 | - | - | - |
| Black, both sexes | 4 | 3 | 3 | 9 | 6 | 2 | 6 | - | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 3 | 3 | 9 | 6 | 2 | 6 | - | 3 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 7 | 6 | 15 | 17 | 11 | 11 | 15 | 11 | 4 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 6 | 15 | 17 | 11 | 11 | 15 | 11 | 4 | 1 | - | - |
| White, both sexes | 6 | 5 | 15 | 15 | 9 | 10 | 13 | 11 | 4 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 5 | 15 | 15 | 9 | 10 | 13 | 11 | 4 | 1 | - | - |
| Black, both sexes | - | - | - | 1 | 2 | - | 2 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | 2 | - | 2 | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 4 | 3 | 3 | 5 | 9 | 6 | 5 | 4 | 4 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 3 | 3 | 5 | 9 | 6 | 5 | 4 | 4 | 3 | - | - |
| White, both sexes | 4 | 3 | 3 | 5 | 8 | 4 | 4 | 3 | 3 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 3 | 3 | 5 | 8 | 4 | 4 | 3 | 3 | 3 | - | - |
| Black, both sexes | - | - | - | - | 1 | 2 | 1 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | 2 | 1 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 41 | 58 | 81 | 87 | 91 | 99 | 93 | 68 | 38 | 8 | 2 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 41 | 58 | 81 | 87 | 91 | 99 | 93 | 68 | 38 | 8 | 2 | - |
| White, both sexes | 31 | 44 | 55 | 65 | 73 | 87 | 82 | 63 | 37 | 6 | 2 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 31 | 44 | 55 | 65 | 73 | 87 | 82 | 63 | 37 | 6 | 2 | - |
| Black, both sexes | 2 | 7 | 14 | 13 | 10 | 5 | 7 | 2 | 1 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 7 | 14 | 13 | 10 | 5 | 7 | 2 | 1 | 2 | - | - |
| American Indian 1/, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | 7 | 11 | 9 | 8 | 7 | 4 | 3 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 7 | 11 | 9 | 8 | 7 | 4 | 3 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 4 | 7 | 7 | 8 | 8 | 16 | 13 | 7 | 5 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 7 | 7 | 8 | 8 | 16 | 13 | 7 | 5 | 1 | - | - |
| White, both sexes | 4 | 6 | 7 | 7 | 8 | 15 | 13 | 7 | 5 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 6 | 7 | 7 | 8 | 15 | 13 | 7 | 5 | 1 | - | - |
| Black, both sexes | - | 1 | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | 1 | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 5 | 11 | 6 | 14 | 16 | 5 | 19 | 12 | 9 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 11 | 6 | 14 | 16 | 5 | 19 | 12 | 9 | 1 | - | - |
| White, both sexes | 5 | 10 | 4 | 12 | 14 | 5 | 19 | 12 | 9 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 10 | 4 | 12 | 14 | 5 | 19 | 12 | 9 | 1 | - | - |
| Black, both sexes | - | 1 | 2 | 2 | 2 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 2 | 2 | 2 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 4 | 4 | 3 | 4 | 5 | 1 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | 4 | 4 | 3 | 4 | 5 | 1 | 2 | - | - | - |
| White, both sexes | 2 | 1 | 3 | 2 | 3 | 3 | 5 | - | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | 3 | 2 | 3 | 3 | 5 | - | 2 | - | - | - |
| Black, both sexes | - | - | 1 | 2 | - | 1 | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | 2 | - | 1 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 3 | 1 | 2 | - | 3 | 4 | 1 | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 1 | 2 | - | 3 | 4 | 1 | - | 1 | - | - | - |
| White, both sexes | - | - | - | - | 2 | - | 1 | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 2 | - | 1 | - | 1 | - | - | - |
| Black, both sexes | 3 | 1 | 2 | - | 1 | 4 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 1 | 2 | - | 1 | 4 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 27 | 33 | 59 | 57 | 49 | 65 | 60 | 55 | 21 | 2 | 2 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 27 | 33 | 59 | 57 | 49 | 65 | 60 | 55 | 21 | 2 | 2 | - |
| White, both sexes | 23 | 29 | 48 | 44 | 37 | 42 | 54 | 49 | 17 | 1 | 2 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 23 | 29 | 48 | 44 | 37 | 42 | 54 | 49 | 17 | 1 | 2 | - |
| Black, both sexes | 3 | 2 | 11 | 12 | 12 | 21 | 6 | 6 | 4 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 2 | 11 | 12 | 12 | 21 | 6 | 6 | 4 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 2 | - | 1 | - | 2 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | - | 1 | - | 2 | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 6 | 11 | 29 | 24 | 28 | 17 | 14 | 15 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 11 | 29 | 24 | 28 | 17 | 14 | 15 | 3 | - | - | - |
| White, both sexes | 3 | 9 | 13 | 10 | 14 | 12 | 10 | 8 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 9 | 13 | 10 | 14 | 12 | 10 | 8 | 1 | - | - | - |
| Black, both sexes | 3 | 2 | 16 | 14 | 14 | 5 | 4 | 7 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 2 | 16 | 14 | 14 | 5 | 4 | 7 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 3 | 3 | 5 | 4 | 5 | 2 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 3 | 3 | 3 | 5 | 4 | 5 | 2 | 1 | - | - | - |
| White, both sexes | 1 | - | 1 | 2 | - | 2 | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 1 | 2 | - | 2 | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 3 | 2 | 1 | 5 | 2 | 5 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 3 | 2 | 1 | 5 | 2 | 5 | 1 | 1 | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 5 | 2 | 2 | 3 | 6 | 2 | 4 | 5 | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 2 | 2 | 3 | 6 | 2 | 4 | 5 | 1 | 1 | - | - |
| White, both sexes | 5 | 2 | 2 | 3 | 6 | 2 | 4 | 5 | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 2 | 2 | 3 | 6 | 2 | 4 | 5 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 11 | 33 | 40 | 37 | 47 | 42 | 37 | 31 | 26 | 6 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | 33 | 40 | 37 | 47 | 42 | 37 | 31 | 26 | 6 | 1 | - |
| White, both sexes | 8 | 25 | 29 | 25 | 38 | 33 | 36 | 26 | 21 | 6 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | 25 | 29 | 25 | 38 | 33 | 36 | 26 | 21 | 6 | 1 | - |
| Black, both sexes | 3 | 8 | 11 | 11 | 9 | 9 | 1 | 4 | 4 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 8 | 11 | 11 | 9 | 9 | 1 | 4 | 4 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | 1 | 1 | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 7 | 16 | 17 | 20 | 25 | 25 | 23 | 22 | 9 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 16 | 17 | 20 | 25 | 25 | 23 | 22 | 9 | 1 | - | - |
| White, both sexes | 6 | 13 | 15 | 19 | 19 | 22 | 22 | 22 | 9 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 13 | 15 | 19 | 19 | 22 | 22 | 22 | 9 | 1 | - | - |
| Black, both sexes | 1 | 3 | 2 | 1 | 5 | 3 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 3 | 2 | 1 | 5 | 3 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 6 | 7 | 10 | 9 | 13 | 13 | 14 | 11 | 8 | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 7 | 10 | 9 | 13 | 13 | 14 | 11 | 8 | 1 | 1 | - |
| White, both sexes | 6 | 7 | 9 | 8 | 13 | 11 | 13 | 11 | 8 | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 7 | 9 | 8 | 13 | 11 | 13 | 11 | 8 | 1 | 1 | - |
| Black, both sexes | - | - | - | - | - | 2 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 2 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 1 | 4 | 6 | 5 | 2 | 7 | 14 | 2 | 3 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 4 | 6 | 5 | 2 | 7 | 14 | 2 | 3 | 1 | - | - |
| White, both sexes | 1 | 4 | 5 | 5 | 1 | 7 | 14 | 2 | 3 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 4 | 5 | 5 | 1 | 7 | 14 | 2 | 3 | 1 | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 3 | 5 | 12 | 9 | 14 | 9 | 8 | 5 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 5 | 12 | 9 | 14 | 9 | 8 | 5 | 2 | 1 | - | - |
| White, both sexes | 3 | 4 | 10 | 7 | 12 | 8 | 6 | 5 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 4 | 10 | 7 | 12 | 8 | 6 | 5 | 2 | 1 | - | - |
| Black, both sexes | - | 1 | 1 | 2 | 2 | 1 | 2 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | 2 | 2 | 1 | 2 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 4 | 10 | 13 | 7 | 14 | 10 | 13 | 9 | 6 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 10 | 13 | 7 | 14 | 10 | 13 | 9 | 6 | 1 | - | - |
| White, both sexes | 3 | 8 | 9 | 4 | 6 | 5 | 9 | 4 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 8 | 9 | 4 | 6 | 5 | 9 | 4 | 3 | - | - | - |
| Black, both sexes | 1 | 2 | 4 | 3 | 8 | 5 | 4 | 5 | 3 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | 4 | 3 | 8 | 5 | 4 | 5 | 3 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | 3 | 6 | 6 | 1 | 5 | 5 | 7 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 3 | 6 | 6 | 1 | 5 | 5 | 7 | 3 | - | - | - |
| White, both sexes | - | 3 | 6 | 6 | 1 | 5 | 5 | 7 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 3 | 6 | 6 | 1 | 5 | 5 | 7 | 3 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 4 | 9 | 19 | 19 | 14 | 18 | 9 | 10 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 9 | 19 | 19 | 14 | 18 | 9 | 10 | 2 | - | - | - |
| White, both sexes | 1 | 4 | 14 | 12 | 6 | 11 | 8 | 8 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 4 | 14 | 12 | 6 | 11 | 8 | 8 | 2 | - | - | - |
| Black, both sexes | 2 | 4 | 5 | 7 | 8 | 7 | 1 | 2 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 4 | 5 | 7 | 8 | 7 | 1 | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 4 | 12 | 21 | 18 | 29 | 26 | 31 | 21 | 13 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 12 | 21 | 18 | 29 | 26 | 31 | 21 | 13 | 1 | - | - |
| White, both sexes | 4 | 12 | 19 | 17 | 27 | 26 | 29 | 21 | 12 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 12 | 19 | 17 | 27 | 26 | 29 | 21 | 12 | 1 | - | - |
| Black, both sexes | - | - | 2 | - | 2 | - | 2 | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 2 | - | 2 | - | 2 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 16 | 20 | 33 | 44 | 35 | 45 | 42 | 33 | 9 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | 20 | 33 | 44 | 35 | 45 | 42 | 33 | 9 | 3 | - | - |
| White, both sexes | 14 | 15 | 23 | 38 | 29 | 38 | 34 | 27 | 7 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14 | 15 | 23 | 38 | 29 | 38 | 34 | 27 | 7 | 3 | - | - |
| Black, both sexes | 2 | 4 | 10 | 6 | 6 | 7 | 7 | 6 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 4 | 10 | 6 | 6 | 7 | 7 | 6 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 7 | 15 | 17 | 12 | 15 | 18 | 13 | 8 | 7 | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 15 | 17 | 12 | 15 | 18 | 13 | 8 | 7 | 1 | 1 | - |
| White, both sexes | 7 | 14 | 15 | 12 | 15 | 17 | 13 | 8 | 7 | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 14 | 15 | 12 | 15 | 17 | 13 | 8 | 7 | 1 | 1 | - |
| Black, both sexes | - | 1 | 2 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 2 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 4 | 6 | 8 | 9 | 6 | 10 | 14 | 4 | 4 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 6 | 8 | 9 | 6 | 10 | 14 | 4 | 4 | 1 | - | - |
| White, both sexes | 3 | 2 | 4 | 5 | 4 | 3 | 6 | 2 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 2 | 4 | 5 | 4 | 3 | 6 | 2 | 2 | 1 | - | - |
| Black, both sexes | 1 | 4 | 4 | 3 | 2 | 7 | 8 | 2 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 4 | 4 | 3 | 2 | 7 | 8 | 2 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 7 | 13 | 12 | 18 | 21 | 29 | 16 | 16 | 11 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 13 | 12 | 18 | 21 | 29 | 16 | 16 | 11 | 2 | - | - |
| White, both sexes | 7 | 9 | 8 | 15 | 19 | 27 | 15 | 15 | 11 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 9 | 8 | 15 | 19 | 27 | 15 | 15 | 11 | 2 | - | - |
| Black, both sexes | - | 4 | 4 | 3 | 2 | 2 | 1 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 4 | 4 | 3 | 2 | 2 | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 6 | 5 | 2 | 6 | 2 | 6 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 6 | 5 | 2 | 6 | 2 | 6 | - | 1 | - | - |
| White, both sexes | - | 2 | 6 | 5 | 2 | 5 | 2 | 6 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 6 | 5 | 2 | 5 | 2 | 6 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 2 | 7 | 4 | 7 | 7 | 4 | 9 | 5 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 7 | 4 | 7 | 7 | 4 | 9 | 5 | 1 | - | - | - |
| White, both sexes | 2 | 7 | 4 | 7 | 6 | 4 | 9 | 5 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 7 | 4 | 7 | 6 | 4 | 9 | 5 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 2 | 4 | 2 | 6 | 5 | 8 | 2 | 2 | 2 | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 4 | 2 | 6 | 5 | 8 | 2 | 2 | 2 | 1 | 1 | - |
| White, both sexes | 2 | 2 | 2 | 5 | 5 | 8 | 2 | 2 | 2 | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 2 | 2 | 5 | 5 | 8 | 2 | 2 | 2 | 1 | 1 | - |
| Black, both sexes | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | 6 | 2 | 2 | 3 | 3 | 6 | 5 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 6 | 2 | 2 | 3 | 3 | 6 | 5 | - | 1 | - | - |
| White, both sexes | - | 6 | 2 | 2 | 3 | 3 | 6 | 5 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 6 | 2 | 2 | 3 | 3 | 6 | 5 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 13 | 24 | 42 | 32 | 34 | 30 | 38 | 32 | 13 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | 24 | 42 | 32 | 34 | 30 | 38 | 32 | 13 | 2 | - | - |
| White, both sexes | 5 | 18 | 32 | 22 | 30 | 25 | 33 | 30 | 13 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 18 | 32 | 22 | 30 | 25 | 33 | 30 | 13 | 2 | - | - |
| Black, both sexes | 6 | 6 | 9 | 10 | 4 | 5 | 3 | 2 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 6 | 9 | 10 | 4 | 5 | 3 | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | 1 | - | - | - | 2 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | 1 | - | - | - | 2 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 3 | 2 | 4 | 5 | 4 | 5 | 8 | 4 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 2 | 4 | 5 | 4 | 5 | 8 | 4 | 3 | - | - | - |
| White, both sexes | 2 | 2 | 4 | 5 | 3 | 4 | 7 | 4 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 2 | 4 | 5 | 3 | 4 | 7 | 4 | 3 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 36 | 62 | 71 | 94 | 86 | 84 | 73 | 48 | 18 | 6 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 36 | 62 | 71 | 94 | 86 | 84 | 73 | 48 | 18 | 6 | - | - |
| White, both sexes | 31 | 40 | 45 | 70 | 60 | 65 | 62 | 40 | 16 | 5 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 31 | 40 | 45 | 70 | 60 | 65 | 62 | 40 | 16 | 5 | - | - |
| Black, both sexes | 4 | 20 | 26 | 23 | 25 | 19 | 11 | 7 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 20 | 26 | 23 | 25 | 19 | 11 | 7 | 2 | 1 | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | 1 | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | - | 1 | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 9 | 14 | 28 | 31 | 21 | 29 | 27 | 21 | 13 | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | 14 | 28 | 31 | 21 | 29 | 27 | 21 | 13 | - | 1 | - |
| White, both sexes | 5 | 10 | 20 | 21 | 12 | 17 | 18 | 15 | 12 | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 10 | 20 | 21 | 12 | 17 | 18 | 15 | 12 | - | 1 | - |
| Black, both sexes | 4 | 4 | 8 | 10 | 8 | 12 | 9 | 6 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 4 | 8 | 10 | 8 | 12 | 9 | 6 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 1 | 2 | 2 | 1 | 4 | 4 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | 1 | 2 | 2 | 1 | 4 | 4 | 1 | - | - | - |
| White, both sexes | 1 | 2 | 1 | 2 | 2 | 1 | 4 | 4 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | 1 | 2 | 2 | 1 | 4 | 4 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 17 | 35 | 27 | 31 | 40 | 47 | 46 | 30 | 14 | 4 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | 35 | 27 | 31 | 40 | 47 | 46 | 30 | 14 | 4 | - | - |
| White, both sexes | 12 | 31 | 19 | 23 | 32 | 42 | 41 | 29 | 13 | 4 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 12 | 31 | 19 | 23 | 32 | 42 | 41 | 29 | 13 | 4 | - | - |
| Black, both sexes | 5 | 4 | 8 | 8 | 8 | 5 | 5 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 4 | 8 | 8 | 8 | 5 | 5 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 1 | 8 | 8 | 12 | 10 | 10 | 9 | 10 | 5 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 8 | 8 | 12 | 10 | 10 | 9 | 10 | 5 | 2 | - | - |
| White, both sexes | 1 | 5 | 6 | 11 | 10 | 8 | 8 | 5 | 5 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 5 | 6 | 11 | 10 | 8 | 8 | 5 | 5 | 1 | - | - |
| Black, both sexes | - | 1 | 2 | - | - | 1 | 1 | 4 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 2 | - | - | 1 | 1 | 4 | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | 1 | - | - | - | 1 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | 1 | - | - | - | 1 | - | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 1 | 9 | 10 | 16 | 11 | 15 | 11 | 5 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 9 | 10 | 16 | 11 | 15 | 11 | 5 | 3 | - | - | - |
| White, both sexes | 1 | 8 | 9 | 16 | 11 | 14 | 10 | 5 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 8 | 9 | 16 | 11 | 14 | 10 | 5 | 3 | - | - | - |
| Black, both sexes | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 21 | 34 | 50 | 63 | 61 | 66 | 65 | 45 | 17 | 7 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 21 | 34 | 50 | 63 | 61 | 66 | 65 | 45 | 17 | 7 | - | - |
| White, both sexes | 18 | 29 | 40 | 53 | 48 | 57 | 60 | 42 | 16 | 6 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 18 | 29 | 40 | 53 | 48 | 57 | 60 | 42 | 16 | 6 | - | - |
| Black, both sexes | 2 | 5 | 10 | 10 | 13 | 9 | 5 | 3 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 5 | 10 | 10 | 13 | 9 | 5 | 3 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 4 | 1 | 5 | - | 4 | 3 | 5 | 1 | 1 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 1 | 5 | - | 4 | 3 | 5 | 1 | 1 | 2 | - | - |
| White, both sexes | 4 | 1 | 5 | - | 4 | 2 | 5 | 1 | 1 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 1 | 5 | - | 4 | 2 | 5 | 1 | 1 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 7 | 12 | 15 | 10 | 10 | 19 | 12 | 10 | 7 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 12 | 15 | 10 | 10 | 19 | 12 | 10 | 7 | - | - | - |
| White, both sexes | 5 | 7 | 3 | 4 | 5 | 7 | 9 | 5 | 6 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 7 | 3 | 4 | 5 | 7 | 9 | 5 | 6 | - | - | - |
| Black, both sexes | 2 | 5 | 12 | 6 | 5 | 12 | 3 | 5 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 5 | 12 | 6 | 5 | 12 | 3 | 5 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 2 | 1 | 2 | 4 | 3 | 1 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | 2 | 1 | 2 | 4 | 3 | 1 | 2 | - | - | - |
| White, both sexes | 2 | 1 | 2 | 1 | 2 | 3 | 3 | 1 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | 2 | 1 | 2 | 3 | 3 | 1 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 7 | 18 | 15 | 10 | 22 | 18 | 19 | 16 | 6 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 18 | 15 | 10 | 22 | 18 | 19 | 16 | 6 | 1 | - | - |
| White, both sexes | 5 | 15 | 13 | 7 | 20 | 17 | 16 | 15 | 5 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 15 | 13 | 7 | 20 | 17 | 16 | 15 | 5 | 1 | - | - |
| Black, both sexes | 2 | 3 | 2 | 3 | 2 | 1 | 3 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 3 | 2 | 3 | 2 | 1 | 3 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 18 | 42 | 34 | 43 | 45 | 51 | 69 | 27 | 14 | 6 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 18 | 42 | 34 | 43 | 45 | 51 | 69 | 27 | 14 | 6 | 1 | - |
| White, both sexes | 13 | 31 | 27 | 31 | 35 | 42 | 62 | 23 | 12 | 6 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | 31 | 27 | 31 | 35 | 42 | 62 | 23 | 12 | 6 | - | - |
| Black, both sexes | 5 | 9 | 6 | 12 | 9 | 8 | 7 | 4 | 2 | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 9 | 6 | 12 | 9 | 8 | 7 | 4 | 2 | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | 1 | - | 1 | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 1 | - | 1 | 1 | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 5 | 4 | 3 | 1 | 4 | 2 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 5 | 4 | 3 | 1 | 4 | 2 | 2 | - | - | - |
| White, both sexes | 1 | - | 4 | 4 | 3 | 1 | 4 | 2 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 4 | 4 | 3 | 1 | 4 | 2 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 1 | 1 | 3 | 5 | 1 | 1 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | 1 | 1 | 3 | 5 | 1 | 1 | 2 | - | - | - |
| White, both sexes | 1 | 2 | 1 | 1 | 3 | 5 | 1 | 1 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | 1 | 1 | 3 | 5 | 1 | 1 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 7 | 22 | 24 | 21 | 19 | 18 | 30 | 21 | 10 | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 22 | 24 | 21 | 19 | 18 | 30 | 21 | 10 | 1 | 1 | - |
| White, both sexes | 7 | 17 | 14 | 17 | 11 | 11 | 20 | 15 | 8 | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 17 | 14 | 17 | 11 | 11 | 20 | 15 | 8 | 1 | 1 | - |
| Black, both sexes | - | 2 | 10 | 4 | 7 | 5 | 10 | 6 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 10 | 4 | 7 | 5 | 10 | 6 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 3 | - | - | 1 | 2 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 3 | - | - | 1 | 2 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 7 | 17 | 19 | 13 | 15 | 14 | 18 | 11 | 7 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 17 | 19 | 13 | 15 | 14 | 18 | 11 | 7 | 1 | - | - |
| White, both sexes | 6 | 15 | 16 | 12 | 14 | 11 | 18 | 11 | 7 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 15 | 16 | 12 | 14 | 11 | 18 | 11 | 7 | 1 | - | - |
| Black, both sexes | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | 1 | 1 | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 1 | 1 | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | 2 | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 2 | - | - | 1 | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 1 | 6 | 4 | 4 | 6 | 13 | 10 | 2 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 6 | 4 | 4 | 6 | 13 | 10 | 2 | 1 | - | - | - |
| White, both sexes | 1 | 6 | 4 | 4 | 6 | 13 | 9 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 6 | 4 | 4 | 6 | 13 | 9 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of corpus uteri and uterus, part unspecified (C54-C55) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 12 | 14 | 13 | 19 | 25 | 19 | 20 | 13 | 14 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 12 | 14 | 13 | 19 | 25 | 19 | 20 | 13 | 14 | 2 | - | - |
| White, both sexes | 10 | 13 | 12 | 18 | 23 | 16 | 19 | 13 | 14 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | 13 | 12 | 18 | 23 | 16 | 19 | 13 | 14 | 2 | - | - |
| Black, both sexes | 2 | 1 | 1 | 1 | 2 | 2 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | 1 | 1 | 2 | 2 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | 2 | 2 | - | 1 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | 2 | 2 | - | 1 | 1 | - | - | - | - |
| White, both sexes | - | - | 1 | 2 | 2 | - | 1 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | 2 | 2 | - | 1 | 1 | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 14,787 | - | - | - | 3 | 4 | 14 | 31 | 52 | 106 | 307 | 628 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14,787 | - | - | - | 3 | 4 | 14 | 31 | 52 | 106 | 307 | 628 |
| White, both sexes | 13,199 | - | - | - | 2 | 4 | 14 | 25 | 42 | 87 | 245 | 529 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13,199 | - | - | - | 2 | 4 | 14 | 25 | 42 | 87 | 245 | 529 |
| Black, both sexes | 1,217 | - | - | - | 1 | - | - | 5 | 9 | 13 | 42 | 63 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,217 | - | - | - | 1 | - | - | 5 | 9 | 13 | 42 | 63 |
| American Indian 1/, both sexes | 55 | - | - | - | - | - | - | 1 | - | 2 | - | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 55 | - | - | - | - | - | - | 1 | - | 2 | - | 6 |
| Asian or Pacific Islander 2/, both sexes | 316 | - | - | - | - | - | - | - | 1 | 4 | 20 | 30 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 316 | - | - | - | - | - | - | - | 1 | 4 | 20 | 30 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 260 | - | - | - | - | - | - | - | 2 | 1 | 7 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 260 | - | - | - | - | - | - | - | 2 | 1 | 7 | 4 |
| White, both sexes | 213 | - | - | - | - | - | - | - | 2 | 1 | 5 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 213 | - | - | - | - | - | - | - | 2 | 1 | 5 | 4 |
| Black, both sexes | 46 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 46 | - | - | - | - | - | - | - | - | - | 2 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| White, both sexes | 12 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 12 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 296 | - | - | - | - | - | - | - | 1 | - | 6 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 296 | - | - | - | - | - | - | - | 1 | - | 6 | 6 |
| White, both sexes | 274 | - | - | - | - | - | - | - | 1 | - | 5 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 274 | - | - | - | - | - | - | - | 1 | - | 5 | 5 |
| Black, both sexes | 9 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 141 | - | - | - | - | - | - | 2 | - | - | 1 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 141 | - | - | - | - | - | - | 2 | - | - | 1 | 6 |
| White, both sexes | 129 | - | - | - | - | - | - | 2 | - | - | 1 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 129 | - | - | - | - | - | - | 2 | - | - | 1 | 6 |
| Black, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 1,564 | - | - | - | - | 1 | 2 | 7 | 7 | 11 | 31 | 84 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,564 | - | - | - | - | 1 | 2 | 7 | 7 | 11 | 31 | 84 |
| White, both sexes | 1,335 | - | - | - | - | 1 | 2 | 5 | 5 | 8 | 23 | 65 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,335 | - | - | - | - | 1 | 2 | 5 | 5 | 8 | 23 | 65 |
| Black, both sexes | 89 | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 89 | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 5 |
| American Indian 1/, both sexes | 7 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 133 | - | - | - | - | - | - | - | 1 | 2 | 7 | 13 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 133 | - | - | - | - | - | - | - | 1 | 2 | 7 | 13 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 221 | - | - | - | - | - | 2 | - | - | 2 | 1 | 10 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 221 | - | - | - | - | - | 2 | - | - | 2 | 1 | 10 |
| White, both sexes | 214 | - | - | - | - | - | 2 | - | - | 2 | 1 | 10 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 214 | - | - | - | - | - | 2 | - | - | 2 | 1 | 10 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 174 | - | - | - | - | - | - | - | 1 | - | 2 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 174 | - | - | - | - | - | - | - | 1 | - | 2 | 7 |
| White, both sexes | 165 | - | - | - | - | - | - | - | 1 | - | 2 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 165 | - | - | - | - | - | - | - | 1 | - | 2 | 6 |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 39 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 39 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| White, both sexes | 32 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 32 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | 2 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 28 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 28 | - | - | - | - | - | - | - | - | - | - | 2 |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 20 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 20 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 991 | - | - | - | - | 1 | 1 | 1 | - | 7 | 13 | 41 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 991 | - | - | - | - | 1 | 1 | 1 | - | 7 | 13 | 41 |
| White, both sexes | 907 | - | - | - | - | 1 | 1 | 1 | - | 6 | 9 | 35 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 907 | - | - | - | - | 1 | 1 | 1 | - | 6 | 9 | 35 |
| Black, both sexes | 71 | - | - | - | - | - | - | - | - | 1 | 3 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 71 | - | - | - | - | - | - | - | - | 1 | 3 | 6 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 13 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | - | - | - | - | - | - | - | - | - | 1 | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 394 | - | - | - | 1 | - | - | 1 | 1 | 3 | 15 | 23 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 394 | - | - | - | 1 | - | - | 1 | 1 | 3 | 15 | 23 |
| White, both sexes | 309 | - | - | - | 1 | - | - | 1 | - | 3 | 8 | 19 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 309 | - | - | - | 1 | - | - | 1 | - | 3 | 8 | 19 |
| Black, both sexes | 80 | - | - | - | - | - | - | - | 1 | - | 6 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 80 | - | - | - | - | - | - | - | 1 | - | 6 | 3 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | 1 | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 47 | - | - | - | - | - | - | - | - | - | 2 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 47 | - | - | - | - | - | - | - | - | - | 2 | 4 |
| White, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 32 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 32 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 56 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 56 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| White, both sexes | 55 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 55 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 657 | - | - | - | - | - | 2 | 2 | 1 | 4 | 15 | 21 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 657 | - | - | - | - | - | 2 | 2 | 1 | 4 | 15 | 21 |
| White, both sexes | 570 | - | - | - | - | - | 2 | 2 | 1 | 4 | 12 | 16 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 570 | - | - | - | - | - | 2 | 2 | 1 | 4 | 12 | 16 |
| Black, both sexes | 72 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 72 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 14 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 341 | - | - | - | - | - | - | - | 2 | 1 | 3 | 8 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 341 | - | - | - | - | - | - | - | 2 | 1 | 3 | 8 |
| White, both sexes | 324 | - | - | - | - | - | - | - | 2 | 1 | 3 | 8 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 324 | - | - | - | - | - | - | - | 2 | 1 | 3 | 8 |
| Black, both sexes | 15 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 15 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 173 | - | - | - | - | - | - | - | 1 | - | 1 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 173 | - | - | - | - | - | - | - | 1 | - | 1 | 4 |
| White, both sexes | 173 | - | - | - | - | - | - | - | 1 | - | 1 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 173 | - | - | - | - | - | - | - | 1 | - | 1 | 4 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 148 | - | - | - | - | - | - | 1 | - | - | 3 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 148 | - | - | - | - | - | - | 1 | - | - | 3 | 6 |
| White, both sexes | 141 | - | - | - | - | - | - | 1 | - | - | 3 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 141 | - | - | - | - | - | - | 1 | - | - | 3 | 3 |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | 2 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 192 | - | - | - | - | - | - | - | 2 | - | 4 | 13 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 192 | - | - | - | - | - | - | - | 2 | - | 4 | 13 |
| White, both sexes | 181 | - | - | - | - | - | - | - | 2 | - | 4 | 11 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 181 | - | - | - | - | - | - | - | 2 | - | 4 | 11 |
| Black, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 194 | - | - | - | - | - | - | 1 | - | 4 | 6 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 194 | - | - | - | - | - | - | 1 | - | 4 | 6 | 2 |
| White, both sexes | 137 | - | - | - | - | - | - | - | - | 4 | 5 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 137 | - | - | - | - | - | - | - | - | 4 | 5 | 1 |
| Black, both sexes | 57 | - | - | - | - | - | - | 1 | - | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 57 | - | - | - | - | - | - | 1 | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 72 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 72 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| White, both sexes | 72 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 72 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 264 | - | - | - | - | - | - | - | 3 | 2 | 5 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 264 | - | - | - | - | - | - | - | 3 | 2 | 5 | 7 |
| White, both sexes | 206 | - | - | - | - | - | - | - | 2 | 2 | 3 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 206 | - | - | - | - | - | - | - | 2 | 2 | 3 | 5 |
| Black, both sexes | 54 | - | - | - | - | - | - | - | 1 | - | 2 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 54 | - | - | - | - | - | - | - | 1 | - | 2 | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 340 | - | - | - | - | - | - | - | 1 | 2 | 8 | 18 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 340 | - | - | - | - | - | - | - | 1 | 2 | 8 | 18 |
| White, both sexes | 331 | - | - | - | - | - | - | - | 1 | 1 | 8 | 18 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 331 | - | - | - | - | - | - | - | 1 | 1 | 8 | 18 |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 539 | - | - | - | - | - | 1 | 3 | 2 | 4 | 12 | 23 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 539 | - | - | - | - | - | 1 | 3 | 2 | 4 | 12 | 23 |
| White, both sexes | 491 | - | - | - | - | - | 1 | 2 | 1 | 2 | 9 | 21 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 491 | - | - | - | - | - | 1 | 2 | 1 | 2 | 9 | 21 |
| Black, both sexes | 42 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 42 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 2 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | 1 | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 261 | - | - | - | - | - | - | - | - | - | 2 | 13 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 261 | - | - | - | - | - | - | - | - | - | 2 | 13 |
| White, both sexes | 256 | - | - | - | - | - | - | - | - | - | 2 | 12 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 256 | - | - | - | - | - | - | - | - | - | 2 | 12 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 139 | - | - | - | - | - | 1 | - | - | 3 | 3 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 139 | - | - | - | - | - | 1 | - | - | 3 | 3 | 6 |
| White, both sexes | 103 | - | - | - | - | - | 1 | - | - | 1 | - | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 103 | - | - | - | - | - | 1 | - | - | 1 | - | 3 |
| Black, both sexes | 34 | - | - | - | - | - | - | - | - | 2 | 3 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 34 | - | - | - | - | - | - | - | - | 2 | 3 | 3 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 252 | - | - | - | 1 | - | - | 2 | 1 | - | 5 | 11 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 252 | - | - | - | 1 | - | - | 2 | 1 | - | 5 | 11 |
| White, both sexes | 231 | - | - | - | 1 | - | - | 2 | 1 | - | 5 | 11 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 231 | - | - | - | 1 | - | - | 2 | 1 | - | 5 | 11 |
| Black, both sexes | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 59 | - | - | - | - | - | - | 1 | - | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 59 | - | - | - | - | - | - | 1 | - | - | 1 | 2 |
| White, both sexes | 59 | - | - | - | - | - | - | 1 | - | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 59 | - | - | - | - | - | - | 1 | - | - | 1 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 94 | - | - | - | - | - | 1 | - | - | - | - | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 94 | - | - | - | - | - | 1 | - | - | - | - | 3 |
| White, both sexes | 90 | - | - | - | - | - | 1 | - | - | - | - | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 90 | - | - | - | - | - | 1 | - | - | - | - | 3 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 104 | - | - | - | - | - | - | - | - | 1 | 5 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 104 | - | - | - | - | - | - | - | - | 1 | 5 | 5 |
| White, both sexes | 92 | - | - | - | - | - | - | - | - | 1 | 4 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 92 | - | - | - | - | - | - | - | - | 1 | 4 | 4 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | - | 1 | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 56 | - | - | - | - | - | - | 1 | 1 | - | 1 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 56 | - | - | - | - | - | - | 1 | 1 | - | 1 | 5 |
| White, both sexes | 56 | - | - | - | - | - | - | 1 | 1 | - | 1 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 56 | - | - | - | - | - | - | 1 | 1 | - | 1 | 5 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 446 | - | - | - | - | - | - | - | 1 | 1 | 15 | 21 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 446 | - | - | - | - | - | - | - | 1 | 1 | 15 | 21 |
| White, both sexes | 400 | - | - | - | - | - | - | - | 1 | 1 | 14 | 18 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 400 | - | - | - | - | - | - | - | 1 | 1 | 14 | 18 |
| Black, both sexes | 34 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 34 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 92 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 92 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| White, both sexes | 84 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 84 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 1,051 | - | - | - | 1 | 1 | 1 | 1 | 6 | 9 | 23 | 32 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,051 | - | - | - | 1 | 1 | 1 | 1 | 6 | 9 | 23 | 32 |
| White, both sexes | 911 | - | - | - | - | 1 | 1 | 1 | 6 | 6 | 17 | 24 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 911 | - | - | - | - | 1 | 1 | 1 | 6 | 6 | 17 | 24 |
| Black, both sexes | 116 | - | - | - | 1 | - | - | - | - | 3 | 5 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 116 | - | - | - | 1 | - | - | - | - | 3 | 5 | 5 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 24 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 24 | - | - | - | - | - | - | - | - | - | 1 | 3 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 443 | - | - | - | - | - | - | - | 2 | 2 | 9 | 16 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 443 | - | - | - | - | - | - | - | 2 | 2 | 9 | 16 |
| White, both sexes | 372 | - | - | - | - | - | - | - | 1 | 1 | 7 | 13 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 372 | - | - | - | - | - | - | - | 1 | 1 | 7 | 13 |
| Black, both sexes | 68 | - | - | - | - | - | - | - | 1 | 1 | 2 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 68 | - | - | - | - | - | - | - | 1 | 1 | 2 | 3 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 35 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 35 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| White, both sexes | 35 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 35 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 578 | - | - | - | - | - | - | 1 | 3 | 6 | 13 | 26 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 578 | - | - | - | - | - | - | 1 | 3 | 6 | 13 | 26 |
| White, both sexes | 534 | - | - | - | - | - | - | 1 | 2 | 5 | 12 | 26 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 534 | - | - | - | - | - | - | 1 | 2 | 5 | 12 | 26 |
| Black, both sexes | 42 | - | - | - | - | - | - | - | 1 | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 42 | - | - | - | - | - | - | - | 1 | 1 | 1 | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 187 | - | - | - | - | - | 1 | - | - | - | 3 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 187 | - | - | - | - | - | 1 | - | - | - | 3 | 6 |
| White, both sexes | 176 | - | - | - | - | - | 1 | - | - | - | 3 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 176 | - | - | - | - | - | 1 | - | - | - | 3 | 5 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 214 | - | - | - | - | - | - | - | - | 1 | 3 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 214 | - | - | - | - | - | - | - | - | 1 | 3 | 6 |
| White, both sexes | 212 | - | - | - | - | - | - | - | - | 1 | 3 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 212 | - | - | - | - | - | - | - | - | 1 | 3 | 6 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 819 | - | - | - | - | - | 1 | 2 | 4 | 4 | 18 | 45 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 819 | - | - | - | - | - | 1 | 2 | 4 | 4 | 18 | 45 |
| White, both sexes | 769 | - | - | - | - | - | 1 | 2 | 4 | 4 | 15 | 42 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 769 | - | - | - | - | - | 1 | 2 | 4 | 4 | 15 | 42 |
| Black, both sexes | 44 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 44 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | - | 1 | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 63 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 63 | - | - | - | - | - | - | - | - | - | - | 2 |
| White, both sexes | 61 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 61 | - | - | - | - | - | - | - | - | - | - | 2 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 191 | - | - | - | - | - | - | - | 1 | 1 | 6 | 10 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 191 | - | - | - | - | - | - | - | 1 | 1 | 6 | 10 |
| White, both sexes | 151 | - | - | - | - | - | - | - | - | 1 | 5 | 7 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 151 | - | - | - | - | - | - | - | - | 1 | 5 | 7 |
| Black, both sexes | 39 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 39 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 42 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 42 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| White, both sexes | 41 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 41 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 347 | - | - | - | - | - | - | 1 | 1 | 7 | 7 | 15 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 347 | - | - | - | - | - | - | 1 | 1 | 7 | 7 | 15 |
| White, both sexes | 299 | - | - | - | - | - | - | - | 1 | 7 | 6 | 13 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 299 | - | - | - | - | - | - | - | 1 | 7 | 6 | 13 |
| Black, both sexes | 44 | - | - | - | - | - | - | 1 | - | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 44 | - | - | - | - | - | - | 1 | - | - | 1 | 2 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 914 | - | - | - | - | 1 | 1 | 3 | 3 | 13 | 29 | 39 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 914 | - | - | - | - | 1 | 1 | 3 | 3 | 13 | 29 | 39 |
| White, both sexes | 798 | - | - | - | - | 1 | 1 | 2 | 1 | 11 | 21 | 32 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 798 | - | - | - | - | 1 | 1 | 2 | 1 | 11 | 21 | 32 |
| Black, both sexes | 95 | - | - | - | - | - | - | 1 | 2 | 1 | 5 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 95 | - | - | - | - | - | - | 1 | 2 | 1 | 5 | 6 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 20 | - | - | - | - | - | - | - | - | 1 | 3 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 20 | - | - | - | - | - | - | - | - | 1 | 3 | 1 |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 98 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 98 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 4 |
| White, both sexes | 96 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 96 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 4 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 25 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 25 | - | - | - | - | - | - | - | - | - | - | 3 |
| White, both sexes | 25 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 25 | - | - | - | - | - | - | - | - | - | - | 3 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 365 | - | - | - | - | - | - | - | - | 3 | 4 | 22 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 365 | - | - | - | - | - | - | - | - | 3 | 4 | 22 |
| White, both sexes | 308 | - | - | - | - | - | - | - | - | 1 | 3 | 13 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 308 | - | - | - | - | - | - | - | - | 1 | 3 | 13 |
| Black, both sexes | 48 | - | - | - | - | - | - | - | - | 2 | 1 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 48 | - | - | - | - | - | - | - | - | 2 | 1 | 5 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | 4 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 333 | - | - | - | - | - | - | - | 2 | 3 | 6 | 13 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 333 | - | - | - | - | - | - | - | 2 | 3 | 6 | 13 |
| White, both sexes | 327 | - | - | - | - | - | - | - | 2 | 2 | 6 | 12 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 327 | - | - | - | - | - | - | - | 2 | 2 | 6 | 12 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 91 | - | - | - | - | - | - | - | 1 | 3 | 1 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 91 | - | - | - | - | - | - | - | 1 | 3 | 1 | 5 |
| White, both sexes | 89 | - | - | - | - | - | - | - | 1 | 3 | 1 | 5 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 89 | - | - | - | - | - | - | - | 1 | 3 | 1 | 5 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 318 | - | - | - | - | - | - | - | 1 | 3 | 6 | 15 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 318 | - | - | - | - | - | - | - | 1 | 3 | 6 | 15 |
| White, both sexes | 309 | - | - | - | - | - | - | - | 1 | 3 | 5 | 14 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 309 | - | - | - | - | - | - | - | 1 | 3 | 5 | 14 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 22 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 22 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 22 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 22 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 1,054 | 1,459 | 1,589 | 1,670 | 1,899 | 2,073 | 1,958 | 1,279 | 537 | 109 | 15 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1,054 | 1,459 | 1,589 | 1,670 | 1,899 | 2,073 | 1,958 | 1,279 | 537 | 109 | 15 | - |
| White, both sexes | 917 | 1,285 | 1,411 | 1,471 | 1,680 | 1,887 | 1,796 | 1,195 | 492 | 103 | 14 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 917 | 1,285 | 1,411 | 1,471 | 1,680 | 1,887 | 1,796 | 1,195 | 492 | 103 | 14 | - |
| Black, both sexes | 97 | 124 | 139 | 154 | 174 | 151 | 128 | 69 | 41 | 6 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 97 | 124 | 139 | 154 | 174 | 151 | 128 | 69 | 41 | 6 | 1 | - |
| American Indian 1/, both sexes | 8 | 8 | 3 | 10 | 6 | 4 | 5 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | 8 | 3 | 10 | 6 | 4 | 5 | 1 | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 32 | 42 | 36 | 35 | 39 | 31 | 29 | 14 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 32 | 42 | 36 | 35 | 39 | 31 | 29 | 14 | 3 | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 14 | 27 | 26 | 32 | 40 | 38 | 28 | 25 | 11 | 3 | 2 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14 | 27 | 26 | 32 | 40 | 38 | 28 | 25 | 11 | 3 | 2 | - |
| White, both sexes | 10 | 22 | 23 | 26 | 29 | 31 | 25 | 23 | 8 | 2 | 2 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | 22 | 23 | 26 | 29 | 31 | 25 | 23 | 8 | 2 | 2 | - |
| Black, both sexes | 4 | 4 | 3 | 6 | 11 | 7 | 3 | 2 | 3 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 4 | 3 | 6 | 11 | 7 | 3 | 2 | 3 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 4 | 2 | - | 1 | 3 | 1 | 3 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 2 | - | 1 | 3 | 1 | 3 | - | - | - | - | - |
| White, both sexes | 2 | 1 | - | - | 2 | 1 | 3 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | - | - | 2 | 1 | 3 | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 29 | 29 | 33 | 37 | 41 | 43 | 33 | 29 | 9 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 29 | 29 | 33 | 37 | 41 | 43 | 33 | 29 | 9 | - | - | - |
| White, both sexes | 26 | 25 | 30 | 34 | 38 | 40 | 33 | 28 | 9 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 26 | 25 | 30 | 34 | 38 | 40 | 33 | 28 | 9 | - | - | - |
| Black, both sexes | 1 | - | 2 | 2 | - | 2 | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 2 | 2 | - | 2 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | 1 | 2 | 1 | 1 | 2 | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | 1 | 1 | 2 | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 2 | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 9 | 10 | 17 | 20 | 24 | 19 | 19 | 13 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | 10 | 17 | 20 | 24 | 19 | 19 | 13 | 1 | - | - | - |
| White, both sexes | 8 | 9 | 15 | 17 | 21 | 18 | 19 | 12 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | 9 | 15 | 17 | 21 | 18 | 19 | 12 | 1 | - | - | - |
| Black, both sexes | 1 | 1 | 2 | 3 | 3 | 1 | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | 2 | 3 | 3 | 1 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 131 | 162 | 146 | 185 | 189 | 202 | 194 | 148 | 51 | 12 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 131 | 162 | 146 | 185 | 189 | 202 | 194 | 148 | 51 | 12 | 1 | - |
| White, both sexes | 106 | 138 | 122 | 159 | 162 | 166 | 176 | 138 | 46 | 12 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 106 | 138 | 122 | 159 | 162 | 166 | 176 | 138 | 46 | 12 | 1 | - |
| Black, both sexes | 9 | 9 | 9 | 9 | 13 | 20 | 9 | - | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | 9 | 9 | 9 | 13 | 20 | 9 | - | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | 2 | 1 | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 2 | 1 | 1 | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 16 | 15 | 15 | 15 | 13 | 15 | 8 | 10 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | 15 | 15 | 15 | 13 | 15 | 8 | 10 | 3 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 23 | 20 | 28 | 27 | 21 | 30 | 29 | 20 | 5 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 23 | 20 | 28 | 27 | 21 | 30 | 29 | 20 | 5 | 3 | - | - |
| White, both sexes | 23 | 17 | 28 | 26 | 20 | 29 | 28 | 20 | 5 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 23 | 17 | 28 | 26 | 20 | 29 | 28 | 20 | 5 | 3 | - | - |
| Black, both sexes | - | 1 | - | 1 | 1 | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | 1 | 1 | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | - | - | - | 1 | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 6 | 13 | 23 | 24 | 21 | 23 | 13 | 27 | 11 | 2 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 13 | 23 | 24 | 21 | 23 | 13 | 27 | 11 | 2 | 1 | - |
| White, both sexes | 5 | 12 | 22 | 22 | 19 | 22 | 13 | 27 | 11 | 2 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 12 | 22 | 22 | 19 | 22 | 13 | 27 | 11 | 2 | 1 | - |
| Black, both sexes | 1 | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 3 | 4 | 3 | 3 | 5 | 8 | 4 | 4 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 4 | 3 | 3 | 5 | 8 | 4 | 4 | 1 | - | - | - |
| White, both sexes | 3 | 4 | 2 | 3 | 4 | 7 | 3 | 4 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 4 | 2 | 3 | 4 | 7 | 3 | 4 | - | - | - | - |
| Black, both sexes | - | - | 1 | - | 1 | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | 1 | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 2 | 5 | 5 | 5 | 6 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 2 | 5 | 5 | 5 | 6 | 1 | - | - | - | - |
| White, both sexes | - | 2 | 1 | - | 1 | 2 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 1 | - | 1 | 2 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | 1 | 5 | 4 | 3 | 5 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | 5 | 4 | 3 | 5 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 55 | 102 | 106 | 121 | 126 | 161 | 142 | 75 | 29 | 9 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 55 | 102 | 106 | 121 | 126 | 161 | 142 | 75 | 29 | 9 | 1 | - |
| White, both sexes | 50 | 90 | 98 | 103 | 119 | 150 | 135 | 72 | 28 | 8 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 50 | 90 | 98 | 103 | 119 | 150 | 135 | 72 | 28 | 8 | 1 | - |
| Black, both sexes | 3 | 9 | 6 | 15 | 7 | 10 | 6 | 3 | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 9 | 6 | 15 | 7 | 10 | 6 | 3 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 3 | 2 | 3 | - | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 3 | 2 | 3 | - | 1 | 1 | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 17 | 30 | 38 | 61 | 49 | 51 | 52 | 36 | 14 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | 30 | 38 | 61 | 49 | 51 | 52 | 36 | 14 | 2 | - | - |
| White, both sexes | 8 | 22 | 29 | 50 | 36 | 46 | 43 | 31 | 10 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | 22 | 29 | 50 | 36 | 46 | 43 | 31 | 10 | 2 | - | - |
| Black, both sexes | 9 | 8 | 9 | 10 | 11 | 5 | 9 | 5 | 4 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | 8 | 9 | 10 | 11 | 5 | 9 | 5 | 4 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | 2 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | 2 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 3 | 3 | 4 | 4 | 6 | 2 | 14 | 4 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 3 | 4 | 4 | 6 | 2 | 14 | 4 | - | 1 | - | - |
| White, both sexes | - | 1 | 3 | 2 | 1 | - | 3 | 2 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 3 | 2 | 1 | - | 3 | 2 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | 2 | 1 | 2 | 5 | 2 | 10 | 2 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 2 | 1 | 2 | 5 | 2 | 10 | 2 | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 7 | 5 | 5 | 1 | 6 | 11 | 10 | 4 | 3 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 5 | 5 | 1 | 6 | 11 | 10 | 4 | 3 | 2 | - | - |
| White, both sexes | 7 | 5 | 5 | 1 | 6 | 10 | 10 | 4 | 3 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 5 | 5 | 1 | 6 | 10 | 10 | 4 | 3 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 47 | 61 | 90 | 60 | 82 | 91 | 93 | 52 | 27 | 9 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 47 | 61 | 90 | 60 | 82 | 91 | 93 | 52 | 27 | 9 | - | - |
| White, both sexes | 43 | 52 | 76 | 52 | 72 | 76 | 80 | 48 | 25 | 9 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 43 | 52 | 76 | 52 | 72 | 76 | 80 | 48 | 25 | 9 | - | - |
| Black, both sexes | 3 | 6 | 11 | 6 | 10 | 14 | 11 | 4 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 6 | 11 | 6 | 10 | 14 | 11 | 4 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 3 | 3 | 2 | - | 1 | 2 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 3 | 3 | 2 | - | 1 | 2 | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 33 | 31 | 46 | 31 | 43 | 56 | 46 | 23 | 11 | 4 | 3 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 33 | 31 | 46 | 31 | 43 | 56 | 46 | 23 | 11 | 4 | 3 | - |
| White, both sexes | 30 | 30 | 46 | 29 | 39 | 51 | 44 | 23 | 11 | 4 | 3 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 30 | 30 | 46 | 29 | 39 | 51 | 44 | 23 | 11 | 4 | 3 | - |
| Black, both sexes | 2 | 1 | - | 2 | 3 | 5 | 2 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | - | 2 | 3 | 5 | 2 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 13 | 15 | 18 | 22 | 22 | 22 | 32 | 17 | 5 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | 15 | 18 | 22 | 22 | 22 | 32 | 17 | 5 | 1 | - | - |
| White, both sexes | 13 | 15 | 18 | 22 | 22 | 22 | 32 | 17 | 5 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | 15 | 18 | 22 | 22 | 22 | 32 | 17 | 5 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 7 | 13 | 13 | 12 | 14 | 24 | 33 | 11 | 9 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 13 | 13 | 12 | 14 | 24 | 33 | 11 | 9 | 2 | - | - |
| White, both sexes | 7 | 13 | 13 | 11 | 14 | 23 | 32 | 11 | 8 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 13 | 13 | 11 | 14 | 23 | 32 | 11 | 8 | 2 | - | - |
| Black, both sexes | - | - | - | 1 | - | 1 | 1 | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | 1 | 1 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 12 | 20 | 29 | 28 | 27 | 20 | 22 | 11 | 3 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 12 | 20 | 29 | 28 | 27 | 20 | 22 | 11 | 3 | 1 | - | - |
| White, both sexes | 12 | 19 | 28 | 26 | 27 | 19 | 20 | 10 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 12 | 19 | 28 | 26 | 27 | 19 | 20 | 10 | 2 | 1 | - | - |
| Black, both sexes | - | 1 | 1 | 2 | - | 1 | 2 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | 2 | - | 1 | 2 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 21 | 16 | 16 | 22 | 32 | 24 | 21 | 17 | 10 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 21 | 16 | 16 | 22 | 32 | 24 | 21 | 17 | 10 | 2 | - | - |
| White, both sexes | 13 | 11 | 13 | 15 | 21 | 19 | 16 | 12 | 6 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | 11 | 13 | 15 | 21 | 19 | 16 | 12 | 6 | 1 | - | - |
| Black, both sexes | 8 | 5 | 3 | 7 | 11 | 5 | 5 | 5 | 4 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | 5 | 3 | 7 | 11 | 5 | 5 | 5 | 4 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 6 | 6 | 5 | 10 | 9 | 12 | 11 | 8 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 6 | 5 | 10 | 9 | 12 | 11 | 8 | 2 | - | - | - |
| White, both sexes | 6 | 6 | 5 | 10 | 9 | 12 | 11 | 8 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 6 | 5 | 10 | 9 | 12 | 11 | 8 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 22 | 25 | 39 | 30 | 29 | 40 | 33 | 15 | 13 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 22 | 25 | 39 | 30 | 29 | 40 | 33 | 15 | 13 | 1 | - | - |
| White, both sexes | 16 | 17 | 33 | 20 | 21 | 33 | 28 | 13 | 12 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | 17 | 33 | 20 | 21 | 33 | 28 | 13 | 12 | 1 | - | - |
| Black, both sexes | 6 | 7 | 4 | 10 | 7 | 7 | 5 | 2 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 7 | 4 | 10 | 7 | 7 | 5 | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 2 | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 2 | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 15 | 39 | 29 | 33 | 42 | 51 | 54 | 32 | 12 | 4 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 15 | 39 | 29 | 33 | 42 | 51 | 54 | 32 | 12 | 4 | - | - |
| White, both sexes | 15 | 37 | 27 | 33 | 42 | 50 | 53 | 31 | 11 | 4 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 15 | 37 | 27 | 33 | 42 | 50 | 53 | 31 | 11 | 4 | - | - |
| Black, both sexes | - | 1 | 2 | - | - | 1 | 1 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 2 | - | - | 1 | 1 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 38 | 48 | 58 | 62 | 79 | 72 | 76 | 34 | 23 | 4 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 38 | 48 | 58 | 62 | 79 | 72 | 76 | 34 | 23 | 4 | - | - |
| White, both sexes | 36 | 42 | 49 | 59 | 71 | 70 | 72 | 31 | 21 | 4 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 36 | 42 | 49 | 59 | 71 | 70 | 72 | 31 | 21 | 4 | - | - |
| Black, both sexes | 2 | 5 | 7 | 3 | 7 | 2 | 4 | 3 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 5 | 7 | 3 | 7 | 2 | 4 | 3 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 18 | 28 | 28 | 31 | 32 | 35 | 28 | 21 | 21 | 4 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 18 | 28 | 28 | 31 | 32 | 35 | 28 | 21 | 21 | 4 | - | - |
| White, both sexes | 18 | 27 | 27 | 30 | 32 | 34 | 28 | 21 | 21 | 4 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 18 | 27 | 27 | 30 | 32 | 34 | 28 | 21 | 21 | 4 | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 9 | 11 | 13 | 12 | 15 | 19 | 26 | 15 | 6 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | 11 | 13 | 12 | 15 | 19 | 26 | 15 | 6 | - | - | - |
| White, both sexes | 6 | 9 | 8 | 12 | 12 | 12 | 21 | 12 | 6 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 9 | 8 | 12 | 12 | 12 | 21 | 12 | 6 | - | - | - |
| Black, both sexes | 3 | 2 | 4 | - | 3 | 6 | 5 | 3 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 2 | 4 | - | 3 | 6 | 5 | 3 | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 16 | 20 | 32 | 26 | 30 | 41 | 35 | 17 | 13 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | 20 | 32 | 26 | 30 | 41 | 35 | 17 | 13 | 2 | - | - |
| White, both sexes | 14 | 16 | 29 | 22 | 30 | 38 | 33 | 15 | 12 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14 | 16 | 29 | 22 | 30 | 38 | 33 | 15 | 12 | 2 | - | - |
| Black, both sexes | 2 | 2 | 3 | 4 | - | 2 | 1 | 2 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 2 | 3 | 4 | - | 2 | 1 | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 1 | 9 | 5 | 3 | 6 | 13 | 7 | 9 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 9 | 5 | 3 | 6 | 13 | 7 | 9 | 2 | - | - | - |
| White, both sexes | 1 | 9 | 5 | 3 | 6 | 13 | 7 | 9 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 9 | 5 | 3 | 6 | 13 | 7 | 9 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 3 | 10 | 12 | 8 | 18 | 13 | 13 | 10 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 10 | 12 | 8 | 18 | 13 | 13 | 10 | 3 | - | - | - |
| White, both sexes | 3 | 9 | 11 | 7 | 18 | 13 | 12 | 10 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 9 | 11 | 7 | 18 | 13 | 12 | 10 | 3 | - | - | - |
| Black, both sexes | - | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 10 | 8 | 12 | 11 | 21 | 11 | 13 | 4 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | 8 | 12 | 11 | 21 | 11 | 13 | 4 | 3 | - | - | - |
| White, both sexes | 9 | 7 | 12 | 11 | 16 | 10 | 12 | 3 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | 7 | 12 | 11 | 16 | 10 | 12 | 3 | 3 | - | - | - |
| Black, both sexes | - | - | - | - | 2 | - | 1 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 2 | - | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | 3 | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | - | - | 3 | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 3 | 7 | 6 | 5 | 6 | 10 | 7 | 3 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 7 | 6 | 5 | 6 | 10 | 7 | 3 | 1 | - | - | - |
| White, both sexes | 3 | 7 | 6 | 5 | 6 | 10 | 7 | 3 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 7 | 6 | 5 | 6 | 10 | 7 | 3 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 33 | 45 | 37 | 62 | 49 | 54 | 64 | 46 | 16 | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 33 | 45 | 37 | 62 | 49 | 54 | 64 | 46 | 16 | 1 | 1 | - |
| White, both sexes | 27 | 35 | 33 | 55 | 43 | 50 | 62 | 43 | 16 | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 27 | 35 | 33 | 55 | 43 | 50 | 62 | 43 | 16 | 1 | 1 | - |
| Black, both sexes | 4 | 7 | 2 | 4 | 6 | 4 | 1 | 3 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 7 | 2 | 4 | 6 | 4 | 1 | 3 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 3 | 2 | 2 | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 3 | 2 | 2 | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 7 | 11 | 10 | 9 | 13 | 12 | 11 | 10 | 4 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 11 | 10 | 9 | 13 | 12 | 11 | 10 | 4 | - | - | - |
| White, both sexes | 6 | 9 | 10 | 8 | 13 | 12 | 9 | 9 | 4 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | 9 | 10 | 8 | 13 | 12 | 9 | 9 | 4 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | 2 | - | 1 | - | - | 1 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | - | 1 | - | - | 1 | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 79 | 128 | 119 | 121 | 144 | 136 | 116 | 93 | 32 | 7 | 2 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 79 | 128 | 119 | 121 | 144 | 136 | 116 | 93 | 32 | 7 | 2 | - |
| White, both sexes | 71 | 110 | 99 | 101 | 118 | 122 | 107 | 88 | 30 | 7 | 2 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 71 | 110 | 99 | 101 | 118 | 122 | 107 | 88 | 30 | 7 | 2 | - |
| Black, both sexes | 7 | 15 | 15 | 15 | 25 | 12 | 7 | 4 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 15 | 15 | 15 | 25 | 12 | 7 | 4 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 3 | 5 | 5 | 1 | 2 | 2 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 3 | 5 | 5 | 1 | 2 | 2 | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 23 | 45 | 43 | 59 | 54 | 59 | 64 | 44 | 18 | 5 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 23 | 45 | 43 | 59 | 54 | 59 | 64 | 44 | 18 | 5 | - | - |
| White, both sexes | 16 | 40 | 34 | 46 | 48 | 54 | 55 | 37 | 17 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | 40 | 34 | 46 | 48 | 54 | 55 | 37 | 17 | 3 | - | - |
| Black, both sexes | 7 | 5 | 9 | 11 | 5 | 5 | 9 | 7 | 1 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | 5 | 9 | 11 | 5 | 5 | 9 | 7 | 1 | 2 | - | - |
| American Indian 1/, both sexes | - | - | - | 2 | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 2 | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 2 | 6 | 4 | 2 | 1 | 6 | 2 | 4 | 1 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 6 | 4 | 2 | 1 | 6 | 2 | 4 | 1 | 2 | - | - |
| White, both sexes | 2 | 6 | 4 | 2 | 1 | 6 | 2 | 4 | 1 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 6 | 4 | 2 | 1 | 6 | 2 | 4 | 1 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 45 | 55 | 55 | 50 | 73 | 89 | 78 | 50 | 29 | 4 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 45 | 55 | 55 | 50 | 73 | 89 | 78 | 50 | 29 | 4 | 1 | - |
| White, both sexes | 43 | 48 | 52 | 47 | 65 | 84 | 73 | 45 | 26 | 4 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 43 | 48 | 52 | 47 | 65 | 84 | 73 | 45 | 26 | 4 | 1 | - |
| Black, both sexes | 1 | 7 | 3 | 3 | 8 | 4 | 5 | 5 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 7 | 3 | 3 | 8 | 4 | 5 | 5 | 3 | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 11 | 16 | 20 | 24 | 29 | 24 | 32 | 15 | 6 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | 16 | 20 | 24 | 29 | 24 | 32 | 15 | 6 | - | - | - |
| White, both sexes | 10 | 16 | 19 | 20 | 28 | 22 | 31 | 15 | 6 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | 16 | 19 | 20 | 28 | 22 | 31 | 15 | 6 | - | - | - |
| Black, both sexes | - | - | 1 | 2 | - | 2 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | 2 | - | 2 | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | 2 | 1 | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | 2 | 1 | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 20 | 28 | 18 | 21 | 28 | 21 | 34 | 25 | 7 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 20 | 28 | 18 | 21 | 28 | 21 | 34 | 25 | 7 | 2 | - | - |
| White, both sexes | 20 | 27 | 18 | 21 | 27 | 21 | 34 | 25 | 7 | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 20 | 27 | 18 | 21 | 27 | 21 | 34 | 25 | 7 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 41 | 68 | 85 | 88 | 114 | 127 | 107 | 81 | 31 | 2 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 41 | 68 | 85 | 88 | 114 | 127 | 107 | 81 | 31 | 2 | 1 | - |
| White, both sexes | 36 | 64 | 80 | 81 | 104 | 124 | 99 | 79 | 31 | 2 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 36 | 64 | 80 | 81 | 104 | 124 | 99 | 79 | 31 | 2 | 1 | - |
| Black, both sexes | 5 | 4 | 4 | 6 | 8 | 3 | 8 | 2 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 4 | 4 | 6 | 8 | 3 | 8 | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | 1 | 2 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | 1 | 2 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 4 | 7 | 7 | 9 | 8 | 10 | 8 | 5 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 7 | 7 | 9 | 8 | 10 | 8 | 5 | 3 | - | - | - |
| White, both sexes | 4 | 6 | 7 | 9 | 7 | 10 | 8 | 5 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | 6 | 7 | 9 | 7 | 10 | 8 | 5 | 3 | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 14 | 21 | 25 | 26 | 20 | 22 | 25 | 14 | 5 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14 | 21 | 25 | 26 | 20 | 22 | 25 | 14 | 5 | 1 | - | - |
| White, both sexes | 12 | 19 | 17 | 21 | 15 | 18 | 20 | 12 | 3 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 12 | 19 | 17 | 21 | 15 | 18 | 20 | 12 | 3 | 1 | - | - |
| Black, both sexes | 2 | 2 | 8 | 5 | 5 | 4 | 5 | 2 | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 2 | 8 | 5 | 5 | 4 | 5 | 2 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 3 | 4 | 1 | 2 | 7 | 6 | 8 | 2 | 4 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 4 | 1 | 2 | 7 | 6 | 8 | 2 | 4 | - | - | - |
| White, both sexes | 2 | 4 | 1 | 2 | 7 | 6 | 8 | 2 | 4 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 4 | 1 | 2 | 7 | 6 | 8 | 2 | 4 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 35 | 39 | 36 | 44 | 37 | 51 | 36 | 20 | 15 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 35 | 39 | 36 | 44 | 37 | 51 | 36 | 20 | 15 | 3 | - | - |
| White, both sexes | 28 | 32 | 31 | 38 | 34 | 45 | 32 | 17 | 12 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 28 | 32 | 31 | 38 | 34 | 45 | 32 | 17 | 12 | 3 | - | - |
| Black, both sexes | 5 | 7 | 5 | 5 | 2 | 6 | 4 | 3 | 3 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 7 | 5 | 5 | 2 | 6 | 4 | 3 | 3 | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | 1 | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 59 | 88 | 112 | 87 | 135 | 123 | 115 | 72 | 28 | 6 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 59 | 88 | 112 | 87 | 135 | 123 | 115 | 72 | 28 | 6 | - | - |
| White, both sexes | 52 | 78 | 94 | 79 | 116 | 110 | 105 | 67 | 23 | 5 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 52 | 78 | 94 | 79 | 116 | 110 | 105 | 67 | 23 | 5 | - | - |
| Black, both sexes | 5 | 9 | 15 | 7 | 15 | 10 | 9 | 4 | 5 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 9 | 15 | 7 | 15 | 10 | 9 | 4 | 5 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 1 | 3 | 1 | 3 | 3 | 1 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | 3 | 1 | 3 | 3 | 1 | 1 | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 9 | 11 | 8 | 10 | 7 | 17 | 12 | 12 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | 11 | 8 | 10 | 7 | 17 | 12 | 12 | 2 | 1 | - | - |
| White, both sexes | 8 | 11 | 8 | 10 | 7 | 17 | 11 | 12 | 2 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | 11 | 8 | 10 | 7 | 17 | 11 | 12 | 2 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 2 | 5 | 4 | - | 4 | 4 | 1 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 5 | 4 | - | 4 | 4 | 1 | 1 | 1 | - | - | - |
| White, both sexes | 2 | 5 | 4 | - | 4 | 4 | 1 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 5 | 4 | - | 4 | 4 | 1 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 34 | 35 | 43 | 38 | 40 | 55 | 46 | 32 | 11 | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 34 | 35 | 43 | 38 | 40 | 55 | 46 | 32 | 11 | 1 | 1 | - |
| White, both sexes | 29 | 30 | 38 | 33 | 35 | 48 | 39 | 29 | 9 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 29 | 30 | 38 | 33 | 35 | 48 | 39 | 29 | 9 | 1 | - | - |
| Black, both sexes | 5 | 4 | 4 | 5 | 4 | 6 | 6 | 3 | 2 | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | 4 | 4 | 5 | 4 | 6 | 6 | 3 | 2 | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | - | 1 | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | - | 1 | 1 | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 21 | 27 | 40 | 39 | 36 | 50 | 44 | 34 | 14 | 3 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 21 | 27 | 40 | 39 | 36 | 50 | 44 | 34 | 14 | 3 | 1 | - |
| White, both sexes | 20 | 27 | 39 | 38 | 36 | 50 | 43 | 34 | 14 | 3 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 20 | 27 | 39 | 38 | 36 | 50 | 43 | 34 | 14 | 3 | 1 | - |
| Black, both sexes | - | - | 1 | 1 | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | 1 | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 8 | 15 | 7 | 17 | 13 | 10 | 7 | 3 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | 15 | 7 | 17 | 13 | 10 | 7 | 3 | 1 | - | - | - |
| White, both sexes | 8 | 15 | 7 | 16 | 13 | 9 | 7 | 3 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | 15 | 7 | 16 | 13 | 9 | 7 | 3 | 1 | - | - | - |
| Black, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of ovary (C56) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 27 | 26 | 32 | 35 | 39 | 47 | 46 | 29 | 9 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 27 | 26 | 32 | 35 | 39 | 47 | 46 | 29 | 9 | 3 | - | - |
| White, both sexes | 26 | 26 | 31 | 34 | 38 | 46 | 45 | 28 | 9 | 3 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 26 | 26 | 31 | 34 | 38 | 46 | 45 | 28 | 9 | 3 | - | - |
| Black, both sexes | 1 | - | 1 | 1 | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 1 | 1 | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 1 | - | 5 | 2 | 5 | 2 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 3 | 1 | - | 5 | 2 | 5 | 2 | 1 | - | - | - |
| White, both sexes | 2 | 3 | 1 | - | 5 | 2 | 5 | 2 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 3 | 1 | - | 5 | 2 | 5 | 2 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 245 | - | - | - | - | - | - | - | 1 | 2 | 1 | 8 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 245 | - | - | - | - | - | - | - | 1 | 2 | 1 | 8 |
| White, both sexes | 216 | - | - | - | - | - | - | - | 1 | 1 | 1 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 216 | - | - | - | - | - | - | - | 1 | 1 | 1 | 6 |
| Black, both sexes | 22 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 22 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 22 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 22 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 21 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 21 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 16 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 11 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 19 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 19 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 19 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 19 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 10 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 10 | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | 9 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 20 | 20 | 20 | 40 | 37 | 27 | 36 | 20 | 9 | 3 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 20 | 20 | 20 | 40 | 37 | 27 | 36 | 20 | 9 | 3 | 1 | - |
| White, both sexes | 18 | 13 | 19 | 35 | 32 | 26 | 33 | 18 | 9 | 3 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 18 | 13 | 19 | 35 | 32 | 26 | 33 | 18 | 9 | 3 | 1 | - |
| Black, both sexes | 2 | 3 | - | 5 | 4 | 1 | 3 | 2 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 3 | - | 5 | 4 | 1 | 3 | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | 2 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 1 | - | 1 | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 1 | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 3 | 4 | 2 | 2 | 3 | 1 | 2 | 2 | 1 | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 4 | 2 | 2 | 3 | 1 | 2 | 2 | 1 | - | 1 | - |
| White, both sexes | 3 | 4 | 2 | 1 | 3 | 1 | 2 | 2 | 1 | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 4 | 2 | 1 | 3 | 1 | 2 | 2 | 1 | - | 1 | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 3 | - | 2 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 3 | - | 2 | - | - | - | - | - |
| White, both sexes | - | - | - | - | 3 | - | 2 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 3 | - | 2 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 2 | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | 2 | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | 1 | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | 1 | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | 2 | 2 | 6 | 2 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | 2 | 2 | 6 | 2 | 1 | - | - | - | - |
| White, both sexes | - | - | 1 | 2 | 1 | 6 | 1 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | 2 | 1 | 6 | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | 1 | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | 1 | - | 1 | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | 1 | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | 1 | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 2 | - | 2 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 2 | - | 2 | - | - | - | - | - |
| White, both sexes | - | - | - | - | 2 | - | 2 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 2 | - | 2 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 1 | 3 | 2 | 1 | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | 1 | 3 | 2 | 1 | - | - | 1 | - | - | - |
| White, both sexes | 1 | 1 | 1 | 3 | 2 | 1 | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | 1 | 3 | 2 | 1 | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | 1 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | 1 | 1 | 1 | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | 1 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | 1 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | 1 | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 2 | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 2 | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | - | 2 | - | - | 2 | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 2 | - | - | 2 | - | - | - | 1 | - | - |
| White, both sexes | - | - | 1 | - | - | 2 | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | 2 | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 1 | - | 1 | 1 | 3 | 2 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | 1 | - | 1 | 1 | 3 | 2 | - | - | - | - |
| White, both sexes | 1 | 1 | 1 | - | 1 | 1 | 3 | 2 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | 1 | - | 1 | 1 | 3 | 2 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | 3 | 2 | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 1 | 3 | 2 | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | 1 | 3 | 2 | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | 3 | 2 | - | 1 | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | 3 | 2 | 1 | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | 3 | 2 | 1 | - | 1 | - | - | - | - |
| White, both sexes | - | - | 1 | 3 | 2 | 1 | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | 3 | 2 | 1 | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 2 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 2 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 2 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 2 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 5 | - | 1 | 2 | - | - | 1 | 2 | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | 1 | 2 | - | - | 1 | 2 | 1 | 1 | - | - |
| White, both sexes | 5 | - | 1 | 2 | - | - | 1 | 2 | 1 | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 5 | - | 1 | 2 | - | - | 1 | 2 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | 3 | - | 1 | 1 | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | - | 3 | - | 1 | 1 | 1 | 1 | - | - | - |
| White, both sexes | 1 | - | - | 2 | - | - | - | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | 2 | - | - | - | 1 | 1 | - | - | - |
| Black, both sexes | - | 1 | - | 1 | - | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | 1 | - | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 2 | 1 | - | 2 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 2 | 1 | - | 2 | 1 | - | - | - | - |
| White, both sexes | - | - | - | 2 | 1 | - | 2 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 2 | 1 | - | 2 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 2 | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | 2 | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | 2 | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 2 | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | 1 | 2 | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | - | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 4 | 1 | 3 | 4 | 4 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | 4 | 1 | 3 | 4 | 4 | - | - | - | - | - |
| White, both sexes | 2 | 1 | 4 | 1 | 3 | 4 | 4 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | 4 | 1 | 3 | 4 | 4 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | 1 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | 1 | 1 | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 2 | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 2 | - | - | - | - | 1 | - | - | - |
| White, both sexes | - | - | - | 2 | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 2 | - | - | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | 4 | 3 | 2 | 3 | 2 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | - | 4 | 3 | 2 | 3 | 2 | 1 | - | - | - |
| White, both sexes | 1 | - | - | 3 | 2 | 2 | 3 | 2 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | 3 | 2 | 2 | 3 | 2 | 1 | - | - | - |
| Black, both sexes | - | 1 | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | 1 | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | 2 | 1 | 2 | - | 2 | 1 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 2 | 1 | 2 | - | 2 | 1 | - | 1 | - | - |
| White, both sexes | - | - | 2 | 1 | 1 | - | 2 | 1 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 2 | 1 | 1 | - | 2 | 1 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | 2 | - | 2 | 4 | 1 | - | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | - | 2 | 4 | 1 | - | 1 | 1 | - | - | - |
| White, both sexes | - | 1 | - | 2 | 4 | 1 | - | 1 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | 2 | 4 | 1 | - | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified female genital organs (C57) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | 2 | - | 1 | 2 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 1 | 2 | - | 1 | 2 | 1 | - | - | - | - |
| White, both sexes | 1 | - | 1 | 2 | - | 1 | 2 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | 1 | 2 | - | 1 | 2 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 16 | - | - | - | - | - | - | 2 | 4 | 1 | 1 | 4 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 16 | - | - | - | - | - | - | 2 | 4 | 1 | 1 | 4 |
| White, both sexes | 8 | - | - | - | - | - | - | 1 | 2 | 1 | - | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | - | - | - | - | - | - | 1 | 2 | 1 | - | 3 |
| Black, both sexes | 6 | - | - | - | - | - | - | 1 | 1 | - | 1 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | 1 | 1 | - | 1 | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | 2 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | 2 | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | 1 | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | 1 | - | - | 2 |
| White, both sexes | 3 | - | - | - | - | - | - | - | 1 | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | 1 | - | - | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 1 | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of placenta (C58) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 29,514 | - | 1 | - | 2 | 12 | 34 | 42 | 35 | 36 | 84 | 151 |
| Male | 29,514 | - | 1 | - | 2 | 12 | 34 | 42 | 35 | 36 | 84 | 151 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 24,126 | - | 1 | - | 1 | 11 | 26 | 37 | 32 | 30 | 65 | 121 |
| Male | 24,126 | - | 1 | - | 1 | 11 | 26 | 37 | 32 | 30 | 65 | 121 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 4,886 | - | - | - | - | 1 | 5 | 3 | 2 | 5 | 15 | 30 |
| Male | 4,886 | - | - | - | - | 1 | 5 | 3 | 2 | 5 | 15 | 30 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 117 | - | - | - | 1 | - | - | - | - | - | 2 | - |
| Male | 117 | - | - | - | 1 | - | - | - | - | - | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 385 | - | - | - | - | - | 3 | 2 | 1 | 1 | 2 | - |
| Male | 385 | - | - | - | - | - | 3 | 2 | 1 | 1 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 528 | - | - | - | - | - | - | - | - | 1 | 2 | - |
| Male | 528 | - | - | - | - | - | - | - | - | 1 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 303 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 303 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 223 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 223 | - | - | - | - | - | - | - | - | - | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 34 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 34 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 586 | - | - | - | - | - | - | - | 1 | - | 1 | 3 |
| Male | 586 | - | - | - | - | - | - | - | 1 | - | 1 | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 565 | - | - | - | - | - | - | - | 1 | - | 1 | 3 |
| Male | 565 | - | - | - | - | - | - | - | 1 | - | 1 | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 336 | - | - | - | - | - | 1 | - | - | 1 | - | 4 |
| Male | 336 | - | - | - | - | - | 1 | - | - | 1 | - | 4 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 266 | - | - | - | - | - | 1 | - | - | 1 | - | 4 |
| Male | 266 | - | - | - | - | - | 1 | - | - | 1 | - | 4 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 69 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 69 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| California | | | | | | | | | | | | |
| All races, both sexes | 3,161 | - | - | - | - | 6 | 12 | 8 | 8 | 7 | 16 | 12 |
| Male | 3,161 | - | - | - | - | 6 | 12 | 8 | 8 | 7 | 16 | 12 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2,608 | - | - | - | - | 6 | 10 | 8 | 8 | 5 | 14 | 11 |
| Male | 2,608 | - | - | - | - | 6 | 10 | 8 | 8 | 5 | 14 | 11 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 368 | - | - | - | - | - | - | - | - | 1 | 2 | 1 |
| Male | 368 | - | - | - | - | - | - | - | - | 1 | 2 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 173 | - | - | - | - | - | 2 | - | - | 1 | - | - |
| Male | 173 | - | - | - | - | - | 2 | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 386 | - | - | - | - | - | 1 | 1 | 1 | - | 1 | - |
| Male | 386 | - | - | - | - | - | 1 | 1 | 1 | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 360 | - | - | - | - | - | 1 | 1 | 1 | - | 1 | - |
| Male | 360 | - | - | - | - | - | 1 | 1 | 1 | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 21 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 21 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 411 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Male | 411 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 367 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Male | 367 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 42 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 42 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 101 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 101 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 75 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 75 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 89 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 89 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 71 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 71 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 2,251 | - | - | - | - | - | - | 1 | 3 | 1 | 4 | 10 |
| Male | 2,251 | - | - | - | - | - | - | 1 | 3 | 1 | 4 | 10 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1,909 | - | - | - | - | - | - | 1 | 2 | 1 | 4 | 6 |
| Male | 1,909 | - | - | - | - | - | - | 1 | 2 | 1 | 4 | 6 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 334 | - | - | - | - | - | - | - | 1 | - | - | 4 |
| Male | 334 | - | - | - | - | - | - | - | 1 | - | - | 4 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 751 | - | - | - | - | - | - | 2 | - | 1 | 3 | 4 |
| Male | 751 | - | - | - | - | - | - | 2 | - | 1 | 3 | 4 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 442 | - | - | - | - | - | - | 2 | - | - | 1 | 2 |
| Male | 442 | - | - | - | - | - | - | 2 | - | - | 1 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 306 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| Male | 306 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 120 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 120 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 43 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 43 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 73 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 73 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 170 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | 170 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 169 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | 169 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 1,290 | - | - | - | - | - | 1 | 1 | 2 | 3 | 3 | 10 |
| Male | 1,290 | - | - | - | - | - | 1 | 1 | 2 | 3 | 3 | 10 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 993 | - | - | - | - | - | 1 | 1 | 2 | 3 | 1 | 5 |
| Male | 993 | - | - | - | - | - | 1 | 1 | 2 | 3 | 1 | 5 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 286 | - | - | - | - | - | - | - | - | - | 2 | 5 |
| Male | 286 | - | - | - | - | - | - | - | - | - | 2 | 5 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 574 | - | - | - | - | - | - | - | 1 | - | 2 | 4 |
| Male | 574 | - | - | - | - | - | - | - | 1 | - | 2 | 4 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 511 | - | - | - | - | - | - | - | 1 | - | 2 | 4 |
| Male | 511 | - | - | - | - | - | - | - | 1 | - | 2 | 4 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 63 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 63 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 360 | - | - | - | - | - | 1 | - | 2 | - | - | 1 |
| Male | 360 | - | - | - | - | - | 1 | - | 2 | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 353 | - | - | - | - | - | 1 | - | 2 | - | - | 1 |
| Male | 353 | - | - | - | - | - | 1 | - | 2 | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 264 | - | - | - | - | - | - | - | - | - | 4 | 1 |
| Male | 264 | - | - | - | - | - | - | - | - | - | 4 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 240 | - | - | - | - | - | - | - | - | - | 3 | 1 |
| Male | 240 | - | - | - | - | - | - | - | - | - | 3 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 21 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 21 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 425 | - | - | - | - | - | - | - | - | 1 | 2 | 5 |
| Male | 425 | - | - | - | - | - | - | - | - | 1 | 2 | 5 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 376 | - | - | - | - | - | - | - | - | 1 | 2 | 5 |
| Male | 376 | - | - | - | - | - | - | - | - | 1 | 2 | 5 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 49 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 49 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 459 | - | - | - | - | - | 1 | - | - | - | 1 | 1 |
| Male | 459 | - | - | - | - | - | 1 | - | - | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 256 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 256 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 201 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Male | 201 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 158 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Male | 158 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 157 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Male | 157 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 533 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 9 |
| Male | 533 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 9 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 340 | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 8 |
| Male | 340 | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 8 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 180 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 180 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 630 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | 630 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 596 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | 596 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 28 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 28 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 941 | - | - | - | - | - | 1 | - | - | 1 | 3 | 3 |
| Male | 941 | - | - | - | - | - | 1 | - | - | 1 | 3 | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 762 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| Male | 762 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 171 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 171 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 500 | - | - | - | - | - | - | 2 | - | - | 1 | 1 |
| Male | 500 | - | - | - | - | - | - | 2 | - | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 486 | - | - | - | - | - | - | 2 | - | - | 1 | 1 |
| Male | 486 | - | - | - | - | - | - | 2 | - | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 339 | - | - | - | - | - | - | - | - | 2 | - | - |
| Male | 339 | - | - | - | - | - | - | - | - | 2 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 173 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 173 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 166 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 166 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 577 | - | - | - | - | 1 | 1 | 1 | - | - | 4 | 1 |
| Male | 577 | - | - | - | - | 1 | 1 | 1 | - | - | 4 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 498 | - | - | - | - | 1 | 1 | 1 | - | - | 3 | 1 |
| Male | 498 | - | - | - | - | 1 | 1 | 1 | - | - | 3 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 79 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 79 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 130 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 130 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 126 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 126 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 206 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Male | 206 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 200 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Male | 200 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 225 | - | - | - | - | - | 2 | - | 2 | 1 | - | - |
| Male | 225 | - | - | - | - | - | 2 | - | 2 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 193 | - | - | - | - | - | 2 | - | 1 | 1 | - | - |
| Male | 193 | - | - | - | - | - | 2 | - | 1 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 23 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 23 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 8 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 8 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 123 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 123 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 123 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 123 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 849 | - | - | - | - | - | - | 2 | 1 | - | 2 | 7 |
| Male | 849 | - | - | - | - | - | - | 2 | 1 | - | 2 | 7 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 695 | - | - | - | - | - | - | 2 | 1 | - | 2 | 6 |
| Male | 695 | - | - | - | - | - | - | 2 | 1 | - | 2 | 6 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 144 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 144 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 198 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 198 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 182 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 182 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| New York | | | | | | | | | | | | |
| All races, both sexes | 1,827 | - | - | - | - | - | 2 | 5 | 1 | 2 | 5 | 10 |
| Male | 1,827 | - | - | - | - | - | 2 | 5 | 1 | 2 | 5 | 10 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1,422 | - | - | - | - | - | 1 | 3 | 1 | 2 | 3 | 7 |
| Male | 1,422 | - | - | - | - | - | 1 | 3 | 1 | 2 | 3 | 7 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 382 | - | - | - | - | - | - | 1 | - | - | 1 | 3 |
| Male | 382 | - | - | - | - | - | - | 1 | - | - | 1 | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 22 | - | - | - | - | - | 1 | 1 | - | - | 1 | - |
| Male | 22 | - | - | - | - | - | 1 | 1 | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 810 | - | - | - | 1 | 1 | 1 | - | 2 | 1 | 2 | 7 |
| Male | 810 | - | - | - | 1 | 1 | 1 | - | 2 | 1 | 2 | 7 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 550 | - | - | - | 1 | 1 | 1 | - | 2 | 1 | 2 | 6 |
| Male | 550 | - | - | - | 1 | 1 | 1 | - | 2 | 1 | 2 | 6 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 250 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 250 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 89 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 89 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 88 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 88 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 1,301 | - | - | - | - | - | 1 | 2 | 1 | - | 2 | 10 |
| Male | 1,301 | - | - | - | - | - | 1 | 2 | 1 | - | 2 | 10 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1,073 | - | - | - | - | - | 1 | 2 | - | - | 1 | 9 |
| Male | 1,073 | - | - | - | - | - | 1 | 2 | - | - | 1 | 9 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 227 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Male | 227 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 352 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| Male | 352 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 303 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| Male | 303 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 31 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 31 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 429 | - | - | - | - | 1 | - | 2 | - | - | 1 | 1 |
| Male | 429 | - | - | - | - | 1 | - | 2 | - | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 413 | - | - | - | - | 1 | - | 2 | - | - | 1 | 1 |
| Male | 413 | - | - | - | - | 1 | - | 2 | - | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 1,520 | - | - | - | - | - | 3 | - | 1 | 1 | 5 | 12 |
| Male | 1,520 | - | - | - | - | - | 3 | - | 1 | 1 | 5 | 12 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1,334 | - | - | - | - | - | 2 | - | 1 | 1 | 5 | 9 |
| Male | 1,334 | - | - | - | - | - | 2 | - | 1 | 1 | 5 | 9 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 181 | - | - | - | - | - | 1 | - | - | - | - | 3 |
| Male | 181 | - | - | - | - | - | 1 | - | - | - | - | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 135 | - | - | - | - | - | - | 1 | - | 1 | - | 2 |
| Male | 135 | - | - | - | - | - | - | 1 | - | 1 | - | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 124 | - | - | - | - | - | - | 1 | - | 1 | - | 2 |
| Male | 124 | - | - | - | - | - | - | 1 | - | 1 | - | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 471 | - | - | - | - | - | - | 1 | - | 1 | - | 3 |
| Male | 471 | - | - | - | - | - | - | 1 | - | 1 | - | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 270 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 270 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 200 | - | - | - | - | - | - | 1 | - | 1 | - | 3 |
| Male | 200 | - | - | - | - | - | - | 1 | - | 1 | - | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 95 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 95 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 94 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 94 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 609 | - | - | - | - | - | - | 1 | - | 1 | 2 | 4 |
| Male | 609 | - | - | - | - | - | - | 1 | - | 1 | 2 | 4 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 461 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| Male | 461 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 147 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 147 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 1,711 | - | 1 | - | - | 1 | 3 | 7 | 3 | 4 | 5 | 7 |
| Male | 1,711 | - | 1 | - | - | 1 | 3 | 7 | 3 | 4 | 5 | 7 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1,425 | - | 1 | - | - | - | 2 | 6 | 3 | 4 | 4 | 4 |
| Male | 1,425 | - | 1 | - | - | - | 2 | 6 | 3 | 4 | 4 | 4 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 270 | - | - | - | - | 1 | 1 | - | - | - | 1 | 3 |
| Male | 270 | - | - | - | - | 1 | 1 | - | - | - | 1 | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 15 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 15 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 172 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 172 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 169 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 169 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 60 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 60 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 59 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 59 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 731 | - | - | - | - | 1 | - | - | 2 | 2 | - | 1 |
| Male | 731 | - | - | - | - | 1 | - | - | 2 | 2 | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 523 | - | - | - | - | 1 | - | - | 2 | 2 | - | 1 |
| Male | 523 | - | - | - | - | 1 | - | - | 2 | 2 | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 203 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 203 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 629 | - | - | - | 1 | 1 | - | - | - | - | 2 | 2 |
| Male | 629 | - | - | - | 1 | 1 | - | - | - | - | 2 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 584 | - | - | - | - | 1 | - | - | - | - | 1 | 2 |
| Male | 584 | - | - | - | - | 1 | - | - | - | - | 1 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 24 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 24 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 7 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| Male | 7 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 198 | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Male | 198 | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 185 | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Male | 185 | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 636 | - | - | - | - | - | - | 1 | - | 2 | - | - |
| Male | 636 | - | - | - | - | - | - | 1 | - | 2 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 605 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Male | 605 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 29 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 29 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 34 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 34 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 34 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 34 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 352 | 804 | 1,424 | 2,253 | 3,578 | 5,270 | 6,488 | 5,471 | 2,750 | 654 | 73 | - |
| Male | 352 | 804 | 1,424 | 2,253 | 3,578 | 5,270 | 6,488 | 5,471 | 2,750 | 654 | 73 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 241 | 577 | 1,050 | 1,693 | 2,766 | 4,346 | 5,438 | 4,735 | 2,357 | 550 | 49 | - |
| Male | 241 | 577 | 1,050 | 1,693 | 2,766 | 4,346 | 5,438 | 4,735 | 2,357 | 550 | 49 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 100 | 205 | 351 | 509 | 763 | 839 | 945 | 658 | 345 | 89 | 21 | - |
| Male | 100 | 205 | 351 | 509 | 763 | 839 | 945 | 658 | 345 | 89 | 21 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 4 | 3 | 8 | 14 | 10 | 21 | 27 | 16 | 7 | 4 | - | - |
| Male | 4 | 3 | 8 | 14 | 10 | 21 | 27 | 16 | 7 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 7 | 19 | 15 | 37 | 39 | 64 | 78 | 62 | 41 | 11 | 3 | - |
| Male | 7 | 19 | 15 | 37 | 39 | 64 | 78 | 62 | 41 | 11 | 3 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 7 | 15 | 27 | 44 | 71 | 103 | 108 | 77 | 52 | 17 | 4 | - |
| Male | 7 | 15 | 27 | 44 | 71 | 103 | 108 | 77 | 52 | 17 | 4 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | 6 | 15 | 24 | 45 | 64 | 60 | 47 | 27 | 8 | 2 | - |
| Male | 4 | 6 | 15 | 24 | 45 | 64 | 60 | 47 | 27 | 8 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 3 | 9 | 11 | 19 | 26 | 39 | 48 | 30 | 25 | 9 | 2 | - |
| Male | 3 | 9 | 11 | 19 | 26 | 39 | 48 | 30 | 25 | 9 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 3 | 2 | 4 | 6 | 11 | 7 | - | - | - | - |
| Male | - | 1 | 3 | 2 | 4 | 6 | 11 | 7 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | 1 | 2 | 3 | 4 | 7 | 7 | - | - | - | - |
| Male | - | 1 | 1 | 2 | 3 | 4 | 7 | 7 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | 1 | - | - | 2 | 4 | - | - | - | - | - |
| Male | - | - | 1 | - | - | 2 | 4 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 7 | 12 | 29 | 38 | 79 | 112 | 127 | 105 | 56 | 15 | 1 | - |
| Male | 7 | 12 | 29 | 38 | 79 | 112 | 127 | 105 | 56 | 15 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 5 | 11 | 29 | 36 | 78 | 107 | 124 | 100 | 55 | 14 | 1 | - |
| Male | 5 | 11 | 29 | 36 | 78 | 107 | 124 | 100 | 55 | 14 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | 1 | 1 | 2 | 2 | 2 | - | - | - | - |
| Male | 1 | - | - | 1 | 1 | 2 | 2 | 2 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | 3 | 1 | 3 | 1 | 1 | - | - |
| Male | 1 | - | - | - | - | 3 | 1 | 3 | 1 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 3 | 12 | 14 | 29 | 42 | 57 | 73 | 51 | 40 | 7 | 2 | - |
| Male | 3 | 12 | 14 | 29 | 42 | 57 | 73 | 51 | 40 | 7 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | 8 | 14 | 25 | 34 | 45 | 56 | 39 | 30 | 6 | 1 | - |
| Male | 2 | 8 | 14 | 25 | 34 | 45 | 56 | 39 | 30 | 6 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | 4 | - | 4 | 8 | 12 | 17 | 12 | 9 | 1 | 1 | - |
| Male | 1 | 4 | - | 4 | 8 | 12 | 17 | 12 | 9 | 1 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| California | | | | | | | | | | | | |
| All races, both sexes | 31 | 83 | 148 | 219 | 364 | 530 | 737 | 613 | 280 | 81 | 6 | - |
| Male | 31 | 83 | 148 | 219 | 364 | 530 | 737 | 613 | 280 | 81 | 6 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 22 | 56 | 116 | 156 | 297 | 450 | 607 | 536 | 234 | 70 | 2 | - |
| Male | 22 | 56 | 116 | 156 | 297 | 450 | 607 | 536 | 234 | 70 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 7 | 22 | 24 | 48 | 48 | 44 | 90 | 43 | 32 | 5 | 1 | - |
| Male | 7 | 22 | 24 | 48 | 48 | 44 | 90 | 43 | 32 | 5 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | 1 | 2 | 6 | 1 | - | 1 | 1 | - | - |
| Male | - | - | - | 1 | 2 | 6 | 1 | - | 1 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 2 | 5 | 8 | 14 | 17 | 30 | 39 | 34 | 13 | 5 | 3 | - |
| Male | 2 | 5 | 8 | 14 | 17 | 30 | 39 | 34 | 13 | 5 | 3 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 5 | 12 | 27 | 24 | 45 | 66 | 82 | 76 | 40 | 5 | - | - |
| Male | 5 | 12 | 27 | 24 | 45 | 66 | 82 | 76 | 40 | 5 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 5 | 12 | 24 | 23 | 41 | 59 | 79 | 72 | 36 | 5 | - | - |
| Male | 5 | 12 | 24 | 23 | 41 | 59 | 79 | 72 | 36 | 5 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | 3 | 1 | 3 | 7 | 3 | 3 | 1 | - | - | - |
| Male | - | - | 3 | 1 | 3 | 7 | 3 | 3 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | 2 | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | 2 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 4 | 8 | 21 | 19 | 36 | 75 | 104 | 94 | 39 | 6 | 2 | - |
| Male | 4 | 8 | 21 | 19 | 36 | 75 | 104 | 94 | 39 | 6 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 8 | 14 | 17 | 29 | 66 | 98 | 87 | 38 | 6 | 2 | - |
| Male | - | 8 | 14 | 17 | 29 | 66 | 98 | 87 | 38 | 6 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 4 | - | 7 | 2 | 7 | 9 | 5 | 6 | 1 | - | - | - |
| Male | 4 | - | 7 | 2 | 7 | 9 | 5 | 6 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 4 | 8 | 12 | 30 | 17 | 14 | 10 | 3 | - | - |
| Male | - | 2 | 4 | 8 | 12 | 30 | 17 | 14 | 10 | 3 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | - | 5 | 8 | 24 | 13 | 12 | 9 | 2 | - | - |
| Male | - | 1 | - | 5 | 8 | 24 | 13 | 12 | 9 | 2 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | 1 | 4 | 3 | 4 | 6 | 4 | 1 | 1 | 1 | - | - |
| Male | - | 1 | 4 | 3 | 4 | 6 | 4 | 1 | 1 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 7 | 8 | 12 | 15 | 15 | 17 | 10 | 2 | - | - |
| Male | 1 | 1 | 7 | 8 | 12 | 15 | 15 | 17 | 10 | 2 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | 1 | 2 | 4 | 1 | 1 | 6 | 3 | - | - | - |
| Male | - | - | 1 | 2 | 4 | 1 | 1 | 6 | 3 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | 1 | 6 | 6 | 8 | 14 | 14 | 11 | 7 | 2 | - | - |
| Male | 1 | 1 | 6 | 6 | 8 | 14 | 14 | 11 | 7 | 2 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 27 | 50 | 87 | 175 | 293 | 382 | 499 | 440 | 223 | 50 | 6 | - |
| Male | 27 | 50 | 87 | 175 | 293 | 382 | 499 | 440 | 223 | 50 | 6 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 18 | 34 | 71 | 136 | 236 | 321 | 439 | 396 | 196 | 43 | 5 | - |
| Male | 18 | 34 | 71 | 136 | 236 | 321 | 439 | 396 | 196 | 43 | 5 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 9 | 16 | 15 | 37 | 56 | 59 | 59 | 43 | 27 | 7 | 1 | - |
| Male | 9 | 16 | 15 | 37 | 56 | 59 | 59 | 43 | 27 | 7 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | 1 | 1 | 1 | - | - | 1 | - | - | - | - |
| Male | - | - | 1 | 1 | 1 | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | 2 | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | - | 2 | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 11 | 23 | 51 | 58 | 116 | 142 | 144 | 121 | 63 | 10 | 2 | - |
| Male | 11 | 23 | 51 | 58 | 116 | 142 | 144 | 121 | 63 | 10 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | 14 | 23 | 29 | 60 | 95 | 87 | 81 | 38 | 5 | 1 | - |
| Male | 4 | 14 | 23 | 29 | 60 | 95 | 87 | 81 | 38 | 5 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 7 | 9 | 28 | 29 | 56 | 46 | 57 | 39 | 25 | 4 | 1 | - |
| Male | 7 | 9 | 28 | 29 | 56 | 46 | 57 | 39 | 25 | 4 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 2 | 4 | 4 | 13 | 15 | 18 | 27 | 22 | 11 | 3 | - | - |
| Male | 2 | 4 | 4 | 13 | 15 | 18 | 27 | 22 | 11 | 3 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 2 | 2 | 4 | 5 | 5 | 13 | 10 | 2 | - | - | - |
| Male | - | 2 | 2 | 4 | 5 | 5 | 13 | 10 | 2 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | 1 | 2 | - | - | 1 | - | - | - | - | - |
| Male | - | - | 1 | 2 | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 2 | 2 | 1 | 7 | 10 | 13 | 13 | 12 | 9 | 3 | - | - |
| Male | 2 | 2 | 1 | 7 | 10 | 13 | 13 | 12 | 9 | 3 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 1 | 7 | 11 | 9 | 17 | 26 | 38 | 34 | 20 | 4 | - | - |
| Male | 1 | 7 | 11 | 9 | 17 | 26 | 38 | 34 | 20 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | 7 | 11 | 8 | 17 | 26 | 38 | 34 | 20 | 4 | - | - |
| Male | 1 | 7 | 11 | 8 | 17 | 26 | 38 | 34 | 20 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 14 | 37 | 63 | 99 | 150 | 235 | 291 | 234 | 112 | 32 | 3 | - |
| Male | 14 | 37 | 63 | 99 | 150 | 235 | 291 | 234 | 112 | 32 | 3 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 6 | 18 | 37 | 65 | 115 | 185 | 241 | 196 | 88 | 28 | 1 | - |
| Male | 6 | 18 | 37 | 65 | 115 | 185 | 241 | 196 | 88 | 28 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 8 | 18 | 25 | 32 | 35 | 49 | 48 | 37 | 21 | 4 | 2 | - |
| Male | 8 | 18 | 25 | 32 | 35 | 49 | 48 | 37 | 21 | 4 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | 2 | - | 1 | 2 | 1 | 3 | - | - | - |
| Male | - | 1 | 1 | 2 | - | 1 | 2 | 1 | 3 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 3 | 12 | 24 | 47 | 79 | 107 | 130 | 110 | 48 | 7 | - | - |
| Male | 3 | 12 | 24 | 47 | 79 | 107 | 130 | 110 | 48 | 7 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | 11 | 18 | 41 | 64 | 96 | 125 | 97 | 42 | 7 | - | - |
| Male | 3 | 11 | 18 | 41 | 64 | 96 | 125 | 97 | 42 | 7 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | 1 | 6 | 6 | 15 | 11 | 5 | 13 | 6 | - | - | - |
| Male | - | 1 | 6 | 6 | 15 | 11 | 5 | 13 | 6 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | 16 | 13 | 26 | 41 | 58 | 80 | 77 | 35 | 10 | - | - |
| Male | - | 16 | 13 | 26 | 41 | 58 | 80 | 77 | 35 | 10 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 15 | 13 | 25 | 41 | 56 | 79 | 75 | 35 | 10 | - | - |
| Male | - | 15 | 13 | 25 | 41 | 56 | 79 | 75 | 35 | 10 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | 1 | - | 1 | - | 2 | 1 | 2 | - | - | - | - |
| Male | - | 1 | - | 1 | - | 2 | 1 | 2 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | 7 | 18 | 21 | 31 | 44 | 48 | 52 | 31 | 7 | - | - |
| Male | - | 7 | 18 | 21 | 31 | 44 | 48 | 52 | 31 | 7 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 6 | 15 | 19 | 27 | 40 | 41 | 51 | 30 | 7 | - | - |
| Male | - | 6 | 15 | 19 | 27 | 40 | 41 | 51 | 30 | 7 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | 3 | 2 | 4 | 3 | 6 | 1 | 1 | - | - | - |
| Male | - | - | 3 | 2 | 4 | 3 | 6 | 1 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 7 | 14 | 26 | 28 | 56 | 78 | 96 | 74 | 34 | 4 | - | - |
| Male | 7 | 14 | 26 | 28 | 56 | 78 | 96 | 74 | 34 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 5 | 11 | 25 | 27 | 45 | 69 | 86 | 63 | 33 | 4 | - | - |
| Male | 5 | 11 | 25 | 27 | 45 | 69 | 86 | 63 | 33 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | 3 | 1 | 1 | 11 | 9 | 10 | 11 | 1 | - | - | - |
| Male | 2 | 3 | 1 | 1 | 11 | 9 | 10 | 11 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 8 | 17 | 23 | 31 | 63 | 97 | 90 | 78 | 34 | 12 | 3 | - |
| Male | 8 | 17 | 23 | 31 | 63 | 97 | 90 | 78 | 34 | 12 | 3 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | 9 | 9 | 15 | 37 | 55 | 59 | 41 | 23 | 3 | 2 | - |
| Male | 2 | 9 | 9 | 15 | 37 | 55 | 59 | 41 | 23 | 3 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 6 | 8 | 14 | 16 | 26 | 41 | 30 | 37 | 11 | 9 | 1 | - |
| Male | 6 | 8 | 14 | 16 | 26 | 41 | 30 | 37 | 11 | 9 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 4 | 4 | 8 | 6 | 21 | 30 | 25 | 33 | 21 | 2 | - | - |
| Male | 4 | 4 | 8 | 6 | 21 | 30 | 25 | 33 | 21 | 2 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | 4 | 8 | 6 | 21 | 29 | 25 | 33 | 21 | 2 | - | - |
| Male | 4 | 4 | 8 | 6 | 21 | 29 | 25 | 33 | 21 | 2 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 9 | 16 | 37 | 46 | 68 | 93 | 107 | 92 | 46 | 4 | 1 | - |
| Male | 9 | 16 | 37 | 46 | 68 | 93 | 107 | 92 | 46 | 4 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | 8 | 21 | 20 | 36 | 65 | 74 | 61 | 36 | 2 | 1 | - |
| Male | 4 | 8 | 21 | 20 | 36 | 65 | 74 | 61 | 36 | 2 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 5 | 8 | 16 | 22 | 30 | 27 | 30 | 29 | 9 | 2 | - | - |
| Male | 5 | 8 | 16 | 22 | 30 | 27 | 30 | 29 | 9 | 2 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 4 | 2 | - | 3 | 2 | 1 | - | - | - |
| Male | - | - | - | 4 | 2 | - | 3 | 2 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 5 | 16 | 22 | 36 | 54 | 119 | 146 | 143 | 60 | 25 | 1 | - |
| Male | 5 | 16 | 22 | 36 | 54 | 119 | 146 | 143 | 60 | 25 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 5 | 15 | 20 | 35 | 53 | 115 | 135 | 134 | 57 | 23 | 1 | - |
| Male | 5 | 15 | 20 | 35 | 53 | 115 | 135 | 134 | 57 | 23 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | 2 | 1 | 1 | 4 | 10 | 7 | 2 | 1 | - | - |
| Male | - | - | 2 | 1 | 1 | 4 | 10 | 7 | 2 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | 1 | 2 | 1 | - | - | - |
| Male | - | 1 | - | - | - | - | 1 | 2 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 15 | 23 | 51 | 65 | 107 | 170 | 209 | 176 | 89 | 24 | 4 | - |
| Male | 15 | 23 | 51 | 65 | 107 | 170 | 209 | 176 | 89 | 24 | 4 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 9 | 13 | 41 | 47 | 78 | 138 | 174 | 154 | 78 | 22 | 2 | - |
| Male | 9 | 13 | 41 | 47 | 78 | 138 | 174 | 154 | 78 | 22 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 5 | 9 | 10 | 18 | 29 | 31 | 32 | 21 | 11 | 2 | 2 | - |
| Male | 5 | 9 | 10 | 18 | 29 | 31 | 32 | 21 | 11 | 2 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | 2 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 2 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | 1 | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 3 | 10 | 15 | 41 | 50 | 96 | 99 | 105 | 55 | 18 | 4 | - |
| Male | 3 | 10 | 15 | 41 | 50 | 96 | 99 | 105 | 55 | 18 | 4 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | 9 | 15 | 38 | 47 | 93 | 98 | 102 | 55 | 18 | 4 | - |
| Male | 3 | 9 | 15 | 38 | 47 | 93 | 98 | 102 | 55 | 18 | 4 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | 1 | - | 1 | 3 | 3 | 1 | 3 | - | - | - | - |
| Male | - | 1 | - | 1 | 3 | 3 | 1 | 3 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 7 | 10 | 12 | 25 | 50 | 59 | 68 | 57 | 33 | 11 | 5 | - |
| Male | 7 | 10 | 12 | 25 | 50 | 59 | 68 | 57 | 33 | 11 | 5 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | 6 | 5 | 10 | 27 | 30 | 39 | 31 | 15 | 6 | 1 | - |
| Male | 2 | 6 | 5 | 10 | 27 | 30 | 39 | 31 | 15 | 6 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 5 | 4 | 7 | 15 | 23 | 29 | 29 | 26 | 18 | 5 | 4 | - |
| Male | 5 | 4 | 7 | 15 | 23 | 29 | 29 | 26 | 18 | 5 | 4 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 5 | 23 | 29 | 39 | 72 | 106 | 124 | 111 | 44 | 16 | - | - |
| Male | 5 | 23 | 29 | 39 | 72 | 106 | 124 | 111 | 44 | 16 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | 15 | 22 | 31 | 61 | 93 | 114 | 99 | 38 | 15 | - | - |
| Male | 3 | 15 | 22 | 31 | 61 | 93 | 114 | 99 | 38 | 15 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | 8 | 7 | 8 | 11 | 13 | 10 | 12 | 6 | 1 | - | - |
| Male | 2 | 8 | 7 | 8 | 11 | 13 | 10 | 12 | 6 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 4 | 4 | 5 | 7 | 9 | 23 | 26 | 32 | 16 | 4 | - | - |
| Male | 4 | 4 | 5 | 7 | 9 | 23 | 26 | 32 | 16 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | 4 | 5 | 6 | 9 | 22 | 24 | 32 | 16 | 4 | - | - |
| Male | 4 | 4 | 5 | 6 | 9 | 22 | 24 | 32 | 16 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | 1 | - | 1 | 2 | - | - | - | - | - |
| Male | - | - | - | 1 | - | 1 | 2 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 2 | 6 | 7 | 14 | 17 | 43 | 51 | 40 | 15 | 7 | 1 | - |
| Male | 2 | 6 | 7 | 14 | 17 | 43 | 51 | 40 | 15 | 7 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | 5 | 7 | 12 | 16 | 42 | 51 | 40 | 15 | 7 | 1 | - |
| Male | 1 | 5 | 7 | 12 | 16 | 42 | 51 | 40 | 15 | 7 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | 1 | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Male | 1 | 1 | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 2 | 5 | 17 | 24 | 40 | 38 | 48 | 30 | 13 | 3 | - | - |
| Male | 2 | 5 | 17 | 24 | 40 | 38 | 48 | 30 | 13 | 3 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | 5 | 13 | 21 | 31 | 32 | 41 | 28 | 13 | 3 | - | - |
| Male | 2 | 5 | 13 | 21 | 31 | 32 | 41 | 28 | 13 | 3 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | 4 | 3 | 7 | 4 | 5 | - | - | - | - | - |
| Male | - | - | 4 | 3 | 7 | 4 | 5 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 2 | 2 | 2 | 1 | - | - | - | - |
| Male | - | - | - | - | 2 | 2 | 2 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 4 | 2 | 3 | 7 | 9 | 20 | 36 | 23 | 15 | 3 | - | - |
| Male | 4 | 2 | 3 | 7 | 9 | 20 | 36 | 23 | 15 | 3 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | 2 | 3 | 7 | 9 | 20 | 36 | 23 | 15 | 3 | - | - |
| Male | 4 | 2 | 3 | 7 | 9 | 20 | 36 | 23 | 15 | 3 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 6 | 15 | 49 | 63 | 87 | 160 | 178 | 174 | 79 | 25 | 1 | - |
| Male | 6 | 15 | 49 | 63 | 87 | 160 | 178 | 174 | 79 | 25 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 5 | 10 | 35 | 49 | 60 | 124 | 151 | 156 | 72 | 21 | 1 | - |
| Male | 5 | 10 | 35 | 49 | 60 | 124 | 151 | 156 | 72 | 21 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | 5 | 13 | 14 | 26 | 34 | 25 | 15 | 6 | 4 | - | - |
| Male | 1 | 5 | 13 | 14 | 26 | 34 | 25 | 15 | 6 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | 1 | 1 | 2 | 3 | 1 | - | - | - |
| Male | - | - | 1 | - | 1 | 1 | 2 | 3 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 14 | 22 | 25 | 36 | 40 | 35 | 16 | 3 | - | - |
| Male | 2 | 3 | 14 | 22 | 25 | 36 | 40 | 35 | 16 | 3 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | 3 | 12 | 20 | 22 | 34 | 35 | 35 | 14 | 3 | - | - |
| Male | 2 | 3 | 12 | 20 | 22 | 34 | 35 | 35 | 14 | 3 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | 1 | 1 | 2 | - | - | - | - | - |
| Male | - | - | - | - | 1 | 1 | 2 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | 2 | 2 | 2 | 1 | 3 | - | 2 | - | - | - |
| Male | - | - | 2 | 2 | 2 | 1 | 3 | - | 2 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| New York | | | | | | | | | | | | |
| All races, both sexes | 20 | 48 | 85 | 150 | 230 | 293 | 420 | 338 | 169 | 44 | 5 | - |
| Male | 20 | 48 | 85 | 150 | 230 | 293 | 420 | 338 | 169 | 44 | 5 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 15 | 25 | 47 | 98 | 161 | 230 | 346 | 295 | 149 | 36 | 3 | - |
| Male | 15 | 25 | 47 | 98 | 161 | 230 | 346 | 295 | 149 | 36 | 3 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 5 | 19 | 38 | 49 | 67 | 61 | 71 | 40 | 17 | 8 | 2 | - |
| Male | 5 | 19 | 38 | 49 | 67 | 61 | 71 | 40 | 17 | 8 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | 4 | - | 3 | 2 | 2 | 3 | 2 | 3 | - | - | - |
| Male | - | 4 | - | 3 | 2 | 2 | 3 | 2 | 3 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 10 | 22 | 53 | 72 | 104 | 155 | 163 | 138 | 62 | 15 | 1 | - |
| Male | 10 | 22 | 53 | 72 | 104 | 155 | 163 | 138 | 62 | 15 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | 10 | 37 | 48 | 62 | 106 | 113 | 103 | 43 | 11 | - | - |
| Male | 3 | 10 | 37 | 48 | 62 | 106 | 113 | 103 | 43 | 11 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 6 | 11 | 16 | 22 | 41 | 48 | 48 | 35 | 18 | 3 | 1 | - |
| Male | 6 | 11 | 16 | 22 | 41 | 48 | 48 | 35 | 18 | 3 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | 1 | - | 1 | 1 | 1 | 2 | - | 1 | - | - | - |
| Male | 1 | 1 | - | 1 | 1 | 1 | 2 | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 2 | - | 1 | 6 | 10 | 21 | 13 | 17 | 13 | 5 | - | - |
| Male | 2 | - | 1 | 6 | 10 | 21 | 13 | 17 | 13 | 5 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | 1 | 6 | 10 | 20 | 13 | 17 | 13 | 5 | - | - |
| Male | 2 | - | 1 | 6 | 10 | 20 | 13 | 17 | 13 | 5 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 21 | 38 | 58 | 108 | 159 | 238 | 295 | 231 | 118 | 17 | 2 | - |
| Male | 21 | 38 | 58 | 108 | 159 | 238 | 295 | 231 | 118 | 17 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 17 | 30 | 37 | 87 | 120 | 202 | 246 | 201 | 103 | 15 | 2 | - |
| Male | 17 | 30 | 37 | 87 | 120 | 202 | 246 | 201 | 103 | 15 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 4 | 8 | 21 | 20 | 39 | 36 | 49 | 30 | 15 | 2 | - | - |
| Male | 4 | 8 | 21 | 20 | 39 | 36 | 49 | 30 | 15 | 2 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 7 | 8 | 24 | 28 | 43 | 70 | 74 | 58 | 28 | 7 | - | - |
| Male | 7 | 8 | 24 | 28 | 43 | 70 | 74 | 58 | 28 | 7 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 5 | 5 | 21 | 26 | 37 | 64 | 58 | 50 | 26 | 6 | - | - |
| Male | 5 | 5 | 21 | 26 | 37 | 64 | 58 | 50 | 26 | 6 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | 3 | 3 | 1 | 2 | 5 | 9 | 5 | 2 | 1 | - | - |
| Male | - | 3 | 3 | 1 | 2 | 5 | 9 | 5 | 2 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 2 | - | - | 1 | 4 | 1 | 7 | 3 | - | - | - | - |
| Male | 2 | - | - | 1 | 4 | 1 | 7 | 3 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 3 | 18 | 16 | 35 | 51 | 76 | 94 | 79 | 42 | 8 | 2 | - |
| Male | 3 | 18 | 16 | 35 | 51 | 76 | 94 | 79 | 42 | 8 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | 18 | 15 | 32 | 49 | 74 | 90 | 76 | 41 | 8 | 2 | - |
| Male | 3 | 18 | 15 | 32 | 49 | 74 | 90 | 76 | 41 | 8 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | 2 | 1 | - | 3 | - | 1 | - | - | - |
| Male | - | - | - | 2 | 1 | - | 3 | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | 1 | - | 1 | 1 | 3 | - | - | - | - |
| Male | - | - | - | 1 | - | 1 | 1 | 3 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | - | 1 | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 15 | 39 | 55 | 118 | 174 | 262 | 365 | 287 | 155 | 26 | 2 | - |
| Male | 15 | 39 | 55 | 118 | 174 | 262 | 365 | 287 | 155 | 26 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 13 | 29 | 45 | 94 | 143 | 236 | 319 | 266 | 145 | 24 | 2 | - |
| Male | 13 | 29 | 45 | 94 | 143 | 236 | 319 | 266 | 145 | 24 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | 10 | 8 | 24 | 31 | 25 | 44 | 21 | 10 | 2 | - | - |
| Male | 2 | 10 | 8 | 24 | 31 | 25 | 44 | 21 | 10 | 2 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | 1 | 2 | - | - | - | - | - |
| Male | - | - | 1 | - | - | 1 | 2 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 3 | 6 | 18 | 27 | 34 | 19 | 14 | 6 | 1 | - |
| Male | 1 | 2 | 3 | 6 | 18 | 27 | 34 | 19 | 14 | 6 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | 3 | 5 | 16 | 26 | 32 | 17 | 14 | 5 | 1 | - |
| Male | - | 1 | 3 | 5 | 16 | 26 | 32 | 17 | 14 | 5 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | 1 | - | 1 | 2 | 1 | 2 | 1 | - | - | - | - |
| Male | - | 1 | - | 1 | 2 | 1 | 2 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 9 | 7 | 32 | 37 | 62 | 88 | 96 | 95 | 33 | 6 | 1 | - |
| Male | 9 | 7 | 32 | 37 | 62 | 88 | 96 | 95 | 33 | 6 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 5 | 3 | 10 | 18 | 37 | 54 | 59 | 62 | 18 | 4 | - | - |
| Male | 5 | 3 | 10 | 18 | 37 | 54 | 59 | 62 | 18 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 4 | 3 | 22 | 19 | 25 | 34 | 37 | 33 | 15 | 2 | 1 | - |
| Male | 4 | 3 | 22 | 19 | 25 | 34 | 37 | 33 | 15 | 2 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | 5 | 4 | 2 | 8 | 19 | 30 | 13 | 9 | 1 | 1 | - |
| Male | 1 | 5 | 4 | 2 | 8 | 19 | 30 | 13 | 9 | 1 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | 5 | 4 | 2 | 8 | 19 | 30 | 13 | 9 | 1 | 1 | - |
| Male | 1 | 5 | 4 | 2 | 8 | 19 | 30 | 13 | 9 | 1 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 10 | 22 | 31 | 42 | 81 | 112 | 130 | 109 | 50 | 13 | 1 | - |
| Male | 10 | 22 | 31 | 42 | 81 | 112 | 130 | 109 | 50 | 13 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 8 | 18 | 25 | 34 | 52 | 82 | 103 | 90 | 37 | 5 | - | - |
| Male | 8 | 18 | 25 | 34 | 52 | 82 | 103 | 90 | 37 | 5 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | 4 | 6 | 8 | 29 | 30 | 27 | 19 | 13 | 8 | 1 | - |
| Male | 1 | 4 | 6 | 8 | 29 | 30 | 27 | 19 | 13 | 8 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 24 | 50 | 93 | 154 | 236 | 311 | 337 | 282 | 156 | 34 | 3 | - |
| Male | 24 | 50 | 93 | 154 | 236 | 311 | 337 | 282 | 156 | 34 | 3 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 22 | 41 | 75 | 115 | 192 | 255 | 282 | 251 | 134 | 32 | 2 | - |
| Male | 22 | 41 | 75 | 115 | 192 | 255 | 282 | 251 | 134 | 32 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | 6 | 16 | 37 | 44 | 52 | 53 | 30 | 21 | 2 | 1 | - |
| Male | 2 | 6 | 16 | 37 | 44 | 52 | 53 | 30 | 21 | 2 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | 2 | 2 | 2 | - | 4 | 2 | 1 | 1 | - | - | - |
| Male | - | 2 | 2 | 2 | - | 4 | 2 | 1 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | 3 | 4 | 18 | 15 | 22 | 44 | 34 | 21 | 8 | 1 | - |
| Male | - | 3 | 4 | 18 | 15 | 22 | 44 | 34 | 21 | 8 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 3 | 4 | 18 | 15 | 21 | 43 | 34 | 20 | 8 | 1 | - |
| Male | - | 3 | 4 | 18 | 15 | 21 | 43 | 34 | 20 | 8 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 6 | 6 | 5 | 6 | 18 | 7 | 10 | 1 | - | - |
| Male | - | 1 | 6 | 6 | 5 | 6 | 18 | 7 | 10 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | 6 | 6 | 5 | 6 | 17 | 7 | 10 | 1 | - | - |
| Male | - | 1 | 6 | 6 | 5 | 6 | 17 | 7 | 10 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 13 | 23 | 29 | 60 | 95 | 136 | 161 | 130 | 69 | 8 | 1 | - |
| Male | 13 | 23 | 29 | 60 | 95 | 136 | 161 | 130 | 69 | 8 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 8 | 16 | 20 | 32 | 61 | 104 | 117 | 97 | 57 | 4 | 1 | - |
| Male | 8 | 16 | 20 | 32 | 61 | 104 | 117 | 97 | 57 | 4 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 5 | 6 | 9 | 28 | 33 | 32 | 43 | 31 | 12 | 4 | - | - |
| Male | 5 | 6 | 9 | 28 | 33 | 32 | 43 | 31 | 12 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | 1 | - | 1 | 1 | - | - | - | - |
| Male | - | 1 | - | - | 1 | - | 1 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 7 | 23 | 28 | 49 | 51 | 99 | 145 | 126 | 76 | 16 | 3 | - |
| Male | 7 | 23 | 28 | 49 | 51 | 99 | 145 | 126 | 76 | 16 | 3 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 5 | 21 | 24 | 47 | 49 | 90 | 134 | 121 | 71 | 15 | 3 | - |
| Male | 5 | 21 | 24 | 47 | 49 | 90 | 134 | 121 | 71 | 15 | 3 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | 2 | 2 | 1 | 1 | 5 | 6 | 5 | - | - | - | - |
| Male | 2 | 2 | 2 | 1 | 1 | 5 | 6 | 5 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | 2 | - | - | 1 | 2 | - | - | - | - | - |
| Male | - | - | 2 | - | - | 1 | 2 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | 1 | 3 | 3 | - | 5 | 1 | - | - |
| Male | - | - | - | 1 | 1 | 3 | 3 | - | 5 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | 9 | 8 | 22 | 31 | 35 | 33 | 34 | 18 | 4 | 2 | - |
| Male | - | 9 | 8 | 22 | 31 | 35 | 33 | 34 | 18 | 4 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 7 | 8 | 20 | 28 | 31 | 32 | 33 | 18 | 4 | 2 | - |
| Male | - | 7 | 8 | 20 | 28 | 31 | 32 | 33 | 18 | 4 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | 2 | - | 2 | 3 | 4 | 1 | 1 | - | - | - | - |
| Male | - | 2 | - | 2 | 3 | 4 | 1 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of male genital organs (C60-C63) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 9 | 13 | 25 | 46 | 66 | 121 | 151 | 123 | 63 | 15 | 1 | - |
| Male | 9 | 13 | 25 | 46 | 66 | 121 | 151 | 123 | 63 | 15 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 8 | 12 | 23 | 43 | 61 | 116 | 143 | 120 | 61 | 15 | 1 | - |
| Male | 8 | 12 | 23 | 43 | 61 | 116 | 143 | 120 | 61 | 15 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | 1 | 2 | 2 | 5 | 5 | 8 | 3 | 1 | - | - | - |
| Male | 1 | 1 | 2 | 2 | 5 | 5 | 8 | 3 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 1 | 3 | - | 1 | 4 | 5 | 11 | 4 | 4 | - | - | - |
| Male | 1 | 3 | - | 1 | 4 | 5 | 11 | 4 | 4 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | 3 | - | 1 | 4 | 5 | 11 | 4 | 4 | - | - | - |
| Male | 1 | 3 | - | 1 | 4 | 5 | 11 | 4 | 4 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 28,905 | - | 1 | - | - | 1 | - | 1 | 2 | 1 | 23 | 93 |
| Male | 28,905 | - | 1 | - | - | 1 | - | 1 | 2 | 1 | 23 | 93 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 23,597 | - | 1 | - | - | 1 | - | - | 2 | - | 13 | 69 |
| Male | 23,597 | - | 1 | - | - | 1 | - | - | 2 | - | 13 | 69 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 4,823 | - | - | - | - | - | - | - | - | 1 | 9 | 24 |
| Male | 4,823 | - | - | - | - | - | - | - | - | 1 | 9 | 24 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 113 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 113 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 372 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 372 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 521 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 521 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 299 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 299 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 220 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 220 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 33 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 33 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 572 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 572 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 552 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 552 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 332 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | 332 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 263 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | 263 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 68 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 68 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| California | | | | | | | | | | | | |
| All races, both sexes | 3,061 | - | - | - | - | - | - | - | - | - | 5 | 3 |
| Male | 3,061 | - | - | - | - | - | - | - | - | - | 5 | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2,518 | - | - | - | - | - | - | - | - | - | 4 | 3 |
| Male | 2,518 | - | - | - | - | - | - | - | - | - | 4 | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 362 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 362 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 169 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 169 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 377 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 377 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 351 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 351 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 21 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 21 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 406 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 406 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 363 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 363 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 41 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 41 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 99 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 99 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 73 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 73 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 88 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 88 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 70 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 70 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 2,206 | - | - | - | - | - | - | - | - | - | 2 | 5 |
| Male | 2,206 | - | - | - | - | - | - | - | - | - | 2 | 5 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1,870 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | 1,870 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 328 | - | - | - | - | - | - | - | - | - | - | 4 |
| Male | 328 | - | - | - | - | - | - | - | - | - | - | 4 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 739 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Male | 739 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 434 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 434 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 302 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 302 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 117 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 117 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 43 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 43 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 70 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 70 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 164 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 164 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 163 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 163 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 1,270 | - | - | - | - | - | - | - | - | - | 2 | 7 |
| Male | 1,270 | - | - | - | - | - | - | - | - | - | 2 | 7 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 975 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | 975 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 285 | - | - | - | - | - | - | - | - | - | 2 | 4 |
| Male | 285 | - | - | - | - | - | - | - | - | - | 2 | 4 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 561 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | 561 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 499 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | 499 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 62 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 62 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 350 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 350 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 343 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 343 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 256 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 256 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 234 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 234 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 19 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 19 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 418 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | 418 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 370 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | 370 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 48 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 48 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 450 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 450 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 250 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 250 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 198 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 198 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 156 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 156 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 155 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 155 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 519 | - | - | - | - | - | - | - | - | - | 1 | 7 |
| Male | 519 | - | - | - | - | - | - | - | - | - | 1 | 7 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 328 | - | - | - | - | - | - | - | - | - | - | 6 |
| Male | 328 | - | - | - | - | - | - | - | - | - | - | 6 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 178 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 178 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 623 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | 623 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 589 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | 589 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 28 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 28 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 924 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 924 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 750 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 750 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 167 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 167 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 491 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 491 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 477 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 477 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 336 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 336 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 171 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 171 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 165 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 165 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 566 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 566 | - | - | - | - | - | - | - | - | - | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 488 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 488 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 78 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 78 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 129 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 129 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 125 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 125 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 201 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 201 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 195 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 195 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 215 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 215 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 184 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 184 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 23 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 23 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 119 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 119 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 119 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 119 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 837 | - | - | - | - | - | - | - | - | - | 1 | 6 |
| Male | 837 | - | - | - | - | - | - | - | - | - | 1 | 6 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 683 | - | - | - | - | - | - | - | - | - | 1 | 5 |
| Male | 683 | - | - | - | - | - | - | - | - | - | 1 | 5 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 144 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 144 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 194 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 194 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 178 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 178 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| New York | | | | | | | | | | | | |
| All races, both sexes | 1,791 | - | - | - | - | - | - | 1 | - | - | 1 | 6 |
| Male | 1,791 | - | - | - | - | - | - | 1 | - | - | 1 | 6 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1,393 | - | - | - | - | - | - | - | - | - | - | 4 |
| Male | 1,393 | - | - | - | - | - | - | - | - | - | - | 4 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 378 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 378 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 19 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 19 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 791 | - | - | - | - | 1 | - | - | 1 | - | - | 4 |
| Male | 791 | - | - | - | - | 1 | - | - | 1 | - | - | 4 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 534 | - | - | - | - | 1 | - | - | 1 | - | - | 3 |
| Male | 534 | - | - | - | - | 1 | - | - | 1 | - | - | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 247 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 247 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 87 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 87 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 86 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 86 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 1,280 | - | - | - | - | - | - | - | - | - | - | 6 |
| Male | 1,280 | - | - | - | - | - | - | - | - | - | - | 6 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1,054 | - | - | - | - | - | - | - | - | - | - | 5 |
| Male | 1,054 | - | - | - | - | - | - | - | - | - | - | 5 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 225 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 225 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 346 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 346 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 297 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 297 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 31 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 31 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 424 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 424 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 408 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 408 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 1,492 | - | - | - | - | - | - | - | - | - | 2 | 10 |
| Male | 1,492 | - | - | - | - | - | - | - | - | - | 2 | 10 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1,307 | - | - | - | - | - | - | - | - | - | 2 | 7 |
| Male | 1,307 | - | - | - | - | - | - | - | - | - | 2 | 7 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 180 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | 180 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 129 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 129 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 118 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 118 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 464 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 464 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 267 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 267 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 196 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 196 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 93 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 93 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 92 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 92 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 594 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 594 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 449 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 449 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 144 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 144 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 1,661 | - | 1 | - | - | - | - | - | - | - | 1 | 4 |
| Male | 1,661 | - | 1 | - | - | - | - | - | - | - | 1 | 4 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1,380 | - | 1 | - | - | - | - | - | - | - | - | 2 |
| Male | 1,380 | - | 1 | - | - | - | - | - | - | - | - | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 266 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 266 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 169 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 169 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 166 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 166 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 60 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 60 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 59 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 59 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 719 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 719 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 514 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 514 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 200 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 200 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 621 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 621 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 577 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 577 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 24 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 24 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 192 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 192 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 179 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 179 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 629 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 629 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 599 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 599 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 28 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 28 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 33 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 33 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 33 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 33 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 302 | 762 | 1,392 | 2,215 | 3,549 | 5,222 | 6,444 | 5,438 | 2,737 | 651 | 71 | - |
| Male | 302 | 762 | 1,392 | 2,215 | 3,549 | 5,222 | 6,444 | 5,438 | 2,737 | 651 | 71 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 196 | 544 | 1,022 | 1,662 | 2,740 | 4,301 | 5,399 | 4,707 | 2,345 | 547 | 48 | - |
| Male | 196 | 544 | 1,022 | 1,662 | 2,740 | 4,301 | 5,399 | 4,707 | 2,345 | 547 | 48 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 96 | 199 | 347 | 504 | 760 | 836 | 941 | 653 | 344 | 89 | 20 | - |
| Male | 96 | 199 | 347 | 504 | 760 | 836 | 941 | 653 | 344 | 89 | 20 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 3 | 3 | 8 | 14 | 10 | 21 | 26 | 16 | 7 | 4 | - | - |
| Male | 3 | 3 | 8 | 14 | 10 | 21 | 26 | 16 | 7 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 7 | 16 | 15 | 35 | 39 | 64 | 78 | 62 | 41 | 11 | 3 | - |
| Male | 7 | 16 | 15 | 35 | 39 | 64 | 78 | 62 | 41 | 11 | 3 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 6 | 14 | 25 | 44 | 71 | 103 | 107 | 77 | 52 | 17 | 4 | - |
| Male | 6 | 14 | 25 | 44 | 71 | 103 | 107 | 77 | 52 | 17 | 4 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | 6 | 13 | 24 | 45 | 64 | 59 | 47 | 27 | 8 | 2 | - |
| Male | 4 | 6 | 13 | 24 | 45 | 64 | 59 | 47 | 27 | 8 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | 8 | 11 | 19 | 26 | 39 | 48 | 30 | 25 | 9 | 2 | - |
| Male | 2 | 8 | 11 | 19 | 26 | 39 | 48 | 30 | 25 | 9 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 3 | 2 | 4 | 6 | 10 | 7 | - | - | - | - |
| Male | - | 1 | 3 | 2 | 4 | 6 | 10 | 7 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | 1 | 2 | 3 | 4 | 7 | 7 | - | - | - | - |
| Male | - | 1 | 1 | 2 | 3 | 4 | 7 | 7 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | 1 | - | - | 2 | 3 | - | - | - | - | - |
| Male | - | - | 1 | - | - | 2 | 3 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 6 | 10 | 29 | 37 | 78 | 110 | 125 | 104 | 56 | 15 | 1 | - |
| Male | 6 | 10 | 29 | 37 | 78 | 110 | 125 | 104 | 56 | 15 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 5 | 9 | 29 | 35 | 77 | 105 | 122 | 99 | 55 | 14 | 1 | - |
| Male | 5 | 9 | 29 | 35 | 77 | 105 | 122 | 99 | 55 | 14 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | 1 | 1 | 2 | 2 | 2 | - | - | - | - |
| Male | 1 | - | - | 1 | 1 | 2 | 2 | 2 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | 3 | 1 | 3 | 1 | 1 | - | - |
| Male | - | - | - | - | - | 3 | 1 | 3 | 1 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 2 | 12 | 14 | 29 | 42 | 57 | 73 | 51 | 40 | 7 | 2 | - |
| Male | 2 | 12 | 14 | 29 | 42 | 57 | 73 | 51 | 40 | 7 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | 8 | 14 | 25 | 34 | 45 | 56 | 39 | 30 | 6 | 1 | - |
| Male | 2 | 8 | 14 | 25 | 34 | 45 | 56 | 39 | 30 | 6 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | 4 | - | 4 | 8 | 12 | 17 | 12 | 9 | 1 | 1 | - |
| Male | - | 4 | - | 4 | 8 | 12 | 17 | 12 | 9 | 1 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| California | | | | | | | | | | | | |
| All races, both sexes | 25 | 81 | 140 | 215 | 359 | 525 | 732 | 609 | 280 | 81 | 6 | - |
| Male | 25 | 81 | 140 | 215 | 359 | 525 | 732 | 609 | 280 | 81 | 6 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 17 | 54 | 109 | 153 | 292 | 445 | 602 | 533 | 234 | 70 | 2 | - |
| Male | 17 | 54 | 109 | 153 | 292 | 445 | 602 | 533 | 234 | 70 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 6 | 22 | 23 | 48 | 48 | 44 | 90 | 42 | 32 | 5 | 1 | - |
| Male | 6 | 22 | 23 | 48 | 48 | 44 | 90 | 42 | 32 | 5 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | 1 | 2 | 6 | 1 | - | 1 | 1 | - | - |
| Male | - | - | - | 1 | 2 | 6 | 1 | - | 1 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 2 | 5 | 8 | 13 | 17 | 30 | 39 | 34 | 13 | 5 | 3 | - |
| Male | 2 | 5 | 8 | 13 | 17 | 30 | 39 | 34 | 13 | 5 | 3 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 3 | 12 | 26 | 23 | 45 | 66 | 82 | 76 | 39 | 5 | - | - |
| Male | 3 | 12 | 26 | 23 | 45 | 66 | 82 | 76 | 39 | 5 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | 12 | 23 | 22 | 41 | 59 | 79 | 72 | 35 | 5 | - | - |
| Male | 3 | 12 | 23 | 22 | 41 | 59 | 79 | 72 | 35 | 5 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | 3 | 1 | 3 | 7 | 3 | 3 | 1 | - | - | - |
| Male | - | - | 3 | 1 | 3 | 7 | 3 | 3 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | 2 | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | 2 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 4 | 8 | 21 | 19 | 36 | 74 | 104 | 93 | 39 | 6 | 2 | - |
| Male | 4 | 8 | 21 | 19 | 36 | 74 | 104 | 93 | 39 | 6 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 8 | 14 | 17 | 29 | 65 | 98 | 86 | 38 | 6 | 2 | - |
| Male | - | 8 | 14 | 17 | 29 | 65 | 98 | 86 | 38 | 6 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 4 | - | 7 | 2 | 7 | 9 | 5 | 6 | 1 | - | - | - |
| Male | 4 | - | 7 | 2 | 7 | 9 | 5 | 6 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 4 | 8 | 12 | 29 | 17 | 14 | 10 | 3 | - | - |
| Male | - | 2 | 4 | 8 | 12 | 29 | 17 | 14 | 10 | 3 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | - | 5 | 8 | 23 | 13 | 12 | 9 | 2 | - | - |
| Male | - | 1 | - | 5 | 8 | 23 | 13 | 12 | 9 | 2 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | 1 | 4 | 3 | 4 | 6 | 4 | 1 | 1 | 1 | - | - |
| Male | - | 1 | 4 | 3 | 4 | 6 | 4 | 1 | 1 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 7 | 8 | 12 | 15 | 15 | 17 | 10 | 2 | - | - |
| Male | 1 | 1 | 7 | 8 | 12 | 15 | 15 | 17 | 10 | 2 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | 1 | 2 | 4 | 1 | 1 | 6 | 3 | - | - | - |
| Male | - | - | 1 | 2 | 4 | 1 | 1 | 6 | 3 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | 1 | 6 | 6 | 8 | 14 | 14 | 11 | 7 | 2 | - | - |
| Male | 1 | 1 | 6 | 6 | 8 | 14 | 14 | 11 | 7 | 2 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 21 | 45 | 85 | 171 | 290 | 377 | 497 | 437 | 221 | 49 | 6 | - |
| Male | 21 | 45 | 85 | 171 | 290 | 377 | 497 | 437 | 221 | 49 | 6 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 13 | 31 | 70 | 132 | 233 | 316 | 437 | 393 | 195 | 42 | 5 | - |
| Male | 13 | 31 | 70 | 132 | 233 | 316 | 437 | 393 | 195 | 42 | 5 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 8 | 14 | 14 | 37 | 56 | 59 | 59 | 43 | 26 | 7 | 1 | - |
| Male | 8 | 14 | 14 | 37 | 56 | 59 | 59 | 43 | 26 | 7 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | 1 | 1 | 1 | - | - | 1 | - | - | - | - |
| Male | - | - | 1 | 1 | 1 | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | 2 | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | - | 2 | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 10 | 22 | 51 | 58 | 116 | 140 | 144 | 120 | 63 | 10 | 1 | - |
| Male | 10 | 22 | 51 | 58 | 116 | 140 | 144 | 120 | 63 | 10 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | 13 | 23 | 29 | 60 | 93 | 87 | 81 | 38 | 5 | 1 | - |
| Male | 3 | 13 | 23 | 29 | 60 | 93 | 87 | 81 | 38 | 5 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 7 | 9 | 28 | 29 | 56 | 46 | 57 | 38 | 25 | 4 | - | - |
| Male | 7 | 9 | 28 | 29 | 56 | 46 | 57 | 38 | 25 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 4 | 13 | 15 | 18 | 27 | 22 | 11 | 3 | - | - |
| Male | 2 | 2 | 4 | 13 | 15 | 18 | 27 | 22 | 11 | 3 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 2 | 2 | 4 | 5 | 5 | 13 | 10 | 2 | - | - | - |
| Male | - | 2 | 2 | 4 | 5 | 5 | 13 | 10 | 2 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | 1 | 2 | - | - | 1 | - | - | - | - | - |
| Male | - | - | 1 | 2 | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 2 | - | 1 | 7 | 10 | 13 | 13 | 12 | 9 | 3 | - | - |
| Male | 2 | - | 1 | 7 | 10 | 13 | 13 | 12 | 9 | 3 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 1 | 6 | 10 | 9 | 17 | 25 | 38 | 34 | 19 | 4 | - | - |
| Male | 1 | 6 | 10 | 9 | 17 | 25 | 38 | 34 | 19 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | 6 | 10 | 8 | 17 | 25 | 38 | 34 | 19 | 4 | - | - |
| Male | 1 | 6 | 10 | 8 | 17 | 25 | 38 | 34 | 19 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 12 | 37 | 63 | 98 | 148 | 232 | 291 | 233 | 112 | 32 | 3 | - |
| Male | 12 | 37 | 63 | 98 | 148 | 232 | 291 | 233 | 112 | 32 | 3 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | 18 | 37 | 65 | 113 | 182 | 241 | 195 | 88 | 28 | 1 | - |
| Male | 4 | 18 | 37 | 65 | 113 | 182 | 241 | 195 | 88 | 28 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 8 | 18 | 25 | 32 | 35 | 49 | 48 | 37 | 21 | 4 | 2 | - |
| Male | 8 | 18 | 25 | 32 | 35 | 49 | 48 | 37 | 21 | 4 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | 1 | - | 1 | 2 | 1 | 3 | - | - | - |
| Male | - | 1 | 1 | 1 | - | 1 | 2 | 1 | 3 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 2 | 11 | 23 | 45 | 77 | 107 | 130 | 109 | 47 | 7 | - | - |
| Male | 2 | 11 | 23 | 45 | 77 | 107 | 130 | 109 | 47 | 7 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | 10 | 17 | 39 | 63 | 96 | 125 | 96 | 41 | 7 | - | - |
| Male | 2 | 10 | 17 | 39 | 63 | 96 | 125 | 96 | 41 | 7 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | 1 | 6 | 6 | 14 | 11 | 5 | 13 | 6 | - | - | - |
| Male | - | 1 | 6 | 6 | 14 | 11 | 5 | 13 | 6 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | 13 | 13 | 25 | 40 | 57 | 80 | 76 | 35 | 10 | - | - |
| Male | - | 13 | 13 | 25 | 40 | 57 | 80 | 76 | 35 | 10 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 12 | 13 | 24 | 40 | 55 | 79 | 74 | 35 | 10 | - | - |
| Male | - | 12 | 13 | 24 | 40 | 55 | 79 | 74 | 35 | 10 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | 1 | - | 1 | - | 2 | 1 | 2 | - | - | - | - |
| Male | - | 1 | - | 1 | - | 2 | 1 | 2 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | 7 | 18 | 20 | 30 | 43 | 47 | 52 | 31 | 6 | - | - |
| Male | - | 7 | 18 | 20 | 30 | 43 | 47 | 52 | 31 | 6 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 6 | 15 | 19 | 26 | 39 | 40 | 51 | 30 | 6 | - | - |
| Male | - | 6 | 15 | 19 | 26 | 39 | 40 | 51 | 30 | 6 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | 3 | 1 | 4 | 3 | 6 | 1 | 1 | - | - | - |
| Male | - | - | 3 | 1 | 4 | 3 | 6 | 1 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 7 | 14 | 24 | 28 | 56 | 78 | 96 | 74 | 34 | 4 | - | - |
| Male | 7 | 14 | 24 | 28 | 56 | 78 | 96 | 74 | 34 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 5 | 11 | 24 | 27 | 45 | 69 | 86 | 63 | 33 | 4 | - | - |
| Male | 5 | 11 | 24 | 27 | 45 | 69 | 86 | 63 | 33 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | 3 | - | 1 | 11 | 9 | 10 | 11 | 1 | - | - | - |
| Male | 2 | 3 | - | 1 | 11 | 9 | 10 | 11 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 8 | 17 | 23 | 30 | 63 | 95 | 88 | 77 | 34 | 12 | 3 | - |
| Male | 8 | 17 | 23 | 30 | 63 | 95 | 88 | 77 | 34 | 12 | 3 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | 9 | 9 | 15 | 37 | 53 | 57 | 40 | 23 | 3 | 2 | - |
| Male | 2 | 9 | 9 | 15 | 37 | 53 | 57 | 40 | 23 | 3 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 6 | 8 | 14 | 15 | 26 | 41 | 30 | 37 | 11 | 9 | 1 | - |
| Male | 6 | 8 | 14 | 15 | 26 | 41 | 30 | 37 | 11 | 9 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 4 | 4 | 8 | 6 | 21 | 30 | 25 | 33 | 21 | 2 | - | - |
| Male | 4 | 4 | 8 | 6 | 21 | 30 | 25 | 33 | 21 | 2 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | 4 | 8 | 6 | 21 | 29 | 25 | 33 | 21 | 2 | - | - |
| Male | 4 | 4 | 8 | 6 | 21 | 29 | 25 | 33 | 21 | 2 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 8 | 14 | 36 | 45 | 68 | 91 | 106 | 92 | 46 | 4 | 1 | - |
| Male | 8 | 14 | 36 | 45 | 68 | 91 | 106 | 92 | 46 | 4 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | 6 | 20 | 20 | 36 | 63 | 74 | 61 | 36 | 2 | 1 | - |
| Male | 3 | 6 | 20 | 20 | 36 | 63 | 74 | 61 | 36 | 2 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 5 | 8 | 16 | 21 | 30 | 27 | 29 | 29 | 9 | 2 | - | - |
| Male | 5 | 8 | 16 | 21 | 30 | 27 | 29 | 29 | 9 | 2 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 4 | 2 | - | 3 | 2 | 1 | - | - | - |
| Male | - | - | - | 4 | 2 | - | 3 | 2 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 4 | 13 | 22 | 36 | 53 | 118 | 146 | 142 | 60 | 25 | 1 | - |
| Male | 4 | 13 | 22 | 36 | 53 | 118 | 146 | 142 | 60 | 25 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | 12 | 20 | 35 | 52 | 114 | 135 | 133 | 57 | 23 | 1 | - |
| Male | 4 | 12 | 20 | 35 | 52 | 114 | 135 | 133 | 57 | 23 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | 2 | 1 | 1 | 4 | 10 | 7 | 2 | 1 | - | - |
| Male | - | - | 2 | 1 | 1 | 4 | 10 | 7 | 2 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | 1 | 2 | 1 | - | - | - |
| Male | - | 1 | - | - | - | - | 1 | 2 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 14 | 22 | 49 | 63 | 106 | 170 | 206 | 175 | 88 | 24 | 4 | - |
| Male | 14 | 22 | 49 | 63 | 106 | 170 | 206 | 175 | 88 | 24 | 4 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 8 | 13 | 40 | 45 | 77 | 138 | 171 | 154 | 77 | 22 | 2 | - |
| Male | 8 | 13 | 40 | 45 | 77 | 138 | 171 | 154 | 77 | 22 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 5 | 8 | 9 | 18 | 29 | 31 | 32 | 20 | 11 | 2 | 2 | - |
| Male | 5 | 8 | 9 | 18 | 29 | 31 | 32 | 20 | 11 | 2 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | 2 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 2 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | 1 | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 3 | 9 | 15 | 40 | 48 | 95 | 98 | 105 | 55 | 18 | 4 | - |
| Male | 3 | 9 | 15 | 40 | 48 | 95 | 98 | 105 | 55 | 18 | 4 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | 8 | 15 | 37 | 45 | 92 | 97 | 102 | 55 | 18 | 4 | - |
| Male | 3 | 8 | 15 | 37 | 45 | 92 | 97 | 102 | 55 | 18 | 4 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | 1 | - | 1 | 3 | 3 | 1 | 3 | - | - | - | - |
| Male | - | 1 | - | 1 | 3 | 3 | 1 | 3 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 7 | 10 | 11 | 25 | 50 | 58 | 68 | 57 | 33 | 11 | 5 | - |
| Male | 7 | 10 | 11 | 25 | 50 | 58 | 68 | 57 | 33 | 11 | 5 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | 6 | 4 | 10 | 27 | 30 | 39 | 31 | 15 | 6 | 1 | - |
| Male | 2 | 6 | 4 | 10 | 27 | 30 | 39 | 31 | 15 | 6 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 5 | 4 | 7 | 15 | 23 | 28 | 29 | 26 | 18 | 5 | 4 | - |
| Male | 5 | 4 | 7 | 15 | 23 | 28 | 29 | 26 | 18 | 5 | 4 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 5 | 22 | 27 | 38 | 72 | 106 | 123 | 111 | 44 | 16 | - | - |
| Male | 5 | 22 | 27 | 38 | 72 | 106 | 123 | 111 | 44 | 16 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | 14 | 20 | 30 | 61 | 93 | 114 | 99 | 38 | 15 | - | - |
| Male | 3 | 14 | 20 | 30 | 61 | 93 | 114 | 99 | 38 | 15 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | 8 | 7 | 8 | 11 | 13 | 9 | 12 | 6 | 1 | - | - |
| Male | 2 | 8 | 7 | 8 | 11 | 13 | 9 | 12 | 6 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 4 | 4 | 5 | 7 | 9 | 23 | 26 | 31 | 16 | 4 | - | - |
| Male | 4 | 4 | 5 | 7 | 9 | 23 | 26 | 31 | 16 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | 4 | 5 | 6 | 9 | 22 | 24 | 31 | 16 | 4 | - | - |
| Male | 4 | 4 | 5 | 6 | 9 | 22 | 24 | 31 | 16 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | 1 | - | 1 | 2 | - | - | - | - | - |
| Male | - | - | - | 1 | - | 1 | 2 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 2 | 6 | 7 | 14 | 17 | 42 | 51 | 40 | 15 | 7 | - | - |
| Male | 2 | 6 | 7 | 14 | 17 | 42 | 51 | 40 | 15 | 7 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | 5 | 7 | 12 | 16 | 41 | 51 | 40 | 15 | 7 | - | - |
| Male | 1 | 5 | 7 | 12 | 16 | 41 | 51 | 40 | 15 | 7 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | 1 | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Male | 1 | 1 | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 1 | 5 | 17 | 22 | 40 | 38 | 47 | 29 | 13 | 3 | - | - |
| Male | 1 | 5 | 17 | 22 | 40 | 38 | 47 | 29 | 13 | 3 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | 5 | 13 | 19 | 31 | 32 | 40 | 27 | 13 | 3 | - | - |
| Male | 1 | 5 | 13 | 19 | 31 | 32 | 40 | 27 | 13 | 3 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | 4 | 3 | 7 | 4 | 5 | - | - | - | - | - |
| Male | - | - | 4 | 3 | 7 | 4 | 5 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 2 | 2 | 2 | 1 | - | - | - | - |
| Male | - | - | - | - | 2 | 2 | 2 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 3 | 2 | 3 | 6 | 9 | 19 | 36 | 23 | 15 | 3 | - | - |
| Male | 3 | 2 | 3 | 6 | 9 | 19 | 36 | 23 | 15 | 3 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | 2 | 3 | 6 | 9 | 19 | 36 | 23 | 15 | 3 | - | - |
| Male | 3 | 2 | 3 | 6 | 9 | 19 | 36 | 23 | 15 | 3 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 6 | 15 | 47 | 62 | 87 | 158 | 177 | 173 | 79 | 25 | 1 | - |
| Male | 6 | 15 | 47 | 62 | 87 | 158 | 177 | 173 | 79 | 25 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 5 | 10 | 33 | 48 | 60 | 122 | 150 | 155 | 72 | 21 | 1 | - |
| Male | 5 | 10 | 33 | 48 | 60 | 122 | 150 | 155 | 72 | 21 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | 5 | 13 | 14 | 26 | 34 | 25 | 15 | 6 | 4 | - | - |
| Male | 1 | 5 | 13 | 14 | 26 | 34 | 25 | 15 | 6 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | 1 | 1 | 2 | 3 | 1 | - | - | - |
| Male | - | - | 1 | - | 1 | 1 | 2 | 3 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 1 | 3 | 14 | 21 | 25 | 36 | 40 | 35 | 16 | 3 | - | - |
| Male | 1 | 3 | 14 | 21 | 25 | 36 | 40 | 35 | 16 | 3 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | 3 | 12 | 19 | 22 | 34 | 35 | 35 | 14 | 3 | - | - |
| Male | 1 | 3 | 12 | 19 | 22 | 34 | 35 | 35 | 14 | 3 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | 1 | 1 | 2 | - | - | - | - | - |
| Male | - | - | - | - | 1 | 1 | 2 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | 2 | 2 | 2 | 1 | 3 | - | 2 | - | - | - |
| Male | - | - | 2 | 2 | 2 | 1 | 3 | - | 2 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| New York | | | | | | | | | | | | |
| All races, both sexes | 17 | 46 | 85 | 148 | 228 | 291 | 415 | 336 | 168 | 44 | 5 | - |
| Male | 17 | 46 | 85 | 148 | 228 | 291 | 415 | 336 | 168 | 44 | 5 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 12 | 24 | 47 | 97 | 159 | 229 | 341 | 293 | 148 | 36 | 3 | - |
| Male | 12 | 24 | 47 | 97 | 159 | 229 | 341 | 293 | 148 | 36 | 3 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 5 | 19 | 38 | 48 | 67 | 60 | 71 | 40 | 17 | 8 | 2 | - |
| Male | 5 | 19 | 38 | 48 | 67 | 60 | 71 | 40 | 17 | 8 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | 3 | - | 3 | 2 | 2 | 3 | 2 | 3 | - | - | - |
| Male | - | 3 | - | 3 | 2 | 2 | 3 | 2 | 3 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 10 | 21 | 52 | 72 | 103 | 155 | 160 | 136 | 60 | 15 | 1 | - |
| Male | 10 | 21 | 52 | 72 | 103 | 155 | 160 | 136 | 60 | 15 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | 9 | 36 | 48 | 61 | 106 | 111 | 103 | 41 | 11 | - | - |
| Male | 3 | 9 | 36 | 48 | 61 | 106 | 111 | 103 | 41 | 11 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 6 | 11 | 16 | 22 | 41 | 48 | 47 | 33 | 18 | 3 | 1 | - |
| Male | 6 | 11 | 16 | 22 | 41 | 48 | 47 | 33 | 18 | 3 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | 1 | - | 1 | 1 | 1 | 2 | - | 1 | - | - | - |
| Male | 1 | 1 | - | 1 | 1 | 1 | 2 | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | 6 | 10 | 21 | 13 | 17 | 13 | 5 | - | - |
| Male | 1 | - | 1 | 6 | 10 | 21 | 13 | 17 | 13 | 5 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | 1 | 6 | 10 | 20 | 13 | 17 | 13 | 5 | - | - |
| Male | 1 | - | 1 | 6 | 10 | 20 | 13 | 17 | 13 | 5 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 20 | 35 | 56 | 107 | 159 | 238 | 294 | 229 | 117 | 17 | 2 | - |
| Male | 20 | 35 | 56 | 107 | 159 | 238 | 294 | 229 | 117 | 17 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 16 | 27 | 35 | 86 | 120 | 202 | 245 | 199 | 102 | 15 | 2 | - |
| Male | 16 | 27 | 35 | 86 | 120 | 202 | 245 | 199 | 102 | 15 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 4 | 8 | 21 | 20 | 39 | 36 | 49 | 30 | 15 | 2 | - | - |
| Male | 4 | 8 | 21 | 20 | 39 | 36 | 49 | 30 | 15 | 2 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 7 | 8 | 24 | 27 | 43 | 69 | 74 | 58 | 27 | 7 | - | - |
| Male | 7 | 8 | 24 | 27 | 43 | 69 | 74 | 58 | 27 | 7 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 5 | 5 | 21 | 25 | 37 | 63 | 58 | 50 | 25 | 6 | - | - |
| Male | 5 | 5 | 21 | 25 | 37 | 63 | 58 | 50 | 25 | 6 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | 3 | 3 | 1 | 2 | 5 | 9 | 5 | 2 | 1 | - | - |
| Male | - | 3 | 3 | 1 | 2 | 5 | 9 | 5 | 2 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 2 | - | - | 1 | 4 | 1 | 7 | 3 | - | - | - | - |
| Male | 2 | - | - | 1 | 4 | 1 | 7 | 3 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 3 | 18 | 16 | 35 | 51 | 76 | 94 | 78 | 42 | 8 | 2 | - |
| Male | 3 | 18 | 16 | 35 | 51 | 76 | 94 | 78 | 42 | 8 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | 18 | 15 | 32 | 49 | 74 | 90 | 75 | 41 | 8 | 2 | - |
| Male | 3 | 18 | 15 | 32 | 49 | 74 | 90 | 75 | 41 | 8 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | 2 | 1 | - | 3 | - | 1 | - | - | - |
| Male | - | - | - | 2 | 1 | - | 3 | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | 1 | - | 1 | 1 | 3 | - | - | - | - |
| Male | - | - | - | 1 | - | 1 | 1 | 3 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | - | 1 | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 11 | 39 | 54 | 115 | 174 | 259 | 360 | 286 | 154 | 26 | 2 | - |
| Male | 11 | 39 | 54 | 115 | 174 | 259 | 360 | 286 | 154 | 26 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 9 | 29 | 44 | 91 | 143 | 233 | 314 | 265 | 144 | 24 | 2 | - |
| Male | 9 | 29 | 44 | 91 | 143 | 233 | 314 | 265 | 144 | 24 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | 10 | 8 | 24 | 31 | 25 | 44 | 21 | 10 | 2 | - | - |
| Male | 2 | 10 | 8 | 24 | 31 | 25 | 44 | 21 | 10 | 2 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | 1 | 2 | - | - | - | - | - |
| Male | - | - | 1 | - | - | 1 | 2 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 3 | 6 | 17 | 27 | 33 | 18 | 14 | 6 | 1 | - |
| Male | 1 | 2 | 3 | 6 | 17 | 27 | 33 | 18 | 14 | 6 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | 3 | 5 | 15 | 26 | 31 | 16 | 14 | 5 | 1 | - |
| Male | - | 1 | 3 | 5 | 15 | 26 | 31 | 16 | 14 | 5 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | 1 | - | 1 | 2 | 1 | 2 | 1 | - | - | - | - |
| Male | - | 1 | - | 1 | 2 | 1 | 2 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 7 | 7 | 32 | 36 | 62 | 87 | 96 | 95 | 33 | 6 | 1 | - |
| Male | 7 | 7 | 32 | 36 | 62 | 87 | 96 | 95 | 33 | 6 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | 3 | 10 | 18 | 37 | 53 | 59 | 62 | 18 | 4 | - | - |
| Male | 3 | 3 | 10 | 18 | 37 | 53 | 59 | 62 | 18 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 4 | 3 | 22 | 18 | 25 | 34 | 37 | 33 | 15 | 2 | 1 | - |
| Male | 4 | 3 | 22 | 18 | 25 | 34 | 37 | 33 | 15 | 2 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | 5 | 4 | 2 | 8 | 19 | 29 | 13 | 9 | 1 | 1 | - |
| Male | 1 | 5 | 4 | 2 | 8 | 19 | 29 | 13 | 9 | 1 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | 5 | 4 | 2 | 8 | 19 | 29 | 13 | 9 | 1 | 1 | - |
| Male | 1 | 5 | 4 | 2 | 8 | 19 | 29 | 13 | 9 | 1 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 9 | 19 | 31 | 41 | 80 | 111 | 129 | 108 | 50 | 13 | 1 | - |
| Male | 9 | 19 | 31 | 41 | 80 | 111 | 129 | 108 | 50 | 13 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 7 | 16 | 25 | 33 | 52 | 81 | 102 | 89 | 37 | 5 | - | - |
| Male | 7 | 16 | 25 | 33 | 52 | 81 | 102 | 89 | 37 | 5 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | 3 | 6 | 8 | 28 | 30 | 27 | 19 | 13 | 8 | 1 | - |
| Male | 1 | 3 | 6 | 8 | 28 | 30 | 27 | 19 | 13 | 8 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 17 | 47 | 91 | 151 | 233 | 307 | 335 | 281 | 156 | 34 | 3 | - |
| Male | 17 | 47 | 91 | 151 | 233 | 307 | 335 | 281 | 156 | 34 | 3 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 15 | 38 | 73 | 112 | 190 | 251 | 280 | 250 | 134 | 32 | 2 | - |
| Male | 15 | 38 | 73 | 112 | 190 | 251 | 280 | 250 | 134 | 32 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | 6 | 16 | 37 | 43 | 52 | 53 | 30 | 21 | 2 | 1 | - |
| Male | 2 | 6 | 16 | 37 | 43 | 52 | 53 | 30 | 21 | 2 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | 2 | 2 | 2 | - | 4 | 2 | 1 | 1 | - | - | - |
| Male | - | 2 | 2 | 2 | - | 4 | 2 | 1 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 4 | 18 | 15 | 22 | 44 | 34 | 21 | 7 | 1 | - |
| Male | - | 2 | 4 | 18 | 15 | 22 | 44 | 34 | 21 | 7 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 2 | 4 | 18 | 15 | 21 | 43 | 34 | 20 | 7 | 1 | - |
| Male | - | 2 | 4 | 18 | 15 | 21 | 43 | 34 | 20 | 7 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 6 | 6 | 5 | 6 | 18 | 7 | 10 | 1 | - | - |
| Male | - | 1 | 6 | 6 | 5 | 6 | 18 | 7 | 10 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | 6 | 6 | 5 | 6 | 17 | 7 | 10 | 1 | - | - |
| Male | - | 1 | 6 | 6 | 5 | 6 | 17 | 7 | 10 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 12 | 22 | 29 | 60 | 95 | 135 | 159 | 129 | 69 | 8 | 1 | - |
| Male | 12 | 22 | 29 | 60 | 95 | 135 | 159 | 129 | 69 | 8 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 7 | 16 | 20 | 32 | 61 | 104 | 116 | 96 | 57 | 4 | 1 | - |
| Male | 7 | 16 | 20 | 32 | 61 | 104 | 116 | 96 | 57 | 4 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 5 | 5 | 9 | 28 | 33 | 31 | 42 | 31 | 12 | 4 | - | - |
| Male | 5 | 5 | 9 | 28 | 33 | 31 | 42 | 31 | 12 | 4 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | 1 | - | 1 | 1 | - | - | - | - |
| Male | - | 1 | - | - | 1 | - | 1 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 6 | 22 | 28 | 49 | 51 | 99 | 144 | 124 | 76 | 16 | 3 | - |
| Male | 6 | 22 | 28 | 49 | 51 | 99 | 144 | 124 | 76 | 16 | 3 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | 20 | 24 | 47 | 49 | 90 | 133 | 119 | 71 | 15 | 3 | - |
| Male | 4 | 20 | 24 | 47 | 49 | 90 | 133 | 119 | 71 | 15 | 3 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | 2 | 2 | 1 | 1 | 5 | 6 | 5 | - | - | - | - |
| Male | 2 | 2 | 2 | 1 | 1 | 5 | 6 | 5 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | 2 | - | - | 1 | 2 | - | - | - | - | - |
| Male | - | - | 2 | - | - | 1 | 2 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | 1 | 3 | 3 | - | 5 | 1 | - | - |
| Male | - | - | - | 1 | 1 | 3 | 3 | - | 5 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | 8 | 7 | 22 | 29 | 34 | 33 | 34 | 18 | 4 | 2 | - |
| Male | - | 8 | 7 | 22 | 29 | 34 | 33 | 34 | 18 | 4 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 6 | 7 | 20 | 26 | 30 | 32 | 33 | 18 | 4 | 2 | - |
| Male | - | 6 | 7 | 20 | 26 | 30 | 32 | 33 | 18 | 4 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | 2 | - | 2 | 3 | 4 | 1 | 1 | - | - | - | - |
| Male | - | 2 | - | 2 | 3 | 4 | 1 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of prostate (C61) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 7 | 13 | 25 | 46 | 66 | 120 | 151 | 123 | 62 | 15 | 1 | - |
| Male | 7 | 13 | 25 | 46 | 66 | 120 | 151 | 123 | 62 | 15 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 6 | 12 | 23 | 43 | 61 | 115 | 143 | 120 | 60 | 15 | 1 | - |
| Male | 6 | 12 | 23 | 43 | 61 | 115 | 143 | 120 | 60 | 15 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | 1 | 2 | 2 | 5 | 5 | 8 | 3 | 1 | - | - | - |
| Male | 1 | 1 | 2 | 2 | 5 | 5 | 8 | 3 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 1 | 3 | - | 1 | 4 | 5 | 11 | 4 | 4 | - | - | - |
| Male | 1 | 3 | - | 1 | 4 | 5 | 11 | 4 | 4 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | 3 | - | 1 | 4 | 5 | 11 | 4 | 4 | - | - | - |
| Male | 1 | 3 | - | 1 | 4 | 5 | 11 | 4 | 4 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 359 | - | - | - | 2 | 11 | 34 | 41 | 32 | 33 | 53 | 44 |
| Male | 359 | - | - | - | 2 | 11 | 34 | 41 | 32 | 33 | 53 | 44 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 313 | - | - | - | 1 | 10 | 26 | 37 | 29 | 28 | 45 | 39 |
| Male | 313 | - | - | - | 1 | 10 | 26 | 37 | 29 | 28 | 45 | 39 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 32 | - | - | - | - | 1 | 5 | 3 | 2 | 4 | 5 | 5 |
| Male | 32 | - | - | - | - | 1 | 5 | 3 | 2 | 4 | 5 | 5 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 3 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| Male | 3 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 11 | - | - | - | - | - | 3 | 1 | 1 | 1 | 2 | - |
| Male | 11 | - | - | - | - | - | 3 | 1 | 1 | 1 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | 3 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Male | 7 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 6 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Male | 6 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | 1 | - | - | 1 | - | 1 |
| Male | 4 | - | - | - | - | - | 1 | - | - | 1 | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | - | - | - | - | - | 1 | - | - | 1 | - | 1 |
| Male | 3 | - | - | - | - | - | 1 | - | - | 1 | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| California | | | | | | | | | | | | |
| All races, both sexes | 71 | - | - | - | - | 6 | 12 | 8 | 7 | 7 | 8 | 8 |
| Male | 71 | - | - | - | - | 6 | 12 | 8 | 7 | 7 | 8 | 8 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 64 | - | - | - | - | 6 | 10 | 8 | 7 | 5 | 8 | 7 |
| Male | 64 | - | - | - | - | 6 | 10 | 8 | 7 | 5 | 8 | 7 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | 2 | - | - | 1 | - | - |
| Male | 4 | - | - | - | - | - | 2 | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | 1 | 1 | 1 | - | 1 | - |
| Male | 8 | - | - | - | - | - | 1 | 1 | 1 | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 8 | - | - | - | - | - | 1 | 1 | 1 | - | 1 | - |
| Male | 8 | - | - | - | - | - | 1 | 1 | 1 | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Male | 4 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Male | 3 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 18 | - | - | - | - | - | - | 1 | 3 | 1 | - | 3 |
| Male | 18 | - | - | - | - | - | - | 1 | 3 | 1 | - | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 16 | - | - | - | - | - | - | 1 | 2 | 1 | - | 3 |
| Male | 16 | - | - | - | - | - | - | 1 | 2 | 1 | - | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | 2 | - | 1 | 2 | 1 |
| Male | 6 | - | - | - | - | - | - | 2 | - | 1 | 2 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | - | - | - | - | - | - | 2 | - | - | 1 | 1 |
| Male | 4 | - | - | - | - | - | - | 2 | - | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 15 | - | - | - | - | - | 1 | 1 | 2 | 3 | 1 | 3 |
| Male | 15 | - | - | - | - | - | 1 | 1 | 2 | 3 | 1 | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 14 | - | - | - | - | - | 1 | 1 | 2 | 3 | 1 | 2 |
| Male | 14 | - | - | - | - | - | 1 | 1 | 2 | 3 | 1 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | 1 | - | 2 | - |
| Male | 6 | - | - | - | - | - | - | - | 1 | - | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 6 | - | - | - | - | - | - | - | 1 | - | 2 | - |
| Male | 6 | - | - | - | - | - | - | - | 1 | - | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | 1 | - | 2 | - | - | - |
| Male | 5 | - | - | - | - | - | 1 | - | 2 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 5 | - | - | - | - | - | 1 | - | 2 | - | - | - |
| Male | 5 | - | - | - | - | - | 1 | - | 2 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | 3 | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | 3 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | 1 | 2 | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | 1 | 2 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | 1 | 2 | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | 1 | 2 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | 1 | - | - | - | 1 | 1 |
| Male | 4 | - | - | - | - | - | 1 | - | - | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | 1 | 1 | - | 1 | 1 |
| Male | 8 | - | - | - | - | - | - | 1 | 1 | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 8 | - | - | - | - | - | - | 1 | 1 | - | 1 | 1 |
| Male | 8 | - | - | - | - | - | - | 1 | 1 | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | 1 | - | - | 1 | 2 | 1 |
| Male | 6 | - | - | - | - | - | 1 | - | - | 1 | 2 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | 2 | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | 2 | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | - | - | - | - | - | - | 2 | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | 2 | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | 1 | 1 | 1 | - | - | 2 | - |
| Male | 8 | - | - | - | - | 1 | 1 | 1 | - | - | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 8 | - | - | - | - | 1 | 1 | 1 | - | - | 2 | - |
| Male | 8 | - | - | - | - | 1 | 1 | 1 | - | - | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | 2 | - | 2 | 1 | - | - |
| Male | 8 | - | - | - | - | - | 2 | - | 2 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 7 | - | - | - | - | - | 2 | - | 1 | 1 | - | - |
| Male | 7 | - | - | - | - | - | 2 | - | 1 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | 2 | 1 | - | 1 | 1 |
| Male | 5 | - | - | - | - | - | - | 2 | 1 | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 5 | - | - | - | - | - | - | 2 | 1 | - | 1 | 1 |
| Male | 5 | - | - | - | - | - | - | 2 | 1 | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| New York | | | | | | | | | | | | |
| All races, both sexes | 19 | - | - | - | - | - | 2 | 4 | 1 | 2 | 3 | 2 |
| Male | 19 | - | - | - | - | - | 2 | 4 | 1 | 2 | 3 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 14 | - | - | - | - | - | 1 | 3 | 1 | 2 | 2 | 1 |
| Male | 14 | - | - | - | - | - | 1 | 3 | 1 | 2 | 2 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Male | 3 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 10 | - | - | - | 1 | - | 1 | - | 1 | 1 | 2 | 2 |
| Male | 10 | - | - | - | 1 | - | 1 | - | 1 | 1 | 2 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 10 | - | - | - | 1 | - | 1 | - | 1 | 1 | 2 | 2 |
| Male | 10 | - | - | - | 1 | - | 1 | - | 1 | 1 | 2 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 13 | - | - | - | - | - | 1 | 2 | 1 | - | 2 | 3 |
| Male | 13 | - | - | - | - | - | 1 | 2 | 1 | - | 2 | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 11 | - | - | - | - | - | 1 | 2 | - | - | 1 | 3 |
| Male | 11 | - | - | - | - | - | 1 | 2 | - | - | 1 | 3 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | 1 | 2 | - |
| Male | 3 | - | - | - | - | - | - | - | - | 1 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | 1 | 2 | - |
| Male | 3 | - | - | - | - | - | - | - | - | 1 | 2 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | 1 | - | 2 | - | - | 1 | - |
| Male | 4 | - | - | - | - | 1 | - | 2 | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | - | - | - | - | 1 | - | 2 | - | - | 1 | - |
| Male | 4 | - | - | - | - | 1 | - | 2 | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | 3 | - | 1 | 1 | 3 | 2 |
| Male | 17 | - | - | - | - | - | 3 | - | 1 | 1 | 3 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 16 | - | - | - | - | - | 2 | - | 1 | 1 | 3 | 2 |
| Male | 16 | - | - | - | - | - | 2 | - | 1 | 1 | 3 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | 1 | - | 1 | - | 1 |
| Male | 3 | - | - | - | - | - | - | 1 | - | 1 | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | - | - | - | - | - | - | 1 | - | 1 | - | 1 |
| Male | 3 | - | - | - | - | - | - | 1 | - | 1 | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | 1 | - | 1 | - | 1 |
| Male | 6 | - | - | - | - | - | - | 1 | - | 1 | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 4 | - | - | - | - | - | - | 1 | - | 1 | - | 1 |
| Male | 4 | - | - | - | - | - | - | 1 | - | 1 | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | 1 | - | - | 2 | 2 |
| Male | 9 | - | - | - | - | - | - | 1 | - | - | 2 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Male | 8 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 30 | - | - | - | - | 1 | 3 | 7 | 3 | 4 | 3 | 2 |
| Male | 30 | - | - | - | - | 1 | 3 | 7 | 3 | 4 | 3 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 27 | - | - | - | - | - | 2 | 6 | 3 | 4 | 3 | 2 |
| Male | 27 | - | - | - | - | - | 2 | 6 | 3 | 4 | 3 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | 2 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | 1 | - | - | 2 | 2 | - | 1 |
| Male | 6 | - | - | - | - | 1 | - | - | 2 | 2 | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 6 | - | - | - | - | 1 | - | - | 2 | 2 | - | 1 |
| Male | 6 | - | - | - | - | 1 | - | - | 2 | 2 | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | 1 | 1 | - | - | - | - | 1 | - |
| Male | 4 | - | - | - | 1 | 1 | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | - | - | - | - | 1 | - | - | - | - | 1 | - |
| Male | 3 | - | - | - | - | 1 | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | 1 | - | 2 | - | - |
| Male | 5 | - | - | - | - | - | - | 1 | - | 2 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Male | 4 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 32 | 24 | 10 | 12 | 5 | 8 | 7 | 6 | 4 | - | 1 | - |
| Male | 32 | 24 | 10 | 12 | 5 | 8 | 7 | 6 | 4 | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 29 | 21 | 10 | 9 | 5 | 7 | 7 | 6 | 3 | - | 1 | - |
| Male | 29 | 21 | 10 | 9 | 5 | 7 | 7 | 6 | 3 | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | 1 | - | 2 | - | 1 | - | - | 1 | - | - | - |
| Male | 2 | 1 | - | 2 | - | 1 | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | 2 | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | 2 | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | 1 | 1 | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| California | | | | | | | | | | | | |
| All races, both sexes | 4 | - | 3 | 3 | 3 | 1 | - | 1 | - | - | - | - |
| Male | 4 | - | 3 | 3 | 3 | 1 | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | - | 3 | 2 | 3 | 1 | - | 1 | - | - | - | - |
| Male | 3 | - | 3 | 2 | 3 | 1 | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 2 | - | 1 | - | - | - | - | - | 1 | - | - | - |
| Male | 2 | - | 1 | - | - | - | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | 1 | - | - | - | - | - | 1 | - | - | - |
| Male | 2 | - | 1 | - | - | - | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 3 | 2 | 1 | 1 | 1 | - | - | 1 | 1 | - | - | - |
| Male | 3 | 2 | 1 | 1 | 1 | - | - | 1 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | 2 | 1 | 1 | 1 | - | - | 1 | - | - | - | - |
| Male | 3 | 2 | 1 | 1 | 1 | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | 2 | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | 2 | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | - | - | - | - | - | 1 | - | - | - |
| Male | 1 | 1 | - | - | - | - | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | 1 | - | - | - | - | - | - | 1 | - | - | - |
| Male | 1 | 1 | - | - | - | - | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 1 | - | - | - | - | - | - | - | - | - |
| Male | 1 | 2 | 1 | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | 2 | 1 | - | - | - | - | - | - | - | - | - |
| Male | 1 | 2 | 1 | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | 2 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | 2 | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | 2 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | - | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | - | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | 1 | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | 1 | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| New York | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | 1 | 2 | - | - | 1 | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | 1 | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | 1 | 1 | - | - | 1 | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | 2 | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | 2 | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | 2 | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | 2 | - | - | 2 | - | - | - | - | - |
| Male | 3 | - | - | 2 | - | - | 2 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | - | - | 2 | - | - | 2 | - | - | - | - | - |
| Male | 3 | - | - | 2 | - | - | 2 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | - | - | - | - | 1 | - | - | - | - | - |
| Male | 1 | 2 | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | 2 | - | - | - | - | 1 | - | - | - | - | - |
| Male | 1 | 2 | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 1 | - | - | 1 | 1 | - | - | - | - | - |
| Male | 2 | 2 | 1 | - | - | 1 | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | 2 | 1 | - | - | 1 | 1 | - | - | - | - | - |
| Male | 2 | 2 | 1 | - | - | 1 | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of testis (C62) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 250 | - | - | - | - | - | - | - | 1 | 2 | 8 | 14 |
| Male | 250 | - | - | - | - | - | - | - | 1 | 2 | 8 | 14 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 216 | - | - | - | - | - | - | - | 1 | 2 | 7 | 13 |
| Male | 216 | - | - | - | - | - | - | - | 1 | 2 | 7 | 13 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 31 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 31 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| California | | | | | | | | | | | | |
| All races, both sexes | 29 | - | - | - | - | - | - | - | 1 | - | 3 | 1 |
| Male | 29 | - | - | - | - | - | - | - | 1 | - | 3 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 26 | - | - | - | - | - | - | - | 1 | - | 2 | 1 |
| Male | 26 | - | - | - | - | - | - | - | 1 | - | 2 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 27 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Male | 27 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 23 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Male | 23 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| New York | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 17 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 15 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 15 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 20 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 20 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 18 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 18 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 18 | 18 | 22 | 26 | 24 | 40 | 37 | 27 | 9 | 3 | 1 | - |
| Male | 18 | 18 | 22 | 26 | 24 | 40 | 37 | 27 | 9 | 3 | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 16 | 12 | 18 | 22 | 21 | 38 | 32 | 22 | 9 | 3 | - | - |
| Male | 16 | 12 | 18 | 22 | 21 | 38 | 32 | 22 | 9 | 3 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 2 | 5 | 4 | 3 | 3 | 2 | 4 | 5 | - | - | 1 | - |
| Male | 2 | 5 | 4 | 3 | 3 | 2 | 4 | 5 | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | 1 | 1 | 1 | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | 1 | 1 | 2 | 1 | - | - | - | - |
| Male | - | 1 | - | - | 1 | 1 | 2 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | - | - | 1 | 1 | 2 | 1 | - | - | - | - |
| Male | - | 1 | - | - | 1 | 1 | 2 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| California | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 5 | 1 | 2 | 4 | 5 | 3 | - | - | - | - |
| Male | 2 | 2 | 5 | 1 | 2 | 4 | 5 | 3 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | 2 | 4 | 1 | 2 | 4 | 5 | 2 | - | - | - | - |
| Male | 2 | 2 | 4 | 1 | 2 | 4 | 5 | 2 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 3 | 3 | 1 | 3 | 2 | 5 | 2 | 2 | 1 | 1 | - | - |
| Male | 3 | 3 | 1 | 3 | 2 | 5 | 2 | 2 | 1 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | 1 | - | 3 | 2 | 5 | 2 | 2 | 1 | 1 | - | - |
| Male | 2 | 1 | - | 3 | 2 | 5 | 2 | 2 | 1 | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | 1 | 2 | 1 | - | - | - | - | - | - | - | - | - |
| Male | 1 | 2 | 1 | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | - | - | 2 | - | 1 | - | - | 1 | - |
| Male | 1 | 1 | - | - | - | 2 | - | 1 | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | 1 | - | - | - | 2 | - | - | - | - | - | - |
| Male | 1 | 1 | - | - | - | 2 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | 2 | 2 | - | - | - | - | - | - |
| Male | - | - | - | 1 | 2 | 2 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | 2 | 2 | - | - | - | - | - | - |
| Male | - | - | - | - | 2 | 2 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 2 | 2 | - | - | 1 | - | - | - | - |
| Male | - | - | 1 | 2 | 2 | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | 1 | 2 | 1 | - | - | 1 | - | - | - | - |
| Male | - | - | 1 | 2 | 1 | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | 2 | - | 1 | 1 | - | - | 1 | - | - | - | - |
| Male | - | 2 | - | 1 | 1 | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 2 | - | 1 | 1 | - | - | 1 | - | - | - | - |
| Male | - | 2 | - | 1 | 1 | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | 1 | 1 | - | - | 1 | - | - |
| Male | - | - | - | - | 1 | 1 | 1 | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | 1 | 1 | 1 | - | - | 1 | - | - |
| Male | - | - | - | - | 1 | 1 | 1 | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | - | 2 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 2 | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | 2 | 1 | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | 2 | 1 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | 2 | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | 2 | 1 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | 2 | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | - | 2 | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | 2 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 2 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | 1 | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | 1 | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 2 | 2 | 1 | - | 3 | 1 | 1 | - | - | - |
| Male | 1 | - | 2 | 2 | 1 | - | 3 | 1 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | 1 | 2 | 1 | - | 3 | - | 1 | - | - | - |
| Male | 1 | - | 1 | 2 | 1 | - | 3 | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | 2 | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | 2 | 1 | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | 1 | 2 | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | 2 | 1 | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | - | - | 2 | 1 | - | 2 | 1 | 1 | - | - | - | - |
| Male | - | - | 2 | 1 | - | 2 | 1 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | 2 | 1 | - | 2 | 1 | 1 | - | - | - | - |
| Male | - | - | 2 | 1 | - | 2 | 1 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| New York | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | 2 | 1 | 2 | 4 | 2 | 1 | - | - | - |
| Male | 2 | - | - | 2 | 1 | 2 | 4 | 2 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 2 | - | - | 1 | 1 | 1 | 4 | 2 | 1 | - | - | - |
| Male | 2 | - | - | 1 | 1 | 1 | 4 | 2 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | - | 1 | - | 2 | 2 | 1 | - | - | - |
| Male | - | 1 | 1 | - | 1 | - | 2 | 2 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | 1 | - | 1 | - | 1 | - | 1 | - | - | - |
| Male | - | 1 | 1 | - | 1 | - | 1 | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | 1 | 2 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | 2 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 2 | 1 | - | - | 1 | 1 | 1 | - | - | - |
| Male | - | 1 | 2 | 1 | - | - | 1 | 1 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | 2 | 1 | - | - | 1 | 1 | 1 | - | - | - |
| Male | - | 1 | 2 | 1 | - | - | 1 | 1 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | 1 | - | - | 1 | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | 1 | - | 1 | - | - | 1 | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | 1 | - | 3 | 3 | 1 | 1 | - | - | - |
| Male | 1 | - | 1 | 1 | - | 3 | 3 | 1 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | 1 | 1 | - | 3 | 3 | 1 | 1 | - | - | - |
| Male | 1 | - | 1 | 1 | - | 3 | 3 | 1 | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | 1 | - | 1 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | 1 | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | 1 | - | 1 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 1 | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | 1 | - | 1 | 1 | 1 | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | 1 | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 5 | 1 | 1 | 3 | 3 | 3 | 1 | 1 | - | - | - | - |
| Male | 5 | 1 | 1 | 3 | 3 | 3 | 1 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 5 | 1 | 1 | 3 | 2 | 3 | 1 | 1 | - | - | - | - |
| Male | 5 | 1 | 1 | 3 | 2 | 3 | 1 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | - | - | 1 | 2 | 1 | - | - | - | - |
| Male | 1 | 1 | - | - | - | 1 | 2 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | 1 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | - | 1 | 2 | - | - | - | - |
| Male | - | 1 | - | - | - | - | 1 | 2 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | 1 | - | - | - | - | 1 | 2 | - | - | - | - |
| Male | - | 1 | - | - | - | - | 1 | 2 | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | 2 | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | - | 2 | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | 1 | - | 2 | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | - | 2 | 1 | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of penis and other and unspecified male genital organs (C60,C63) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 26,404 | 8 | 16 | 20 | 10 | 8 | 9 | 22 | 43 | 115 | 305 | 678 |
| Male | 17,304 | 4 | 9 | 9 | 4 | 5 | 6 | 12 | 33 | 65 | 200 | 465 |
| Female | 9,100 | 4 | 7 | 11 | 6 | 3 | 3 | 10 | 10 | 50 | 105 | 213 |
| White, both sexes | 23,761 | 7 | 12 | 16 | 5 | 5 | 2 | 12 | 25 | 94 | 254 | 563 |
| Male | 15,718 | 3 | 8 | 7 | - | 2 | 2 | 6 | 19 | 55 | 162 | 395 |
| Female | 8,043 | 4 | 4 | 9 | 5 | 3 | - | 6 | 6 | 39 | 92 | 168 |
| Black, both sexes | 2,170 | - | 2 | 4 | 5 | 3 | 7 | 8 | 16 | 18 | 43 | 98 |
| Male | 1,288 | - | - | 2 | 4 | 3 | 4 | 5 | 13 | 9 | 33 | 59 |
| Female | 882 | - | 2 | 2 | 1 | - | 3 | 3 | 3 | 9 | 10 | 39 |
| American Indian 1/, both sexes | 119 | - | - | - | - | - | - | 1 | 1 | 2 | 4 | 5 |
| Male | 78 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 3 |
| Female | 41 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| Asian or Pacific Islander 2/, both sexes | 354 | 1 | 2 | - | - | - | - | 1 | 1 | 1 | 4 | 12 |
| Male | 220 | 1 | 1 | - | - | - | - | - | - | - | 3 | 8 |
| Female | 134 | - | 1 | - | - | - | - | 1 | 1 | 1 | 1 | 4 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 384 | - | - | 1 | - | - | - | 1 | - | 3 | 3 | 14 |
| Male | 266 | - | - | - | - | - | - | - | - | 1 | 3 | 10 |
| Female | 118 | - | - | 1 | - | - | - | 1 | - | 2 | - | 4 |
| White, both sexes | 321 | - | - | 1 | - | - | - | 1 | - | 2 | 3 | 11 |
| Male | 224 | - | - | - | - | - | - | - | - | - | 3 | 8 |
| Female | 97 | - | - | 1 | - | - | - | 1 | - | 2 | - | 3 |
| Black, both sexes | 63 | - | - | - | - | - | - | - | - | 1 | - | 3 |
| Male | 42 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Female | 21 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 29 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| Male | 24 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | 5 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| White, both sexes | 26 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| Male | 21 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | 5 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 508 | - | - | - | - | - | - | - | 1 | 4 | 2 | 13 |
| Male | 342 | - | - | - | - | - | - | - | 1 | 2 | - | 4 |
| Female | 166 | - | - | - | - | - | - | - | - | 2 | 2 | 9 |
| White, both sexes | 485 | - | - | - | - | - | - | - | - | 4 | 2 | 12 |
| Male | 324 | - | - | - | - | - | - | - | - | 2 | - | 4 |
| Female | 161 | - | - | - | - | - | - | - | - | 2 | 2 | 8 |
| Black, both sexes | 6 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 16 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 260 | - | - | 1 | - | - | - | - | 1 | 1 | 3 | 9 |
| Male | 167 | - | - | 1 | - | - | - | - | - | - | 2 | 5 |
| Female | 93 | - | - | - | - | - | - | - | 1 | 1 | 1 | 4 |
| White, both sexes | 226 | - | - | 1 | - | - | - | - | - | 1 | 3 | 8 |
| Male | 145 | - | - | 1 | - | - | - | - | - | - | 2 | 5 |
| Female | 81 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| Black, both sexes | 32 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 20 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 12 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 2,653 | - | 3 | 2 | - | 1 | - | 2 | 4 | 10 | 30 | 59 |
| Male | 1,770 | - | 2 | 1 | - | 1 | - | - | 4 | 5 | 19 | 43 |
| Female | 883 | - | 1 | 1 | - | - | - | 2 | - | 5 | 11 | 16 |
| White, both sexes | 2,337 | - | 3 | 2 | - | 1 | - | - | 2 | 7 | 26 | 49 |
| Male | 1,567 | - | 2 | 1 | - | 1 | - | - | 2 | 4 | 16 | 36 |
| Female | 770 | - | 1 | 1 | - | - | - | - | - | 3 | 10 | 13 |
| Black, both sexes | 159 | - | - | - | - | - | - | 1 | 1 | 1 | 3 | 5 |
| Male | 99 | - | - | - | - | - | - | - | 1 | - | 2 | 3 |
| Female | 60 | - | - | - | - | - | - | 1 | - | 1 | 1 | 2 |
| American Indian 1/, both sexes | 18 | - | - | - | - | - | - | - | 1 | 2 | - | - |
| Male | 12 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | 139 | - | - | - | - | - | - | 1 | - | - | 1 | 5 |
| Male | 92 | - | - | - | - | - | - | - | - | - | 1 | 4 |
| Female | 47 | - | - | - | - | - | - | 1 | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 333 | - | - | - | 1 | - | - | - | - | 3 | 5 | 13 |
| Male | 212 | - | - | - | - | - | - | - | - | 2 | 3 | 8 |
| Female | 121 | - | - | - | 1 | - | - | - | - | 1 | 2 | 5 |
| White, both sexes | 324 | - | - | - | 1 | - | - | - | - | 3 | 5 | 12 |
| Male | 207 | - | - | - | - | - | - | - | - | 2 | 3 | 7 |
| Female | 117 | - | - | - | 1 | - | - | - | - | 1 | 2 | 5 |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 331 | - | - | - | - | - | - | 1 | 2 | 3 | 3 | 5 |
| Male | 207 | - | - | - | - | - | - | 1 | 2 | 1 | 2 | 3 |
| Female | 124 | - | - | - | - | - | - | - | - | 2 | 1 | 2 |
| White, both sexes | 315 | - | - | - | - | - | - | 1 | 1 | 2 | 3 | 5 |
| Male | 200 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 3 |
| Female | 115 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Black, both sexes | 12 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Male | 5 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 90 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Male | 61 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | 29 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 78 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 52 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 26 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 12 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Male | 9 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 42 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 22 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 20 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 11 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 31 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 16 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 15 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 1,903 | - | 1 | - | - | - | 1 | - | 1 | 7 | 24 | 46 |
| Male | 1,306 | - | 1 | - | - | - | 1 | - | 1 | 4 | 16 | 28 |
| Female | 597 | - | - | - | - | - | - | - | - | 3 | 8 | 18 |
| White, both sexes | 1,772 | - | 1 | - | - | - | - | - | - | 5 | 20 | 40 |
| Male | 1,225 | - | 1 | - | - | - | - | - | - | 3 | 12 | 25 |
| Female | 547 | - | - | - | - | - | - | - | - | 2 | 8 | 15 |
| Black, both sexes | 127 | - | - | - | - | - | 1 | - | 1 | 2 | 3 | 6 |
| Male | 78 | - | - | - | - | - | 1 | - | 1 | 1 | 3 | 3 |
| Female | 49 | - | - | - | - | - | - | - | - | 1 | - | 3 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 663 | - | 1 | - | 1 | - | - | 2 | 1 | 6 | 10 | 19 |
| Male | 416 | - | 1 | - | - | - | - | 2 | 1 | 1 | 6 | 14 |
| Female | 247 | - | - | - | 1 | - | - | - | - | 5 | 4 | 5 |
| White, both sexes | 513 | - | 1 | - | 1 | - | - | 1 | 1 | 4 | 9 | 13 |
| Male | 336 | - | 1 | - | - | - | - | 1 | 1 | - | 6 | 11 |
| Female | 177 | - | - | - | 1 | - | - | - | - | 4 | 3 | 2 |
| Black, both sexes | 139 | - | - | - | - | - | - | 1 | - | 2 | 1 | 6 |
| Male | 74 | - | - | - | - | - | - | 1 | - | 1 | - | 3 |
| Female | 65 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 68 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | 43 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 25 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 13 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 49 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 29 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 20 | - | - | - | - | - | - | - | - | - | - | 1 |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 109 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 74 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 35 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 106 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 71 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 35 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 1,143 | - | - | 2 | 1 | 1 | - | 2 | 1 | 5 | 11 | 31 |
| Male | 754 | - | - | 1 | 1 | 1 | - | 1 | - | 3 | 8 | 23 |
| Female | 389 | - | - | 1 | - | - | - | 1 | 1 | 2 | 3 | 8 |
| White, both sexes | 1,023 | - | - | - | - | - | - | 1 | 1 | 5 | 10 | 28 |
| Male | 680 | - | - | - | - | - | - | 1 | - | 3 | 7 | 21 |
| Female | 343 | - | - | - | - | - | - | - | 1 | 2 | 3 | 7 |
| Black, both sexes | 109 | - | - | 2 | 1 | 1 | - | 1 | - | - | 1 | 3 |
| Male | 70 | - | - | 1 | 1 | 1 | - | - | - | - | 1 | 2 |
| Female | 39 | - | - | 1 | - | - | - | 1 | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 627 | - | 1 | - | - | - | - | - | - | 4 | 13 | 15 |
| Male | 401 | - | - | - | - | - | - | - | - | 3 | 8 | 10 |
| Female | 226 | - | 1 | - | - | - | - | - | - | 1 | 5 | 5 |
| White, both sexes | 588 | - | 1 | - | - | - | - | - | - | 4 | 12 | 13 |
| Male | 376 | - | - | - | - | - | - | - | - | 3 | 7 | 9 |
| Female | 212 | - | 1 | - | - | - | - | - | - | 1 | 5 | 4 |
| Black, both sexes | 37 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 24 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 345 | 2 | - | - | - | - | - | - | 3 | - | 2 | 7 |
| Male | 222 | - | - | - | - | - | - | - | 2 | - | 1 | 3 |
| Female | 123 | 2 | - | - | - | - | - | - | 1 | - | 1 | 4 |
| White, both sexes | 341 | 2 | - | - | - | - | - | - | 3 | - | 1 | 7 |
| Male | 219 | - | - | - | - | - | - | - | 2 | - | - | 3 |
| Female | 122 | 2 | - | - | - | - | - | - | 1 | - | 1 | 4 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 268 | - | - | - | - | - | - | 1 | - | 1 | 4 | 6 |
| Male | 183 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| Female | 85 | - | - | - | - | - | - | 1 | - | - | 2 | 2 |
| White, both sexes | 259 | - | - | - | - | - | - | 1 | - | 1 | 4 | 6 |
| Male | 177 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| Female | 82 | - | - | - | - | - | - | 1 | - | - | 2 | 2 |
| Black, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 390 | - | 1 | - | - | - | - | - | 2 | 1 | 3 | 8 |
| Male | 263 | - | - | - | - | - | - | - | 2 | - | 1 | 5 |
| Female | 127 | - | 1 | - | - | - | - | - | - | 1 | 2 | 3 |
| White, both sexes | 366 | - | 1 | - | - | - | - | - | 2 | 1 | 3 | 8 |
| Male | 251 | - | - | - | - | - | - | - | 2 | - | 1 | 5 |
| Female | 115 | - | 1 | - | - | - | - | - | - | 1 | 2 | 3 |
| Black, both sexes | 23 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 419 | - | - | - | - | 1 | 1 | - | 3 | 7 | 3 | 23 |
| Male | 254 | - | - | - | - | - | - | - | 2 | 4 | 1 | 18 |
| Female | 165 | - | - | - | - | 1 | 1 | - | 1 | 3 | 2 | 5 |
| White, both sexes | 339 | - | - | - | - | 1 | - | - | 1 | 7 | 2 | 19 |
| Male | 216 | - | - | - | - | - | - | - | 1 | 4 | 1 | 15 |
| Female | 123 | - | - | - | - | 1 | - | - | - | 3 | 1 | 4 |
| Black, both sexes | 78 | - | - | - | - | - | 1 | - | 2 | - | 1 | 4 |
| Male | 36 | - | - | - | - | - | - | - | 1 | - | - | 3 |
| Female | 42 | - | - | - | - | - | 1 | - | 1 | - | 1 | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 158 | - | - | - | - | - | - | - | - | 1 | 3 | 2 |
| Male | 106 | - | - | - | - | - | - | - | - | - | 3 | 1 |
| Female | 52 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| White, both sexes | 158 | - | - | - | - | - | - | - | - | 1 | 3 | 2 |
| Male | 106 | - | - | - | - | - | - | - | - | - | 3 | 1 |
| Female | 52 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 475 | - | - | 2 | - | - | - | - | 2 | 2 | 8 | 15 |
| Male | 300 | - | - | 2 | - | - | - | - | 2 | 1 | 5 | 12 |
| Female | 175 | - | - | - | - | - | - | - | - | 1 | 3 | 3 |
| White, both sexes | 389 | - | - | 1 | - | - | - | - | 2 | 2 | 3 | 7 |
| Male | 237 | - | - | 1 | - | - | - | - | 2 | 1 | 1 | 6 |
| Female | 152 | - | - | - | - | - | - | - | - | 1 | 2 | 1 |
| Black, both sexes | 81 | - | - | 1 | - | - | - | - | - | - | 5 | 7 |
| Male | 59 | - | - | 1 | - | - | - | - | - | - | 4 | 5 |
| Female | 22 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 623 | - | - | - | - | - | - | 2 | - | 4 | 9 | 11 |
| Male | 395 | - | - | - | - | - | - | - | - | 3 | 5 | 5 |
| Female | 228 | - | - | - | - | - | - | 2 | - | 1 | 4 | 6 |
| White, both sexes | 598 | - | - | - | - | - | - | 2 | - | 3 | 8 | 11 |
| Male | 380 | - | - | - | - | - | - | - | - | 2 | 5 | 5 |
| Female | 218 | - | - | - | - | - | - | 2 | - | 1 | 3 | 6 |
| Black, both sexes | 19 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | 12 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 939 | - | 1 | - | - | - | 3 | - | - | 4 | 9 | 24 |
| Male | 606 | - | 1 | - | - | - | 1 | - | - | 4 | 9 | 13 |
| Female | 333 | - | - | - | - | - | 2 | - | - | - | - | 11 |
| White, both sexes | 854 | - | 1 | - | - | - | 1 | - | - | 4 | 7 | 20 |
| Male | 562 | - | 1 | - | - | - | 1 | - | - | 4 | 7 | 12 |
| Female | 292 | - | - | - | - | - | - | - | - | - | - | 8 |
| Black, both sexes | 77 | - | - | - | - | - | 2 | - | - | - | 2 | 4 |
| Male | 39 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Female | 38 | - | - | - | - | - | 2 | - | - | - | - | 3 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 428 | 1 | - | - | - | - | - | - | - | 1 | 7 | 11 |
| Male | 278 | 1 | - | - | - | - | - | - | - | - | 4 | 9 |
| Female | 150 | - | - | - | - | - | - | - | - | 1 | 3 | 2 |
| White, both sexes | 419 | 1 | - | - | - | - | - | - | - | 1 | 7 | 11 |
| Male | 275 | 1 | - | - | - | - | - | - | - | - | 4 | 9 |
| Female | 144 | - | - | - | - | - | - | - | - | 1 | 3 | 2 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 243 | - | - | - | - | - | - | - | - | 1 | 1 | 13 |
| Male | 162 | - | - | - | - | - | - | - | - | 1 | 1 | 7 |
| Female | 81 | - | - | - | - | - | - | - | - | - | - | 6 |
| White, both sexes | 175 | - | - | - | - | - | - | - | - | - | 1 | 9 |
| Male | 125 | - | - | - | - | - | - | - | - | - | 1 | 5 |
| Female | 50 | - | - | - | - | - | - | - | - | - | - | 4 |
| Black, both sexes | 68 | - | - | - | - | - | - | - | - | 1 | - | 4 |
| Male | 37 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Female | 31 | - | - | - | - | - | - | - | - | - | - | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 575 | 1 | - | 1 | 1 | 1 | - | 2 | - | 4 | 4 | 19 |
| Male | 385 | 1 | - | - | 1 | - | - | 1 | - | 2 | 2 | 12 |
| Female | 190 | - | - | 1 | - | 1 | - | 1 | - | 2 | 2 | 7 |
| White, both sexes | 525 | 1 | - | 1 | - | 1 | - | 2 | - | 3 | 4 | 17 |
| Male | 350 | 1 | - | - | - | - | - | 1 | - | 1 | 2 | 10 |
| Female | 175 | - | - | 1 | - | 1 | - | 1 | - | 2 | 2 | 7 |
| Black, both sexes | 44 | - | - | - | 1 | - | - | - | - | 1 | - | 2 |
| Male | 32 | - | - | - | 1 | - | - | - | - | 1 | - | 2 |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 97 | - | - | - | - | - | - | - | - | 1 | 3 | 1 |
| Male | 69 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Female | 28 | - | - | - | - | - | - | - | - | - | 2 | - |
| White, both sexes | 93 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | 67 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 26 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 171 | - | - | 1 | 1 | - | - | - | - | 2 | - | - |
| Male | 108 | - | - | - | - | - | - | - | - | 2 | - | - |
| Female | 63 | - | - | 1 | 1 | - | - | - | - | - | - | - |
| White, both sexes | 166 | - | - | 1 | 1 | - | - | - | - | 2 | - | - |
| Male | 104 | - | - | - | - | - | - | - | - | 2 | - | - |
| Female | 62 | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 219 | - | 2 | - | - | - | - | - | - | - | 2 | 2 |
| Male | 161 | - | 1 | - | - | - | - | - | - | - | 1 | 2 |
| Female | 58 | - | 1 | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 193 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | 143 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 50 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | - | 2 | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 128 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | 84 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 44 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 126 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | 84 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 42 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 829 | - | - | 1 | - | - | 1 | 1 | 1 | 1 | 13 | 23 |
| Male | 538 | - | - | - | - | - | 1 | 1 | - | 1 | 10 | 15 |
| Female | 291 | - | - | 1 | - | - | - | - | 1 | - | 3 | 8 |
| White, both sexes | 747 | - | - | 1 | - | - | - | - | 1 | 1 | 8 | 16 |
| Male | 489 | - | - | - | - | - | - | - | - | 1 | 7 | 11 |
| Female | 258 | - | - | 1 | - | - | - | - | 1 | - | 1 | 5 |
| Black, both sexes | 68 | - | - | - | - | - | 1 | 1 | - | - | 4 | 5 |
| Male | 40 | - | - | - | - | - | 1 | 1 | - | - | 3 | 2 |
| Female | 28 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 12 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 4 | - | - | - | - | - | - | - | - | - | 1 | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 157 | 1 | - | - | - | - | - | - | 2 | - | - | 4 |
| Male | 106 | 1 | - | - | - | - | - | - | 2 | - | - | 4 |
| Female | 51 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 146 | 1 | - | - | - | - | - | - | 2 | - | - | 4 |
| Male | 99 | 1 | - | - | - | - | - | - | 2 | - | - | 4 |
| Female | 47 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 1,639 | - | 1 | 2 | 1 | - | 2 | 1 | 1 | 8 | 13 | 27 |
| Male | 1,053 | - | - | - | - | - | 2 | 1 | 1 | 6 | 9 | 19 |
| Female | 586 | - | 1 | 2 | 1 | - | - | - | - | 2 | 4 | 8 |
| White, both sexes | 1,446 | - | - | 2 | 1 | - | 1 | - | 1 | 7 | 11 | 21 |
| Male | 936 | - | - | - | - | - | 1 | - | 1 | 6 | 8 | 14 |
| Female | 510 | - | - | 2 | 1 | - | - | - | - | 1 | 3 | 7 |
| Black, both sexes | 158 | - | 1 | - | - | - | 1 | 1 | - | 1 | 2 | 5 |
| Male | 94 | - | - | - | - | - | 1 | 1 | - | - | 1 | 5 |
| Female | 64 | - | 1 | - | - | - | - | - | - | 1 | 1 | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 33 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 21 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 755 | - | 1 | - | - | - | - | - | 1 | 2 | 8 | 19 |
| Male | 492 | - | 1 | - | - | - | - | - | 1 | 2 | 6 | 13 |
| Female | 263 | - | - | - | - | - | - | - | - | - | 2 | 6 |
| White, both sexes | 633 | - | 1 | - | - | - | - | - | - | 1 | 4 | 13 |
| Male | 414 | - | 1 | - | - | - | - | - | - | 1 | 2 | 9 |
| Female | 219 | - | - | - | - | - | - | - | - | - | 2 | 4 |
| Black, both sexes | 113 | - | - | - | - | - | - | - | 1 | 1 | 4 | 6 |
| Male | 71 | - | - | - | - | - | - | - | 1 | 1 | 4 | 4 |
| Female | 42 | - | - | - | - | - | - | - | - | - | - | 2 |
| American Indian 1/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 68 | - | - | 1 | - | - | - | - | - | - | - | 1 |
| Male | 46 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 22 | - | - | 1 | - | - | - | - | - | - | - | 1 |
| White, both sexes | 67 | - | - | 1 | - | - | - | - | - | - | - | 1 |
| Male | 45 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 22 | - | - | 1 | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 1,232 | - | - | 2 | 2 | 1 | - | 3 | 1 | 5 | 18 | 37 |
| Male | 788 | - | - | 1 | 1 | 1 | - | 2 | 1 | 2 | 12 | 25 |
| Female | 444 | - | - | 1 | 1 | - | - | 1 | - | 3 | 6 | 12 |
| White, both sexes | 1,109 | - | - | 2 | 1 | 1 | - | 1 | - | 2 | 14 | 31 |
| Male | 715 | - | - | 1 | - | 1 | - | 1 | - | 1 | 9 | 21 |
| Female | 394 | - | - | 1 | 1 | - | - | - | - | 1 | 5 | 10 |
| Black, both sexes | 120 | - | - | - | 1 | - | - | 2 | 1 | 3 | 4 | 6 |
| Male | 72 | - | - | - | 1 | - | - | 1 | 1 | 1 | 3 | 4 |
| Female | 48 | - | - | - | - | - | - | 1 | - | 2 | 1 | 2 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 356 | - | - | - | - | - | - | - | 1 | - | 5 | 11 |
| Male | 215 | - | - | - | - | - | - | - | 1 | - | 2 | 10 |
| Female | 141 | - | - | - | - | - | - | - | - | - | 3 | 1 |
| White, both sexes | 320 | - | - | - | - | - | - | - | 1 | - | 3 | 8 |
| Male | 196 | - | - | - | - | - | - | - | 1 | - | 1 | 7 |
| Female | 124 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Black, both sexes | 19 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 16 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 367 | - | - | 1 | - | - | - | - | - | 3 | 2 | 8 |
| Male | 254 | - | - | 1 | - | - | - | - | - | 3 | 2 | 4 |
| Female | 113 | - | - | - | - | - | - | - | - | - | - | 4 |
| White, both sexes | 358 | - | - | 1 | - | - | - | - | - | 3 | 2 | 7 |
| Male | 251 | - | - | 1 | - | - | - | - | - | 3 | 2 | 4 |
| Female | 107 | - | - | - | - | - | - | - | - | - | - | 3 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 1,386 | - | 1 | 1 | 1 | 2 | - | 1 | 6 | 3 | 9 | 35 |
| Male | 916 | - | - | 1 | - | 1 | - | - | 3 | 3 | 7 | 27 |
| Female | 470 | - | 1 | - | 1 | 1 | - | 1 | 3 | - | 2 | 8 |
| White, both sexes | 1,295 | - | - | 1 | - | 1 | - | 1 | 2 | 3 | 8 | 30 |
| Male | 870 | - | - | 1 | - | - | - | - | 1 | 3 | 6 | 24 |
| Female | 425 | - | - | - | - | 1 | - | 1 | 1 | - | 2 | 6 |
| Black, both sexes | 83 | - | 1 | - | 1 | 1 | - | - | 3 | - | 1 | 5 |
| Male | 43 | - | - | - | - | 1 | - | - | 2 | - | 1 | 3 |
| Female | 40 | - | 1 | - | 1 | - | - | - | 1 | - | - | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 119 | - | - | - | - | - | - | - | - | - | 4 | 1 |
| Male | 77 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Female | 42 | - | - | - | - | - | - | - | - | - | 2 | - |
| White, both sexes | 115 | - | - | - | - | - | - | - | - | - | 4 | 1 |
| Male | 75 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Female | 40 | - | - | - | - | - | - | - | - | - | 2 | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 378 | 1 | - | - | - | - | - | - | 1 | 2 | 2 | 5 |
| Male | 247 | - | - | - | - | - | - | - | 1 | 1 | 1 | 3 |
| Female | 131 | 1 | - | - | - | - | - | - | - | 1 | 1 | 2 |
| White, both sexes | 305 | 1 | - | - | - | - | - | - | - | 2 | 2 | 4 |
| Male | 205 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Female | 100 | 1 | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Black, both sexes | 73 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 42 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | 31 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 97 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | 69 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Female | 28 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 92 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | 66 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Female | 26 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 548 | - | - | - | - | - | - | - | - | 4 | 7 | 21 |
| Male | 370 | - | - | - | - | - | - | - | - | 2 | 4 | 17 |
| Female | 178 | - | - | - | - | - | - | - | - | 2 | 3 | 4 |
| White, both sexes | 482 | - | - | - | - | - | - | - | - | 3 | 4 | 18 |
| Male | 327 | - | - | - | - | - | - | - | - | 1 | 2 | 15 |
| Female | 155 | - | - | - | - | - | - | - | - | 2 | 2 | 3 |
| Black, both sexes | 63 | - | - | - | - | - | - | - | - | 1 | 3 | 3 |
| Male | 41 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| Female | 22 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 1,655 | 1 | 3 | 2 | - | - | 1 | - | 3 | 5 | 34 | 65 |
| Male | 1,053 | 1 | 2 | 1 | - | - | 1 | - | 1 | 2 | 22 | 45 |
| Female | 602 | - | 1 | 1 | - | - | - | - | 2 | 3 | 12 | 20 |
| White, both sexes | 1,467 | - | 3 | 1 | - | - | - | - | 2 | 5 | 30 | 53 |
| Male | 954 | - | 2 | 1 | - | - | - | - | - | 2 | 19 | 41 |
| Female | 513 | - | 1 | - | - | - | - | - | 2 | 3 | 11 | 12 |
| Black, both sexes | 173 | - | - | 1 | - | - | 1 | - | 1 | - | 4 | 10 |
| Male | 92 | - | - | - | - | - | 1 | - | 1 | - | 3 | 3 |
| Female | 81 | - | - | 1 | - | - | - | - | - | - | 1 | 7 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 14 | 1 | - | - | - | - | - | - | - | - | - | 2 |
| Male | 6 | 1 | - | - | - | - | - | - | - | - | - | 1 |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 137 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Male | 97 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Female | 40 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 136 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Male | 96 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Female | 40 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 77 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 53 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 24 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 76 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 52 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 24 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 590 | - | - | - | - | 1 | - | 2 | 2 | 3 | 4 | 11 |
| Male | 381 | - | - | - | - | 1 | - | 2 | 2 | - | 3 | 5 |
| Female | 209 | - | - | - | - | - | - | - | - | 3 | 1 | 6 |
| White, both sexes | 492 | - | - | - | - | - | - | 1 | 1 | - | 3 | 10 |
| Male | 321 | - | - | - | - | - | - | 1 | 1 | - | 2 | 5 |
| Female | 171 | - | - | - | - | - | - | - | - | - | 1 | 5 |
| Black, both sexes | 93 | - | - | - | - | 1 | - | 1 | 1 | 2 | 1 | 1 |
| Male | 56 | - | - | - | - | 1 | - | 1 | 1 | - | 1 | - |
| Female | 37 | - | - | - | - | - | - | - | - | 2 | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 568 | 1 | - | - | - | - | - | 1 | 1 | 1 | 6 | 5 |
| Male | 389 | - | - | - | - | - | - | 1 | 1 | 1 | 6 | 5 |
| Female | 179 | 1 | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 537 | 1 | - | - | - | - | - | - | 1 | 1 | 5 | 4 |
| Male | 365 | - | - | - | - | - | - | - | 1 | 1 | 5 | 4 |
| Female | 172 | 1 | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 16 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 12 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 213 | - | - | - | - | - | - | - | - | - | 4 | 7 |
| Male | 135 | - | - | - | - | - | - | - | - | - | 3 | 7 |
| Female | 78 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 203 | - | - | - | - | - | - | - | - | - | 4 | 6 |
| Male | 129 | - | - | - | - | - | - | - | - | - | 3 | 6 |
| Female | 74 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 569 | - | - | - | 1 | - | - | - | - | 2 | 4 | 17 |
| Male | 354 | - | - | - | 1 | - | - | - | - | 1 | 2 | 12 |
| Female | 215 | - | - | - | - | - | - | - | - | 1 | 2 | 5 |
| White, both sexes | 548 | - | - | - | - | - | - | - | - | 2 | 4 | 14 |
| Male | 340 | - | - | - | - | - | - | - | - | 1 | 2 | 10 |
| Female | 208 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| Black, both sexes | 14 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| Male | 10 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 43 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 30 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 13 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 43 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 30 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 13 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 1,161 | 1,751 | 2,321 | 2,669 | 3,374 | 4,127 | 4,479 | 3,191 | 1,592 | 451 | 54 | - |
| Male | 799 | 1,248 | 1,656 | 1,888 | 2,341 | 2,692 | 2,879 | 1,924 | 836 | 213 | 16 | - |
| Female | 362 | 503 | 665 | 781 | 1,033 | 1,435 | 1,600 | 1,267 | 756 | 238 | 38 | - |
| White, both sexes | 980 | 1,519 | 2,044 | 2,382 | 3,048 | 3,768 | 4,162 | 2,942 | 1,456 | 417 | 48 | - |
| Male | 677 | 1,105 | 1,465 | 1,708 | 2,128 | 2,485 | 2,702 | 1,800 | 778 | 197 | 14 | - |
| Female | 303 | 414 | 579 | 674 | 920 | 1,283 | 1,460 | 1,142 | 678 | 220 | 34 | - |
| Black, both sexes | 155 | 195 | 235 | 233 | 266 | 286 | 262 | 185 | 115 | 29 | 5 | - |
| Male | 104 | 124 | 160 | 140 | 176 | 159 | 139 | 91 | 49 | 13 | 1 | - |
| Female | 51 | 71 | 75 | 93 | 90 | 127 | 123 | 94 | 66 | 16 | 4 | - |
| American Indian 1/, both sexes | 8 | 15 | 15 | 17 | 17 | 13 | 14 | 7 | - | - | - | - |
| Male | 4 | 9 | 11 | 9 | 13 | 7 | 13 | 4 | - | - | - | - |
| Female | 4 | 6 | 4 | 8 | 4 | 6 | 1 | 3 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 18 | 22 | 27 | 37 | 43 | 60 | 41 | 57 | 21 | 5 | 1 | - |
| Male | 14 | 10 | 20 | 31 | 24 | 41 | 25 | 29 | 9 | 3 | 1 | - |
| Female | 4 | 12 | 7 | 6 | 19 | 19 | 16 | 28 | 12 | 2 | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 23 | 26 | 49 | 39 | 48 | 56 | 47 | 47 | 24 | 3 | - | - |
| Male | 17 | 21 | 33 | 27 | 37 | 39 | 36 | 27 | 14 | 1 | - | - |
| Female | 6 | 5 | 16 | 12 | 11 | 17 | 11 | 20 | 10 | 2 | - | - |
| White, both sexes | 19 | 19 | 39 | 35 | 43 | 51 | 40 | 39 | 16 | 2 | - | - |
| Male | 14 | 17 | 24 | 25 | 35 | 34 | 31 | 23 | 9 | 1 | - | - |
| Female | 5 | 2 | 15 | 10 | 8 | 17 | 9 | 16 | 7 | 1 | - | - |
| Black, both sexes | 4 | 7 | 10 | 4 | 5 | 5 | 7 | 8 | 8 | 1 | - | - |
| Male | 3 | 4 | 9 | 2 | 2 | 5 | 5 | 4 | 5 | - | - | - |
| Female | 1 | 3 | 1 | 2 | 3 | - | 2 | 4 | 3 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 5 | - | 4 | 3 | 5 | 2 | 1 | 4 | - | - | - | - |
| Male | 5 | - | 3 | 2 | 5 | 2 | 1 | 3 | - | - | - | - |
| Female | - | - | 1 | 1 | - | - | - | 1 | - | - | - | - |
| White, both sexes | 5 | - | 3 | 3 | 5 | 2 | - | 3 | - | - | - | - |
| Male | 5 | - | 2 | 2 | 5 | 2 | - | 2 | - | - | - | - |
| Female | - | - | 1 | 1 | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 14 | 39 | 49 | 47 | 64 | 79 | 94 | 63 | 29 | 10 | - | - |
| Male | 10 | 28 | 39 | 30 | 48 | 53 | 66 | 40 | 16 | 5 | - | - |
| Female | 4 | 11 | 10 | 17 | 16 | 26 | 28 | 23 | 13 | 5 | - | - |
| White, both sexes | 12 | 34 | 46 | 45 | 63 | 76 | 91 | 61 | 29 | 10 | - | - |
| Male | 9 | 23 | 37 | 29 | 47 | 51 | 63 | 38 | 16 | 5 | - | - |
| Female | 3 | 11 | 9 | 16 | 16 | 25 | 28 | 23 | 13 | 5 | - | - |
| Black, both sexes | 1 | 2 | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | 2 | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | 3 | 2 | 2 | 1 | 2 | 2 | 2 | - | - | - | - |
| Male | - | 3 | 1 | 1 | 1 | 2 | 2 | 2 | - | - | - | - |
| Female | 1 | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 6 | 15 | 18 | 30 | 40 | 30 | 45 | 29 | 24 | 8 | - | - |
| Male | 5 | 11 | 13 | 23 | 30 | 21 | 26 | 17 | 8 | 5 | - | - |
| Female | 1 | 4 | 5 | 7 | 10 | 9 | 19 | 12 | 16 | 3 | - | - |
| White, both sexes | 5 | 13 | 17 | 25 | 34 | 24 | 41 | 26 | 21 | 7 | - | - |
| Male | 4 | 10 | 12 | 19 | 26 | 16 | 23 | 16 | 7 | 4 | - | - |
| Female | 1 | 3 | 5 | 6 | 8 | 8 | 18 | 10 | 14 | 3 | - | - |
| Black, both sexes | 1 | 2 | 1 | 5 | 5 | 6 | 3 | 3 | 3 | 1 | - | - |
| Male | 1 | 1 | 1 | 4 | 3 | 5 | 2 | 1 | 1 | 1 | - | - |
| Female | - | 1 | - | 1 | 2 | 1 | 1 | 2 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 110 | 178 | 204 | 257 | 346 | 410 | 480 | 339 | 156 | 54 | 8 | - |
| Male | 73 | 125 | 152 | 188 | 231 | 267 | 325 | 217 | 83 | 28 | 6 | - |
| Female | 37 | 53 | 52 | 69 | 115 | 143 | 155 | 122 | 73 | 26 | 2 | - |
| White, both sexes | 97 | 153 | 176 | 216 | 303 | 366 | 438 | 297 | 142 | 52 | 7 | - |
| Male | 64 | 107 | 135 | 157 | 204 | 235 | 293 | 198 | 80 | 27 | 5 | - |
| Female | 33 | 46 | 41 | 59 | 99 | 131 | 145 | 99 | 62 | 25 | 2 | - |
| Black, both sexes | 9 | 15 | 16 | 21 | 24 | 20 | 24 | 13 | 6 | - | - | - |
| Male | 5 | 12 | 9 | 14 | 16 | 12 | 18 | 6 | 1 | - | - | - |
| Female | 4 | 3 | 7 | 7 | 8 | 8 | 6 | 7 | 5 | - | - | - |
| American Indian 1/, both sexes | - | 3 | 2 | 3 | 2 | - | 4 | 1 | - | - | - | - |
| Male | - | 2 | 1 | 1 | 2 | - | 4 | - | - | - | - | - |
| Female | - | 1 | 1 | 2 | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | 7 | 10 | 17 | 17 | 24 | 14 | 28 | 8 | 2 | 1 | - |
| Male | 4 | 4 | 7 | 16 | 9 | 20 | 10 | 13 | 2 | 1 | 1 | - |
| Female | - | 3 | 3 | 1 | 8 | 4 | 4 | 15 | 6 | 1 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 20 | 24 | 23 | 41 | 49 | 51 | 40 | 37 | 23 | 3 | - | - |
| Male | 11 | 15 | 14 | 29 | 39 | 29 | 25 | 25 | 10 | 2 | - | - |
| Female | 9 | 9 | 9 | 12 | 10 | 22 | 15 | 12 | 13 | 1 | - | - |
| White, both sexes | 19 | 23 | 22 | 40 | 48 | 50 | 40 | 36 | 22 | 3 | - | - |
| Male | 11 | 15 | 13 | 28 | 38 | 29 | 25 | 25 | 9 | 2 | - | - |
| Female | 8 | 8 | 9 | 12 | 10 | 21 | 15 | 11 | 13 | 1 | - | - |
| Black, both sexes | - | - | 1 | - | 1 | 1 | - | 1 | 1 | - | - | - |
| Male | - | - | 1 | - | 1 | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 10 | 16 | 25 | 21 | 38 | 45 | 70 | 57 | 26 | 8 | 1 | - |
| Male | 4 | 11 | 15 | 14 | 25 | 25 | 49 | 39 | 11 | 5 | - | - |
| Female | 6 | 5 | 10 | 7 | 13 | 20 | 21 | 18 | 15 | 3 | 1 | - |
| White, both sexes | 8 | 16 | 25 | 18 | 37 | 45 | 66 | 55 | 24 | 8 | 1 | - |
| Male | 3 | 11 | 15 | 12 | 25 | 25 | 47 | 38 | 11 | 5 | - | - |
| Female | 5 | 5 | 10 | 6 | 12 | 20 | 19 | 17 | 13 | 3 | 1 | - |
| Black, both sexes | 2 | - | - | 2 | - | - | 3 | 1 | 2 | - | - | - |
| Male | 1 | - | - | 1 | - | - | 1 | 1 | - | - | - | - |
| Female | 1 | - | - | 1 | - | - | 2 | - | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | 1 | - | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 1 | 4 | 11 | 5 | 12 | 23 | 10 | 14 | 6 | 1 | - | - |
| Male | - | 4 | 8 | 3 | 8 | 15 | 6 | 9 | 4 | 1 | - | - |
| Female | 1 | - | 3 | 2 | 4 | 8 | 4 | 5 | 2 | - | - | - |
| White, both sexes | 1 | 2 | 10 | 5 | 12 | 19 | 10 | 12 | 6 | 1 | - | - |
| Male | - | 2 | 7 | 3 | 8 | 12 | 6 | 9 | 4 | 1 | - | - |
| Female | 1 | - | 3 | 2 | 4 | 7 | 4 | 3 | 2 | - | - | - |
| Black, both sexes | - | 2 | 1 | - | - | 4 | - | 2 | - | - | - | - |
| Male | - | 2 | 1 | - | - | 3 | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 6 | 3 | 6 | 4 | 8 | 8 | 1 | 2 | - | - |
| Male | 1 | 2 | 6 | 2 | 3 | 1 | 2 | 4 | - | 1 | - | - |
| Female | - | - | - | 1 | 3 | 3 | 6 | 4 | 1 | 1 | - | - |
| White, both sexes | - | 1 | 2 | - | - | - | 1 | 4 | 1 | 1 | - | - |
| Male | - | 1 | 2 | - | - | - | - | 3 | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 1 | 1 | 1 | - | - |
| Black, both sexes | 1 | 1 | 4 | 3 | 6 | 4 | 7 | 4 | - | 1 | - | - |
| Male | 1 | 1 | 4 | 2 | 3 | 1 | 2 | 1 | - | 1 | - | - |
| Female | - | - | - | 1 | 3 | 3 | 5 | 3 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 60 | 102 | 170 | 195 | 239 | 306 | 350 | 220 | 141 | 37 | 3 | - |
| Male | 41 | 82 | 121 | 143 | 159 | 217 | 243 | 143 | 86 | 19 | 1 | - |
| Female | 19 | 20 | 49 | 52 | 80 | 89 | 107 | 77 | 55 | 18 | 2 | - |
| White, both sexes | 50 | 94 | 155 | 183 | 220 | 288 | 334 | 207 | 137 | 35 | 3 | - |
| Male | 34 | 76 | 114 | 138 | 144 | 204 | 236 | 135 | 83 | 19 | 1 | - |
| Female | 16 | 18 | 41 | 45 | 76 | 84 | 98 | 72 | 54 | 16 | 2 | - |
| Black, both sexes | 10 | 8 | 15 | 12 | 18 | 18 | 16 | 12 | 3 | 2 | - | - |
| Male | 7 | 6 | 7 | 5 | 14 | 13 | 7 | 8 | 2 | - | - | - |
| Female | 3 | 2 | 8 | 7 | 4 | 5 | 9 | 4 | 1 | 2 | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 43 | 58 | 58 | 87 | 79 | 110 | 80 | 68 | 29 | 9 | 2 | - |
| Male | 29 | 41 | 46 | 66 | 53 | 55 | 49 | 35 | 13 | 4 | - | - |
| Female | 14 | 17 | 12 | 21 | 26 | 55 | 31 | 33 | 16 | 5 | 2 | - |
| White, both sexes | 28 | 38 | 45 | 71 | 65 | 90 | 66 | 53 | 18 | 8 | 1 | - |
| Male | 17 | 27 | 35 | 56 | 45 | 52 | 42 | 29 | 10 | 3 | - | - |
| Female | 11 | 11 | 10 | 15 | 20 | 38 | 24 | 24 | 8 | 5 | 1 | - |
| Black, both sexes | 12 | 19 | 12 | 16 | 13 | 17 | 13 | 15 | 10 | 1 | 1 | - |
| Male | 9 | 14 | 11 | 10 | 8 | 2 | 6 | 6 | 2 | 1 | - | - |
| Female | 3 | 5 | 1 | 6 | 5 | 15 | 7 | 9 | 8 | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | 1 | 1 | - | 1 | 2 | 1 | - | 1 | - | - | - |
| Male | 3 | - | - | - | - | 1 | 1 | - | 1 | - | - | - |
| Female | - | 1 | 1 | - | 1 | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 4 | 1 | - | 4 | 10 | 15 | 9 | 11 | 10 | 1 | - | - |
| Male | 3 | - | - | 4 | 7 | 10 | 6 | 6 | 4 | 1 | - | - |
| Female | 1 | 1 | - | - | 3 | 5 | 3 | 5 | 6 | - | - | - |
| White, both sexes | 2 | - | - | 1 | 1 | 5 | 1 | 1 | 5 | 1 | - | - |
| Male | 2 | - | - | 1 | 1 | 4 | 1 | - | 2 | 1 | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | 3 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 1 | - | 3 | 9 | 10 | 8 | 10 | 5 | - | - | - |
| Male | 1 | - | - | 3 | 6 | 6 | 5 | 6 | 2 | - | - | - |
| Female | 1 | 1 | - | - | 3 | 4 | 3 | 4 | 3 | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 6 | 11 | 7 | 11 | 16 | 14 | 21 | 12 | 5 | 3 | - | - |
| Male | 6 | 5 | 4 | 9 | 13 | 9 | 15 | 7 | 2 | 1 | - | - |
| Female | - | 6 | 3 | 2 | 3 | 5 | 6 | 5 | 3 | 2 | - | - |
| White, both sexes | 6 | 11 | 7 | 10 | 15 | 14 | 20 | 12 | 5 | 3 | - | - |
| Male | 6 | 5 | 4 | 8 | 12 | 9 | 14 | 7 | 2 | 1 | - | - |
| Female | - | 6 | 3 | 2 | 3 | 5 | 6 | 5 | 3 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 59 | 82 | 112 | 98 | 137 | 154 | 209 | 161 | 67 | 9 | 1 | - |
| Male | 39 | 60 | 80 | 70 | 88 | 100 | 137 | 105 | 33 | 3 | 1 | - |
| Female | 20 | 22 | 32 | 28 | 49 | 54 | 72 | 56 | 34 | 6 | - | - |
| White, both sexes | 51 | 69 | 96 | 92 | 125 | 133 | 193 | 149 | 60 | 9 | 1 | - |
| Male | 34 | 52 | 70 | 67 | 83 | 86 | 126 | 97 | 29 | 3 | 1 | - |
| Female | 17 | 17 | 26 | 25 | 42 | 47 | 67 | 52 | 31 | 6 | - | - |
| Black, both sexes | 8 | 12 | 16 | 6 | 12 | 17 | 13 | 9 | 7 | - | - | - |
| Male | 5 | 8 | 10 | 3 | 5 | 12 | 10 | 7 | 4 | - | - | - |
| Female | 3 | 4 | 6 | 3 | 7 | 5 | 3 | 2 | 3 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | 4 | 3 | 3 | - | - | - | - |
| Male | - | - | - | - | - | 2 | 1 | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | 2 | 2 | 2 | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 24 | 56 | 55 | 70 | 84 | 113 | 90 | 55 | 33 | 13 | 1 | - |
| Male | 16 | 40 | 38 | 41 | 61 | 74 | 58 | 33 | 12 | 7 | - | - |
| Female | 8 | 16 | 17 | 29 | 23 | 39 | 32 | 22 | 21 | 6 | 1 | - |
| White, both sexes | 24 | 49 | 53 | 65 | 78 | 106 | 87 | 53 | 29 | 13 | 1 | - |
| Male | 16 | 34 | 36 | 38 | 57 | 70 | 57 | 32 | 10 | 7 | - | - |
| Female | 8 | 15 | 17 | 27 | 21 | 36 | 30 | 21 | 19 | 6 | 1 | - |
| Black, both sexes | - | 7 | 2 | 4 | 5 | 7 | 3 | 2 | 4 | - | - | - |
| Male | - | 6 | 2 | 2 | 4 | 4 | 1 | 1 | 2 | - | - | - |
| Female | - | 1 | - | 2 | 1 | 3 | 2 | 1 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 5 | 18 | 30 | 26 | 44 | 57 | 61 | 57 | 25 | 7 | 1 | - |
| Male | 4 | 13 | 19 | 20 | 27 | 34 | 42 | 37 | 17 | 3 | - | - |
| Female | 1 | 5 | 11 | 6 | 17 | 23 | 19 | 20 | 8 | 4 | 1 | - |
| White, both sexes | 5 | 18 | 30 | 26 | 43 | 57 | 61 | 56 | 24 | 7 | 1 | - |
| Male | 4 | 13 | 19 | 20 | 27 | 34 | 42 | 36 | 16 | 3 | - | - |
| Female | 1 | 5 | 11 | 6 | 16 | 23 | 19 | 20 | 8 | 4 | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 16 | 14 | 22 | 25 | 39 | 45 | 50 | 28 | 14 | 3 | - | - |
| Male | 11 | 11 | 18 | 16 | 30 | 26 | 37 | 17 | 8 | 2 | - | - |
| Female | 5 | 3 | 4 | 9 | 9 | 19 | 13 | 11 | 6 | 1 | - | - |
| White, both sexes | 15 | 13 | 22 | 24 | 38 | 42 | 49 | 28 | 13 | 3 | - | - |
| Male | 10 | 10 | 18 | 16 | 29 | 24 | 36 | 17 | 8 | 2 | - | - |
| Female | 5 | 3 | 4 | 8 | 9 | 18 | 13 | 11 | 5 | 1 | - | - |
| Black, both sexes | 1 | - | - | 1 | 1 | 3 | 1 | - | 1 | - | - | - |
| Male | 1 | - | - | - | 1 | 2 | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | - | 1 | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 16 | 33 | 37 | 47 | 55 | 61 | 61 | 36 | 22 | 6 | 1 | - |
| Male | 10 | 25 | 27 | 37 | 45 | 43 | 34 | 19 | 12 | 3 | - | - |
| Female | 6 | 8 | 10 | 10 | 10 | 18 | 27 | 17 | 10 | 3 | 1 | - |
| White, both sexes | 16 | 32 | 34 | 44 | 51 | 56 | 56 | 33 | 22 | 6 | 1 | - |
| Male | 10 | 25 | 24 | 36 | 42 | 41 | 32 | 18 | 12 | 3 | - | - |
| Female | 6 | 7 | 10 | 8 | 9 | 15 | 24 | 15 | 10 | 3 | 1 | - |
| Black, both sexes | - | 1 | 3 | 2 | 4 | 5 | 5 | 3 | - | - | - | - |
| Male | - | - | 3 | 1 | 3 | 2 | 2 | 1 | - | - | - | - |
| Female | - | 1 | - | 1 | 1 | 3 | 3 | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 21 | 36 | 39 | 41 | 51 | 53 | 73 | 42 | 20 | 5 | - | - |
| Male | 12 | 20 | 28 | 25 | 30 | 32 | 44 | 25 | 10 | 3 | - | - |
| Female | 9 | 16 | 11 | 16 | 21 | 21 | 29 | 17 | 10 | 2 | - | - |
| White, both sexes | 14 | 25 | 31 | 36 | 41 | 41 | 65 | 35 | 17 | 4 | - | - |
| Male | 8 | 15 | 24 | 23 | 26 | 26 | 40 | 22 | 9 | 2 | - | - |
| Female | 6 | 10 | 7 | 13 | 15 | 15 | 25 | 13 | 8 | 2 | - | - |
| Black, both sexes | 7 | 11 | 7 | 5 | 10 | 11 | 8 | 7 | 3 | 1 | - | - |
| Male | 4 | 5 | 3 | 2 | 4 | 5 | 4 | 3 | 1 | 1 | - | - |
| Female | 3 | 6 | 4 | 3 | 6 | 6 | 4 | 4 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 14 | 16 | 11 | 16 | 16 | 26 | 23 | 14 | 13 | 3 | - | - |
| Male | 11 | 14 | 7 | 14 | 13 | 14 | 13 | 7 | 7 | 2 | - | - |
| Female | 3 | 2 | 4 | 2 | 3 | 12 | 10 | 7 | 6 | 1 | - | - |
| White, both sexes | 14 | 16 | 11 | 16 | 16 | 26 | 23 | 14 | 13 | 3 | - | - |
| Male | 11 | 14 | 7 | 14 | 13 | 14 | 13 | 7 | 7 | 2 | - | - |
| Female | 3 | 2 | 4 | 2 | 3 | 12 | 10 | 7 | 6 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 16 | 25 | 47 | 55 | 58 | 77 | 83 | 50 | 24 | 9 | 2 | - |
| Male | 8 | 18 | 34 | 38 | 39 | 55 | 47 | 25 | 10 | 4 | - | - |
| Female | 8 | 7 | 13 | 17 | 19 | 22 | 36 | 25 | 14 | 5 | 2 | - |
| White, both sexes | 9 | 20 | 33 | 44 | 49 | 69 | 73 | 47 | 19 | 9 | 2 | - |
| Male | 2 | 14 | 24 | 30 | 31 | 49 | 39 | 23 | 10 | 4 | - | - |
| Female | 7 | 6 | 9 | 14 | 18 | 20 | 34 | 24 | 9 | 5 | 2 | - |
| Black, both sexes | 6 | 4 | 14 | 11 | 9 | 8 | 9 | 2 | 5 | - | - | - |
| Male | 6 | 3 | 10 | 8 | 8 | 6 | 7 | 1 | - | - | - | - |
| Female | - | 1 | 4 | 3 | 1 | 2 | 2 | 1 | 5 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 21 | 34 | 46 | 49 | 84 | 114 | 112 | 77 | 46 | 13 | 1 | - |
| Male | 16 | 24 | 30 | 28 | 53 | 79 | 73 | 51 | 22 | 6 | - | - |
| Female | 5 | 10 | 16 | 21 | 31 | 35 | 39 | 26 | 24 | 7 | 1 | - |
| White, both sexes | 20 | 32 | 42 | 46 | 84 | 110 | 110 | 70 | 46 | 13 | 1 | - |
| Male | 15 | 23 | 28 | 26 | 53 | 76 | 72 | 47 | 22 | 6 | - | - |
| Female | 5 | 9 | 14 | 20 | 31 | 34 | 38 | 23 | 24 | 7 | 1 | - |
| Black, both sexes | 1 | 1 | 4 | 1 | - | 2 | 1 | 7 | - | - | - | - |
| Male | 1 | 1 | 2 | 1 | - | 1 | 1 | 4 | - | - | - | - |
| Female | - | - | 2 | - | - | 1 | - | 3 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | 2 | - | 2 | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | - | 2 | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | - | - | 1 | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 38 | 75 | 72 | 95 | 108 | 156 | 170 | 106 | 51 | 25 | 2 | - |
| Male | 22 | 54 | 49 | 64 | 78 | 104 | 98 | 67 | 28 | 14 | - | - |
| Female | 16 | 21 | 23 | 31 | 30 | 52 | 72 | 39 | 23 | 11 | 2 | - |
| White, both sexes | 33 | 65 | 69 | 85 | 97 | 146 | 152 | 99 | 49 | 25 | 1 | - |
| Male | 19 | 49 | 47 | 61 | 69 | 98 | 91 | 62 | 27 | 14 | - | - |
| Female | 14 | 16 | 22 | 24 | 28 | 48 | 61 | 37 | 22 | 11 | 1 | - |
| Black, both sexes | 5 | 7 | 3 | 10 | 10 | 9 | 16 | 6 | 2 | - | 1 | - |
| Male | 3 | 4 | 2 | 3 | 8 | 5 | 6 | 4 | 1 | - | - | - |
| Female | 2 | 3 | 1 | 7 | 2 | 4 | 10 | 2 | 1 | - | 1 | - |
| American Indian 1/, both sexes | - | 2 | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | 2 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | 1 | 2 | 1 | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 15 | 30 | 35 | 53 | 52 | 53 | 64 | 65 | 29 | 12 | - | - |
| Male | 12 | 21 | 24 | 41 | 34 | 34 | 41 | 40 | 10 | 7 | - | - |
| Female | 3 | 9 | 11 | 12 | 18 | 19 | 23 | 25 | 19 | 5 | - | - |
| White, both sexes | 15 | 27 | 34 | 52 | 51 | 51 | 64 | 64 | 29 | 12 | - | - |
| Male | 12 | 20 | 24 | 40 | 33 | 34 | 41 | 40 | 10 | 7 | - | - |
| Female | 3 | 7 | 10 | 12 | 18 | 17 | 23 | 24 | 19 | 5 | - | - |
| Black, both sexes | - | 2 | - | - | 1 | 2 | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | 2 | - | - | - | 2 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | 1 | 1 | - | - | - | 1 | - | - | - | - |
| Male | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 16 | 25 | 24 | 22 | 36 | 29 | 33 | 21 | 15 | 4 | 3 | - |
| Male | 11 | 21 | 12 | 13 | 25 | 23 | 23 | 14 | 5 | 3 | 3 | - |
| Female | 5 | 4 | 12 | 9 | 11 | 6 | 10 | 7 | 10 | 1 | - | - |
| White, both sexes | 9 | 20 | 18 | 14 | 23 | 21 | 29 | 17 | 10 | 2 | 2 | - |
| Male | 6 | 17 | 10 | 9 | 20 | 17 | 21 | 12 | 4 | 1 | 2 | - |
| Female | 3 | 3 | 8 | 5 | 3 | 4 | 8 | 5 | 6 | 1 | - | - |
| Black, both sexes | 7 | 5 | 6 | 8 | 13 | 8 | 4 | 4 | 5 | 2 | 1 | - |
| Male | 5 | 4 | 2 | 4 | 5 | 6 | 2 | 2 | 1 | 2 | 1 | - |
| Female | 2 | 1 | 4 | 4 | 8 | 2 | 2 | 2 | 4 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 38 | 34 | 58 | 53 | 82 | 85 | 82 | 61 | 36 | 12 | 1 | - |
| Male | 30 | 23 | 42 | 36 | 55 | 57 | 53 | 44 | 20 | 6 | - | - |
| Female | 8 | 11 | 16 | 17 | 27 | 28 | 29 | 17 | 16 | 6 | 1 | - |
| White, both sexes | 36 | 30 | 52 | 46 | 74 | 76 | 79 | 58 | 32 | 12 | 1 | - |
| Male | 28 | 22 | 37 | 31 | 49 | 53 | 50 | 41 | 18 | 6 | - | - |
| Female | 8 | 8 | 15 | 15 | 25 | 23 | 29 | 17 | 14 | 6 | 1 | - |
| Black, both sexes | 2 | 3 | 6 | 6 | 7 | 6 | 3 | 3 | 4 | - | - | - |
| Male | 2 | 1 | 5 | 4 | 5 | 3 | 3 | 3 | 2 | - | - | - |
| Female | - | 2 | 1 | 2 | 2 | 3 | - | - | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | 1 | 2 | - | - | - | - | - | - |
| Male | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 5 | 7 | 7 | 8 | 7 | 21 | 15 | 17 | 5 | - | - | - |
| Male | 4 | 6 | 5 | 6 | 4 | 13 | 12 | 13 | 3 | - | - | - |
| Female | 1 | 1 | 2 | 2 | 3 | 8 | 3 | 4 | 2 | - | - | - |
| White, both sexes | 5 | 7 | 6 | 8 | 7 | 20 | 15 | 17 | 5 | - | - | - |
| Male | 4 | 6 | 5 | 6 | 4 | 12 | 12 | 13 | 3 | - | - | - |
| Female | 1 | 1 | 1 | 2 | 3 | 8 | 3 | 4 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 7 | 11 | 16 | 18 | 19 | 18 | 33 | 28 | 13 | 1 | 3 | - |
| Male | 5 | 9 | 12 | 11 | 15 | 13 | 21 | 16 | 4 | - | - | - |
| Female | 2 | 2 | 4 | 7 | 4 | 5 | 12 | 12 | 9 | 1 | 3 | - |
| White, both sexes | 7 | 11 | 15 | 16 | 18 | 17 | 33 | 28 | 13 | 1 | 3 | - |
| Male | 5 | 9 | 11 | 9 | 14 | 13 | 21 | 16 | 4 | - | - | - |
| Female | 2 | 2 | 4 | 7 | 4 | 4 | 12 | 12 | 9 | 1 | 3 | - |
| Black, both sexes | - | - | - | 2 | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | 2 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 7 | 14 | 30 | 32 | 32 | 23 | 37 | 28 | 7 | 2 | 1 | - |
| Male | 5 | 13 | 22 | 23 | 24 | 17 | 29 | 21 | 2 | 1 | - | - |
| Female | 2 | 1 | 8 | 9 | 8 | 6 | 8 | 7 | 5 | 1 | 1 | - |
| White, both sexes | 7 | 14 | 23 | 28 | 28 | 21 | 35 | 25 | 6 | 2 | 1 | - |
| Male | 5 | 13 | 17 | 20 | 22 | 15 | 28 | 18 | 2 | 1 | - | - |
| Female | 2 | 1 | 6 | 8 | 6 | 6 | 7 | 7 | 4 | 1 | 1 | - |
| Black, both sexes | - | - | 3 | 3 | 3 | 2 | 1 | 1 | 1 | - | - | - |
| Male | - | - | 2 | 3 | 2 | 2 | 1 | 1 | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | 1 | - | - | 1 | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 3 | - | 1 | - | - | 2 | - | - | - | - |
| Male | - | - | 2 | - | - | - | - | 2 | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 8 | 5 | 12 | 9 | 11 | 35 | 20 | 12 | 9 | 4 | - | - |
| Male | 4 | 4 | 6 | 8 | 9 | 22 | 14 | 8 | 6 | 1 | - | - |
| Female | 4 | 1 | 6 | 1 | 2 | 13 | 6 | 4 | 3 | 3 | - | - |
| White, both sexes | 8 | 5 | 11 | 9 | 11 | 34 | 20 | 12 | 9 | 4 | - | - |
| Male | 4 | 4 | 6 | 8 | 9 | 22 | 14 | 8 | 6 | 1 | - | - |
| Female | 4 | 1 | 5 | 1 | 2 | 12 | 6 | 4 | 3 | 3 | - | - |
| Black, both sexes | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 27 | 40 | 86 | 90 | 91 | 127 | 139 | 113 | 55 | 19 | 1 | - |
| Male | 21 | 31 | 61 | 70 | 64 | 76 | 82 | 64 | 32 | 9 | - | - |
| Female | 6 | 9 | 25 | 20 | 27 | 51 | 57 | 49 | 23 | 10 | 1 | - |
| White, both sexes | 22 | 35 | 71 | 79 | 82 | 120 | 132 | 107 | 53 | 18 | 1 | - |
| Male | 18 | 27 | 52 | 64 | 57 | 73 | 78 | 62 | 31 | 8 | - | - |
| Female | 4 | 8 | 19 | 15 | 25 | 47 | 54 | 45 | 22 | 10 | 1 | - |
| Black, both sexes | 5 | 3 | 14 | 9 | 5 | 7 | 6 | 6 | 1 | 1 | - | - |
| Male | 3 | 3 | 8 | 6 | 4 | 3 | 3 | 2 | - | 1 | - | - |
| Female | 2 | - | 6 | 3 | 1 | 4 | 3 | 4 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | 1 | 1 | 3 | - | 1 | - | 1 | - | - | - |
| Male | - | 1 | 1 | - | 2 | - | 1 | - | 1 | - | - | - |
| Female | - | 1 | - | 1 | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 10 | 8 | 19 | 24 | 24 | 17 | 21 | 19 | 5 | 3 | - | - |
| Male | 7 | 6 | 14 | 16 | 18 | 11 | 14 | 9 | 2 | 2 | - | - |
| Female | 3 | 2 | 5 | 8 | 6 | 6 | 7 | 10 | 3 | 1 | - | - |
| White, both sexes | 8 | 7 | 18 | 22 | 23 | 16 | 18 | 19 | 5 | 3 | - | - |
| Male | 5 | 6 | 13 | 15 | 18 | 10 | 12 | 9 | 2 | 2 | - | - |
| Female | 3 | 1 | 5 | 7 | 5 | 6 | 6 | 10 | 3 | 1 | - | - |
| Black, both sexes | - | - | - | - | 1 | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | 1 | 1 | 2 | - | - | 1 | - | - | - | - | - |
| Male | 2 | - | 1 | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 66 | 96 | 139 | 143 | 202 | 291 | 303 | 203 | 112 | 23 | 5 | - |
| Male | 43 | 66 | 104 | 107 | 141 | 188 | 181 | 111 | 65 | 8 | 1 | - |
| Female | 23 | 30 | 35 | 36 | 61 | 103 | 122 | 92 | 47 | 15 | 4 | - |
| White, both sexes | 54 | 81 | 113 | 124 | 181 | 261 | 283 | 180 | 101 | 19 | 5 | - |
| Male | 36 | 55 | 83 | 92 | 127 | 172 | 173 | 100 | 60 | 7 | 1 | - |
| Female | 18 | 26 | 30 | 32 | 54 | 89 | 110 | 80 | 41 | 12 | 4 | - |
| Black, both sexes | 11 | 13 | 21 | 15 | 16 | 25 | 18 | 17 | 8 | 3 | - | - |
| Male | 6 | 9 | 16 | 11 | 11 | 13 | 6 | 9 | 4 | 1 | - | - |
| Female | 5 | 4 | 5 | 4 | 5 | 12 | 12 | 8 | 4 | 2 | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 2 | 5 | 3 | 4 | 5 | 2 | 6 | 3 | 1 | - | - |
| Male | 1 | 2 | 5 | 3 | 2 | 3 | 2 | 2 | 1 | - | - | - |
| Female | - | - | - | - | 2 | 2 | - | 4 | 2 | 1 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 37 | 61 | 80 | 73 | 104 | 118 | 125 | 84 | 33 | 8 | 1 | - |
| Male | 24 | 43 | 57 | 51 | 73 | 82 | 78 | 43 | 16 | 2 | - | - |
| Female | 13 | 18 | 23 | 22 | 31 | 36 | 47 | 41 | 17 | 6 | 1 | - |
| White, both sexes | 28 | 51 | 64 | 63 | 91 | 98 | 111 | 77 | 25 | 5 | 1 | - |
| Male | 19 | 35 | 45 | 46 | 65 | 67 | 71 | 41 | 11 | 1 | - | - |
| Female | 9 | 16 | 19 | 17 | 26 | 31 | 40 | 36 | 14 | 4 | 1 | - |
| Black, both sexes | 9 | 9 | 15 | 10 | 12 | 17 | 11 | 7 | 8 | 3 | - | - |
| Male | 5 | 7 | 11 | 5 | 7 | 13 | 5 | 2 | 5 | 1 | - | - |
| Female | 4 | 2 | 4 | 5 | 5 | 4 | 6 | 5 | 3 | 2 | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | 1 | 3 | 1 | - | - | - | - | - |
| Male | - | 1 | - | - | 1 | 2 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | 2 | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 3 | 4 | 3 | 5 | 12 | 8 | 12 | 8 | 7 | 4 | - | - |
| Male | 3 | 3 | 2 | 4 | 7 | 6 | 9 | 5 | 6 | 1 | - | - |
| Female | - | 1 | 1 | 1 | 5 | 2 | 3 | 3 | 1 | 3 | - | - |
| White, both sexes | 3 | 4 | 3 | 4 | 12 | 8 | 12 | 8 | 7 | 4 | - | - |
| Male | 3 | 3 | 2 | 3 | 7 | 6 | 9 | 5 | 6 | 1 | - | - |
| Female | - | 1 | 1 | 1 | 5 | 2 | 3 | 3 | 1 | 3 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 66 | 65 | 90 | 118 | 154 | 219 | 216 | 154 | 63 | 16 | 2 | - |
| Male | 44 | 41 | 60 | 80 | 101 | 140 | 141 | 94 | 35 | 7 | - | - |
| Female | 22 | 24 | 30 | 38 | 53 | 79 | 75 | 60 | 28 | 9 | 2 | - |
| White, both sexes | 56 | 55 | 81 | 100 | 139 | 203 | 204 | 144 | 59 | 14 | 2 | - |
| Male | 39 | 36 | 54 | 67 | 89 | 131 | 138 | 88 | 33 | 6 | - | - |
| Female | 17 | 19 | 27 | 33 | 50 | 72 | 66 | 56 | 26 | 8 | 2 | - |
| Black, both sexes | 9 | 10 | 8 | 18 | 15 | 16 | 11 | 10 | 4 | 2 | - | - |
| Male | 5 | 5 | 5 | 13 | 12 | 9 | 3 | 6 | 2 | 1 | - | - |
| Female | 4 | 5 | 3 | 5 | 3 | 7 | 8 | 4 | 2 | 1 | - | - |
| American Indian 1/, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 17 | 33 | 46 | 43 | 44 | 49 | 42 | 44 | 19 | 2 | - | - |
| Male | 12 | 19 | 34 | 31 | 26 | 25 | 25 | 21 | 8 | 1 | - | - |
| Female | 5 | 14 | 12 | 12 | 18 | 24 | 17 | 23 | 11 | 1 | - | - |
| White, both sexes | 13 | 28 | 41 | 41 | 40 | 45 | 40 | 40 | 18 | 2 | - | - |
| Male | 9 | 18 | 30 | 30 | 24 | 24 | 25 | 19 | 7 | 1 | - | - |
| Female | 4 | 10 | 11 | 11 | 16 | 21 | 15 | 21 | 11 | 1 | - | - |
| Black, both sexes | 2 | 4 | 3 | - | 1 | 2 | 2 | 1 | 1 | - | - | - |
| Male | 2 | 1 | 2 | - | 1 | 1 | - | - | 1 | - | - | - |
| Female | - | 3 | 1 | - | - | 1 | 2 | 1 | - | - | - | - |
| American Indian 1/, both sexes | 2 | 1 | 2 | 2 | 3 | 1 | - | 3 | - | - | - | - |
| Male | 1 | - | 2 | 1 | 1 | - | - | 2 | - | - | - | - |
| Female | 1 | 1 | - | 1 | 2 | 1 | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 7 | 24 | 30 | 33 | 45 | 59 | 63 | 56 | 28 | 8 | - | - |
| Male | 6 | 20 | 20 | 24 | 36 | 43 | 42 | 33 | 16 | 4 | - | - |
| Female | 1 | 4 | 10 | 9 | 9 | 16 | 21 | 23 | 12 | 4 | - | - |
| White, both sexes | 7 | 24 | 29 | 32 | 44 | 56 | 63 | 55 | 28 | 7 | - | - |
| Male | 6 | 20 | 20 | 24 | 36 | 41 | 42 | 33 | 16 | 3 | - | - |
| Female | 1 | 4 | 9 | 8 | 8 | 15 | 21 | 22 | 12 | 4 | - | - |
| Black, both sexes | - | - | - | 1 | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | 1 | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | 2 | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | 1 | - | - |
| Female | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 52 | 68 | 118 | 111 | 178 | 236 | 258 | 198 | 83 | 22 | 3 | - |
| Male | 40 | 47 | 87 | 82 | 129 | 155 | 163 | 112 | 47 | 11 | 1 | - |
| Female | 12 | 21 | 31 | 29 | 49 | 81 | 95 | 86 | 36 | 11 | 2 | - |
| White, both sexes | 45 | 62 | 111 | 103 | 168 | 221 | 246 | 190 | 79 | 21 | 3 | - |
| Male | 37 | 43 | 82 | 76 | 124 | 150 | 158 | 110 | 43 | 11 | 1 | - |
| Female | 8 | 19 | 29 | 27 | 44 | 71 | 88 | 80 | 36 | 10 | 2 | - |
| Black, both sexes | 6 | 5 | 6 | 7 | 9 | 13 | 12 | 8 | 4 | 1 | - | - |
| Male | 2 | 3 | 5 | 5 | 5 | 5 | 5 | 2 | 4 | - | - | - |
| Female | 4 | 2 | 1 | 2 | 4 | 8 | 7 | 6 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | 1 | 1 | 1 | 2 | - | - | - | - | - | - |
| Male | 1 | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | 2 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 4 | 3 | 9 | 14 | 15 | 13 | 28 | 19 | 8 | 1 | - | - |
| Male | 4 | 3 | 7 | 8 | 10 | 7 | 19 | 11 | 4 | 1 | - | - |
| Female | - | - | 2 | 6 | 5 | 6 | 9 | 8 | 4 | - | - | - |
| White, both sexes | 4 | 3 | 7 | 12 | 15 | 13 | 28 | 19 | 8 | 1 | - | - |
| Male | 4 | 3 | 5 | 8 | 10 | 7 | 19 | 11 | 4 | 1 | - | - |
| Female | - | - | 2 | 4 | 5 | 6 | 9 | 8 | 4 | - | - | - |
| Black, both sexes | - | - | 2 | 2 | - | - | - | - | - | - | - | - |
| Male | - | - | 2 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 2 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 23 | 24 | 33 | 43 | 44 | 60 | 69 | 39 | 27 | 4 | 1 | - |
| Male | 18 | 15 | 23 | 30 | 28 | 44 | 44 | 25 | 13 | 1 | - | - |
| Female | 5 | 9 | 10 | 13 | 16 | 16 | 25 | 14 | 14 | 3 | 1 | - |
| White, both sexes | 17 | 18 | 22 | 35 | 40 | 53 | 54 | 33 | 21 | 2 | 1 | - |
| Male | 13 | 12 | 19 | 26 | 27 | 38 | 34 | 20 | 12 | - | - | - |
| Female | 4 | 6 | 3 | 9 | 13 | 15 | 20 | 13 | 9 | 2 | 1 | - |
| Black, both sexes | 6 | 6 | 11 | 8 | 4 | 7 | 15 | 6 | 6 | 2 | - | - |
| Male | 5 | 3 | 4 | 4 | 1 | 6 | 10 | 5 | 1 | 1 | - | - |
| Female | 1 | 3 | 7 | 4 | 3 | 1 | 5 | 1 | 5 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 2 | 7 | 6 | 14 | 17 | 11 | 9 | 18 | 7 | 2 | 1 | - |
| Male | 2 | 4 | 6 | 8 | 13 | 7 | 6 | 12 | 7 | 1 | - | - |
| Female | - | 3 | - | 6 | 4 | 4 | 3 | 6 | - | 1 | 1 | - |
| White, both sexes | 2 | 6 | 5 | 14 | 14 | 11 | 9 | 18 | 7 | 2 | 1 | - |
| Male | 2 | 4 | 5 | 8 | 11 | 7 | 6 | 12 | 7 | 1 | - | - |
| Female | - | 2 | - | 6 | 3 | 4 | 3 | 6 | - | 1 | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | 1 | - | 3 | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | 2 | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 23 | 38 | 41 | 68 | 69 | 88 | 88 | 58 | 28 | 12 | 3 | - |
| Male | 15 | 30 | 30 | 48 | 48 | 62 | 57 | 34 | 16 | 7 | - | - |
| Female | 8 | 8 | 11 | 20 | 21 | 26 | 31 | 24 | 12 | 5 | 3 | - |
| White, both sexes | 19 | 33 | 37 | 63 | 55 | 78 | 82 | 54 | 24 | 10 | 2 | - |
| Male | 12 | 28 | 26 | 46 | 36 | 56 | 52 | 33 | 14 | 6 | - | - |
| Female | 7 | 5 | 11 | 17 | 19 | 22 | 30 | 21 | 10 | 4 | 2 | - |
| Black, both sexes | 4 | 4 | 3 | 5 | 14 | 9 | 6 | 4 | 4 | 2 | 1 | - |
| Male | 3 | 2 | 3 | 2 | 12 | 5 | 5 | 1 | 2 | 1 | - | - |
| Female | 1 | 2 | - | 3 | 2 | 4 | 1 | 3 | 2 | 1 | 1 | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 89 | 134 | 150 | 189 | 232 | 225 | 246 | 169 | 85 | 20 | 2 | - |
| Male | 57 | 91 | 104 | 130 | 163 | 149 | 144 | 92 | 41 | 7 | - | - |
| Female | 32 | 43 | 46 | 59 | 69 | 76 | 102 | 77 | 44 | 13 | 2 | - |
| White, both sexes | 78 | 116 | 134 | 166 | 205 | 205 | 219 | 154 | 79 | 15 | 2 | - |
| Male | 50 | 83 | 94 | 116 | 144 | 141 | 130 | 88 | 37 | 6 | - | - |
| Female | 28 | 33 | 40 | 50 | 61 | 64 | 89 | 66 | 42 | 9 | 2 | - |
| Black, both sexes | 10 | 17 | 16 | 22 | 26 | 17 | 23 | 14 | 6 | 5 | - | - |
| Male | 7 | 7 | 10 | 14 | 18 | 6 | 13 | 4 | 4 | 1 | - | - |
| Female | 3 | 10 | 6 | 8 | 8 | 11 | 10 | 10 | 2 | 4 | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | 1 | 3 | 4 | 1 | - | - | - | - |
| Male | - | - | - | - | 1 | 2 | 1 | - | - | - | - | - |
| Female | 1 | - | - | 1 | - | 1 | 3 | 1 | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 4 | 8 | 17 | 15 | 16 | 25 | 30 | 15 | 1 | 2 | - | - |
| Male | 2 | 6 | 12 | 12 | 14 | 18 | 20 | 8 | - | 1 | - | - |
| Female | 2 | 2 | 5 | 3 | 2 | 7 | 10 | 7 | 1 | 1 | - | - |
| White, both sexes | 4 | 8 | 17 | 14 | 16 | 25 | 30 | 15 | 1 | 2 | - | - |
| Male | 2 | 6 | 12 | 11 | 14 | 18 | 20 | 8 | - | 1 | - | - |
| Female | 2 | 2 | 5 | 3 | 2 | 7 | 10 | 7 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 5 | 8 | 3 | 10 | 12 | 13 | 11 | 5 | 8 | - | - | - |
| Male | 3 | 6 | 2 | 9 | 10 | 6 | 8 | 2 | 6 | - | - | - |
| Female | 2 | 2 | 1 | 1 | 2 | 7 | 3 | 3 | 2 | - | - | - |
| White, both sexes | 5 | 8 | 3 | 9 | 12 | 13 | 11 | 5 | 8 | - | - | - |
| Male | 3 | 6 | 2 | 8 | 10 | 6 | 8 | 2 | 6 | - | - | - |
| Female | 2 | 2 | 1 | 1 | 2 | 7 | 3 | 3 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 34 | 46 | 62 | 69 | 71 | 94 | 103 | 50 | 33 | 5 | - | - |
| Male | 27 | 30 | 42 | 47 | 52 | 54 | 61 | 34 | 18 | 3 | - | - |
| Female | 7 | 16 | 20 | 22 | 19 | 40 | 42 | 16 | 15 | 2 | - | - |
| White, both sexes | 20 | 36 | 55 | 57 | 61 | 84 | 87 | 45 | 27 | 5 | - | - |
| Male | 16 | 25 | 36 | 39 | 44 | 49 | 53 | 31 | 16 | 3 | - | - |
| Female | 4 | 11 | 19 | 18 | 17 | 35 | 34 | 14 | 11 | 2 | - | - |
| Black, both sexes | 13 | 10 | 7 | 11 | 8 | 10 | 16 | 5 | 6 | - | - | - |
| Male | 10 | 5 | 6 | 7 | 6 | 5 | 8 | 3 | 2 | - | - | - |
| Female | 3 | 5 | 1 | 4 | 2 | 5 | 8 | 2 | 4 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | 2 | - | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | 2 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 26 | 43 | 45 | 71 | 79 | 88 | 87 | 66 | 36 | 10 | 2 | - |
| Male | 19 | 30 | 35 | 51 | 54 | 59 | 60 | 40 | 20 | 5 | 2 | - |
| Female | 7 | 13 | 10 | 20 | 25 | 29 | 27 | 26 | 16 | 5 | - | - |
| White, both sexes | 19 | 42 | 43 | 69 | 75 | 84 | 85 | 63 | 34 | 9 | 2 | - |
| Male | 14 | 30 | 33 | 50 | 50 | 56 | 59 | 37 | 19 | 4 | 2 | - |
| Female | 5 | 12 | 10 | 19 | 25 | 28 | 26 | 26 | 15 | 5 | - | - |
| Black, both sexes | 2 | - | 1 | - | 3 | 3 | 1 | 1 | - | - | - | - |
| Male | 1 | - | 1 | - | 3 | 2 | - | 1 | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | 1 | 1 | 2 | - | 1 | 1 | 2 | 2 | 1 | - | - |
| Male | 3 | - | 1 | 1 | - | 1 | 1 | 2 | 1 | 1 | - | - |
| Female | 1 | 1 | - | 1 | - | - | - | - | 1 | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 11 | 11 | 17 | 20 | 29 | 33 | 41 | 21 | 10 | 8 | 1 | - |
| Male | 6 | 8 | 11 | 13 | 17 | 21 | 30 | 13 | 5 | 1 | - | - |
| Female | 5 | 3 | 6 | 7 | 12 | 12 | 11 | 8 | 5 | 7 | 1 | - |
| White, both sexes | 11 | 11 | 15 | 19 | 28 | 32 | 40 | 21 | 9 | 7 | - | - |
| Male | 6 | 8 | 9 | 12 | 16 | 20 | 30 | 13 | 5 | 1 | - | - |
| Female | 5 | 3 | 6 | 7 | 12 | 12 | 10 | 8 | 4 | 6 | - | - |
| Black, both sexes | - | - | 2 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | - |
| Male | - | - | 2 | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | 1 | 1 | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of urinary tract (C64-C68) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 24 | 33 | 43 | 54 | 66 | 82 | 107 | 81 | 40 | 14 | 1 | - |
| Male | 20 | 25 | 32 | 34 | 47 | 51 | 62 | 44 | 19 | 3 | 1 | - |
| Female | 4 | 8 | 11 | 20 | 19 | 31 | 45 | 37 | 21 | 11 | - | - |
| White, both sexes | 23 | 28 | 41 | 51 | 64 | 80 | 106 | 80 | 40 | 14 | 1 | - |
| Male | 20 | 20 | 30 | 33 | 46 | 51 | 61 | 43 | 19 | 3 | 1 | - |
| Female | 3 | 8 | 11 | 18 | 18 | 29 | 45 | 37 | 21 | 11 | - | - |
| Black, both sexes | 1 | 5 | - | 2 | 2 | 1 | 1 | - | - | - | - | - |
| Male | - | 5 | - | 1 | 1 | - | 1 | - | - | - | - | - |
| Female | 1 | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 2 | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | 2 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 2 | 6 | 7 | 2 | 3 | 6 | 10 | 4 | 1 | 1 | - | - |
| Male | 1 | 3 | 6 | 2 | 2 | 5 | 8 | 3 | - | - | - | - |
| Female | 1 | 3 | 1 | - | 1 | 1 | 2 | 1 | 1 | 1 | - | - |
| White, both sexes | 2 | 6 | 7 | 2 | 3 | 6 | 10 | 4 | 1 | 1 | - | - |
| Male | 1 | 3 | 6 | 2 | 2 | 5 | 8 | 3 | - | - | - | - |
| Female | 1 | 3 | 1 | - | 1 | 1 | 2 | 1 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 12,517 | 8 | 16 | 20 | 10 | 8 | 9 | 18 | 31 | 79 | 215 | 457 |
| Male | 7,783 | 4 | 9 | 9 | 4 | 5 | 6 | 11 | 24 | 42 | 139 | 318 |
| Female | 4,734 | 4 | 7 | 11 | 6 | 3 | 3 | 7 | 7 | 37 | 76 | 139 |
| White, both sexes | 11,091 | 7 | 12 | 16 | 5 | 5 | 2 | 8 | 15 | 59 | 175 | 375 |
| Male | 6,888 | 3 | 8 | 7 | - | 2 | 2 | 5 | 11 | 32 | 108 | 261 |
| Female | 4,203 | 4 | 4 | 9 | 5 | 3 | - | 3 | 4 | 27 | 67 | 114 |
| Black, both sexes | 1,155 | - | 2 | 4 | 5 | 3 | 7 | 8 | 14 | 17 | 32 | 66 |
| Male | 723 | - | - | 2 | 4 | 3 | 4 | 5 | 12 | 9 | 26 | 47 |
| Female | 432 | - | 2 | 2 | 1 | - | 3 | 3 | 2 | 8 | 6 | 19 |
| American Indian 1/, both sexes | 87 | - | - | - | - | - | - | 1 | 1 | 2 | 4 | 5 |
| Male | 58 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 3 |
| Female | 29 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| Asian or Pacific Islander 2/, both sexes | 184 | 1 | 2 | - | - | - | - | 1 | 1 | 1 | 4 | 11 |
| Male | 114 | 1 | 1 | - | - | - | - | - | - | - | 3 | 7 |
| Female | 70 | - | 1 | - | - | - | - | 1 | 1 | 1 | 1 | 4 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 196 | - | - | 1 | - | - | - | 1 | - | 2 | 3 | 11 |
| Male | 125 | - | - | - | - | - | - | - | - | 1 | 3 | 8 |
| Female | 71 | - | - | 1 | - | - | - | 1 | - | 1 | - | 3 |
| White, both sexes | 166 | - | - | 1 | - | - | - | 1 | - | 1 | 3 | 9 |
| Male | 105 | - | - | - | - | - | - | - | - | - | 3 | 6 |
| Female | 61 | - | - | 1 | - | - | - | 1 | - | 1 | - | 3 |
| Black, both sexes | 30 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Male | 20 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Male | 13 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 4 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| White, both sexes | 16 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 4 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 250 | - | - | - | - | - | - | - | 1 | 3 | 2 | 8 |
| Male | 151 | - | - | - | - | - | - | - | 1 | 1 | - | 2 |
| Female | 99 | - | - | - | - | - | - | - | - | 2 | 2 | 6 |
| White, both sexes | 231 | - | - | - | - | - | - | - | - | 3 | 2 | 7 |
| Male | 137 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Female | 94 | - | - | - | - | - | - | - | - | 2 | 2 | 5 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 129 | - | - | 1 | - | - | - | - | - | 1 | 2 | 8 |
| Male | 83 | - | - | 1 | - | - | - | - | - | - | 1 | 4 |
| Female | 46 | - | - | - | - | - | - | - | - | 1 | 1 | 4 |
| White, both sexes | 114 | - | - | 1 | - | - | - | - | - | 1 | 2 | 7 |
| Male | 73 | - | - | 1 | - | - | - | - | - | - | 1 | 4 |
| Female | 41 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| Black, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 1,216 | - | 3 | 2 | - | 1 | - | 2 | 4 | 7 | 21 | 38 |
| Male | 760 | - | 2 | 1 | - | 1 | - | - | 4 | 3 | 12 | 28 |
| Female | 456 | - | 1 | 1 | - | - | - | 2 | - | 4 | 9 | 10 |
| White, both sexes | 1,050 | - | 3 | 2 | - | 1 | - | - | 2 | 4 | 17 | 31 |
| Male | 646 | - | 2 | 1 | - | 1 | - | - | 2 | 2 | 9 | 22 |
| Female | 404 | - | 1 | 1 | - | - | - | - | - | 2 | 8 | 9 |
| Black, both sexes | 75 | - | - | - | - | - | - | 1 | 1 | 1 | 3 | 2 |
| Male | 52 | - | - | - | - | - | - | - | 1 | - | 2 | 2 |
| Female | 23 | - | - | - | - | - | - | 1 | - | 1 | 1 | - |
| American Indian 1/, both sexes | 17 | - | - | - | - | - | - | - | 1 | 2 | - | - |
| Male | 12 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | 74 | - | - | - | - | - | - | 1 | - | - | 1 | 5 |
| Male | 50 | - | - | - | - | - | - | - | - | - | 1 | 4 |
| Female | 24 | - | - | - | - | - | - | 1 | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 178 | - | - | - | 1 | - | - | - | - | 3 | 2 | 9 |
| Male | 109 | - | - | - | - | - | - | - | - | 2 | 1 | 6 |
| Female | 69 | - | - | - | 1 | - | - | - | - | 1 | 1 | 3 |
| White, both sexes | 171 | - | - | - | 1 | - | - | - | - | 3 | 2 | 8 |
| Male | 105 | - | - | - | - | - | - | - | - | 2 | 1 | 5 |
| Female | 66 | - | - | - | 1 | - | - | - | - | 1 | 1 | 3 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 122 | - | - | - | - | - | - | 1 | 1 | 2 | 2 | - |
| Male | 64 | - | - | - | - | - | - | 1 | 1 | - | 1 | - |
| Female | 58 | - | - | - | - | - | - | - | - | 2 | 1 | - |
| White, both sexes | 112 | - | - | - | - | - | - | 1 | - | 1 | 2 | - |
| Male | 60 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Female | 52 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Black, both sexes | 8 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Male | 3 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 31 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 20 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 26 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 16 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 16 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 796 | - | 1 | - | - | - | 1 | - | 1 | 4 | 17 | 31 |
| Male | 523 | - | 1 | - | - | - | 1 | - | 1 | 2 | 12 | 18 |
| Female | 273 | - | - | - | - | - | - | - | - | 2 | 5 | 13 |
| White, both sexes | 738 | - | 1 | - | - | - | - | - | - | 2 | 14 | 27 |
| Male | 486 | - | 1 | - | - | - | - | - | - | 1 | 9 | 16 |
| Female | 252 | - | - | - | - | - | - | - | - | 1 | 5 | 11 |
| Black, both sexes | 56 | - | - | - | - | - | 1 | - | 1 | 2 | 2 | 4 |
| Male | 35 | - | - | - | - | - | 1 | - | 1 | 1 | 2 | 2 |
| Female | 21 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 359 | - | 1 | - | 1 | - | - | 2 | 1 | 6 | 7 | 8 |
| Male | 218 | - | 1 | - | - | - | - | 2 | 1 | 1 | 5 | 7 |
| Female | 141 | - | - | - | 1 | - | - | - | - | 5 | 2 | 1 |
| White, both sexes | 286 | - | 1 | - | 1 | - | - | 1 | 1 | 4 | 6 | 5 |
| Male | 174 | - | 1 | - | - | - | - | 1 | 1 | - | 5 | 4 |
| Female | 112 | - | - | - | 1 | - | - | - | - | 4 | 1 | 1 |
| Black, both sexes | 70 | - | - | - | - | - | - | 1 | - | 2 | 1 | 3 |
| Male | 41 | - | - | - | - | - | - | 1 | - | 1 | - | 3 |
| Female | 29 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 26 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | 14 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 20 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 48 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 31 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 46 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 29 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 554 | - | - | 2 | 1 | 1 | - | 2 | 1 | 3 | 8 | 19 |
| Male | 365 | - | - | 1 | 1 | 1 | - | 1 | - | 1 | 5 | 14 |
| Female | 189 | - | - | 1 | - | - | - | 1 | 1 | 2 | 3 | 5 |
| White, both sexes | 488 | - | - | - | - | - | - | 1 | 1 | 3 | 8 | 17 |
| Male | 317 | - | - | - | - | - | - | 1 | - | 1 | 5 | 12 |
| Female | 171 | - | - | - | - | - | - | - | 1 | 2 | 3 | 5 |
| Black, both sexes | 61 | - | - | 2 | 1 | 1 | - | 1 | - | - | - | 2 |
| Male | 45 | - | - | 1 | 1 | 1 | - | - | - | - | - | 2 |
| Female | 16 | - | - | 1 | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 319 | - | 1 | - | - | - | - | - | - | 2 | 9 | 12 |
| Male | 192 | - | - | - | - | - | - | - | - | 1 | 7 | 8 |
| Female | 127 | - | 1 | - | - | - | - | - | - | 1 | 2 | 4 |
| White, both sexes | 299 | - | 1 | - | - | - | - | - | - | 2 | 8 | 11 |
| Male | 178 | - | - | - | - | - | - | - | - | 1 | 6 | 7 |
| Female | 121 | - | 1 | - | - | - | - | - | - | 1 | 2 | 4 |
| Black, both sexes | 19 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 14 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 174 | 2 | - | - | - | - | - | - | 2 | - | 2 | 4 |
| Male | 100 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Female | 74 | 2 | - | - | - | - | - | - | 1 | - | 1 | 2 |
| White, both sexes | 171 | 2 | - | - | - | - | - | - | 2 | - | 1 | 4 |
| Male | 98 | - | - | - | - | - | - | - | 1 | - | - | 2 |
| Female | 73 | 2 | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 140 | - | - | - | - | - | - | - | - | 1 | 2 | 5 |
| Male | 89 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| Female | 51 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| White, both sexes | 136 | - | - | - | - | - | - | - | - | 1 | 2 | 5 |
| Male | 87 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| Female | 49 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 195 | - | 1 | - | - | - | - | - | 1 | 1 | 3 | 6 |
| Male | 126 | - | - | - | - | - | - | - | 1 | - | 1 | 4 |
| Female | 69 | - | 1 | - | - | - | - | - | - | 1 | 2 | 2 |
| White, both sexes | 183 | - | 1 | - | - | - | - | - | 1 | 1 | 3 | 6 |
| Male | 120 | - | - | - | - | - | - | - | 1 | - | 1 | 4 |
| Female | 63 | - | 1 | - | - | - | - | - | - | 1 | 2 | 2 |
| Black, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 222 | - | - | - | - | 1 | 1 | - | 3 | 3 | 2 | 13 |
| Male | 134 | - | - | - | - | - | - | - | 2 | 2 | 1 | 11 |
| Female | 88 | - | - | - | - | 1 | 1 | - | 1 | 1 | 1 | 2 |
| White, both sexes | 176 | - | - | - | - | 1 | - | - | 1 | 3 | 2 | 10 |
| Male | 109 | - | - | - | - | - | - | - | 1 | 2 | 1 | 8 |
| Female | 67 | - | - | - | - | 1 | - | - | - | 1 | 1 | 2 |
| Black, both sexes | 44 | - | - | - | - | - | 1 | - | 2 | - | - | 3 |
| Male | 23 | - | - | - | - | - | - | - | 1 | - | - | 3 |
| Female | 21 | - | - | - | - | - | 1 | - | 1 | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 71 | - | - | - | - | - | - | - | - | 1 | 3 | 2 |
| Male | 42 | - | - | - | - | - | - | - | - | - | 3 | 1 |
| Female | 29 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| White, both sexes | 71 | - | - | - | - | - | - | - | - | 1 | 3 | 2 |
| Male | 42 | - | - | - | - | - | - | - | - | - | 3 | 1 |
| Female | 29 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 217 | - | - | 2 | - | - | - | - | 2 | 1 | 5 | 11 |
| Male | 132 | - | - | 2 | - | - | - | - | 2 | - | 4 | 10 |
| Female | 85 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| White, both sexes | 171 | - | - | 1 | - | - | - | - | 2 | 1 | 2 | 6 |
| Male | 95 | - | - | 1 | - | - | - | - | 2 | - | 1 | 5 |
| Female | 76 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Black, both sexes | 42 | - | - | 1 | - | - | - | - | - | - | 3 | 4 |
| Male | 33 | - | - | 1 | - | - | - | - | - | - | 3 | 4 |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 255 | - | - | - | - | - | - | 1 | - | 2 | 4 | 7 |
| Male | 156 | - | - | - | - | - | - | - | - | 2 | 2 | 5 |
| Female | 99 | - | - | - | - | - | - | 1 | - | - | 2 | 2 |
| White, both sexes | 245 | - | - | - | - | - | - | 1 | - | 1 | 4 | 7 |
| Male | 150 | - | - | - | - | - | - | - | - | 1 | 2 | 5 |
| Female | 95 | - | - | - | - | - | - | 1 | - | - | 2 | 2 |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 439 | - | 1 | - | - | - | 3 | - | - | 3 | 4 | 15 |
| Male | 262 | - | 1 | - | - | - | 1 | - | - | 3 | 4 | 7 |
| Female | 177 | - | - | - | - | - | 2 | - | - | - | - | 8 |
| White, both sexes | 389 | - | 1 | - | - | - | 1 | - | - | 3 | 3 | 13 |
| Male | 238 | - | 1 | - | - | - | 1 | - | - | 3 | 3 | 7 |
| Female | 151 | - | - | - | - | - | - | - | - | - | - | 6 |
| Black, both sexes | 44 | - | - | - | - | - | 2 | - | - | - | 1 | 2 |
| Male | 20 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 24 | - | - | - | - | - | 2 | - | - | - | - | 2 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 215 | 1 | - | - | - | - | - | - | - | - | 5 | 9 |
| Male | 135 | 1 | - | - | - | - | - | - | - | - | 3 | 8 |
| Female | 80 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| White, both sexes | 209 | 1 | - | - | - | - | - | - | - | - | 5 | 9 |
| Male | 132 | 1 | - | - | - | - | - | - | - | - | 3 | 8 |
| Female | 77 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 125 | - | - | - | - | - | - | - | - | 1 | - | 9 |
| Male | 72 | - | - | - | - | - | - | - | - | 1 | - | 5 |
| Female | 53 | - | - | - | - | - | - | - | - | - | - | 4 |
| White, both sexes | 90 | - | - | - | - | - | - | - | - | - | - | 7 |
| Male | 55 | - | - | - | - | - | - | - | - | - | - | 4 |
| Female | 35 | - | - | - | - | - | - | - | - | - | - | 3 |
| Black, both sexes | 35 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Male | 17 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 18 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 290 | 1 | - | 1 | 1 | 1 | - | 1 | - | 1 | 4 | 10 |
| Male | 185 | 1 | - | - | 1 | - | - | - | - | 1 | 2 | 5 |
| Female | 105 | - | - | 1 | - | 1 | - | 1 | - | - | 2 | 5 |
| White, both sexes | 262 | 1 | - | 1 | - | 1 | - | 1 | - | - | 4 | 10 |
| Male | 166 | 1 | - | - | - | - | - | - | - | - | 2 | 5 |
| Female | 96 | - | - | 1 | - | 1 | - | 1 | - | - | 2 | 5 |
| Black, both sexes | 26 | - | - | - | 1 | - | - | - | - | 1 | - | - |
| Male | 18 | - | - | - | 1 | - | - | - | - | 1 | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 48 | - | - | - | - | - | - | - | - | 1 | 3 | 1 |
| Male | 35 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Female | 13 | - | - | - | - | - | - | - | - | - | 2 | - |
| White, both sexes | 45 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | 34 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 11 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 88 | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | 54 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 34 | - | - | 1 | 1 | - | - | - | - | - | - | - |
| White, both sexes | 85 | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | 52 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 33 | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 85 | - | 2 | - | - | - | - | - | - | - | 1 | 2 |
| Male | 58 | - | 1 | - | - | - | - | - | - | - | - | 2 |
| Female | 27 | - | 1 | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 70 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 49 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 21 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | 2 | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 58 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | 32 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 26 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 57 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | 32 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 25 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 347 | - | - | 1 | - | - | 1 | 1 | 1 | 1 | 8 | 18 |
| Male | 210 | - | - | - | - | - | 1 | 1 | - | 1 | 6 | 12 |
| Female | 137 | - | - | 1 | - | - | - | - | 1 | - | 2 | 6 |
| White, both sexes | 301 | - | - | 1 | - | - | - | - | 1 | 1 | 4 | 13 |
| Male | 182 | - | - | - | - | - | - | - | - | 1 | 4 | 9 |
| Female | 119 | - | - | 1 | - | - | - | - | 1 | - | - | 4 |
| Black, both sexes | 39 | - | - | - | - | - | 1 | 1 | - | - | 3 | 4 |
| Male | 25 | - | - | - | - | - | 1 | 1 | - | - | 2 | 2 |
| Female | 14 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 3 | - | - | - | - | - | - | - | - | - | 1 | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 84 | 1 | - | - | - | - | - | - | 1 | - | - | 4 |
| Male | 55 | 1 | - | - | - | - | - | - | 1 | - | - | 4 |
| Female | 29 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 75 | 1 | - | - | - | - | - | - | 1 | - | - | 4 |
| Male | 49 | 1 | - | - | - | - | - | - | 1 | - | - | 4 |
| Female | 26 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 696 | - | 1 | 2 | 1 | - | 2 | 1 | - | 7 | 11 | 21 |
| Male | 439 | - | - | - | - | - | 2 | 1 | - | 5 | 8 | 16 |
| Female | 257 | - | 1 | 2 | 1 | - | - | - | - | 2 | 3 | 5 |
| White, both sexes | 609 | - | - | 2 | 1 | - | 1 | - | - | 6 | 9 | 15 |
| Male | 381 | - | - | - | - | - | 1 | - | - | 5 | 7 | 11 |
| Female | 228 | - | - | 2 | 1 | - | - | - | - | 1 | 2 | 4 |
| Black, both sexes | 68 | - | 1 | - | - | - | 1 | 1 | - | 1 | 2 | 5 |
| Male | 44 | - | - | - | - | - | 1 | 1 | - | - | 1 | 5 |
| Female | 24 | - | 1 | - | - | - | - | - | - | 1 | 1 | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 387 | - | 1 | - | - | - | - | - | 1 | 2 | 7 | 16 |
| Male | 255 | - | 1 | - | - | - | - | - | 1 | 2 | 6 | 10 |
| Female | 132 | - | - | - | - | - | - | - | - | - | 1 | 6 |
| White, both sexes | 315 | - | 1 | - | - | - | - | - | - | 1 | 3 | 11 |
| Male | 207 | - | 1 | - | - | - | - | - | - | 1 | 2 | 7 |
| Female | 108 | - | - | - | - | - | - | - | - | - | 1 | 4 |
| Black, both sexes | 68 | - | - | - | - | - | - | - | 1 | 1 | 4 | 5 |
| Male | 45 | - | - | - | - | - | - | - | 1 | 1 | 4 | 3 |
| Female | 23 | - | - | - | - | - | - | - | - | - | - | 2 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 32 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 20 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 12 | - | - | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | 31 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 19 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 12 | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 587 | - | - | 2 | 2 | 1 | - | 3 | 1 | 3 | 12 | 27 |
| Male | 350 | - | - | 1 | 1 | 1 | - | 2 | 1 | 2 | 7 | 17 |
| Female | 237 | - | - | 1 | 1 | - | - | 1 | - | 1 | 5 | 10 |
| White, both sexes | 513 | - | - | 2 | 1 | 1 | - | 1 | - | 1 | 9 | 21 |
| Male | 306 | - | - | 1 | - | 1 | - | 1 | - | 1 | 5 | 13 |
| Female | 207 | - | - | 1 | 1 | - | - | - | - | - | 4 | 8 |
| Black, both sexes | 72 | - | - | - | 1 | - | - | 2 | 1 | 2 | 3 | 6 |
| Male | 44 | - | - | - | 1 | - | - | 1 | 1 | 1 | 2 | 4 |
| Female | 28 | - | - | - | - | - | - | 1 | - | 1 | 1 | 2 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 204 | - | - | - | - | - | - | - | - | - | 4 | 9 |
| Male | 118 | - | - | - | - | - | - | - | - | - | 1 | 8 |
| Female | 86 | - | - | - | - | - | - | - | - | - | 3 | 1 |
| White, both sexes | 181 | - | - | - | - | - | - | - | - | - | 2 | 7 |
| Male | 107 | - | - | - | - | - | - | - | - | - | - | 6 |
| Female | 74 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Black, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 9 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 145 | - | - | 1 | - | - | - | - | - | 3 | 1 | 5 |
| Male | 94 | - | - | 1 | - | - | - | - | - | 3 | 1 | 2 |
| Female | 51 | - | - | - | - | - | - | - | - | - | - | 3 |
| White, both sexes | 142 | - | - | 1 | - | - | - | - | - | 3 | 1 | 4 |
| Male | 94 | - | - | 1 | - | - | - | - | - | 3 | 1 | 2 |
| Female | 48 | - | - | - | - | - | - | - | - | - | - | 2 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 655 | - | 1 | 1 | 1 | 2 | - | - | 5 | 3 | 8 | 21 |
| Male | 409 | - | - | 1 | - | 1 | - | - | 3 | 3 | 7 | 18 |
| Female | 246 | - | 1 | - | 1 | 1 | - | - | 2 | - | 1 | 3 |
| White, both sexes | 602 | - | - | 1 | - | 1 | - | - | 1 | 3 | 7 | 18 |
| Male | 380 | - | - | 1 | - | - | - | - | 1 | 3 | 6 | 15 |
| Female | 222 | - | - | - | - | 1 | - | - | - | - | 1 | 3 |
| Black, both sexes | 49 | - | 1 | - | 1 | 1 | - | - | 3 | - | 1 | 3 |
| Male | 29 | - | - | - | - | 1 | - | - | 2 | - | 1 | 3 |
| Female | 20 | - | 1 | - | 1 | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 48 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 27 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 21 | - | - | - | - | - | - | - | - | - | 2 | - |
| White, both sexes | 45 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 20 | - | - | - | - | - | - | - | - | - | 2 | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 195 | 1 | - | - | - | - | - | - | 1 | 1 | - | - |
| Male | 122 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 73 | 1 | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 150 | 1 | - | - | - | - | - | - | - | 1 | - | - |
| Male | 94 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 56 | 1 | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | 45 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 28 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 43 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 26 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 39 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 23 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 266 | - | - | - | - | - | - | - | - | 2 | 7 | 13 |
| Male | 174 | - | - | - | - | - | - | - | - | 1 | 4 | 10 |
| Female | 92 | - | - | - | - | - | - | - | - | 1 | 3 | 3 |
| White, both sexes | 225 | - | - | - | - | - | - | - | - | 1 | 4 | 11 |
| Male | 148 | - | - | - | - | - | - | - | - | - | 2 | 9 |
| Female | 77 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| Black, both sexes | 39 | - | - | - | - | - | - | - | - | 1 | 3 | 2 |
| Male | 25 | - | - | - | - | - | - | - | - | 1 | 2 | 1 |
| Female | 14 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 923 | 1 | 3 | 2 | - | - | 1 | - | 2 | 4 | 26 | 49 |
| Male | 561 | 1 | 2 | 1 | - | - | 1 | - | 1 | 2 | 18 | 33 |
| Female | 362 | - | 1 | 1 | - | - | - | - | 1 | 2 | 8 | 16 |
| White, both sexes | 817 | - | 3 | 1 | - | - | - | - | 1 | 4 | 24 | 39 |
| Male | 504 | - | 2 | 1 | - | - | - | - | - | 2 | 16 | 29 |
| Female | 313 | - | 1 | - | - | - | - | - | 1 | 2 | 8 | 10 |
| Black, both sexes | 97 | - | - | 1 | - | - | 1 | - | 1 | - | 2 | 8 |
| Male | 52 | - | - | - | - | - | 1 | - | 1 | - | 2 | 3 |
| Female | 45 | - | - | 1 | - | - | - | - | - | - | - | 5 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | 1 | - | - | - | - | - | - | - | - | - | 2 |
| Male | 4 | 1 | - | - | - | - | - | - | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 71 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Male | 45 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | 26 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 70 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Male | 44 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | 26 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 32 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 15 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 32 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 15 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 292 | - | - | - | - | 1 | - | 2 | 1 | 3 | 3 | 6 |
| Male | 180 | - | - | - | - | 1 | - | 2 | 1 | - | 2 | 4 |
| Female | 112 | - | - | - | - | - | - | - | - | 3 | 1 | 2 |
| White, both sexes | 239 | - | - | - | - | - | - | 1 | - | - | 2 | 6 |
| Male | 142 | - | - | - | - | - | - | 1 | - | - | 1 | 4 |
| Female | 97 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Black, both sexes | 49 | - | - | - | - | 1 | - | 1 | 1 | 2 | 1 | - |
| Male | 35 | - | - | - | - | 1 | - | 1 | 1 | - | 1 | - |
| Female | 14 | - | - | - | - | - | - | - | - | 2 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 261 | 1 | - | - | - | - | - | 1 | - | - | 3 | 4 |
| Male | 162 | - | - | - | - | - | - | 1 | - | - | 3 | 4 |
| Female | 99 | 1 | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 245 | 1 | - | - | - | - | - | - | - | - | 2 | 3 |
| Male | 148 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| Female | 97 | 1 | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 107 | - | - | - | - | - | - | - | - | - | 3 | 5 |
| Male | 62 | - | - | - | - | - | - | - | - | - | 2 | 5 |
| Female | 45 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 101 | - | - | - | - | - | - | - | - | - | 3 | 4 |
| Male | 57 | - | - | - | - | - | - | - | - | - | 2 | 4 |
| Female | 44 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 243 | - | - | - | 1 | - | - | - | - | 1 | 2 | 11 |
| Male | 156 | - | - | - | 1 | - | - | - | - | - | - | 8 |
| Female | 87 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| White, both sexes | 226 | - | - | - | - | - | - | - | - | 1 | 2 | 8 |
| Male | 144 | - | - | - | - | - | - | - | - | - | - | 6 |
| Female | 82 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| Black, both sexes | 11 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| Male | 8 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 20 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 16 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 20 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 16 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 820 | 1,106 | 1,408 | 1,454 | 1,689 | 1,801 | 1,709 | 1,048 | 469 | 128 | 14 | - |
| Male | 572 | 781 | 971 | 976 | 1,102 | 1,064 | 935 | 569 | 191 | 49 | 2 | - |
| Female | 248 | 325 | 437 | 478 | 587 | 737 | 774 | 479 | 278 | 79 | 12 | - |
| White, both sexes | 701 | 958 | 1,228 | 1,289 | 1,517 | 1,631 | 1,573 | 961 | 420 | 120 | 14 | - |
| Male | 483 | 685 | 842 | 869 | 988 | 969 | 862 | 531 | 173 | 45 | 2 | - |
| Female | 218 | 273 | 386 | 420 | 529 | 662 | 711 | 430 | 247 | 75 | 12 | - |
| Black, both sexes | 101 | 120 | 152 | 133 | 136 | 133 | 108 | 66 | 41 | 7 | - | - |
| Male | 75 | 82 | 108 | 84 | 92 | 72 | 56 | 25 | 14 | 3 | - | - |
| Female | 26 | 38 | 44 | 49 | 44 | 61 | 52 | 41 | 27 | 4 | - | - |
| American Indian 1/, both sexes | 6 | 12 | 12 | 14 | 10 | 7 | 10 | 3 | - | - | - | - |
| Male | 2 | 8 | 9 | 6 | 8 | 5 | 10 | 2 | - | - | - | - |
| Female | 4 | 4 | 3 | 8 | 2 | 2 | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 12 | 16 | 16 | 18 | 26 | 30 | 18 | 18 | 8 | 1 | - | - |
| Male | 12 | 6 | 12 | 17 | 14 | 18 | 7 | 11 | 4 | 1 | - | - |
| Female | - | 10 | 4 | 1 | 12 | 12 | 11 | 7 | 4 | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 19 | 17 | 27 | 24 | 25 | 24 | 16 | 19 | 7 | - | - | - |
| Male | 14 | 13 | 16 | 18 | 19 | 16 | 9 | 5 | 3 | - | - | - |
| Female | 5 | 4 | 11 | 6 | 6 | 8 | 7 | 14 | 4 | - | - | - |
| White, both sexes | 15 | 11 | 21 | 22 | 25 | 23 | 13 | 16 | 5 | - | - | - |
| Male | 11 | 10 | 10 | 17 | 19 | 15 | 7 | 5 | 2 | - | - | - |
| Female | 4 | 1 | 11 | 5 | 6 | 8 | 6 | 11 | 3 | - | - | - |
| Black, both sexes | 4 | 6 | 6 | 2 | - | 1 | 3 | 3 | 2 | - | - | - |
| Male | 3 | 3 | 6 | 1 | - | 1 | 2 | - | 1 | - | - | - |
| Female | 1 | 3 | - | 1 | - | - | 1 | 3 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 4 | - | 1 | 2 | 3 | 1 | - | 2 | - | - | - | - |
| Male | 4 | - | 1 | 1 | 3 | 1 | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| White, both sexes | 4 | - | 1 | 2 | 3 | 1 | - | 1 | - | - | - | - |
| Male | 4 | - | 1 | 1 | 3 | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 9 | 27 | 32 | 26 | 37 | 35 | 38 | 21 | 8 | 3 | - | - |
| Male | 6 | 19 | 25 | 15 | 26 | 18 | 22 | 11 | 4 | 1 | - | - |
| Female | 3 | 8 | 7 | 11 | 11 | 17 | 16 | 10 | 4 | 2 | - | - |
| White, both sexes | 7 | 24 | 29 | 24 | 36 | 32 | 36 | 20 | 8 | 3 | - | - |
| Male | 5 | 16 | 23 | 14 | 25 | 16 | 20 | 10 | 4 | 1 | - | - |
| Female | 2 | 8 | 6 | 10 | 11 | 16 | 16 | 10 | 4 | 2 | - | - |
| Black, both sexes | 1 | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | 2 | 2 | 2 | 1 | 2 | 2 | 1 | - | - | - | - |
| Male | - | 2 | 1 | 1 | 1 | 2 | 2 | 1 | - | - | - | - |
| Female | 1 | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 5 | 10 | 12 | 20 | 23 | 12 | 21 | 6 | 5 | 3 | - | - |
| Male | 5 | 7 | 7 | 14 | 19 | 8 | 12 | 3 | - | 2 | - | - |
| Female | - | 3 | 5 | 6 | 4 | 4 | 9 | 3 | 5 | 1 | - | - |
| White, both sexes | 4 | 9 | 12 | 16 | 21 | 10 | 20 | 5 | 4 | 2 | - | - |
| Male | 4 | 6 | 7 | 11 | 17 | 7 | 11 | 3 | - | 1 | - | - |
| Female | - | 3 | 5 | 5 | 4 | 3 | 9 | 2 | 4 | 1 | - | - |
| Black, both sexes | 1 | 1 | - | 4 | 2 | 2 | - | 1 | 1 | 1 | - | - |
| Male | 1 | 1 | - | 3 | 2 | 1 | - | - | - | 1 | - | - |
| Female | - | - | - | 1 | - | 1 | - | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 78 | 118 | 120 | 135 | 170 | 180 | 173 | 103 | 43 | 17 | 1 | - |
| Male | 49 | 83 | 86 | 100 | 97 | 107 | 105 | 54 | 21 | 7 | - | - |
| Female | 29 | 35 | 34 | 35 | 73 | 73 | 68 | 49 | 22 | 10 | 1 | - |
| White, both sexes | 69 | 102 | 103 | 110 | 151 | 159 | 153 | 88 | 37 | 17 | 1 | - |
| Male | 41 | 71 | 76 | 79 | 85 | 92 | 88 | 49 | 19 | 7 | - | - |
| Female | 28 | 31 | 27 | 31 | 66 | 67 | 65 | 39 | 18 | 10 | 1 | - |
| Black, both sexes | 5 | 9 | 8 | 11 | 7 | 9 | 11 | 5 | 2 | - | - | - |
| Male | 4 | 8 | 5 | 9 | 4 | 6 | 10 | - | 1 | - | - | - |
| Female | 1 | 1 | 3 | 2 | 3 | 3 | 1 | 5 | 1 | - | - | - |
| American Indian 1/, both sexes | - | 2 | 2 | 3 | 2 | - | 4 | 1 | - | - | - | - |
| Male | - | 2 | 1 | 1 | 2 | - | 4 | - | - | - | - | - |
| Female | - | - | 1 | 2 | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | 5 | 7 | 11 | 10 | 12 | 5 | 9 | 4 | - | - | - |
| Male | 4 | 2 | 4 | 11 | 6 | 9 | 3 | 5 | 1 | - | - | - |
| Female | - | 3 | 3 | - | 4 | 3 | 2 | 4 | 3 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 16 | 15 | 17 | 21 | 32 | 25 | 13 | 13 | 11 | - | - | - |
| Male | 8 | 9 | 11 | 15 | 27 | 14 | 5 | 7 | 4 | - | - | - |
| Female | 8 | 6 | 6 | 6 | 5 | 11 | 8 | 6 | 7 | - | - | - |
| White, both sexes | 15 | 15 | 16 | 20 | 31 | 24 | 13 | 12 | 11 | - | - | - |
| Male | 8 | 9 | 10 | 14 | 26 | 14 | 5 | 7 | 4 | - | - | - |
| Female | 7 | 6 | 6 | 6 | 5 | 10 | 8 | 5 | 7 | - | - | - |
| Black, both sexes | - | - | 1 | - | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 7 | 8 | 10 | 9 | 11 | 15 | 22 | 18 | 13 | 2 | 1 | - |
| Male | 3 | 6 | 4 | 6 | 6 | 8 | 11 | 11 | 5 | 1 | - | - |
| Female | 4 | 2 | 6 | 3 | 5 | 7 | 11 | 7 | 8 | 1 | 1 | - |
| White, both sexes | 5 | 8 | 10 | 8 | 10 | 15 | 21 | 17 | 11 | 2 | 1 | - |
| Male | 2 | 6 | 4 | 5 | 6 | 8 | 11 | 10 | 5 | 1 | - | - |
| Female | 3 | 2 | 6 | 3 | 4 | 7 | 10 | 7 | 6 | 1 | 1 | - |
| Black, both sexes | 2 | - | - | - | - | - | 1 | 1 | 2 | - | - | - |
| Male | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | - | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 1 | 3 | 8 | 2 | 4 | 6 | 2 | 4 | - | - | - | - |
| Male | - | 3 | 6 | 1 | 1 | 3 | 2 | 3 | - | - | - | - |
| Female | 1 | - | 2 | 1 | 3 | 3 | - | 1 | - | - | - | - |
| White, both sexes | 1 | 1 | 7 | 2 | 4 | 6 | 2 | 3 | - | - | - | - |
| Male | - | 1 | 5 | 1 | 1 | 3 | 2 | 3 | - | - | - | - |
| Female | 1 | - | 2 | 1 | 3 | 3 | - | - | - | - | - | - |
| Black, both sexes | - | 2 | 1 | - | - | - | - | 1 | - | - | - | - |
| Male | - | 2 | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 2 | 1 | 4 | 1 | 3 | 1 | - | 1 | - | - |
| Male | 1 | 1 | 2 | - | 2 | - | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | 2 | 1 | 2 | 1 | - | 1 | - | - |
| White, both sexes | - | 1 | 1 | - | - | - | 1 | - | - | 1 | - | - |
| Male | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | 1 | - | - |
| Black, both sexes | 1 | - | 1 | 1 | 4 | 1 | 2 | 1 | - | - | - | - |
| Male | 1 | - | 1 | - | 2 | - | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | 2 | 1 | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 34 | 58 | 90 | 97 | 119 | 112 | 112 | 67 | 41 | 11 | - | - |
| Male | 27 | 47 | 59 | 67 | 73 | 74 | 70 | 43 | 22 | 6 | - | - |
| Female | 7 | 11 | 31 | 30 | 46 | 38 | 42 | 24 | 19 | 5 | - | - |
| White, both sexes | 30 | 54 | 80 | 90 | 111 | 107 | 107 | 64 | 40 | 11 | - | - |
| Male | 24 | 44 | 54 | 63 | 68 | 70 | 68 | 41 | 21 | 6 | - | - |
| Female | 6 | 10 | 26 | 27 | 43 | 37 | 39 | 23 | 19 | 5 | - | - |
| Black, both sexes | 4 | 4 | 10 | 7 | 8 | 5 | 5 | 3 | - | - | - | - |
| Male | 3 | 3 | 5 | 4 | 5 | 4 | 2 | 2 | - | - | - | - |
| Female | 1 | 1 | 5 | 3 | 3 | 1 | 3 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 31 | 35 | 36 | 57 | 40 | 60 | 37 | 20 | 13 | 3 | 1 | - |
| Male | 20 | 23 | 29 | 41 | 25 | 30 | 16 | 11 | 5 | 1 | - | - |
| Female | 11 | 12 | 7 | 16 | 15 | 30 | 21 | 9 | 8 | 2 | 1 | - |
| White, both sexes | 20 | 27 | 29 | 49 | 31 | 50 | 33 | 15 | 9 | 3 | 1 | - |
| Male | 11 | 17 | 23 | 36 | 18 | 27 | 15 | 9 | 5 | 1 | - | - |
| Female | 9 | 10 | 6 | 13 | 13 | 23 | 18 | 6 | 4 | 2 | 1 | - |
| Black, both sexes | 9 | 8 | 7 | 8 | 9 | 9 | 4 | 5 | 4 | - | - | - |
| Male | 7 | 6 | 6 | 5 | 7 | 2 | 1 | 2 | - | - | - | - |
| Female | 2 | 2 | 1 | 3 | 2 | 7 | 3 | 3 | 4 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | - | - | 3 | 8 | 2 | 5 | 2 | - | - | - |
| Male | 2 | - | - | - | 2 | 5 | - | 2 | 1 | - | - | - |
| Female | - | 1 | - | - | 1 | 3 | 2 | 3 | 1 | - | - | - |
| White, both sexes | 1 | - | - | - | - | 2 | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | 2 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | 3 | 6 | 2 | 4 | 2 | - | - | - |
| Male | 1 | - | - | - | 2 | 3 | - | 2 | 1 | - | - | - |
| Female | - | 1 | - | - | 1 | 3 | 2 | 2 | 1 | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 5 | 10 | 4 | 3 | 6 | 6 | 9 | 1 | - | 2 | - | - |
| Male | 5 | 5 | 2 | 2 | 4 | 4 | 6 | 1 | - | - | - | - |
| Female | - | 5 | 2 | 1 | 2 | 2 | 3 | - | - | 2 | - | - |
| White, both sexes | 5 | 10 | 4 | 3 | 5 | 6 | 8 | 1 | - | 2 | - | - |
| Male | 5 | 5 | 2 | 2 | 3 | 4 | 5 | 1 | - | - | - | - |
| Female | - | 5 | 2 | 1 | 2 | 2 | 3 | - | - | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 40 | 44 | 72 | 52 | 64 | 72 | 94 | 48 | 25 | 6 | - | - |
| Male | 27 | 35 | 56 | 35 | 45 | 43 | 56 | 33 | 9 | 2 | - | - |
| Female | 13 | 9 | 16 | 17 | 19 | 29 | 38 | 15 | 16 | 4 | - | - |
| White, both sexes | 33 | 36 | 61 | 47 | 59 | 62 | 87 | 45 | 22 | 6 | - | - |
| Male | 22 | 29 | 48 | 32 | 42 | 35 | 50 | 30 | 8 | 2 | - | - |
| Female | 11 | 7 | 13 | 15 | 17 | 27 | 37 | 15 | 14 | 4 | - | - |
| Black, both sexes | 7 | 7 | 11 | 5 | 5 | 9 | 5 | 2 | 3 | - | - | - |
| Male | 5 | 6 | 8 | 3 | 3 | 7 | 5 | 2 | 1 | - | - | - |
| Female | 2 | 1 | 3 | 2 | 2 | 2 | - | - | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | 1 | 2 | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 18 | 39 | 30 | 41 | 48 | 49 | 40 | 17 | 10 | 3 | - | - |
| Male | 12 | 25 | 17 | 21 | 37 | 29 | 21 | 10 | 2 | 2 | - | - |
| Female | 6 | 14 | 13 | 20 | 11 | 20 | 19 | 7 | 8 | 1 | - | - |
| White, both sexes | 18 | 35 | 28 | 37 | 44 | 47 | 40 | 16 | 9 | 3 | - | - |
| Male | 12 | 22 | 15 | 19 | 35 | 28 | 21 | 9 | 1 | 2 | - | - |
| Female | 6 | 13 | 13 | 18 | 9 | 19 | 19 | 7 | 8 | 1 | - | - |
| Black, both sexes | - | 4 | 2 | 4 | 3 | 2 | - | 1 | 1 | - | - | - |
| Male | - | 3 | 2 | 2 | 2 | 1 | - | 1 | 1 | - | - | - |
| Female | - | 1 | - | 2 | 1 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 3 | 10 | 21 | 20 | 23 | 27 | 26 | 25 | 6 | 3 | - | - |
| Male | 2 | 6 | 14 | 15 | 10 | 18 | 13 | 14 | 3 | 1 | - | - |
| Female | 1 | 4 | 7 | 5 | 13 | 9 | 13 | 11 | 3 | 2 | - | - |
| White, both sexes | 3 | 10 | 21 | 20 | 22 | 27 | 26 | 24 | 6 | 3 | - | - |
| Male | 2 | 6 | 14 | 15 | 10 | 18 | 13 | 13 | 3 | 1 | - | - |
| Female | 1 | 4 | 7 | 5 | 12 | 9 | 13 | 11 | 3 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 13 | 9 | 13 | 14 | 20 | 25 | 24 | 9 | 5 | - | - | - |
| Male | 9 | 7 | 10 | 6 | 14 | 12 | 16 | 8 | 2 | - | - | - |
| Female | 4 | 2 | 3 | 8 | 6 | 13 | 8 | 1 | 3 | - | - | - |
| White, both sexes | 13 | 8 | 13 | 13 | 20 | 24 | 24 | 9 | 4 | - | - | - |
| Male | 9 | 6 | 10 | 6 | 14 | 11 | 16 | 8 | 2 | - | - | - |
| Female | 4 | 2 | 3 | 7 | 6 | 13 | 8 | 1 | 2 | - | - | - |
| Black, both sexes | - | - | - | 1 | - | 1 | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 11 | 25 | 24 | 25 | 23 | 30 | 23 | 11 | 7 | 3 | 1 | - |
| Male | 8 | 18 | 17 | 20 | 17 | 21 | 12 | 5 | 1 | 1 | - | - |
| Female | 3 | 7 | 7 | 5 | 6 | 9 | 11 | 6 | 6 | 2 | 1 | - |
| White, both sexes | 11 | 24 | 21 | 22 | 21 | 30 | 21 | 10 | 7 | 3 | 1 | - |
| Male | 8 | 18 | 14 | 19 | 16 | 21 | 11 | 5 | 1 | 1 | - | - |
| Female | 3 | 6 | 7 | 3 | 5 | 9 | 10 | 5 | 6 | 2 | 1 | - |
| Black, both sexes | - | 1 | 3 | 2 | 2 | - | 2 | 1 | - | - | - | - |
| Male | - | - | 3 | 1 | 1 | - | 1 | - | - | - | - | - |
| Female | - | 1 | - | 1 | 1 | - | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 14 | 22 | 24 | 27 | 29 | 31 | 24 | 20 | 7 | 1 | - | - |
| Male | 9 | 16 | 15 | 14 | 16 | 20 | 14 | 11 | 3 | - | - | - |
| Female | 5 | 6 | 9 | 13 | 13 | 11 | 10 | 9 | 4 | 1 | - | - |
| White, both sexes | 10 | 18 | 18 | 22 | 23 | 24 | 22 | 16 | 5 | 1 | - | - |
| Male | 6 | 13 | 12 | 12 | 14 | 15 | 13 | 10 | 2 | - | - | - |
| Female | 4 | 5 | 6 | 10 | 9 | 9 | 9 | 6 | 3 | 1 | - | - |
| Black, both sexes | 4 | 4 | 5 | 5 | 6 | 6 | 2 | 4 | 2 | - | - | - |
| Male | 3 | 3 | 2 | 2 | 2 | 4 | 1 | 1 | 1 | - | - | - |
| Female | 1 | 1 | 3 | 3 | 4 | 2 | 1 | 3 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 10 | 11 | 5 | 9 | 5 | 12 | 6 | 6 | 1 | - | - | - |
| Male | 7 | 9 | 2 | 7 | 2 | 6 | 2 | 2 | 1 | - | - | - |
| Female | 3 | 2 | 3 | 2 | 3 | 6 | 4 | 4 | - | - | - | - |
| White, both sexes | 10 | 11 | 5 | 9 | 5 | 12 | 6 | 6 | 1 | - | - | - |
| Male | 7 | 9 | 2 | 7 | 2 | 6 | 2 | 2 | 1 | - | - | - |
| Female | 3 | 2 | 3 | 2 | 3 | 6 | 4 | 4 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 11 | 16 | 33 | 26 | 31 | 23 | 28 | 17 | 10 | 1 | - | - |
| Male | 5 | 12 | 21 | 19 | 19 | 12 | 11 | 9 | 5 | 1 | - | - |
| Female | 6 | 4 | 12 | 7 | 12 | 11 | 17 | 8 | 5 | - | - | - |
| White, both sexes | 6 | 12 | 23 | 22 | 25 | 21 | 24 | 16 | 9 | 1 | - | - |
| Male | - | 8 | 15 | 16 | 14 | 11 | 8 | 8 | 5 | 1 | - | - |
| Female | 6 | 4 | 8 | 6 | 11 | 10 | 16 | 8 | 4 | - | - | - |
| Black, both sexes | 5 | 3 | 10 | 4 | 6 | 2 | 3 | - | 1 | - | - | - |
| Male | 5 | 3 | 6 | 3 | 5 | 1 | 2 | - | - | - | - | - |
| Female | - | - | 4 | 1 | 1 | 1 | 1 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 12 | 15 | 28 | 24 | 31 | 48 | 40 | 25 | 13 | 4 | 1 | - |
| Male | 10 | 10 | 18 | 14 | 18 | 31 | 21 | 18 | 6 | 1 | - | - |
| Female | 2 | 5 | 10 | 10 | 13 | 17 | 19 | 7 | 7 | 3 | 1 | - |
| White, both sexes | 12 | 14 | 26 | 23 | 31 | 45 | 38 | 25 | 13 | 4 | 1 | - |
| Male | 10 | 10 | 17 | 13 | 18 | 29 | 20 | 18 | 6 | 1 | - | - |
| Female | 2 | 4 | 9 | 10 | 13 | 16 | 18 | 7 | 7 | 3 | 1 | - |
| Black, both sexes | - | - | 2 | 1 | - | 2 | 1 | - | - | - | - | - |
| Male | - | - | 1 | 1 | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 28 | 45 | 43 | 50 | 53 | 64 | 77 | 35 | 11 | 6 | 1 | - |
| Male | 15 | 32 | 29 | 32 | 35 | 36 | 39 | 22 | 5 | 1 | - | - |
| Female | 13 | 13 | 14 | 18 | 18 | 28 | 38 | 13 | 6 | 5 | 1 | - |
| White, both sexes | 24 | 38 | 41 | 44 | 46 | 57 | 69 | 32 | 10 | 6 | 1 | - |
| Male | 13 | 28 | 28 | 29 | 29 | 33 | 37 | 20 | 5 | 1 | - | - |
| Female | 11 | 10 | 13 | 15 | 17 | 24 | 32 | 12 | 5 | 5 | 1 | - |
| Black, both sexes | 4 | 5 | 2 | 6 | 6 | 6 | 6 | 3 | 1 | - | - | - |
| Male | 2 | 3 | 1 | 3 | 5 | 2 | 1 | 2 | - | - | - | - |
| Female | 2 | 2 | 1 | 3 | 1 | 4 | 5 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | 1 | 2 | - | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 11 | 23 | 21 | 30 | 27 | 25 | 25 | 23 | 12 | 3 | - | - |
| Male | 10 | 17 | 13 | 23 | 17 | 14 | 14 | 10 | 3 | 2 | - | - |
| Female | 1 | 6 | 8 | 7 | 10 | 11 | 11 | 13 | 9 | 1 | - | - |
| White, both sexes | 11 | 21 | 21 | 29 | 26 | 23 | 25 | 23 | 12 | 3 | - | - |
| Male | 10 | 16 | 13 | 22 | 16 | 14 | 14 | 10 | 3 | 2 | - | - |
| Female | 1 | 5 | 8 | 7 | 10 | 9 | 11 | 13 | 9 | 1 | - | - |
| Black, both sexes | - | 1 | - | - | 1 | 2 | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | 2 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 12 | 16 | 16 | 13 | 20 | 5 | 13 | 9 | 9 | 2 | - | - |
| Male | 9 | 13 | 6 | 9 | 14 | 3 | 7 | 4 | - | 1 | - | - |
| Female | 3 | 3 | 10 | 4 | 6 | 2 | 6 | 5 | 9 | 1 | - | - |
| White, both sexes | 7 | 12 | 12 | 9 | 13 | 5 | 10 | 7 | 6 | 2 | - | - |
| Male | 5 | 10 | 5 | 6 | 11 | 3 | 6 | 4 | - | 1 | - | - |
| Female | 2 | 2 | 7 | 3 | 2 | 2 | 4 | 3 | 6 | 1 | - | - |
| Black, both sexes | 5 | 4 | 4 | 4 | 7 | - | 3 | 2 | 3 | - | - | - |
| Male | 4 | 3 | 1 | 3 | 3 | - | 1 | - | - | - | - | - |
| Female | 1 | 1 | 3 | 1 | 4 | - | 2 | 2 | 3 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 27 | 24 | 38 | 28 | 46 | 39 | 29 | 24 | 13 | 1 | 1 | - |
| Male | 22 | 18 | 29 | 17 | 27 | 22 | 19 | 13 | 8 | - | - | - |
| Female | 5 | 6 | 9 | 11 | 19 | 17 | 10 | 11 | 5 | 1 | 1 | - |
| White, both sexes | 26 | 20 | 34 | 25 | 41 | 32 | 29 | 23 | 12 | 1 | 1 | - |
| Male | 21 | 17 | 25 | 15 | 23 | 18 | 19 | 12 | 8 | - | - | - |
| Female | 5 | 3 | 9 | 10 | 18 | 14 | 10 | 11 | 4 | 1 | 1 | - |
| Black, both sexes | 1 | 3 | 4 | 3 | 5 | 6 | - | 1 | 1 | - | - | - |
| Male | 1 | 1 | 4 | 2 | 4 | 3 | - | 1 | - | - | - | - |
| Female | - | 2 | - | 1 | 1 | 3 | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 3 | 3 | 5 | 5 | 3 | 11 | 6 | 6 | 1 | - | - | - |
| Male | 3 | 2 | 3 | 3 | 1 | 8 | 5 | 6 | 1 | - | - | - |
| Female | - | 1 | 2 | 2 | 2 | 3 | 1 | - | - | - | - | - |
| White, both sexes | 3 | 3 | 4 | 5 | 3 | 11 | 6 | 6 | 1 | - | - | - |
| Male | 3 | 2 | 3 | 3 | 1 | 8 | 5 | 6 | 1 | - | - | - |
| Female | - | 1 | 1 | 2 | 2 | 3 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 4 | 6 | 13 | 10 | 15 | 8 | 9 | 13 | 6 | 1 | 1 | - |
| Male | 2 | 5 | 10 | 5 | 13 | 5 | 6 | 6 | 2 | - | - | - |
| Female | 2 | 1 | 3 | 5 | 2 | 3 | 3 | 7 | 4 | 1 | 1 | - |
| White, both sexes | 4 | 6 | 12 | 10 | 14 | 7 | 9 | 13 | 6 | 1 | 1 | - |
| Male | 2 | 5 | 9 | 5 | 12 | 5 | 6 | 6 | 2 | - | - | - |
| Female | 2 | 1 | 3 | 5 | 2 | 2 | 3 | 7 | 4 | 1 | 1 | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 4 | 5 | 19 | 15 | 11 | 9 | 8 | 8 | 1 | - | - | - |
| Male | 3 | 5 | 16 | 10 | 6 | 5 | 5 | 5 | - | - | - | - |
| Female | 1 | - | 3 | 5 | 5 | 4 | 3 | 3 | 1 | - | - | - |
| White, both sexes | 4 | 5 | 13 | 13 | 8 | 8 | 8 | 8 | 1 | - | - | - |
| Male | 3 | 5 | 12 | 9 | 5 | 4 | 5 | 5 | - | - | - | - |
| Female | 1 | - | 1 | 4 | 3 | 4 | 3 | 3 | 1 | - | - | - |
| Black, both sexes | - | - | 2 | 1 | 2 | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 3 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | 2 | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 6 | 3 | 7 | 5 | 3 | 16 | 5 | 6 | 1 | 3 | - | - |
| Male | 2 | 3 | 2 | 4 | 2 | 8 | 3 | 4 | 1 | 1 | - | - |
| Female | 4 | - | 5 | 1 | 1 | 8 | 2 | 2 | - | 2 | - | - |
| White, both sexes | 6 | 3 | 7 | 5 | 3 | 15 | 5 | 6 | 1 | 3 | - | - |
| Male | 2 | 3 | 2 | 4 | 2 | 8 | 3 | 4 | 1 | 1 | - | - |
| Female | 4 | - | 5 | 1 | 1 | 7 | 2 | 2 | - | 2 | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 22 | 20 | 52 | 29 | 42 | 55 | 57 | 30 | 9 | - | - | - |
| Male | 18 | 17 | 37 | 20 | 26 | 25 | 26 | 14 | 6 | - | - | - |
| Female | 4 | 3 | 15 | 9 | 16 | 30 | 31 | 16 | 3 | - | - | - |
| White, both sexes | 18 | 17 | 41 | 25 | 37 | 52 | 56 | 26 | 9 | - | - | - |
| Male | 15 | 15 | 30 | 18 | 22 | 24 | 26 | 12 | 6 | - | - | - |
| Female | 3 | 2 | 11 | 7 | 15 | 28 | 30 | 14 | 3 | - | - | - |
| Black, both sexes | 4 | 2 | 10 | 3 | 3 | 3 | 1 | 4 | - | - | - | - |
| Male | 3 | 2 | 6 | 2 | 3 | 1 | - | 2 | - | - | - | - |
| Female | 1 | - | 4 | 1 | - | 2 | 1 | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | - | 2 | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 10 | 5 | 10 | 13 | 14 | 3 | 11 | 6 | 5 | 1 | - | - |
| Male | 7 | 3 | 8 | 9 | 9 | 2 | 6 | 2 | 2 | 1 | - | - |
| Female | 3 | 2 | 2 | 4 | 5 | 1 | 5 | 4 | 3 | - | - | - |
| White, both sexes | 8 | 4 | 9 | 11 | 13 | 3 | 9 | 6 | 5 | 1 | - | - |
| Male | 5 | 3 | 7 | 8 | 9 | 2 | 4 | 2 | 2 | 1 | - | - |
| Female | 3 | 1 | 2 | 3 | 4 | 1 | 5 | 4 | 3 | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | 1 | 1 | 2 | - | - | 1 | - | - | - | - | - |
| Male | 2 | - | 1 | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 49 | 56 | 76 | 82 | 92 | 104 | 101 | 55 | 29 | 4 | 2 | - |
| Male | 35 | 34 | 57 | 62 | 65 | 58 | 55 | 24 | 14 | 2 | 1 | - |
| Female | 14 | 22 | 19 | 20 | 27 | 46 | 46 | 31 | 15 | 2 | 1 | - |
| White, both sexes | 42 | 43 | 62 | 71 | 85 | 94 | 97 | 48 | 27 | 4 | 2 | - |
| Male | 30 | 25 | 45 | 53 | 61 | 52 | 53 | 22 | 13 | 2 | 1 | - |
| Female | 12 | 18 | 17 | 18 | 24 | 42 | 44 | 26 | 14 | 2 | 1 | - |
| Black, both sexes | 6 | 11 | 11 | 8 | 3 | 8 | 2 | 6 | 2 | - | - | - |
| Male | 4 | 7 | 9 | 6 | 2 | 5 | - | 2 | 1 | - | - | - |
| Female | 2 | 4 | 2 | 2 | 1 | 3 | 2 | 4 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 2 | 3 | 2 | 4 | 2 | 2 | 1 | - | - | - | - |
| Male | 1 | 2 | 3 | 2 | 2 | 1 | 2 | - | - | - | - | - |
| Female | - | - | - | - | 2 | 1 | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 24 | 39 | 44 | 41 | 54 | 55 | 50 | 37 | 15 | 1 | - | - |
| Male | 16 | 31 | 32 | 27 | 36 | 41 | 30 | 17 | 5 | - | - | - |
| Female | 8 | 8 | 12 | 14 | 18 | 14 | 20 | 20 | 10 | 1 | - | - |
| White, both sexes | 18 | 32 | 35 | 35 | 48 | 44 | 42 | 35 | 10 | - | - | - |
| Male | 11 | 25 | 26 | 24 | 32 | 31 | 28 | 16 | 3 | - | - | - |
| Female | 7 | 7 | 9 | 11 | 16 | 13 | 14 | 19 | 7 | - | - | - |
| Black, both sexes | 6 | 6 | 9 | 6 | 5 | 10 | 7 | 2 | 5 | 1 | - | - |
| Male | 5 | 5 | 6 | 3 | 3 | 9 | 2 | 1 | 2 | - | - | - |
| Female | 1 | 1 | 3 | 3 | 2 | 1 | 5 | 1 | 3 | 1 | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 1 | 4 | 10 | 2 | 3 | 1 | 3 | 2 | - | - |
| Male | 2 | 2 | 1 | 3 | 6 | 1 | 2 | - | 3 | - | - | - |
| Female | - | 1 | - | 1 | 4 | 1 | 1 | 1 | - | 2 | - | - |
| White, both sexes | 2 | 3 | 1 | 3 | 10 | 2 | 3 | 1 | 3 | 2 | - | - |
| Male | 2 | 2 | 1 | 2 | 6 | 1 | 2 | - | 3 | - | - | - |
| Female | - | 1 | - | 1 | 4 | 1 | 1 | 1 | - | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 45 | 39 | 51 | 64 | 84 | 97 | 76 | 59 | 15 | 5 | 1 | - |
| Male | 31 | 24 | 31 | 43 | 51 | 61 | 38 | 29 | 8 | 2 | - | - |
| Female | 14 | 15 | 20 | 21 | 33 | 36 | 38 | 30 | 7 | 3 | 1 | - |
| White, both sexes | 38 | 32 | 45 | 52 | 74 | 90 | 68 | 58 | 14 | 5 | 1 | - |
| Male | 28 | 19 | 27 | 33 | 43 | 59 | 37 | 29 | 7 | 2 | - | - |
| Female | 10 | 13 | 18 | 19 | 31 | 31 | 31 | 29 | 7 | 3 | 1 | - |
| Black, both sexes | 6 | 7 | 6 | 12 | 10 | 7 | 7 | 1 | 1 | - | - | - |
| Male | 3 | 5 | 4 | 10 | 8 | 2 | 1 | - | 1 | - | - | - |
| Female | 3 | 2 | 2 | 2 | 2 | 5 | 6 | 1 | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 13 | 28 | 34 | 23 | 22 | 27 | 19 | 17 | 7 | 1 | - | - |
| Male | 9 | 15 | 24 | 17 | 10 | 13 | 11 | 9 | 1 | - | - | - |
| Female | 4 | 13 | 10 | 6 | 12 | 14 | 8 | 8 | 6 | 1 | - | - |
| White, both sexes | 11 | 23 | 30 | 22 | 20 | 23 | 19 | 16 | 7 | 1 | - | - |
| Male | 8 | 14 | 21 | 17 | 9 | 12 | 11 | 8 | 1 | - | - | - |
| Female | 3 | 9 | 9 | 5 | 11 | 11 | 8 | 8 | 6 | 1 | - | - |
| Black, both sexes | 1 | 4 | 3 | - | 1 | 2 | - | - | - | - | - | - |
| Male | 1 | 1 | 2 | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | 3 | 1 | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Female | 1 | 1 | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 6 | 14 | 16 | 18 | 17 | 21 | 24 | 13 | 6 | - | - | - |
| Male | 5 | 13 | 10 | 12 | 15 | 12 | 13 | 6 | 1 | - | - | - |
| Female | 1 | 1 | 6 | 6 | 2 | 9 | 11 | 7 | 5 | - | - | - |
| White, both sexes | 6 | 14 | 16 | 17 | 17 | 20 | 24 | 13 | 6 | - | - | - |
| Male | 5 | 13 | 10 | 12 | 15 | 12 | 13 | 6 | 1 | - | - | - |
| Female | 1 | 1 | 6 | 5 | 2 | 8 | 11 | 7 | 5 | - | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 34 | 40 | 74 | 59 | 79 | 108 | 109 | 73 | 27 | 9 | 1 | - |
| Male | 26 | 29 | 54 | 41 | 54 | 61 | 55 | 42 | 9 | 5 | - | - |
| Female | 8 | 11 | 20 | 18 | 25 | 47 | 54 | 31 | 18 | 4 | 1 | - |
| White, both sexes | 32 | 37 | 69 | 55 | 73 | 101 | 101 | 69 | 24 | 9 | 1 | - |
| Male | 26 | 26 | 50 | 38 | 51 | 59 | 52 | 41 | 6 | 5 | - | - |
| Female | 6 | 11 | 19 | 17 | 22 | 42 | 49 | 28 | 18 | 4 | 1 | - |
| Black, both sexes | 2 | 3 | 5 | 4 | 5 | 5 | 8 | 4 | 3 | - | - | - |
| Male | - | 3 | 4 | 3 | 3 | 2 | 3 | 1 | 3 | - | - | - |
| Female | 2 | - | 1 | 1 | 2 | 3 | 5 | 3 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | 2 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | 2 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 5 | 6 | 8 | 5 | 11 | 7 | - | - | - | - |
| Male | 2 | 2 | 4 | 4 | 5 | 1 | 6 | 3 | - | - | - | - |
| Female | - | - | 1 | 2 | 3 | 4 | 5 | 4 | - | - | - | - |
| White, both sexes | 2 | 2 | 3 | 5 | 8 | 5 | 11 | 7 | - | - | - | - |
| Male | 2 | 2 | 2 | 4 | 5 | 1 | 6 | 3 | - | - | - | - |
| Female | - | - | 1 | 1 | 3 | 4 | 5 | 4 | - | - | - | - |
| Black, both sexes | - | - | 2 | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | 2 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 18 | 14 | 22 | 22 | 28 | 33 | 32 | 12 | 8 | 2 | 1 | - |
| Male | 13 | 7 | 16 | 13 | 18 | 22 | 19 | 8 | 4 | 1 | - | - |
| Female | 5 | 7 | 6 | 9 | 10 | 11 | 13 | 4 | 4 | 1 | 1 | - |
| White, both sexes | 12 | 12 | 15 | 18 | 24 | 27 | 23 | 9 | 7 | - | 1 | - |
| Male | 8 | 6 | 13 | 11 | 17 | 17 | 13 | 5 | 4 | - | - | - |
| Female | 4 | 6 | 2 | 7 | 7 | 10 | 10 | 4 | 3 | - | 1 | - |
| Black, both sexes | 6 | 2 | 7 | 4 | 4 | 6 | 9 | 3 | 1 | 2 | - | - |
| Male | 5 | 1 | 3 | 2 | 1 | 5 | 6 | 3 | - | 1 | - | - |
| Female | 1 | 1 | 4 | 2 | 3 | 1 | 3 | - | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | 6 | 5 | 8 | 11 | 3 | 3 | 6 | - | - | - | - |
| Male | 1 | 3 | 5 | 3 | 8 | 3 | 1 | 2 | - | - | - | - |
| Female | - | 3 | - | 5 | 3 | - | 2 | 4 | - | - | - | - |
| White, both sexes | 1 | 5 | 4 | 8 | 9 | 3 | 3 | 6 | - | - | - | - |
| Male | 1 | 3 | 4 | 3 | 6 | 3 | 1 | 2 | - | - | - | - |
| Female | - | 2 | - | 5 | 3 | - | 2 | 4 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | 1 | - | 2 | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | 2 | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 17 | 25 | 28 | 38 | 35 | 37 | 32 | 23 | 7 | 2 | - | - |
| Male | 11 | 21 | 20 | 25 | 22 | 24 | 20 | 13 | 3 | - | - | - |
| Female | 6 | 4 | 8 | 13 | 13 | 13 | 12 | 10 | 4 | 2 | - | - |
| White, both sexes | 15 | 21 | 24 | 34 | 27 | 32 | 28 | 21 | 5 | 2 | - | - |
| Male | 10 | 19 | 16 | 23 | 15 | 22 | 17 | 13 | 2 | - | - | - |
| Female | 5 | 2 | 8 | 11 | 12 | 10 | 11 | 8 | 3 | 2 | - | - |
| Black, both sexes | 2 | 3 | 3 | 4 | 8 | 5 | 4 | 2 | 2 | - | - | - |
| Male | 1 | 2 | 3 | 2 | 7 | 2 | 3 | - | 1 | - | - | - |
| Female | 1 | 1 | - | 2 | 1 | 3 | 1 | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 63 | 99 | 104 | 116 | 133 | 118 | 114 | 53 | 26 | 9 | - | - |
| Male | 39 | 66 | 70 | 77 | 88 | 73 | 52 | 25 | 10 | 2 | - | - |
| Female | 24 | 33 | 34 | 39 | 45 | 45 | 62 | 28 | 16 | 7 | - | - |
| White, both sexes | 57 | 87 | 95 | 104 | 118 | 105 | 99 | 48 | 25 | 7 | - | - |
| Male | 34 | 61 | 63 | 69 | 79 | 68 | 45 | 25 | 9 | 1 | - | - |
| Female | 23 | 26 | 32 | 35 | 39 | 37 | 54 | 23 | 16 | 6 | - | - |
| Black, both sexes | 6 | 11 | 9 | 12 | 14 | 11 | 13 | 5 | 1 | 2 | - | - |
| Male | 5 | 4 | 7 | 8 | 8 | 4 | 7 | - | 1 | 1 | - | - |
| Female | 1 | 7 | 2 | 4 | 6 | 7 | 6 | 5 | - | 1 | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | 2 | 2 | - | - | - | - | - |
| Male | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 2 | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 2 | 6 | 12 | 10 | 8 | 15 | 10 | 4 | - | 1 | - | - |
| Male | 1 | 5 | 7 | 7 | 6 | 9 | 6 | 1 | - | - | - | - |
| Female | 1 | 1 | 5 | 3 | 2 | 6 | 4 | 3 | - | 1 | - | - |
| White, both sexes | 2 | 6 | 12 | 9 | 8 | 15 | 10 | 4 | - | 1 | - | - |
| Male | 1 | 5 | 7 | 6 | 6 | 9 | 6 | 1 | - | - | - | - |
| Female | 1 | 1 | 5 | 3 | 2 | 6 | 4 | 3 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 4 | 3 | 1 | 4 | 4 | 7 | 5 | - | 2 | - | - | - |
| Male | 2 | 1 | 1 | 3 | 3 | 2 | 2 | - | - | - | - | - |
| Female | 2 | 2 | - | 1 | 1 | 5 | 3 | - | 2 | - | - | - |
| White, both sexes | 4 | 3 | 1 | 4 | 4 | 7 | 5 | - | 2 | - | - | - |
| Male | 2 | 1 | 1 | 3 | 3 | 2 | 2 | - | - | - | - | - |
| Female | 2 | 2 | - | 1 | 1 | 5 | 3 | - | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 22 | 25 | 37 | 40 | 38 | 45 | 43 | 16 | 9 | 1 | - | - |
| Male | 19 | 16 | 24 | 25 | 27 | 26 | 19 | 10 | 3 | 1 | - | - |
| Female | 3 | 9 | 13 | 15 | 11 | 19 | 24 | 6 | 6 | - | - | - |
| White, both sexes | 15 | 21 | 32 | 32 | 32 | 39 | 36 | 15 | 7 | 1 | - | - |
| Male | 12 | 14 | 19 | 20 | 21 | 22 | 15 | 9 | 3 | 1 | - | - |
| Female | 3 | 7 | 13 | 12 | 11 | 17 | 21 | 6 | 4 | - | - | - |
| Black, both sexes | 6 | 4 | 5 | 7 | 5 | 6 | 7 | 1 | 2 | - | - | - |
| Male | 6 | 2 | 5 | 4 | 5 | 4 | 4 | 1 | - | - | - | - |
| Female | - | 2 | - | 3 | - | 2 | 3 | - | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 19 | 33 | 21 | 35 | 35 | 42 | 26 | 26 | 9 | 5 | 1 | - |
| Male | 15 | 21 | 14 | 22 | 22 | 25 | 13 | 16 | 2 | 3 | 1 | - |
| Female | 4 | 12 | 7 | 13 | 13 | 17 | 13 | 10 | 7 | 2 | - | - |
| White, both sexes | 14 | 32 | 21 | 35 | 33 | 41 | 26 | 24 | 8 | 4 | 1 | - |
| Male | 11 | 21 | 14 | 22 | 20 | 24 | 13 | 14 | 1 | 2 | 1 | - |
| Female | 3 | 11 | 7 | 13 | 13 | 17 | 13 | 10 | 7 | 2 | - | - |
| Black, both sexes | 2 | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | 1 | - | - | - | - | - | 1 | 1 | 1 | - | - |
| Male | 3 | - | - | - | - | - | - | 1 | 1 | 1 | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 7 | 8 | 14 | 13 | 13 | 17 | 15 | 7 | 2 | 3 | - | - |
| Male | 3 | 5 | 10 | 7 | 10 | 7 | 9 | 4 | - | - | - | - |
| Female | 4 | 3 | 4 | 6 | 3 | 10 | 6 | 3 | 2 | 3 | - | - |
| White, both sexes | 7 | 8 | 12 | 13 | 12 | 16 | 15 | 7 | 2 | 2 | - | - |
| Male | 3 | 5 | 8 | 7 | 9 | 6 | 9 | 4 | - | - | - | - |
| Female | 4 | 3 | 4 | 6 | 3 | 10 | 6 | 3 | 2 | 2 | - | - |
| Black, both sexes | - | - | 2 | - | 1 | 1 | - | - | - | 1 | - | - |
| Male | - | - | 2 | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of kidney and renal pelvis (C64-C65) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 20 | 20 | 26 | 37 | 31 | 26 | 38 | 19 | 9 | 2 | - | - |
| Male | 17 | 16 | 16 | 21 | 22 | 15 | 25 | 11 | 3 | 1 | - | - |
| Female | 3 | 4 | 10 | 16 | 9 | 11 | 13 | 8 | 6 | 1 | - | - |
| White, both sexes | 19 | 16 | 24 | 34 | 31 | 25 | 37 | 18 | 9 | 2 | - | - |
| Male | 17 | 12 | 14 | 20 | 22 | 15 | 24 | 10 | 3 | 1 | - | - |
| Female | 2 | 4 | 10 | 14 | 9 | 10 | 13 | 8 | 6 | 1 | - | - |
| Black, both sexes | 1 | 4 | - | 2 | - | 1 | 1 | - | - | - | - | - |
| Male | - | 4 | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | 1 | - | - | 1 | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 2 | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | 2 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 4 | 1 | 2 | 2 | 5 | 2 | - | 1 | - | - |
| Male | 1 | 1 | 4 | 1 | 2 | 2 | 4 | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | - | 1 | 1 | - | 1 | - | - |
| White, both sexes | 1 | 2 | 4 | 1 | 2 | 2 | 5 | 2 | - | 1 | - | - |
| Male | 1 | 1 | 4 | 1 | 2 | 2 | 4 | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | - | 1 | 1 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 13,253 | - | - | - | - | - | - | 4 | 11 | 35 | 87 | 203 |
| Male | 9,190 | - | - | - | - | - | - | 1 | 8 | 23 | 58 | 138 |
| Female | 4,063 | - | - | - | - | - | - | 3 | 3 | 12 | 29 | 65 |
| White, both sexes | 12,100 | - | - | - | - | - | - | 4 | 9 | 34 | 76 | 175 |
| Male | 8,523 | - | - | - | - | - | - | 1 | 7 | 23 | 51 | 126 |
| Female | 3,577 | - | - | - | - | - | - | 3 | 2 | 11 | 25 | 49 |
| Black, both sexes | 961 | - | - | - | - | - | - | - | 2 | 1 | 11 | 27 |
| Male | 546 | - | - | - | - | - | - | - | 1 | - | 7 | 11 |
| Female | 415 | - | - | - | - | - | - | - | 1 | 1 | 4 | 16 |
| American Indian 1/, both sexes | 30 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 162 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 103 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 59 | - | - | - | - | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 182 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Male | 136 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 46 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| White, both sexes | 150 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 115 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 35 | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | 32 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 21 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 249 | - | - | - | - | - | - | - | - | 1 | - | 5 |
| Male | 185 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Female | 64 | - | - | - | - | - | - | - | - | - | - | 3 |
| White, both sexes | 245 | - | - | - | - | - | - | - | - | 1 | - | 5 |
| Male | 181 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Female | 64 | - | - | - | - | - | - | - | - | - | - | 3 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 123 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Male | 81 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 42 | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | 104 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 69 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 35 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 18 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 1,367 | - | - | - | - | - | - | - | - | 3 | 9 | 20 |
| Male | 979 | - | - | - | - | - | - | - | - | 2 | 7 | 15 |
| Female | 388 | - | - | - | - | - | - | - | - | 1 | 2 | 5 |
| White, both sexes | 1,226 | - | - | - | - | - | - | - | - | 3 | 9 | 18 |
| Male | 894 | - | - | - | - | - | - | - | - | 2 | 7 | 14 |
| Female | 332 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| Black, both sexes | 78 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 45 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 33 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 62 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 40 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 22 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 150 | - | - | - | - | - | - | - | - | - | 3 | 4 |
| Male | 101 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Female | 49 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| White, both sexes | 148 | - | - | - | - | - | - | - | - | - | 3 | 4 |
| Male | 100 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Female | 48 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 202 | - | - | - | - | - | - | - | - | 1 | - | 5 |
| Male | 138 | - | - | - | - | - | - | - | - | 1 | - | 3 |
| Female | 64 | - | - | - | - | - | - | - | - | - | - | 2 |
| White, both sexes | 196 | - | - | - | - | - | - | - | - | 1 | - | 5 |
| Male | 135 | - | - | - | - | - | - | - | - | 1 | - | 3 |
| Female | 61 | - | - | - | - | - | - | - | - | - | - | 2 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 58 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 41 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 51 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 36 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 15 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 7 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 24 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 1,064 | - | - | - | - | - | - | - | - | 3 | 7 | 14 |
| Male | 756 | - | - | - | - | - | - | - | - | 2 | 4 | 9 |
| Female | 308 | - | - | - | - | - | - | - | - | 1 | 3 | 5 |
| White, both sexes | 992 | - | - | - | - | - | - | - | - | 3 | 6 | 12 |
| Male | 712 | - | - | - | - | - | - | - | - | 2 | 3 | 8 |
| Female | 280 | - | - | - | - | - | - | - | - | 1 | 3 | 4 |
| Black, both sexes | 70 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 43 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 27 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 291 | - | - | - | - | - | - | - | - | - | 3 | 11 |
| Male | 192 | - | - | - | - | - | - | - | - | - | 1 | 7 |
| Female | 99 | - | - | - | - | - | - | - | - | - | 2 | 4 |
| White, both sexes | 220 | - | - | - | - | - | - | - | - | - | 3 | 8 |
| Male | 156 | - | - | - | - | - | - | - | - | - | 1 | 7 |
| Female | 64 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Black, both sexes | 65 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | 33 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 32 | - | - | - | - | - | - | - | - | - | - | 3 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 38 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 26 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 27 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 19 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 57 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 41 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 57 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 41 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 560 | - | - | - | - | - | - | - | - | 2 | 3 | 11 |
| Male | 370 | - | - | - | - | - | - | - | - | 2 | 3 | 8 |
| Female | 190 | - | - | - | - | - | - | - | - | - | - | 3 |
| White, both sexes | 508 | - | - | - | - | - | - | - | - | 2 | 2 | 10 |
| Male | 345 | - | - | - | - | - | - | - | - | 2 | 2 | 8 |
| Female | 163 | - | - | - | - | - | - | - | - | - | - | 2 |
| Black, both sexes | 46 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 24 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 22 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 291 | - | - | - | - | - | - | - | - | 2 | 4 | 2 |
| Male | 196 | - | - | - | - | - | - | - | - | 2 | 1 | 2 |
| Female | 95 | - | - | - | - | - | - | - | - | - | 3 | - |
| White, both sexes | 276 | - | - | - | - | - | - | - | - | 2 | 4 | 2 |
| Male | 188 | - | - | - | - | - | - | - | - | 2 | 1 | 2 |
| Female | 88 | - | - | - | - | - | - | - | - | - | 3 | - |
| Black, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 166 | - | - | - | - | - | - | - | 1 | - | - | 3 |
| Male | 120 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | 46 | - | - | - | - | - | - | - | - | - | - | 2 |
| White, both sexes | 165 | - | - | - | - | - | - | - | 1 | - | - | 3 |
| Male | 119 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | 46 | - | - | - | - | - | - | - | - | - | - | 2 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 121 | - | - | - | - | - | - | 1 | - | - | 2 | 1 |
| Male | 90 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 31 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| White, both sexes | 116 | - | - | - | - | - | - | 1 | - | - | 2 | 1 |
| Male | 86 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 30 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 188 | - | - | - | - | - | - | - | 1 | - | - | 2 |
| Male | 133 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | 55 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 176 | - | - | - | - | - | - | - | 1 | - | - | 2 |
| Male | 127 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | 49 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 188 | - | - | - | - | - | - | - | - | 3 | 1 | 9 |
| Male | 116 | - | - | - | - | - | - | - | - | 2 | - | 7 |
| Female | 72 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| White, both sexes | 157 | - | - | - | - | - | - | - | - | 3 | - | 8 |
| Male | 104 | - | - | - | - | - | - | - | - | 2 | - | 7 |
| Female | 53 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Black, both sexes | 31 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 19 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 86 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 64 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 22 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 86 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 64 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 22 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 244 | - | - | - | - | - | - | - | - | 1 | 3 | 4 |
| Male | 161 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Female | 83 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| White, both sexes | 204 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | 135 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 69 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 39 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| Male | 26 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 13 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 355 | - | - | - | - | - | - | 1 | - | 2 | 5 | 4 |
| Male | 232 | - | - | - | - | - | - | - | - | 1 | 3 | - |
| Female | 123 | - | - | - | - | - | - | 1 | - | 1 | 2 | 4 |
| White, both sexes | 340 | - | - | - | - | - | - | 1 | - | 2 | 4 | 4 |
| Male | 223 | - | - | - | - | - | - | - | - | 1 | 3 | - |
| Female | 117 | - | - | - | - | - | - | 1 | - | 1 | 1 | 4 |
| Black, both sexes | 12 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 482 | - | - | - | - | - | - | - | - | 1 | 5 | 8 |
| Male | 333 | - | - | - | - | - | - | - | - | 1 | 5 | 5 |
| Female | 149 | - | - | - | - | - | - | - | - | - | - | 3 |
| White, both sexes | 451 | - | - | - | - | - | - | - | - | 1 | 4 | 7 |
| Male | 317 | - | - | - | - | - | - | - | - | 1 | 4 | 5 |
| Female | 134 | - | - | - | - | - | - | - | - | - | - | 2 |
| Black, both sexes | 29 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 15 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 196 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Male | 137 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 59 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| White, both sexes | 194 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Male | 137 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 57 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 111 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Male | 85 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 26 | - | - | - | - | - | - | - | - | - | - | 2 |
| White, both sexes | 79 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 65 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 32 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 20 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 270 | - | - | - | - | - | - | 1 | - | 3 | - | 8 |
| Male | 193 | - | - | - | - | - | - | 1 | - | 1 | - | 7 |
| Female | 77 | - | - | - | - | - | - | - | - | 2 | - | 1 |
| White, both sexes | 250 | - | - | - | - | - | - | 1 | - | 3 | - | 6 |
| Male | 177 | - | - | - | - | - | - | 1 | - | 1 | - | 5 |
| Female | 73 | - | - | - | - | - | - | - | - | 2 | - | 1 |
| Black, both sexes | 16 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 14 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 47 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 33 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 46 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 32 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 75 | - | - | - | - | - | - | - | - | 2 | - | - |
| Male | 51 | - | - | - | - | - | - | - | - | 2 | - | - |
| Female | 24 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 73 | - | - | - | - | - | - | - | - | 2 | - | - |
| Male | 49 | - | - | - | - | - | - | - | - | 2 | - | - |
| Female | 24 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 132 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 102 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 30 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 121 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 93 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 28 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 65 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 49 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 65 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 49 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 466 | - | - | - | - | - | - | - | - | - | 5 | 5 |
| Male | 320 | - | - | - | - | - | - | - | - | - | 4 | 3 |
| Female | 146 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| White, both sexes | 431 | - | - | - | - | - | - | - | - | - | 4 | 3 |
| Male | 299 | - | - | - | - | - | - | - | - | - | 3 | 2 |
| Female | 132 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | 28 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 15 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 69 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 50 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 19 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 67 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 49 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 895 | - | - | - | - | - | - | - | 1 | 1 | 2 | 5 |
| Male | 588 | - | - | - | - | - | - | - | 1 | 1 | 1 | 3 |
| Female | 307 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| White, both sexes | 798 | - | - | - | - | - | - | - | 1 | 1 | 2 | 5 |
| Male | 532 | - | - | - | - | - | - | - | 1 | 1 | 1 | 3 |
| Female | 266 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Black, both sexes | 82 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 47 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 35 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 354 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Male | 231 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | 123 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 306 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 202 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 104 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 43 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 25 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 18 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 34 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 34 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 616 | - | - | - | - | - | - | - | - | 2 | 5 | 9 |
| Male | 423 | - | - | - | - | - | - | - | - | - | 4 | 7 |
| Female | 193 | - | - | - | - | - | - | - | - | 2 | 1 | 2 |
| White, both sexes | 568 | - | - | - | - | - | - | - | - | 1 | 4 | 9 |
| Male | 394 | - | - | - | - | - | - | - | - | - | 3 | 7 |
| Female | 174 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Black, both sexes | 47 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | 28 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 19 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 146 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Male | 95 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Female | 51 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 134 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Male | 88 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | 46 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 209 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Male | 155 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 54 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 203 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Male | 152 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 51 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 691 | - | - | - | - | - | - | 1 | 1 | - | 1 | 10 |
| Male | 490 | - | - | - | - | - | - | - | - | - | - | 8 |
| Female | 201 | - | - | - | - | - | - | 1 | 1 | - | 1 | 2 |
| White, both sexes | 656 | - | - | - | - | - | - | 1 | 1 | - | 1 | 10 |
| Male | 473 | - | - | - | - | - | - | - | - | - | - | 8 |
| Female | 183 | - | - | - | - | - | - | 1 | 1 | - | 1 | 2 |
| Black, both sexes | 31 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 70 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | 50 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Female | 20 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 69 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | 50 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Female | 19 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 178 | - | - | - | - | - | - | - | - | 1 | 2 | 5 |
| Male | 121 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| Female | 57 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| White, both sexes | 152 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| Male | 108 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Female | 44 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Black, both sexes | 26 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 13 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 47 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | 38 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 46 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | 38 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 272 | - | - | - | - | - | - | - | - | 2 | - | 8 |
| Male | 189 | - | - | - | - | - | - | - | - | 1 | - | 7 |
| Female | 83 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| White, both sexes | 247 | - | - | - | - | - | - | - | - | 2 | - | 7 |
| Male | 172 | - | - | - | - | - | - | - | - | 1 | - | 6 |
| Female | 75 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Black, both sexes | 24 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 16 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 703 | - | - | - | - | - | - | - | 1 | 1 | 8 | 15 |
| Male | 480 | - | - | - | - | - | - | - | - | - | 4 | 11 |
| Female | 223 | - | - | - | - | - | - | - | 1 | 1 | 4 | 4 |
| White, both sexes | 624 | - | - | - | - | - | - | - | 1 | 1 | 6 | 13 |
| Male | 439 | - | - | - | - | - | - | - | - | - | 3 | 11 |
| Female | 185 | - | - | - | - | - | - | - | 1 | 1 | 3 | 2 |
| Black, both sexes | 73 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Male | 39 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 34 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 59 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 49 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 59 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 49 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 44 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 38 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 43 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 37 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 286 | - | - | - | - | - | - | - | 1 | - | 1 | 4 |
| Male | 195 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | 91 | - | - | - | - | - | - | - | - | - | - | 3 |
| White, both sexes | 242 | - | - | - | - | - | - | - | 1 | - | 1 | 3 |
| Male | 173 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | 69 | - | - | - | - | - | - | - | - | - | - | 2 |
| Black, both sexes | 43 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 21 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 22 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 285 | - | - | - | - | - | - | - | 1 | 1 | 3 | 1 |
| Male | 212 | - | - | - | - | - | - | - | 1 | 1 | 3 | 1 |
| Female | 73 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 270 | - | - | - | - | - | - | - | 1 | 1 | 3 | 1 |
| Male | 202 | - | - | - | - | - | - | - | 1 | 1 | 3 | 1 |
| Female | 68 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 101 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 70 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 31 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 97 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 69 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 28 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 312 | - | - | - | - | - | - | - | - | 1 | 2 | 5 |
| Male | 192 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| Female | 120 | - | - | - | - | - | - | - | - | - | - | 2 |
| White, both sexes | 309 | - | - | - | - | - | - | - | - | 1 | 2 | 5 |
| Male | 190 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| Female | 119 | - | - | - | - | - | - | - | - | - | - | 2 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 22 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 22 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 320 | 601 | 881 | 1,163 | 1,609 | 2,222 | 2,637 | 2,053 | 1,079 | 311 | 37 | - |
| Male | 220 | 448 | 667 | 883 | 1,189 | 1,570 | 1,866 | 1,320 | 626 | 160 | 13 | - |
| Female | 100 | 153 | 214 | 280 | 420 | 652 | 771 | 733 | 453 | 151 | 24 | - |
| White, both sexes | 265 | 526 | 794 | 1,046 | 1,463 | 2,037 | 2,461 | 1,897 | 995 | 287 | 31 | - |
| Male | 188 | 403 | 607 | 812 | 1,095 | 1,461 | 1,764 | 1,238 | 587 | 149 | 11 | - |
| Female | 77 | 123 | 187 | 234 | 368 | 576 | 697 | 659 | 408 | 138 | 20 | - |
| Black, both sexes | 47 | 67 | 74 | 96 | 122 | 150 | 149 | 117 | 73 | 20 | 5 | - |
| Male | 28 | 40 | 50 | 55 | 79 | 85 | 81 | 64 | 35 | 9 | 1 | - |
| Female | 19 | 27 | 24 | 41 | 43 | 65 | 68 | 53 | 38 | 11 | 4 | - |
| American Indian 1/, both sexes | 2 | 3 | 3 | 2 | 7 | 6 | 4 | 3 | - | - | - | - |
| Male | 2 | 1 | 2 | 2 | 5 | 2 | 3 | 1 | - | - | - | - |
| Female | - | 2 | 1 | - | 2 | 4 | 1 | 2 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | 5 | 10 | 19 | 17 | 29 | 23 | 36 | 11 | 4 | 1 | - |
| Male | 2 | 4 | 8 | 14 | 10 | 22 | 18 | 17 | 4 | 2 | 1 | - |
| Female | 4 | 1 | 2 | 5 | 7 | 7 | 5 | 19 | 7 | 2 | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 4 | 9 | 21 | 15 | 22 | 30 | 30 | 28 | 17 | 3 | - | - |
| Male | 3 | 8 | 16 | 9 | 17 | 22 | 26 | 22 | 11 | 1 | - | - |
| Female | 1 | 1 | 5 | 6 | 5 | 8 | 4 | 6 | 6 | 2 | - | - |
| White, both sexes | 4 | 8 | 17 | 13 | 17 | 27 | 26 | 23 | 11 | 2 | - | - |
| Male | 3 | 7 | 13 | 8 | 15 | 19 | 23 | 18 | 7 | 1 | - | - |
| Female | 1 | 1 | 4 | 5 | 2 | 8 | 3 | 5 | 4 | 1 | - | - |
| Black, both sexes | - | 1 | 4 | 2 | 5 | 3 | 4 | 5 | 6 | 1 | - | - |
| Male | - | 1 | 3 | 1 | 2 | 3 | 3 | 4 | 4 | - | - | - |
| Female | - | - | 1 | 1 | 3 | - | 1 | 1 | 2 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 3 | 1 | 2 | 1 | 1 | 2 | - | - | - | - |
| Male | 1 | - | 2 | 1 | 2 | 1 | 1 | 2 | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | 2 | 1 | 2 | 1 | - | 2 | - | - | - | - |
| Male | 1 | - | 1 | 1 | 2 | 1 | - | 2 | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 4 | 12 | 17 | 20 | 26 | 43 | 52 | 42 | 20 | 7 | - | - |
| Male | 3 | 9 | 14 | 15 | 21 | 34 | 42 | 29 | 11 | 4 | - | - |
| Female | 1 | 3 | 3 | 5 | 5 | 9 | 10 | 13 | 9 | 3 | - | - |
| White, both sexes | 4 | 10 | 17 | 20 | 26 | 43 | 51 | 41 | 20 | 7 | - | - |
| Male | 3 | 7 | 14 | 15 | 21 | 34 | 41 | 28 | 11 | 4 | - | - |
| Female | 1 | 3 | 3 | 5 | 5 | 9 | 10 | 13 | 9 | 3 | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | 5 | 6 | 10 | 16 | 16 | 23 | 21 | 18 | 5 | - | - |
| Male | - | 4 | 6 | 9 | 10 | 12 | 13 | 14 | 8 | 3 | - | - |
| Female | - | 1 | - | 1 | 6 | 4 | 10 | 7 | 10 | 2 | - | - |
| White, both sexes | - | 4 | 5 | 9 | 12 | 12 | 20 | 19 | 16 | 5 | - | - |
| Male | - | 4 | 5 | 8 | 8 | 8 | 11 | 13 | 7 | 3 | - | - |
| Female | - | - | - | 1 | 4 | 4 | 9 | 6 | 9 | 2 | - | - |
| Black, both sexes | - | 1 | 1 | 1 | 3 | 4 | 3 | 2 | 2 | - | - | - |
| Male | - | - | 1 | 1 | 1 | 4 | 2 | 1 | 1 | - | - | - |
| Female | - | 1 | - | - | 2 | - | 1 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 32 | 54 | 83 | 117 | 168 | 220 | 286 | 227 | 105 | 37 | 6 | - |
| Male | 24 | 41 | 66 | 85 | 128 | 156 | 209 | 160 | 60 | 21 | 5 | - |
| Female | 8 | 13 | 17 | 32 | 40 | 64 | 77 | 67 | 45 | 16 | 1 | - |
| White, both sexes | 28 | 45 | 73 | 102 | 145 | 199 | 264 | 200 | 100 | 35 | 5 | - |
| Male | 23 | 35 | 59 | 75 | 114 | 141 | 194 | 146 | 60 | 20 | 4 | - |
| Female | 5 | 10 | 14 | 27 | 31 | 58 | 70 | 54 | 40 | 15 | 1 | - |
| Black, both sexes | 4 | 6 | 7 | 9 | 16 | 10 | 13 | 8 | 3 | - | - | - |
| Male | 1 | 4 | 4 | 5 | 11 | 5 | 8 | 6 | - | - | - | - |
| Female | 3 | 2 | 3 | 4 | 5 | 5 | 5 | 2 | 3 | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | 3 | 6 | 7 | 11 | 9 | 19 | 2 | 2 | 1 | - |
| Male | - | 2 | 3 | 5 | 3 | 10 | 7 | 8 | - | 1 | 1 | - |
| Female | - | - | - | 1 | 4 | 1 | 2 | 11 | 2 | 1 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 4 | 9 | 6 | 19 | 16 | 25 | 26 | 23 | 12 | 3 | - | - |
| Male | 3 | 6 | 3 | 14 | 11 | 15 | 20 | 17 | 6 | 2 | - | - |
| Female | 1 | 3 | 3 | 5 | 5 | 10 | 6 | 6 | 6 | 1 | - | - |
| White, both sexes | 4 | 8 | 6 | 19 | 16 | 25 | 26 | 23 | 11 | 3 | - | - |
| Male | 3 | 6 | 3 | 14 | 11 | 15 | 20 | 17 | 5 | 2 | - | - |
| Female | 1 | 2 | 3 | 5 | 5 | 10 | 6 | 6 | 6 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 3 | 8 | 15 | 11 | 27 | 30 | 45 | 39 | 13 | 5 | - | - |
| Male | 1 | 5 | 11 | 8 | 19 | 17 | 35 | 28 | 6 | 4 | - | - |
| Female | 2 | 3 | 4 | 3 | 8 | 13 | 10 | 11 | 7 | 1 | - | - |
| White, both sexes | 3 | 8 | 15 | 9 | 27 | 30 | 42 | 38 | 13 | 5 | - | - |
| Male | 1 | 5 | 11 | 7 | 19 | 17 | 33 | 28 | 6 | 4 | - | - |
| Female | 2 | 3 | 4 | 2 | 8 | 13 | 9 | 10 | 7 | 1 | - | - |
| Black, both sexes | - | - | - | 2 | - | - | 2 | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 3 | 3 | 8 | 17 | 7 | 10 | 6 | 1 | - | - |
| Male | - | 1 | 2 | 2 | 7 | 12 | 4 | 6 | 4 | 1 | - | - |
| Female | - | - | 1 | 1 | 1 | 5 | 3 | 4 | 2 | - | - | - |
| White, both sexes | - | 1 | 3 | 3 | 8 | 13 | 7 | 9 | 6 | 1 | - | - |
| Male | - | 1 | 2 | 2 | 7 | 9 | 4 | 6 | 4 | 1 | - | - |
| Female | - | - | 1 | 1 | 1 | 4 | 3 | 3 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | 4 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 3 | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 4 | 2 | 1 | 3 | 4 | 7 | 1 | 1 | - | - |
| Male | - | 1 | 4 | 2 | - | 1 | 1 | 4 | - | 1 | - | - |
| Female | - | - | - | - | 1 | 2 | 3 | 3 | 1 | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | - | 4 | 1 | - | - | - |
| Male | - | - | 1 | - | - | - | - | 3 | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Black, both sexes | - | 1 | 3 | 2 | 1 | 3 | 4 | 3 | - | 1 | - | - |
| Male | - | 1 | 3 | 2 | - | 1 | 1 | 1 | - | 1 | - | - |
| Female | - | - | - | - | 1 | 2 | 3 | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 26 | 42 | 77 | 94 | 114 | 188 | 226 | 147 | 97 | 26 | 3 | - |
| Male | 14 | 34 | 62 | 74 | 80 | 138 | 165 | 98 | 62 | 13 | 1 | - |
| Female | 12 | 8 | 15 | 20 | 34 | 50 | 61 | 49 | 35 | 13 | 2 | - |
| White, both sexes | 20 | 38 | 73 | 89 | 103 | 175 | 215 | 137 | 94 | 24 | 3 | - |
| Male | 10 | 31 | 60 | 73 | 70 | 129 | 160 | 92 | 60 | 13 | 1 | - |
| Female | 10 | 7 | 13 | 16 | 33 | 46 | 55 | 45 | 34 | 11 | 2 | - |
| Black, both sexes | 6 | 4 | 4 | 5 | 10 | 13 | 11 | 9 | 3 | 2 | - | - |
| Male | 4 | 3 | 2 | 1 | 9 | 9 | 5 | 6 | 2 | - | - | - |
| Female | 2 | 1 | 2 | 4 | 1 | 4 | 6 | 3 | 1 | 2 | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 11 | 20 | 21 | 27 | 38 | 47 | 43 | 47 | 16 | 6 | 1 | - |
| Male | 8 | 18 | 17 | 23 | 27 | 24 | 33 | 23 | 8 | 3 | - | - |
| Female | 3 | 2 | 4 | 4 | 11 | 23 | 10 | 24 | 8 | 3 | 1 | - |
| White, both sexes | 7 | 11 | 16 | 20 | 33 | 38 | 33 | 37 | 9 | 5 | - | - |
| Male | 5 | 10 | 12 | 18 | 26 | 24 | 27 | 19 | 5 | 2 | - | - |
| Female | 2 | 1 | 4 | 2 | 7 | 14 | 6 | 18 | 4 | 3 | - | - |
| Black, both sexes | 3 | 9 | 5 | 7 | 4 | 7 | 9 | 10 | 6 | 1 | 1 | - |
| Male | 2 | 8 | 5 | 5 | 1 | - | 5 | 4 | 2 | 1 | - | - |
| Female | 1 | 1 | - | 2 | 3 | 7 | 4 | 6 | 4 | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | 1 | 1 | 1 | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | 4 | 6 | 6 | 7 | 4 | 8 | 1 | - | - |
| Male | 1 | - | - | 4 | 4 | 4 | 6 | 3 | 3 | 1 | - | - |
| Female | 1 | - | - | - | 2 | 2 | 1 | 1 | 5 | - | - | - |
| White, both sexes | 1 | - | - | 1 | - | 2 | 1 | - | 5 | 1 | - | - |
| Male | 1 | - | - | 1 | - | 1 | 1 | - | 2 | 1 | - | - |
| Female | - | - | - | - | - | 1 | - | - | 3 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 3 | 6 | 4 | 6 | 4 | 3 | - | - | - |
| Male | - | - | - | 3 | 4 | 3 | 5 | 3 | 1 | - | - | - |
| Female | 1 | - | - | - | 2 | 1 | 1 | 1 | 2 | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 3 | 7 | 10 | 7 | 12 | 10 | 5 | - | - | - |
| Male | 1 | - | 2 | 6 | 9 | 5 | 9 | 6 | 2 | - | - | - |
| Female | - | 1 | 1 | 1 | 1 | 2 | 3 | 4 | 3 | - | - | - |
| White, both sexes | 1 | 1 | 3 | 7 | 10 | 7 | 12 | 10 | 5 | - | - | - |
| Male | 1 | - | 2 | 6 | 9 | 5 | 9 | 6 | 2 | - | - | - |
| Female | - | 1 | 1 | 1 | 1 | 2 | 3 | 4 | 3 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 17 | 36 | 40 | 43 | 69 | 80 | 111 | 104 | 41 | 2 | 1 | - |
| Male | 12 | 24 | 24 | 32 | 41 | 56 | 78 | 65 | 23 | 1 | 1 | - |
| Female | 5 | 12 | 16 | 11 | 28 | 24 | 33 | 39 | 18 | 1 | - | - |
| White, both sexes | 17 | 31 | 35 | 42 | 62 | 69 | 102 | 96 | 37 | 2 | 1 | - |
| Male | 12 | 22 | 22 | 32 | 39 | 50 | 73 | 61 | 20 | 1 | 1 | - |
| Female | 5 | 9 | 13 | 10 | 23 | 19 | 29 | 35 | 17 | 1 | - | - |
| Black, both sexes | - | 5 | 5 | 1 | 7 | 8 | 8 | 6 | 4 | - | - | - |
| Male | - | 2 | 2 | - | 2 | 5 | 5 | 4 | 3 | - | - | - |
| Female | - | 3 | 3 | 1 | 5 | 3 | 3 | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 3 | 1 | 2 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | 2 | 1 | 2 | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 5 | 14 | 24 | 29 | 34 | 59 | 49 | 35 | 23 | 10 | 1 | - |
| Male | 4 | 12 | 20 | 20 | 22 | 41 | 36 | 21 | 10 | 5 | - | - |
| Female | 1 | 2 | 4 | 9 | 12 | 18 | 13 | 14 | 13 | 5 | 1 | - |
| White, both sexes | 5 | 13 | 24 | 28 | 33 | 54 | 46 | 34 | 20 | 10 | 1 | - |
| Male | 4 | 11 | 20 | 19 | 21 | 38 | 35 | 21 | 9 | 5 | - | - |
| Female | 1 | 2 | 4 | 9 | 12 | 16 | 11 | 13 | 11 | 5 | 1 | - |
| Black, both sexes | - | 1 | - | - | 1 | 5 | 3 | 1 | 3 | - | - | - |
| Male | - | 1 | - | - | 1 | 3 | 1 | - | 1 | - | - | - |
| Female | - | - | - | - | - | 2 | 2 | 1 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 2 | 8 | 9 | 6 | 20 | 28 | 34 | 32 | 18 | 4 | 1 | - |
| Male | 2 | 7 | 5 | 5 | 17 | 15 | 28 | 23 | 14 | 2 | - | - |
| Female | - | 1 | 4 | 1 | 3 | 13 | 6 | 9 | 4 | 2 | 1 | - |
| White, both sexes | 2 | 8 | 9 | 6 | 20 | 28 | 34 | 32 | 17 | 4 | 1 | - |
| Male | 2 | 7 | 5 | 5 | 17 | 15 | 28 | 23 | 13 | 2 | - | - |
| Female | - | 1 | 4 | 1 | 3 | 13 | 6 | 9 | 4 | 2 | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 3 | 4 | 8 | 9 | 17 | 19 | 26 | 19 | 9 | 3 | - | - |
| Male | 2 | 4 | 7 | 8 | 15 | 14 | 21 | 9 | 6 | 2 | - | - |
| Female | 1 | - | 1 | 1 | 2 | 5 | 5 | 10 | 3 | 1 | - | - |
| White, both sexes | 2 | 4 | 8 | 9 | 16 | 17 | 25 | 19 | 9 | 3 | - | - |
| Male | 1 | 4 | 7 | 8 | 14 | 13 | 20 | 9 | 6 | 2 | - | - |
| Female | 1 | - | 1 | 1 | 2 | 4 | 5 | 10 | 3 | 1 | - | - |
| Black, both sexes | 1 | - | - | - | 1 | 2 | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | 1 | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 5 | 8 | 13 | 21 | 32 | 29 | 36 | 24 | 14 | 3 | - | - |
| Male | 2 | 7 | 10 | 16 | 28 | 21 | 21 | 14 | 10 | 2 | - | - |
| Female | 3 | 1 | 3 | 5 | 4 | 8 | 15 | 10 | 4 | 1 | - | - |
| White, both sexes | 5 | 8 | 13 | 21 | 30 | 24 | 33 | 22 | 14 | 3 | - | - |
| Male | 2 | 7 | 10 | 16 | 26 | 19 | 20 | 13 | 10 | 2 | - | - |
| Female | 3 | 1 | 3 | 5 | 4 | 5 | 13 | 9 | 4 | 1 | - | - |
| Black, both sexes | - | - | - | - | 2 | 5 | 3 | 2 | - | - | - | - |
| Male | - | - | - | - | 2 | 2 | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | - | 3 | 2 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 6 | 13 | 15 | 14 | 20 | 21 | 49 | 22 | 12 | 3 | - | - |
| Male | 3 | 4 | 13 | 11 | 12 | 11 | 30 | 14 | 7 | 2 | - | - |
| Female | 3 | 9 | 2 | 3 | 8 | 10 | 19 | 8 | 5 | 1 | - | - |
| White, both sexes | 4 | 7 | 13 | 14 | 16 | 16 | 43 | 19 | 11 | 3 | - | - |
| Male | 2 | 2 | 12 | 11 | 10 | 10 | 27 | 12 | 7 | 2 | - | - |
| Female | 2 | 5 | 1 | 3 | 6 | 6 | 16 | 7 | 4 | 1 | - | - |
| Black, both sexes | 2 | 6 | 2 | - | 4 | 5 | 6 | 3 | 1 | - | - | - |
| Male | 1 | 2 | 1 | - | 2 | 1 | 3 | 2 | - | - | - | - |
| Female | 1 | 4 | 1 | - | 2 | 4 | 3 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 4 | 5 | 6 | 7 | 11 | 14 | 17 | 7 | 12 | 3 | - | - |
| Male | 4 | 5 | 5 | 7 | 11 | 8 | 11 | 5 | 6 | 2 | - | - |
| Female | - | - | 1 | - | - | 6 | 6 | 2 | 6 | 1 | - | - |
| White, both sexes | 4 | 5 | 6 | 7 | 11 | 14 | 17 | 7 | 12 | 3 | - | - |
| Male | 4 | 5 | 5 | 7 | 11 | 8 | 11 | 5 | 6 | 2 | - | - |
| Female | - | - | 1 | - | - | 6 | 6 | 2 | 6 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 5 | 6 | 13 | 29 | 25 | 52 | 53 | 29 | 14 | 8 | 2 | - |
| Male | 3 | 5 | 12 | 19 | 19 | 41 | 34 | 16 | 5 | 3 | - | - |
| Female | 2 | 1 | 1 | 10 | 6 | 11 | 19 | 13 | 9 | 5 | 2 | - |
| White, both sexes | 3 | 5 | 9 | 22 | 22 | 46 | 47 | 27 | 10 | 8 | 2 | - |
| Male | 2 | 5 | 8 | 14 | 16 | 36 | 29 | 15 | 5 | 3 | - | - |
| Female | 1 | - | 1 | 8 | 6 | 10 | 18 | 12 | 5 | 5 | 2 | - |
| Black, both sexes | 1 | 1 | 4 | 7 | 3 | 6 | 6 | 2 | 4 | - | - | - |
| Male | 1 | - | 4 | 5 | 3 | 5 | 5 | 1 | - | - | - | - |
| Female | - | 1 | - | 2 | - | 1 | 1 | 1 | 4 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 9 | 18 | 18 | 24 | 51 | 63 | 67 | 52 | 32 | 9 | - | - |
| Male | 6 | 14 | 12 | 14 | 34 | 45 | 49 | 33 | 16 | 5 | - | - |
| Female | 3 | 4 | 6 | 10 | 17 | 18 | 18 | 19 | 16 | 4 | - | - |
| White, both sexes | 8 | 17 | 16 | 22 | 51 | 62 | 67 | 45 | 32 | 9 | - | - |
| Male | 5 | 13 | 11 | 13 | 34 | 44 | 49 | 29 | 16 | 5 | - | - |
| Female | 3 | 4 | 5 | 9 | 17 | 18 | 18 | 16 | 16 | 4 | - | - |
| Black, both sexes | 1 | 1 | 2 | - | - | - | - | 7 | - | - | - | - |
| Male | 1 | 1 | 1 | - | - | - | - | 4 | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | 3 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 2 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 10 | 28 | 29 | 43 | 53 | 88 | 89 | 69 | 40 | 18 | 1 | - |
| Male | 7 | 20 | 20 | 32 | 41 | 66 | 56 | 44 | 23 | 13 | - | - |
| Female | 3 | 8 | 9 | 11 | 12 | 22 | 33 | 25 | 17 | 5 | 1 | - |
| White, both sexes | 9 | 25 | 28 | 39 | 50 | 85 | 80 | 66 | 39 | 18 | - | - |
| Male | 6 | 19 | 19 | 32 | 39 | 63 | 52 | 42 | 22 | 13 | - | - |
| Female | 3 | 6 | 9 | 7 | 11 | 22 | 28 | 24 | 17 | 5 | - | - |
| Black, both sexes | 1 | 2 | 1 | 4 | 3 | 3 | 9 | 2 | 1 | - | 1 | - |
| Male | 1 | 1 | 1 | - | 2 | 3 | 4 | 1 | 1 | - | - | - |
| Female | - | 1 | - | 4 | 1 | - | 5 | 1 | - | - | 1 | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 3 | 5 | 13 | 19 | 23 | 27 | 37 | 39 | 17 | 9 | - | - |
| Male | 1 | 4 | 10 | 17 | 16 | 20 | 27 | 29 | 7 | 5 | - | - |
| Female | 2 | 1 | 3 | 2 | 7 | 7 | 10 | 10 | 10 | 4 | - | - |
| White, both sexes | 3 | 5 | 12 | 19 | 23 | 27 | 37 | 38 | 17 | 9 | - | - |
| Male | 1 | 4 | 10 | 17 | 16 | 20 | 27 | 29 | 7 | 5 | - | - |
| Female | 2 | 1 | 2 | 2 | 7 | 7 | 10 | 9 | 10 | 4 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 3 | 9 | 8 | 8 | 15 | 24 | 18 | 12 | 5 | 2 | 3 | - |
| Male | 1 | 8 | 6 | 4 | 11 | 20 | 14 | 10 | 4 | 2 | 3 | - |
| Female | 2 | 1 | 2 | 4 | 4 | 4 | 4 | 2 | 1 | - | - | - |
| White, both sexes | 1 | 8 | 6 | 4 | 10 | 16 | 17 | 10 | 3 | - | 2 | - |
| Male | - | 7 | 5 | 3 | 9 | 14 | 13 | 8 | 3 | - | 2 | - |
| Female | 1 | 1 | 1 | 1 | 1 | 2 | 4 | 2 | - | - | - | - |
| Black, both sexes | 2 | 1 | 2 | 4 | 5 | 8 | 1 | 2 | 2 | 2 | 1 | - |
| Male | 1 | 1 | 1 | 1 | 2 | 6 | 1 | 2 | 1 | 2 | 1 | - |
| Female | 1 | - | 1 | 3 | 3 | 2 | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 11 | 9 | 19 | 22 | 35 | 44 | 52 | 35 | 21 | 10 | - | - |
| Male | 8 | 4 | 13 | 17 | 28 | 34 | 34 | 29 | 11 | 6 | - | - |
| Female | 3 | 5 | 6 | 5 | 7 | 10 | 18 | 6 | 10 | 4 | - | - |
| White, both sexes | 10 | 9 | 18 | 18 | 33 | 42 | 49 | 33 | 18 | 10 | - | - |
| Male | 7 | 4 | 12 | 14 | 26 | 34 | 31 | 27 | 9 | 6 | - | - |
| Female | 3 | 5 | 6 | 4 | 7 | 8 | 18 | 6 | 9 | 4 | - | - |
| Black, both sexes | 1 | - | 1 | 3 | 1 | - | 3 | 2 | 3 | - | - | - |
| Male | 1 | - | 1 | 2 | 1 | - | 3 | 2 | 2 | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 2 | 3 | 4 | 9 | 9 | 11 | 4 | - | - | - |
| Male | 1 | 3 | 2 | 3 | 3 | 5 | 7 | 7 | 2 | - | - | - |
| Female | 1 | - | - | - | 1 | 4 | 2 | 4 | 2 | - | - | - |
| White, both sexes | 2 | 3 | 2 | 3 | 4 | 8 | 9 | 11 | 4 | - | - | - |
| Male | 1 | 3 | 2 | 3 | 3 | 4 | 7 | 7 | 2 | - | - | - |
| Female | 1 | - | - | - | 1 | 4 | 2 | 4 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 3 | 5 | 3 | 7 | 3 | 9 | 23 | 13 | 7 | - | - | - |
| Male | 3 | 4 | 2 | 6 | 2 | 7 | 14 | 9 | 2 | - | - | - |
| Female | - | 1 | 1 | 1 | 1 | 2 | 9 | 4 | 5 | - | - | - |
| White, both sexes | 3 | 5 | 3 | 5 | 3 | 9 | 23 | 13 | 7 | - | - | - |
| Male | 3 | 4 | 2 | 4 | 2 | 7 | 14 | 9 | 2 | - | - | - |
| Female | - | 1 | 1 | 1 | 1 | 2 | 9 | 4 | 5 | - | - | - |
| Black, both sexes | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 3 | 9 | 10 | 17 | 20 | 14 | 29 | 20 | 6 | 2 | 1 | - |
| Male | 2 | 8 | 5 | 13 | 18 | 12 | 24 | 16 | 2 | 1 | - | - |
| Female | 1 | 1 | 5 | 4 | 2 | 2 | 5 | 4 | 4 | 1 | 1 | - |
| White, both sexes | 3 | 9 | 9 | 15 | 19 | 13 | 27 | 17 | 5 | 2 | 1 | - |
| Male | 2 | 8 | 4 | 11 | 17 | 11 | 23 | 13 | 2 | 1 | - | - |
| Female | 1 | 1 | 5 | 4 | 2 | 2 | 4 | 4 | 3 | 1 | 1 | - |
| Black, both sexes | - | - | 1 | 2 | 1 | 1 | 1 | 1 | 1 | - | - | - |
| Male | - | - | 1 | 2 | 1 | 1 | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 2 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 2 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 3 | 4 | 7 | 18 | 14 | 6 | 8 | 1 | - | - |
| Male | 2 | 1 | 3 | 4 | 6 | 14 | 10 | 4 | 5 | - | - | - |
| Female | - | 1 | - | - | 1 | 4 | 4 | 2 | 3 | 1 | - | - |
| White, both sexes | 2 | 2 | 3 | 4 | 7 | 18 | 14 | 6 | 8 | 1 | - | - |
| Male | 2 | 1 | 3 | 4 | 6 | 14 | 10 | 4 | 5 | - | - | - |
| Female | - | 1 | - | - | 1 | 4 | 4 | 2 | 3 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 5 | 20 | 33 | 59 | 48 | 68 | 77 | 82 | 45 | 18 | 1 | - |
| Male | 3 | 14 | 24 | 50 | 37 | 50 | 52 | 49 | 25 | 9 | - | - |
| Female | 2 | 6 | 9 | 9 | 11 | 18 | 25 | 33 | 20 | 9 | 1 | - |
| White, both sexes | 4 | 18 | 29 | 53 | 44 | 64 | 71 | 80 | 43 | 17 | 1 | - |
| Male | 3 | 12 | 22 | 46 | 34 | 48 | 48 | 49 | 24 | 8 | - | - |
| Female | 1 | 6 | 7 | 7 | 10 | 16 | 23 | 31 | 19 | 9 | 1 | - |
| Black, both sexes | 1 | 1 | 4 | 5 | 2 | 4 | 5 | 2 | 1 | 1 | - | - |
| Male | - | 1 | 2 | 4 | 1 | 2 | 3 | - | - | 1 | - | - |
| Female | 1 | - | 2 | 1 | 1 | 2 | 2 | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | 1 | 1 | - | 1 | - | 1 | - | - | - |
| Male | - | 1 | - | - | 1 | - | 1 | - | 1 | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | 3 | 7 | 11 | 10 | 12 | 10 | 13 | - | 2 | - | - |
| Male | - | 3 | 5 | 7 | 9 | 9 | 8 | 7 | - | 1 | - | - |
| Female | - | - | 2 | 4 | 1 | 3 | 2 | 6 | - | 1 | - | - |
| White, both sexes | - | 3 | 7 | 11 | 10 | 11 | 9 | 13 | - | 2 | - | - |
| Male | - | 3 | 5 | 7 | 9 | 8 | 8 | 7 | - | 1 | - | - |
| Female | - | - | 2 | 4 | 1 | 3 | 1 | 6 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 15 | 39 | 54 | 57 | 108 | 181 | 194 | 138 | 80 | 17 | 3 | - |
| Male | 8 | 31 | 40 | 41 | 75 | 127 | 120 | 85 | 50 | 5 | - | - |
| Female | 7 | 8 | 14 | 16 | 33 | 54 | 74 | 53 | 30 | 12 | 3 | - |
| White, both sexes | 12 | 37 | 46 | 50 | 94 | 161 | 178 | 123 | 71 | 14 | 3 | - |
| Male | 6 | 29 | 33 | 36 | 65 | 117 | 114 | 76 | 46 | 4 | - | - |
| Female | 6 | 8 | 13 | 14 | 29 | 44 | 64 | 47 | 25 | 10 | 3 | - |
| Black, both sexes | 3 | 2 | 6 | 6 | 13 | 17 | 16 | 11 | 6 | 2 | - | - |
| Male | 2 | 2 | 5 | 4 | 9 | 8 | 6 | 7 | 3 | 1 | - | - |
| Female | 1 | - | 1 | 2 | 4 | 9 | 10 | 4 | 3 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 2 | 1 | - | 3 | - | 4 | 3 | 1 | - | - |
| Male | - | - | 2 | 1 | - | 2 | - | 2 | 1 | - | - | - |
| Female | - | - | - | - | - | 1 | - | 2 | 2 | 1 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 11 | 21 | 36 | 31 | 49 | 62 | 70 | 44 | 18 | 7 | 1 | - |
| Male | 7 | 12 | 25 | 24 | 36 | 41 | 46 | 24 | 11 | 2 | - | - |
| Female | 4 | 9 | 11 | 7 | 13 | 21 | 24 | 20 | 7 | 5 | 1 | - |
| White, both sexes | 9 | 18 | 29 | 27 | 43 | 53 | 64 | 39 | 15 | 5 | 1 | - |
| Male | 7 | 10 | 19 | 22 | 33 | 36 | 41 | 23 | 8 | 1 | - | - |
| Female | 2 | 8 | 10 | 5 | 10 | 17 | 23 | 16 | 7 | 4 | 1 | - |
| Black, both sexes | 2 | 3 | 6 | 4 | 6 | 7 | 4 | 5 | 3 | 2 | - | - |
| Male | - | 2 | 5 | 2 | 3 | 4 | 3 | 1 | 3 | 1 | - | - |
| Female | 2 | 1 | 1 | 2 | 3 | 3 | 1 | 4 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 2 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 2 | 1 | 1 | 5 | 9 | 7 | 4 | 2 | - | - |
| Male | 1 | 1 | 1 | 1 | 1 | 4 | 7 | 5 | 3 | 1 | - | - |
| Female | - | - | 1 | - | - | 1 | 2 | 2 | 1 | 1 | - | - |
| White, both sexes | 1 | 1 | 2 | 1 | 1 | 5 | 9 | 7 | 4 | 2 | - | - |
| Male | 1 | 1 | 1 | 1 | 1 | 4 | 7 | 5 | 3 | 1 | - | - |
| Female | - | - | 1 | - | - | 1 | 2 | 2 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 19 | 23 | 39 | 53 | 68 | 115 | 134 | 93 | 45 | 10 | 1 | - |
| Male | 13 | 15 | 29 | 36 | 48 | 75 | 100 | 64 | 27 | 5 | - | - |
| Female | 6 | 8 | 10 | 17 | 20 | 40 | 34 | 29 | 18 | 5 | 1 | - |
| White, both sexes | 16 | 21 | 36 | 47 | 63 | 106 | 130 | 84 | 42 | 8 | 1 | - |
| Male | 11 | 15 | 27 | 33 | 44 | 68 | 98 | 58 | 26 | 4 | - | - |
| Female | 5 | 6 | 9 | 14 | 19 | 38 | 32 | 26 | 16 | 4 | 1 | - |
| Black, both sexes | 3 | 2 | 2 | 6 | 5 | 9 | 4 | 9 | 3 | 2 | - | - |
| Male | 2 | - | 1 | 3 | 4 | 7 | 2 | 6 | 1 | 1 | - | - |
| Female | 1 | 2 | 1 | 3 | 1 | 2 | 2 | 3 | 2 | 1 | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 4 | 5 | 12 | 20 | 21 | 22 | 23 | 24 | 10 | 1 | - | - |
| Male | 3 | 4 | 10 | 14 | 16 | 12 | 14 | 11 | 6 | 1 | - | - |
| Female | 1 | 1 | 2 | 6 | 5 | 10 | 9 | 13 | 4 | - | - | - |
| White, both sexes | 2 | 5 | 11 | 19 | 19 | 22 | 21 | 22 | 9 | 1 | - | - |
| Male | 1 | 4 | 9 | 13 | 15 | 12 | 14 | 11 | 5 | 1 | - | - |
| Female | 1 | 1 | 2 | 6 | 4 | 10 | 7 | 11 | 4 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | 2 | 1 | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | 2 | 1 | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | 1 | 1 | 2 | - | - | 1 | - | - | - | - |
| Male | 1 | - | 1 | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 1 | 9 | 14 | 15 | 27 | 37 | 33 | 41 | 20 | 8 | - | - |
| Male | 1 | 7 | 10 | 12 | 20 | 30 | 26 | 27 | 15 | 4 | - | - |
| Female | - | 2 | 4 | 3 | 7 | 7 | 7 | 14 | 5 | 4 | - | - |
| White, both sexes | 1 | 9 | 13 | 15 | 26 | 35 | 33 | 40 | 20 | 7 | - | - |
| Male | 1 | 7 | 10 | 12 | 20 | 28 | 26 | 27 | 15 | 3 | - | - |
| Female | - | 2 | 3 | 3 | 6 | 7 | 7 | 13 | 5 | 4 | - | - |
| Black, both sexes | - | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | 1 | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | 1 | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 17 | 24 | 43 | 50 | 93 | 120 | 145 | 118 | 54 | 12 | 2 | - |
| Male | 14 | 17 | 32 | 39 | 71 | 90 | 107 | 68 | 38 | 5 | 1 | - |
| Female | 3 | 7 | 11 | 11 | 22 | 30 | 38 | 50 | 16 | 7 | 1 | - |
| White, both sexes | 13 | 21 | 41 | 46 | 89 | 112 | 141 | 114 | 53 | 11 | 2 | - |
| Male | 11 | 16 | 31 | 36 | 69 | 87 | 105 | 67 | 37 | 5 | 1 | - |
| Female | 2 | 5 | 10 | 10 | 20 | 25 | 36 | 47 | 16 | 6 | 1 | - |
| Black, both sexes | 3 | 2 | 1 | 3 | 4 | 8 | 4 | 4 | 1 | 1 | - | - |
| Male | 2 | - | 1 | 2 | 2 | 3 | 2 | 1 | 1 | - | - | - |
| Female | 1 | 2 | - | 1 | 2 | 5 | 2 | 3 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 4 | 8 | 7 | 8 | 16 | 12 | 8 | 1 | - | - |
| Male | 2 | 1 | 3 | 4 | 5 | 6 | 13 | 8 | 4 | 1 | - | - |
| Female | - | - | 1 | 4 | 2 | 2 | 3 | 4 | 4 | - | - | - |
| White, both sexes | 2 | 1 | 4 | 7 | 7 | 8 | 16 | 12 | 8 | 1 | - | - |
| Male | 2 | 1 | 3 | 4 | 5 | 6 | 13 | 8 | 4 | 1 | - | - |
| Female | - | - | 1 | 3 | 2 | 2 | 3 | 4 | 4 | - | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 5 | 9 | 11 | 21 | 16 | 25 | 35 | 27 | 19 | 2 | - | - |
| Male | 5 | 8 | 7 | 17 | 10 | 20 | 23 | 17 | 9 | - | - | - |
| Female | - | 1 | 4 | 4 | 6 | 5 | 12 | 10 | 10 | 2 | - | - |
| White, both sexes | 5 | 6 | 7 | 17 | 16 | 24 | 30 | 24 | 14 | 2 | - | - |
| Male | 5 | 6 | 6 | 15 | 10 | 19 | 20 | 15 | 8 | - | - | - |
| Female | - | - | 1 | 2 | 6 | 5 | 10 | 9 | 6 | 2 | - | - |
| Black, both sexes | - | 3 | 4 | 4 | - | 1 | 5 | 3 | 5 | - | - | - |
| Male | - | 2 | 1 | 2 | - | 1 | 3 | 2 | 1 | - | - | - |
| Female | - | 1 | 3 | 2 | - | - | 2 | 1 | 4 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 1 | 5 | 6 | 5 | 5 | 11 | 6 | 2 | 1 | - |
| Male | 1 | 1 | 1 | 5 | 5 | 2 | 4 | 9 | 6 | 1 | - | - |
| Female | - | - | - | - | 1 | 3 | 1 | 2 | - | 1 | 1 | - |
| White, both sexes | 1 | 1 | 1 | 5 | 5 | 5 | 5 | 11 | 6 | 2 | 1 | - |
| Male | 1 | 1 | 1 | 5 | 5 | 2 | 4 | 9 | 6 | 1 | - | - |
| Female | - | - | - | - | - | 3 | 1 | 2 | - | 1 | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 6 | 12 | 13 | 29 | 32 | 49 | 53 | 35 | 20 | 10 | 3 | - |
| Male | 4 | 8 | 10 | 23 | 24 | 37 | 35 | 21 | 12 | 7 | - | - |
| Female | 2 | 4 | 3 | 6 | 8 | 12 | 18 | 14 | 8 | 3 | 3 | - |
| White, both sexes | 4 | 11 | 13 | 28 | 26 | 44 | 51 | 33 | 18 | 8 | 2 | - |
| Male | 2 | 8 | 10 | 23 | 19 | 33 | 33 | 20 | 11 | 6 | - | - |
| Female | 2 | 3 | 3 | 5 | 7 | 11 | 18 | 13 | 7 | 2 | 2 | - |
| Black, both sexes | 2 | 1 | - | 1 | 6 | 4 | 2 | 2 | 2 | 2 | 1 | - |
| Male | 2 | - | - | - | 5 | 3 | 2 | 1 | 1 | 1 | - | - |
| Female | - | 1 | - | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 23 | 34 | 45 | 72 | 94 | 103 | 127 | 111 | 56 | 11 | 2 | - |
| Male | 16 | 25 | 34 | 53 | 73 | 74 | 89 | 66 | 30 | 5 | - | - |
| Female | 7 | 9 | 11 | 19 | 21 | 29 | 38 | 45 | 26 | 6 | 2 | - |
| White, both sexes | 19 | 28 | 39 | 61 | 82 | 96 | 116 | 101 | 51 | 8 | 2 | - |
| Male | 15 | 22 | 31 | 47 | 63 | 71 | 82 | 62 | 27 | 5 | - | - |
| Female | 4 | 6 | 8 | 14 | 19 | 25 | 34 | 39 | 24 | 3 | 2 | - |
| Black, both sexes | 3 | 6 | 6 | 10 | 12 | 6 | 9 | 9 | 5 | 3 | - | - |
| Male | 1 | 3 | 3 | 6 | 10 | 2 | 6 | 4 | 3 | - | - | - |
| Female | 2 | 3 | 3 | 4 | 2 | 4 | 3 | 5 | 2 | 3 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | - | 1 | 2 | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | 1 | - | - | 1 | - | - | 1 | 1 | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 5 | 5 | 7 | 8 | 18 | 10 | - | 1 | - | - |
| Male | 1 | 1 | 5 | 5 | 7 | 7 | 14 | 7 | - | 1 | - | - |
| Female | 1 | 1 | - | - | - | 1 | 4 | 3 | - | - | - | - |
| White, both sexes | 2 | 2 | 5 | 5 | 7 | 8 | 18 | 10 | - | 1 | - | - |
| Male | 1 | 1 | 5 | 5 | 7 | 7 | 14 | 7 | - | 1 | - | - |
| Female | 1 | 1 | - | - | - | 1 | 4 | 3 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 1 | 5 | 2 | 6 | 8 | 5 | 6 | 5 | 6 | - | - | - |
| Male | 1 | 5 | 1 | 6 | 7 | 4 | 6 | 2 | 6 | - | - | - |
| Female | - | - | 1 | - | 1 | 1 | - | 3 | - | - | - | - |
| White, both sexes | 1 | 5 | 2 | 5 | 8 | 5 | 6 | 5 | 6 | - | - | - |
| Male | 1 | 5 | 1 | 5 | 7 | 4 | 6 | 2 | 6 | - | - | - |
| Female | - | - | 1 | - | 1 | 1 | - | 3 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 12 | 21 | 23 | 28 | 33 | 49 | 56 | 32 | 22 | 4 | - | - |
| Male | 8 | 14 | 18 | 21 | 25 | 28 | 40 | 23 | 13 | 2 | - | - |
| Female | 4 | 7 | 5 | 7 | 8 | 21 | 16 | 9 | 9 | 2 | - | - |
| White, both sexes | 5 | 15 | 21 | 24 | 29 | 45 | 48 | 28 | 18 | 4 | - | - |
| Male | 4 | 11 | 17 | 18 | 23 | 27 | 36 | 21 | 11 | 2 | - | - |
| Female | 1 | 4 | 4 | 6 | 6 | 18 | 12 | 7 | 7 | 2 | - | - |
| Black, both sexes | 7 | 6 | 2 | 4 | 3 | 4 | 8 | 4 | 4 | - | - | - |
| Male | 4 | 3 | 1 | 3 | 1 | 1 | 4 | 2 | 2 | - | - | - |
| Female | 3 | 3 | 1 | 1 | 2 | 3 | 4 | 2 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 6 | 9 | 22 | 33 | 39 | 43 | 57 | 39 | 25 | 5 | 1 | - |
| Male | 4 | 8 | 19 | 26 | 30 | 31 | 45 | 24 | 16 | 2 | 1 | - |
| Female | 2 | 1 | 3 | 7 | 9 | 12 | 12 | 15 | 9 | 3 | - | - |
| White, both sexes | 4 | 9 | 20 | 31 | 37 | 40 | 55 | 38 | 24 | 5 | 1 | - |
| Male | 3 | 8 | 17 | 25 | 28 | 29 | 44 | 23 | 16 | 2 | 1 | - |
| Female | 1 | 1 | 3 | 6 | 9 | 11 | 11 | 15 | 8 | 3 | - | - |
| Black, both sexes | - | - | 1 | - | 2 | 2 | 1 | - | - | - | - | - |
| Male | - | - | 1 | - | 2 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | 1 | 2 | - | 1 | 1 | 1 | 1 | - | - | - |
| Male | - | - | 1 | 1 | - | 1 | 1 | 1 | - | - | - | - |
| Female | 1 | - | - | 1 | - | - | - | - | 1 | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 4 | 2 | 3 | 7 | 16 | 16 | 25 | 12 | 8 | 4 | 1 | - |
| Male | 3 | 2 | 1 | 6 | 7 | 14 | 20 | 8 | 5 | 1 | - | - |
| Female | 1 | - | 2 | 1 | 9 | 2 | 5 | 4 | 3 | 3 | 1 | - |
| White, both sexes | 4 | 2 | 3 | 6 | 16 | 16 | 24 | 12 | 7 | 4 | - | - |
| Male | 3 | 2 | 1 | 5 | 7 | 14 | 20 | 8 | 5 | 1 | - | - |
| Female | 1 | - | 2 | 1 | 9 | 2 | 4 | 4 | 2 | 3 | - | - |
| Black, both sexes | - | - | - | 1 | - | - | 1 | - | 1 | - | 1 | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | 1 | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of bladder (C67) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 3 | 13 | 17 | 16 | 32 | 54 | 64 | 61 | 31 | 12 | 1 | - |
| Male | 3 | 9 | 16 | 12 | 24 | 35 | 35 | 33 | 16 | 2 | 1 | - |
| Female | - | 4 | 1 | 4 | 8 | 19 | 29 | 28 | 15 | 10 | - | - |
| White, both sexes | 3 | 12 | 17 | 16 | 31 | 53 | 64 | 61 | 31 | 12 | 1 | - |
| Male | 3 | 8 | 16 | 12 | 23 | 35 | 35 | 33 | 16 | 2 | 1 | - |
| Female | - | 4 | 1 | 4 | 8 | 18 | 29 | 28 | 15 | 10 | - | - |
| Black, both sexes | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 1 | 3 | 3 | 1 | 1 | 4 | 5 | 2 | 1 | - | - | - |
| Male | - | 1 | 2 | 1 | - | 3 | 4 | 2 | - | - | - | - |
| Female | 1 | 2 | 1 | - | 1 | 1 | 1 | - | 1 | - | - | - |
| White, both sexes | 1 | 3 | 3 | 1 | 1 | 4 | 5 | 2 | 1 | - | - | - |
| Male | - | 1 | 2 | 1 | - | 3 | 4 | 2 | - | - | - | - |
| Female | 1 | 2 | 1 | - | 1 | 1 | 1 | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 634 | - | - | - | - | - | - | - | 1 | 1 | 3 | 18 |
| Male | 331 | - | - | - | - | - | - | - | 1 | - | 3 | 9 |
| Female | 303 | - | - | - | - | - | - | - | - | 1 | - | 9 |
| White, both sexes | 570 | - | - | - | - | - | - | - | 1 | 1 | 3 | 13 |
| Male | 307 | - | - | - | - | - | - | - | 1 | - | 3 | 8 |
| Female | 263 | - | - | - | - | - | - | - | - | 1 | - | 5 |
| Black, both sexes | 54 | - | - | - | - | - | - | - | - | - | - | 5 |
| Male | 19 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 35 | - | - | - | - | - | - | - | - | - | - | 4 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 70 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 31 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 39 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 61 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 27 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 34 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Male | 5 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Male | 5 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 43 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 27 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 42 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 27 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 15 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 29 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 19 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 27 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 18 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 16 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 15 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 16 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 15 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 48 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 26 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 22 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 39 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 23 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 29 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 15 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 28 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 15 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 40 | - | - | - | - | - | - | - | - | - | - | 4 |
| Male | 17 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 23 | - | - | - | - | - | - | - | - | - | - | 3 |
| White, both sexes | 37 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 17 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 20 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 29 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 26 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 15 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 22 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 15 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 22 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 15 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 21 | 44 | 32 | 52 | 76 | 104 | 133 | 90 | 44 | 12 | 3 | - |
| Male | 7 | 19 | 18 | 29 | 50 | 58 | 78 | 35 | 19 | 4 | 1 | - |
| Female | 14 | 25 | 14 | 23 | 26 | 46 | 55 | 55 | 25 | 8 | 2 | - |
| White, both sexes | 14 | 35 | 22 | 47 | 68 | 100 | 128 | 84 | 41 | 10 | 3 | - |
| Male | 6 | 17 | 16 | 27 | 45 | 55 | 76 | 31 | 18 | 3 | 1 | - |
| Female | 8 | 18 | 6 | 20 | 23 | 45 | 52 | 53 | 23 | 7 | 2 | - |
| Black, both sexes | 7 | 8 | 9 | 4 | 8 | 3 | 5 | 2 | 1 | 2 | - | - |
| Male | 1 | 2 | 2 | 1 | 5 | 2 | 2 | 2 | - | 1 | - | - |
| Female | 6 | 6 | 7 | 3 | 3 | 1 | 3 | - | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | - | - | 1 | - | 3 | 2 | - | - | - |
| Male | - | - | - | - | - | 1 | - | 1 | 1 | - | - | - |
| Female | - | 1 | 1 | - | - | - | - | 2 | 1 | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | 1 | 2 | 1 | - | - | - | - | - |
| Male | - | - | 1 | - | 1 | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | 1 | 1 | 1 | - | - | - | - | - |
| Male | - | - | 1 | - | 1 | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | 1 | 1 | 1 | 4 | - | 1 | - | - | - |
| Male | 1 | - | - | - | 1 | 1 | 2 | - | 1 | - | - | - |
| Female | - | - | - | 1 | - | - | 2 | - | - | - | - | - |
| White, both sexes | 1 | - | - | 1 | 1 | 1 | 4 | - | 1 | - | - | - |
| Male | 1 | - | - | - | 1 | 1 | 2 | - | 1 | - | - | - |
| Female | - | - | - | 1 | - | - | 2 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | 1 | 2 | 1 | 2 | 1 | - | - | - |
| Male | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | - | 2 | 1 | - | - | - |
| White, both sexes | 1 | - | - | - | 1 | 2 | 1 | 2 | 1 | - | - | - |
| Male | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | - | 2 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | - | 6 | 1 | 5 | 8 | 10 | 21 | 9 | 8 | - | 1 | - |
| Male | - | 1 | - | 3 | 6 | 4 | 11 | 3 | 2 | - | 1 | - |
| Female | - | 5 | 1 | 2 | 2 | 6 | 10 | 6 | 6 | - | - | - |
| White, both sexes | - | 6 | - | 4 | 7 | 8 | 21 | 9 | 5 | - | 1 | - |
| Male | - | 1 | - | 3 | 5 | 2 | 11 | 3 | 1 | - | 1 | - |
| Female | - | 5 | - | 1 | 2 | 6 | 10 | 6 | 4 | - | - | - |
| Black, both sexes | - | - | 1 | 1 | 1 | 1 | - | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | 1 | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | 2 | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | 1 | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | 1 | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | 1 | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | 3 | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | 3 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | 1 | - | - |
| White, both sexes | - | - | - | 1 | - | - | 3 | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | 3 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 3 | 4 | 6 | 6 | 12 | 6 | 3 | - | - | - |
| Male | - | 1 | - | 2 | 6 | 5 | 8 | 2 | 2 | - | - | - |
| Female | - | 1 | 3 | 2 | - | 1 | 4 | 4 | 1 | - | - | - |
| White, both sexes | - | 2 | 2 | 4 | 6 | 6 | 12 | 6 | 3 | - | - | - |
| Male | - | 1 | - | 2 | 6 | 5 | 8 | 2 | 2 | - | - | - |
| Female | - | 1 | 2 | 2 | - | 1 | 4 | 4 | 1 | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 1 | 3 | 1 | 3 | 1 | 3 | - | 1 | - | - | - | - |
| Male | 1 | - | - | 2 | 1 | 1 | - | 1 | - | - | - | - |
| Female | - | 3 | 1 | 1 | - | 2 | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | 2 | 1 | 2 | - | 1 | - | - | - | - |
| Male | 1 | - | - | 2 | 1 | 1 | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | 2 | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 2 | - | 1 | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | 1 | - | 2 | - | - | - | - |
| Male | - | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 2 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | 1 | - | 1 | - | 1 | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | 1 | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | - | 3 | 4 | 2 | 4 | 9 | 1 | 1 | - | - |
| Male | - | 1 | - | 3 | 2 | 1 | 3 | 7 | 1 | - | - | - |
| Female | 2 | 1 | - | - | 2 | 1 | 1 | 2 | - | 1 | - | - |
| White, both sexes | 1 | 2 | - | 3 | 4 | 2 | 4 | 8 | 1 | 1 | - | - |
| Male | - | 1 | - | 3 | 2 | 1 | 3 | 6 | 1 | - | - | - |
| Female | 1 | 1 | - | - | 2 | 1 | 1 | 2 | - | 1 | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 1 | 3 | 1 | - | 2 | 5 | 1 | 3 | - | - | - | - |
| Male | - | 3 | 1 | - | 2 | 4 | 1 | 2 | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | - | 1 | - | - | - | - |
| White, both sexes | 1 | 1 | 1 | - | 1 | 5 | 1 | 3 | - | - | - | - |
| Male | - | 1 | 1 | - | 1 | 4 | 1 | 2 | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Black, both sexes | - | 2 | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | 2 | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | 2 | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | - | 1 | - | - | - |
| White, both sexes | - | - | - | - | 1 | 2 | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | 2 | 2 | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | 2 | 1 | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | 1 | - | - | - | - | - | - |
| White, both sexes | - | 1 | 1 | 2 | 2 | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | 2 | 1 | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | 2 | 2 | 1 | 1 | - | - | - |
| Male | - | - | - | 1 | - | 1 | 1 | - | 1 | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | 1 | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | 2 | 2 | 1 | 1 | - | - | - |
| Male | - | - | - | 1 | - | 1 | 1 | - | 1 | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | - | 2 | 1 | - | - | 1 | 1 | - | - |
| Male | - | - | - | - | 2 | 1 | - | - | - | 1 | - | - |
| Female | 1 | 1 | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | - | - | - | - | 2 | 1 | - | - | 1 | - | - | - |
| Male | - | - | - | - | 2 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | 1 | 1 | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | - | 3 | 1 | - | 2 | 2 | 2 | 4 | - | - | - | - |
| Male | - | 1 | 1 | - | 1 | 2 | 2 | - | - | - | - | - |
| Female | - | 2 | - | - | 1 | - | - | 4 | - | - | - | - |
| White, both sexes | - | 3 | 1 | - | 2 | 2 | 2 | 4 | - | - | - | - |
| Male | - | 1 | 1 | - | 1 | 2 | 2 | - | - | - | - | - |
| Female | - | 2 | - | - | 1 | - | - | 4 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 1 | 2 | 3 | 5 | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | 3 | 3 | - | - | - | - | - |
| Female | - | 1 | - | 1 | 1 | - | 2 | - | 1 | - | - | - |
| White, both sexes | - | 1 | - | 1 | 2 | 3 | 5 | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | 3 | 3 | - | - | - | - | - |
| Female | - | 1 | - | 1 | 1 | - | 2 | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | - | 2 | - | 2 | 2 | 4 | 4 | 2 | - | 1 | - | - |
| Male | - | 2 | - | - | 2 | 2 | 3 | 1 | - | - | - | - |
| Female | - | - | - | 2 | - | 2 | 1 | 1 | - | 1 | - | - |
| White, both sexes | - | 2 | - | 2 | 1 | 4 | 3 | 1 | - | 1 | - | - |
| Male | - | 2 | - | - | 1 | 2 | 2 | - | - | - | - | - |
| Female | - | - | - | 2 | - | 2 | 1 | 1 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | 1 | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | 1 | - | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 1 | 4 | 2 | 1 | 2 | 3 | - | - | - | - |
| Male | 1 | - | 1 | 1 | 1 | - | - | 1 | - | - | - | - |
| Female | - | 2 | - | 3 | 1 | 1 | 2 | 2 | - | - | - | - |
| White, both sexes | 1 | 1 | 1 | 4 | 2 | 1 | 2 | 3 | - | - | - | - |
| Male | 1 | - | 1 | 1 | 1 | - | - | 1 | - | - | - | - |
| Female | - | 1 | - | 3 | 1 | 1 | 2 | 2 | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | 1 | 1 | - | 2 | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | 2 | - | 1 | - | - | - |
| Female | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | 1 | - | - | 2 | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | 2 | - | 1 | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | 3 | 1 | 2 | 1 | 2 | 2 | 1 | - | - |
| Male | - | 1 | - | 2 | - | 1 | - | 2 | 1 | - | - | - |
| Female | - | - | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | - | - |
| White, both sexes | - | 1 | - | 3 | - | 2 | 1 | 2 | 2 | 1 | - | - |
| Male | - | 1 | - | 2 | - | 1 | - | 2 | 1 | - | - | - |
| Female | - | - | - | 1 | - | 1 | 1 | - | 1 | 1 | - | - |
| Black, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | 1 | 1 | 1 | 2 | - | - | 2 | - |
| Male | - | - | - | - | - | 1 | 1 | 1 | - | - | - | - |
| Female | - | - | - | 1 | 1 | - | - | 1 | - | - | 2 | - |
| White, both sexes | - | - | - | 1 | 1 | 1 | 1 | 2 | - | - | 2 | - |
| Male | - | - | - | - | - | 1 | 1 | 1 | - | - | - | - |
| Female | - | - | - | 1 | 1 | - | - | 1 | - | - | 2 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | 2 | - | 1 | 1 | 1 | - | - | - | - | - |
| Male | - | - | 1 | - | 1 | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | 1 | 1 | 1 | - | - | - | - | - |
| Male | - | - | 1 | - | 1 | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 2 | 1 | 4 | 5 | 1 | 1 | 1 | - | - |
| Male | - | - | - | - | 1 | 1 | 4 | 1 | 1 | - | - | - |
| Female | - | - | 1 | 2 | - | 3 | 1 | - | - | 1 | - | - |
| White, both sexes | - | - | 1 | 1 | 1 | 4 | 5 | 1 | 1 | 1 | - | - |
| Male | - | - | - | - | 1 | 1 | 4 | 1 | 1 | - | - | - |
| Female | - | - | 1 | 1 | - | 3 | 1 | - | - | 1 | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | - | 2 | - | - | 2 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | 2 | - | - | - | - | - | - |
| White, both sexes | - | - | 2 | - | - | 2 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | 2 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 9 | 4 | 2 | 6 | 8 | 10 | 3 | 2 | - | - |
| Male | - | 1 | 7 | 4 | 1 | 3 | 6 | 2 | 1 | 1 | - | - |
| Female | 2 | - | 2 | - | 1 | 3 | 2 | 8 | 2 | 1 | - | - |
| White, both sexes | - | 1 | 5 | 3 | 2 | 6 | 8 | 9 | 3 | 1 | - | - |
| Male | - | 1 | 5 | 3 | 1 | 3 | 6 | 2 | 1 | 1 | - | - |
| Female | - | - | - | - | 1 | 3 | 2 | 7 | 2 | - | - | - |
| Black, both sexes | 2 | - | 4 | 1 | - | - | - | - | - | 1 | - | - |
| Male | - | - | 2 | 1 | - | - | - | - | - | - | - | - |
| Female | 2 | - | 2 | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | - | 1 | 1 | 1 | 5 | 3 | - | - | - | - |
| Male | 1 | - | - | - | 1 | - | 2 | 2 | - | - | - | - |
| Female | 1 | 1 | - | 1 | - | 1 | 3 | 1 | - | - | - | - |
| White, both sexes | 1 | 1 | - | 1 | - | 1 | 5 | 3 | - | - | - | - |
| Male | 1 | - | - | - | - | - | 2 | 2 | - | - | - | - |
| Female | - | 1 | - | 1 | - | 1 | 3 | 1 | - | - | - | - |
| Black, both sexes | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | - | 1 | 2 | 7 | 6 | 2 | 3 | 1 | - | - |
| Male | - | 2 | - | 1 | 2 | 4 | 3 | 1 | - | - | - | - |
| Female | 2 | 1 | - | - | - | 3 | 3 | 1 | 3 | 1 | - | - |
| White, both sexes | 2 | 2 | - | 1 | 2 | 7 | 6 | 2 | 3 | 1 | - | - |
| Male | - | 2 | - | 1 | 2 | 4 | 3 | 1 | - | - | - | - |
| Female | 2 | - | - | - | - | 3 | 3 | 1 | 3 | 1 | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | - | 3 | 2 | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Female | - | - | - | - | 1 | - | - | 2 | 1 | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | - | 2 | 2 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | 1 | - | - | 2 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | 1 | 1 | 6 | 2 | 2 | - | - | - |
| Male | - | - | - | - | 1 | 1 | 3 | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | 3 | 2 | 2 | - | - | - |
| White, both sexes | - | 1 | - | - | 1 | 1 | 6 | 2 | 2 | - | - | - |
| Male | - | - | - | - | 1 | 1 | 3 | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | 3 | 2 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 1 | 4 | 1 | 2 | 6 | 8 | 4 | 7 | 2 | 1 | - | - |
| Male | - | 1 | 1 | 2 | 4 | 4 | 1 | 2 | - | 1 | - | - |
| Female | 1 | 3 | - | - | 2 | 4 | 3 | 5 | 2 | - | - | - |
| White, both sexes | - | 4 | 1 | 2 | 6 | 8 | 4 | 7 | 2 | 1 | - | - |
| Male | - | 1 | 1 | 2 | 4 | 4 | 1 | 2 | - | 1 | - | - |
| Female | - | 3 | - | - | 2 | 4 | 3 | 5 | 2 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | 2 | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | 2 | 2 | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 2 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 2 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | 3 | 1 | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | 2 | 1 | 1 | 1 | - | - | - |
| Female | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | 3 | 1 | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | 2 | 1 | 1 | 1 | - | - | - |
| Female | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 1 | 2 | 2 | 3 | - | 1 | - | - | - |
| Male | - | 1 | - | - | 2 | 1 | 2 | - | 1 | - | - | - |
| Female | - | - | - | 1 | - | 1 | 1 | - | - | - | - | - |
| White, both sexes | - | 1 | - | 1 | 2 | 2 | 3 | - | 1 | - | - | - |
| Male | - | 1 | - | - | 2 | 1 | 2 | - | 1 | - | - | - |
| Female | - | - | - | 1 | - | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 3 | 1 | 1 | 1 | 5 | 4 | 5 | 5 | 3 | - | - | - |
| Male | 2 | - | - | - | 2 | 2 | 3 | 1 | 1 | - | - | - |
| Female | 1 | 1 | 1 | 1 | 3 | 2 | 2 | 4 | 2 | - | - | - |
| White, both sexes | 2 | 1 | - | 1 | 5 | 4 | 4 | 5 | 3 | - | - | - |
| Male | 1 | - | - | - | 2 | 2 | 3 | 1 | 1 | - | - | - |
| Female | 1 | 1 | - | 1 | 3 | 2 | 1 | 4 | 2 | - | - | - |
| Black, both sexes | 1 | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | 2 | 2 | 1 | 1 | - | - | - |
| Male | - | - | - | - | 1 | 2 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 2 | 1 | 1 | - | - | - |
| White, both sexes | - | - | - | - | 1 | 2 | 2 | 1 | 1 | - | - | - |
| Male | - | - | - | - | 1 | 2 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 2 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | 2 | 1 | - | - | 4 | 2 | 2 | - | - | - |
| Male | - | - | - | 1 | - | - | 2 | 1 | 2 | - | - | - |
| Female | - | - | 2 | - | - | - | 2 | 1 | - | - | - | - |
| White, both sexes | - | - | 2 | 1 | - | - | 3 | 2 | 2 | - | - | - |
| Male | - | - | - | 1 | - | - | 2 | 1 | 2 | - | - | - |
| Female | - | - | 2 | - | - | - | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 2 | 3 | 5 | 3 | 4 | 1 | 2 | - | - | - |
| Male | - | 1 | 2 | 3 | 2 | 3 | 2 | - | 2 | - | - | - |
| Female | 1 | - | - | - | 3 | - | 2 | 1 | - | - | - | - |
| White, both sexes | 1 | 1 | 2 | 3 | 5 | 3 | 4 | 1 | 2 | - | - | - |
| Male | - | 1 | 2 | 3 | 2 | 3 | 2 | - | 2 | - | - | - |
| Female | 1 | - | - | - | 3 | - | 2 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | - | 1 | 2 | - | 1 | - | - |
| Male | - | 1 | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | 1 | - | - |
| White, both sexes | - | 1 | - | - | - | - | 1 | 2 | - | 1 | - | - |
| Male | - | 1 | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites within the urinary tract (C66,C68) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | 1 | 3 | 2 | 5 | 1 | - | - | - | - |
| Male | - | - | - | 1 | 1 | 1 | 2 | - | - | - | - | - |
| Female | 1 | - | - | - | 2 | 1 | 3 | 1 | - | - | - | - |
| White, both sexes | 1 | - | - | 1 | 2 | 2 | 5 | 1 | - | - | - | - |
| Male | - | - | - | 1 | 1 | 1 | 2 | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | 1 | 3 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 252 | - | 9 | 1 | 2 | - | 3 | 1 | 4 | 3 | 4 | 8 |
| Male | 145 | - | 4 | 1 | 1 | - | 3 | 1 | 3 | 1 | 2 | 4 |
| Female | 107 | - | 5 | - | 1 | - | - | - | 1 | 2 | 2 | 4 |
| White, both sexes | 233 | - | 6 | - | 1 | - | 3 | 1 | 4 | 2 | 4 | 7 |
| Male | 139 | - | 4 | - | 1 | - | 3 | 1 | 3 | 1 | 2 | 3 |
| Female | 94 | - | 2 | - | - | - | - | - | 1 | 1 | 2 | 4 |
| Black, both sexes | 11 | - | 3 | 1 | 1 | - | - | - | - | 1 | - | 1 |
| Male | 2 | - | - | 1 | - | - | - | - | - | - | - | 1 |
| Female | 9 | - | 3 | - | 1 | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 29 | - | - | - | - | - | 1 | - | 1 | 1 | 1 | - |
| Male | 18 | - | - | - | - | - | 1 | - | 1 | - | 1 | - |
| Female | 11 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 27 | - | - | - | - | - | 1 | - | 1 | 1 | 1 | - |
| Male | 18 | - | - | - | - | - | 1 | - | 1 | - | 1 | - |
| Female | 9 | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 4 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 11 | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | 8 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | 10 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 8 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 13 | - | 1 | - | - | - | - | - | - | 1 | - | 1 |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 5 | - | 1 | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 11 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 5 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 11 | - | 1 | - | - | - | - | - | - | - | 1 | - |
| Male | 6 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 10 | - | 1 | - | - | - | - | - | - | - | 1 | - |
| Male | 6 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| White, both sexes | 6 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 5 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 14 | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 8 | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | 13 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 12 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 9 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 11 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 9 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 8 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 16 | - | 2 | 1 | - | - | - | - | - | - | - | 2 |
| Male | 9 | - | 1 | 1 | - | - | - | - | - | - | - | 1 |
| Female | 7 | - | 1 | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 15 | - | 2 | - | - | - | - | - | - | - | - | 2 |
| Male | 8 | - | 1 | - | - | - | - | - | - | - | - | 1 |
| Female | 7 | - | 1 | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | 2 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 6 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | 2 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 21 | 20 | 18 | 34 | 25 | 28 | 32 | 23 | 14 | - | 2 | - |
| Male | 13 | 13 | 12 | 17 | 18 | 14 | 18 | 14 | 6 | - | - | - |
| Female | 8 | 7 | 6 | 17 | 7 | 14 | 14 | 9 | 8 | - | 2 | - |
| White, both sexes | 16 | 19 | 18 | 33 | 24 | 27 | 31 | 23 | 13 | - | 1 | - |
| Male | 10 | 13 | 12 | 17 | 18 | 14 | 18 | 14 | 5 | - | - | - |
| Female | 6 | 6 | 6 | 16 | 6 | 13 | 13 | 9 | 8 | - | 1 | - |
| Black, both sexes | 1 | - | - | 1 | 1 | - | - | - | - | - | 1 | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | 1 | 1 | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | 1 | - | - | 1 | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | 1 | - | - | - |
| White, both sexes | - | - | - | 1 | 1 | - | - | 1 | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 1 | 5 | 3 | 6 | 3 | - | 2 | 1 | 3 | - | 1 | - |
| Male | - | 3 | 2 | 4 | 1 | - | 2 | 1 | 2 | - | - | - |
| Female | 1 | 2 | 1 | 2 | 2 | - | - | - | 1 | - | 1 | - |
| White, both sexes | - | 4 | 3 | 6 | 3 | - | 2 | 1 | 3 | - | 1 | - |
| Male | - | 3 | 2 | 4 | 1 | - | 2 | 1 | 2 | - | - | - |
| Female | - | 1 | 1 | 2 | 2 | - | - | - | 1 | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 2 | 1 | - | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | 2 | 1 | - | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | - | 1 | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 3 | 1 | - | - | - | 2 | - | 3 | - | - | - | - |
| Male | 3 | 1 | - | - | - | - | - | 3 | - | - | - | - |
| Female | - | - | - | - | - | 2 | - | - | - | - | - | - |
| White, both sexes | 3 | 1 | - | - | - | 2 | - | 3 | - | - | - | - |
| Male | 3 | 1 | - | - | - | - | - | 3 | - | - | - | - |
| Female | - | - | - | - | - | 2 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | 1 | 2 | - | - | - | - | - | - | - |
| Male | 2 | - | - | 1 | 2 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | 1 | 2 | - | - | - | - | - | - | - |
| Male | 2 | - | - | 1 | 2 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 1 | 4 | - | 2 | - | 1 | - | - | - | - |
| Male | - | 1 | 1 | 2 | - | 2 | - | 1 | - | - | - | - |
| Female | 1 | - | - | 2 | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | 1 | 1 | 4 | - | 2 | - | 1 | - | - | - | - |
| Male | - | 1 | 1 | 2 | - | 2 | - | 1 | - | - | - | - |
| Female | 1 | - | - | 2 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 2 | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 4 | - | - | 2 | 4 | 1 | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | 3 | 1 | - | - | - |
| Female | - | - | - | 3 | - | - | 1 | 1 | - | - | - | - |
| White, both sexes | - | - | - | 4 | - | - | 2 | 4 | 1 | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | 3 | 1 | - | - | - |
| Female | - | - | - | 3 | - | - | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 2 | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | 2 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 2 | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | 2 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 1 | - | - | 2 | 1 | 2 | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Female | - | 1 | - | 1 | - | - | 2 | - | 1 | - | - | - |
| White, both sexes | - | 1 | - | - | - | - | 2 | 1 | 2 | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Female | - | 1 | - | - | - | - | 2 | - | 1 | - | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 2 | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| White, both sexes | - | - | - | - | - | 2 | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | 1 | 2 | 2 | - | 1 | 1 | - | - | - |
| Male | - | 1 | - | 1 | 1 | 1 | - | 1 | - | - | - | - |
| Female | - | - | 1 | - | 1 | 1 | - | - | 1 | - | - | - |
| White, both sexes | - | 1 | 1 | 1 | 1 | 2 | - | 1 | 1 | - | - | - |
| Male | - | 1 | - | 1 | 1 | 1 | - | 1 | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | 1 | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | 1 | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 2 | 2 | 1 | 4 | 1 | 1 | - | - | - | - |
| Male | - | - | 2 | 2 | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | 3 | 1 | 1 | - | - | - | - |
| White, both sexes | - | 1 | 2 | 2 | 1 | 4 | 1 | 1 | - | - | - | - |
| Male | - | - | 2 | 2 | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | 3 | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 2 | - | 1 | 1 | 5 | - | - | - | - | - |
| Male | 1 | - | 2 | - | 1 | - | 4 | - | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| White, both sexes | - | 1 | 2 | - | 1 | 1 | 5 | - | - | - | - | - |
| Male | - | - | 2 | - | 1 | - | 4 | - | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 1 | 2 | 1 | 2 | - | - | - | 1 | - |
| Male | - | - | 1 | - | 2 | 1 | 2 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | 1 | - |
| White, both sexes | - | - | 1 | 1 | 2 | 1 | 2 | - | - | - | - | - |
| Male | - | - | 1 | - | 2 | 1 | 2 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | 1 | 1 | - | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | - | - | 1 | - | - | - |
| White, both sexes | 1 | - | - | - | 1 | 1 | - | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 1 | 2 | - | 1 | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | 2 | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | 1 | 2 | - | 1 | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | 2 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | 3 | 3 | - | 2 | 2 | - | - | - | - |
| Male | - | 1 | - | 1 | 2 | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | 2 | 1 | - | 1 | 2 | - | - | - | - |
| White, both sexes | - | 1 | 1 | 3 | 3 | - | 2 | 2 | - | - | - | - |
| Male | - | 1 | - | 1 | 2 | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | 2 | 1 | - | 1 | 2 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | 1 | - | 1 | 1 | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | - | 1 | - | 1 | - | - | - |
| White, both sexes | - | - | - | 1 | 1 | - | 1 | 1 | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | - | 1 | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | 1 | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | 1 | 1 | 1 | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 2 | - | - | 2 | 2 | - | 1 | - | - | - |
| Male | - | 1 | 1 | - | - | 2 | 1 | - | 1 | - | - | - |
| Female | 2 | 1 | 1 | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | 2 | 2 | 2 | - | - | 2 | 2 | - | 1 | - | - | - |
| Male | - | 1 | 1 | - | - | 2 | 1 | - | 1 | - | - | - |
| Female | 2 | 1 | 1 | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | 1 | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | 1 | - | 1 | - | 1 | - | - | - | - |
| White, both sexes | 1 | - | - | 1 | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | 1 | - | 1 | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasm of eye and adnexa (C69) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 2 | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | 2 | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 2 | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | 2 | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 13,152 | 18 | 84 | 188 | 136 | 118 | 116 | 161 | 218 | 338 | 610 | 824 |
| Male | 7,317 | 12 | 38 | 92 | 79 | 77 | 67 | 113 | 135 | 209 | 395 | 477 |
| Female | 5,835 | 6 | 46 | 96 | 57 | 41 | 49 | 48 | 83 | 129 | 215 | 347 |
| White, both sexes | 12,079 | 15 | 68 | 143 | 114 | 98 | 99 | 137 | 192 | 295 | 555 | 735 |
| Male | 6,715 | 10 | 28 | 67 | 65 | 64 | 57 | 95 | 119 | 185 | 364 | 428 |
| Female | 5,364 | 5 | 40 | 76 | 49 | 34 | 42 | 42 | 73 | 110 | 191 | 307 |
| Black, both sexes | 793 | 3 | 13 | 35 | 17 | 12 | 12 | 18 | 12 | 27 | 38 | 67 |
| Male | 440 | 2 | 8 | 17 | 11 | 6 | 8 | 16 | 7 | 15 | 21 | 38 |
| Female | 353 | 1 | 5 | 18 | 6 | 6 | 4 | 2 | 5 | 12 | 17 | 29 |
| American Indian 1/, both sexes | 44 | - | 1 | 2 | - | 3 | - | - | 2 | 5 | 2 | 4 |
| Male | 28 | - | 1 | 2 | - | 2 | - | - | 2 | 3 | 1 | 2 |
| Female | 16 | - | - | - | - | 1 | - | - | - | 2 | 1 | 2 |
| Asian or Pacific Islander 2/, both sexes | 236 | - | 2 | 8 | 5 | 5 | 5 | 6 | 12 | 11 | 15 | 18 |
| Male | 134 | - | 1 | 6 | 3 | 5 | 2 | 2 | 7 | 6 | 9 | 9 |
| Female | 102 | - | 1 | 2 | 2 | - | 3 | 4 | 5 | 5 | 6 | 9 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 193 | - | 1 | 1 | 1 | 3 | - | 3 | 5 | 5 | 9 | 9 |
| Male | 108 | - | 1 | - | 1 | 2 | - | 2 | 3 | 5 | 3 | 6 |
| Female | 85 | - | - | 1 | - | 1 | - | 1 | 2 | - | 6 | 3 |
| White, both sexes | 175 | - | 1 | - | 1 | 2 | - | 2 | 3 | 4 | 9 | 6 |
| Male | 98 | - | 1 | - | 1 | 1 | - | 2 | 2 | 4 | 3 | 4 |
| Female | 77 | - | - | - | - | 1 | - | - | 1 | - | 6 | 2 |
| Black, both sexes | 17 | - | - | 1 | - | 1 | - | 1 | 2 | 1 | - | 3 |
| Male | 10 | - | - | - | - | 1 | - | - | 1 | 1 | - | 2 |
| Female | 7 | - | - | 1 | - | - | - | 1 | 1 | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 21 | - | - | - | 1 | 1 | 1 | - | - | 1 | 1 | - |
| Male | 14 | - | - | - | 1 | - | - | - | - | 1 | 1 | - |
| Female | 7 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| White, both sexes | 17 | - | - | - | 1 | 1 | 1 | - | - | - | 1 | - |
| Male | 11 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| Female | 6 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 279 | 1 | 1 | 8 | 5 | 2 | 2 | 4 | 8 | 7 | 13 | 15 |
| Male | 155 | 1 | 1 | 2 | 3 | 2 | - | 4 | 6 | 5 | 7 | 4 |
| Female | 124 | - | - | 6 | 2 | - | 2 | - | 2 | 2 | 6 | 11 |
| White, both sexes | 269 | 1 | 1 | 7 | 4 | 2 | 2 | 4 | 8 | 7 | 11 | 15 |
| Male | 148 | 1 | 1 | 1 | 2 | 2 | - | 4 | 6 | 5 | 6 | 4 |
| Female | 121 | - | - | 6 | 2 | - | 2 | - | 2 | 2 | 5 | 11 |
| Black, both sexes | 3 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 6 | - | - | 1 | - | - | - | - | - | - | 1 | - |
| Male | 4 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 146 | 1 | 1 | 3 | 1 | 1 | - | 2 | - | 2 | 3 | 7 |
| Male | 76 | 1 | 1 | 1 | 1 | - | - | 1 | - | - | 3 | 6 |
| Female | 70 | - | - | 2 | - | 1 | - | 1 | - | 2 | - | 1 |
| White, both sexes | 133 | 1 | - | 2 | 1 | 1 | - | 2 | - | 2 | 3 | 6 |
| Male | 70 | 1 | - | 1 | 1 | - | - | 1 | - | - | 3 | 6 |
| Female | 63 | - | - | 1 | - | 1 | - | 1 | - | 2 | - | - |
| Black, both sexes | 12 | - | - | 1 | - | - | - | - | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | 1 | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 1,476 | 5 | 12 | 17 | 12 | 16 | 16 | 24 | 29 | 36 | 61 | 99 |
| Male | 852 | 2 | 7 | 6 | 7 | 8 | 10 | 15 | 18 | 23 | 42 | 69 |
| Female | 624 | 3 | 5 | 11 | 5 | 8 | 6 | 9 | 11 | 13 | 19 | 30 |
| White, both sexes | 1,316 | 5 | 10 | 14 | 11 | 12 | 11 | 20 | 22 | 30 | 55 | 89 |
| Male | 760 | 2 | 6 | 4 | 7 | 5 | 6 | 12 | 15 | 20 | 37 | 63 |
| Female | 556 | 3 | 4 | 10 | 4 | 7 | 5 | 8 | 7 | 10 | 18 | 26 |
| Black, both sexes | 60 | - | 1 | 1 | - | 2 | 2 | 2 | 2 | 2 | 2 | 4 |
| Male | 34 | - | 1 | - | - | 1 | 2 | 2 | 1 | 1 | 2 | 2 |
| Female | 26 | - | - | 1 | - | 1 | - | - | 1 | 1 | - | 2 |
| American Indian 1/, both sexes | 2 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 98 | - | 1 | 2 | 1 | 1 | 3 | 2 | 5 | 4 | 4 | 6 |
| Male | 56 | - | - | 2 | - | 1 | 2 | 1 | 2 | 2 | 3 | 4 |
| Female | 42 | - | 1 | - | 1 | - | 1 | 1 | 3 | 2 | 1 | 2 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 186 | - | 1 | 4 | 2 | 3 | 4 | 1 | 2 | 6 | 9 | 13 |
| Male | 106 | - | 1 | 2 | 1 | 3 | 2 | 1 | 1 | 5 | 5 | 6 |
| Female | 80 | - | - | 2 | 1 | - | 2 | - | 1 | 1 | 4 | 7 |
| White, both sexes | 178 | - | 1 | 2 | 2 | 3 | 4 | 1 | 1 | 6 | 9 | 11 |
| Male | 101 | - | 1 | 1 | 1 | 3 | 2 | 1 | - | 5 | 5 | 5 |
| Female | 77 | - | - | 1 | 1 | - | 2 | - | 1 | 1 | 4 | 6 |
| Black, both sexes | 5 | - | - | 2 | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | 1 | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 166 | - | - | 4 | 1 | 1 | - | 2 | 1 | 7 | 4 | 10 |
| Male | 81 | - | - | 1 | 1 | 1 | - | 1 | - | 3 | 2 | 6 |
| Female | 85 | - | - | 3 | - | - | - | 1 | 1 | 4 | 2 | 4 |
| White, both sexes | 158 | - | - | 3 | 1 | - | - | 2 | - | 6 | 4 | 10 |
| Male | 76 | - | - | - | 1 | - | - | 1 | - | 2 | 2 | 6 |
| Female | 82 | - | - | 3 | - | - | - | 1 | - | 4 | 2 | 4 |
| Black, both sexes | 6 | - | - | 1 | - | 1 | - | - | 1 | 1 | - | - |
| Male | 4 | - | - | 1 | - | 1 | - | - | - | 1 | - | - |
| Female | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 39 | - | - | 1 | - | - | - | - | - | - | 3 | 2 |
| Male | 21 | - | - | 1 | - | - | - | - | - | - | 3 | - |
| Female | 18 | - | - | - | - | - | - | - | - | - | - | 2 |
| White, both sexes | 35 | - | - | - | - | - | - | - | - | - | 3 | 1 |
| Male | 20 | - | - | - | - | - | - | - | - | - | 3 | - |
| Female | 15 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 4 | - | - | 1 | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 17 | - | 1 | 1 | - | - | - | - | - | - | 3 | 1 |
| Male | 9 | - | 1 | 1 | - | - | - | - | - | - | 1 | 1 |
| Female | 8 | - | - | - | - | - | - | - | - | - | 2 | - |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 9 | - | 1 | 1 | - | - | - | - | - | - | 2 | - |
| Male | 3 | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | 2 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 889 | 3 | 7 | 12 | 3 | 5 | 3 | 8 | 7 | 20 | 39 | 53 |
| Male | 492 | 2 | 2 | 5 | - | 3 | 3 | 5 | 5 | 11 | 28 | 28 |
| Female | 397 | 1 | 5 | 7 | 3 | 2 | - | 3 | 2 | 9 | 11 | 25 |
| White, both sexes | 823 | 1 | 4 | 9 | 2 | 4 | 2 | 7 | 6 | 20 | 36 | 47 |
| Male | 455 | 1 | 1 | 3 | - | 2 | 2 | 4 | 4 | 11 | 27 | 26 |
| Female | 368 | - | 3 | 6 | 2 | 2 | - | 3 | 2 | 9 | 9 | 21 |
| Black, both sexes | 59 | 2 | 3 | 3 | 1 | 1 | 1 | 1 | 1 | - | 3 | 5 |
| Male | 34 | 1 | 1 | 2 | - | 1 | 1 | 1 | 1 | - | 1 | 1 |
| Female | 25 | 1 | 2 | 1 | 1 | - | - | - | - | - | 2 | 4 |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 312 | - | - | 4 | 3 | 6 | 4 | 7 | 8 | 11 | 17 | 24 |
| Male | 172 | - | - | 3 | 2 | 3 | 4 | 4 | 4 | 7 | 11 | 13 |
| Female | 140 | - | - | 1 | 1 | 3 | - | 3 | 4 | 4 | 6 | 11 |
| White, both sexes | 261 | - | - | 3 | 2 | 4 | 3 | 5 | 6 | 5 | 13 | 21 |
| Male | 146 | - | - | 2 | 1 | 3 | 3 | 2 | 3 | 3 | 8 | 12 |
| Female | 115 | - | - | 1 | 1 | 1 | - | 3 | 3 | 2 | 5 | 9 |
| Black, both sexes | 48 | - | - | 1 | 1 | 1 | 1 | 2 | 2 | 6 | 4 | 2 |
| Male | 25 | - | - | 1 | 1 | - | 1 | 2 | 1 | 4 | 3 | 1 |
| Female | 23 | - | - | - | - | 1 | - | - | 1 | 2 | 1 | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 35 | - | - | - | 1 | 1 | 1 | 2 | - | 2 | 1 | 1 |
| Male | 19 | - | - | - | 1 | - | 1 | 1 | - | 1 | 1 | - |
| Female | 16 | - | - | - | - | 1 | - | 1 | - | 1 | - | 1 |
| White, both sexes | 16 | - | - | - | - | 1 | 1 | 2 | - | 1 | - | - |
| Male | 10 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | 6 | - | - | - | - | 1 | - | 1 | - | 1 | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 18 | - | - | - | 1 | - | - | - | - | 1 | 1 | 1 |
| Male | 9 | - | - | - | 1 | - | - | - | - | 1 | 1 | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 81 | - | - | 1 | - | 1 | 2 | 3 | 2 | - | 4 | 7 |
| Male | 43 | - | - | 1 | - | 1 | 1 | 2 | 2 | - | 3 | 4 |
| Female | 38 | - | - | - | - | - | 1 | 1 | - | - | 1 | 3 |
| White, both sexes | 81 | - | - | 1 | - | 1 | 2 | 3 | 2 | - | 4 | 7 |
| Male | 43 | - | - | 1 | - | 1 | 1 | 2 | 2 | - | 3 | 4 |
| Female | 38 | - | - | - | - | - | 1 | 1 | - | - | 1 | 3 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 445 | - | 3 | 8 | 3 | 2 | 7 | 4 | 12 | 11 | 23 | 30 |
| Male | 240 | - | 2 | 5 | 3 | 2 | 4 | 4 | 9 | 6 | 14 | 14 |
| Female | 205 | - | 1 | 3 | - | - | 3 | - | 3 | 5 | 9 | 16 |
| White, both sexes | 401 | - | 1 | 7 | 3 | 2 | 7 | 4 | 11 | 10 | 22 | 23 |
| Male | 217 | - | 1 | 5 | 3 | 2 | 4 | 4 | 8 | 6 | 14 | 11 |
| Female | 184 | - | - | 2 | - | - | 3 | - | 3 | 4 | 8 | 12 |
| Black, both sexes | 36 | - | 2 | 1 | - | - | - | - | - | - | 1 | 6 |
| Male | 18 | - | 1 | - | - | - | - | - | - | - | - | 3 |
| Female | 18 | - | 1 | 1 | - | - | - | - | - | - | 1 | 3 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | - | - | - | - | - | 1 | 1 | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 278 | - | 2 | 6 | 1 | 3 | 4 | - | 3 | 8 | 16 | 19 |
| Male | 151 | - | - | 2 | 1 | 3 | 2 | - | 1 | 7 | 7 | 12 |
| Female | 127 | - | 2 | 4 | - | - | 2 | - | 2 | 1 | 9 | 7 |
| White, both sexes | 271 | - | 2 | 6 | 1 | 3 | 4 | - | 3 | 8 | 16 | 19 |
| Male | 147 | - | - | 2 | 1 | 3 | 2 | - | 1 | 7 | 7 | 12 |
| Female | 124 | - | 2 | 4 | - | - | 2 | - | 2 | 1 | 9 | 7 |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 179 | 1 | 1 | 2 | 4 | 2 | 1 | 6 | 3 | 2 | 4 | 13 |
| Male | 103 | 1 | - | 1 | 3 | 2 | - | 5 | 3 | - | 4 | 5 |
| Female | 76 | - | 1 | 1 | 1 | - | 1 | 1 | - | 2 | - | 8 |
| White, both sexes | 174 | 1 | 1 | 1 | 4 | 2 | 1 | 5 | 3 | 1 | 4 | 13 |
| Male | 101 | 1 | - | 1 | 3 | 2 | - | 4 | 3 | - | 4 | 5 |
| Female | 73 | - | 1 | - | 1 | - | 1 | 1 | - | 1 | - | 8 |
| Black, both sexes | 4 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 156 | - | 1 | 2 | 2 | 2 | - | 1 | 3 | 2 | 5 | 9 |
| Male | 91 | - | - | - | 2 | 2 | - | 1 | 2 | 1 | 3 | 5 |
| Female | 65 | - | 1 | 2 | - | - | - | - | 1 | 1 | 2 | 4 |
| White, both sexes | 149 | - | 1 | 2 | 2 | 1 | - | 1 | 3 | 2 | 4 | 9 |
| Male | 88 | - | - | - | 2 | 1 | - | 1 | 2 | 1 | 2 | 5 |
| Female | 61 | - | 1 | 2 | - | - | - | - | 1 | 1 | 2 | 4 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 180 | - | 1 | 3 | 1 | 1 | 1 | 1 | 3 | 3 | 13 | 8 |
| Male | 99 | - | - | 2 | - | - | - | 1 | 3 | 2 | 10 | 6 |
| Female | 81 | - | 1 | 1 | 1 | 1 | 1 | - | - | 1 | 3 | 2 |
| White, both sexes | 175 | - | 1 | 3 | 1 | 1 | 1 | 1 | 3 | 3 | 13 | 7 |
| Male | 97 | - | - | 2 | - | - | - | 1 | 3 | 2 | 10 | 6 |
| Female | 78 | - | 1 | 1 | 1 | 1 | 1 | - | - | 1 | 3 | 1 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 221 | - | 3 | 1 | 4 | 2 | 2 | 3 | 2 | 4 | 9 | 16 |
| Male | 129 | - | - | - | 1 | - | 2 | 3 | 1 | 3 | 4 | 14 |
| Female | 92 | - | 3 | 1 | 3 | 2 | - | - | 1 | 1 | 5 | 2 |
| White, both sexes | 176 | - | 3 | - | 2 | 1 | 1 | 2 | 2 | 3 | 8 | 10 |
| Male | 101 | - | - | - | 1 | - | 1 | 2 | 1 | 3 | 3 | 9 |
| Female | 75 | - | 3 | - | 1 | 1 | - | - | 1 | - | 5 | 1 |
| Black, both sexes | 43 | - | - | 1 | 2 | 1 | 1 | 1 | - | - | 1 | 5 |
| Male | 27 | - | - | - | - | - | 1 | 1 | - | - | 1 | 4 |
| Female | 16 | - | - | 1 | 2 | 1 | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 80 | - | - | - | 1 | 1 | - | - | 2 | 4 | 5 | 7 |
| Male | 49 | - | - | - | 1 | - | - | - | 1 | 3 | 4 | 6 |
| Female | 31 | - | - | - | - | 1 | - | - | 1 | 1 | 1 | 1 |
| White, both sexes | 80 | - | - | - | 1 | 1 | - | - | 2 | 4 | 5 | 7 |
| Male | 49 | - | - | - | 1 | - | - | - | 1 | 3 | 4 | 6 |
| Female | 31 | - | - | - | - | 1 | - | - | 1 | 1 | 1 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 194 | - | 1 | 4 | 2 | 5 | - | 2 | 2 | 7 | 15 | 11 |
| Male | 101 | - | 1 | 2 | 1 | 3 | - | 2 | - | 7 | 8 | 5 |
| Female | 93 | - | - | 2 | 1 | 2 | - | - | 2 | - | 7 | 6 |
| White, both sexes | 163 | - | 1 | 2 | 1 | 4 | - | 2 | 2 | 6 | 13 | 8 |
| Male | 80 | - | 1 | 1 | - | 2 | - | 2 | - | 6 | 7 | 3 |
| Female | 83 | - | - | 1 | 1 | 2 | - | - | 2 | - | 6 | 5 |
| Black, both sexes | 26 | - | - | 2 | 1 | - | - | - | - | 1 | 2 | 2 |
| Male | 18 | - | - | 1 | 1 | - | - | - | - | 1 | 1 | 1 |
| Female | 8 | - | - | 1 | - | - | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 285 | - | 2 | 2 | 2 | - | 2 | - | 2 | 6 | 12 | 27 |
| Male | 168 | - | 1 | 1 | 1 | - | 2 | - | 1 | 4 | 8 | 18 |
| Female | 117 | - | 1 | 1 | 1 | - | - | - | 1 | 2 | 4 | 9 |
| White, both sexes | 280 | - | 1 | 1 | 2 | - | 2 | - | 2 | 6 | 12 | 26 |
| Male | 165 | - | 1 | - | 1 | - | 2 | - | 1 | 4 | 8 | 17 |
| Female | 115 | - | - | 1 | 1 | - | - | - | 1 | 2 | 4 | 9 |
| Black, both sexes | 3 | - | 1 | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 505 | - | 1 | 5 | 6 | 2 | 7 | 4 | 12 | 12 | 17 | 22 |
| Male | 274 | - | - | 2 | 3 | 2 | 3 | 3 | 6 | 7 | 15 | 11 |
| Female | 231 | - | 1 | 3 | 3 | - | 4 | 1 | 6 | 5 | 2 | 11 |
| White, both sexes | 475 | - | - | 5 | 4 | 2 | 6 | 4 | 11 | 11 | 16 | 19 |
| Male | 259 | - | - | 2 | 2 | 2 | 3 | 3 | 5 | 7 | 15 | 9 |
| Female | 216 | - | - | 3 | 2 | - | 3 | 1 | 6 | 4 | 1 | 10 |
| Black, both sexes | 24 | - | 1 | - | 1 | - | - | - | - | - | 1 | 3 |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 12 | - | 1 | - | 1 | - | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | 1 | - | 1 | - | 1 | - | - | - |
| Male | 3 | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 202 | - | 1 | 1 | 1 | 2 | 1 | 2 | 3 | 10 | 16 | 8 |
| Male | 112 | - | 1 | - | 1 | 1 | 1 | 1 | 2 | 8 | 10 | 4 |
| Female | 90 | - | - | 1 | - | 1 | - | 1 | 1 | 2 | 6 | 4 |
| White, both sexes | 192 | - | 1 | 1 | - | 2 | 1 | 2 | 2 | 10 | 13 | 8 |
| Male | 107 | - | 1 | - | - | 1 | 1 | 1 | 1 | 8 | 9 | 4 |
| Female | 85 | - | - | 1 | - | 1 | - | 1 | 1 | 2 | 4 | 4 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | 1 | - | - | - | 1 | - | 2 | - |
| Male | 2 | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | 2 | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 160 | - | - | 5 | 3 | 1 | 2 | 2 | - | 6 | 9 | 10 |
| Male | 85 | - | - | 3 | 1 | 1 | 1 | 2 | - | 3 | 6 | 5 |
| Female | 75 | - | - | 2 | 2 | - | 1 | - | - | 3 | 3 | 5 |
| White, both sexes | 116 | - | - | 3 | 2 | - | 2 | - | - | 2 | 5 | 8 |
| Male | 60 | - | - | 2 | 1 | - | 1 | - | - | 2 | 4 | 4 |
| Female | 56 | - | - | 1 | 1 | - | 1 | - | - | - | 1 | 4 |
| Black, both sexes | 43 | - | - | 2 | 1 | 1 | - | 2 | - | 4 | 4 | 2 |
| Male | 24 | - | - | 1 | - | 1 | - | 2 | - | 1 | 2 | 1 |
| Female | 19 | - | - | 1 | 1 | - | - | - | - | 3 | 2 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 287 | - | - | 7 | 3 | 4 | 2 | 2 | 4 | 5 | 18 | 16 |
| Male | 157 | - | - | 4 | 2 | 2 | 2 | 1 | 1 | 3 | 12 | 8 |
| Female | 130 | - | - | 3 | 1 | 2 | - | 1 | 3 | 2 | 6 | 8 |
| White, both sexes | 276 | - | - | 6 | 3 | 4 | 2 | 1 | 3 | 5 | 18 | 15 |
| Male | 152 | - | - | 4 | 2 | 2 | 2 | 1 | 1 | 3 | 12 | 8 |
| Female | 124 | - | - | 2 | 1 | 2 | - | - | 2 | 2 | 6 | 7 |
| Black, both sexes | 10 | - | - | 1 | - | - | - | 1 | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | 1 | - | - | - | 1 | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 54 | - | - | - | - | - | - | 1 | - | - | 2 | 5 |
| Male | 30 | - | - | - | - | - | - | 1 | - | - | - | 2 |
| Female | 24 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| White, both sexes | 52 | - | - | - | - | - | - | 1 | - | - | 2 | 4 |
| Male | 29 | - | - | - | - | - | - | 1 | - | - | - | 2 |
| Female | 23 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 90 | - | 2 | 2 | 1 | 2 | - | 2 | 3 | 2 | 1 | 4 |
| Male | 46 | - | 1 | 1 | - | 1 | - | - | 3 | 1 | 1 | 2 |
| Female | 44 | - | 1 | 1 | 1 | 1 | - | 2 | - | 1 | - | 2 |
| White, both sexes | 86 | - | 2 | 2 | 1 | 2 | - | 2 | 3 | 1 | 1 | 4 |
| Male | 44 | - | 1 | 1 | - | 1 | - | - | 3 | 1 | 1 | 2 |
| Female | 42 | - | 1 | 1 | 1 | 1 | - | 2 | - | - | - | 2 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 99 | - | 1 | 2 | 2 | - | - | - | 1 | 1 | 4 | 7 |
| Male | 51 | - | 1 | - | 1 | - | - | - | 1 | - | 3 | 1 |
| Female | 48 | - | - | 2 | 1 | - | - | - | - | 1 | 1 | 6 |
| White, both sexes | 94 | - | 1 | 2 | 2 | - | - | - | 1 | 1 | 4 | 6 |
| Male | 48 | - | 1 | - | 1 | - | - | - | 1 | - | 3 | 1 |
| Female | 46 | - | - | 2 | 1 | - | - | - | - | 1 | 1 | 5 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 66 | - | - | 1 | 1 | - | 1 | - | 2 | 1 | 6 | 3 |
| Male | 38 | - | - | 1 | 1 | - | 1 | - | - | - | 3 | 2 |
| Female | 28 | - | - | - | - | - | - | - | 2 | 1 | 3 | 1 |
| White, both sexes | 66 | - | - | 1 | 1 | - | 1 | - | 2 | 1 | 6 | 3 |
| Male | 38 | - | - | 1 | 1 | - | 1 | - | - | - | 3 | 2 |
| Female | 28 | - | - | - | - | - | - | - | 2 | 1 | 3 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 349 | - | 3 | 4 | 4 | 1 | 1 | 3 | 8 | 8 | 18 | 26 |
| Male | 193 | - | 1 | 3 | 1 | - | - | 2 | 5 | 6 | 12 | 15 |
| Female | 156 | - | 2 | 1 | 3 | 1 | 1 | 1 | 3 | 2 | 6 | 11 |
| White, both sexes | 319 | - | 2 | 3 | 4 | 1 | 1 | 2 | 6 | 6 | 16 | 23 |
| Male | 174 | - | - | 2 | 1 | - | - | 2 | 4 | 5 | 11 | 12 |
| Female | 145 | - | 2 | 1 | 3 | 1 | 1 | - | 2 | 1 | 5 | 11 |
| Black, both sexes | 21 | - | - | 1 | - | - | - | - | - | - | 2 | 2 |
| Male | 15 | - | - | 1 | - | - | - | - | - | - | 1 | 2 |
| Female | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 9 | - | 1 | - | - | - | - | 1 | 2 | 2 | - | 1 |
| Male | 4 | - | 1 | - | - | - | - | - | 1 | 1 | - | 1 |
| Female | 5 | - | - | - | - | - | - | 1 | 1 | 1 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 70 | - | - | 2 | - | 1 | - | - | 1 | - | 2 | 5 |
| Male | 44 | - | - | - | - | 1 | - | - | 1 | - | 1 | 2 |
| Female | 26 | - | - | 2 | - | - | - | - | - | - | 1 | 3 |
| White, both sexes | 67 | - | - | 2 | - | 1 | - | - | - | - | 2 | 5 |
| Male | 42 | - | - | - | - | 1 | - | - | - | - | 1 | 2 |
| Female | 25 | - | - | 2 | - | - | - | - | - | - | 1 | 3 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 785 | - | 5 | 14 | 7 | 4 | 11 | 7 | 12 | 27 | 38 | 52 |
| Male | 438 | - | 2 | 10 | 4 | 2 | 6 | 4 | 8 | 15 | 22 | 27 |
| Female | 347 | - | 3 | 4 | 3 | 2 | 5 | 3 | 4 | 12 | 16 | 25 |
| White, both sexes | 710 | - | 5 | 9 | 5 | 3 | 8 | 6 | 10 | 25 | 31 | 46 |
| Male | 391 | - | 2 | 7 | 2 | 2 | 5 | 4 | 6 | 13 | 18 | 23 |
| Female | 319 | - | 3 | 2 | 3 | 1 | 3 | 2 | 4 | 12 | 13 | 23 |
| Black, both sexes | 50 | - | - | 3 | 2 | 1 | 3 | - | 1 | - | 2 | 5 |
| Male | 32 | - | - | 1 | 2 | - | 1 | - | 1 | - | 1 | 4 |
| Female | 18 | - | - | 2 | - | 1 | 2 | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 22 | - | - | 2 | - | - | - | 1 | 1 | 1 | 4 | 1 |
| Male | 13 | - | - | 2 | - | - | - | - | 1 | 1 | 2 | - |
| Female | 9 | - | - | - | - | - | - | 1 | - | - | 2 | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 360 | - | 1 | 5 | 4 | 2 | - | 2 | 4 | 12 | 14 | 20 |
| Male | 198 | - | - | 3 | 3 | 2 | - | 1 | 1 | 7 | 10 | 13 |
| Female | 162 | - | 1 | 2 | 1 | - | - | 1 | 3 | 5 | 4 | 7 |
| White, both sexes | 311 | - | 1 | 2 | 3 | 2 | - | 2 | 4 | 10 | 12 | 15 |
| Male | 176 | - | - | 1 | 2 | 2 | - | 1 | 1 | 6 | 9 | 10 |
| Female | 135 | - | 1 | 1 | 1 | - | - | 1 | 3 | 4 | 3 | 5 |
| Black, both sexes | 44 | - | - | 3 | 1 | - | - | - | - | 2 | 2 | 4 |
| Male | 21 | - | - | 2 | 1 | - | - | - | - | 1 | 1 | 2 |
| Female | 23 | - | - | 1 | - | - | - | - | - | 1 | 1 | 2 |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 35 | - | - | - | 1 | - | - | 1 | 2 | - | 2 | 2 |
| Male | 17 | - | - | - | - | - | - | - | 2 | - | 2 | 1 |
| Female | 18 | - | - | - | 1 | - | - | 1 | - | - | - | 1 |
| White, both sexes | 35 | - | - | - | 1 | - | - | 1 | 2 | - | 2 | 2 |
| Male | 17 | - | - | - | - | - | - | - | 2 | - | 2 | 1 |
| Female | 18 | - | - | - | 1 | - | - | 1 | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 529 | - | 3 | 11 | 3 | 5 | 2 | 12 | 8 | 12 | 28 | 39 |
| Male | 289 | - | 1 | 5 | 2 | 3 | 2 | 8 | 6 | 6 | 19 | 26 |
| Female | 240 | - | 2 | 6 | 1 | 2 | - | 4 | 2 | 6 | 9 | 13 |
| White, both sexes | 492 | - | 3 | 8 | 2 | 4 | 2 | 9 | 8 | 10 | 25 | 38 |
| Male | 270 | - | 1 | 5 | 1 | 2 | 2 | 5 | 6 | 6 | 16 | 26 |
| Female | 222 | - | 2 | 3 | 1 | 2 | - | 4 | 2 | 4 | 9 | 12 |
| Black, both sexes | 33 | - | - | 3 | 1 | - | - | 3 | - | 2 | 1 | 1 |
| Male | 15 | - | - | - | 1 | - | - | 3 | - | - | 1 | - |
| Female | 18 | - | - | 3 | - | - | - | - | - | 2 | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | 1 | - | - | - | - | 2 | - |
| Male | 4 | - | - | - | - | 1 | - | - | - | - | 2 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 183 | - | - | 3 | - | 2 | - | 6 | 2 | 6 | 6 | 9 |
| Male | 101 | - | - | 2 | - | 2 | - | 5 | 1 | 3 | 5 | 4 |
| Female | 82 | - | - | 1 | - | - | - | 1 | 1 | 3 | 1 | 5 |
| White, both sexes | 172 | - | - | 2 | - | 2 | - | 6 | 2 | 5 | 6 | 9 |
| Male | 95 | - | - | 1 | - | 2 | - | 5 | 1 | 2 | 5 | 4 |
| Female | 77 | - | - | 1 | - | - | - | 1 | 1 | 3 | 1 | 5 |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 4 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 235 | - | 5 | 3 | 5 | 2 | 1 | 4 | 5 | 5 | 7 | 14 |
| Male | 142 | - | 1 | - | 2 | 2 | - | 3 | 2 | 4 | 5 | 8 |
| Female | 93 | - | 4 | 3 | 3 | - | 1 | 1 | 3 | 1 | 2 | 6 |
| White, both sexes | 231 | - | 5 | 3 | 5 | 2 | 1 | 4 | 5 | 3 | 7 | 13 |
| Male | 138 | - | 1 | - | 2 | 2 | - | 3 | 2 | 2 | 5 | 7 |
| Female | 93 | - | 4 | 3 | 3 | - | 1 | 1 | 3 | 1 | 2 | 6 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 577 | - | 2 | 4 | 6 | 6 | 9 | 4 | 9 | 11 | 24 | 42 |
| Male | 320 | - | - | 1 | 5 | 5 | 7 | 3 | 8 | 6 | 15 | 22 |
| Female | 257 | - | 2 | 3 | 1 | 1 | 2 | 1 | 1 | 5 | 9 | 20 |
| White, both sexes | 545 | - | 2 | 3 | 6 | 5 | 9 | 4 | 9 | 10 | 24 | 36 |
| Male | 299 | - | - | - | 5 | 4 | 7 | 3 | 8 | 5 | 15 | 17 |
| Female | 246 | - | 2 | 3 | 1 | 1 | 2 | 1 | 1 | 5 | 9 | 19 |
| Black, both sexes | 29 | - | - | 1 | - | - | - | - | - | 1 | - | 5 |
| Male | 18 | - | - | 1 | - | - | - | - | - | 1 | - | 4 |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 65 | - | 2 | - | 1 | - | 1 | - | 1 | 3 | - | 3 |
| Male | 36 | - | 1 | - | - | - | - | - | - | 2 | - | 2 |
| Female | 29 | - | 1 | - | 1 | - | 1 | - | 1 | 1 | - | 1 |
| White, both sexes | 64 | - | 2 | - | 1 | - | 1 | - | 1 | 3 | - | 3 |
| Male | 35 | - | 1 | - | - | - | - | - | - | 2 | - | 2 |
| Female | 29 | - | 1 | - | 1 | - | 1 | - | 1 | 1 | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 198 | 2 | 1 | 3 | 2 | 1 | 3 | 1 | 4 | 4 | 8 | 14 |
| Male | 106 | 2 | 1 | 1 | 1 | - | 3 | - | 3 | 2 | 6 | 9 |
| Female | 92 | - | - | 2 | 1 | 1 | - | 1 | 1 | 2 | 2 | 5 |
| White, both sexes | 171 | 2 | - | 2 | - | 1 | 2 | 1 | 2 | 3 | 8 | 12 |
| Male | 93 | 2 | - | 1 | - | - | 2 | - | 2 | 2 | 6 | 8 |
| Female | 78 | - | - | 1 | - | 1 | - | 1 | - | 1 | 2 | 4 |
| Black, both sexes | 27 | - | 1 | 1 | 2 | - | 1 | - | 2 | 1 | - | 2 |
| Male | 13 | - | 1 | - | 1 | - | 1 | - | 1 | - | - | 1 |
| Female | 14 | - | - | 1 | 1 | - | - | - | 1 | 1 | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 34 | - | - | - | - | - | - | 1 | - | - | 3 | 2 |
| Male | 18 | - | - | - | - | - | - | 1 | - | - | 3 | 1 |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 33 | - | - | - | - | - | - | 1 | - | - | 3 | 2 |
| Male | 17 | - | - | - | - | - | - | 1 | - | - | 3 | 1 |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 331 | - | 2 | 3 | 5 | 3 | 4 | 4 | 9 | 10 | 15 | 18 |
| Male | 182 | - | 1 | 1 | 4 | 2 | 2 | 2 | 5 | 8 | 9 | 13 |
| Female | 149 | - | 1 | 2 | 1 | 1 | 2 | 2 | 4 | 2 | 6 | 5 |
| White, both sexes | 299 | - | 1 | 3 | 5 | 2 | 4 | 3 | 9 | 8 | 11 | 13 |
| Male | 165 | - | - | 1 | 4 | 2 | 2 | 1 | 5 | 6 | 7 | 11 |
| Female | 134 | - | 1 | 2 | 1 | - | 2 | 2 | 4 | 2 | 4 | 2 |
| Black, both sexes | 29 | - | 1 | - | - | 1 | - | 1 | - | 2 | 3 | 4 |
| Male | 16 | - | 1 | - | - | - | - | 1 | - | 2 | 2 | 2 |
| Female | 13 | - | - | - | - | 1 | - | - | - | - | 1 | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | 1 | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 893 | 4 | 8 | 18 | 14 | 10 | 11 | 13 | 13 | 25 | 45 | 50 |
| Male | 470 | 2 | 2 | 11 | 6 | 8 | 4 | 11 | 7 | 13 | 26 | 28 |
| Female | 423 | 2 | 6 | 7 | 8 | 2 | 7 | 2 | 6 | 12 | 19 | 22 |
| White, both sexes | 828 | 3 | 8 | 16 | 12 | 8 | 11 | 11 | 13 | 25 | 44 | 46 |
| Male | 436 | 1 | 2 | 9 | 5 | 7 | 4 | 9 | 7 | 13 | 26 | 26 |
| Female | 392 | 2 | 6 | 7 | 7 | 1 | 7 | 2 | 6 | 12 | 18 | 20 |
| Black, both sexes | 57 | 1 | - | 1 | 1 | 2 | - | 1 | - | - | 1 | 3 |
| Male | 30 | 1 | - | 1 | 1 | 1 | - | 1 | - | - | - | 2 |
| Female | 27 | - | - | - | - | 1 | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | - | - | 1 | 1 | - | - | 1 | - | - | - | 1 |
| Male | 4 | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Female | 4 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 88 | - | 3 | 1 | 2 | - | - | 5 | 1 | 5 | 6 | 4 |
| Male | 53 | - | 2 | 1 | 2 | - | - | 4 | 1 | 4 | 4 | 2 |
| Female | 35 | - | 1 | - | - | - | - | 1 | - | 1 | 2 | 2 |
| White, both sexes | 88 | - | 3 | 1 | 2 | - | - | 5 | 1 | 5 | 6 | 4 |
| Male | 53 | - | 2 | 1 | 2 | - | - | 4 | 1 | 4 | 4 | 2 |
| Female | 35 | - | 1 | - | - | - | - | 1 | - | 1 | 2 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 31 | - | - | - | 2 | - | - | - | 2 | - | - | 2 |
| Male | 18 | - | - | - | 1 | - | - | - | 2 | - | - | 1 |
| Female | 13 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| White, both sexes | 31 | - | - | - | 2 | - | - | - | 2 | - | - | 2 |
| Male | 18 | - | - | - | 1 | - | - | - | 2 | - | - | 1 |
| Female | 13 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 310 | 1 | 2 | 2 | 7 | 2 | 2 | 2 | 8 | 12 | 17 | 18 |
| Male | 190 | 1 | 1 | 1 | 6 | 1 | 1 | 1 | 6 | 9 | 12 | 13 |
| Female | 120 | - | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 5 | 5 |
| White, both sexes | 260 | 1 | 1 | - | 5 | 2 | - | 1 | 7 | 11 | 12 | 16 |
| Male | 161 | 1 | - | - | 4 | 1 | - | - | 5 | 9 | 9 | 11 |
| Female | 99 | - | 1 | - | 1 | 1 | - | 1 | 2 | 2 | 3 | 5 |
| Black, both sexes | 44 | - | 1 | 2 | 2 | - | 2 | 1 | 1 | 1 | 5 | 2 |
| Male | 27 | - | 1 | 1 | 2 | - | 1 | 1 | 1 | - | 3 | 2 |
| Female | 17 | - | - | 1 | - | - | 1 | - | - | 1 | 2 | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 347 | - | 1 | 2 | - | 7 | 6 | 5 | 4 | 8 | 17 | 18 |
| Male | 203 | - | 1 | 2 | - | 5 | 1 | 4 | 2 | 5 | 10 | 11 |
| Female | 144 | - | - | - | - | 2 | 5 | 1 | 2 | 3 | 7 | 7 |
| White, both sexes | 327 | - | 1 | 1 | - | 6 | 4 | 4 | 4 | 8 | 17 | 17 |
| Male | 189 | - | 1 | 1 | - | 4 | 1 | 4 | 2 | 5 | 10 | 11 |
| Female | 138 | - | - | - | - | 2 | 3 | - | 2 | 3 | 7 | 6 |
| Black, both sexes | 4 | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | 3 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 13 | - | - | - | - | 1 | 1 | 1 | - | - | - | 1 |
| Male | 8 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | 1 | 1 | - | - | - | 1 |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 108 | - | 1 | 2 | 1 | 1 | - | 1 | - | 3 | 4 | 13 |
| Male | 59 | - | 1 | 2 | 1 | 1 | - | 1 | - | - | 2 | 7 |
| Female | 49 | - | - | - | - | - | - | - | - | 3 | 2 | 6 |
| White, both sexes | 106 | - | 1 | 2 | 1 | 1 | - | 1 | - | 3 | 4 | 13 |
| Male | 59 | - | 1 | 2 | 1 | 1 | - | 1 | - | - | 2 | 7 |
| Female | 47 | - | - | - | - | - | - | - | - | 3 | 2 | 6 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 282 | - | 2 | 3 | 5 | 2 | 2 | 4 | 5 | 6 | 14 | 16 |
| Male | 157 | - | 2 | 2 | 1 | 1 | 2 | 3 | 2 | 3 | 10 | 9 |
| Female | 125 | - | - | 1 | 4 | 1 | - | 1 | 3 | 3 | 4 | 7 |
| White, both sexes | 273 | - | 1 | 2 | 5 | 2 | 2 | 3 | 5 | 5 | 14 | 16 |
| Male | 150 | - | 1 | 2 | 1 | 1 | 2 | 2 | 2 | 2 | 10 | 9 |
| Female | 123 | - | - | - | 4 | 1 | - | 1 | 3 | 3 | 4 | 7 |
| Black, both sexes | 8 | - | 1 | - | - | - | - | 1 | - | 1 | - | - |
| Male | 7 | - | 1 | - | - | - | - | 1 | - | 1 | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 21 | - | - | 1 | - | - | - | - | 1 | - | - | 1 |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | 1 | - | - | - | - | 1 | - | - | 1 |
| White, both sexes | 21 | - | - | 1 | - | - | - | - | 1 | - | - | 1 |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | 1 | - | - | - | - | 1 | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 1,119 | 1,444 | 1,395 | 1,415 | 1,528 | 1,481 | 1,152 | 553 | 209 | 40 | 5 | - |
| Male | 683 | 841 | 812 | 837 | 806 | 789 | 546 | 216 | 81 | 9 | 3 | - |
| Female | 436 | 603 | 583 | 578 | 722 | 692 | 606 | 337 | 128 | 31 | 2 | - |
| White, both sexes | 1,031 | 1,328 | 1,296 | 1,316 | 1,428 | 1,383 | 1,089 | 522 | 197 | 33 | 5 | - |
| Male | 627 | 773 | 753 | 787 | 752 | 733 | 516 | 206 | 76 | 7 | 3 | - |
| Female | 404 | 555 | 543 | 529 | 676 | 650 | 573 | 316 | 121 | 26 | 2 | - |
| Black, both sexes | 71 | 94 | 70 | 71 | 76 | 77 | 45 | 23 | 7 | 5 | - | - |
| Male | 47 | 54 | 41 | 34 | 42 | 43 | 21 | 6 | 1 | 2 | - | - |
| Female | 24 | 40 | 29 | 37 | 34 | 34 | 24 | 17 | 6 | 3 | - | - |
| American Indian 1/, both sexes | 1 | 8 | 7 | 1 | 1 | 4 | 2 | 1 | - | - | - | - |
| Male | - | 6 | 5 | - | - | 2 | 1 | 1 | - | - | - | - |
| Female | 1 | 2 | 2 | 1 | 1 | 2 | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 16 | 14 | 22 | 27 | 23 | 17 | 16 | 7 | 5 | 2 | - | - |
| Male | 9 | 8 | 13 | 16 | 12 | 11 | 8 | 3 | 4 | - | - | - |
| Female | 7 | 6 | 9 | 11 | 11 | 6 | 8 | 4 | 1 | 2 | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 16 | 24 | 15 | 24 | 31 | 16 | 21 | 5 | 4 | - | - | - |
| Male | 10 | 15 | 8 | 14 | 18 | 9 | 10 | 1 | - | - | - | - |
| Female | 6 | 9 | 7 | 10 | 13 | 7 | 11 | 4 | 4 | - | - | - |
| White, both sexes | 14 | 23 | 15 | 23 | 29 | 15 | 20 | 5 | 3 | - | - | - |
| Male | 8 | 14 | 8 | 14 | 17 | 8 | 10 | 1 | - | - | - | - |
| Female | 6 | 9 | 7 | 9 | 12 | 7 | 10 | 4 | 3 | - | - | - |
| Black, both sexes | 2 | 1 | - | - | 2 | 1 | 1 | - | 1 | - | - | - |
| Male | 2 | 1 | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | 1 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 2 | 4 | 3 | 2 | 1 | 3 | 1 | - | - | - | - | - |
| Male | 2 | 2 | 3 | 2 | - | 1 | 1 | - | - | - | - | - |
| Female | - | 2 | - | - | 1 | 2 | - | - | - | - | - | - |
| White, both sexes | 2 | 4 | 2 | 2 | 1 | 1 | 1 | - | - | - | - | - |
| Male | 2 | 2 | 2 | 2 | - | - | 1 | - | - | - | - | - |
| Female | - | 2 | - | - | 1 | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | 2 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 20 | 25 | 25 | 26 | 35 | 40 | 24 | 13 | 4 | 1 | - | - |
| Male | 12 | 13 | 19 | 16 | 16 | 23 | 13 | 7 | - | 1 | - | - |
| Female | 8 | 12 | 6 | 10 | 19 | 17 | 11 | 6 | 4 | - | - | - |
| White, both sexes | 19 | 25 | 22 | 25 | 35 | 40 | 24 | 12 | 4 | 1 | - | - |
| Male | 12 | 13 | 17 | 15 | 16 | 23 | 13 | 6 | - | 1 | - | - |
| Female | 7 | 12 | 5 | 10 | 19 | 17 | 11 | 6 | 4 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 3 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | 2 | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 6 | 9 | 18 | 23 | 19 | 20 | 19 | 8 | 1 | 2 | - | - |
| Male | 5 | 6 | 8 | 11 | 11 | 11 | 8 | 2 | - | - | - | - |
| Female | 1 | 3 | 10 | 12 | 8 | 9 | 11 | 6 | 1 | 2 | - | - |
| White, both sexes | 6 | 8 | 16 | 22 | 16 | 19 | 18 | 7 | 1 | 2 | - | - |
| Male | 5 | 5 | 6 | 11 | 10 | 10 | 8 | 2 | - | - | - | - |
| Female | 1 | 3 | 10 | 11 | 6 | 9 | 10 | 5 | 1 | 2 | - | - |
| Black, both sexes | - | 1 | 2 | 1 | 3 | 1 | 1 | 1 | - | - | - | - |
| Male | - | 1 | 2 | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | 2 | - | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 133 | 156 | 179 | 158 | 151 | 154 | 134 | 63 | 15 | 6 | - | - |
| Male | 75 | 86 | 106 | 97 | 89 | 93 | 61 | 28 | 9 | 1 | - | - |
| Female | 58 | 70 | 73 | 61 | 62 | 61 | 73 | 35 | 6 | 5 | - | - |
| White, both sexes | 124 | 140 | 164 | 140 | 136 | 141 | 120 | 56 | 12 | 4 | - | - |
| Male | 71 | 76 | 97 | 85 | 80 | 87 | 54 | 25 | 7 | 1 | - | - |
| Female | 53 | 64 | 67 | 55 | 56 | 54 | 66 | 31 | 5 | 3 | - | - |
| Black, both sexes | 3 | 10 | 6 | 6 | 2 | 8 | 4 | 3 | - | - | - | - |
| Male | 1 | 6 | 4 | 4 | 1 | 3 | 2 | 1 | - | - | - | - |
| Female | 2 | 4 | 2 | 2 | 1 | 5 | 2 | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | 5 | 9 | 12 | 13 | 5 | 10 | 4 | 3 | 2 | - | - |
| Male | 3 | 3 | 5 | 8 | 8 | 3 | 5 | 2 | 2 | - | - | - |
| Female | 3 | 2 | 4 | 4 | 5 | 2 | 5 | 2 | 1 | 2 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 24 | 25 | 22 | 18 | 10 | 11 | 20 | 10 | 1 | - | - | - |
| Male | 12 | 12 | 15 | 12 | 3 | 9 | 13 | 3 | - | - | - | - |
| Female | 12 | 13 | 7 | 6 | 7 | 2 | 7 | 7 | 1 | - | - | - |
| White, both sexes | 23 | 24 | 22 | 17 | 10 | 11 | 20 | 10 | 1 | - | - | - |
| Male | 11 | 12 | 15 | 11 | 3 | 9 | 13 | 3 | - | - | - | - |
| Female | 12 | 12 | 7 | 6 | 7 | 2 | 7 | 7 | 1 | - | - | - |
| Black, both sexes | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 13 | 24 | 18 | 19 | 24 | 19 | 9 | 6 | 3 | 1 | - | - |
| Male | 9 | 13 | 7 | 10 | 11 | 9 | 5 | 1 | 1 | - | - | - |
| Female | 4 | 11 | 11 | 9 | 13 | 10 | 4 | 5 | 2 | 1 | - | - |
| White, both sexes | 13 | 20 | 18 | 19 | 24 | 19 | 9 | 6 | 3 | 1 | - | - |
| Male | 9 | 11 | 7 | 10 | 11 | 9 | 5 | 1 | 1 | - | - | - |
| Female | 4 | 9 | 11 | 9 | 13 | 10 | 4 | 5 | 2 | 1 | - | - |
| Black, both sexes | - | 2 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 1 | 4 | 2 | 6 | 7 | 4 | 4 | 5 | - | - | - | - |
| Male | - | 2 | 1 | 5 | 2 | 3 | 3 | 1 | - | - | - | - |
| Female | 1 | 2 | 1 | 1 | 5 | 1 | 1 | 4 | - | - | - | - |
| White, both sexes | 1 | 4 | 2 | 6 | 6 | 3 | 4 | 5 | - | - | - | - |
| Male | - | 2 | 1 | 5 | 2 | 3 | 3 | 1 | - | - | - | - |
| Female | 1 | 2 | 1 | 1 | 4 | - | 1 | 4 | - | - | - | - |
| Black, both sexes | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | 3 | 2 | 3 | 2 | - | 1 | - | - | - | - |
| Male | - | - | 3 | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | 2 | 2 | - | 1 | - | - | - | - |
| White, both sexes | - | - | 2 | 1 | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | - | 2 | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Black, both sexes | - | - | 1 | 1 | 2 | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | 2 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 67 | 96 | 77 | 104 | 105 | 111 | 102 | 39 | 24 | 4 | - | - |
| Male | 39 | 55 | 48 | 67 | 50 | 61 | 49 | 20 | 11 | - | - | - |
| Female | 28 | 41 | 29 | 37 | 55 | 50 | 53 | 19 | 13 | 4 | - | - |
| White, both sexes | 60 | 91 | 68 | 99 | 98 | 103 | 99 | 39 | 24 | 4 | - | - |
| Male | 36 | 50 | 42 | 67 | 47 | 54 | 47 | 20 | 11 | - | - | - |
| Female | 24 | 41 | 26 | 32 | 51 | 49 | 52 | 19 | 13 | 4 | - | - |
| Black, both sexes | 6 | 4 | 8 | 5 | 5 | 7 | 3 | - | - | - | - | - |
| Male | 3 | 4 | 6 | - | 3 | 6 | 2 | - | - | - | - | - |
| Female | 3 | - | 2 | 5 | 2 | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 2 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 2 | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 27 | 25 | 43 | 40 | 30 | 36 | 17 | 7 | 2 | 1 | - | - |
| Male | 23 | 16 | 23 | 19 | 12 | 18 | 7 | 2 | - | 1 | - | - |
| Female | 4 | 9 | 20 | 21 | 18 | 18 | 10 | 5 | 2 | - | - | - |
| White, both sexes | 22 | 24 | 35 | 36 | 26 | 31 | 17 | 6 | 1 | 1 | - | - |
| Male | 19 | 16 | 19 | 18 | 11 | 16 | 7 | 2 | - | 1 | - | - |
| Female | 3 | 8 | 16 | 18 | 15 | 15 | 10 | 4 | 1 | - | - | - |
| Black, both sexes | 4 | 1 | 8 | 4 | 4 | 5 | - | 1 | 1 | - | - | - |
| Male | 3 | - | 4 | 1 | 1 | 2 | - | - | - | - | - | - |
| Female | 1 | 1 | 4 | 3 | 3 | 3 | - | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 5 | 5 | 2 | 2 | 4 | 2 | 1 | - | - | - |
| Male | 1 | 3 | 2 | 4 | - | 1 | 1 | 1 | 1 | - | - | - |
| Female | 1 | - | 3 | 1 | 2 | 1 | 3 | 1 | - | - | - | - |
| White, both sexes | - | 3 | 4 | 2 | - | - | 1 | - | 1 | - | - | - |
| Male | - | 3 | 2 | 2 | - | - | - | - | 1 | - | - | - |
| Female | - | - | 2 | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | 1 | 3 | 2 | 1 | 3 | 2 | - | - | - | - |
| Male | 1 | - | - | 2 | - | 1 | 1 | 1 | - | - | - | - |
| Female | 1 | - | 1 | 1 | 2 | - | 2 | 1 | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 9 | 7 | 10 | 12 | 11 | 6 | 1 | 3 | 2 | - | - | - |
| Male | 4 | 4 | 5 | 7 | 5 | 2 | - | 1 | 1 | - | - | - |
| Female | 5 | 3 | 5 | 5 | 6 | 4 | 1 | 2 | 1 | - | - | - |
| White, both sexes | 9 | 7 | 10 | 12 | 11 | 6 | 1 | 3 | 2 | - | - | - |
| Male | 4 | 4 | 5 | 7 | 5 | 2 | - | 1 | 1 | - | - | - |
| Female | 5 | 3 | 5 | 5 | 6 | 4 | 1 | 2 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 33 | 36 | 50 | 48 | 52 | 47 | 45 | 22 | 6 | 2 | 1 | - |
| Male | 19 | 16 | 32 | 21 | 28 | 29 | 23 | 7 | 1 | - | 1 | - |
| Female | 14 | 20 | 18 | 27 | 24 | 18 | 22 | 15 | 5 | 2 | - | - |
| White, both sexes | 31 | 34 | 44 | 44 | 47 | 42 | 41 | 21 | 5 | 1 | 1 | - |
| Male | 17 | 16 | 29 | 20 | 24 | 24 | 20 | 7 | 1 | - | 1 | - |
| Female | 14 | 18 | 15 | 24 | 23 | 18 | 21 | 14 | 4 | 1 | - | - |
| Black, both sexes | 2 | 2 | 4 | 3 | 3 | 5 | 4 | 1 | 1 | 1 | - | - |
| Male | 2 | - | 1 | - | 3 | 5 | 3 | - | - | - | - | - |
| Female | - | 2 | 3 | 3 | - | - | 1 | 1 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | 1 | 2 | - | - | - | - | - | - | - |
| Male | - | - | 1 | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 25 | 27 | 31 | 32 | 37 | 28 | 23 | 9 | 3 | 1 | - | - |
| Male | 19 | 16 | 18 | 22 | 14 | 13 | 11 | 3 | - | - | - | - |
| Female | 6 | 11 | 13 | 10 | 23 | 15 | 12 | 6 | 3 | 1 | - | - |
| White, both sexes | 25 | 27 | 31 | 30 | 36 | 26 | 22 | 8 | 3 | 1 | - | - |
| Male | 19 | 16 | 18 | 20 | 14 | 12 | 11 | 2 | - | - | - | - |
| Female | 6 | 11 | 13 | 10 | 22 | 14 | 11 | 6 | 3 | 1 | - | - |
| Black, both sexes | - | - | - | 2 | 1 | 2 | 1 | 1 | - | - | - | - |
| Male | - | - | - | 2 | - | 1 | - | 1 | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 10 | 19 | 18 | 15 | 22 | 32 | 16 | 8 | - | - | - | - |
| Male | 7 | 11 | 11 | 8 | 15 | 16 | 7 | 4 | - | - | - | - |
| Female | 3 | 8 | 7 | 7 | 7 | 16 | 9 | 4 | - | - | - | - |
| White, both sexes | 10 | 18 | 18 | 15 | 22 | 31 | 16 | 8 | - | - | - | - |
| Male | 7 | 10 | 11 | 8 | 15 | 16 | 7 | 4 | - | - | - | - |
| Female | 3 | 8 | 7 | 7 | 7 | 15 | 9 | 4 | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 15 | 18 | 13 | 13 | 18 | 20 | 19 | 6 | 4 | 3 | - | - |
| Male | 9 | 10 | 9 | 9 | 10 | 12 | 10 | 4 | 2 | - | - | - |
| Female | 6 | 8 | 4 | 4 | 8 | 8 | 9 | 2 | 2 | 3 | - | - |
| White, both sexes | 15 | 17 | 11 | 13 | 17 | 20 | 18 | 6 | 4 | 3 | - | - |
| Male | 9 | 10 | 8 | 9 | 10 | 12 | 10 | 4 | 2 | - | - | - |
| Female | 6 | 7 | 3 | 4 | 7 | 8 | 8 | 2 | 2 | 3 | - | - |
| Black, both sexes | - | 1 | 1 | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 14 | 25 | 25 | 16 | 24 | 20 | 13 | 4 | 4 | - | - | - |
| Male | 8 | 14 | 11 | 11 | 13 | 9 | 7 | 1 | 1 | - | - | - |
| Female | 6 | 11 | 14 | 5 | 11 | 11 | 6 | 3 | 3 | - | - | - |
| White, both sexes | 13 | 24 | 25 | 16 | 23 | 20 | 13 | 4 | 3 | - | - | - |
| Male | 8 | 14 | 11 | 11 | 12 | 9 | 7 | 1 | - | - | - | - |
| Female | 5 | 10 | 14 | 5 | 11 | 11 | 6 | 3 | 3 | - | - | - |
| Black, both sexes | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 12 | 32 | 23 | 20 | 26 | 29 | 21 | 8 | 3 | 1 | - | - |
| Male | 4 | 22 | 16 | 12 | 14 | 20 | 10 | 1 | 2 | - | - | - |
| Female | 8 | 10 | 7 | 8 | 12 | 9 | 11 | 7 | 1 | 1 | - | - |
| White, both sexes | 9 | 25 | 21 | 17 | 22 | 24 | 16 | 7 | 3 | - | - | - |
| Male | 2 | 17 | 14 | 11 | 12 | 16 | 6 | 1 | 2 | - | - | - |
| Female | 7 | 8 | 7 | 6 | 10 | 8 | 10 | 6 | 1 | - | - | - |
| Black, both sexes | 3 | 7 | 2 | 3 | 4 | 5 | 5 | 1 | - | 1 | - | - |
| Male | 2 | 5 | 2 | 1 | 2 | 4 | 4 | - | - | - | - | - |
| Female | 1 | 2 | - | 2 | 2 | 1 | 1 | 1 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 7 | 12 | 6 | 9 | 5 | 11 | 6 | 3 | 1 | - | - | - |
| Male | 5 | 7 | 3 | 6 | 4 | 4 | 4 | 1 | - | - | - | - |
| Female | 2 | 5 | 3 | 3 | 1 | 7 | 2 | 2 | 1 | - | - | - |
| White, both sexes | 7 | 12 | 6 | 9 | 5 | 11 | 6 | 3 | 1 | - | - | - |
| Male | 5 | 7 | 3 | 6 | 4 | 4 | 4 | 1 | - | - | - | - |
| Female | 2 | 5 | 3 | 3 | 1 | 7 | 2 | 2 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 14 | 19 | 18 | 21 | 25 | 20 | 19 | 5 | 4 | - | - | - |
| Male | 8 | 11 | 8 | 12 | 13 | 8 | 9 | 2 | 1 | - | - | - |
| Female | 6 | 8 | 10 | 9 | 12 | 12 | 10 | 3 | 3 | - | - | - |
| White, both sexes | 12 | 15 | 15 | 16 | 21 | 18 | 19 | 4 | 4 | - | - | - |
| Male | 6 | 8 | 7 | 9 | 10 | 6 | 9 | 2 | 1 | - | - | - |
| Female | 6 | 7 | 8 | 7 | 11 | 12 | 10 | 2 | 3 | - | - | - |
| Black, both sexes | 2 | 4 | 2 | 3 | 4 | 2 | - | 1 | - | - | - | - |
| Male | 2 | 3 | 1 | 2 | 3 | 2 | - | - | - | - | - | - |
| Female | - | 1 | 1 | 1 | 1 | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | 2 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 33 | 28 | 28 | 26 | 29 | 31 | 35 | 9 | 11 | - | - | - |
| Male | 22 | 18 | 14 | 11 | 19 | 23 | 17 | 4 | 4 | - | - | - |
| Female | 11 | 10 | 14 | 15 | 10 | 8 | 18 | 5 | 7 | - | - | - |
| White, both sexes | 31 | 28 | 28 | 26 | 29 | 31 | 35 | 9 | 11 | - | - | - |
| Male | 21 | 18 | 14 | 11 | 19 | 23 | 17 | 4 | 4 | - | - | - |
| Female | 10 | 10 | 14 | 15 | 10 | 8 | 18 | 5 | 7 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 45 | 52 | 62 | 59 | 51 | 61 | 47 | 28 | 9 | 3 | - | - |
| Male | 27 | 37 | 31 | 30 | 24 | 33 | 27 | 8 | 5 | - | - | - |
| Female | 18 | 15 | 31 | 29 | 27 | 28 | 20 | 20 | 4 | 3 | - | - |
| White, both sexes | 42 | 49 | 57 | 55 | 48 | 61 | 47 | 26 | 9 | 3 | - | - |
| Male | 26 | 34 | 29 | 27 | 22 | 33 | 27 | 8 | 5 | - | - | - |
| Female | 16 | 15 | 28 | 28 | 26 | 28 | 20 | 18 | 4 | 3 | - | - |
| Black, both sexes | 3 | 3 | 4 | 4 | 2 | - | - | 2 | - | - | - | - |
| Male | 1 | 3 | 1 | 3 | 2 | - | - | - | - | - | - | - |
| Female | 2 | - | 3 | 1 | - | - | - | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 21 | 14 | 20 | 18 | 26 | 22 | 25 | 9 | 1 | 1 | - | - |
| Male | 11 | 9 | 14 | 9 | 15 | 13 | 8 | 4 | - | - | - | - |
| Female | 10 | 5 | 6 | 9 | 11 | 9 | 17 | 5 | 1 | 1 | - | - |
| White, both sexes | 20 | 13 | 18 | 18 | 26 | 22 | 24 | 9 | 1 | 1 | - | - |
| Male | 11 | 8 | 13 | 9 | 15 | 13 | 8 | 4 | - | - | - | - |
| Female | 9 | 5 | 5 | 9 | 11 | 9 | 16 | 5 | 1 | 1 | - | - |
| Black, both sexes | - | 1 | 2 | - | - | - | 1 | - | - | - | - | - |
| Male | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 13 | 15 | 19 | 23 | 16 | 20 | 7 | 5 | 4 | - | - | - |
| Male | 9 | 10 | 10 | 11 | 8 | 11 | 2 | 1 | 1 | - | - | - |
| Female | 4 | 5 | 9 | 12 | 8 | 9 | 5 | 4 | 3 | - | - | - |
| White, both sexes | 10 | 10 | 15 | 20 | 13 | 14 | 5 | 3 | 4 | - | - | - |
| Male | 6 | 7 | 8 | 10 | 6 | 6 | 2 | - | 1 | - | - | - |
| Female | 4 | 3 | 7 | 10 | 7 | 8 | 3 | 3 | 3 | - | - | - |
| Black, both sexes | 3 | 4 | 4 | 3 | 3 | 6 | 2 | 2 | - | - | - | - |
| Male | 3 | 2 | 2 | 1 | 2 | 5 | - | 1 | - | - | - | - |
| Female | - | 2 | 2 | 2 | 1 | 1 | 2 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 28 | 33 | 38 | 36 | 40 | 21 | 14 | 13 | 2 | 1 | - | - |
| Male | 17 | 18 | 24 | 26 | 21 | 3 | 7 | 4 | 1 | 1 | - | - |
| Female | 11 | 15 | 14 | 10 | 19 | 18 | 7 | 9 | 1 | - | - | - |
| White, both sexes | 28 | 32 | 36 | 34 | 38 | 21 | 14 | 13 | 2 | 1 | - | - |
| Male | 17 | 18 | 22 | 24 | 20 | 3 | 7 | 4 | 1 | 1 | - | - |
| Female | 11 | 14 | 14 | 10 | 18 | 18 | 7 | 9 | 1 | - | - | - |
| Black, both sexes | - | 1 | 2 | 2 | 2 | - | - | - | - | - | - | - |
| Male | - | - | 2 | 2 | 1 | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 7 | 8 | 8 | 7 | 7 | 5 | 2 | 2 | - | - | - | - |
| Male | 4 | 5 | 6 | 3 | 5 | 3 | 1 | - | - | - | - | - |
| Female | 3 | 3 | 2 | 4 | 2 | 2 | 1 | 2 | - | - | - | - |
| White, both sexes | 7 | 8 | 7 | 7 | 7 | 5 | 2 | 2 | - | - | - | - |
| Male | 4 | 5 | 5 | 3 | 5 | 3 | 1 | - | - | - | - | - |
| Female | 3 | 3 | 2 | 4 | 2 | 2 | 1 | 2 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 6 | 8 | 6 | 15 | 11 | 13 | 5 | 4 | 3 | - | - | - |
| Male | 3 | 5 | 3 | 8 | 6 | 6 | 2 | 2 | 1 | - | - | - |
| Female | 3 | 3 | 3 | 7 | 5 | 7 | 3 | 2 | 2 | - | - | - |
| White, both sexes | 5 | 8 | 5 | 14 | 11 | 13 | 5 | 4 | 3 | - | - | - |
| Male | 2 | 5 | 2 | 8 | 6 | 6 | 2 | 2 | 1 | - | - | - |
| Female | 3 | 3 | 3 | 6 | 5 | 7 | 3 | 2 | 2 | - | - | - |
| Black, both sexes | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 11 | 10 | 13 | 13 | 13 | 13 | 8 | - | - | - | - | - |
| Male | 4 | 4 | 10 | 6 | 9 | 8 | 3 | - | - | - | - | - |
| Female | 7 | 6 | 3 | 7 | 4 | 5 | 5 | - | - | - | - | - |
| White, both sexes | 10 | 10 | 12 | 13 | 13 | 11 | 8 | - | - | - | - | - |
| Male | 3 | 4 | 9 | 6 | 9 | 7 | 3 | - | - | - | - | - |
| Female | 7 | 6 | 3 | 7 | 4 | 4 | 5 | - | - | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 10 | 3 | 7 | 6 | 7 | 8 | 6 | 2 | 1 | - | 1 | - |
| Male | 7 | 1 | 6 | 3 | 4 | 4 | 4 | - | - | - | 1 | - |
| Female | 3 | 2 | 1 | 3 | 3 | 4 | 2 | 2 | 1 | - | - | - |
| White, both sexes | 10 | 3 | 7 | 6 | 7 | 8 | 6 | 2 | 1 | - | 1 | - |
| Male | 7 | 1 | 6 | 3 | 4 | 4 | 4 | - | - | - | 1 | - |
| Female | 3 | 2 | 1 | 3 | 3 | 4 | 2 | 2 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 30 | 43 | 25 | 35 | 52 | 35 | 25 | 23 | 5 | - | - | - |
| Male | 21 | 24 | 12 | 25 | 30 | 20 | 6 | 8 | 2 | - | - | - |
| Female | 9 | 19 | 13 | 10 | 22 | 15 | 19 | 15 | 3 | - | - | - |
| White, both sexes | 28 | 36 | 25 | 32 | 49 | 33 | 24 | 23 | 5 | - | - | - |
| Male | 19 | 22 | 12 | 23 | 27 | 18 | 6 | 8 | 2 | - | - | - |
| Female | 9 | 14 | 13 | 9 | 22 | 15 | 18 | 15 | 3 | - | - | - |
| Black, both sexes | 2 | 6 | - | 2 | 3 | 2 | 1 | - | - | - | - | - |
| Male | 2 | 2 | - | 2 | 3 | 2 | - | - | - | - | - | - |
| Female | - | 4 | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 7 | 10 | 9 | 8 | 6 | 9 | 6 | 3 | 1 | - | - | - |
| Male | 4 | 6 | 7 | 6 | 4 | 6 | 4 | 1 | 1 | - | - | - |
| Female | 3 | 4 | 2 | 2 | 2 | 3 | 2 | 2 | - | - | - | - |
| White, both sexes | 6 | 10 | 9 | 8 | 6 | 8 | 6 | 3 | 1 | - | - | - |
| Male | 3 | 6 | 7 | 6 | 4 | 6 | 4 | 1 | 1 | - | - | - |
| Female | 3 | 4 | 2 | 2 | 2 | 2 | 2 | 2 | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 63 | 84 | 82 | 74 | 101 | 88 | 66 | 35 | 13 | 2 | - | - |
| Male | 44 | 51 | 48 | 36 | 57 | 51 | 31 | 15 | 4 | 1 | - | - |
| Female | 19 | 33 | 34 | 38 | 44 | 37 | 35 | 20 | 9 | 1 | - | - |
| White, both sexes | 56 | 72 | 78 | 68 | 94 | 83 | 61 | 35 | 13 | 2 | - | - |
| Male | 38 | 44 | 46 | 33 | 54 | 46 | 28 | 15 | 4 | 1 | - | - |
| Female | 18 | 28 | 32 | 35 | 40 | 37 | 33 | 20 | 9 | 1 | - | - |
| Black, both sexes | 7 | 9 | 1 | 4 | 6 | 2 | 4 | - | - | - | - | - |
| Male | 6 | 7 | 1 | 1 | 3 | 2 | 2 | - | - | - | - | - |
| Female | 1 | 2 | - | 3 | 3 | - | 2 | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | 3 | 2 | 1 | 3 | 1 | - | - | - | - | - |
| Male | - | - | 1 | 2 | - | 3 | 1 | - | - | - | - | - |
| Female | - | 2 | 2 | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 32 | 48 | 37 | 45 | 41 | 31 | 34 | 21 | 6 | 1 | - | - |
| Male | 19 | 25 | 27 | 25 | 22 | 14 | 13 | 9 | 3 | 1 | - | - |
| Female | 13 | 23 | 10 | 20 | 19 | 17 | 21 | 12 | 3 | - | - | - |
| White, both sexes | 25 | 39 | 37 | 43 | 38 | 26 | 28 | 19 | 5 | - | - | - |
| Male | 16 | 21 | 27 | 24 | 21 | 14 | 11 | 7 | 3 | - | - | - |
| Female | 9 | 18 | 10 | 19 | 17 | 12 | 17 | 12 | 2 | - | - | - |
| Black, both sexes | 6 | 8 | - | 2 | 3 | 4 | 5 | 2 | 1 | 1 | - | - |
| Male | 3 | 4 | - | 1 | 1 | - | 2 | 2 | - | 1 | - | - |
| Female | 3 | 4 | - | 1 | 2 | 4 | 3 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 3 | 3 | 3 | 4 | 4 | 5 | 3 | 2 | - | - | - | - |
| Male | - | - | 2 | 3 | 3 | 2 | 1 | 1 | - | - | - | - |
| Female | 3 | 3 | 1 | 1 | 1 | 3 | 2 | 1 | - | - | - | - |
| White, both sexes | 3 | 3 | 3 | 4 | 4 | 5 | 3 | 2 | - | - | - | - |
| Male | - | - | 2 | 3 | 3 | 2 | 1 | 1 | - | - | - | - |
| Female | 3 | 3 | 1 | 1 | 1 | 3 | 2 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 45 | 54 | 52 | 65 | 59 | 51 | 48 | 22 | 8 | - | 2 | - |
| Male | 28 | 32 | 32 | 38 | 27 | 24 | 18 | 9 | 2 | - | 1 | - |
| Female | 17 | 22 | 20 | 27 | 32 | 27 | 30 | 13 | 6 | - | 1 | - |
| White, both sexes | 44 | 53 | 47 | 60 | 56 | 47 | 45 | 21 | 8 | - | 2 | - |
| Male | 27 | 32 | 29 | 35 | 25 | 23 | 17 | 9 | 2 | - | 1 | - |
| Female | 17 | 21 | 18 | 25 | 31 | 24 | 28 | 12 | 6 | - | 1 | - |
| Black, both sexes | 1 | 1 | 4 | 5 | 3 | 4 | 3 | 1 | - | - | - | - |
| Male | 1 | - | 2 | 3 | 2 | 1 | 1 | - | - | - | - | - |
| Female | - | 1 | 2 | 2 | 1 | 3 | 2 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 13 | 17 | 21 | 22 | 24 | 23 | 11 | 12 | 4 | 2 | - | - |
| Male | 10 | 12 | 15 | 13 | 10 | 12 | 3 | 3 | 1 | - | - | - |
| Female | 3 | 5 | 6 | 9 | 14 | 11 | 8 | 9 | 3 | 2 | - | - |
| White, both sexes | 11 | 16 | 19 | 21 | 23 | 22 | 11 | 12 | 3 | 2 | - | - |
| Male | 8 | 11 | 14 | 13 | 10 | 12 | 3 | 3 | 1 | - | - | - |
| Female | 3 | 5 | 5 | 8 | 13 | 10 | 8 | 9 | 2 | 2 | - | - |
| Black, both sexes | 2 | - | 1 | 1 | 1 | - | - | - | 1 | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | 1 | 1 | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 19 | 32 | 24 | 29 | 21 | 30 | 16 | 9 | 4 | - | - | - |
| Male | 15 | 19 | 15 | 20 | 10 | 19 | 10 | 5 | 2 | - | - | - |
| Female | 4 | 13 | 9 | 9 | 11 | 11 | 6 | 4 | 2 | - | - | - |
| White, both sexes | 19 | 32 | 23 | 29 | 21 | 30 | 16 | 9 | 4 | - | - | - |
| Male | 15 | 19 | 14 | 20 | 10 | 19 | 10 | 5 | 2 | - | - | - |
| Female | 4 | 13 | 9 | 9 | 11 | 11 | 6 | 4 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 50 | 57 | 59 | 46 | 81 | 70 | 56 | 25 | 13 | 3 | - | - |
| Male | 33 | 30 | 32 | 28 | 47 | 30 | 31 | 12 | 4 | 1 | - | - |
| Female | 17 | 27 | 27 | 18 | 34 | 40 | 25 | 13 | 9 | 2 | - | - |
| White, both sexes | 48 | 52 | 57 | 43 | 76 | 67 | 55 | 24 | 12 | 3 | - | - |
| Male | 32 | 29 | 30 | 26 | 44 | 28 | 30 | 12 | 3 | 1 | - | - |
| Female | 16 | 23 | 27 | 17 | 32 | 39 | 25 | 12 | 9 | 2 | - | - |
| Black, both sexes | 2 | 5 | 2 | 3 | 4 | 3 | 1 | 1 | 1 | - | - | - |
| Male | 1 | 1 | 2 | 2 | 2 | 2 | 1 | - | 1 | - | - | - |
| Female | 1 | 4 | - | 1 | 2 | 1 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 3 | 5 | 8 | 7 | 7 | 10 | 11 | 2 | 1 | - | - | - |
| Male | 2 | 4 | 4 | 5 | 4 | 5 | 5 | 1 | 1 | - | - | - |
| Female | 1 | 1 | 4 | 2 | 3 | 5 | 6 | 1 | - | - | - | - |
| White, both sexes | 3 | 4 | 8 | 7 | 7 | 10 | 11 | 2 | 1 | - | - | - |
| Male | 2 | 3 | 4 | 5 | 4 | 5 | 5 | 1 | 1 | - | - | - |
| Female | 1 | 1 | 4 | 2 | 3 | 5 | 6 | 1 | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 19 | 23 | 16 | 24 | 23 | 29 | 13 | 1 | 5 | 2 | - | - |
| Male | 13 | 15 | 7 | 15 | 11 | 12 | 4 | - | 1 | - | - | - |
| Female | 6 | 8 | 9 | 9 | 12 | 17 | 9 | 1 | 4 | 2 | - | - |
| White, both sexes | 18 | 18 | 16 | 21 | 21 | 28 | 10 | 1 | 4 | 1 | - | - |
| Male | 12 | 12 | 7 | 14 | 9 | 12 | 3 | - | 1 | - | - | - |
| Female | 6 | 6 | 9 | 7 | 12 | 16 | 7 | 1 | 3 | 1 | - | - |
| Black, both sexes | 1 | 5 | - | 3 | 2 | 1 | 3 | - | 1 | 1 | - | - |
| Male | 1 | 3 | - | 1 | 2 | - | 1 | - | - | - | - | - |
| Female | - | 2 | - | 2 | - | 1 | 2 | - | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 4 | 2 | 3 | 5 | 3 | 3 | 6 | 2 | - | - | - | - |
| Male | 1 | - | 1 | 5 | 1 | 2 | 3 | - | - | - | - | - |
| Female | 3 | 2 | 2 | - | 2 | 1 | 3 | 2 | - | - | - | - |
| White, both sexes | 4 | 2 | 3 | 5 | 3 | 3 | 5 | 2 | - | - | - | - |
| Male | 1 | - | 1 | 5 | 1 | 2 | 2 | - | - | - | - | - |
| Female | 3 | 2 | 2 | - | 2 | 1 | 3 | 2 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 34 | 40 | 37 | 29 | 35 | 38 | 23 | 17 | 4 | 1 | - | - |
| Male | 17 | 27 | 23 | 21 | 15 | 15 | 10 | 4 | 3 | - | - | - |
| Female | 17 | 13 | 14 | 8 | 20 | 23 | 13 | 13 | 1 | 1 | - | - |
| White, both sexes | 29 | 39 | 35 | 27 | 32 | 35 | 23 | 15 | 4 | 1 | - | - |
| Male | 14 | 26 | 22 | 19 | 14 | 14 | 10 | 4 | 3 | - | - | - |
| Female | 15 | 13 | 13 | 8 | 18 | 21 | 13 | 11 | 1 | 1 | - | - |
| Black, both sexes | 5 | 1 | 2 | 1 | 3 | 3 | - | 2 | - | - | - | - |
| Male | 3 | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | 2 | - | 1 | - | 2 | 2 | - | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 64 | 113 | 98 | 83 | 110 | 107 | 56 | 31 | 19 | - | 1 | - |
| Male | 40 | 61 | 49 | 46 | 55 | 55 | 28 | 11 | 7 | - | - | - |
| Female | 24 | 52 | 49 | 37 | 55 | 52 | 28 | 20 | 12 | - | 1 | - |
| White, both sexes | 58 | 104 | 90 | 78 | 104 | 97 | 52 | 28 | 19 | - | 1 | - |
| Male | 36 | 57 | 46 | 42 | 52 | 50 | 26 | 11 | 7 | - | - | - |
| Female | 22 | 47 | 44 | 36 | 52 | 47 | 26 | 17 | 12 | - | 1 | - |
| Black, both sexes | 5 | 8 | 8 | 5 | 6 | 9 | 3 | 3 | - | - | - | - |
| Male | 4 | 3 | 3 | 4 | 3 | 4 | 2 | - | - | - | - | - |
| Female | 1 | 5 | 5 | 1 | 3 | 5 | 1 | 3 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 11 | 9 | 4 | 7 | 13 | 6 | 8 | - | 3 | - | - | - |
| Male | 6 | 5 | 1 | 4 | 7 | 5 | 4 | - | 1 | - | - | - |
| Female | 5 | 4 | 3 | 3 | 6 | 1 | 4 | - | 2 | - | - | - |
| White, both sexes | 11 | 9 | 4 | 7 | 13 | 6 | 8 | - | 3 | - | - | - |
| Male | 6 | 5 | 1 | 4 | 7 | 5 | 4 | - | 1 | - | - | - |
| Female | 5 | 4 | 3 | 3 | 6 | 1 | 4 | - | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 4 | 5 | 4 | 2 | 4 | 1 | 5 | - | - | - | - | - |
| Male | 1 | 4 | 2 | 2 | 1 | - | 4 | - | - | - | - | - |
| Female | 3 | 1 | 2 | - | 3 | 1 | 1 | - | - | - | - | - |
| White, both sexes | 4 | 5 | 4 | 2 | 4 | 1 | 5 | - | - | - | - | - |
| Male | 1 | 4 | 2 | 2 | 1 | - | 4 | - | - | - | - | - |
| Female | 3 | 1 | 2 | - | 3 | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 24 | 34 | 33 | 39 | 36 | 28 | 22 | 15 | 5 | 1 | - | - |
| Male | 13 | 20 | 19 | 23 | 21 | 14 | 15 | 8 | 4 | 1 | - | - |
| Female | 11 | 14 | 14 | 16 | 15 | 14 | 7 | 7 | 1 | - | - | - |
| White, both sexes | 19 | 32 | 28 | 31 | 31 | 25 | 20 | 13 | 5 | - | - | - |
| Male | 11 | 18 | 15 | 21 | 17 | 14 | 14 | 7 | 4 | - | - | - |
| Female | 8 | 14 | 13 | 10 | 14 | 11 | 6 | 6 | 1 | - | - | - |
| Black, both sexes | 5 | 2 | 3 | 6 | 5 | 2 | 2 | 1 | - | 1 | - | - |
| Male | 2 | 2 | 2 | 2 | 4 | - | 1 | 1 | - | 1 | - | - |
| Female | 3 | - | 1 | 4 | 1 | 2 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 2 | 1 | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | 2 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | 1 | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 35 | 50 | 42 | 32 | 25 | 40 | 34 | 18 | 2 | 1 | - | - |
| Male | 19 | 36 | 23 | 21 | 17 | 20 | 13 | 10 | 2 | 1 | - | - |
| Female | 16 | 14 | 19 | 11 | 8 | 20 | 21 | 8 | - | - | - | - |
| White, both sexes | 34 | 45 | 42 | 30 | 23 | 38 | 33 | 18 | 1 | 1 | - | - |
| Male | 18 | 31 | 23 | 21 | 15 | 18 | 12 | 10 | 1 | 1 | - | - |
| Female | 16 | 14 | 19 | 9 | 8 | 20 | 21 | 8 | - | - | - | - |
| Black, both sexes | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 3 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 3 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | - | 2 | 1 | 2 | 1 | - | 1 | - | - | - |
| Male | - | 2 | - | - | 1 | 2 | 1 | - | 1 | - | - | - |
| Female | - | - | - | 2 | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 10 | 15 | 6 | 12 | 11 | 14 | 11 | 2 | 1 | - | - | - |
| Male | 7 | 7 | 3 | 8 | 6 | 7 | 5 | 1 | - | - | - | - |
| Female | 3 | 8 | 3 | 4 | 5 | 7 | 6 | 1 | 1 | - | - | - |
| White, both sexes | 10 | 14 | 5 | 12 | 11 | 14 | 11 | 2 | 1 | - | - | - |
| Male | 7 | 7 | 3 | 8 | 6 | 7 | 5 | 1 | - | - | - | - |
| Female | 3 | 7 | 2 | 4 | 5 | 7 | 6 | 1 | 1 | - | - | - |
| Black, both sexes | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 24 | 36 | 22 | 29 | 32 | 36 | 29 | 13 | 2 | - | - | - |
| Male | 15 | 21 | 13 | 18 | 16 | 19 | 14 | 5 | 1 | - | - | - |
| Female | 9 | 15 | 9 | 11 | 16 | 17 | 15 | 8 | 1 | - | - | - |
| White, both sexes | 22 | 34 | 22 | 29 | 32 | 35 | 29 | 13 | 2 | - | - | - |
| Male | 14 | 19 | 13 | 18 | 16 | 18 | 14 | 5 | 1 | - | - | - |
| Female | 8 | 15 | 9 | 11 | 16 | 17 | 15 | 8 | 1 | - | - | - |
| Black, both sexes | 2 | 2 | - | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | 2 | - | - | - | 1 | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 1 | 3 | 5 | 2 | 2 | 2 | 2 | 1 | - | - | - | - |
| Male | - | 1 | 3 | 2 | 2 | 2 | 1 | - | - | - | - | - |
| Female | 1 | 2 | 2 | - | - | - | 1 | 1 | - | - | - | - |
| White, both sexes | 1 | 3 | 5 | 2 | 2 | 2 | 2 | 1 | - | - | - | - |
| Male | - | 1 | 3 | 2 | 2 | 2 | 1 | - | - | - | - | - |
| Female | 1 | 2 | 2 | - | - | - | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 12,939 | 18 | 82 | 188 | 130 | 110 | 113 | 159 | 213 | 332 | 604 | 816 |
| Male | 7,205 | 12 | 38 | 92 | 76 | 71 | 65 | 112 | 134 | 205 | 391 | 472 |
| Female | 5,734 | 6 | 44 | 96 | 54 | 39 | 48 | 47 | 79 | 127 | 213 | 344 |
| White, both sexes | 11,897 | 15 | 67 | 143 | 108 | 92 | 96 | 135 | 188 | 290 | 551 | 729 |
| Male | 6,621 | 10 | 28 | 67 | 62 | 59 | 55 | 94 | 118 | 182 | 361 | 425 |
| Female | 5,276 | 5 | 39 | 76 | 46 | 33 | 41 | 41 | 70 | 108 | 190 | 304 |
| Black, both sexes | 765 | 3 | 12 | 35 | 17 | 10 | 12 | 18 | 11 | 26 | 37 | 65 |
| Male | 423 | 2 | 8 | 17 | 11 | 5 | 8 | 16 | 7 | 14 | 20 | 36 |
| Female | 342 | 1 | 4 | 18 | 6 | 5 | 4 | 2 | 4 | 12 | 17 | 29 |
| American Indian 1/, both sexes | 42 | - | 1 | 2 | - | 3 | - | - | 2 | 5 | 1 | 4 |
| Male | 27 | - | 1 | 2 | - | 2 | - | - | 2 | 3 | 1 | 2 |
| Female | 15 | - | - | - | - | 1 | - | - | - | 2 | - | 2 |
| Asian or Pacific Islander 2/, both sexes | 235 | - | 2 | 8 | 5 | 5 | 5 | 6 | 12 | 11 | 15 | 18 |
| Male | 134 | - | 1 | 6 | 3 | 5 | 2 | 2 | 7 | 6 | 9 | 9 |
| Female | 101 | - | 1 | 2 | 2 | - | 3 | 4 | 5 | 5 | 6 | 9 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 189 | - | 1 | 1 | 1 | 3 | - | 3 | 5 | 5 | 9 | 9 |
| Male | 106 | - | 1 | - | 1 | 2 | - | 2 | 3 | 5 | 3 | 6 |
| Female | 83 | - | - | 1 | - | 1 | - | 1 | 2 | - | 6 | 3 |
| White, both sexes | 173 | - | 1 | - | 1 | 2 | - | 2 | 3 | 4 | 9 | 6 |
| Male | 97 | - | 1 | - | 1 | 1 | - | 2 | 2 | 4 | 3 | 4 |
| Female | 76 | - | - | - | - | 1 | - | - | 1 | - | 6 | 2 |
| Black, both sexes | 15 | - | - | 1 | - | 1 | - | 1 | 2 | 1 | - | 3 |
| Male | 9 | - | - | - | - | 1 | - | - | 1 | 1 | - | 2 |
| Female | 6 | - | - | 1 | - | - | - | 1 | 1 | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 21 | - | - | - | 1 | 1 | 1 | - | - | 1 | 1 | - |
| Male | 14 | - | - | - | 1 | - | - | - | - | 1 | 1 | - |
| Female | 7 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| White, both sexes | 17 | - | - | - | 1 | 1 | 1 | - | - | - | 1 | - |
| Male | 11 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| Female | 6 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 277 | 1 | 1 | 8 | 5 | 2 | 2 | 4 | 8 | 7 | 12 | 15 |
| Male | 154 | 1 | 1 | 2 | 3 | 2 | - | 4 | 6 | 5 | 7 | 4 |
| Female | 123 | - | - | 6 | 2 | - | 2 | - | 2 | 2 | 5 | 11 |
| White, both sexes | 268 | 1 | 1 | 7 | 4 | 2 | 2 | 4 | 8 | 7 | 11 | 15 |
| Male | 147 | 1 | 1 | 1 | 2 | 2 | - | 4 | 6 | 5 | 6 | 4 |
| Female | 121 | - | - | 6 | 2 | - | 2 | - | 2 | 2 | 5 | 11 |
| Black, both sexes | 3 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 5 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 143 | 1 | 1 | 3 | 1 | 1 | - | 2 | - | 2 | 3 | 6 |
| Male | 75 | 1 | 1 | 1 | 1 | - | - | 1 | - | - | 3 | 5 |
| Female | 68 | - | - | 2 | - | 1 | - | 1 | - | 2 | - | 1 |
| White, both sexes | 131 | 1 | - | 2 | 1 | 1 | - | 2 | - | 2 | 3 | 5 |
| Male | 69 | 1 | - | 1 | 1 | - | - | 1 | - | - | 3 | 5 |
| Female | 62 | - | - | 1 | - | 1 | - | 1 | - | 2 | - | - |
| Black, both sexes | 11 | - | - | 1 | - | - | - | - | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | 1 | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 1,449 | 5 | 12 | 17 | 10 | 14 | 16 | 23 | 29 | 36 | 61 | 99 |
| Male | 836 | 2 | 7 | 6 | 6 | 7 | 10 | 15 | 18 | 23 | 42 | 69 |
| Female | 613 | 3 | 5 | 11 | 4 | 7 | 6 | 8 | 11 | 13 | 19 | 30 |
| White, both sexes | 1,292 | 5 | 10 | 14 | 9 | 11 | 11 | 19 | 22 | 30 | 55 | 89 |
| Male | 745 | 2 | 6 | 4 | 6 | 4 | 6 | 12 | 15 | 20 | 37 | 63 |
| Female | 547 | 3 | 4 | 10 | 3 | 7 | 5 | 7 | 7 | 10 | 18 | 26 |
| Black, both sexes | 58 | - | 1 | 1 | - | 1 | 2 | 2 | 2 | 2 | 2 | 4 |
| Male | 33 | - | 1 | - | - | 1 | 2 | 2 | 1 | 1 | 2 | 2 |
| Female | 25 | - | - | 1 | - | - | - | - | 1 | 1 | - | 2 |
| American Indian 1/, both sexes | 2 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 97 | - | 1 | 2 | 1 | 1 | 3 | 2 | 5 | 4 | 4 | 6 |
| Male | 56 | - | - | 2 | - | 1 | 2 | 1 | 2 | 2 | 3 | 4 |
| Female | 41 | - | 1 | - | 1 | - | 1 | 1 | 3 | 2 | 1 | 2 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 183 | - | 1 | 4 | 2 | 3 | 4 | 1 | 2 | 6 | 9 | 13 |
| Male | 104 | - | 1 | 2 | 1 | 3 | 2 | 1 | 1 | 5 | 5 | 6 |
| Female | 79 | - | - | 2 | 1 | - | 2 | - | 1 | 1 | 4 | 7 |
| White, both sexes | 176 | - | 1 | 2 | 2 | 3 | 4 | 1 | 1 | 6 | 9 | 11 |
| Male | 99 | - | 1 | 1 | 1 | 3 | 2 | 1 | - | 5 | 5 | 5 |
| Female | 77 | - | - | 1 | 1 | - | 2 | - | 1 | 1 | 4 | 6 |
| Black, both sexes | 4 | - | - | 2 | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | 1 | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 165 | - | - | 4 | 1 | 1 | - | 2 | 1 | 7 | 4 | 10 |
| Male | 80 | - | - | 1 | 1 | 1 | - | 1 | - | 3 | 2 | 6 |
| Female | 85 | - | - | 3 | - | - | - | 1 | 1 | 4 | 2 | 4 |
| White, both sexes | 157 | - | - | 3 | 1 | - | - | 2 | - | 6 | 4 | 10 |
| Male | 75 | - | - | - | 1 | - | - | 1 | - | 2 | 2 | 6 |
| Female | 82 | - | - | 3 | - | - | - | 1 | - | 4 | 2 | 4 |
| Black, both sexes | 6 | - | - | 1 | - | 1 | - | - | 1 | 1 | - | - |
| Male | 4 | - | - | 1 | - | 1 | - | - | - | 1 | - | - |
| Female | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 38 | - | - | 1 | - | - | - | - | - | - | 3 | 2 |
| Male | 21 | - | - | 1 | - | - | - | - | - | - | 3 | - |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | 2 |
| White, both sexes | 34 | - | - | - | - | - | - | - | - | - | 3 | 1 |
| Male | 20 | - | - | - | - | - | - | - | - | - | 3 | - |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 4 | - | - | 1 | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 17 | - | 1 | 1 | - | - | - | - | - | - | 3 | 1 |
| Male | 9 | - | 1 | 1 | - | - | - | - | - | - | 1 | 1 |
| Female | 8 | - | - | - | - | - | - | - | - | - | 2 | - |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 9 | - | 1 | 1 | - | - | - | - | - | - | 2 | - |
| Male | 3 | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | 2 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 872 | 3 | 7 | 12 | 3 | 5 | 3 | 8 | 6 | 20 | 38 | 52 |
| Male | 484 | 2 | 2 | 5 | - | 3 | 3 | 5 | 4 | 11 | 28 | 28 |
| Female | 388 | 1 | 5 | 7 | 3 | 2 | - | 3 | 2 | 9 | 10 | 24 |
| White, both sexes | 808 | 1 | 4 | 9 | 2 | 4 | 2 | 7 | 5 | 20 | 35 | 46 |
| Male | 448 | 1 | 1 | 3 | - | 2 | 2 | 4 | 3 | 11 | 27 | 26 |
| Female | 360 | - | 3 | 6 | 2 | 2 | - | 3 | 2 | 9 | 8 | 20 |
| Black, both sexes | 57 | 2 | 3 | 3 | 1 | 1 | 1 | 1 | 1 | - | 3 | 5 |
| Male | 33 | 1 | 1 | 2 | - | 1 | 1 | 1 | 1 | - | 1 | 1 |
| Female | 24 | 1 | 2 | 1 | 1 | - | - | - | - | - | 2 | 4 |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 305 | - | - | 4 | 3 | 6 | 4 | 7 | 8 | 11 | 15 | 24 |
| Male | 167 | - | - | 3 | 2 | 3 | 4 | 4 | 4 | 7 | 9 | 13 |
| Female | 138 | - | - | 1 | 1 | 3 | - | 3 | 4 | 4 | 6 | 11 |
| White, both sexes | 257 | - | - | 3 | 2 | 4 | 3 | 5 | 6 | 5 | 12 | 21 |
| Male | 143 | - | - | 2 | 1 | 3 | 3 | 2 | 3 | 3 | 7 | 12 |
| Female | 114 | - | - | 1 | 1 | 1 | - | 3 | 3 | 2 | 5 | 9 |
| Black, both sexes | 45 | - | - | 1 | 1 | 1 | 1 | 2 | 2 | 6 | 3 | 2 |
| Male | 23 | - | - | 1 | 1 | - | 1 | 2 | 1 | 4 | 2 | 1 |
| Female | 22 | - | - | - | - | 1 | - | - | 1 | 2 | 1 | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 35 | - | - | - | 1 | 1 | 1 | 2 | - | 2 | 1 | 1 |
| Male | 19 | - | - | - | 1 | - | 1 | 1 | - | 1 | 1 | - |
| Female | 16 | - | - | - | - | 1 | - | 1 | - | 1 | - | 1 |
| White, both sexes | 16 | - | - | - | - | 1 | 1 | 2 | - | 1 | - | - |
| Male | 10 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | 6 | - | - | - | - | 1 | - | 1 | - | 1 | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 18 | - | - | - | 1 | - | - | - | - | 1 | 1 | 1 |
| Male | 9 | - | - | - | 1 | - | - | - | - | 1 | 1 | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 79 | - | - | 1 | - | 1 | 2 | 3 | 2 | - | 4 | 7 |
| Male | 42 | - | - | 1 | - | 1 | 1 | 2 | 2 | - | 3 | 4 |
| Female | 37 | - | - | - | - | - | 1 | 1 | - | - | 1 | 3 |
| White, both sexes | 79 | - | - | 1 | - | 1 | 2 | 3 | 2 | - | 4 | 7 |
| Male | 42 | - | - | 1 | - | 1 | 1 | 2 | 2 | - | 3 | 4 |
| Female | 37 | - | - | - | - | - | 1 | 1 | - | - | 1 | 3 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 438 | - | 3 | 8 | 3 | 2 | 7 | 4 | 12 | 11 | 23 | 30 |
| Male | 235 | - | 2 | 5 | 3 | 2 | 4 | 4 | 9 | 6 | 14 | 14 |
| Female | 203 | - | 1 | 3 | - | - | 3 | - | 3 | 5 | 9 | 16 |
| White, both sexes | 395 | - | 1 | 7 | 3 | 2 | 7 | 4 | 11 | 10 | 22 | 23 |
| Male | 213 | - | 1 | 5 | 3 | 2 | 4 | 4 | 8 | 6 | 14 | 11 |
| Female | 182 | - | - | 2 | - | - | 3 | - | 3 | 4 | 8 | 12 |
| Black, both sexes | 35 | - | 2 | 1 | - | - | - | - | - | - | 1 | 6 |
| Male | 17 | - | 1 | - | - | - | - | - | - | - | - | 3 |
| Female | 18 | - | 1 | 1 | - | - | - | - | - | - | 1 | 3 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | - | - | - | - | - | 1 | 1 | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 274 | - | 2 | 6 | 1 | 3 | 4 | - | 3 | 8 | 16 | 19 |
| Male | 150 | - | - | 2 | 1 | 3 | 2 | - | 1 | 7 | 7 | 12 |
| Female | 124 | - | 2 | 4 | - | - | 2 | - | 2 | 1 | 9 | 7 |
| White, both sexes | 267 | - | 2 | 6 | 1 | 3 | 4 | - | 3 | 8 | 16 | 19 |
| Male | 146 | - | - | 2 | 1 | 3 | 2 | - | 1 | 7 | 7 | 12 |
| Female | 121 | - | 2 | 4 | - | - | 2 | - | 2 | 1 | 9 | 7 |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 177 | 1 | 1 | 2 | 4 | 2 | 1 | 5 | 3 | 2 | 4 | 13 |
| Male | 101 | 1 | - | 1 | 3 | 2 | - | 4 | 3 | - | 4 | 5 |
| Female | 76 | - | 1 | 1 | 1 | - | 1 | 1 | - | 2 | - | 8 |
| White, both sexes | 172 | 1 | 1 | 1 | 4 | 2 | 1 | 4 | 3 | 1 | 4 | 13 |
| Male | 99 | 1 | - | 1 | 3 | 2 | - | 3 | 3 | - | 4 | 5 |
| Female | 73 | - | 1 | - | 1 | - | 1 | 1 | - | 1 | - | 8 |
| Black, both sexes | 4 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 155 | - | 1 | 2 | 2 | 2 | - | 1 | 3 | 2 | 5 | 9 |
| Male | 91 | - | - | - | 2 | 2 | - | 1 | 2 | 1 | 3 | 5 |
| Female | 64 | - | 1 | 2 | - | - | - | - | 1 | 1 | 2 | 4 |
| White, both sexes | 148 | - | 1 | 2 | 2 | 1 | - | 1 | 3 | 2 | 4 | 9 |
| Male | 88 | - | - | - | 2 | 1 | - | 1 | 2 | 1 | 2 | 5 |
| Female | 60 | - | 1 | 2 | - | - | - | - | 1 | 1 | 2 | 4 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 177 | - | 1 | 3 | 1 | 1 | 1 | 1 | 3 | 3 | 13 | 8 |
| Male | 98 | - | - | 2 | - | - | - | 1 | 3 | 2 | 10 | 6 |
| Female | 79 | - | 1 | 1 | 1 | 1 | 1 | - | - | 1 | 3 | 2 |
| White, both sexes | 172 | - | 1 | 3 | 1 | 1 | 1 | 1 | 3 | 3 | 13 | 7 |
| Male | 96 | - | - | 2 | - | - | - | 1 | 3 | 2 | 10 | 6 |
| Female | 76 | - | 1 | 1 | 1 | 1 | 1 | - | - | 1 | 3 | 1 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 217 | - | 3 | 1 | 4 | 2 | 2 | 3 | 2 | 4 | 9 | 16 |
| Male | 125 | - | - | - | 1 | - | 2 | 3 | 1 | 3 | 4 | 14 |
| Female | 92 | - | 3 | 1 | 3 | 2 | - | - | 1 | 1 | 5 | 2 |
| White, both sexes | 174 | - | 3 | - | 2 | 1 | 1 | 2 | 2 | 3 | 8 | 10 |
| Male | 99 | - | - | - | 1 | - | 1 | 2 | 1 | 3 | 3 | 9 |
| Female | 75 | - | 3 | - | 1 | 1 | - | - | 1 | - | 5 | 1 |
| Black, both sexes | 41 | - | - | 1 | 2 | 1 | 1 | 1 | - | - | 1 | 5 |
| Male | 25 | - | - | - | - | - | 1 | 1 | - | - | 1 | 4 |
| Female | 16 | - | - | 1 | 2 | 1 | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 77 | - | - | - | - | 1 | - | - | 2 | 4 | 4 | 7 |
| Male | 46 | - | - | - | - | - | - | - | 1 | 3 | 3 | 6 |
| Female | 31 | - | - | - | - | 1 | - | - | 1 | 1 | 1 | 1 |
| White, both sexes | 77 | - | - | - | - | 1 | - | - | 2 | 4 | 4 | 7 |
| Male | 46 | - | - | - | - | - | - | - | 1 | 3 | 3 | 6 |
| Female | 31 | - | - | - | - | 1 | - | - | 1 | 1 | 1 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 186 | - | 1 | 4 | 2 | 4 | - | 2 | 1 | 7 | 15 | 11 |
| Male | 98 | - | 1 | 2 | 1 | 2 | - | 2 | - | 7 | 8 | 5 |
| Female | 88 | - | - | 2 | 1 | 2 | - | - | 1 | - | 7 | 6 |
| White, both sexes | 156 | - | 1 | 2 | 1 | 3 | - | 2 | 1 | 6 | 13 | 8 |
| Male | 77 | - | 1 | 1 | - | 1 | - | 2 | - | 6 | 7 | 3 |
| Female | 79 | - | - | 1 | 1 | 2 | - | - | 1 | - | 6 | 5 |
| Black, both sexes | 25 | - | - | 2 | 1 | - | - | - | - | 1 | 2 | 2 |
| Male | 18 | - | - | 1 | 1 | - | - | - | - | 1 | 1 | 1 |
| Female | 7 | - | - | 1 | - | - | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 280 | - | 1 | 2 | 2 | - | 2 | - | 1 | 6 | 12 | 27 |
| Male | 167 | - | 1 | 1 | 1 | - | 2 | - | 1 | 4 | 8 | 18 |
| Female | 113 | - | - | 1 | 1 | - | - | - | - | 2 | 4 | 9 |
| White, both sexes | 276 | - | 1 | 1 | 2 | - | 2 | - | 1 | 6 | 12 | 26 |
| Male | 164 | - | 1 | - | 1 | - | 2 | - | 1 | 4 | 8 | 17 |
| Female | 112 | - | - | 1 | 1 | - | - | - | - | 2 | 4 | 9 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 497 | - | 1 | 5 | 6 | 1 | 7 | 4 | 12 | 10 | 17 | 22 |
| Male | 268 | - | - | 2 | 3 | 1 | 3 | 3 | 6 | 5 | 15 | 11 |
| Female | 229 | - | 1 | 3 | 3 | - | 4 | 1 | 6 | 5 | 2 | 11 |
| White, both sexes | 467 | - | - | 5 | 4 | 1 | 6 | 4 | 11 | 9 | 16 | 19 |
| Male | 253 | - | - | 2 | 2 | 1 | 3 | 3 | 5 | 5 | 15 | 9 |
| Female | 214 | - | - | 3 | 2 | - | 3 | 1 | 6 | 4 | 1 | 10 |
| Black, both sexes | 24 | - | 1 | - | 1 | - | - | - | - | - | 1 | 3 |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 12 | - | 1 | - | 1 | - | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | 1 | - | 1 | - | 1 | - | - | - |
| Male | 3 | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 196 | - | 1 | 1 | 1 | - | 1 | 2 | 3 | 9 | 16 | 7 |
| Male | 109 | - | 1 | - | 1 | - | 1 | 1 | 2 | 8 | 10 | 4 |
| Female | 87 | - | - | 1 | - | - | - | 1 | 1 | 1 | 6 | 3 |
| White, both sexes | 186 | - | 1 | 1 | - | - | 1 | 2 | 2 | 9 | 13 | 7 |
| Male | 104 | - | 1 | - | - | - | 1 | 1 | 1 | 8 | 9 | 4 |
| Female | 82 | - | - | 1 | - | - | - | 1 | 1 | 1 | 4 | 3 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | 1 | - | - | - | 1 | - | 2 | - |
| Male | 2 | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | 2 | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 157 | - | - | 5 | 3 | - | 2 | 2 | - | 5 | 9 | 10 |
| Male | 82 | - | - | 3 | 1 | - | 1 | 2 | - | 2 | 6 | 5 |
| Female | 75 | - | - | 2 | 2 | - | 1 | - | - | 3 | 3 | 5 |
| White, both sexes | 115 | - | - | 3 | 2 | - | 2 | - | - | 2 | 5 | 8 |
| Male | 59 | - | - | 2 | 1 | - | 1 | - | - | 2 | 4 | 4 |
| Female | 56 | - | - | 1 | 1 | - | 1 | - | - | - | 1 | 4 |
| Black, both sexes | 41 | - | - | 2 | 1 | - | - | 2 | - | 3 | 4 | 2 |
| Male | 22 | - | - | 1 | - | - | - | 2 | - | - | 2 | 1 |
| Female | 19 | - | - | 1 | 1 | - | - | - | - | 3 | 2 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 282 | - | - | 7 | 3 | 4 | 2 | 2 | 3 | 5 | 18 | 16 |
| Male | 154 | - | - | 4 | 2 | 2 | 2 | 1 | 1 | 3 | 12 | 8 |
| Female | 128 | - | - | 3 | 1 | 2 | - | 1 | 2 | 2 | 6 | 8 |
| White, both sexes | 271 | - | - | 6 | 3 | 4 | 2 | 1 | 2 | 5 | 18 | 15 |
| Male | 149 | - | - | 4 | 2 | 2 | 2 | 1 | 1 | 3 | 12 | 8 |
| Female | 122 | - | - | 2 | 1 | 2 | - | - | 1 | 2 | 6 | 7 |
| Black, both sexes | 10 | - | - | 1 | - | - | - | 1 | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | 1 | - | - | - | 1 | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 54 | - | - | - | - | - | - | 1 | - | - | 2 | 5 |
| Male | 30 | - | - | - | - | - | - | 1 | - | - | - | 2 |
| Female | 24 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| White, both sexes | 52 | - | - | - | - | - | - | 1 | - | - | 2 | 4 |
| Male | 29 | - | - | - | - | - | - | 1 | - | - | - | 2 |
| Female | 23 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 89 | - | 2 | 2 | 1 | 2 | - | 2 | 3 | 2 | 1 | 4 |
| Male | 45 | - | 1 | 1 | - | 1 | - | - | 3 | 1 | 1 | 2 |
| Female | 44 | - | 1 | 1 | 1 | 1 | - | 2 | - | 1 | - | 2 |
| White, both sexes | 85 | - | 2 | 2 | 1 | 2 | - | 2 | 3 | 1 | 1 | 4 |
| Male | 43 | - | 1 | 1 | - | 1 | - | - | 3 | 1 | 1 | 2 |
| Female | 42 | - | 1 | 1 | 1 | 1 | - | 2 | - | - | - | 2 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 96 | - | 1 | 2 | 2 | - | - | - | 1 | 1 | 4 | 7 |
| Male | 50 | - | 1 | - | 1 | - | - | - | 1 | - | 3 | 1 |
| Female | 46 | - | - | 2 | 1 | - | - | - | - | 1 | 1 | 6 |
| White, both sexes | 91 | - | 1 | 2 | 2 | - | - | - | 1 | 1 | 4 | 6 |
| Male | 47 | - | 1 | - | 1 | - | - | - | 1 | - | 3 | 1 |
| Female | 44 | - | - | 2 | 1 | - | - | - | - | 1 | 1 | 5 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 66 | - | - | 1 | 1 | - | 1 | - | 2 | 1 | 6 | 3 |
| Male | 38 | - | - | 1 | 1 | - | 1 | - | - | - | 3 | 2 |
| Female | 28 | - | - | - | - | - | - | - | 2 | 1 | 3 | 1 |
| White, both sexes | 66 | - | - | 1 | 1 | - | 1 | - | 2 | 1 | 6 | 3 |
| Male | 38 | - | - | 1 | 1 | - | 1 | - | - | - | 3 | 2 |
| Female | 28 | - | - | - | - | - | - | - | 2 | 1 | 3 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 345 | - | 3 | 4 | 4 | 1 | 1 | 3 | 8 | 8 | 18 | 25 |
| Male | 191 | - | 1 | 3 | 1 | - | - | 2 | 5 | 6 | 12 | 14 |
| Female | 154 | - | 2 | 1 | 3 | 1 | 1 | 1 | 3 | 2 | 6 | 11 |
| White, both sexes | 317 | - | 2 | 3 | 4 | 1 | 1 | 2 | 6 | 6 | 16 | 22 |
| Male | 173 | - | - | 2 | 1 | - | - | 2 | 4 | 5 | 11 | 11 |
| Female | 144 | - | 2 | 1 | 3 | 1 | 1 | - | 2 | 1 | 5 | 11 |
| Black, both sexes | 19 | - | - | 1 | - | - | - | - | - | - | 2 | 2 |
| Male | 14 | - | - | 1 | - | - | - | - | - | - | 1 | 2 |
| Female | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 9 | - | 1 | - | - | - | - | 1 | 2 | 2 | - | 1 |
| Male | 4 | - | 1 | - | - | - | - | - | 1 | 1 | - | 1 |
| Female | 5 | - | - | - | - | - | - | 1 | 1 | 1 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 70 | - | - | 2 | - | 1 | - | - | 1 | - | 2 | 5 |
| Male | 44 | - | - | - | - | 1 | - | - | 1 | - | 1 | 2 |
| Female | 26 | - | - | 2 | - | - | - | - | - | - | 1 | 3 |
| White, both sexes | 67 | - | - | 2 | - | 1 | - | - | - | - | 2 | 5 |
| Male | 42 | - | - | - | - | 1 | - | - | - | - | 1 | 2 |
| Female | 25 | - | - | 2 | - | - | - | - | - | - | 1 | 3 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 773 | - | 5 | 14 | 7 | 4 | 11 | 7 | 12 | 27 | 38 | 52 |
| Male | 434 | - | 2 | 10 | 4 | 2 | 6 | 4 | 8 | 15 | 22 | 27 |
| Female | 339 | - | 3 | 4 | 3 | 2 | 5 | 3 | 4 | 12 | 16 | 25 |
| White, both sexes | 698 | - | 5 | 9 | 5 | 3 | 8 | 6 | 10 | 25 | 31 | 46 |
| Male | 387 | - | 2 | 7 | 2 | 2 | 5 | 4 | 6 | 13 | 18 | 23 |
| Female | 311 | - | 3 | 2 | 3 | 1 | 3 | 2 | 4 | 12 | 13 | 23 |
| Black, both sexes | 50 | - | - | 3 | 2 | 1 | 3 | - | 1 | - | 2 | 5 |
| Male | 32 | - | - | 1 | 2 | - | 1 | - | 1 | - | 1 | 4 |
| Female | 18 | - | - | 2 | - | 1 | 2 | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 22 | - | - | 2 | - | - | - | 1 | 1 | 1 | 4 | 1 |
| Male | 13 | - | - | 2 | - | - | - | - | 1 | 1 | 2 | - |
| Female | 9 | - | - | - | - | - | - | 1 | - | - | 2 | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 353 | - | 1 | 5 | 4 | 2 | - | 2 | 4 | 10 | 14 | 19 |
| Male | 193 | - | - | 3 | 3 | 2 | - | 1 | 1 | 6 | 10 | 12 |
| Female | 160 | - | 1 | 2 | 1 | - | - | 1 | 3 | 4 | 4 | 7 |
| White, both sexes | 306 | - | 1 | 2 | 3 | 2 | - | 2 | 4 | 8 | 12 | 15 |
| Male | 173 | - | - | 1 | 2 | 2 | - | 1 | 1 | 5 | 9 | 10 |
| Female | 133 | - | 1 | 1 | 1 | - | - | 1 | 3 | 3 | 3 | 5 |
| Black, both sexes | 42 | - | - | 3 | 1 | - | - | - | - | 2 | 2 | 3 |
| Male | 19 | - | - | 2 | 1 | - | - | - | - | 1 | 1 | 1 |
| Female | 23 | - | - | 1 | - | - | - | - | - | 1 | 1 | 2 |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 35 | - | - | - | 1 | - | - | 1 | 2 | - | 2 | 2 |
| Male | 17 | - | - | - | - | - | - | - | 2 | - | 2 | 1 |
| Female | 18 | - | - | - | 1 | - | - | 1 | - | - | - | 1 |
| White, both sexes | 35 | - | - | - | 1 | - | - | 1 | 2 | - | 2 | 2 |
| Male | 17 | - | - | - | - | - | - | - | 2 | - | 2 | 1 |
| Female | 18 | - | - | - | 1 | - | - | 1 | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 526 | - | 3 | 11 | 3 | 5 | 2 | 12 | 8 | 12 | 28 | 39 |
| Male | 289 | - | 1 | 5 | 2 | 3 | 2 | 8 | 6 | 6 | 19 | 26 |
| Female | 237 | - | 2 | 6 | 1 | 2 | - | 4 | 2 | 6 | 9 | 13 |
| White, both sexes | 489 | - | 3 | 8 | 2 | 4 | 2 | 9 | 8 | 10 | 25 | 38 |
| Male | 270 | - | 1 | 5 | 1 | 2 | 2 | 5 | 6 | 6 | 16 | 26 |
| Female | 219 | - | 2 | 3 | 1 | 2 | - | 4 | 2 | 4 | 9 | 12 |
| Black, both sexes | 33 | - | - | 3 | 1 | - | - | 3 | - | 2 | 1 | 1 |
| Male | 15 | - | - | - | 1 | - | - | 3 | - | - | 1 | - |
| Female | 18 | - | - | 3 | - | - | - | - | - | 2 | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | 1 | - | - | - | - | 2 | - |
| Male | 4 | - | - | - | - | 1 | - | - | - | - | 2 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 180 | - | - | 3 | - | 2 | - | 6 | 2 | 6 | 6 | 9 |
| Male | 100 | - | - | 2 | - | 2 | - | 5 | 1 | 3 | 5 | 4 |
| Female | 80 | - | - | 1 | - | - | - | 1 | 1 | 3 | 1 | 5 |
| White, both sexes | 169 | - | - | 2 | - | 2 | - | 6 | 2 | 5 | 6 | 9 |
| Male | 94 | - | - | 1 | - | 2 | - | 5 | 1 | 2 | 5 | 4 |
| Female | 75 | - | - | 1 | - | - | - | 1 | 1 | 3 | 1 | 5 |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 4 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 227 | - | 5 | 3 | 5 | 2 | 1 | 4 | 5 | 5 | 7 | 14 |
| Male | 139 | - | 1 | - | 2 | 2 | - | 3 | 2 | 4 | 5 | 8 |
| Female | 88 | - | 4 | 3 | 3 | - | 1 | 1 | 3 | 1 | 2 | 6 |
| White, both sexes | 223 | - | 5 | 3 | 5 | 2 | 1 | 4 | 5 | 3 | 7 | 13 |
| Male | 135 | - | 1 | - | 2 | 2 | - | 3 | 2 | 2 | 5 | 7 |
| Female | 88 | - | 4 | 3 | 3 | - | 1 | 1 | 3 | 1 | 2 | 6 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 568 | - | 1 | 4 | 6 | 6 | 8 | 4 | 9 | 11 | 24 | 41 |
| Male | 315 | - | - | 1 | 5 | 5 | 6 | 3 | 8 | 6 | 15 | 21 |
| Female | 253 | - | 1 | 3 | 1 | 1 | 2 | 1 | 1 | 5 | 9 | 20 |
| White, both sexes | 537 | - | 1 | 3 | 6 | 5 | 8 | 4 | 9 | 10 | 24 | 36 |
| Male | 295 | - | - | - | 5 | 4 | 6 | 3 | 8 | 5 | 15 | 17 |
| Female | 242 | - | 1 | 3 | 1 | 1 | 2 | 1 | 1 | 5 | 9 | 19 |
| Black, both sexes | 28 | - | - | 1 | - | - | - | - | - | 1 | - | 4 |
| Male | 17 | - | - | 1 | - | - | - | - | - | 1 | - | 3 |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 65 | - | 2 | - | 1 | - | 1 | - | 1 | 3 | - | 3 |
| Male | 36 | - | 1 | - | - | - | - | - | - | 2 | - | 2 |
| Female | 29 | - | 1 | - | 1 | - | 1 | - | 1 | 1 | - | 1 |
| White, both sexes | 64 | - | 2 | - | 1 | - | 1 | - | 1 | 3 | - | 3 |
| Male | 35 | - | 1 | - | - | - | - | - | - | 2 | - | 2 |
| Female | 29 | - | 1 | - | 1 | - | 1 | - | 1 | 1 | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 196 | 2 | 1 | 3 | 2 | 1 | 3 | 1 | 3 | 4 | 8 | 14 |
| Male | 105 | 2 | 1 | 1 | 1 | - | 3 | - | 3 | 2 | 6 | 9 |
| Female | 91 | - | - | 2 | 1 | 1 | - | 1 | - | 2 | 2 | 5 |
| White, both sexes | 170 | 2 | - | 2 | - | 1 | 2 | 1 | 2 | 3 | 8 | 12 |
| Male | 92 | 2 | - | 1 | - | - | 2 | - | 2 | 2 | 6 | 8 |
| Female | 78 | - | - | 1 | - | 1 | - | 1 | - | 1 | 2 | 4 |
| Black, both sexes | 26 | - | 1 | 1 | 2 | - | 1 | - | 1 | 1 | - | 2 |
| Male | 13 | - | 1 | - | 1 | - | 1 | - | 1 | - | - | 1 |
| Female | 13 | - | - | 1 | 1 | - | - | - | - | 1 | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 34 | - | - | - | - | - | - | 1 | - | - | 3 | 2 |
| Male | 18 | - | - | - | - | - | - | 1 | - | - | 3 | 1 |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 33 | - | - | - | - | - | - | 1 | - | - | 3 | 2 |
| Male | 17 | - | - | - | - | - | - | 1 | - | - | 3 | 1 |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 325 | - | 2 | 3 | 4 | 2 | 4 | 4 | 9 | 10 | 15 | 17 |
| Male | 179 | - | 1 | 1 | 3 | 1 | 2 | 2 | 5 | 8 | 9 | 12 |
| Female | 146 | - | 1 | 2 | 1 | 1 | 2 | 2 | 4 | 2 | 6 | 5 |
| White, both sexes | 293 | - | 1 | 3 | 4 | 1 | 4 | 3 | 9 | 8 | 11 | 12 |
| Male | 162 | - | - | 1 | 3 | 1 | 2 | 1 | 5 | 6 | 7 | 10 |
| Female | 131 | - | 1 | 2 | 1 | - | 2 | 2 | 4 | 2 | 4 | 2 |
| Black, both sexes | 29 | - | 1 | - | - | 1 | - | 1 | - | 2 | 3 | 4 |
| Male | 16 | - | 1 | - | - | - | - | 1 | - | 2 | 2 | 2 |
| Female | 13 | - | - | - | - | 1 | - | - | - | - | 1 | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | 1 | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 883 | 4 | 8 | 18 | 13 | 10 | 10 | 13 | 13 | 25 | 45 | 50 |
| Male | 465 | 2 | 2 | 11 | 6 | 8 | 4 | 11 | 7 | 13 | 26 | 28 |
| Female | 418 | 2 | 6 | 7 | 7 | 2 | 6 | 2 | 6 | 12 | 19 | 22 |
| White, both sexes | 820 | 3 | 8 | 16 | 11 | 8 | 10 | 11 | 13 | 25 | 44 | 46 |
| Male | 432 | 1 | 2 | 9 | 5 | 7 | 4 | 9 | 7 | 13 | 26 | 26 |
| Female | 388 | 2 | 6 | 7 | 6 | 1 | 6 | 2 | 6 | 12 | 18 | 20 |
| Black, both sexes | 55 | 1 | - | 1 | 1 | 2 | - | 1 | - | - | 1 | 3 |
| Male | 29 | 1 | - | 1 | 1 | 1 | - | 1 | - | - | - | 2 |
| Female | 26 | - | - | - | - | 1 | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | - | - | 1 | 1 | - | - | 1 | - | - | - | 1 |
| Male | 4 | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Female | 4 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 86 | - | 3 | 1 | 2 | - | - | 5 | 1 | 5 | 6 | 4 |
| Male | 52 | - | 2 | 1 | 2 | - | - | 4 | 1 | 4 | 4 | 2 |
| Female | 34 | - | 1 | - | - | - | - | 1 | - | 1 | 2 | 2 |
| White, both sexes | 86 | - | 3 | 1 | 2 | - | - | 5 | 1 | 5 | 6 | 4 |
| Male | 52 | - | 2 | 1 | 2 | - | - | 4 | 1 | 4 | 4 | 2 |
| Female | 34 | - | 1 | - | - | - | - | 1 | - | 1 | 2 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 31 | - | - | - | 2 | - | - | - | 2 | - | - | 2 |
| Male | 18 | - | - | - | 1 | - | - | - | 2 | - | - | 1 |
| Female | 13 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| White, both sexes | 31 | - | - | - | 2 | - | - | - | 2 | - | - | 2 |
| Male | 18 | - | - | - | 1 | - | - | - | 2 | - | - | 1 |
| Female | 13 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 306 | 1 | 2 | 2 | 7 | 2 | 2 | 2 | 8 | 12 | 17 | 18 |
| Male | 186 | 1 | 1 | 1 | 6 | 1 | 1 | 1 | 6 | 9 | 12 | 13 |
| Female | 120 | - | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 5 | 5 |
| White, both sexes | 258 | 1 | 1 | - | 5 | 2 | - | 1 | 7 | 11 | 12 | 16 |
| Male | 159 | 1 | - | - | 4 | 1 | - | - | 5 | 9 | 9 | 11 |
| Female | 99 | - | 1 | - | 1 | 1 | - | 1 | 2 | 2 | 3 | 5 |
| Black, both sexes | 42 | - | 1 | 2 | 2 | - | 2 | 1 | 1 | 1 | 5 | 2 |
| Male | 25 | - | 1 | 1 | 2 | - | 1 | 1 | 1 | - | 3 | 2 |
| Female | 17 | - | - | 1 | - | - | 1 | - | - | 1 | 2 | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 341 | - | 1 | 2 | - | 7 | 6 | 5 | 4 | 8 | 16 | 17 |
| Male | 201 | - | 1 | 2 | - | 5 | 1 | 4 | 2 | 5 | 9 | 11 |
| Female | 140 | - | - | - | - | 2 | 5 | 1 | 2 | 3 | 7 | 6 |
| White, both sexes | 322 | - | 1 | 1 | - | 6 | 4 | 4 | 4 | 8 | 16 | 16 |
| Male | 188 | - | 1 | 1 | - | 4 | 1 | 4 | 2 | 5 | 9 | 11 |
| Female | 134 | - | - | - | - | 2 | 3 | - | 2 | 3 | 7 | 5 |
| Black, both sexes | 4 | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | 3 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 13 | - | - | - | - | 1 | 1 | 1 | - | - | - | 1 |
| Male | 8 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | 1 | 1 | - | - | - | 1 |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 108 | - | 1 | 2 | 1 | 1 | - | 1 | - | 3 | 4 | 13 |
| Male | 59 | - | 1 | 2 | 1 | 1 | - | 1 | - | - | 2 | 7 |
| Female | 49 | - | - | - | - | - | - | - | - | 3 | 2 | 6 |
| White, both sexes | 106 | - | 1 | 2 | 1 | 1 | - | 1 | - | 3 | 4 | 13 |
| Male | 59 | - | 1 | 2 | 1 | 1 | - | 1 | - | - | 2 | 7 |
| Female | 47 | - | - | - | - | - | - | - | - | 3 | 2 | 6 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 275 | - | 2 | 3 | 4 | 2 | 1 | 4 | 5 | 6 | 14 | 16 |
| Male | 155 | - | 2 | 2 | 1 | 1 | 1 | 3 | 2 | 3 | 10 | 9 |
| Female | 120 | - | - | 1 | 3 | 1 | - | 1 | 3 | 3 | 4 | 7 |
| White, both sexes | 266 | - | 1 | 2 | 4 | 2 | 1 | 3 | 5 | 5 | 14 | 16 |
| Male | 148 | - | 1 | 2 | 1 | 1 | 1 | 2 | 2 | 2 | 10 | 9 |
| Female | 118 | - | - | - | 3 | 1 | - | 1 | 3 | 3 | 4 | 7 |
| Black, both sexes | 8 | - | 1 | - | - | - | - | 1 | - | 1 | - | - |
| Male | 7 | - | 1 | - | - | - | - | 1 | - | 1 | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 21 | - | - | 1 | - | - | - | - | 1 | - | - | 1 |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | 1 | - | - | - | - | 1 | - | - | 1 |
| White, both sexes | 21 | - | - | 1 | - | - | - | - | 1 | - | - | 1 |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | 1 | - | - | - | - | 1 | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 1,105 | 1,422 | 1,381 | 1,399 | 1,501 | 1,454 | 1,124 | 546 | 203 | 34 | 5 | - |
| Male | 674 | 830 | 803 | 826 | 796 | 773 | 531 | 215 | 78 | 8 | 3 | - |
| Female | 431 | 592 | 578 | 573 | 705 | 681 | 593 | 331 | 125 | 26 | 2 | - |
| White, both sexes | 1,017 | 1,313 | 1,283 | 1,302 | 1,405 | 1,358 | 1,064 | 518 | 191 | 27 | 5 | - |
| Male | 618 | 766 | 745 | 777 | 745 | 719 | 503 | 205 | 73 | 6 | 3 | - |
| Female | 399 | 547 | 538 | 525 | 660 | 639 | 561 | 313 | 118 | 21 | 2 | - |
| Black, both sexes | 71 | 88 | 69 | 69 | 72 | 75 | 42 | 21 | 7 | 5 | - | - |
| Male | 47 | 51 | 40 | 33 | 39 | 41 | 19 | 6 | 1 | 2 | - | - |
| Female | 24 | 37 | 29 | 36 | 33 | 34 | 23 | 15 | 6 | 3 | - | - |
| American Indian 1/, both sexes | 1 | 7 | 7 | 1 | 1 | 4 | 2 | 1 | - | - | - | - |
| Male | - | 5 | 5 | - | - | 2 | 1 | 1 | - | - | - | - |
| Female | 1 | 2 | 2 | 1 | 1 | 2 | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 16 | 14 | 22 | 27 | 23 | 17 | 16 | 6 | 5 | 2 | - | - |
| Male | 9 | 8 | 13 | 16 | 12 | 11 | 8 | 3 | 4 | - | - | - |
| Female | 7 | 6 | 9 | 11 | 11 | 6 | 8 | 3 | 1 | 2 | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 16 | 22 | 15 | 23 | 30 | 16 | 21 | 5 | 4 | - | - | - |
| Male | 10 | 14 | 8 | 13 | 18 | 9 | 10 | 1 | - | - | - | - |
| Female | 6 | 8 | 7 | 10 | 12 | 7 | 11 | 4 | 4 | - | - | - |
| White, both sexes | 14 | 22 | 15 | 22 | 29 | 15 | 20 | 5 | 3 | - | - | - |
| Male | 8 | 14 | 8 | 13 | 17 | 8 | 10 | 1 | - | - | - | - |
| Female | 6 | 8 | 7 | 9 | 12 | 7 | 10 | 4 | 3 | - | - | - |
| Black, both sexes | 2 | - | - | - | 1 | 1 | 1 | - | 1 | - | - | - |
| Male | 2 | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 2 | 4 | 3 | 2 | 1 | 3 | 1 | - | - | - | - | - |
| Male | 2 | 2 | 3 | 2 | - | 1 | 1 | - | - | - | - | - |
| Female | - | 2 | - | - | 1 | 2 | - | - | - | - | - | - |
| White, both sexes | 2 | 4 | 2 | 2 | 1 | 1 | 1 | - | - | - | - | - |
| Male | 2 | 2 | 2 | 2 | - | - | 1 | - | - | - | - | - |
| Female | - | 2 | - | - | 1 | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | 2 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 19 | 25 | 25 | 26 | 35 | 40 | 24 | 13 | 4 | 1 | - | - |
| Male | 11 | 13 | 19 | 16 | 16 | 23 | 13 | 7 | - | 1 | - | - |
| Female | 8 | 12 | 6 | 10 | 19 | 17 | 11 | 6 | 4 | - | - | - |
| White, both sexes | 18 | 25 | 22 | 25 | 35 | 40 | 24 | 12 | 4 | 1 | - | - |
| Male | 11 | 13 | 17 | 15 | 16 | 23 | 13 | 6 | - | 1 | - | - |
| Female | 7 | 12 | 5 | 10 | 19 | 17 | 11 | 6 | 4 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 3 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | 2 | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 6 | 9 | 18 | 23 | 19 | 20 | 18 | 7 | 1 | 2 | - | - |
| Male | 5 | 6 | 8 | 11 | 11 | 11 | 8 | 2 | - | - | - | - |
| Female | 1 | 3 | 10 | 12 | 8 | 9 | 10 | 5 | 1 | 2 | - | - |
| White, both sexes | 6 | 8 | 16 | 22 | 16 | 19 | 17 | 7 | 1 | 2 | - | - |
| Male | 5 | 5 | 6 | 11 | 10 | 10 | 8 | 2 | - | - | - | - |
| Female | 1 | 3 | 10 | 11 | 6 | 9 | 9 | 5 | 1 | 2 | - | - |
| Black, both sexes | - | 1 | 2 | 1 | 3 | 1 | 1 | - | - | - | - | - |
| Male | - | 1 | 2 | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | 2 | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 128 | 155 | 178 | 156 | 148 | 149 | 131 | 61 | 15 | 6 | - | - |
| Male | 73 | 85 | 106 | 96 | 86 | 89 | 59 | 27 | 9 | 1 | - | - |
| Female | 55 | 70 | 72 | 60 | 62 | 60 | 72 | 34 | 6 | 5 | - | - |
| White, both sexes | 119 | 140 | 163 | 138 | 133 | 136 | 117 | 55 | 12 | 4 | - | - |
| Male | 69 | 76 | 97 | 84 | 77 | 83 | 52 | 24 | 7 | 1 | - | - |
| Female | 50 | 64 | 66 | 54 | 56 | 53 | 65 | 31 | 5 | 3 | - | - |
| Black, both sexes | 3 | 9 | 6 | 6 | 2 | 8 | 4 | 3 | - | - | - | - |
| Male | 1 | 5 | 4 | 4 | 1 | 3 | 2 | 1 | - | - | - | - |
| Female | 2 | 4 | 2 | 2 | 1 | 5 | 2 | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | 5 | 9 | 12 | 13 | 5 | 10 | 3 | 3 | 2 | - | - |
| Male | 3 | 3 | 5 | 8 | 8 | 3 | 5 | 2 | 2 | - | - | - |
| Female | 3 | 2 | 4 | 4 | 5 | 2 | 5 | 1 | 1 | 2 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 24 | 24 | 21 | 18 | 10 | 10 | 20 | 10 | 1 | - | - | - |
| Male | 12 | 12 | 14 | 12 | 3 | 8 | 13 | 3 | - | - | - | - |
| Female | 12 | 12 | 7 | 6 | 7 | 2 | 7 | 7 | 1 | - | - | - |
| White, both sexes | 23 | 24 | 21 | 17 | 10 | 10 | 20 | 10 | 1 | - | - | - |
| Male | 11 | 12 | 14 | 11 | 3 | 8 | 13 | 3 | - | - | - | - |
| Female | 12 | 12 | 7 | 6 | 7 | 2 | 7 | 7 | 1 | - | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 13 | 24 | 18 | 19 | 24 | 18 | 9 | 6 | 3 | 1 | - | - |
| Male | 9 | 13 | 7 | 10 | 11 | 8 | 5 | 1 | 1 | - | - | - |
| Female | 4 | 11 | 11 | 9 | 13 | 10 | 4 | 5 | 2 | 1 | - | - |
| White, both sexes | 13 | 20 | 18 | 19 | 24 | 18 | 9 | 6 | 3 | 1 | - | - |
| Male | 9 | 11 | 7 | 10 | 11 | 8 | 5 | 1 | 1 | - | - | - |
| Female | 4 | 9 | 11 | 9 | 13 | 10 | 4 | 5 | 2 | 1 | - | - |
| Black, both sexes | - | 2 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | 4 | 2 | 6 | 7 | 4 | 4 | 5 | - | - | - | - |
| Male | - | 2 | 1 | 5 | 2 | 3 | 3 | 1 | - | - | - | - |
| Female | - | 2 | 1 | 1 | 5 | 1 | 1 | 4 | - | - | - | - |
| White, both sexes | - | 4 | 2 | 6 | 6 | 3 | 4 | 5 | - | - | - | - |
| Male | - | 2 | 1 | 5 | 2 | 3 | 3 | 1 | - | - | - | - |
| Female | - | 2 | 1 | 1 | 4 | - | 1 | 4 | - | - | - | - |
| Black, both sexes | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | 3 | 2 | 3 | 2 | - | 1 | - | - | - | - |
| Male | - | - | 3 | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | 2 | 2 | - | 1 | - | - | - | - |
| White, both sexes | - | - | 2 | 1 | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | - | 2 | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Black, both sexes | - | - | 1 | 1 | 2 | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | 2 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 66 | 95 | 77 | 101 | 103 | 108 | 100 | 39 | 23 | 3 | - | - |
| Male | 38 | 54 | 48 | 66 | 49 | 59 | 49 | 20 | 10 | - | - | - |
| Female | 28 | 41 | 29 | 35 | 54 | 49 | 51 | 19 | 13 | 3 | - | - |
| White, both sexes | 59 | 90 | 68 | 97 | 96 | 101 | 97 | 39 | 23 | 3 | - | - |
| Male | 35 | 49 | 42 | 66 | 46 | 53 | 47 | 20 | 10 | - | - | - |
| Female | 24 | 41 | 26 | 31 | 50 | 48 | 50 | 19 | 13 | 3 | - | - |
| Black, both sexes | 6 | 4 | 8 | 4 | 5 | 6 | 3 | - | - | - | - | - |
| Male | 3 | 4 | 6 | - | 3 | 5 | 2 | - | - | - | - | - |
| Female | 3 | - | 2 | 4 | 2 | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 2 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 2 | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 26 | 24 | 42 | 40 | 30 | 35 | 17 | 7 | 2 | - | - | - |
| Male | 23 | 16 | 22 | 19 | 12 | 17 | 7 | 2 | - | - | - | - |
| Female | 3 | 8 | 20 | 21 | 18 | 18 | 10 | 5 | 2 | - | - | - |
| White, both sexes | 21 | 24 | 35 | 36 | 26 | 30 | 17 | 6 | 1 | - | - | - |
| Male | 19 | 16 | 19 | 18 | 11 | 15 | 7 | 2 | - | - | - | - |
| Female | 2 | 8 | 16 | 18 | 15 | 15 | 10 | 4 | 1 | - | - | - |
| Black, both sexes | 4 | - | 7 | 4 | 4 | 5 | - | 1 | 1 | - | - | - |
| Male | 3 | - | 3 | 1 | 1 | 2 | - | - | - | - | - | - |
| Female | 1 | - | 4 | 3 | 3 | 3 | - | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 5 | 5 | 2 | 2 | 4 | 2 | 1 | - | - | - |
| Male | 1 | 3 | 2 | 4 | - | 1 | 1 | 1 | 1 | - | - | - |
| Female | 1 | - | 3 | 1 | 2 | 1 | 3 | 1 | - | - | - | - |
| White, both sexes | - | 3 | 4 | 2 | - | - | 1 | - | 1 | - | - | - |
| Male | - | 3 | 2 | 2 | - | - | - | - | 1 | - | - | - |
| Female | - | - | 2 | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | 1 | 3 | 2 | 1 | 3 | 2 | - | - | - | - |
| Male | 1 | - | - | 2 | - | 1 | 1 | 1 | - | - | - | - |
| Female | 1 | - | 1 | 1 | 2 | - | 2 | 1 | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 9 | 7 | 10 | 12 | 11 | 6 | 1 | 3 | - | - | - | - |
| Male | 4 | 4 | 5 | 7 | 5 | 2 | - | 1 | - | - | - | - |
| Female | 5 | 3 | 5 | 5 | 6 | 4 | 1 | 2 | - | - | - | - |
| White, both sexes | 9 | 7 | 10 | 12 | 11 | 6 | 1 | 3 | - | - | - | - |
| Male | 4 | 4 | 5 | 7 | 5 | 2 | - | 1 | - | - | - | - |
| Female | 5 | 3 | 5 | 5 | 6 | 4 | 1 | 2 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 32 | 35 | 49 | 47 | 52 | 45 | 45 | 21 | 6 | 2 | 1 | - |
| Male | 18 | 16 | 31 | 20 | 28 | 27 | 23 | 7 | 1 | - | 1 | - |
| Female | 14 | 19 | 18 | 27 | 24 | 18 | 22 | 14 | 5 | 2 | - | - |
| White, both sexes | 30 | 33 | 43 | 43 | 47 | 41 | 41 | 20 | 5 | 1 | 1 | - |
| Male | 16 | 16 | 28 | 19 | 24 | 23 | 20 | 7 | 1 | - | 1 | - |
| Female | 14 | 17 | 15 | 24 | 23 | 18 | 21 | 13 | 4 | 1 | - | - |
| Black, both sexes | 2 | 2 | 4 | 3 | 3 | 4 | 4 | 1 | 1 | 1 | - | - |
| Male | 2 | - | 1 | - | 3 | 4 | 3 | - | - | - | - | - |
| Female | - | 2 | 3 | 3 | - | - | 1 | 1 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | 1 | 2 | - | - | - | - | - | - | - |
| Male | - | - | 1 | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 25 | 27 | 30 | 32 | 36 | 27 | 23 | 9 | 3 | - | - | - |
| Male | 19 | 16 | 17 | 22 | 14 | 13 | 11 | 3 | - | - | - | - |
| Female | 6 | 11 | 13 | 10 | 22 | 14 | 12 | 6 | 3 | - | - | - |
| White, both sexes | 25 | 27 | 30 | 30 | 35 | 25 | 22 | 8 | 3 | - | - | - |
| Male | 19 | 16 | 17 | 20 | 14 | 12 | 11 | 2 | - | - | - | - |
| Female | 6 | 11 | 13 | 10 | 21 | 13 | 11 | 6 | 3 | - | - | - |
| Black, both sexes | - | - | - | 2 | 1 | 2 | 1 | 1 | - | - | - | - |
| Male | - | - | - | 2 | - | 1 | - | 1 | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 10 | 19 | 18 | 15 | 22 | 32 | 15 | 8 | - | - | - | - |
| Male | 7 | 11 | 11 | 8 | 15 | 16 | 6 | 4 | - | - | - | - |
| Female | 3 | 8 | 7 | 7 | 7 | 16 | 9 | 4 | - | - | - | - |
| White, both sexes | 10 | 18 | 18 | 15 | 22 | 31 | 15 | 8 | - | - | - | - |
| Male | 7 | 10 | 11 | 8 | 15 | 16 | 6 | 4 | - | - | - | - |
| Female | 3 | 8 | 7 | 7 | 7 | 15 | 9 | 4 | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 15 | 18 | 13 | 13 | 18 | 19 | 19 | 6 | 4 | 3 | - | - |
| Male | 9 | 10 | 9 | 9 | 10 | 12 | 10 | 4 | 2 | - | - | - |
| Female | 6 | 8 | 4 | 4 | 8 | 7 | 9 | 2 | 2 | 3 | - | - |
| White, both sexes | 15 | 17 | 11 | 13 | 17 | 19 | 18 | 6 | 4 | 3 | - | - |
| Male | 9 | 10 | 8 | 9 | 10 | 12 | 10 | 4 | 2 | - | - | - |
| Female | 6 | 7 | 3 | 4 | 7 | 7 | 8 | 2 | 2 | 3 | - | - |
| Black, both sexes | - | 1 | 1 | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 14 | 24 | 24 | 15 | 24 | 20 | 13 | 4 | 4 | - | - | - |
| Male | 8 | 14 | 11 | 10 | 13 | 9 | 7 | 1 | 1 | - | - | - |
| Female | 6 | 10 | 13 | 5 | 11 | 11 | 6 | 3 | 3 | - | - | - |
| White, both sexes | 13 | 23 | 24 | 15 | 23 | 20 | 13 | 4 | 3 | - | - | - |
| Male | 8 | 14 | 11 | 10 | 12 | 9 | 7 | 1 | - | - | - | - |
| Female | 5 | 9 | 13 | 5 | 11 | 11 | 6 | 3 | 3 | - | - | - |
| Black, both sexes | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 12 | 31 | 23 | 20 | 25 | 29 | 19 | 8 | 3 | 1 | - | - |
| Male | 4 | 21 | 16 | 12 | 13 | 20 | 8 | 1 | 2 | - | - | - |
| Female | 8 | 10 | 7 | 8 | 12 | 9 | 11 | 7 | 1 | 1 | - | - |
| White, both sexes | 9 | 24 | 21 | 17 | 21 | 24 | 16 | 7 | 3 | - | - | - |
| Male | 2 | 16 | 14 | 11 | 11 | 16 | 6 | 1 | 2 | - | - | - |
| Female | 7 | 8 | 7 | 6 | 10 | 8 | 10 | 6 | 1 | - | - | - |
| Black, both sexes | 3 | 7 | 2 | 3 | 4 | 5 | 3 | 1 | - | 1 | - | - |
| Male | 2 | 5 | 2 | 1 | 2 | 4 | 2 | - | - | - | - | - |
| Female | 1 | 2 | - | 2 | 2 | 1 | 1 | 1 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 7 | 12 | 6 | 9 | 5 | 11 | 5 | 3 | 1 | - | - | - |
| Male | 5 | 7 | 3 | 6 | 4 | 4 | 3 | 1 | - | - | - | - |
| Female | 2 | 5 | 3 | 3 | 1 | 7 | 2 | 2 | 1 | - | - | - |
| White, both sexes | 7 | 12 | 6 | 9 | 5 | 11 | 5 | 3 | 1 | - | - | - |
| Male | 5 | 7 | 3 | 6 | 4 | 4 | 3 | 1 | - | - | - | - |
| Female | 2 | 5 | 3 | 3 | 1 | 7 | 2 | 2 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 13 | 18 | 17 | 20 | 24 | 20 | 19 | 4 | 4 | - | - | - |
| Male | 7 | 11 | 7 | 12 | 13 | 8 | 9 | 2 | 1 | - | - | - |
| Female | 6 | 7 | 10 | 8 | 11 | 12 | 10 | 2 | 3 | - | - | - |
| White, both sexes | 11 | 15 | 14 | 15 | 20 | 18 | 19 | 3 | 4 | - | - | - |
| Male | 5 | 8 | 6 | 9 | 10 | 6 | 9 | 2 | 1 | - | - | - |
| Female | 6 | 7 | 8 | 6 | 10 | 12 | 10 | 1 | 3 | - | - | - |
| Black, both sexes | 2 | 3 | 2 | 3 | 4 | 2 | - | 1 | - | - | - | - |
| Male | 2 | 3 | 1 | 2 | 3 | 2 | - | - | - | - | - | - |
| Female | - | - | 1 | 1 | 1 | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | 2 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 33 | 27 | 28 | 26 | 28 | 31 | 34 | 9 | 11 | - | - | - |
| Male | 22 | 18 | 14 | 11 | 19 | 23 | 16 | 4 | 4 | - | - | - |
| Female | 11 | 9 | 14 | 15 | 9 | 8 | 18 | 5 | 7 | - | - | - |
| White, both sexes | 31 | 27 | 28 | 26 | 28 | 31 | 34 | 9 | 11 | - | - | - |
| Male | 21 | 18 | 14 | 11 | 19 | 23 | 16 | 4 | 4 | - | - | - |
| Female | 10 | 9 | 14 | 15 | 9 | 8 | 18 | 5 | 7 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 45 | 50 | 62 | 59 | 51 | 60 | 46 | 28 | 9 | 2 | - | - |
| Male | 27 | 36 | 31 | 30 | 24 | 32 | 26 | 8 | 5 | - | - | - |
| Female | 18 | 14 | 31 | 29 | 27 | 28 | 20 | 20 | 4 | 2 | - | - |
| White, both sexes | 42 | 47 | 57 | 55 | 48 | 60 | 46 | 26 | 9 | 2 | - | - |
| Male | 26 | 33 | 29 | 27 | 22 | 32 | 26 | 8 | 5 | - | - | - |
| Female | 16 | 14 | 28 | 28 | 26 | 28 | 20 | 18 | 4 | 2 | - | - |
| Black, both sexes | 3 | 3 | 4 | 4 | 2 | - | - | 2 | - | - | - | - |
| Male | 1 | 3 | 1 | 3 | 2 | - | - | - | - | - | - | - |
| Female | 2 | - | 3 | 1 | - | - | - | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 21 | 14 | 20 | 18 | 26 | 21 | 24 | 9 | 1 | 1 | - | - |
| Male | 11 | 9 | 14 | 9 | 15 | 12 | 7 | 4 | - | - | - | - |
| Female | 10 | 5 | 6 | 9 | 11 | 9 | 17 | 5 | 1 | 1 | - | - |
| White, both sexes | 20 | 13 | 18 | 18 | 26 | 21 | 23 | 9 | 1 | 1 | - | - |
| Male | 11 | 8 | 13 | 9 | 15 | 12 | 7 | 4 | - | - | - | - |
| Female | 9 | 5 | 5 | 9 | 11 | 9 | 16 | 5 | 1 | 1 | - | - |
| Black, both sexes | - | 1 | 2 | - | - | - | 1 | - | - | - | - | - |
| Male | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 13 | 15 | 18 | 23 | 16 | 20 | 7 | 5 | 4 | - | - | - |
| Male | 9 | 10 | 9 | 11 | 8 | 11 | 2 | 1 | 1 | - | - | - |
| Female | 4 | 5 | 9 | 12 | 8 | 9 | 5 | 4 | 3 | - | - | - |
| White, both sexes | 10 | 10 | 14 | 20 | 13 | 14 | 5 | 3 | 4 | - | - | - |
| Male | 6 | 7 | 7 | 10 | 6 | 6 | 2 | - | 1 | - | - | - |
| Female | 4 | 3 | 7 | 10 | 7 | 8 | 3 | 3 | 3 | - | - | - |
| Black, both sexes | 3 | 4 | 4 | 3 | 3 | 6 | 2 | 2 | - | - | - | - |
| Male | 3 | 2 | 2 | 1 | 2 | 5 | - | 1 | - | - | - | - |
| Female | - | 2 | 2 | 2 | 1 | 1 | 2 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 27 | 33 | 38 | 35 | 40 | 20 | 13 | 13 | 2 | 1 | - | - |
| Male | 16 | 18 | 24 | 25 | 21 | 3 | 6 | 4 | 1 | 1 | - | - |
| Female | 11 | 15 | 14 | 10 | 19 | 17 | 7 | 9 | 1 | - | - | - |
| White, both sexes | 27 | 32 | 36 | 33 | 38 | 20 | 13 | 13 | 2 | 1 | - | - |
| Male | 16 | 18 | 22 | 23 | 20 | 3 | 6 | 4 | 1 | 1 | - | - |
| Female | 11 | 14 | 14 | 10 | 18 | 17 | 7 | 9 | 1 | - | - | - |
| Black, both sexes | - | 1 | 2 | 2 | 2 | - | - | - | - | - | - | - |
| Male | - | - | 2 | 2 | 1 | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 7 | 8 | 8 | 7 | 7 | 5 | 2 | 2 | - | - | - | - |
| Male | 4 | 5 | 6 | 3 | 5 | 3 | 1 | - | - | - | - | - |
| Female | 3 | 3 | 2 | 4 | 2 | 2 | 1 | 2 | - | - | - | - |
| White, both sexes | 7 | 8 | 7 | 7 | 7 | 5 | 2 | 2 | - | - | - | - |
| Male | 4 | 5 | 5 | 3 | 5 | 3 | 1 | - | - | - | - | - |
| Female | 3 | 3 | 2 | 4 | 2 | 2 | 1 | 2 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 6 | 8 | 5 | 15 | 11 | 13 | 5 | 4 | 3 | - | - | - |
| Male | 3 | 5 | 2 | 8 | 6 | 6 | 2 | 2 | 1 | - | - | - |
| Female | 3 | 3 | 3 | 7 | 5 | 7 | 3 | 2 | 2 | - | - | - |
| White, both sexes | 5 | 8 | 4 | 14 | 11 | 13 | 5 | 4 | 3 | - | - | - |
| Male | 2 | 5 | 1 | 8 | 6 | 6 | 2 | 2 | 1 | - | - | - |
| Female | 3 | 3 | 3 | 6 | 5 | 7 | 3 | 2 | 2 | - | - | - |
| Black, both sexes | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 11 | 10 | 12 | 13 | 13 | 12 | 7 | - | - | - | - | - |
| Male | 4 | 4 | 10 | 6 | 9 | 8 | 2 | - | - | - | - | - |
| Female | 7 | 6 | 2 | 7 | 4 | 4 | 5 | - | - | - | - | - |
| White, both sexes | 10 | 10 | 11 | 13 | 13 | 10 | 7 | - | - | - | - | - |
| Male | 3 | 4 | 9 | 6 | 9 | 7 | 2 | - | - | - | - | - |
| Female | 7 | 6 | 2 | 7 | 4 | 3 | 5 | - | - | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 10 | 3 | 7 | 6 | 7 | 8 | 6 | 2 | 1 | - | 1 | - |
| Male | 7 | 1 | 6 | 3 | 4 | 4 | 4 | - | - | - | 1 | - |
| Female | 3 | 2 | 1 | 3 | 3 | 4 | 2 | 2 | 1 | - | - | - |
| White, both sexes | 10 | 3 | 7 | 6 | 7 | 8 | 6 | 2 | 1 | - | 1 | - |
| Male | 7 | 1 | 6 | 3 | 4 | 4 | 4 | - | - | - | 1 | - |
| Female | 3 | 2 | 1 | 3 | 3 | 4 | 2 | 2 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 30 | 43 | 25 | 35 | 50 | 35 | 24 | 23 | 5 | - | - | - |
| Male | 21 | 24 | 12 | 25 | 29 | 20 | 6 | 8 | 2 | - | - | - |
| Female | 9 | 19 | 13 | 10 | 21 | 15 | 18 | 15 | 3 | - | - | - |
| White, both sexes | 28 | 36 | 25 | 32 | 48 | 33 | 24 | 23 | 5 | - | - | - |
| Male | 19 | 22 | 12 | 23 | 27 | 18 | 6 | 8 | 2 | - | - | - |
| Female | 9 | 14 | 13 | 9 | 21 | 15 | 18 | 15 | 3 | - | - | - |
| Black, both sexes | 2 | 6 | - | 2 | 2 | 2 | - | - | - | - | - | - |
| Male | 2 | 2 | - | 2 | 2 | 2 | - | - | - | - | - | - |
| Female | - | 4 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 7 | 10 | 9 | 8 | 6 | 9 | 6 | 3 | 1 | - | - | - |
| Male | 4 | 6 | 7 | 6 | 4 | 6 | 4 | 1 | 1 | - | - | - |
| Female | 3 | 4 | 2 | 2 | 2 | 3 | 2 | 2 | - | - | - | - |
| White, both sexes | 6 | 10 | 9 | 8 | 6 | 8 | 6 | 3 | 1 | - | - | - |
| Male | 3 | 6 | 7 | 6 | 4 | 6 | 4 | 1 | 1 | - | - | - |
| Female | 3 | 4 | 2 | 2 | 2 | 2 | 2 | 2 | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 62 | 83 | 80 | 74 | 98 | 86 | 64 | 35 | 13 | 1 | - | - |
| Male | 43 | 51 | 47 | 36 | 57 | 50 | 30 | 15 | 4 | 1 | - | - |
| Female | 19 | 32 | 33 | 38 | 41 | 36 | 34 | 20 | 9 | - | - | - |
| White, both sexes | 55 | 71 | 76 | 68 | 91 | 81 | 59 | 35 | 13 | 1 | - | - |
| Male | 37 | 44 | 45 | 33 | 54 | 45 | 27 | 15 | 4 | 1 | - | - |
| Female | 18 | 27 | 31 | 35 | 37 | 36 | 32 | 20 | 9 | - | - | - |
| Black, both sexes | 7 | 9 | 1 | 4 | 6 | 2 | 4 | - | - | - | - | - |
| Male | 6 | 7 | 1 | 1 | 3 | 2 | 2 | - | - | - | - | - |
| Female | 1 | 2 | - | 3 | 3 | - | 2 | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | 3 | 2 | 1 | 3 | 1 | - | - | - | - | - |
| Male | - | - | 1 | 2 | - | 3 | 1 | - | - | - | - | - |
| Female | - | 2 | 2 | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 32 | 47 | 37 | 45 | 41 | 30 | 32 | 21 | 6 | 1 | - | - |
| Male | 19 | 24 | 27 | 25 | 22 | 13 | 12 | 9 | 3 | 1 | - | - |
| Female | 13 | 23 | 10 | 20 | 19 | 17 | 20 | 12 | 3 | - | - | - |
| White, both sexes | 25 | 39 | 37 | 43 | 38 | 25 | 26 | 19 | 5 | - | - | - |
| Male | 16 | 21 | 27 | 24 | 21 | 13 | 10 | 7 | 3 | - | - | - |
| Female | 9 | 18 | 10 | 19 | 17 | 12 | 16 | 12 | 2 | - | - | - |
| Black, both sexes | 6 | 7 | - | 2 | 3 | 4 | 5 | 2 | 1 | 1 | - | - |
| Male | 3 | 3 | - | 1 | 1 | - | 2 | 2 | - | 1 | - | - |
| Female | 3 | 4 | - | 1 | 2 | 4 | 3 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 3 | 3 | 3 | 4 | 4 | 5 | 3 | 2 | - | - | - | - |
| Male | - | - | 2 | 3 | 3 | 2 | 1 | 1 | - | - | - | - |
| Female | 3 | 3 | 1 | 1 | 1 | 3 | 2 | 1 | - | - | - | - |
| White, both sexes | 3 | 3 | 3 | 4 | 4 | 5 | 3 | 2 | - | - | - | - |
| Male | - | - | 2 | 3 | 3 | 2 | 1 | 1 | - | - | - | - |
| Female | 3 | 3 | 1 | 1 | 1 | 3 | 2 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 45 | 54 | 52 | 65 | 58 | 50 | 48 | 21 | 8 | - | 2 | - |
| Male | 28 | 32 | 32 | 38 | 27 | 24 | 18 | 9 | 2 | - | 1 | - |
| Female | 17 | 22 | 20 | 27 | 31 | 26 | 30 | 12 | 6 | - | 1 | - |
| White, both sexes | 44 | 53 | 47 | 60 | 55 | 46 | 45 | 20 | 8 | - | 2 | - |
| Male | 27 | 32 | 29 | 35 | 25 | 23 | 17 | 9 | 2 | - | 1 | - |
| Female | 17 | 21 | 18 | 25 | 30 | 23 | 28 | 11 | 6 | - | 1 | - |
| Black, both sexes | 1 | 1 | 4 | 5 | 3 | 4 | 3 | 1 | - | - | - | - |
| Male | 1 | - | 2 | 3 | 2 | 1 | 1 | - | - | - | - | - |
| Female | - | 1 | 2 | 2 | 1 | 3 | 2 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 13 | 16 | 21 | 22 | 22 | 23 | 11 | 12 | 4 | 2 | - | - |
| Male | 10 | 11 | 15 | 13 | 10 | 12 | 3 | 3 | 1 | - | - | - |
| Female | 3 | 5 | 6 | 9 | 12 | 11 | 8 | 9 | 3 | 2 | - | - |
| White, both sexes | 11 | 15 | 19 | 21 | 21 | 22 | 11 | 12 | 3 | 2 | - | - |
| Male | 8 | 10 | 14 | 13 | 10 | 12 | 3 | 3 | 1 | - | - | - |
| Female | 3 | 5 | 5 | 8 | 11 | 10 | 8 | 9 | 2 | 2 | - | - |
| Black, both sexes | 2 | - | 1 | 1 | 1 | - | - | - | 1 | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | 1 | 1 | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 18 | 30 | 23 | 28 | 18 | 30 | 16 | 9 | 4 | - | - | - |
| Male | 14 | 17 | 15 | 20 | 10 | 19 | 10 | 5 | 2 | - | - | - |
| Female | 4 | 13 | 8 | 8 | 8 | 11 | 6 | 4 | 2 | - | - | - |
| White, both sexes | 18 | 30 | 22 | 28 | 18 | 30 | 16 | 9 | 4 | - | - | - |
| Male | 14 | 17 | 14 | 20 | 10 | 19 | 10 | 5 | 2 | - | - | - |
| Female | 4 | 13 | 8 | 8 | 8 | 11 | 6 | 4 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 50 | 57 | 58 | 45 | 80 | 70 | 55 | 25 | 12 | 2 | - | - |
| Male | 33 | 30 | 31 | 27 | 46 | 30 | 31 | 12 | 4 | 1 | - | - |
| Female | 17 | 27 | 27 | 18 | 34 | 40 | 24 | 13 | 8 | 1 | - | - |
| White, both sexes | 48 | 52 | 56 | 42 | 75 | 67 | 54 | 24 | 11 | 2 | - | - |
| Male | 32 | 29 | 29 | 25 | 43 | 28 | 30 | 12 | 3 | 1 | - | - |
| Female | 16 | 23 | 27 | 17 | 32 | 39 | 24 | 12 | 8 | 1 | - | - |
| Black, both sexes | 2 | 5 | 2 | 3 | 4 | 3 | 1 | 1 | 1 | - | - | - |
| Male | 1 | 1 | 2 | 2 | 2 | 2 | 1 | - | 1 | - | - | - |
| Female | 1 | 4 | - | 1 | 2 | 1 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 3 | 5 | 8 | 7 | 7 | 10 | 11 | 2 | 1 | - | - | - |
| Male | 2 | 4 | 4 | 5 | 4 | 5 | 5 | 1 | 1 | - | - | - |
| Female | 1 | 1 | 4 | 2 | 3 | 5 | 6 | 1 | - | - | - | - |
| White, both sexes | 3 | 4 | 8 | 7 | 7 | 10 | 11 | 2 | 1 | - | - | - |
| Male | 2 | 3 | 4 | 5 | 4 | 5 | 5 | 1 | 1 | - | - | - |
| Female | 1 | 1 | 4 | 2 | 3 | 5 | 6 | 1 | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 19 | 23 | 16 | 24 | 23 | 28 | 13 | 1 | 5 | 2 | - | - |
| Male | 13 | 15 | 7 | 15 | 11 | 11 | 4 | - | 1 | - | - | - |
| Female | 6 | 8 | 9 | 9 | 12 | 17 | 9 | 1 | 4 | 2 | - | - |
| White, both sexes | 18 | 18 | 16 | 21 | 21 | 27 | 10 | 1 | 4 | 1 | - | - |
| Male | 12 | 12 | 7 | 14 | 9 | 11 | 3 | - | 1 | - | - | - |
| Female | 6 | 6 | 9 | 7 | 12 | 16 | 7 | 1 | 3 | 1 | - | - |
| Black, both sexes | 1 | 5 | - | 3 | 2 | 1 | 3 | - | 1 | 1 | - | - |
| Male | 1 | 3 | - | 1 | 2 | - | 1 | - | - | - | - | - |
| Female | - | 2 | - | 2 | - | 1 | 2 | - | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 4 | 2 | 3 | 5 | 3 | 3 | 6 | 2 | - | - | - | - |
| Male | 1 | - | 1 | 5 | 1 | 2 | 3 | - | - | - | - | - |
| Female | 3 | 2 | 2 | - | 2 | 1 | 3 | 2 | - | - | - | - |
| White, both sexes | 4 | 2 | 3 | 5 | 3 | 3 | 5 | 2 | - | - | - | - |
| Male | 1 | - | 1 | 5 | 1 | 2 | 2 | - | - | - | - | - |
| Female | 3 | 2 | 2 | - | 2 | 1 | 3 | 2 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 34 | 39 | 37 | 29 | 35 | 37 | 22 | 17 | 4 | 1 | - | - |
| Male | 17 | 27 | 23 | 21 | 15 | 15 | 10 | 4 | 3 | - | - | - |
| Female | 17 | 12 | 14 | 8 | 20 | 22 | 12 | 13 | 1 | 1 | - | - |
| White, both sexes | 29 | 38 | 35 | 27 | 32 | 34 | 22 | 15 | 4 | 1 | - | - |
| Male | 14 | 26 | 22 | 19 | 14 | 14 | 10 | 4 | 3 | - | - | - |
| Female | 15 | 12 | 13 | 8 | 18 | 20 | 12 | 11 | 1 | 1 | - | - |
| Black, both sexes | 5 | 1 | 2 | 1 | 3 | 3 | - | 2 | - | - | - | - |
| Male | 3 | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | 2 | - | 1 | - | 2 | 2 | - | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 64 | 111 | 98 | 81 | 110 | 107 | 53 | 30 | 19 | - | 1 | - |
| Male | 40 | 60 | 49 | 44 | 55 | 55 | 26 | 11 | 7 | - | - | - |
| Female | 24 | 51 | 49 | 37 | 55 | 52 | 27 | 19 | 12 | - | 1 | - |
| White, both sexes | 58 | 102 | 90 | 77 | 104 | 97 | 49 | 28 | 19 | - | 1 | - |
| Male | 36 | 56 | 46 | 41 | 52 | 50 | 24 | 11 | 7 | - | - | - |
| Female | 22 | 46 | 44 | 36 | 52 | 47 | 25 | 17 | 12 | - | 1 | - |
| Black, both sexes | 5 | 8 | 8 | 4 | 6 | 9 | 3 | 2 | - | - | - | - |
| Male | 4 | 3 | 3 | 3 | 3 | 4 | 2 | - | - | - | - | - |
| Female | 1 | 5 | 5 | 1 | 3 | 5 | 1 | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 11 | 9 | 4 | 6 | 13 | 6 | 8 | - | 2 | - | - | - |
| Male | 6 | 5 | 1 | 3 | 7 | 5 | 4 | - | 1 | - | - | - |
| Female | 5 | 4 | 3 | 3 | 6 | 1 | 4 | - | 1 | - | - | - |
| White, both sexes | 11 | 9 | 4 | 6 | 13 | 6 | 8 | - | 2 | - | - | - |
| Male | 6 | 5 | 1 | 3 | 7 | 5 | 4 | - | 1 | - | - | - |
| Female | 5 | 4 | 3 | 3 | 6 | 1 | 4 | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 4 | 5 | 4 | 2 | 4 | 1 | 5 | - | - | - | - | - |
| Male | 1 | 4 | 2 | 2 | 1 | - | 4 | - | - | - | - | - |
| Female | 3 | 1 | 2 | - | 3 | 1 | 1 | - | - | - | - | - |
| White, both sexes | 4 | 5 | 4 | 2 | 4 | 1 | 5 | - | - | - | - | - |
| Male | 1 | 4 | 2 | 2 | 1 | - | 4 | - | - | - | - | - |
| Female | 3 | 1 | 2 | - | 3 | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 24 | 34 | 33 | 39 | 33 | 28 | 22 | 15 | 4 | 1 | - | - |
| Male | 13 | 20 | 19 | 23 | 18 | 14 | 15 | 8 | 3 | 1 | - | - |
| Female | 11 | 14 | 14 | 16 | 15 | 14 | 7 | 7 | 1 | - | - | - |
| White, both sexes | 19 | 32 | 28 | 31 | 30 | 25 | 20 | 13 | 4 | - | - | - |
| Male | 11 | 18 | 15 | 21 | 16 | 14 | 14 | 7 | 3 | - | - | - |
| Female | 8 | 14 | 13 | 10 | 14 | 11 | 6 | 6 | 1 | - | - | - |
| Black, both sexes | 5 | 2 | 3 | 6 | 3 | 2 | 2 | 1 | - | 1 | - | - |
| Male | 2 | 2 | 2 | 2 | 2 | - | 1 | 1 | - | 1 | - | - |
| Female | 3 | - | 1 | 4 | 1 | 2 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 2 | 1 | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | 2 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | 1 | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 35 | 49 | 42 | 32 | 25 | 39 | 32 | 18 | 2 | 1 | - | - |
| Male | 19 | 35 | 23 | 21 | 17 | 20 | 13 | 10 | 2 | 1 | - | - |
| Female | 16 | 14 | 19 | 11 | 8 | 19 | 19 | 8 | - | - | - | - |
| White, both sexes | 34 | 45 | 42 | 30 | 23 | 37 | 31 | 18 | 1 | 1 | - | - |
| Male | 18 | 31 | 23 | 21 | 15 | 18 | 12 | 10 | 1 | 1 | - | - |
| Female | 16 | 14 | 19 | 9 | 8 | 19 | 19 | 8 | - | - | - | - |
| Black, both sexes | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 2 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 2 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | - | 2 | 1 | 2 | 1 | - | 1 | - | - | - |
| Male | - | 2 | - | - | 1 | 2 | 1 | - | 1 | - | - | - |
| Female | - | - | - | 2 | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 10 | 15 | 6 | 12 | 11 | 14 | 11 | 2 | 1 | - | - | - |
| Male | 7 | 7 | 3 | 8 | 6 | 7 | 5 | 1 | - | - | - | - |
| Female | 3 | 8 | 3 | 4 | 5 | 7 | 6 | 1 | 1 | - | - | - |
| White, both sexes | 10 | 14 | 5 | 12 | 11 | 14 | 11 | 2 | 1 | - | - | - |
| Male | 7 | 7 | 3 | 8 | 6 | 7 | 5 | 1 | - | - | - | - |
| Female | 3 | 7 | 2 | 4 | 5 | 7 | 6 | 1 | 1 | - | - | - |
| Black, both sexes | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of brain (C71) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 24 | 36 | 22 | 28 | 30 | 35 | 28 | 13 | 2 | - | - | - |
| Male | 15 | 21 | 13 | 17 | 16 | 19 | 14 | 5 | 1 | - | - | - |
| Female | 9 | 15 | 9 | 11 | 14 | 16 | 14 | 8 | 1 | - | - | - |
| White, both sexes | 22 | 34 | 22 | 28 | 30 | 34 | 28 | 13 | 2 | - | - | - |
| Male | 14 | 19 | 13 | 17 | 16 | 18 | 14 | 5 | 1 | - | - | - |
| Female | 8 | 15 | 9 | 11 | 14 | 16 | 14 | 8 | 1 | - | - | - |
| Black, both sexes | 2 | 2 | - | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | 2 | - | - | - | 1 | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 1 | 3 | 5 | 2 | 2 | 2 | 2 | 1 | - | - | - | - |
| Male | - | 1 | 3 | 2 | 2 | 2 | 1 | - | - | - | - | - |
| Female | 1 | 2 | 2 | - | - | - | 1 | 1 | - | - | - | - |
| White, both sexes | 1 | 3 | 5 | 2 | 2 | 2 | 2 | 1 | - | - | - | - |
| Male | - | 1 | 3 | 2 | 2 | 2 | 1 | - | - | - | - | - |
| Female | 1 | 2 | 2 | - | - | - | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 213 | - | 2 | - | 6 | 8 | 3 | 2 | 5 | 6 | 6 | 8 |
| Male | 112 | - | - | - | 3 | 6 | 2 | 1 | 1 | 4 | 4 | 5 |
| Female | 101 | - | 2 | - | 3 | 2 | 1 | 1 | 4 | 2 | 2 | 3 |
| White, both sexes | 182 | - | 1 | - | 6 | 6 | 3 | 2 | 4 | 5 | 4 | 6 |
| Male | 94 | - | - | - | 3 | 5 | 2 | 1 | 1 | 3 | 3 | 3 |
| Female | 88 | - | 1 | - | 3 | 1 | 1 | 1 | 3 | 2 | 1 | 3 |
| Black, both sexes | 28 | - | 1 | - | - | 2 | - | - | 1 | 1 | 1 | 2 |
| Male | 17 | - | - | - | - | 1 | - | - | - | 1 | 1 | 2 |
| Female | 11 | - | 1 | - | - | 1 | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 27 | - | - | - | 2 | 2 | - | 1 | - | - | - | - |
| Male | 16 | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | 11 | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| White, both sexes | 24 | - | - | - | 2 | 1 | - | 1 | - | - | - | - |
| Male | 15 | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | 9 | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Male | 8 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| White, both sexes | 15 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Male | 7 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | 2 | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| Male | 3 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| Male | 3 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Male | 3 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | 7 | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Male | 3 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 5 | - | 1 | - | - | - | - | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | 1 | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | 1 | - | - | - | 2 | - | - |
| Male | 6 | - | - | - | - | 1 | - | - | - | 2 | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 8 | - | - | - | - | 1 | - | - | - | 2 | - | - |
| Male | 6 | - | - | - | - | 1 | - | - | - | 2 | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | 2 | - | - | - | 1 | - | 1 |
| Male | 3 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | 1 | - | - | - | 1 | - | 1 |
| White, both sexes | 6 | - | - | - | - | 2 | - | - | - | 1 | - | 1 |
| Male | 3 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | 1 | - | - | - | 1 | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| Male | 3 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| Male | 2 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | 2 | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | 2 | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 9 | - | 1 | - | - | - | 1 | - | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| Female | 4 | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | 8 | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 4 | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | 1 | 1 | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | 1 | 1 | - | - | - | - | - | 1 |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 6 | - | - | - | 1 | 1 | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | 1 | 1 | - | - | - | - | - | 1 |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 10 | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | 1 | - | 1 | - | - | - | - | - |
| White, both sexes | 8 | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 5 | - | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 5 | - | - | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 14 | 22 | 14 | 16 | 27 | 27 | 28 | 7 | 6 | 6 | - | - |
| Male | 9 | 11 | 9 | 11 | 10 | 16 | 15 | 1 | 3 | 1 | - | - |
| Female | 5 | 11 | 5 | 5 | 17 | 11 | 13 | 6 | 3 | 5 | - | - |
| White, both sexes | 14 | 15 | 13 | 14 | 23 | 25 | 25 | 4 | 6 | 6 | - | - |
| Male | 9 | 7 | 8 | 10 | 7 | 14 | 13 | 1 | 3 | 1 | - | - |
| Female | 5 | 8 | 5 | 4 | 16 | 11 | 12 | 3 | 3 | 5 | - | - |
| Black, both sexes | - | 6 | 1 | 2 | 4 | 2 | 3 | 2 | - | - | - | - |
| Male | - | 3 | 1 | 1 | 3 | 2 | 2 | - | - | - | - | - |
| Female | - | 3 | - | 1 | 1 | - | 1 | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | 2 | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 5 | 1 | 1 | 2 | 3 | 5 | 3 | 2 | - | - | - | - |
| Male | 2 | 1 | - | 1 | 3 | 4 | 2 | 1 | - | - | - | - |
| Female | 3 | - | 1 | 1 | - | 1 | 1 | 1 | - | - | - | - |
| White, both sexes | 5 | - | 1 | 2 | 3 | 5 | 3 | 1 | - | - | - | - |
| Male | 2 | - | - | 1 | 3 | 4 | 2 | 1 | - | - | - | - |
| Female | 3 | - | 1 | 1 | - | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | 3 | 2 | 3 | 2 | - | 1 | 1 | - | - |
| Male | 1 | 1 | - | 1 | 1 | 2 | - | - | 1 | - | - | - |
| Female | - | - | - | 2 | 1 | 1 | 2 | - | - | 1 | - | - |
| White, both sexes | 1 | 1 | - | 2 | 2 | 2 | 2 | - | 1 | 1 | - | - |
| Male | 1 | 1 | - | 1 | 1 | 1 | - | - | 1 | - | - | - |
| Female | - | - | - | 1 | 1 | 1 | 2 | - | - | 1 | - | - |
| Black, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 1 | - | - | 1 | - | - | - | 1 | - | - |
| Male | - | - | 1 | - | - | 1 | - | - | - | 1 | - | - |
| Female | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | 1 | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | 2 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | 2 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 1 | 1 | - | 2 | - | 1 | - | - | - | - |
| Male | 1 | - | 1 | 1 | - | 2 | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | 1 | 1 | 1 | 1 | - | 1 | - | 1 | - | - | - | - |
| Male | 1 | - | 1 | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | 1 | 1 | - | - | - | 1 | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | - | - | 1 | - | - |
| White, both sexes | - | - | 1 | - | 1 | 1 | - | - | - | 1 | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | 1 | - | 2 | - | - | - | - | - |
| Male | - | 1 | - | - | 1 | - | 2 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 1 | 1 | 1 | - | - | 1 | - | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | 1 | - | - | 1 | - | - | - | - |
| White, both sexes | 1 | - | 1 | 1 | 1 | - | - | 1 | - | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | 1 | - | - | 1 | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | - | 2 | - | - | - | 1 | 1 | - | - | 1 | - | - |
| Male | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | - | 2 | - | - | - | 1 | 1 | - | - | 1 | - | - |
| Male | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | 1 | - | 1 | 1 | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | 1 | - | 1 | 1 | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 2 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 2 | - | 3 | 2 | 2 | - | - | 1 | - | - |
| Male | 1 | - | 1 | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | 1 | 1 | - | 3 | 1 | 1 | - | - | 1 | - | - |
| White, both sexes | 1 | 1 | 2 | - | 3 | 2 | 2 | - | - | 1 | - | - |
| Male | 1 | - | 1 | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | 1 | 1 | - | 3 | 1 | 1 | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | 1 | 2 | - | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | 2 | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 2 | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | 2 | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 2 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 1 | 1 | 3 | - | - | - | - | - | - | - |
| Male | 1 | 2 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | 1 | 3 | - | - | - | - | - | - | - |
| White, both sexes | 1 | 2 | 1 | 1 | 3 | - | - | - | - | - | - | - |
| Male | 1 | 2 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | 1 | 3 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 1 | 1 | - | 1 | - | 1 | 1 | - | - |
| Male | - | - | 1 | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | 1 | 1 | - | - |
| White, both sexes | - | - | 1 | 1 | 1 | - | 1 | - | 1 | 1 | - | - |
| Male | - | - | 1 | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | - | 2 | - | 2 | - | - | 3 | 1 | - | - | - | - |
| Male | - | 1 | - | 2 | - | - | 2 | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | 1 | 1 | - | - | - | - |
| White, both sexes | - | 2 | - | 1 | - | - | 3 | - | - | - | - | - |
| Male | - | 1 | - | 1 | - | - | 2 | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | - | - | - | 1 | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 3 | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | 3 | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | 2 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 2 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | 1 | 2 | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 2 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 2 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other parts of central nervous system (C70,C72) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | 2 | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 2 | 1 | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | 2 | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 2 | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 2,162 | 5 | 67 | 65 | 27 | 14 | 9 | 15 | 28 | 37 | 47 | 84 |
| Male | 967 | 4 | 39 | 41 | 16 | 8 | 4 | 9 | 18 | 18 | 26 | 40 |
| Female | 1,195 | 1 | 28 | 24 | 11 | 6 | 5 | 6 | 10 | 19 | 21 | 44 |
| White, both sexes | 1,834 | 4 | 51 | 51 | 18 | 8 | 8 | 11 | 25 | 30 | 42 | 66 |
| Male | 853 | 3 | 31 | 33 | 10 | 5 | 4 | 7 | 18 | 14 | 23 | 35 |
| Female | 981 | 1 | 20 | 18 | 8 | 3 | 4 | 4 | 7 | 16 | 19 | 31 |
| Black, both sexes | 239 | 1 | 13 | 12 | 9 | 4 | 1 | 2 | 3 | 5 | 3 | 15 |
| Male | 83 | 1 | 7 | 7 | 6 | 1 | - | 1 | - | 3 | 3 | 4 |
| Female | 156 | - | 6 | 5 | 3 | 3 | 1 | 1 | 3 | 2 | - | 11 |
| American Indian 1/, both sexes | 6 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 83 | - | 3 | 2 | - | 2 | - | 1 | - | 2 | 2 | 3 |
| Male | 28 | - | 1 | 1 | - | 2 | - | - | - | 1 | - | 1 |
| Female | 55 | - | 2 | 1 | - | - | - | 1 | - | 1 | 2 | 2 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 30 | - | 1 | 1 | - | - | 1 | - | - | - | - | 1 |
| Male | 16 | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | 14 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| White, both sexes | 26 | - | 1 | 1 | - | - | 1 | - | - | - | - | 1 |
| Male | 16 | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 55 | - | - | 1 | - | - | - | - | 1 | - | 2 | 6 |
| Male | 24 | - | - | - | - | - | - | - | - | - | 2 | 4 |
| Female | 31 | - | - | 1 | - | - | - | - | 1 | - | - | 2 |
| White, both sexes | 54 | - | - | 1 | - | - | - | - | 1 | - | 2 | 6 |
| Male | 24 | - | - | - | - | - | - | - | - | - | 2 | 4 |
| Female | 30 | - | - | 1 | - | - | - | - | 1 | - | - | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 23 | - | - | 1 | - | - | - | - | 1 | - | - | 1 |
| Male | 11 | - | - | 1 | - | - | - | - | 1 | - | - | 1 |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 17 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 9 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 6 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 234 | - | 7 | 7 | 1 | 1 | - | 1 | 5 | 6 | 7 | 3 |
| Male | 97 | - | 2 | 4 | 1 | 1 | - | 1 | 3 | 3 | 2 | 1 |
| Female | 137 | - | 5 | 3 | - | - | - | - | 2 | 3 | 5 | 2 |
| White, both sexes | 186 | - | 5 | 7 | 1 | - | - | 1 | 5 | 5 | 5 | 3 |
| Male | 81 | - | 1 | 4 | 1 | - | - | 1 | 3 | 3 | 2 | 1 |
| Female | 105 | - | 4 | 3 | - | - | - | - | 2 | 2 | 3 | 2 |
| Black, both sexes | 12 | - | 1 | - | - | - | - | - | - | 1 | - | - |
| Male | 6 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 36 | - | 1 | - | - | 1 | - | - | - | - | 2 | - |
| Male | 10 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 26 | - | 1 | - | - | - | - | - | - | - | 2 | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 33 | - | 3 | - | - | - | - | - | 1 | 1 | - | 2 |
| Male | 17 | - | 2 | - | - | - | - | - | 1 | 1 | - | 1 |
| Female | 16 | - | 1 | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 31 | - | 3 | - | - | - | - | - | 1 | 1 | - | 1 |
| Male | 16 | - | 2 | - | - | - | - | - | 1 | 1 | - | - |
| Female | 15 | - | 1 | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 34 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| Male | 18 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 29 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| Male | 17 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 125 | - | 5 | 2 | 1 | 2 | - | - | 3 | 1 | 4 | 1 |
| Male | 63 | - | 4 | 1 | 1 | 1 | - | - | 2 | 1 | 3 | - |
| Female | 62 | - | 1 | 1 | - | 1 | - | - | 1 | - | 1 | 1 |
| White, both sexes | 112 | - | 3 | 1 | 1 | 1 | - | - | 2 | 1 | 4 | - |
| Male | 58 | - | 2 | 1 | 1 | - | - | - | 2 | 1 | 3 | - |
| Female | 54 | - | 1 | - | - | 1 | - | - | - | - | 1 | - |
| Black, both sexes | 13 | - | 2 | 1 | - | 1 | - | - | 1 | - | - | 1 |
| Male | 5 | - | 2 | - | - | 1 | - | - | - | - | - | - |
| Female | 8 | - | - | 1 | - | - | - | - | 1 | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 43 | - | 2 | 5 | 1 | - | - | - | 1 | 2 | 2 | 3 |
| Male | 14 | - | - | 2 | 1 | - | - | - | 1 | - | 1 | 1 |
| Female | 29 | - | 2 | 3 | - | - | - | - | - | 2 | 1 | 2 |
| White, both sexes | 28 | - | 1 | 3 | 1 | - | - | - | 1 | 2 | 1 | 2 |
| Male | 11 | - | - | 1 | 1 | - | - | - | 1 | - | - | 1 |
| Female | 17 | - | 1 | 2 | - | - | - | - | - | 2 | 1 | 1 |
| Black, both sexes | 14 | - | - | 2 | - | - | - | - | - | - | 1 | 1 |
| Male | 3 | - | - | 1 | - | - | - | - | - | - | 1 | - |
| Female | 11 | - | - | 1 | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 14 | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | 5 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 9 | - | - | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 11 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | 1 | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | - | - | 1 | - | 1 | - | 1 |
| Male | 4 | - | - | - | - | - | - | 1 | - | 1 | - | 1 |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 11 | - | - | - | - | - | - | 1 | - | 1 | - | 1 |
| Male | 4 | - | - | - | - | - | - | 1 | - | 1 | - | 1 |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 99 | 1 | 6 | 4 | - | - | - | - | 1 | - | 2 | 4 |
| Male | 45 | 1 | 4 | 3 | - | - | - | - | - | - | 1 | 2 |
| Female | 54 | - | 2 | 1 | - | - | - | - | 1 | - | 1 | 2 |
| White, both sexes | 88 | 1 | 4 | 3 | - | - | - | - | 1 | - | 2 | 2 |
| Male | 39 | 1 | 3 | 2 | - | - | - | - | - | - | 1 | 1 |
| Female | 49 | - | 1 | 1 | - | - | - | - | 1 | - | 1 | 1 |
| Black, both sexes | 9 | - | 2 | - | - | - | - | - | - | - | - | 2 |
| Male | 4 | - | 1 | - | - | - | - | - | - | - | - | 1 |
| Female | 5 | - | 1 | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 38 | - | 1 | - | - | - | - | - | 1 | 1 | 1 | 1 |
| Male | 20 | - | 1 | - | - | - | - | - | 1 | 1 | 1 | 1 |
| Female | 18 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 34 | - | 1 | - | - | - | - | - | 1 | - | - | 1 |
| Male | 17 | - | 1 | - | - | - | - | - | 1 | - | - | 1 |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | 3 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 24 | 1 | 2 | 1 | - | - | - | - | - | - | 1 | 1 |
| Male | 10 | 1 | 2 | 1 | - | - | - | - | - | - | - | - |
| Female | 14 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| White, both sexes | 24 | 1 | 2 | 1 | - | - | - | - | - | - | 1 | 1 |
| Male | 10 | 1 | 2 | 1 | - | - | - | - | - | - | - | - |
| Female | 14 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 25 | - | - | - | 1 | - | - | - | - | 1 | 1 | 1 |
| Male | 9 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 16 | - | - | - | 1 | - | - | - | - | - | 1 | 1 |
| White, both sexes | 23 | - | - | - | 1 | - | - | - | - | - | 1 | 1 |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 15 | - | - | - | 1 | - | - | - | - | - | 1 | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 35 | - | 1 | - | - | - | - | 1 | 2 | - | - | 3 |
| Male | 15 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Female | 20 | - | 1 | - | - | - | - | - | 1 | - | - | 3 |
| White, both sexes | 33 | - | 1 | - | - | - | - | 1 | 2 | - | - | 3 |
| Male | 15 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Female | 18 | - | 1 | - | - | - | - | - | 1 | - | - | 3 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 28 | - | 1 | - | 1 | - | - | 1 | - | - | - | - |
| Male | 13 | - | 1 | - | 1 | - | - | 1 | - | - | - | - |
| Female | 15 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 22 | - | 1 | - | 1 | - | - | 1 | - | - | - | - |
| Male | 13 | - | 1 | - | 1 | - | - | 1 | - | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 50 | - | 1 | 1 | 1 | 1 | - | - | - | 1 | - | 1 |
| Male | 21 | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | 29 | - | 1 | - | - | - | - | - | - | 1 | - | 1 |
| White, both sexes | 37 | - | - | 1 | 1 | 1 | - | - | - | 1 | - | - |
| Male | 17 | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | 20 | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | 10 | - | 1 | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | 1 | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 40 | - | 3 | 3 | - | - | - | 1 | - | - | 2 | - |
| Male | 17 | - | 3 | 2 | - | - | - | - | - | - | 1 | - |
| Female | 23 | - | - | 1 | - | - | - | 1 | - | - | 1 | - |
| White, both sexes | 38 | - | 3 | 3 | - | - | - | - | - | - | 2 | - |
| Male | 17 | - | 3 | 2 | - | - | - | - | - | - | 1 | - |
| Female | 21 | - | - | 1 | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 88 | - | 4 | 3 | 2 | - | - | 1 | - | 1 | 2 | 4 |
| Male | 43 | - | 3 | 1 | 2 | - | - | 1 | - | 1 | - | 2 |
| Female | 45 | - | 1 | 2 | - | - | - | - | - | - | 2 | 2 |
| White, both sexes | 78 | - | 4 | 2 | 1 | - | - | 1 | - | - | 2 | 4 |
| Male | 38 | - | 3 | - | 1 | - | - | 1 | - | - | - | 2 |
| Female | 40 | - | 1 | 2 | - | - | - | - | - | - | 2 | 2 |
| Black, both sexes | 9 | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | 4 | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 39 | - | - | - | 1 | - | - | - | - | - | 2 | 2 |
| Male | 14 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 25 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| White, both sexes | 37 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Male | 14 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 23 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 21 | - | - | 1 | - | 1 | - | 1 | - | - | - | 1 |
| Male | 11 | - | - | 1 | - | 1 | - | 1 | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 14 | - | - | 1 | - | 1 | - | 1 | - | - | - | - |
| Male | 7 | - | - | 1 | - | 1 | - | 1 | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 47 | - | 1 | - | - | - | 1 | 2 | - | 1 | 2 | 2 |
| Male | 19 | - | - | - | - | - | 1 | 1 | - | - | 1 | - |
| Female | 28 | - | 1 | - | - | - | - | 1 | - | 1 | 1 | 2 |
| White, both sexes | 43 | - | 1 | - | - | - | 1 | 1 | - | 1 | 2 | 2 |
| Male | 16 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Female | 27 | - | 1 | - | - | - | - | 1 | - | 1 | 1 | 2 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 11 | - | 1 | 1 | - | 2 | - | - | - | 2 | - | - |
| Male | 4 | - | - | - | - | 2 | - | - | - | 1 | - | - |
| Female | 7 | - | 1 | 1 | - | - | - | - | - | 1 | - | - |
| White, both sexes | 11 | - | 1 | 1 | - | 2 | - | - | - | 2 | - | - |
| Male | 4 | - | - | - | - | 2 | - | - | - | 1 | - | - |
| Female | 7 | - | 1 | 1 | - | - | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 16 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 59 | 1 | 1 | 1 | 5 | - | 1 | 1 | - | - | - | 7 |
| Male | 22 | - | 1 | 1 | 3 | - | - | - | - | - | - | 4 |
| Female | 37 | 1 | - | - | 2 | - | 1 | 1 | - | - | - | 3 |
| White, both sexes | 48 | 1 | 1 | 1 | 4 | - | - | - | - | - | - | 6 |
| Male | 19 | - | 1 | 1 | 2 | - | - | - | - | - | - | 4 |
| Female | 29 | 1 | - | - | 2 | - | - | - | - | - | - | 2 |
| Black, both sexes | 9 | - | - | - | 1 | - | 1 | 1 | - | - | - | 1 |
| Male | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | 1 | 1 | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 16 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 11 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| White, both sexes | 15 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 156 | 1 | 5 | 6 | 1 | 1 | - | - | 3 | 1 | 3 | 7 |
| Male | 75 | 1 | 2 | 6 | - | - | - | - | 2 | 1 | 1 | 4 |
| Female | 81 | - | 3 | - | 1 | 1 | - | - | 1 | - | 2 | 3 |
| White, both sexes | 120 | 1 | 2 | 5 | 1 | - | - | - | 2 | 1 | 3 | 4 |
| Male | 61 | 1 | 1 | 5 | - | - | - | - | 2 | 1 | 1 | 2 |
| Female | 59 | - | 1 | - | 1 | - | - | - | - | - | 2 | 2 |
| Black, both sexes | 31 | - | 3 | 1 | - | 1 | - | - | 1 | - | - | 3 |
| Male | 13 | - | 1 | 1 | - | - | - | - | - | - | - | 2 |
| Female | 18 | - | 2 | - | - | 1 | - | - | 1 | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 50 | - | 1 | 1 | 1 | - | - | 1 | - | 1 | - | 2 |
| Male | 32 | - | 1 | 1 | 1 | - | - | 1 | - | 1 | - | 1 |
| Female | 18 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 40 | - | 1 | 1 | - | - | - | 1 | - | 1 | - | 1 |
| Male | 27 | - | 1 | 1 | - | - | - | 1 | - | 1 | - | 1 |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 9 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| Male | 4 | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 97 | - | 3 | 2 | - | 2 | - | - | 2 | 2 | 3 | 3 |
| Male | 42 | - | 3 | 1 | - | - | - | - | 2 | 1 | 2 | 1 |
| Female | 55 | - | - | 1 | - | 2 | - | - | - | 1 | 1 | 2 |
| White, both sexes | 86 | - | 2 | 2 | - | 1 | - | - | 2 | 2 | 3 | 2 |
| Male | 39 | - | 2 | 1 | - | - | - | - | 2 | 1 | 2 | - |
| Female | 47 | - | - | 1 | - | 1 | - | - | - | 1 | 1 | 2 |
| Black, both sexes | 10 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 8 | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 23 | - | 1 | 1 | - | - | - | - | - | - | 2 | - |
| Male | 10 | - | 1 | 1 | - | - | - | - | - | - | 2 | - |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 17 | - | 1 | - | - | - | - | - | - | - | 2 | - |
| Male | 8 | - | 1 | - | - | - | - | - | - | - | 2 | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 5 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 22 | - | 1 | 2 | - | - | - | - | 1 | - | 1 | 3 |
| Male | 12 | - | - | 2 | - | - | - | - | 1 | - | 1 | 1 |
| Female | 10 | - | 1 | - | - | - | - | - | - | - | - | 2 |
| White, both sexes | 21 | - | 1 | 2 | - | - | - | - | 1 | - | 1 | 2 |
| Male | 12 | - | - | 2 | - | - | - | - | 1 | - | 1 | 1 |
| Female | 9 | - | 1 | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 116 | - | 3 | 2 | 2 | - | 3 | - | - | 6 | 1 | 3 |
| Male | 44 | - | 1 | 2 | 1 | - | 1 | - | - | 2 | 1 | 2 |
| Female | 72 | - | 2 | - | 1 | - | 2 | - | - | 4 | - | 1 |
| White, both sexes | 106 | - | 2 | 2 | 1 | - | 3 | - | - | 6 | 1 | 2 |
| Male | 43 | - | 1 | 2 | 1 | - | 1 | - | - | 2 | 1 | 2 |
| Female | 63 | - | 1 | - | - | - | 2 | - | - | 4 | - | - |
| Black, both sexes | 9 | - | 1 | - | 1 | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | 1 | - | 1 | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 31 | - | - | 4 | 1 | 1 | - | 1 | 1 | - | 1 | - |
| Male | 20 | - | - | 3 | 1 | - | - | - | 1 | - | - | - |
| Female | 11 | - | - | 1 | - | 1 | - | 1 | - | - | 1 | - |
| White, both sexes | 23 | - | - | 2 | 1 | - | - | 1 | 1 | - | 1 | - |
| Male | 17 | - | - | 2 | 1 | - | - | - | 1 | - | - | - |
| Female | 6 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Black, both sexes | 8 | - | - | 2 | - | 1 | - | - | - | - | - | - |
| Male | 3 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | 1 | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 51 | - | - | 1 | 3 | - | - | - | - | - | 2 | 2 |
| Male | 25 | - | - | 1 | 1 | - | - | - | - | - | 1 | 1 |
| Female | 26 | - | - | - | 2 | - | - | - | - | - | 1 | 1 |
| White, both sexes | 41 | - | - | 1 | 2 | - | - | - | - | - | 2 | 2 |
| Male | 20 | - | - | 1 | - | - | - | - | - | - | 1 | 1 |
| Female | 21 | - | - | - | 2 | - | - | - | - | - | 1 | 1 |
| Black, both sexes | 9 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 160 | 1 | 6 | 6 | 3 | 2 | 1 | 1 | 1 | 3 | 2 | 8 |
| Male | 73 | 1 | 2 | 3 | 1 | 1 | - | - | 1 | 2 | 2 | 3 |
| Female | 87 | - | 4 | 3 | 2 | 1 | 1 | 1 | - | 1 | - | 5 |
| White, both sexes | 138 | - | 5 | 4 | 2 | 2 | 1 | 1 | 1 | 2 | 1 | 6 |
| Male | 65 | - | 2 | 2 | - | 1 | - | - | 1 | 1 | 1 | 3 |
| Female | 73 | - | 3 | 2 | 2 | 1 | 1 | 1 | - | 1 | - | 3 |
| Black, both sexes | 19 | 1 | 1 | 2 | 1 | - | - | - | - | 1 | 1 | 2 |
| Male | 7 | 1 | - | 1 | 1 | - | - | - | - | 1 | 1 | - |
| Female | 12 | - | 1 | 1 | - | - | - | - | - | - | - | 2 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 11 | - | 1 | 1 | - | 1 | - | - | - | - | - | 1 |
| Male | 6 | - | 1 | 1 | - | 1 | - | - | - | - | - | 1 |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 10 | - | 1 | 1 | - | - | - | - | - | - | - | 1 |
| Male | 5 | - | 1 | 1 | - | - | - | - | - | - | - | 1 |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | 2 | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | 2 | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 55 | - | 2 | 1 | 1 | - | 1 | 1 | 3 | 2 | 2 | 2 |
| Male | 23 | - | 1 | - | 1 | - | 1 | 1 | 1 | - | 2 | 1 |
| Female | 32 | - | 1 | 1 | - | - | - | - | 2 | 2 | - | 1 |
| White, both sexes | 42 | - | 2 | - | - | - | 1 | - | 2 | 1 | 2 | 2 |
| Male | 21 | - | 1 | - | - | - | 1 | - | 1 | - | 2 | 1 |
| Female | 21 | - | 1 | - | - | - | - | - | 1 | 1 | - | 1 |
| Black, both sexes | 11 | - | - | 1 | 1 | - | - | 1 | 1 | - | - | - |
| Male | 2 | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | 9 | - | - | 1 | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | 1 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 42 | - | 1 | 1 | - | - | - | - | - | 1 | - | 2 |
| Male | 13 | - | 1 | - | - | - | - | - | - | - | - | 1 |
| Female | 29 | - | - | 1 | - | - | - | - | - | 1 | - | 1 |
| White, both sexes | 36 | - | - | 1 | - | - | - | - | - | 1 | - | 1 |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 25 | - | - | 1 | - | - | - | - | - | 1 | - | - |
| Black, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 15 | - | 1 | - | - | - | - | - | - | 1 | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 8 | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | 14 | - | 1 | - | - | - | - | - | - | 1 | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 8 | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 38 | - | 1 | 1 | 1 | - | - | 1 | - | 1 | 1 | 3 |
| Male | 14 | - | 1 | - | - | - | - | - | - | - | 1 | 2 |
| Female | 24 | - | - | 1 | 1 | - | - | 1 | - | 1 | - | 1 |
| White, both sexes | 36 | - | 1 | 1 | - | - | - | 1 | - | 1 | 1 | 3 |
| Male | 13 | - | 1 | - | - | - | - | - | - | - | 1 | 2 |
| Female | 23 | - | - | 1 | - | - | - | 1 | - | 1 | - | 1 |
| Black, both sexes | 2 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 137 | 169 | 185 | 214 | 244 | 256 | 272 | 158 | 93 | 31 | 4 | 1 |
| Male | 73 | 90 | 83 | 86 | 120 | 88 | 117 | 57 | 28 | 1 | 1 | - |
| Female | 64 | 79 | 102 | 128 | 124 | 168 | 155 | 101 | 65 | 30 | 3 | 1 |
| White, both sexes | 112 | 139 | 156 | 184 | 212 | 220 | 250 | 138 | 82 | 24 | 3 | - |
| Male | 61 | 78 | 76 | 77 | 109 | 78 | 108 | 56 | 25 | 1 | 1 | - |
| Female | 51 | 61 | 80 | 107 | 103 | 142 | 142 | 82 | 57 | 23 | 2 | - |
| Black, both sexes | 17 | 21 | 23 | 22 | 21 | 23 | 15 | 14 | 7 | 6 | 1 | 1 |
| Male | 8 | 8 | 7 | 6 | 6 | 7 | 6 | 1 | 1 | - | - | - |
| Female | 9 | 13 | 16 | 16 | 15 | 16 | 9 | 13 | 6 | 6 | 1 | 1 |
| American Indian 1/, both sexes | - | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | 8 | 5 | 7 | 10 | 12 | 7 | 6 | 4 | 1 | - | - |
| Male | 4 | 4 | - | 2 | 5 | 2 | 3 | - | 2 | - | - | - |
| Female | 4 | 4 | 5 | 5 | 5 | 10 | 4 | 6 | 2 | 1 | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 3 | 3 | 3 | 4 | 5 | 2 | 2 | 1 | - | - |
| Male | - | - | 2 | 3 | 2 | 2 | 2 | 1 | 1 | 1 | - | - |
| Female | 2 | 1 | 1 | - | 1 | 2 | 3 | 1 | 1 | - | - | - |
| White, both sexes | 2 | - | 2 | 3 | 2 | 4 | 5 | 1 | 2 | 1 | - | - |
| Male | - | - | 2 | 3 | 2 | 2 | 2 | 1 | 1 | 1 | - | - |
| Female | 2 | - | - | - | - | 2 | 3 | - | 1 | - | - | - |
| Black, both sexes | - | 1 | 1 | - | 1 | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | 1 | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | - | 3 | 9 | 7 | 8 | 4 | 5 | 4 | 3 | 1 | 1 | - |
| Male | - | 2 | 2 | 3 | 5 | - | 3 | 1 | 1 | - | 1 | - |
| Female | - | 1 | 7 | 4 | 3 | 4 | 2 | 3 | 2 | 1 | - | - |
| White, both sexes | - | 3 | 8 | 7 | 8 | 4 | 5 | 4 | 3 | 1 | 1 | - |
| Male | - | 2 | 2 | 3 | 5 | - | 3 | 1 | 1 | - | 1 | - |
| Female | - | 1 | 6 | 4 | 3 | 4 | 2 | 3 | 2 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | 3 | 3 | 3 | 4 | 2 | 3 | 1 | - | 1 | - | - |
| Male | - | 1 | 1 | 1 | 1 | 2 | 1 | 1 | - | - | - | - |
| Female | - | 2 | 2 | 2 | 3 | - | 2 | - | - | 1 | - | - |
| White, both sexes | - | 3 | 1 | 3 | 4 | 1 | 2 | 1 | - | - | - | - |
| Male | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | - | - | - |
| Female | - | 2 | - | 2 | 3 | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | 2 | - | - | 1 | 1 | - | - | 1 | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | 2 | - | - | - | 1 | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 10 | 24 | 12 | 32 | 26 | 27 | 32 | 17 | 12 | 3 | 1 | - |
| Male | 8 | 13 | 6 | 13 | 12 | 5 | 12 | 5 | 5 | - | - | - |
| Female | 2 | 11 | 6 | 19 | 14 | 22 | 20 | 12 | 7 | 3 | 1 | - |
| White, both sexes | 7 | 20 | 9 | 26 | 20 | 19 | 27 | 13 | 9 | 3 | 1 | - |
| Male | 6 | 11 | 6 | 11 | 9 | 4 | 10 | 5 | 3 | - | - | - |
| Female | 1 | 9 | 3 | 15 | 11 | 15 | 17 | 8 | 6 | 3 | 1 | - |
| Black, both sexes | 1 | 1 | 1 | 2 | 2 | 1 | 1 | - | 1 | - | - | - |
| Male | 1 | 1 | - | 1 | 1 | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | 1 | 1 | 1 | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 3 | 2 | 4 | 4 | 7 | 4 | 4 | 2 | - | - | - |
| Male | 1 | 1 | - | 1 | 2 | 1 | 1 | - | 2 | - | - | - |
| Female | 1 | 2 | 2 | 3 | 2 | 6 | 3 | 4 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 3 | 6 | 5 | 2 | 1 | 5 | 3 | - | - | 1 | - | - |
| Male | 3 | 4 | 2 | 1 | - | 1 | 1 | - | - | - | - | - |
| Female | - | 2 | 3 | 1 | 1 | 4 | 2 | - | - | 1 | - | - |
| White, both sexes | 3 | 6 | 5 | 2 | 1 | 5 | 2 | - | - | 1 | - | - |
| Male | 3 | 4 | 2 | 1 | - | 1 | 1 | - | - | - | - | - |
| Female | - | 2 | 3 | 1 | 1 | 4 | 1 | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 4 | 4 | 2 | 4 | 9 | 4 | - | - | - | - |
| Male | 2 | 2 | 3 | 1 | 1 | 2 | 5 | - | - | - | - | - |
| Female | - | 1 | 1 | 3 | 1 | 2 | 4 | 4 | - | - | - | - |
| White, both sexes | 2 | 3 | 2 | 3 | 2 | 3 | 9 | 3 | - | - | - | - |
| Male | 2 | 2 | 2 | 1 | 1 | 2 | 5 | - | - | - | - | - |
| Female | - | 1 | - | 2 | 1 | 1 | 4 | 3 | - | - | - | - |
| Black, both sexes | - | - | 2 | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | 1 | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | 2 | - | 2 | 1 | 1 | 1 | - | - | - | - | - |
| Male | - | 1 | - | 2 | 1 | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| White, both sexes | - | 1 | - | 1 | 1 | 1 | 1 | - | - | - | - | - |
| Male | - | 1 | - | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 1 | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | 1 | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 6 | 15 | 4 | 13 | 20 | 19 | 13 | 9 | 6 | 1 | - | - |
| Male | 3 | 9 | 3 | 5 | 10 | 7 | 7 | 4 | 2 | - | - | - |
| Female | 3 | 6 | 1 | 8 | 10 | 12 | 6 | 5 | 4 | 1 | - | - |
| White, both sexes | 5 | 13 | 4 | 12 | 19 | 18 | 12 | 9 | 6 | 1 | - | - |
| Male | 3 | 7 | 3 | 5 | 10 | 7 | 7 | 4 | 2 | - | - | - |
| Female | 2 | 6 | 1 | 7 | 9 | 11 | 5 | 5 | 4 | 1 | - | - |
| Black, both sexes | 1 | 2 | - | 1 | 1 | 1 | 1 | - | - | - | - | - |
| Male | - | 2 | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | 1 | 1 | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 1 | 4 | 6 | 1 | 1 | 8 | 1 | 1 | - | - |
| Male | 1 | 1 | - | 1 | 2 | - | - | 2 | 1 | - | - | - |
| Female | 1 | 1 | 1 | 3 | 4 | 1 | 1 | 6 | - | 1 | - | - |
| White, both sexes | 1 | 1 | 1 | 2 | 4 | 1 | 1 | 5 | 1 | - | - | - |
| Male | - | 1 | - | 1 | 2 | - | - | 2 | 1 | - | - | - |
| Female | 1 | - | 1 | 1 | 2 | 1 | 1 | 3 | - | - | - | - |
| Black, both sexes | 1 | 1 | - | 2 | 2 | - | - | 3 | - | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | 2 | 2 | - | - | 3 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 3 | 2 | 1 | - | 1 | 2 | 2 | - | 1 | - | - | - |
| Male | 2 | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Female | 1 | 1 | 1 | - | 1 | 2 | 1 | - | 1 | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 2 | 1 | - | 1 | 2 | 2 | - | - | - | - | - |
| Male | 1 | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Female | 1 | 1 | 1 | - | 1 | 2 | 1 | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | 1 | 3 | 1 | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | 2 | 1 | 1 | 1 | - | - | - |
| White, both sexes | - | - | 1 | - | 1 | 3 | 1 | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | 2 | 1 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 4 | 11 | 8 | 6 | 12 | 14 | 12 | 8 | 3 | 2 | 1 | - |
| Male | 1 | 5 | 3 | 4 | 6 | 4 | 5 | 4 | 2 | - | - | - |
| Female | 3 | 6 | 5 | 2 | 6 | 10 | 7 | 4 | 1 | 2 | 1 | - |
| White, both sexes | 4 | 10 | 8 | 5 | 11 | 12 | 12 | 8 | 2 | 2 | 1 | - |
| Male | 1 | 4 | 3 | 4 | 6 | 3 | 5 | 4 | 1 | - | - | - |
| Female | 3 | 6 | 5 | 1 | 5 | 9 | 7 | 4 | 1 | 2 | 1 | - |
| Black, both sexes | - | - | - | 1 | 1 | 2 | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Female | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 3 | 4 | 2 | 7 | 2 | 3 | 10 | - | 2 | - | - | - |
| Male | 1 | 4 | - | 4 | 1 | 2 | 3 | - | - | - | - | - |
| Female | 2 | - | 2 | 3 | 1 | 1 | 7 | - | 2 | - | - | - |
| White, both sexes | 3 | 4 | 2 | 6 | 2 | 2 | 10 | - | 2 | - | - | - |
| Male | 1 | 4 | - | 4 | 1 | 1 | 3 | - | - | - | - | - |
| Female | 2 | - | 2 | 2 | 1 | 1 | 7 | - | 2 | - | - | - |
| Black, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 1 | 1 | - | 2 | 6 | 4 | 2 | - | - | - |
| Male | - | 2 | - | - | - | - | 4 | - | - | - | - | - |
| Female | - | - | 1 | 1 | - | 2 | 2 | 4 | 2 | - | - | - |
| White, both sexes | - | 2 | 1 | 1 | - | 2 | 6 | 4 | 2 | - | - | - |
| Male | - | 2 | - | - | - | - | 4 | - | - | - | - | - |
| Female | - | - | 1 | 1 | - | 2 | 2 | 4 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 4 | 2 | 3 | 4 | 4 | - | 2 | - | - | - |
| Male | - | - | 1 | 2 | 2 | 1 | 2 | - | - | - | - | - |
| Female | 1 | 1 | 3 | - | 1 | 3 | 2 | - | 2 | - | - | - |
| White, both sexes | 1 | 1 | 4 | 2 | 3 | 4 | 4 | - | 1 | - | - | - |
| Male | - | - | 1 | 2 | 2 | 1 | 2 | - | - | - | - | - |
| Female | 1 | 1 | 3 | - | 1 | 3 | 2 | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 5 | 2 | 5 | 2 | 7 | 2 | 2 | - | - | - |
| Male | 2 | - | 4 | 1 | 2 | 1 | 3 | - | - | - | - | - |
| Female | - | 1 | 1 | 1 | 3 | 1 | 4 | 2 | 2 | - | - | - |
| White, both sexes | 2 | 1 | 5 | 2 | 5 | 2 | 6 | 1 | 2 | - | - | - |
| Male | 2 | - | 4 | 1 | 2 | 1 | 3 | - | - | - | - | - |
| Female | - | 1 | 1 | 1 | 3 | 1 | 3 | 1 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 5 | - | 3 | 5 | 2 | 5 | 1 | - | - | - |
| Male | 1 | 2 | 2 | - | 1 | 1 | 1 | 2 | - | - | - | - |
| Female | 1 | - | 3 | - | 2 | 4 | 1 | 3 | 1 | - | - | - |
| White, both sexes | 2 | 2 | 3 | - | 2 | 3 | 2 | 4 | 1 | - | - | - |
| Male | 1 | 2 | 2 | - | 1 | 1 | 1 | 2 | - | - | - | - |
| Female | 1 | - | 1 | - | 1 | 2 | 1 | 2 | 1 | - | - | - |
| Black, both sexes | - | - | 2 | - | 1 | 2 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 2 | - | 1 | 2 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 2 | 2 | 4 | 2 | - | - | - | - |
| Male | - | - | - | - | - | - | 3 | 2 | - | - | - | - |
| Female | - | - | - | - | 2 | 2 | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | 2 | 2 | 4 | 2 | - | - | - | - |
| Male | - | - | - | - | - | - | 3 | 2 | - | - | - | - |
| Female | - | - | - | - | 2 | 2 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 2 | 4 | 6 | 5 | 6 | 8 | 1 | 5 | 4 | 3 | - | - |
| Male | 2 | 3 | 3 | 2 | 3 | 3 | - | 2 | - | - | - | - |
| Female | - | 1 | 3 | 3 | 3 | 5 | 1 | 3 | 4 | 3 | - | - |
| White, both sexes | 2 | 3 | 5 | 3 | 5 | 6 | 1 | 4 | 1 | 3 | - | - |
| Male | 2 | 3 | 2 | 1 | 2 | 2 | - | 2 | - | - | - | - |
| Female | - | - | 3 | 2 | 3 | 4 | 1 | 2 | 1 | 3 | - | - |
| Black, both sexes | - | 1 | 1 | 1 | - | 1 | - | 1 | 3 | - | - | - |
| Male | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | - | - | - | 1 | 3 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 3 | 1 | 4 | 5 | 3 | 6 | 5 | 1 | 2 | - | 1 | - |
| Male | 2 | 1 | 1 | - | 1 | 5 | 1 | - | - | - | - | - |
| Female | 1 | - | 3 | 5 | 2 | 1 | 4 | 1 | 2 | - | 1 | - |
| White, both sexes | 3 | 1 | 4 | 5 | 3 | 6 | 5 | 1 | 2 | - | - | - |
| Male | 2 | 1 | 1 | - | 1 | 5 | 1 | - | - | - | - | - |
| Female | 1 | - | 3 | 5 | 2 | 1 | 4 | 1 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 9 | 3 | 5 | 10 | 10 | 7 | 12 | 6 | 7 | 2 | - | - |
| Male | 5 | 2 | 3 | 2 | 6 | 4 | 7 | 3 | 1 | - | - | - |
| Female | 4 | 1 | 2 | 8 | 4 | 3 | 5 | 3 | 6 | 2 | - | - |
| White, both sexes | 7 | 2 | 4 | 9 | 10 | 7 | 11 | 6 | 7 | 1 | - | - |
| Male | 4 | 2 | 2 | 2 | 6 | 4 | 7 | 3 | 1 | - | - | - |
| Female | 3 | - | 2 | 7 | 4 | 3 | 4 | 3 | 6 | 1 | - | - |
| Black, both sexes | 2 | 1 | 1 | 1 | - | - | 1 | - | - | 1 | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | 1 | - | - | 1 | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 3 | 1 | 2 | 5 | 5 | 6 | 4 | 6 | - | 2 | - | - |
| Male | 1 | - | 1 | 2 | 3 | 3 | 1 | - | - | - | - | - |
| Female | 2 | 1 | 1 | 3 | 2 | 3 | 3 | 6 | - | 2 | - | - |
| White, both sexes | 3 | 1 | 2 | 5 | 5 | 5 | 4 | 6 | - | 2 | - | - |
| Male | 1 | - | 1 | 2 | 3 | 3 | 1 | - | - | - | - | - |
| Female | 2 | 1 | 1 | 3 | 2 | 2 | 3 | 6 | - | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 4 | 2 | 3 | 1 | 4 | 1 | - | - | - | - |
| Male | - | - | 3 | 1 | 1 | - | 2 | 1 | - | - | - | - |
| Female | 1 | 1 | 1 | 1 | 2 | 1 | 2 | - | - | - | - | - |
| White, both sexes | - | 1 | 3 | 2 | 1 | 1 | 2 | 1 | - | - | - | - |
| Male | - | - | 2 | 1 | - | - | - | 1 | - | - | - | - |
| Female | - | 1 | 1 | 1 | 1 | 1 | 2 | - | - | - | - | - |
| Black, both sexes | - | - | 1 | - | 2 | - | 2 | - | - | - | - | - |
| Male | - | - | 1 | - | 1 | - | 2 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 4 | 3 | 6 | 6 | 6 | 2 | 5 | 4 | 1 | - | - | 1 |
| Male | 1 | 1 | 3 | 3 | 2 | 2 | 3 | 1 | - | - | - | - |
| Female | 3 | 2 | 3 | 3 | 4 | - | 2 | 3 | 1 | - | - | 1 |
| White, both sexes | 4 | 3 | 6 | 5 | 6 | 1 | 5 | 4 | 1 | - | - | - |
| Male | 1 | 1 | 3 | 2 | 2 | 1 | 3 | 1 | - | - | - | - |
| Female | 3 | 2 | 3 | 3 | 4 | - | 2 | 3 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | 1 | 1 | 2 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | 2 | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | 1 | 1 | 2 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | 2 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | 1 | - | 1 | 2 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | 1 | 2 | - | - | - | - |
| White, both sexes | 1 | - | - | - | 1 | - | 1 | 2 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | 1 | 2 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 5 | 3 | 2 | 1 | 3 | 1 | - | - | 1 | - | - | - |
| Male | 3 | 2 | 1 | - | 2 | - | - | - | - | - | - | - |
| Female | 2 | 1 | 1 | 1 | 1 | 1 | - | - | 1 | - | - | - |
| White, both sexes | 4 | 1 | 2 | 1 | 3 | 1 | - | - | 1 | - | - | - |
| Male | 3 | - | 1 | - | 2 | - | - | - | - | - | - | - |
| Female | 1 | 1 | 1 | 1 | 1 | 1 | - | - | 1 | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 2 | 2 | - | 1 | - | - | 1 | - | - | - |
| Male | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | 2 | 1 | - | 1 | - | - | 1 | - | - | - |
| White, both sexes | - | 1 | 2 | 2 | - | 1 | - | - | 1 | - | - | - |
| Male | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | 2 | 1 | - | 1 | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 3 | 1 | 5 | 1 | 5 | 11 | 9 | 5 | 1 | 1 | - | - |
| Male | 2 | - | 2 | - | 2 | 3 | 2 | 2 | - | - | - | - |
| Female | 1 | 1 | 3 | 1 | 3 | 8 | 7 | 3 | 1 | 1 | - | - |
| White, both sexes | 1 | 1 | 5 | 1 | 4 | 8 | 8 | 5 | 1 | 1 | - | - |
| Male | 1 | - | 2 | - | 2 | 3 | 1 | 2 | - | - | - | - |
| Female | - | 1 | 3 | 1 | 2 | 5 | 7 | 3 | 1 | 1 | - | - |
| Black, both sexes | 1 | - | - | - | 1 | 3 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | 3 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | 3 | 3 | 2 | 1 | 2 | - | 1 | - | - |
| Male | - | - | 1 | 1 | 1 | 1 | - | 1 | - | - | - | - |
| Female | 1 | - | - | 2 | 2 | 1 | 1 | 1 | - | 1 | - | - |
| White, both sexes | 1 | - | 1 | 2 | 3 | 2 | 1 | 2 | - | 1 | - | - |
| Male | - | - | 1 | 1 | 1 | 1 | - | 1 | - | - | - | - |
| Female | 1 | - | - | 1 | 2 | 1 | 1 | 1 | - | 1 | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 16 | 9 | 14 | 13 | 15 | 23 | 14 | 11 | 10 | 3 | - | - |
| Male | 11 | 5 | 8 | 6 | 5 | 6 | 6 | 7 | 4 | - | - | - |
| Female | 5 | 4 | 6 | 7 | 10 | 17 | 8 | 4 | 6 | 3 | - | - |
| White, both sexes | 10 | 5 | 12 | 9 | 12 | 20 | 12 | 11 | 9 | 1 | - | - |
| Male | 8 | 3 | 7 | 4 | 5 | 5 | 5 | 7 | 4 | - | - | - |
| Female | 2 | 2 | 5 | 5 | 7 | 15 | 7 | 4 | 5 | 1 | - | - |
| Black, both sexes | 5 | 4 | 2 | 3 | 2 | 3 | 2 | - | - | 1 | - | - |
| Male | 2 | 2 | 1 | 2 | - | 1 | 1 | - | - | - | - | - |
| Female | 3 | 2 | 1 | 1 | 2 | 2 | 1 | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 11 | 6 | 9 | 7 | 2 | 2 | 1 | 1 | - | - |
| Male | 1 | 2 | 7 | 3 | 7 | 4 | 1 | - | 1 | - | - | - |
| Female | 1 | - | 4 | 3 | 2 | 3 | 1 | 2 | - | 1 | - | - |
| White, both sexes | 2 | 2 | 9 | 5 | 7 | 6 | 2 | 1 | 1 | - | - | - |
| Male | 1 | 2 | 6 | 3 | 5 | 3 | 1 | - | 1 | - | - | - |
| Female | 1 | - | 3 | 2 | 2 | 3 | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | 2 | 1 | 2 | - | - | 1 | - | 1 | - | - |
| Male | - | - | 1 | - | 2 | - | - | - | - | - | - | - |
| Female | - | - | 1 | 1 | - | - | - | 1 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 9 | 9 | 8 | 7 | 10 | 11 | 14 | 6 | 5 | 1 | - | - |
| Male | 5 | 4 | 3 | 3 | 3 | 2 | 8 | 2 | 2 | - | - | - |
| Female | 4 | 5 | 5 | 4 | 7 | 9 | 6 | 4 | 3 | 1 | - | - |
| White, both sexes | 7 | 8 | 7 | 7 | 9 | 10 | 14 | 4 | 5 | 1 | - | - |
| Male | 4 | 4 | 3 | 3 | 3 | 2 | 8 | 2 | 2 | - | - | - |
| Female | 3 | 4 | 4 | 4 | 6 | 8 | 6 | 2 | 3 | 1 | - | - |
| Black, both sexes | 2 | 1 | 1 | - | 1 | 1 | - | 2 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | 1 | 1 | - | 1 | 1 | - | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | - | 4 | 1 | 6 | 3 | 3 | 2 | - | - | - | - | - |
| Male | - | - | - | 3 | 2 | 1 | - | - | - | - | - | - |
| Female | - | 4 | 1 | 3 | 1 | 2 | 2 | - | - | - | - | - |
| White, both sexes | - | 4 | 1 | 4 | 1 | 3 | 1 | - | - | - | - | - |
| Male | - | - | - | 3 | 1 | 1 | - | - | - | - | - | - |
| Female | - | 4 | 1 | 1 | - | 2 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | 2 | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | 2 | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 4 | 1 | 3 | 1 | 2 | 1 | 2 | - | - | - | - | - |
| Male | 2 | 1 | 2 | - | 1 | - | 1 | - | - | - | - | - |
| Female | 2 | - | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - |
| White, both sexes | 4 | 1 | 3 | 1 | 2 | 1 | 2 | - | - | - | - | - |
| Male | 2 | 1 | 2 | - | 1 | - | 1 | - | - | - | - | - |
| Female | 2 | - | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 9 | 5 | 6 | 10 | 11 | 17 | 24 | 11 | 2 | 1 | - | - |
| Male | 5 | 3 | 1 | 3 | 5 | 5 | 8 | 4 | - | - | - | - |
| Female | 4 | 2 | 5 | 7 | 6 | 12 | 16 | 7 | 2 | 1 | - | - |
| White, both sexes | 7 | 5 | 5 | 10 | 11 | 16 | 23 | 10 | 1 | 1 | - | - |
| Male | 4 | 3 | 1 | 3 | 5 | 5 | 8 | 4 | - | - | - | - |
| Female | 3 | 2 | 4 | 7 | 6 | 11 | 15 | 6 | 1 | 1 | - | - |
| Black, both sexes | 2 | - | 1 | - | - | 1 | 1 | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | 1 | - | - | 1 | 1 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 3 | 4 | 4 | 1 | 2 | 4 | 1 | - | - | - |
| Male | 1 | 1 | 1 | 4 | 3 | 1 | 1 | 2 | 1 | - | - | - |
| Female | - | 1 | 2 | - | 1 | - | 1 | 2 | - | - | - | - |
| White, both sexes | - | - | 2 | 4 | 4 | 1 | 2 | 3 | 1 | - | - | - |
| Male | - | - | 1 | 4 | 3 | 1 | 1 | 2 | 1 | - | - | - |
| Female | - | - | 1 | - | 1 | - | 1 | 1 | - | - | - | - |
| Black, both sexes | 1 | 2 | 1 | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 1 | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | 1 | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | 1 | 1 | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | 1 | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 2 | 5 | 4 | 8 | 11 | 4 | 3 | 3 | 3 | - | - | - |
| Male | 1 | 3 | 2 | 4 | 5 | 2 | 2 | 1 | 1 | - | - | - |
| Female | 1 | 2 | 2 | 4 | 6 | 2 | 1 | 2 | 2 | - | - | - |
| White, both sexes | 2 | 4 | 4 | 5 | 8 | 3 | 2 | 3 | 3 | - | - | - |
| Male | 1 | 3 | 2 | 2 | 3 | 2 | 2 | 1 | 1 | - | - | - |
| Female | 1 | 1 | 2 | 3 | 5 | 1 | - | 2 | 2 | - | - | - |
| Black, both sexes | - | 1 | - | 3 | 2 | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | 2 | 1 | - | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | 1 | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 8 | 13 | 17 | 13 | 17 | 16 | 20 | 9 | 10 | 3 | - | - |
| Male | 4 | 9 | 6 | 2 | 14 | 6 | 8 | 5 | 3 | - | - | - |
| Female | 4 | 4 | 11 | 11 | 3 | 10 | 12 | 4 | 7 | 3 | - | - |
| White, both sexes | 8 | 12 | 12 | 12 | 16 | 15 | 20 | 7 | 9 | 2 | - | - |
| Male | 4 | 9 | 5 | 2 | 13 | 6 | 8 | 4 | 3 | - | - | - |
| Female | 4 | 3 | 7 | 10 | 3 | 9 | 12 | 3 | 6 | 2 | - | - |
| Black, both sexes | - | - | 4 | 1 | - | 1 | - | 2 | 1 | 1 | - | - |
| Male | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | 3 | 1 | - | 1 | - | 1 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 1 | - | 1 | - | 3 | - | - | - | - | - |
| Male | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | - | - | - | 3 | - | - | - | - | - |
| White, both sexes | 1 | 1 | 1 | - | 1 | - | 3 | - | - | - | - | - |
| Male | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | - | - | - | 3 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 4 | 9 | 3 | 3 | 2 | 4 | 8 | 5 | 1 | 1 | - | - |
| Male | 1 | 3 | 1 | - | - | 2 | 6 | 1 | 1 | - | - | - |
| Female | 3 | 6 | 2 | 3 | 2 | 2 | 2 | 4 | - | 1 | - | - |
| White, both sexes | 3 | 7 | 1 | 3 | - | 3 | 8 | 5 | 1 | 1 | - | - |
| Male | 1 | 3 | 1 | - | - | 2 | 6 | 1 | 1 | - | - | - |
| Female | 2 | 4 | - | 3 | - | 1 | 2 | 4 | - | 1 | - | - |
| Black, both sexes | 1 | 2 | 1 | - | 2 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | 2 | 1 | - | 2 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 3 | 4 | 2 | 5 | 7 | 9 | 2 | 2 | 3 | - | - | - |
| Male | - | - | - | 2 | 3 | 4 | 1 | - | 1 | - | - | - |
| Female | 3 | 4 | 2 | 3 | 4 | 5 | 1 | 2 | 2 | - | - | - |
| White, both sexes | 3 | 3 | 2 | 4 | 6 | 8 | 2 | 2 | 3 | - | - | - |
| Male | - | - | - | 2 | 3 | 3 | 1 | - | 1 | - | - | - |
| Female | 3 | 3 | 2 | 2 | 3 | 5 | 1 | 2 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | 1 | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 1 | 1 | 1 | 4 | 1 | 1 | 1 | - | - | - |
| Male | 1 | - | 1 | - | - | 2 | 1 | 1 | - | - | - | - |
| Female | 1 | 1 | - | 1 | 1 | 2 | - | - | 1 | - | - | - |
| White, both sexes | 2 | 1 | 1 | 1 | 1 | 4 | - | 1 | 1 | - | - | - |
| Male | 1 | - | 1 | - | - | 2 | - | 1 | - | - | - | - |
| Female | 1 | 1 | - | 1 | 1 | 2 | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 3 | 6 | 4 | 2 | 6 | 2 | 1 | 1 | - | - |
| Male | - | 2 | 1 | 1 | 2 | - | 3 | - | 1 | - | - | - |
| Female | 2 | - | 2 | 5 | 2 | 2 | 3 | 2 | - | 1 | - | - |
| White, both sexes | 2 | 1 | 3 | 6 | 4 | 2 | 6 | 2 | 1 | 1 | - | - |
| Male | - | 1 | 1 | 1 | 2 | - | 3 | - | 1 | - | - | - |
| Female | 2 | - | 2 | 5 | 2 | 2 | 3 | 2 | - | 1 | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 40,108 | 2 | 21 | 11 | 29 | 40 | 55 | 79 | 136 | 300 | 661 | 1,327 |
| Male | 20,600 | 1 | 14 | 6 | 13 | 20 | 33 | 51 | 74 | 145 | 344 | 747 |
| Female | 19,508 | 1 | 7 | 5 | 16 | 20 | 22 | 28 | 62 | 155 | 317 | 580 |
| White, both sexes | 34,651 | 1 | 18 | 8 | 21 | 32 | 40 | 53 | 99 | 239 | 515 | 1,018 |
| Male | 17,729 | - | 11 | 4 | 8 | 18 | 24 | 32 | 56 | 121 | 268 | 566 |
| Female | 16,922 | 1 | 7 | 4 | 13 | 14 | 16 | 21 | 43 | 118 | 247 | 452 |
| Black, both sexes | 4,541 | 1 | 1 | 3 | 7 | 4 | 11 | 20 | 29 | 46 | 124 | 258 |
| Male | 2,395 | 1 | 1 | 2 | 4 | - | 8 | 15 | 15 | 18 | 66 | 152 |
| Female | 2,146 | - | - | 1 | 3 | 4 | 3 | 5 | 14 | 28 | 58 | 106 |
| American Indian 1/, both sexes | 178 | - | - | - | - | - | 1 | 1 | - | - | 6 | 10 |
| Male | 95 | - | - | - | - | - | - | 1 | - | - | 4 | 6 |
| Female | 83 | - | - | - | - | - | 1 | - | - | - | 2 | 4 |
| Asian or Pacific Islander 2/, both sexes | 738 | - | 2 | - | 1 | 4 | 3 | 5 | 8 | 15 | 16 | 41 |
| Male | 381 | - | 2 | - | 1 | 2 | 1 | 3 | 3 | 6 | 6 | 23 |
| Female | 357 | - | - | - | - | 2 | 2 | 2 | 5 | 9 | 10 | 18 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 817 | - | - | - | 1 | - | 1 | 1 | 5 | 13 | 18 | 31 |
| Male | 436 | - | - | - | - | - | - | 1 | 3 | 8 | 9 | 18 |
| Female | 381 | - | - | - | 1 | - | 1 | - | 2 | 5 | 9 | 13 |
| White, both sexes | 621 | - | - | - | - | - | 1 | 1 | 3 | 9 | 11 | 21 |
| Male | 336 | - | - | - | - | - | - | 1 | 1 | 5 | 6 | 13 |
| Female | 285 | - | - | - | - | - | 1 | - | 2 | 4 | 5 | 8 |
| Black, both sexes | 195 | - | - | - | 1 | - | - | - | 2 | 4 | 7 | 10 |
| Male | 100 | - | - | - | - | - | - | - | 2 | 3 | 3 | 5 |
| Female | 95 | - | - | - | 1 | - | - | - | - | 1 | 4 | 5 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 68 | - | - | - | - | - | - | 1 | 1 | 1 | - | 1 |
| Male | 34 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 34 | - | - | - | - | - | - | 1 | - | 1 | - | 1 |
| White, both sexes | 52 | - | - | - | - | - | - | - | 1 | 1 | - | 1 |
| Male | 22 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 30 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 646 | - | 1 | 1 | - | 1 | - | 2 | - | 2 | 9 | 18 |
| Male | 345 | - | 1 | - | - | 1 | - | 1 | - | 2 | 5 | 12 |
| Female | 301 | - | - | 1 | - | - | - | 1 | - | - | 4 | 6 |
| White, both sexes | 603 | - | 1 | 1 | - | 1 | - | 2 | - | - | 6 | 14 |
| Male | 322 | - | 1 | - | - | 1 | - | 1 | - | - | 3 | 8 |
| Female | 281 | - | - | 1 | - | - | - | 1 | - | - | 3 | 6 |
| Black, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 23 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| Male | 12 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Female | 11 | - | - | - | - | - | - | - | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | - | - | - | - | - | - | 2 | 1 | - |
| Male | 5 | - | - | - | - | - | - | - | - | 2 | 1 | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 451 | - | - | - | 1 | - | 1 | - | - | 4 | 6 | 22 |
| Male | 249 | - | - | - | - | - | 1 | - | - | 3 | 1 | 14 |
| Female | 202 | - | - | - | 1 | - | - | - | - | 1 | 5 | 8 |
| White, both sexes | 395 | - | - | - | 1 | - | - | - | - | 4 | 4 | 17 |
| Male | 219 | - | - | - | - | - | - | - | - | 3 | - | 11 |
| Female | 176 | - | - | - | 1 | - | - | - | - | 1 | 4 | 6 |
| Black, both sexes | 55 | - | - | - | - | - | 1 | - | - | - | 2 | 5 |
| Male | 29 | - | - | - | - | - | 1 | - | - | - | 1 | 3 |
| Female | 26 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 3,663 | - | 5 | - | 2 | 7 | 12 | 14 | 13 | 30 | 65 | 119 |
| Male | 1,859 | - | 5 | - | 1 | 3 | 5 | 7 | 10 | 10 | 40 | 61 |
| Female | 1,804 | - | - | - | 1 | 4 | 7 | 7 | 3 | 20 | 25 | 58 |
| White, both sexes | 3,080 | - | 4 | - | 2 | 4 | 7 | 11 | 12 | 22 | 52 | 89 |
| Male | 1,549 | - | 4 | - | 1 | 2 | 4 | 5 | 9 | 9 | 34 | 42 |
| Female | 1,531 | - | - | - | 1 | 2 | 3 | 6 | 3 | 13 | 18 | 47 |
| Black, both sexes | 273 | - | - | - | - | - | 3 | 1 | 1 | 2 | 7 | 14 |
| Male | 138 | - | - | - | - | - | 1 | 1 | 1 | - | 3 | 9 |
| Female | 135 | - | - | - | - | - | 2 | - | - | 2 | 4 | 5 |
| American Indian 1/, both sexes | 15 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 9 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 295 | - | 1 | - | - | 3 | 2 | 2 | - | 6 | 5 | 15 |
| Male | 163 | - | 1 | - | - | 1 | - | 1 | - | 1 | 2 | 9 |
| Female | 132 | - | - | - | - | 2 | 2 | 1 | - | 5 | 3 | 6 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 416 | - | - | - | - | - | 1 | 1 | 1 | 5 | 4 | 15 |
| Male | 198 | - | - | - | - | - | 1 | - | 1 | 2 | 1 | 9 |
| Female | 218 | - | - | - | - | - | - | 1 | - | 3 | 3 | 6 |
| White, both sexes | 376 | - | - | - | - | - | 1 | 1 | 1 | 4 | 4 | 11 |
| Male | 179 | - | - | - | - | - | 1 | - | 1 | 2 | 1 | 7 |
| Female | 197 | - | - | - | - | - | - | 1 | - | 2 | 3 | 4 |
| Black, both sexes | 21 | - | - | - | - | - | - | - | - | 1 | - | 3 |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 12 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| American Indian 1/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 549 | - | - | - | - | - | - | - | - | 7 | 3 | 12 |
| Male | 284 | - | - | - | - | - | - | - | - | 2 | 2 | 4 |
| Female | 265 | - | - | - | - | - | - | - | - | 5 | 1 | 8 |
| White, both sexes | 511 | - | - | - | - | - | - | - | - | 5 | 3 | 10 |
| Male | 266 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| Female | 245 | - | - | - | - | - | - | - | - | 4 | 1 | 7 |
| Black, both sexes | 31 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 17 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | 1 | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 125 | - | - | - | - | 1 | - | - | - | - | 2 | 4 |
| Male | 69 | - | - | - | - | - | - | - | - | - | 2 | 4 |
| Female | 56 | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | 103 | - | - | - | - | 1 | - | - | - | - | 1 | 3 |
| Male | 57 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Female | 46 | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | 22 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 12 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 97 | - | - | - | - | - | - | - | 1 | - | 2 | 2 |
| Male | 54 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | 43 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| White, both sexes | 23 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 15 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 74 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Male | 39 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 35 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 2,982 | 1 | 2 | - | 3 | 4 | 3 | 5 | 7 | 16 | 45 | 101 |
| Male | 1,652 | - | 2 | - | 2 | 2 | 2 | 2 | 2 | 7 | 26 | 59 |
| Female | 1,330 | 1 | - | - | 1 | 2 | 1 | 3 | 5 | 9 | 19 | 42 |
| White, both sexes | 2,673 | 1 | 1 | - | 1 | 2 | 2 | 5 | 4 | 15 | 36 | 84 |
| Male | 1,482 | - | 1 | - | - | 2 | 1 | 2 | 1 | 7 | 20 | 50 |
| Female | 1,191 | 1 | - | - | 1 | - | 1 | 3 | 3 | 8 | 16 | 34 |
| Black, both sexes | 292 | - | 1 | - | 2 | 2 | 1 | - | 3 | 1 | 8 | 17 |
| Male | 163 | - | 1 | - | 2 | - | 1 | - | 1 | - | 6 | 9 |
| Female | 129 | - | - | - | - | 2 | - | - | 2 | 1 | 2 | 8 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 14 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | 1 | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 1,157 | - | 1 | 1 | 1 | 4 | 1 | 2 | 9 | 17 | 22 | 53 |
| Male | 622 | - | 1 | - | 1 | - | 1 | 1 | 4 | 9 | 11 | 34 |
| Female | 535 | - | - | 1 | - | 4 | - | 1 | 5 | 8 | 11 | 19 |
| White, both sexes | 847 | - | 1 | 1 | - | 3 | - | 1 | 4 | 10 | 17 | 31 |
| Male | 466 | - | 1 | - | - | - | - | 1 | 1 | 7 | 9 | 16 |
| Female | 381 | - | - | 1 | - | 3 | - | - | 3 | 3 | 8 | 15 |
| Black, both sexes | 303 | - | - | - | 1 | 1 | 1 | 1 | 5 | 7 | 4 | 22 |
| Male | 154 | - | - | - | 1 | - | 1 | - | 3 | 2 | 2 | 18 |
| Female | 149 | - | - | - | - | 1 | - | 1 | 2 | 5 | 2 | 4 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | 1 | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 172 | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 9 |
| Male | 94 | - | - | - | - | - | - | 1 | - | 1 | - | 5 |
| Female | 78 | - | - | - | - | - | - | - | 1 | - | 1 | 4 |
| White, both sexes | 73 | - | - | - | - | - | - | - | - | - | - | 5 |
| Male | 43 | - | - | - | - | - | - | - | - | - | - | 4 |
| Female | 30 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 98 | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 4 |
| Male | 50 | - | - | - | - | - | - | 1 | - | 1 | - | 1 |
| Female | 48 | - | - | - | - | - | - | - | 1 | - | 1 | 3 |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 163 | - | - | - | - | - | - | - | 1 | 1 | 1 | 5 |
| Male | 85 | - | - | - | - | - | - | - | 1 | 1 | - | 3 |
| Female | 78 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| White, both sexes | 159 | - | - | - | - | - | - | - | 1 | 1 | 1 | 4 |
| Male | 83 | - | - | - | - | - | - | - | 1 | 1 | - | 2 |
| Female | 76 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 1,802 | - | 1 | - | 3 | 1 | - | 2 | 3 | 16 | 34 | 61 |
| Male | 899 | - | 1 | - | 3 | 1 | - | 1 | 1 | 7 | 21 | 27 |
| Female | 903 | - | - | - | - | - | - | 1 | 2 | 9 | 13 | 34 |
| White, both sexes | 1,514 | - | 1 | - | 2 | 1 | - | 2 | 3 | 12 | 24 | 47 |
| Male | 740 | - | 1 | - | 2 | 1 | - | 1 | 1 | 6 | 12 | 18 |
| Female | 774 | - | - | - | - | - | - | 1 | 2 | 6 | 12 | 29 |
| Black, both sexes | 262 | - | - | - | 1 | - | - | - | - | 4 | 9 | 14 |
| Male | 145 | - | - | - | 1 | - | - | - | - | 1 | 8 | 9 |
| Female | 117 | - | - | - | - | - | - | - | - | 3 | 1 | 5 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 25 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 13 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 902 | - | - | - | - | 1 | - | 3 | 2 | 5 | 11 | 26 |
| Male | 465 | - | - | - | - | - | - | 3 | 1 | 2 | 3 | 15 |
| Female | 437 | - | - | - | - | 1 | - | - | 1 | 3 | 8 | 11 |
| White, both sexes | 818 | - | - | - | - | 1 | - | 3 | 1 | 4 | 11 | 22 |
| Male | 420 | - | - | - | - | - | - | 3 | 1 | 2 | 3 | 13 |
| Female | 398 | - | - | - | - | 1 | - | - | - | 2 | 8 | 9 |
| Black, both sexes | 84 | - | - | - | - | - | - | - | 1 | 1 | - | 4 |
| Male | 45 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 39 | - | - | - | - | - | - | - | 1 | 1 | - | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 355 | - | - | - | - | - | 1 | - | 1 | - | 4 | 10 |
| Male | 170 | - | - | - | - | - | 1 | - | - | - | 2 | 4 |
| Female | 185 | - | - | - | - | - | - | - | 1 | - | 2 | 6 |
| White, both sexes | 352 | - | - | - | - | - | 1 | - | 1 | - | 3 | 9 |
| Male | 167 | - | - | - | - | - | 1 | - | - | - | 1 | 3 |
| Female | 185 | - | - | - | - | - | - | - | 1 | - | 2 | 6 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 329 | - | - | - | - | - | - | 2 | - | 2 | 7 | 7 |
| Male | 165 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| Female | 164 | - | - | - | - | - | - | 2 | - | 1 | 5 | 3 |
| White, both sexes | 305 | - | - | - | - | - | - | 1 | - | 2 | 7 | 5 |
| Male | 149 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| Female | 156 | - | - | - | - | - | - | 1 | - | 1 | 5 | 2 |
| Black, both sexes | 20 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 693 | - | 2 | - | 2 | - | 1 | - | 3 | 6 | 15 | 25 |
| Male | 351 | - | 1 | - | - | - | 1 | - | 1 | 1 | 5 | 9 |
| Female | 342 | - | 1 | - | 2 | - | - | - | 2 | 5 | 10 | 16 |
| White, both sexes | 659 | - | 2 | - | 2 | - | - | - | 2 | 6 | 15 | 23 |
| Male | 331 | - | 1 | - | - | - | - | - | - | 1 | 5 | 8 |
| Female | 328 | - | 1 | - | 2 | - | - | - | 2 | 5 | 10 | 15 |
| Black, both sexes | 32 | - | - | - | - | - | 1 | - | - | - | - | 2 |
| Male | 19 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 663 | - | - | - | 1 | - | - | 3 | 4 | 7 | 19 | 33 |
| Male | 343 | - | - | - | - | - | - | 2 | 1 | 3 | 9 | 17 |
| Female | 320 | - | - | - | 1 | - | - | 1 | 3 | 4 | 10 | 16 |
| White, both sexes | 467 | - | - | - | 1 | - | - | 1 | 1 | 5 | 7 | 16 |
| Male | 247 | - | - | - | - | - | - | - | - | 2 | 3 | 7 |
| Female | 220 | - | - | - | 1 | - | - | 1 | 1 | 3 | 4 | 9 |
| Black, both sexes | 195 | - | - | - | - | - | - | 2 | 3 | 2 | 12 | 17 |
| Male | 96 | - | - | - | - | - | - | 2 | 1 | 1 | 6 | 10 |
| Female | 99 | - | - | - | - | - | - | - | 2 | 1 | 6 | 7 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 288 | - | - | - | 1 | - | - | - | 1 | 2 | 1 | 4 |
| Male | 138 | - | - | - | 1 | - | - | - | 1 | 1 | - | 1 |
| Female | 150 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| White, both sexes | 285 | - | - | - | 1 | - | - | - | 1 | 2 | 1 | 4 |
| Male | 137 | - | - | - | 1 | - | - | - | 1 | 1 | - | 1 |
| Female | 148 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 729 | - | - | 1 | 2 | 2 | - | - | 4 | 4 | 10 | 26 |
| Male | 381 | - | - | 1 | 1 | 1 | - | - | 1 | 1 | 3 | 13 |
| Female | 348 | - | - | - | 1 | 1 | - | - | 3 | 3 | 7 | 13 |
| White, both sexes | 513 | - | - | - | 2 | 2 | - | - | 2 | 3 | 6 | 14 |
| Male | 267 | - | - | - | 1 | 1 | - | - | 1 | 1 | 2 | 8 |
| Female | 246 | - | - | - | 1 | 1 | - | - | 1 | 2 | 4 | 6 |
| Black, both sexes | 202 | - | - | 1 | - | - | - | - | 2 | 1 | 4 | 10 |
| Male | 107 | - | - | 1 | - | - | - | - | - | - | 1 | 4 |
| Female | 95 | - | - | - | - | - | - | - | 2 | 1 | 3 | 6 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 1,044 | - | - | 1 | 1 | 1 | 2 | 1 | 2 | 9 | 4 | 26 |
| Male | 528 | - | - | - | 1 | 1 | 1 | 1 | - | 4 | 2 | 16 |
| Female | 516 | - | - | 1 | - | - | 1 | - | 2 | 5 | 2 | 10 |
| White, both sexes | 991 | - | - | 1 | 1 | - | 2 | 1 | 2 | 9 | 4 | 24 |
| Male | 501 | - | - | - | 1 | - | 1 | 1 | - | 4 | 2 | 14 |
| Female | 490 | - | - | 1 | - | - | 1 | - | 2 | 5 | 2 | 10 |
| Black, both sexes | 39 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 20 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 19 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 14 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Male | 7 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 1,391 | - | 3 | - | - | - | 2 | 3 | 6 | 7 | 30 | 38 |
| Male | 695 | - | 1 | - | - | - | 1 | 3 | 2 | 3 | 13 | 25 |
| Female | 696 | - | 2 | - | - | - | 1 | - | 4 | 4 | 17 | 13 |
| White, both sexes | 1,194 | - | 3 | - | - | - | 2 | 2 | 5 | 5 | 23 | 31 |
| Male | 594 | - | 1 | - | - | - | 1 | 2 | 2 | 3 | 10 | 24 |
| Female | 600 | - | 2 | - | - | - | 1 | - | 3 | 2 | 13 | 7 |
| Black, both sexes | 189 | - | - | - | - | - | - | 1 | 1 | 2 | 7 | 6 |
| Male | 96 | - | - | - | - | - | - | 1 | - | - | 3 | 1 |
| Female | 93 | - | - | - | - | - | - | - | 1 | 2 | 4 | 5 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 685 | - | - | - | 1 | - | 2 | 2 | 3 | 4 | 5 | 19 |
| Male | 334 | - | - | - | - | - | 1 | - | 2 | 3 | 3 | 9 |
| Female | 351 | - | - | - | 1 | - | 1 | 2 | 1 | 1 | 2 | 10 |
| White, both sexes | 653 | - | - | - | 1 | - | 2 | 1 | 1 | 3 | 3 | 16 |
| Male | 319 | - | - | - | - | - | 1 | - | 1 | 2 | 2 | 9 |
| Female | 334 | - | - | - | 1 | - | 1 | 1 | - | 1 | 1 | 7 |
| Black, both sexes | 23 | - | - | - | - | - | - | 1 | - | - | 2 | 2 |
| Male | 11 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 12 | - | - | - | - | - | - | 1 | - | - | 1 | 2 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | - | - | - | - | - | - | - | 2 | 1 | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Female | 4 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 434 | - | 1 | - | - | 1 | 2 | 2 | 3 | 7 | 6 | 14 |
| Male | 250 | - | 1 | - | - | 1 | 2 | 2 | 3 | 6 | 3 | 8 |
| Female | 184 | - | - | - | - | - | - | - | - | 1 | 3 | 6 |
| White, both sexes | 302 | - | 1 | - | - | 1 | 1 | - | 1 | 5 | 3 | 9 |
| Male | 177 | - | 1 | - | - | 1 | 1 | - | 1 | 5 | 2 | 5 |
| Female | 125 | - | - | - | - | - | - | - | - | - | 1 | 4 |
| Black, both sexes | 131 | - | - | - | - | - | 1 | 2 | 2 | 2 | 3 | 5 |
| Male | 72 | - | - | - | - | - | 1 | 2 | 2 | 1 | 1 | 3 |
| Female | 59 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 931 | - | - | - | - | 2 | 1 | 3 | 2 | 6 | 12 | 30 |
| Male | 469 | - | - | - | - | 1 | 1 | 3 | 1 | 3 | 4 | 17 |
| Female | 462 | - | - | - | - | 1 | - | - | 1 | 3 | 8 | 13 |
| White, both sexes | 855 | - | - | - | - | 2 | 1 | 2 | 2 | 6 | 11 | 25 |
| Male | 432 | - | - | - | - | 1 | 1 | 2 | 1 | 3 | 3 | 14 |
| Female | 423 | - | - | - | - | 1 | - | - | 1 | 3 | 8 | 11 |
| Black, both sexes | 69 | - | - | - | - | - | - | 1 | - | - | 1 | 5 |
| Male | 36 | - | - | - | - | - | - | 1 | - | - | 1 | 3 |
| Female | 33 | - | - | - | - | - | - | - | - | - | - | 2 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 126 | - | - | - | - | - | - | - | - | - | 4 | 2 |
| Male | 65 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Female | 61 | - | - | - | - | - | - | - | - | - | 2 | - |
| White, both sexes | 118 | - | - | - | - | - | - | - | - | - | 3 | 2 |
| Male | 59 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 59 | - | - | - | - | - | - | - | - | - | 2 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 231 | - | - | - | - | - | 1 | - | 2 | 4 | 1 | 5 |
| Male | 106 | - | - | - | - | - | 1 | - | 1 | 2 | - | 3 |
| Female | 125 | - | - | - | - | - | - | - | 1 | 2 | 1 | 2 |
| White, both sexes | 219 | - | - | - | - | - | 1 | - | 2 | 4 | 1 | 4 |
| Male | 102 | - | - | - | - | - | 1 | - | 1 | 2 | - | 2 |
| Female | 117 | - | - | - | - | - | - | - | 1 | 2 | 1 | 2 |
| Black, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 342 | - | - | - | - | - | 1 | 2 | 4 | 1 | 6 | 15 |
| Male | 203 | - | - | - | - | - | 1 | 2 | 2 | 1 | 3 | 8 |
| Female | 139 | - | - | - | - | - | - | - | 2 | - | 3 | 7 |
| White, both sexes | 309 | - | - | - | - | - | 1 | 1 | 4 | 1 | 6 | 13 |
| Male | 182 | - | - | - | - | - | 1 | 1 | 2 | 1 | 3 | 8 |
| Female | 127 | - | - | - | - | - | - | - | 2 | - | 3 | 5 |
| Black, both sexes | 21 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 16 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 212 | - | - | - | 1 | 2 | - | - | - | 1 | 1 | 11 |
| Male | 105 | - | - | - | - | 1 | - | - | - | - | 1 | 4 |
| Female | 107 | - | - | - | 1 | 1 | - | - | - | 1 | - | 7 |
| White, both sexes | 207 | - | - | - | 1 | 2 | - | - | - | 1 | 1 | 11 |
| Male | 102 | - | - | - | - | 1 | - | - | - | - | 1 | 4 |
| Female | 105 | - | - | - | 1 | 1 | - | - | - | 1 | - | 7 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 1,336 | - | - | 2 | 1 | 2 | 2 | 1 | 4 | 12 | 27 | 27 |
| Male | 655 | - | - | 2 | 1 | - | 2 | - | 2 | 8 | 15 | 10 |
| Female | 681 | - | - | - | - | 2 | - | 1 | 2 | 4 | 12 | 17 |
| White, both sexes | 1,140 | - | - | 2 | - | 2 | - | - | 2 | 11 | 24 | 23 |
| Male | 561 | - | - | 2 | - | - | - | - | 1 | 7 | 14 | 8 |
| Female | 579 | - | - | - | - | 2 | - | - | 1 | 4 | 10 | 15 |
| Black, both sexes | 166 | - | - | - | - | - | 2 | 1 | 1 | 1 | 2 | 3 |
| Male | 75 | - | - | - | - | - | 2 | - | 1 | 1 | 1 | 1 |
| Female | 91 | - | - | - | - | - | - | 1 | - | - | 1 | 2 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 28 | - | - | - | 1 | - | - | - | 1 | - | 1 | 1 |
| Male | 18 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| Female | 10 | - | - | - | - | - | - | - | 1 | - | 1 | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 275 | - | 1 | - | - | - | - | 3 | 1 | 2 | 9 | 4 |
| Male | 160 | - | - | - | - | - | - | 3 | 1 | 2 | 5 | 3 |
| Female | 115 | - | 1 | - | - | - | - | - | - | - | 4 | 1 |
| White, both sexes | 251 | - | 1 | - | - | - | - | 2 | 1 | 2 | 8 | 4 |
| Male | 149 | - | - | - | - | - | - | 2 | 1 | 2 | 5 | 3 |
| Female | 102 | - | 1 | - | - | - | - | - | - | - | 3 | 1 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 17 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Male | 7 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 2,334 | - | - | - | - | 2 | 4 | 3 | 9 | 16 | 56 | 68 |
| Male | 1,115 | - | - | - | - | 2 | 2 | 2 | 4 | 6 | 27 | 38 |
| Female | 1,219 | - | - | - | - | - | 2 | 1 | 5 | 10 | 29 | 30 |
| White, both sexes | 1,984 | - | - | - | - | 2 | 2 | 1 | 4 | 12 | 44 | 47 |
| Male | 933 | - | - | - | - | 2 | 1 | - | 3 | 5 | 22 | 26 |
| Female | 1,051 | - | - | - | - | - | 1 | 1 | 1 | 7 | 22 | 21 |
| Black, both sexes | 295 | - | - | - | - | - | 1 | 2 | 3 | 3 | 12 | 17 |
| Male | 151 | - | - | - | - | - | - | 2 | - | 1 | 5 | 9 |
| Female | 144 | - | - | - | - | - | 1 | - | 3 | 2 | 7 | 8 |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 51 | - | - | - | - | - | 1 | - | 2 | 1 | - | 4 |
| Male | 28 | - | - | - | - | - | 1 | - | 1 | - | - | 3 |
| Female | 23 | - | - | - | - | - | - | - | 1 | 1 | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 1,213 | - | 1 | - | 1 | - | 1 | 4 | 1 | 5 | 24 | 51 |
| Male | 653 | - | - | - | - | - | 1 | 3 | - | 2 | 15 | 33 |
| Female | 560 | - | 1 | - | 1 | - | - | 1 | 1 | 3 | 9 | 18 |
| White, both sexes | 953 | - | 1 | - | - | - | 1 | 1 | 1 | 4 | 19 | 36 |
| Male | 505 | - | - | - | - | - | 1 | 1 | - | 2 | 13 | 22 |
| Female | 448 | - | 1 | - | - | - | - | - | 1 | 2 | 6 | 14 |
| Black, both sexes | 241 | - | - | - | 1 | - | - | 3 | - | 1 | 4 | 14 |
| Male | 137 | - | - | - | - | - | - | 2 | - | - | 1 | 10 |
| Female | 104 | - | - | - | 1 | - | - | 1 | - | 1 | 3 | 4 |
| American Indian 1/, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 10 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 90 | - | - | - | 1 | - | 1 | - | - | - | - | 1 |
| Male | 50 | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Female | 40 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 88 | - | - | - | 1 | - | 1 | - | - | - | - | 1 |
| Male | 49 | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Female | 39 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 1,876 | 1 | 1 | 1 | - | - | 1 | 1 | 3 | 12 | 32 | 62 |
| Male | 957 | 1 | - | - | - | - | - | 1 | 2 | 3 | 20 | 37 |
| Female | 919 | - | 1 | 1 | - | - | 1 | - | 1 | 9 | 12 | 25 |
| White, both sexes | 1,671 | - | 1 | - | - | - | 1 | 1 | 2 | 10 | 28 | 50 |
| Male | 858 | - | - | - | - | - | - | 1 | 1 | 3 | 19 | 32 |
| Female | 813 | - | 1 | - | - | - | 1 | - | 1 | 7 | 9 | 18 |
| Black, both sexes | 199 | 1 | - | 1 | - | - | - | - | 1 | 2 | 4 | 12 |
| Male | 95 | 1 | - | - | - | - | - | - | 1 | - | 1 | 5 |
| Female | 104 | - | - | 1 | - | - | - | - | - | 2 | 3 | 7 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 525 | - | - | - | - | - | 2 | 1 | 3 | 1 | 9 | 16 |
| Male | 281 | - | - | - | - | - | - | 1 | 1 | 1 | 4 | 12 |
| Female | 244 | - | - | - | - | - | 2 | - | 2 | - | 5 | 4 |
| White, both sexes | 475 | - | - | - | - | - | 1 | 1 | 3 | 1 | 7 | 15 |
| Male | 254 | - | - | - | - | - | - | 1 | 1 | 1 | 3 | 11 |
| Female | 221 | - | - | - | - | - | 1 | - | 2 | - | 4 | 4 |
| Black, both sexes | 25 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 12 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 13 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | 24 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| Male | 14 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 10 | - | - | - | - | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 443 | - | - | - | - | - | 1 | 1 | - | 2 | 5 | 13 |
| Male | 217 | - | - | - | - | - | 1 | 1 | - | 1 | 3 | 10 |
| Female | 226 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| White, both sexes | 429 | - | - | - | - | - | 1 | 1 | - | 2 | 5 | 12 |
| Male | 209 | - | - | - | - | - | 1 | 1 | - | 1 | 3 | 9 |
| Female | 220 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 2,533 | - | - | 2 | - | - | 3 | 3 | 9 | 17 | 33 | 67 |
| Male | 1,258 | - | - | 2 | - | - | 3 | 2 | 6 | 7 | 16 | 42 |
| Female | 1,275 | - | - | - | - | - | - | 1 | 3 | 10 | 17 | 25 |
| White, both sexes | 2,311 | - | - | 1 | - | - | 3 | 2 | 8 | 15 | 27 | 62 |
| Male | 1,133 | - | - | 1 | - | - | 3 | 1 | 5 | 6 | 13 | 37 |
| Female | 1,178 | - | - | - | - | - | - | 1 | 3 | 9 | 14 | 25 |
| Black, both sexes | 210 | - | - | 1 | - | - | - | - | 1 | 1 | 5 | 4 |
| Male | 118 | - | - | 1 | - | - | - | - | 1 | 1 | 3 | 4 |
| Female | 92 | - | - | - | - | - | - | - | - | - | 2 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 12 | - | - | - | - | - | - | 1 | - | 1 | 1 | 1 |
| Male | 7 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | 5 | - | - | - | - | - | - | - | - | 1 | 1 | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 180 | - | - | - | - | - | - | - | - | 3 | 6 | 4 |
| Male | 99 | - | - | - | - | - | - | - | - | 2 | 5 | 3 |
| Female | 81 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| White, both sexes | 171 | - | - | - | - | - | - | - | - | 2 | 4 | 4 |
| Male | 97 | - | - | - | - | - | - | - | - | 2 | 3 | 3 |
| Female | 74 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 5 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 624 | - | - | - | 1 | - | - | 1 | 1 | 4 | 13 | 33 |
| Male | 336 | - | - | - | - | - | - | 1 | 1 | 2 | 9 | 21 |
| Female | 288 | - | - | - | 1 | - | - | - | - | 2 | 4 | 12 |
| White, both sexes | 441 | - | - | - | 1 | - | - | - | 1 | 3 | 6 | 17 |
| Male | 235 | - | - | - | - | - | - | - | 1 | 1 | 4 | 10 |
| Female | 206 | - | - | - | 1 | - | - | - | - | 2 | 2 | 7 |
| Black, both sexes | 181 | - | - | - | - | - | - | 1 | - | 1 | 7 | 16 |
| Male | 101 | - | - | - | - | - | - | 1 | - | 1 | 5 | 11 |
| Female | 80 | - | - | - | - | - | - | - | - | - | 2 | 5 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 91 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 44 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 47 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 84 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 41 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 43 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 849 | - | - | - | - | 1 | 1 | - | 5 | 5 | 15 | 36 |
| Male | 421 | - | - | - | - | 1 | 1 | - | 2 | - | 10 | 21 |
| Female | 428 | - | - | - | - | - | - | - | 3 | 5 | 5 | 15 |
| White, both sexes | 728 | - | - | - | - | 1 | 1 | - | 5 | 4 | 12 | 22 |
| Male | 360 | - | - | - | - | 1 | 1 | - | 2 | - | 8 | 13 |
| Female | 368 | - | - | - | - | - | - | - | 3 | 4 | 4 | 9 |
| Black, both sexes | 117 | - | - | - | - | - | - | - | - | 1 | 3 | 13 |
| Male | 59 | - | - | - | - | - | - | - | - | - | 2 | 8 |
| Female | 58 | - | - | - | - | - | - | - | - | 1 | 1 | 5 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 2,030 | - | 1 | 1 | 2 | 3 | 3 | 5 | 8 | 16 | 35 | 95 |
| Male | 1,111 | - | 1 | 1 | 1 | 2 | 1 | 4 | 7 | 13 | 14 | 56 |
| Female | 919 | - | - | - | 1 | 1 | 2 | 1 | 1 | 3 | 21 | 39 |
| White, both sexes | 1,761 | - | - | 1 | 2 | 3 | 3 | 4 | 8 | 14 | 23 | 74 |
| Male | 966 | - | - | 1 | 1 | 2 | 1 | 3 | 7 | 11 | 8 | 43 |
| Female | 795 | - | - | - | 1 | 1 | 2 | 1 | 1 | 3 | 15 | 31 |
| Black, both sexes | 243 | - | - | - | - | - | - | 1 | - | 2 | 9 | 18 |
| Male | 133 | - | - | - | - | - | - | 1 | - | 2 | 5 | 12 |
| Female | 110 | - | - | - | - | - | - | - | - | - | 4 | 6 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 23 | - | 1 | - | - | - | - | - | - | - | 3 | 3 |
| Male | 10 | - | 1 | - | - | - | - | - | - | - | 1 | 1 |
| Female | 13 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 177 | - | - | - | - | - | 2 | 1 | - | 2 | 5 | 6 |
| Male | 89 | - | - | - | - | - | 1 | - | - | 1 | 3 | 2 |
| Female | 88 | - | - | - | - | - | 1 | 1 | - | 1 | 2 | 4 |
| White, both sexes | 170 | - | - | - | - | - | 2 | 1 | - | 2 | 5 | 6 |
| Male | 85 | - | - | - | - | - | 1 | - | - | 1 | 3 | 2 |
| Female | 85 | - | - | - | - | - | 1 | 1 | - | 1 | 2 | 4 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 100 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Male | 45 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Female | 55 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 100 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Male | 45 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Female | 55 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 1,044 | - | 1 | - | 2 | 1 | 2 | 1 | 7 | 13 | 15 | 36 |
| Male | 525 | - | - | - | - | 1 | - | 1 | 4 | 6 | 7 | 16 |
| Female | 519 | - | 1 | - | 2 | - | 2 | - | 3 | 7 | 8 | 20 |
| White, both sexes | 803 | - | 1 | - | 1 | 1 | 2 | - | 4 | 8 | 12 | 22 |
| Male | 398 | - | - | - | - | 1 | - | - | 3 | 4 | 6 | 12 |
| Female | 405 | - | 1 | - | 1 | - | 2 | - | 1 | 4 | 6 | 10 |
| Black, both sexes | 222 | - | - | - | 1 | - | - | 1 | 2 | 4 | 3 | 14 |
| Male | 121 | - | - | - | - | - | - | 1 | 1 | 2 | 1 | 4 |
| Female | 101 | - | - | - | 1 | - | - | - | 1 | 2 | 2 | 10 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 18 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 12 | - | - | - | - | - | - | - | 1 | 1 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 612 | - | - | 1 | 1 | 2 | - | 1 | 2 | 4 | 13 | 14 |
| Male | 265 | - | - | - | - | - | - | 1 | 2 | 3 | 6 | 9 |
| Female | 347 | - | - | 1 | 1 | 2 | - | - | - | 1 | 7 | 5 |
| White, both sexes | 565 | - | - | 1 | 1 | 1 | - | 1 | 1 | 2 | 13 | 13 |
| Male | 244 | - | - | - | - | - | - | 1 | 1 | 1 | 6 | 8 |
| Female | 321 | - | - | 1 | 1 | 1 | - | - | - | 1 | 7 | 5 |
| Black, both sexes | 12 | - | - | - | - | 1 | - | - | 1 | 1 | - | - |
| Male | 7 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Female | 5 | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 28 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 12 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 424 | - | - | - | - | 1 | - | 2 | 1 | 1 | 2 | 14 |
| Male | 222 | - | - | - | - | 1 | - | 1 | - | 1 | 1 | 9 |
| Female | 202 | - | - | - | - | - | - | 1 | 1 | - | 1 | 5 |
| White, both sexes | 415 | - | - | - | - | 1 | - | 2 | 1 | 1 | 2 | 14 |
| Male | 218 | - | - | - | - | 1 | - | 1 | - | 1 | 1 | 9 |
| Female | 197 | - | - | - | - | - | - | 1 | 1 | - | 1 | 5 |
| Black, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 820 | - | - | - | - | 1 | - | 1 | 2 | 6 | 11 | 29 |
| Male | 413 | - | - | - | - | 1 | - | - | 1 | 4 | 7 | 16 |
| Female | 407 | - | - | - | - | - | - | 1 | 1 | 2 | 4 | 13 |
| White, both sexes | 765 | - | - | - | - | 1 | - | 1 | 2 | 6 | 9 | 26 |
| Male | 388 | - | - | - | - | 1 | - | - | 1 | 4 | 6 | 14 |
| Female | 377 | - | - | - | - | - | - | 1 | 1 | 2 | 3 | 12 |
| Black, both sexes | 42 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Male | 22 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 20 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 69 | - | - | - | - | - | - | - | 1 | 1 | - | 3 |
| Male | 36 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 33 | - | - | - | - | - | - | - | - | 1 | - | 3 |
| White, both sexes | 69 | - | - | - | - | - | - | - | 1 | 1 | - | 3 |
| Male | 36 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 33 | - | - | - | - | - | - | - | - | 1 | - | 3 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 2,091 | 3,111 | 3,816 | 4,151 | 5,038 | 5,906 | 6,130 | 4,332 | 2,190 | 601 | 81 | - |
| Male | 1,224 | 1,876 | 2,199 | 2,396 | 2,730 | 3,032 | 2,880 | 1,840 | 793 | 169 | 13 | - |
| Female | 867 | 1,235 | 1,617 | 1,755 | 2,308 | 2,874 | 3,250 | 2,492 | 1,397 | 432 | 68 | - |
| White, both sexes | 1,644 | 2,535 | 3,191 | 3,491 | 4,364 | 5,261 | 5,521 | 3,969 | 2,011 | 543 | 77 | - |
| Male | 975 | 1,514 | 1,845 | 2,010 | 2,358 | 2,733 | 2,605 | 1,689 | 733 | 146 | 13 | - |
| Female | 669 | 1,021 | 1,346 | 1,481 | 2,006 | 2,528 | 2,916 | 2,280 | 1,278 | 397 | 64 | - |
| Black, both sexes | 393 | 500 | 513 | 542 | 561 | 548 | 507 | 277 | 142 | 50 | 4 | - |
| Male | 214 | 323 | 296 | 321 | 311 | 241 | 229 | 113 | 45 | 20 | - | - |
| Female | 179 | 177 | 217 | 221 | 250 | 307 | 278 | 164 | 97 | 30 | 4 | - |
| American Indian 1/, both sexes | 12 | 17 | 28 | 26 | 28 | 15 | 14 | 15 | 4 | 1 | - | - |
| Male | 8 | 9 | 13 | 17 | 15 | 6 | 6 | 7 | 2 | 1 | - | - |
| Female | 4 | 8 | 15 | 9 | 13 | 9 | 8 | 8 | 2 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 42 | 59 | 84 | 92 | 85 | 82 | 88 | 71 | 33 | 7 | - | - |
| Male | 27 | 30 | 45 | 48 | 46 | 52 | 40 | 31 | 13 | 2 | - | - |
| Female | 15 | 29 | 39 | 44 | 39 | 30 | 48 | 40 | 20 | 5 | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 46 | 71 | 93 | 87 | 115 | 107 | 114 | 69 | 32 | 10 | 3 | - |
| Male | 22 | 45 | 49 | 56 | 71 | 61 | 53 | 26 | 12 | 2 | - | - |
| Female | 24 | 26 | 44 | 31 | 44 | 46 | 61 | 43 | 20 | 8 | 3 | - |
| White, both sexes | 27 | 56 | 71 | 67 | 88 | 82 | 97 | 56 | 23 | 5 | 3 | - |
| Male | 12 | 35 | 38 | 44 | 54 | 50 | 46 | 21 | 9 | 1 | - | - |
| Female | 15 | 21 | 33 | 23 | 34 | 32 | 51 | 35 | 14 | 4 | 3 | - |
| Black, both sexes | 19 | 15 | 22 | 19 | 27 | 25 | 17 | 13 | 9 | 5 | - | - |
| Male | 10 | 10 | 11 | 12 | 17 | 11 | 7 | 5 | 3 | 1 | - | - |
| Female | 9 | 5 | 11 | 7 | 10 | 14 | 10 | 8 | 6 | 4 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 6 | 6 | 12 | 3 | 14 | 8 | 9 | 4 | 2 | - | - | - |
| Male | 5 | 3 | 7 | 3 | 9 | 3 | 2 | 1 | - | - | - | - |
| Female | 1 | 3 | 5 | - | 5 | 5 | 7 | 3 | 2 | - | - | - |
| White, both sexes | 4 | 5 | 8 | 2 | 10 | 7 | 8 | 3 | 2 | - | - | - |
| Male | 3 | 2 | 4 | 2 | 6 | 2 | 2 | - | - | - | - | - |
| Female | 1 | 3 | 4 | - | 4 | 5 | 6 | 3 | 2 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | 1 | 4 | - | 4 | 1 | 1 | 1 | - | - | - | - |
| Male | 1 | 1 | 3 | - | 3 | 1 | - | 1 | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 38 | 66 | 68 | 72 | 83 | 93 | 81 | 72 | 26 | 13 | - | - |
| Male | 23 | 41 | 31 | 41 | 51 | 53 | 32 | 33 | 13 | 5 | - | - |
| Female | 15 | 25 | 37 | 31 | 32 | 40 | 49 | 39 | 13 | 8 | - | - |
| White, both sexes | 37 | 64 | 58 | 71 | 79 | 92 | 79 | 64 | 23 | 11 | - | - |
| Male | 22 | 40 | 26 | 41 | 49 | 53 | 31 | 30 | 12 | 4 | - | - |
| Female | 15 | 24 | 32 | 30 | 30 | 39 | 48 | 34 | 11 | 7 | - | - |
| Black, both sexes | - | 1 | 3 | - | 3 | - | - | 3 | 1 | 1 | - | - |
| Male | - | 1 | 1 | - | 1 | - | - | 2 | - | - | - | - |
| Female | - | - | 2 | - | 2 | - | - | 1 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | 1 | 5 | 1 | 1 | 1 | 2 | 4 | 2 | 1 | - | - |
| Male | - | - | 3 | - | 1 | - | 1 | 1 | 1 | 1 | - | - |
| Female | - | 1 | 2 | 1 | - | 1 | 1 | 3 | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | 2 | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 22 | 42 | 44 | 58 | 55 | 67 | 64 | 38 | 22 | 5 | - | - |
| Male | 15 | 26 | 28 | 32 | 34 | 36 | 34 | 15 | 9 | 1 | - | - |
| Female | 7 | 16 | 16 | 26 | 21 | 31 | 30 | 23 | 13 | 4 | - | - |
| White, both sexes | 17 | 36 | 37 | 50 | 49 | 61 | 59 | 34 | 21 | 5 | - | - |
| Male | 13 | 22 | 22 | 28 | 31 | 34 | 32 | 14 | 8 | 1 | - | - |
| Female | 4 | 14 | 15 | 22 | 18 | 27 | 27 | 20 | 13 | 4 | - | - |
| Black, both sexes | 5 | 6 | 7 | 7 | 6 | 6 | 5 | 4 | 1 | - | - | - |
| Male | 2 | 4 | 6 | 3 | 3 | 2 | 2 | 1 | 1 | - | - | - |
| Female | 3 | 2 | 1 | 4 | 3 | 4 | 3 | 3 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 192 | 306 | 346 | 371 | 443 | 488 | 571 | 422 | 189 | 61 | 7 | - |
| Male | 104 | 162 | 205 | 190 | 248 | 253 | 288 | 179 | 72 | 15 | 1 | - |
| Female | 88 | 144 | 141 | 181 | 195 | 235 | 283 | 243 | 117 | 46 | 6 | - |
| White, both sexes | 151 | 246 | 278 | 301 | 367 | 417 | 504 | 377 | 176 | 53 | 7 | - |
| Male | 81 | 127 | 168 | 156 | 198 | 212 | 256 | 160 | 67 | 13 | 1 | - |
| Female | 70 | 119 | 110 | 145 | 169 | 205 | 248 | 217 | 109 | 40 | 6 | - |
| Black, both sexes | 24 | 27 | 33 | 28 | 37 | 40 | 30 | 20 | 2 | 4 | - | - |
| Male | 12 | 19 | 20 | 14 | 22 | 17 | 12 | 7 | - | - | - | - |
| Female | 12 | 8 | 13 | 14 | 15 | 23 | 18 | 13 | 2 | 4 | - | - |
| American Indian 1/, both sexes | 1 | 1 | 1 | 4 | 2 | 1 | 2 | 1 | - | - | - | - |
| Male | 1 | - | - | 2 | 2 | 1 | 1 | - | - | - | - | - |
| Female | - | 1 | 1 | 2 | - | - | 1 | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 16 | 32 | 34 | 38 | 37 | 30 | 35 | 24 | 11 | 4 | - | - |
| Male | 10 | 16 | 17 | 18 | 26 | 23 | 19 | 12 | 5 | 2 | - | - |
| Female | 6 | 16 | 17 | 20 | 11 | 7 | 16 | 12 | 6 | 2 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 18 | 31 | 44 | 33 | 52 | 60 | 75 | 42 | 20 | 12 | 2 | - |
| Male | 15 | 16 | 23 | 20 | 21 | 30 | 34 | 17 | 5 | 3 | - | - |
| Female | 3 | 15 | 21 | 13 | 31 | 30 | 41 | 25 | 15 | 9 | 2 | - |
| White, both sexes | 13 | 31 | 35 | 29 | 48 | 55 | 70 | 40 | 19 | 12 | 2 | - |
| Male | 10 | 16 | 20 | 17 | 21 | 27 | 32 | 16 | 5 | 3 | - | - |
| Female | 3 | 15 | 15 | 12 | 27 | 28 | 38 | 24 | 14 | 9 | 2 | - |
| Black, both sexes | 3 | - | 5 | 2 | 3 | 1 | 3 | - | - | - | - | - |
| Male | 3 | - | 2 | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | - | 3 | 1 | 3 | 1 | 2 | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | 4 | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | 3 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | 1 | 4 | 2 | 2 | 1 | - | - | - |
| Male | 1 | - | - | 1 | - | 3 | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | 1 | 1 | 1 | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 23 | 36 | 55 | 40 | 60 | 83 | 85 | 96 | 39 | 9 | 1 | - |
| Male | 14 | 21 | 34 | 26 | 30 | 43 | 41 | 45 | 20 | 2 | - | - |
| Female | 9 | 15 | 21 | 14 | 30 | 40 | 44 | 51 | 19 | 7 | 1 | - |
| White, both sexes | 18 | 34 | 51 | 37 | 56 | 80 | 75 | 93 | 39 | 9 | 1 | - |
| Male | 11 | 19 | 32 | 25 | 28 | 42 | 37 | 44 | 20 | 2 | - | - |
| Female | 7 | 15 | 19 | 12 | 28 | 38 | 38 | 49 | 19 | 7 | 1 | - |
| Black, both sexes | 5 | 2 | 3 | 3 | 3 | 3 | 8 | 2 | - | - | - | - |
| Male | 3 | 2 | 2 | 1 | 2 | 1 | 3 | 1 | - | - | - | - |
| Female | 2 | - | 1 | 2 | 1 | 2 | 5 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | 1 | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 9 | 9 | 15 | 21 | 13 | 14 | 19 | 10 | 8 | - | - | - |
| Male | 5 | 7 | 8 | 14 | 7 | 6 | 6 | 5 | 5 | - | - | - |
| Female | 4 | 2 | 7 | 7 | 6 | 8 | 13 | 5 | 3 | - | - | - |
| White, both sexes | 8 | 6 | 11 | 17 | 10 | 13 | 16 | 9 | 8 | - | - | - |
| Male | 4 | 4 | 6 | 11 | 7 | 6 | 6 | 4 | 5 | - | - | - |
| Female | 4 | 2 | 5 | 6 | 3 | 7 | 10 | 5 | 3 | - | - | - |
| Black, both sexes | 1 | 3 | 4 | 4 | 3 | 1 | 3 | 1 | - | - | - | - |
| Male | 1 | 3 | 2 | 3 | - | - | - | 1 | - | - | - | - |
| Female | - | - | 2 | 1 | 3 | 1 | 3 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 7 | 12 | 8 | 10 | 13 | 11 | 11 | 8 | 9 | 3 | - | - |
| Male | 3 | 7 | 5 | 5 | 6 | 6 | 8 | 5 | 3 | 3 | - | - |
| Female | 4 | 5 | 3 | 5 | 7 | 5 | 3 | 3 | 6 | - | - | - |
| White, both sexes | - | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 3 | 2 | - | - |
| Male | - | 1 | 1 | - | 1 | 2 | 2 | 3 | 2 | 2 | - | - |
| Female | - | 2 | - | 1 | 1 | 1 | 1 | 1 | 1 | - | - | - |
| Black, both sexes | 7 | 9 | 7 | 9 | 11 | 8 | 8 | 4 | 6 | 1 | - | - |
| Male | 3 | 6 | 4 | 5 | 5 | 4 | 6 | 2 | 1 | 1 | - | - |
| Female | 4 | 3 | 3 | 4 | 6 | 4 | 2 | 2 | 5 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 151 | 226 | 287 | 298 | 430 | 455 | 451 | 301 | 148 | 44 | 4 | - |
| Male | 82 | 155 | 181 | 175 | 232 | 259 | 221 | 166 | 65 | 9 | 3 | - |
| Female | 69 | 71 | 106 | 123 | 198 | 196 | 230 | 135 | 83 | 35 | 1 | - |
| White, both sexes | 121 | 193 | 253 | 254 | 382 | 433 | 415 | 284 | 142 | 41 | 4 | - |
| Male | 68 | 137 | 161 | 146 | 203 | 249 | 205 | 155 | 63 | 8 | 3 | - |
| Female | 53 | 56 | 92 | 108 | 179 | 184 | 210 | 129 | 79 | 33 | 1 | - |
| Black, both sexes | 29 | 33 | 33 | 40 | 46 | 20 | 34 | 15 | 4 | 3 | - | - |
| Male | 13 | 18 | 19 | 27 | 28 | 10 | 16 | 10 | 1 | 1 | - | - |
| Female | 16 | 15 | 14 | 13 | 18 | 10 | 18 | 5 | 3 | 2 | - | - |
| American Indian 1/, both sexes | - | - | 1 | 1 | - | - | - | 1 | - | - | - | - |
| Male | - | - | 1 | 1 | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 3 | 2 | 2 | 2 | 1 | 2 | - | - | - |
| Male | 1 | - | - | 1 | 1 | - | - | - | 1 | - | - | - |
| Female | - | - | - | 2 | 1 | 2 | 2 | 1 | 1 | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 72 | 111 | 141 | 157 | 133 | 128 | 160 | 98 | 35 | 7 | 4 | - |
| Male | 43 | 64 | 93 | 93 | 84 | 60 | 75 | 39 | 8 | 1 | - | - |
| Female | 29 | 47 | 48 | 64 | 49 | 68 | 85 | 59 | 27 | 6 | 4 | - |
| White, both sexes | 46 | 81 | 103 | 108 | 103 | 100 | 128 | 78 | 23 | 6 | 3 | - |
| Male | 30 | 44 | 67 | 70 | 65 | 53 | 62 | 32 | 7 | 1 | - | - |
| Female | 16 | 37 | 36 | 38 | 38 | 47 | 66 | 46 | 16 | 5 | 3 | - |
| Black, both sexes | 26 | 30 | 38 | 48 | 28 | 28 | 31 | 18 | 12 | 1 | 1 | - |
| Male | 13 | 20 | 26 | 23 | 18 | 7 | 13 | 6 | 1 | - | - | - |
| Female | 13 | 10 | 12 | 25 | 10 | 21 | 18 | 12 | 11 | 1 | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | 2 | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | 1 | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 6 | 12 | 23 | 11 | 18 | 29 | 24 | 21 | 12 | 3 | - | - |
| Male | 5 | 6 | 15 | 7 | 9 | 16 | 13 | 10 | 6 | - | - | - |
| Female | 1 | 6 | 8 | 4 | 9 | 13 | 11 | 11 | 6 | 3 | - | - |
| White, both sexes | 6 | 5 | 11 | 5 | 7 | 11 | 11 | 6 | 5 | 1 | - | - |
| Male | 5 | 3 | 6 | 3 | 4 | 6 | 7 | 3 | 2 | - | - | - |
| Female | 1 | 2 | 5 | 2 | 3 | 5 | 4 | 3 | 3 | 1 | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 7 | 11 | 6 | 11 | 18 | 13 | 15 | 7 | 2 | - | - |
| Male | - | 3 | 8 | 4 | 5 | 10 | 6 | 7 | 4 | - | - | - |
| Female | - | 4 | 3 | 2 | 6 | 8 | 7 | 8 | 3 | 2 | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 6 | 14 | 11 | 25 | 19 | 20 | 36 | 16 | 7 | 1 | - | - |
| Male | 4 | 4 | 7 | 14 | 9 | 12 | 19 | 9 | 2 | - | - | - |
| Female | 2 | 10 | 4 | 11 | 10 | 8 | 17 | 7 | 5 | 1 | - | - |
| White, both sexes | 6 | 13 | 11 | 23 | 19 | 20 | 36 | 16 | 7 | 1 | - | - |
| Male | 4 | 4 | 7 | 13 | 9 | 12 | 19 | 9 | 2 | - | - | - |
| Female | 2 | 9 | 4 | 10 | 10 | 8 | 17 | 7 | 5 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 89 | 143 | 159 | 190 | 218 | 263 | 292 | 187 | 114 | 24 | 2 | - |
| Male | 46 | 77 | 97 | 106 | 104 | 132 | 142 | 79 | 47 | 7 | - | - |
| Female | 43 | 66 | 62 | 84 | 114 | 131 | 150 | 108 | 67 | 17 | 2 | - |
| White, both sexes | 70 | 114 | 117 | 151 | 190 | 221 | 255 | 176 | 104 | 22 | 2 | - |
| Male | 36 | 58 | 76 | 77 | 92 | 114 | 123 | 73 | 43 | 6 | - | - |
| Female | 34 | 56 | 41 | 74 | 98 | 107 | 132 | 103 | 61 | 16 | 2 | - |
| Black, both sexes | 16 | 28 | 38 | 35 | 27 | 39 | 32 | 9 | 8 | 2 | - | - |
| Male | 8 | 19 | 20 | 26 | 12 | 17 | 16 | 5 | 2 | 1 | - | - |
| Female | 8 | 9 | 18 | 9 | 15 | 22 | 16 | 4 | 6 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | 1 | 4 | 4 | 1 | 3 | 5 | 1 | 2 | - | - | - |
| Male | 2 | - | 1 | 3 | - | 1 | 3 | - | 2 | - | - | - |
| Female | 1 | 1 | 3 | 1 | 1 | 2 | 2 | 1 | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 53 | 65 | 92 | 88 | 128 | 132 | 119 | 106 | 55 | 14 | 2 | - |
| Male | 31 | 36 | 56 | 53 | 76 | 66 | 56 | 46 | 17 | 4 | - | - |
| Female | 22 | 29 | 36 | 35 | 52 | 66 | 63 | 60 | 38 | 10 | 2 | - |
| White, both sexes | 44 | 58 | 84 | 82 | 117 | 112 | 110 | 100 | 53 | 14 | 2 | - |
| Male | 25 | 30 | 52 | 50 | 72 | 52 | 53 | 43 | 17 | 4 | - | - |
| Female | 19 | 28 | 32 | 32 | 45 | 60 | 57 | 57 | 36 | 10 | 2 | - |
| Black, both sexes | 9 | 7 | 8 | 6 | 11 | 20 | 9 | 6 | 2 | - | - | - |
| Male | 6 | 6 | 4 | 3 | 4 | 14 | 3 | 3 | - | - | - | - |
| Female | 3 | 1 | 4 | 3 | 7 | 6 | 6 | 3 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 15 | 11 | 32 | 36 | 43 | 62 | 67 | 39 | 21 | 11 | 2 | - |
| Male | 10 | 7 | 21 | 21 | 20 | 27 | 30 | 17 | 6 | 3 | 1 | - |
| Female | 5 | 4 | 11 | 15 | 23 | 35 | 37 | 22 | 15 | 8 | 1 | - |
| White, both sexes | 15 | 11 | 31 | 36 | 43 | 62 | 67 | 39 | 21 | 11 | 2 | - |
| Male | 10 | 7 | 20 | 21 | 20 | 27 | 30 | 17 | 6 | 3 | 1 | - |
| Female | 5 | 4 | 11 | 15 | 23 | 35 | 37 | 22 | 15 | 8 | 1 | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 17 | 31 | 28 | 36 | 32 | 46 | 47 | 38 | 32 | 4 | - | - |
| Male | 10 | 19 | 18 | 23 | 17 | 23 | 25 | 13 | 10 | - | - | - |
| Female | 7 | 12 | 10 | 13 | 15 | 23 | 22 | 25 | 22 | 4 | - | - |
| White, both sexes | 15 | 29 | 24 | 34 | 29 | 43 | 43 | 38 | 31 | 4 | - | - |
| Male | 8 | 17 | 16 | 22 | 15 | 21 | 22 | 13 | 9 | - | - | - |
| Female | 7 | 12 | 8 | 12 | 14 | 22 | 21 | 25 | 22 | 4 | - | - |
| Black, both sexes | 2 | 2 | 4 | 1 | 2 | 3 | 4 | - | 1 | - | - | - |
| Male | 2 | 2 | 2 | - | 1 | 2 | 3 | - | 1 | - | - | - |
| Female | - | - | 2 | 1 | 1 | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 33 | 53 | 64 | 72 | 94 | 110 | 107 | 61 | 36 | 8 | 1 | - |
| Male | 22 | 30 | 33 | 48 | 48 | 56 | 51 | 31 | 13 | 1 | - | - |
| Female | 11 | 23 | 31 | 24 | 46 | 54 | 56 | 30 | 23 | 7 | 1 | - |
| White, both sexes | 31 | 49 | 60 | 68 | 89 | 108 | 102 | 59 | 34 | 8 | 1 | - |
| Male | 20 | 28 | 31 | 46 | 45 | 55 | 49 | 29 | 12 | 1 | - | - |
| Female | 11 | 21 | 29 | 22 | 44 | 53 | 53 | 30 | 22 | 7 | 1 | - |
| Black, both sexes | 2 | 4 | 4 | 4 | 4 | 2 | 5 | 2 | 2 | - | - | - |
| Male | 2 | 2 | 2 | 2 | 3 | 1 | 2 | 2 | 1 | - | - | - |
| Female | - | 2 | 2 | 2 | 1 | 1 | 3 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 47 | 41 | 74 | 78 | 86 | 97 | 89 | 61 | 20 | 3 | - | - |
| Male | 23 | 25 | 43 | 43 | 43 | 41 | 51 | 30 | 11 | 1 | - | - |
| Female | 24 | 16 | 31 | 35 | 43 | 56 | 38 | 31 | 9 | 2 | - | - |
| White, both sexes | 30 | 29 | 53 | 53 | 60 | 79 | 66 | 49 | 15 | 2 | - | - |
| Male | 15 | 18 | 29 | 31 | 35 | 35 | 37 | 24 | 10 | 1 | - | - |
| Female | 15 | 11 | 24 | 22 | 25 | 44 | 29 | 25 | 5 | 1 | - | - |
| Black, both sexes | 17 | 12 | 21 | 25 | 26 | 17 | 23 | 12 | 5 | 1 | - | - |
| Male | 8 | 7 | 14 | 12 | 8 | 6 | 14 | 6 | 1 | - | - | - |
| Female | 9 | 5 | 7 | 13 | 18 | 11 | 9 | 6 | 4 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 8 | 22 | 18 | 30 | 40 | 47 | 48 | 41 | 20 | 4 | 1 | - |
| Male | 7 | 16 | 14 | 15 | 20 | 20 | 20 | 17 | 5 | - | - | - |
| Female | 1 | 6 | 4 | 15 | 20 | 27 | 28 | 24 | 15 | 4 | 1 | - |
| White, both sexes | 8 | 22 | 18 | 30 | 39 | 45 | 48 | 41 | 20 | 4 | 1 | - |
| Male | 7 | 16 | 14 | 15 | 20 | 19 | 20 | 17 | 5 | - | - | - |
| Female | 1 | 6 | 4 | 15 | 19 | 26 | 28 | 24 | 15 | 4 | 1 | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 44 | 72 | 61 | 80 | 93 | 95 | 116 | 76 | 32 | 11 | - | - |
| Male | 32 | 49 | 34 | 48 | 43 | 44 | 54 | 38 | 12 | 6 | - | - |
| Female | 12 | 23 | 27 | 32 | 50 | 51 | 62 | 38 | 20 | 5 | - | - |
| White, both sexes | 31 | 42 | 42 | 42 | 63 | 77 | 87 | 64 | 28 | 8 | - | - |
| Male | 24 | 29 | 23 | 24 | 27 | 38 | 42 | 32 | 10 | 4 | - | - |
| Female | 7 | 13 | 19 | 18 | 36 | 39 | 45 | 32 | 18 | 4 | - | - |
| Black, both sexes | 13 | 29 | 17 | 34 | 29 | 16 | 27 | 12 | 4 | 3 | - | - |
| Male | 8 | 19 | 9 | 21 | 16 | 6 | 12 | 6 | 2 | 2 | - | - |
| Female | 5 | 10 | 8 | 13 | 13 | 10 | 15 | 6 | 2 | 1 | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 2 | 4 | 1 | 2 | 2 | - | - | - | - | - |
| Male | - | - | 2 | 3 | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | 1 | 2 | 2 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 37 | 90 | 100 | 92 | 104 | 159 | 179 | 141 | 79 | 13 | 3 | - |
| Male | 22 | 54 | 56 | 54 | 55 | 89 | 77 | 65 | 24 | 5 | 1 | - |
| Female | 15 | 36 | 44 | 38 | 49 | 70 | 102 | 76 | 55 | 8 | 2 | - |
| White, both sexes | 33 | 83 | 90 | 85 | 100 | 153 | 176 | 136 | 77 | 11 | 3 | - |
| Male | 21 | 52 | 50 | 49 | 53 | 86 | 76 | 62 | 24 | 4 | 1 | - |
| Female | 12 | 31 | 40 | 36 | 47 | 67 | 100 | 74 | 53 | 7 | 2 | - |
| Black, both sexes | 3 | 6 | 7 | 5 | 3 | 4 | 2 | 4 | 2 | 2 | - | - |
| Male | - | 2 | 4 | 4 | 2 | 2 | 1 | 3 | - | 1 | - | - |
| Female | 3 | 4 | 3 | 1 | 1 | 2 | 1 | 1 | 2 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | 3 | 2 | 1 | 2 | 1 | 1 | - | - | - | - |
| Male | 1 | - | 2 | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 81 | 94 | 131 | 161 | 188 | 211 | 217 | 135 | 64 | 18 | 2 | - |
| Male | 51 | 52 | 70 | 100 | 102 | 90 | 91 | 66 | 19 | 6 | - | - |
| Female | 30 | 42 | 61 | 61 | 86 | 121 | 126 | 69 | 45 | 12 | 2 | - |
| White, both sexes | 63 | 70 | 114 | 137 | 169 | 186 | 196 | 120 | 52 | 16 | - | - |
| Male | 39 | 39 | 61 | 85 | 91 | 76 | 83 | 56 | 15 | 6 | - | - |
| Female | 24 | 31 | 53 | 52 | 78 | 110 | 113 | 64 | 37 | 10 | - | - |
| Black, both sexes | 18 | 22 | 17 | 22 | 19 | 24 | 20 | 14 | 12 | 2 | 2 | - |
| Male | 12 | 12 | 9 | 13 | 11 | 13 | 8 | 9 | 4 | - | - | - |
| Female | 6 | 10 | 8 | 9 | 8 | 11 | 12 | 5 | 8 | 2 | 2 | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | - | 1 | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | 1 | - | 1 | - | 1 | - | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 28 | 41 | 54 | 65 | 72 | 102 | 124 | 91 | 50 | 16 | 6 | - |
| Male | 18 | 26 | 27 | 38 | 37 | 55 | 56 | 35 | 14 | 7 | 3 | - |
| Female | 10 | 15 | 27 | 27 | 35 | 47 | 68 | 56 | 36 | 9 | 3 | - |
| White, both sexes | 26 | 38 | 51 | 61 | 70 | 97 | 122 | 90 | 50 | 15 | 6 | - |
| Male | 16 | 23 | 26 | 35 | 36 | 55 | 56 | 34 | 14 | 6 | 3 | - |
| Female | 10 | 15 | 25 | 26 | 34 | 42 | 66 | 56 | 36 | 9 | 3 | - |
| Black, both sexes | 2 | 2 | 3 | 4 | 1 | 3 | 2 | - | - | 1 | - | - |
| Male | 2 | 2 | 1 | 3 | 1 | - | - | - | - | 1 | - | - |
| Female | - | - | 2 | 1 | - | 3 | 2 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 31 | 57 | 45 | 48 | 51 | 56 | 50 | 32 | 20 | 6 | 2 | - |
| Male | 18 | 35 | 29 | 28 | 32 | 33 | 28 | 9 | 10 | 2 | - | - |
| Female | 13 | 22 | 16 | 20 | 19 | 23 | 22 | 23 | 10 | 4 | 2 | - |
| White, both sexes | 20 | 37 | 32 | 30 | 39 | 34 | 42 | 24 | 17 | 4 | 2 | - |
| Male | 13 | 24 | 21 | 18 | 25 | 21 | 22 | 8 | 8 | 1 | - | - |
| Female | 7 | 13 | 11 | 12 | 14 | 13 | 20 | 16 | 9 | 3 | 2 | - |
| Black, both sexes | 11 | 20 | 13 | 17 | 12 | 22 | 8 | 8 | 3 | 2 | - | - |
| Male | 5 | 11 | 8 | 9 | 7 | 12 | 6 | 1 | 2 | 1 | - | - |
| Female | 6 | 9 | 5 | 8 | 5 | 10 | 2 | 7 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 33 | 77 | 87 | 91 | 115 | 152 | 142 | 104 | 63 | 9 | 2 | - |
| Male | 22 | 40 | 46 | 53 | 60 | 83 | 65 | 38 | 30 | 2 | - | - |
| Female | 11 | 37 | 41 | 38 | 55 | 69 | 77 | 66 | 33 | 7 | 2 | - |
| White, both sexes | 31 | 65 | 83 | 80 | 109 | 141 | 130 | 98 | 60 | 7 | 2 | - |
| Male | 21 | 35 | 44 | 44 | 58 | 78 | 60 | 37 | 28 | 2 | - | - |
| Female | 10 | 30 | 39 | 36 | 51 | 63 | 70 | 61 | 32 | 5 | 2 | - |
| Black, both sexes | 2 | 11 | 3 | 11 | 4 | 10 | 12 | 4 | 3 | 2 | - | - |
| Male | 1 | 5 | 2 | 9 | 2 | 4 | 5 | 1 | 2 | - | - | - |
| Female | 1 | 6 | 1 | 2 | 2 | 6 | 7 | 3 | 1 | 2 | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | 2 | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | - | 2 | - | - | 1 | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 6 | 9 | 12 | 15 | 9 | 20 | 21 | 16 | 9 | 3 | - | - |
| Male | 4 | 6 | 9 | 9 | 5 | 11 | 7 | 6 | 3 | 1 | - | - |
| Female | 2 | 3 | 3 | 6 | 4 | 9 | 14 | 10 | 6 | 2 | - | - |
| White, both sexes | 6 | 7 | 9 | 14 | 9 | 19 | 21 | 16 | 9 | 3 | - | - |
| Male | 4 | 4 | 7 | 8 | 5 | 11 | 7 | 6 | 3 | 1 | - | - |
| Female | 2 | 3 | 2 | 6 | 4 | 8 | 14 | 10 | 6 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 2 | 2 | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | 2 | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 9 | 16 | 23 | 13 | 24 | 32 | 44 | 34 | 9 | 13 | 1 | - |
| Male | 6 | 10 | 12 | 3 | 15 | 16 | 21 | 12 | 2 | 2 | - | - |
| Female | 3 | 6 | 11 | 10 | 9 | 16 | 23 | 22 | 7 | 11 | 1 | - |
| White, both sexes | 8 | 15 | 21 | 12 | 22 | 31 | 43 | 32 | 9 | 13 | 1 | - |
| Male | 6 | 10 | 10 | 3 | 14 | 16 | 21 | 12 | 2 | 2 | - | - |
| Female | 2 | 5 | 11 | 9 | 8 | 15 | 22 | 20 | 7 | 11 | 1 | - |
| Black, both sexes | 1 | 1 | 2 | 1 | 2 | - | 1 | 2 | - | - | - | - |
| Male | - | - | 2 | - | 1 | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | 1 | 1 | - | 1 | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 22 | 32 | 38 | 33 | 44 | 59 | 36 | 37 | 9 | 2 | 1 | - |
| Male | 13 | 22 | 26 | 20 | 26 | 35 | 24 | 19 | 1 | - | - | - |
| Female | 9 | 10 | 12 | 13 | 18 | 24 | 12 | 18 | 8 | 2 | 1 | - |
| White, both sexes | 17 | 30 | 33 | 31 | 39 | 57 | 33 | 33 | 7 | 2 | 1 | - |
| Male | 10 | 20 | 23 | 19 | 22 | 34 | 21 | 16 | 1 | - | - | - |
| Female | 7 | 10 | 10 | 12 | 17 | 23 | 12 | 17 | 6 | 2 | 1 | - |
| Black, both sexes | 2 | 2 | 4 | 1 | 5 | 1 | 2 | 2 | - | - | - | - |
| Male | 1 | 2 | 3 | 1 | 4 | - | 2 | 2 | - | - | - | - |
| Female | 1 | - | 1 | - | 1 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | 1 | 1 | - | 1 | 1 | 2 | 1 | - | - | - |
| Male | 2 | - | - | - | - | 1 | 1 | 1 | - | - | - | - |
| Female | 1 | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 9 | 18 | 13 | 28 | 22 | 31 | 31 | 27 | 11 | 5 | 1 | - |
| Male | 5 | 11 | 9 | 14 | 14 | 17 | 11 | 11 | 4 | 3 | - | - |
| Female | 4 | 7 | 4 | 14 | 8 | 14 | 20 | 16 | 7 | 2 | 1 | - |
| White, both sexes | 8 | 18 | 13 | 26 | 22 | 31 | 30 | 27 | 10 | 5 | 1 | - |
| Male | 4 | 11 | 9 | 13 | 14 | 17 | 10 | 11 | 4 | 3 | - | - |
| Female | 4 | 7 | 4 | 13 | 8 | 14 | 20 | 16 | 6 | 2 | 1 | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | - | - | 1 | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | 1 | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 81 | 94 | 116 | 115 | 154 | 212 | 223 | 166 | 75 | 20 | 2 | - |
| Male | 44 | 59 | 52 | 68 | 83 | 114 | 100 | 60 | 30 | 5 | - | - |
| Female | 37 | 35 | 64 | 47 | 71 | 98 | 123 | 106 | 45 | 15 | 2 | - |
| White, both sexes | 62 | 72 | 86 | 92 | 129 | 186 | 202 | 157 | 70 | 18 | 2 | - |
| Male | 36 | 46 | 39 | 54 | 68 | 103 | 91 | 58 | 29 | 5 | - | - |
| Female | 26 | 26 | 47 | 38 | 61 | 83 | 111 | 99 | 41 | 13 | 2 | - |
| Black, both sexes | 18 | 15 | 25 | 21 | 19 | 26 | 18 | 8 | 5 | 1 | - | - |
| Male | 7 | 8 | 11 | 12 | 10 | 11 | 7 | 2 | 1 | - | - | - |
| Female | 11 | 7 | 14 | 9 | 9 | 15 | 11 | 6 | 4 | 1 | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 7 | 5 | 2 | 5 | - | 3 | 1 | - | 1 | - | - |
| Male | - | 5 | 2 | 2 | 5 | - | 2 | - | - | - | - | - |
| Female | - | 2 | 3 | - | - | - | 1 | 1 | - | 1 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 13 | 22 | 24 | 40 | 35 | 39 | 30 | 35 | 12 | 4 | 1 | - |
| Male | 8 | 16 | 7 | 24 | 23 | 20 | 24 | 16 | 5 | 3 | - | - |
| Female | 5 | 6 | 17 | 16 | 12 | 19 | 6 | 19 | 7 | 1 | 1 | - |
| White, both sexes | 11 | 20 | 21 | 36 | 30 | 35 | 30 | 33 | 12 | 4 | 1 | - |
| Male | 7 | 15 | 7 | 21 | 20 | 20 | 24 | 14 | 5 | 3 | - | - |
| Female | 4 | 5 | 14 | 15 | 10 | 15 | 6 | 19 | 7 | 1 | 1 | - |
| Black, both sexes | - | 1 | - | 1 | - | 2 | - | - | - | - | - | - |
| Male | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 2 | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | 1 | 3 | 2 | 5 | 2 | - | 1 | - | - | - | - |
| Male | - | - | - | 2 | 3 | - | - | 1 | - | - | - | - |
| Female | 1 | 1 | 3 | - | 2 | 2 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 108 | 160 | 213 | 223 | 302 | 351 | 349 | 281 | 146 | 35 | 8 | - |
| Male | 67 | 87 | 124 | 129 | 157 | 171 | 154 | 94 | 42 | 7 | 2 | - |
| Female | 41 | 73 | 89 | 94 | 145 | 180 | 195 | 187 | 104 | 28 | 6 | - |
| White, both sexes | 76 | 130 | 176 | 192 | 252 | 305 | 308 | 252 | 140 | 33 | 8 | - |
| Male | 48 | 69 | 103 | 108 | 133 | 146 | 135 | 84 | 41 | 5 | 2 | - |
| Female | 28 | 61 | 73 | 84 | 119 | 159 | 173 | 168 | 99 | 28 | 6 | - |
| Black, both sexes | 27 | 28 | 30 | 26 | 44 | 40 | 33 | 23 | 4 | 2 | - | - |
| Male | 16 | 17 | 17 | 17 | 21 | 20 | 16 | 7 | 1 | 2 | - | - |
| Female | 11 | 11 | 13 | 9 | 23 | 20 | 17 | 16 | 3 | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | 1 | 1 | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | 2 | 7 | 5 | 5 | 5 | 7 | 6 | 2 | - | - | - |
| Male | 2 | 1 | 4 | 4 | 2 | 4 | 3 | 3 | - | - | - | - |
| Female | 2 | 1 | 3 | 1 | 3 | 1 | 4 | 3 | 2 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 61 | 95 | 136 | 139 | 156 | 184 | 171 | 116 | 57 | 8 | 2 | - |
| Male | 31 | 64 | 78 | 79 | 85 | 107 | 85 | 46 | 23 | 1 | - | - |
| Female | 30 | 31 | 58 | 60 | 71 | 77 | 86 | 70 | 34 | 7 | 2 | - |
| White, both sexes | 47 | 62 | 105 | 105 | 126 | 146 | 140 | 103 | 47 | 7 | 2 | - |
| Male | 25 | 39 | 60 | 58 | 69 | 88 | 69 | 40 | 18 | - | - | - |
| Female | 22 | 23 | 45 | 47 | 57 | 58 | 71 | 63 | 29 | 7 | 2 | - |
| Black, both sexes | 13 | 33 | 28 | 30 | 26 | 36 | 29 | 13 | 9 | 1 | - | - |
| Male | 5 | 25 | 16 | 18 | 15 | 18 | 16 | 6 | 4 | 1 | - | - |
| Female | 8 | 8 | 12 | 12 | 11 | 18 | 13 | 7 | 5 | - | - | - |
| American Indian 1/, both sexes | 1 | - | 1 | 3 | 1 | 1 | 1 | - | 1 | - | - | - |
| Male | 1 | - | 1 | 2 | - | 1 | - | - | 1 | - | - | - |
| Female | - | - | - | 1 | 1 | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 2 | 1 | 3 | 1 | 1 | - | - | - | - | - |
| Male | - | - | 1 | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | 2 | 1 | 1 | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 13 | 8 | 10 | 9 | 18 | 21 | 2 | 4 | - | - |
| Male | 1 | 1 | 9 | 5 | 5 | 7 | 8 | 10 | 1 | 1 | - | - |
| Female | - | - | 4 | 3 | 5 | 2 | 10 | 11 | 1 | 3 | - | - |
| White, both sexes | 1 | 1 | 13 | 6 | 10 | 9 | 18 | 21 | 2 | 4 | - | - |
| Male | 1 | 1 | 9 | 4 | 5 | 7 | 8 | 10 | 1 | 1 | - | - |
| Female | - | - | 4 | 2 | 5 | 2 | 10 | 11 | 1 | 3 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 119 | 132 | 176 | 189 | 210 | 298 | 328 | 187 | 91 | 32 | - | - |
| Male | 75 | 80 | 85 | 109 | 112 | 148 | 160 | 71 | 41 | 12 | - | - |
| Female | 44 | 52 | 91 | 80 | 98 | 150 | 168 | 116 | 50 | 20 | - | - |
| White, both sexes | 106 | 108 | 151 | 167 | 184 | 274 | 300 | 173 | 87 | 28 | - | - |
| Male | 68 | 63 | 75 | 94 | 98 | 143 | 148 | 64 | 40 | 9 | - | - |
| Female | 38 | 45 | 76 | 73 | 86 | 131 | 152 | 109 | 47 | 19 | - | - |
| Black, both sexes | 13 | 22 | 24 | 22 | 26 | 24 | 27 | 13 | 3 | 4 | - | - |
| Male | 7 | 15 | 10 | 15 | 14 | 5 | 11 | 6 | 1 | 3 | - | - |
| Female | 6 | 7 | 14 | 7 | 12 | 19 | 16 | 7 | 2 | 1 | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | - | - | - | 1 | 1 | 1 | - | - | - |
| Male | - | 1 | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | 1 | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 40 | 42 | 44 | 64 | 81 | 76 | 79 | 39 | 22 | 5 | 1 | - |
| Male | 20 | 29 | 25 | 38 | 39 | 39 | 45 | 17 | 8 | 2 | - | - |
| Female | 20 | 13 | 19 | 26 | 42 | 37 | 34 | 22 | 14 | 3 | 1 | - |
| White, both sexes | 31 | 36 | 41 | 55 | 73 | 73 | 74 | 36 | 22 | 5 | 1 | - |
| Male | 15 | 24 | 24 | 33 | 35 | 37 | 43 | 16 | 8 | 2 | - | - |
| Female | 16 | 12 | 17 | 22 | 38 | 36 | 31 | 20 | 14 | 3 | 1 | - |
| Black, both sexes | 6 | 2 | 1 | 4 | 1 | 3 | 4 | 2 | - | - | - | - |
| Male | 3 | 2 | - | 2 | 1 | 2 | 1 | - | - | - | - | - |
| Female | 3 | - | 1 | 2 | - | 1 | 3 | 2 | - | - | - | - |
| American Indian 1/, both sexes | 2 | 4 | 2 | 5 | 7 | - | 1 | 1 | - | - | - | - |
| Male | 1 | 3 | 1 | 3 | 3 | - | 1 | 1 | - | - | - | - |
| Female | 1 | 1 | 1 | 2 | 4 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 23 | 36 | 41 | 47 | 48 | 75 | 59 | 44 | 37 | 9 | 2 | - |
| Male | 10 | 19 | 21 | 27 | 24 | 37 | 25 | 22 | 11 | 5 | - | - |
| Female | 13 | 17 | 20 | 20 | 24 | 38 | 34 | 22 | 26 | 4 | 2 | - |
| White, both sexes | 21 | 36 | 40 | 43 | 47 | 73 | 58 | 43 | 36 | 9 | 2 | - |
| Male | 8 | 19 | 21 | 24 | 24 | 36 | 25 | 21 | 11 | 5 | - | - |
| Female | 13 | 17 | 19 | 19 | 23 | 37 | 33 | 22 | 25 | 4 | 2 | - |
| Black, both sexes | 1 | - | - | 1 | - | 1 | - | 1 | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | 1 | 1 | 1 | 1 | 1 | - | 1 | - | - | - |
| Male | 1 | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | 1 | - | 1 | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 116 | 159 | 216 | 276 | 327 | 391 | 415 | 298 | 153 | 44 | 4 | - |
| Male | 65 | 96 | 119 | 157 | 192 | 191 | 169 | 133 | 43 | 13 | 2 | - |
| Female | 51 | 63 | 97 | 119 | 135 | 200 | 246 | 165 | 110 | 31 | 2 | - |
| White, both sexes | 102 | 136 | 184 | 247 | 297 | 356 | 389 | 290 | 145 | 43 | 4 | - |
| Male | 54 | 80 | 98 | 139 | 175 | 175 | 160 | 130 | 41 | 13 | 2 | - |
| Female | 48 | 56 | 86 | 108 | 122 | 181 | 229 | 160 | 104 | 30 | 2 | - |
| Black, both sexes | 13 | 22 | 29 | 28 | 29 | 34 | 26 | 8 | 8 | 1 | - | - |
| Male | 11 | 16 | 18 | 18 | 16 | 15 | 9 | 3 | 2 | - | - | - |
| Female | 2 | 6 | 11 | 10 | 13 | 19 | 17 | 5 | 6 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | 3 | 1 | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | 3 | - | 1 | 1 | - | - | - | - | - | - |
| Female | 1 | 1 | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 9 | 10 | 19 | 12 | 23 | 26 | 30 | 27 | 7 | 4 | - | - |
| Male | 7 | 7 | 12 | 5 | 14 | 16 | 15 | 11 | 2 | - | - | - |
| Female | 2 | 3 | 7 | 7 | 9 | 10 | 15 | 16 | 5 | 4 | - | - |
| White, both sexes | 8 | 10 | 18 | 12 | 22 | 26 | 30 | 27 | 4 | 4 | - | - |
| Male | 7 | 7 | 12 | 5 | 14 | 16 | 15 | 11 | 2 | - | - | - |
| Female | 1 | 3 | 6 | 7 | 8 | 10 | 15 | 16 | 2 | 4 | - | - |
| Black, both sexes | 1 | - | - | - | 1 | - | - | - | 2 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | - | - | - | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | 1 | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 33 | 52 | 57 | 71 | 77 | 78 | 83 | 66 | 40 | 13 | 1 | - |
| Male | 19 | 31 | 41 | 43 | 44 | 36 | 38 | 31 | 15 | 4 | - | - |
| Female | 14 | 21 | 16 | 28 | 33 | 42 | 45 | 35 | 25 | 9 | 1 | - |
| White, both sexes | 18 | 26 | 42 | 52 | 56 | 62 | 66 | 48 | 35 | 8 | - | - |
| Male | 10 | 14 | 30 | 31 | 29 | 30 | 33 | 27 | 13 | 2 | - | - |
| Female | 8 | 12 | 12 | 21 | 27 | 32 | 33 | 21 | 22 | 6 | - | - |
| Black, both sexes | 14 | 26 | 15 | 19 | 21 | 16 | 16 | 18 | 5 | 5 | 1 | - |
| Male | 9 | 17 | 11 | 12 | 15 | 6 | 5 | 4 | 2 | 2 | - | - |
| Female | 5 | 9 | 4 | 7 | 6 | 10 | 11 | 14 | 3 | 3 | 1 | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 4 | 6 | 7 | 7 | 16 | 9 | 20 | 11 | 4 | 3 | 1 | - |
| Male | 4 | 4 | 4 | 4 | 10 | 2 | 9 | 2 | 1 | 2 | - | - |
| Female | - | 2 | 3 | 3 | 6 | 7 | 11 | 9 | 3 | 1 | 1 | - |
| White, both sexes | 3 | 6 | 6 | 7 | 16 | 7 | 19 | 11 | 4 | 3 | 1 | - |
| Male | 3 | 4 | 4 | 4 | 10 | 2 | 8 | 2 | 1 | 2 | - | - |
| Female | - | 2 | 2 | 3 | 6 | 5 | 11 | 9 | 3 | 1 | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | 1 | - | - | 2 | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | - | 2 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 57 | 70 | 84 | 103 | 101 | 129 | 125 | 60 | 42 | 15 | - | - |
| Male | 34 | 39 | 52 | 60 | 59 | 57 | 55 | 14 | 12 | 4 | - | - |
| Female | 23 | 31 | 32 | 43 | 42 | 72 | 70 | 46 | 30 | 11 | - | - |
| White, both sexes | 45 | 59 | 75 | 87 | 85 | 118 | 109 | 55 | 37 | 13 | - | - |
| Male | 26 | 35 | 48 | 52 | 47 | 54 | 47 | 13 | 10 | 3 | - | - |
| Female | 19 | 24 | 27 | 35 | 38 | 64 | 62 | 42 | 27 | 10 | - | - |
| Black, both sexes | 12 | 11 | 9 | 16 | 15 | 11 | 15 | 4 | 5 | 2 | - | - |
| Male | 8 | 4 | 4 | 8 | 11 | 3 | 8 | - | 2 | 1 | - | - |
| Female | 4 | 7 | 5 | 8 | 4 | 8 | 7 | 4 | 3 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 108 | 171 | 211 | 210 | 258 | 287 | 283 | 195 | 117 | 17 | 4 | - |
| Male | 63 | 121 | 128 | 129 | 144 | 148 | 144 | 87 | 43 | 4 | - | - |
| Female | 45 | 50 | 83 | 81 | 114 | 139 | 139 | 108 | 74 | 13 | 4 | - |
| White, both sexes | 76 | 135 | 185 | 186 | 231 | 260 | 264 | 169 | 102 | 17 | 4 | - |
| Male | 46 | 99 | 112 | 116 | 129 | 132 | 134 | 79 | 38 | 4 | - | - |
| Female | 30 | 36 | 73 | 70 | 102 | 128 | 130 | 90 | 64 | 13 | 4 | - |
| Black, both sexes | 28 | 33 | 24 | 23 | 26 | 26 | 18 | 20 | 15 | - | - | - |
| Male | 15 | 20 | 14 | 12 | 15 | 15 | 10 | 7 | 5 | - | - | - |
| Female | 13 | 13 | 10 | 11 | 11 | 11 | 8 | 13 | 10 | - | - | - |
| American Indian 1/, both sexes | 1 | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | 3 | 1 | 1 | 1 | - | 1 | 6 | - | - | - | - |
| Male | 2 | 2 | 1 | 1 | - | - | - | 1 | - | - | - | - |
| Female | 1 | 1 | - | - | 1 | - | 1 | 5 | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 7 | 11 | 10 | 22 | 22 | 28 | 29 | 19 | 10 | 3 | - | - |
| Male | 4 | 4 | 7 | 11 | 10 | 15 | 17 | 9 | 4 | 1 | - | - |
| Female | 3 | 7 | 3 | 11 | 12 | 13 | 12 | 10 | 6 | 2 | - | - |
| White, both sexes | 6 | 11 | 9 | 20 | 20 | 28 | 28 | 19 | 10 | 3 | - | - |
| Male | 3 | 4 | 6 | 10 | 10 | 15 | 16 | 9 | 4 | 1 | - | - |
| Female | 3 | 7 | 3 | 10 | 10 | 13 | 12 | 10 | 6 | 2 | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | 2 | 2 | - | - | - | - | - | - | - |
| Male | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | 2 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 6 | 5 | 7 | 10 | 13 | 16 | 16 | 10 | 9 | 4 | - | - |
| Male | 3 | 3 | 4 | 3 | 4 | 7 | 9 | 4 | 3 | 1 | - | - |
| Female | 3 | 2 | 3 | 7 | 9 | 9 | 7 | 6 | 6 | 3 | - | - |
| White, both sexes | 6 | 5 | 7 | 10 | 13 | 16 | 16 | 10 | 9 | 4 | - | - |
| Male | 3 | 3 | 4 | 3 | 4 | 7 | 9 | 4 | 3 | 1 | - | - |
| Female | 3 | 2 | 3 | 7 | 9 | 9 | 7 | 6 | 6 | 3 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 58 | 108 | 104 | 108 | 133 | 148 | 156 | 100 | 37 | 12 | 2 | - |
| Male | 33 | 71 | 52 | 56 | 65 | 85 | 68 | 38 | 18 | 4 | - | - |
| Female | 25 | 37 | 52 | 52 | 68 | 63 | 88 | 62 | 19 | 8 | 2 | - |
| White, both sexes | 32 | 77 | 82 | 85 | 98 | 120 | 127 | 89 | 32 | 8 | 2 | - |
| Male | 19 | 48 | 39 | 45 | 45 | 69 | 55 | 35 | 15 | 2 | - | - |
| Female | 13 | 29 | 43 | 40 | 53 | 51 | 72 | 54 | 17 | 6 | 2 | - |
| Black, both sexes | 24 | 31 | 22 | 19 | 31 | 25 | 27 | 9 | 5 | 4 | - | - |
| Male | 13 | 23 | 13 | 10 | 18 | 14 | 13 | 3 | 3 | 2 | - | - |
| Female | 11 | 8 | 9 | 9 | 13 | 11 | 14 | 6 | 2 | 2 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | 4 | 4 | 3 | 1 | 2 | - | - | - | - |
| Male | 1 | - | - | 1 | 2 | 2 | - | - | - | - | - | - |
| Female | 1 | - | - | 3 | 2 | 1 | 1 | 2 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 24 | 40 | 47 | 48 | 84 | 96 | 91 | 79 | 51 | 12 | 2 | - |
| Male | 16 | 26 | 26 | 28 | 25 | 43 | 40 | 23 | 14 | 3 | - | - |
| Female | 8 | 14 | 21 | 20 | 59 | 53 | 51 | 56 | 37 | 9 | 2 | - |
| White, both sexes | 21 | 39 | 43 | 39 | 77 | 90 | 86 | 75 | 48 | 12 | 2 | - |
| Male | 15 | 26 | 23 | 25 | 22 | 40 | 38 | 22 | 13 | 3 | - | - |
| Female | 6 | 13 | 20 | 14 | 55 | 50 | 48 | 53 | 35 | 9 | 2 | - |
| Black, both sexes | 1 | - | 1 | 1 | 3 | 1 | 1 | 1 | - | - | - | - |
| Male | 1 | - | 1 | 1 | 2 | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | 1 | 1 | 3 | - | - | 1 | - | - | - | - |
| Male | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | 3 | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | 2 | 7 | 1 | 5 | 4 | 2 | 3 | - | - | - |
| Male | - | - | 1 | 1 | 1 | 3 | 2 | 1 | 1 | - | - | - |
| Female | 2 | - | 1 | 6 | - | 2 | 2 | 1 | 2 | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 26 | 31 | 41 | 43 | 62 | 59 | 67 | 52 | 16 | 6 | - | - |
| Male | 19 | 17 | 27 | 27 | 35 | 28 | 23 | 27 | 4 | 2 | - | - |
| Female | 7 | 14 | 14 | 16 | 27 | 31 | 44 | 25 | 12 | 4 | - | - |
| White, both sexes | 26 | 30 | 39 | 42 | 61 | 59 | 65 | 52 | 14 | 6 | - | - |
| Male | 19 | 16 | 25 | 27 | 35 | 28 | 23 | 27 | 3 | 2 | - | - |
| Female | 7 | 14 | 14 | 15 | 26 | 31 | 42 | 25 | 11 | 4 | - | - |
| Black, both sexes | - | 1 | 2 | 1 | 1 | - | 2 | - | 2 | - | - | - |
| Male | - | 1 | 2 | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | 1 | 1 | - | 2 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other malignant neoplasms of other and unspecified sites (C76-C80,C97) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 38 | 49 | 59 | 69 | 105 | 149 | 118 | 96 | 65 | 18 | 4 | - |
| Male | 20 | 29 | 30 | 40 | 66 | 80 | 51 | 40 | 24 | 4 | - | - |
| Female | 18 | 20 | 29 | 29 | 39 | 69 | 67 | 56 | 41 | 14 | 4 | - |
| White, both sexes | 35 | 43 | 52 | 66 | 98 | 139 | 109 | 93 | 63 | 18 | 4 | - |
| Male | 19 | 26 | 26 | 39 | 60 | 77 | 49 | 39 | 23 | 4 | - | - |
| Female | 16 | 17 | 26 | 27 | 38 | 62 | 60 | 54 | 40 | 14 | 4 | - |
| Black, both sexes | 3 | 3 | 5 | 3 | 6 | 9 | 5 | 2 | 2 | - | - | - |
| Male | 1 | 2 | 4 | 1 | 5 | 3 | 1 | 1 | 1 | - | - | - |
| Female | 2 | 1 | 1 | 2 | 1 | 6 | 4 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | 2 | 2 | - | 1 | 1 | 2 | 1 | - | - | - | - |
| Male | - | 1 | - | - | 1 | - | 1 | - | - | - | - | - |
| Female | - | 1 | 2 | - | - | 1 | 1 | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | 2 | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 1 | 3 | 13 | 5 | 10 | 9 | 11 | 7 | 4 | 1 | - | - |
| Male | 1 | 1 | 10 | 2 | 6 | 5 | 6 | 3 | 1 | - | - | - |
| Female | - | 2 | 3 | 3 | 4 | 4 | 5 | 4 | 3 | 1 | - | - |
| White, both sexes | 1 | 3 | 13 | 5 | 10 | 9 | 11 | 7 | 4 | 1 | - | - |
| Male | 1 | 1 | 10 | 2 | 6 | 5 | 6 | 3 | 1 | - | - | - |
| Female | - | 2 | 3 | 3 | 4 | 4 | 5 | 4 | 3 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 55,028 | 24 | 128 | 150 | 185 | 281 | 374 | 366 | 445 | 566 | 932 | 1,491 |
| Male | 30,031 | 12 | 84 | 94 | 112 | 174 | 237 | 219 | 245 | 322 | 558 | 870 |
| Female | 24,997 | 12 | 44 | 56 | 73 | 107 | 137 | 147 | 200 | 244 | 374 | 621 |
| White, both sexes | 48,703 | 20 | 93 | 125 | 149 | 226 | 296 | 259 | 324 | 452 | 720 | 1,167 |
| Male | 26,707 | 10 | 60 | 73 | 91 | 144 | 188 | 159 | 175 | 261 | 442 | 681 |
| Female | 21,996 | 10 | 33 | 52 | 58 | 82 | 108 | 100 | 149 | 191 | 278 | 486 |
| Black, both sexes | 5,046 | 4 | 27 | 16 | 29 | 45 | 59 | 78 | 104 | 90 | 171 | 254 |
| Male | 2,633 | 2 | 18 | 15 | 17 | 24 | 40 | 39 | 61 | 49 | 93 | 154 |
| Female | 2,413 | 2 | 9 | 1 | 12 | 21 | 19 | 39 | 43 | 41 | 78 | 100 |
| American Indian 1/, both sexes | 222 | - | 2 | 1 | - | 4 | 2 | 6 | - | 2 | 8 | 8 |
| Male | 121 | - | 2 | 1 | - | 2 | 1 | 4 | - | 2 | 5 | 2 |
| Female | 101 | - | - | - | - | 2 | 1 | 2 | - | - | 3 | 6 |
| Asian or Pacific Islander 2/, both sexes | 1,057 | - | 6 | 8 | 7 | 6 | 17 | 23 | 17 | 22 | 33 | 62 |
| Male | 570 | - | 4 | 5 | 4 | 4 | 8 | 17 | 9 | 10 | 18 | 33 |
| Female | 487 | - | 2 | 3 | 3 | 2 | 9 | 6 | 8 | 12 | 15 | 29 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 952 | - | - | 2 | 4 | 6 | 7 | 8 | 10 | 11 | 11 | 32 |
| Male | 481 | - | - | 1 | 3 | 4 | 5 | 5 | 5 | 4 | 8 | 18 |
| Female | 471 | - | - | 1 | 1 | 2 | 2 | 3 | 5 | 7 | 3 | 14 |
| White, both sexes | 771 | - | - | 1 | 2 | 5 | 6 | 4 | 7 | 6 | 9 | 20 |
| Male | 395 | - | - | - | 1 | 4 | 5 | 2 | 4 | 1 | 7 | 11 |
| Female | 376 | - | - | 1 | 1 | 1 | 1 | 2 | 3 | 5 | 2 | 9 |
| Black, both sexes | 176 | - | - | 1 | 2 | 1 | - | 4 | 3 | 5 | 2 | 12 |
| Male | 84 | - | - | 1 | 2 | - | - | 3 | 1 | 3 | 1 | 7 |
| Female | 92 | - | - | - | - | 1 | - | 1 | 2 | 2 | 1 | 5 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 77 | - | - | 2 | - | 2 | 2 | - | 1 | 1 | 1 | 5 |
| Male | 38 | - | - | 2 | - | 1 | 2 | - | - | - | 1 | 3 |
| Female | 39 | - | - | - | - | 1 | - | - | 1 | 1 | - | 2 |
| White, both sexes | 61 | - | - | 1 | - | 1 | 2 | - | 1 | 1 | 1 | 2 |
| Male | 30 | - | - | 1 | - | - | 2 | - | - | - | 1 | 1 |
| Female | 31 | - | - | - | - | 1 | - | - | 1 | 1 | - | 1 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 11 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Male | 6 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | 1 | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 982 | - | 1 | 4 | 2 | 6 | 6 | 7 | 6 | 13 | 7 | 32 |
| Male | 555 | - | 1 | 2 | 1 | 5 | 4 | 5 | 3 | 8 | 5 | 18 |
| Female | 427 | - | - | 2 | 1 | 1 | 2 | 2 | 3 | 5 | 2 | 14 |
| White, both sexes | 929 | - | 1 | 3 | 2 | 5 | 5 | 4 | 6 | 11 | 6 | 30 |
| Male | 525 | - | 1 | 1 | 1 | 4 | 3 | 4 | 3 | 6 | 4 | 16 |
| Female | 404 | - | - | 2 | 1 | 1 | 2 | - | 3 | 5 | 2 | 14 |
| Black, both sexes | 24 | - | - | 1 | - | - | 1 | 1 | - | 1 | 1 | 1 |
| Male | 15 | - | - | 1 | - | - | 1 | - | - | 1 | 1 | 1 |
| Female | 9 | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | 22 | - | - | - | - | 1 | - | 1 | - | 1 | - | - |
| Male | 10 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| Female | 12 | - | - | - | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 578 | - | 2 | - | 1 | - | 2 | 5 | 3 | 6 | 8 | 12 |
| Male | 324 | - | 2 | - | 1 | - | 2 | 1 | - | 3 | 6 | 9 |
| Female | 254 | - | - | - | - | - | - | 4 | 3 | 3 | 2 | 3 |
| White, both sexes | 509 | - | 2 | - | 1 | - | - | 4 | 3 | 4 | 5 | 9 |
| Male | 286 | - | 2 | - | 1 | - | - | 1 | - | 3 | 3 | 6 |
| Female | 223 | - | - | - | - | - | - | 3 | 3 | 1 | 2 | 3 |
| Black, both sexes | 67 | - | - | - | - | - | 2 | 1 | - | 2 | 3 | 3 |
| Male | 37 | - | - | - | - | - | 2 | - | - | - | 3 | 3 |
| Female | 30 | - | - | - | - | - | - | 1 | - | 2 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 5,632 | 4 | 17 | 25 | 25 | 45 | 67 | 52 | 52 | 67 | 138 | 205 |
| Male | 3,102 | 2 | 13 | 15 | 15 | 24 | 41 | 38 | 30 | 41 | 81 | 122 |
| Female | 2,530 | 2 | 4 | 10 | 10 | 21 | 26 | 14 | 22 | 26 | 57 | 83 |
| White, both sexes | 4,826 | 3 | 14 | 24 | 20 | 38 | 57 | 36 | 41 | 54 | 105 | 162 |
| Male | 2,681 | 2 | 11 | 15 | 13 | 22 | 33 | 23 | 21 | 35 | 65 | 98 |
| Female | 2,145 | 1 | 3 | 9 | 7 | 16 | 24 | 13 | 20 | 19 | 40 | 64 |
| Black, both sexes | 345 | 1 | - | - | 3 | 5 | 3 | 6 | 6 | 6 | 16 | 19 |
| Male | 172 | - | - | - | 1 | 1 | 3 | 6 | 5 | 3 | 6 | 10 |
| Female | 173 | 1 | - | - | 2 | 4 | - | - | 1 | 3 | 10 | 9 |
| American Indian 1/, both sexes | 9 | - | - | - | - | - | - | 2 | - | - | 1 | - |
| Male | 7 | - | - | - | - | - | - | 2 | - | - | 1 | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 452 | - | 3 | 1 | 2 | 2 | 7 | 8 | 5 | 7 | 16 | 24 |
| Male | 242 | - | 2 | - | 1 | 1 | 5 | 7 | 4 | 3 | 9 | 14 |
| Female | 210 | - | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 4 | 7 | 10 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 651 | 1 | 6 | 3 | 4 | 5 | 3 | 3 | 7 | 4 | 16 | 22 |
| Male | 359 | - | 5 | 2 | 1 | 2 | 2 | 2 | 5 | 1 | 13 | 15 |
| Female | 292 | 1 | 1 | 1 | 3 | 3 | 1 | 1 | 2 | 3 | 3 | 7 |
| White, both sexes | 619 | 1 | 6 | 3 | 4 | 4 | 3 | 3 | 6 | 4 | 16 | 21 |
| Male | 342 | - | 5 | 2 | 1 | 2 | 2 | 2 | 5 | 1 | 13 | 14 |
| Female | 277 | 1 | 1 | 1 | 3 | 2 | 1 | 1 | 1 | 3 | 3 | 7 |
| Black, both sexes | 20 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 11 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 7 | - | - | - | - | 1 | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 697 | - | 1 | 2 | 3 | 5 | 2 | 3 | 3 | 5 | 13 | 12 |
| Male | 371 | - | - | 2 | 2 | 4 | 1 | 3 | 2 | 2 | 8 | 5 |
| Female | 326 | - | 1 | - | 1 | 1 | 1 | - | 1 | 3 | 5 | 7 |
| White, both sexes | 651 | - | 1 | 1 | 3 | 5 | 1 | 3 | 3 | 3 | 11 | 11 |
| Male | 348 | - | - | 1 | 2 | 4 | 1 | 3 | 2 | - | 7 | 5 |
| Female | 303 | - | 1 | - | 1 | 1 | - | - | 1 | 3 | 4 | 6 |
| Black, both sexes | 37 | - | - | - | - | - | 1 | - | - | - | 2 | 1 |
| Male | 15 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 22 | - | - | - | - | - | 1 | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | - | - | 1 | - | - | - | - | - | 2 | - | - |
| Male | 7 | - | - | 1 | - | - | - | - | - | 2 | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 161 | - | - | - | - | 2 | 2 | 1 | 1 | 1 | 2 | 5 |
| Male | 81 | - | - | - | - | 1 | 2 | 1 | - | - | 1 | 1 |
| Female | 80 | - | - | - | - | 1 | - | - | 1 | 1 | 1 | 4 |
| White, both sexes | 138 | - | - | - | - | 2 | 1 | - | - | 1 | 1 | 4 |
| Male | 72 | - | - | - | - | 1 | 1 | - | - | - | - | 1 |
| Female | 66 | - | - | - | - | 1 | - | - | - | 1 | 1 | 3 |
| Black, both sexes | 22 | - | - | - | - | - | 1 | - | 1 | - | 1 | 1 |
| Male | 8 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Female | 14 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 98 | - | - | 1 | - | 4 | - | - | 1 | 2 | 3 | - |
| Male | 56 | - | - | 1 | - | 4 | - | - | 1 | 2 | 2 | - |
| Female | 42 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 33 | - | - | - | - | - | - | - | - | 1 | 2 | - |
| Male | 20 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | 13 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 63 | - | - | 1 | - | 4 | - | - | 1 | 1 | 1 | - |
| Male | 35 | - | - | 1 | - | 4 | - | - | 1 | 1 | 1 | - |
| Female | 28 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 3,989 | 1 | 8 | 8 | 15 | 23 | 21 | 25 | 35 | 43 | 44 | 102 |
| Male | 2,255 | - | 4 | 8 | 10 | 15 | 14 | 15 | 17 | 26 | 30 | 58 |
| Female | 1,734 | 1 | 4 | - | 5 | 8 | 7 | 10 | 18 | 17 | 14 | 44 |
| White, both sexes | 3,611 | 1 | 5 | 7 | 13 | 16 | 15 | 16 | 26 | 34 | 34 | 78 |
| Male | 2,049 | - | 3 | 7 | 8 | 10 | 11 | 8 | 12 | 25 | 23 | 42 |
| Female | 1,562 | 1 | 2 | - | 5 | 6 | 4 | 8 | 14 | 9 | 11 | 36 |
| Black, both sexes | 344 | - | 3 | 1 | 1 | 6 | 6 | 8 | 7 | 9 | 9 | 24 |
| Male | 195 | - | 1 | 1 | 1 | 4 | 3 | 6 | 5 | 1 | 6 | 16 |
| Female | 149 | - | 2 | - | - | 2 | 3 | 2 | 2 | 8 | 3 | 8 |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 30 | - | - | - | 1 | 1 | - | 1 | 2 | - | 1 | - |
| Male | 10 | - | - | - | 1 | 1 | - | 1 | - | - | 1 | - |
| Female | 20 | - | - | - | - | - | - | - | 2 | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 1,311 | 1 | 6 | 3 | 6 | 5 | 12 | 15 | 16 | 17 | 27 | 46 |
| Male | 688 | - | 4 | 1 | 3 | 3 | 9 | 8 | 10 | 11 | 14 | 30 |
| Female | 623 | 1 | 2 | 2 | 3 | 2 | 3 | 7 | 6 | 6 | 13 | 16 |
| White, both sexes | 994 | 1 | 3 | 3 | 4 | 3 | 7 | 5 | 5 | 13 | 17 | 29 |
| Male | 528 | - | 1 | 1 | 2 | 2 | 5 | 4 | 4 | 9 | 10 | 21 |
| Female | 466 | 1 | 2 | 2 | 2 | 1 | 2 | 1 | 1 | 4 | 7 | 8 |
| Black, both sexes | 306 | - | 3 | - | 2 | 2 | 4 | 10 | 11 | 4 | 10 | 15 |
| Male | 156 | - | 3 | - | 1 | 1 | 4 | 4 | 6 | 2 | 4 | 8 |
| Female | 150 | - | - | - | 1 | 1 | - | 6 | 5 | 2 | 6 | 7 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 10 | - | - | - | - | - | 1 | - | - | - | - | 2 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 7 | - | - | - | - | - | 1 | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 180 | - | - | - | 1 | 1 | - | 2 | - | 2 | 4 | 6 |
| Male | 98 | - | - | - | - | 1 | - | 1 | - | 2 | 3 | 4 |
| Female | 82 | - | - | - | 1 | - | - | 1 | - | - | 1 | 2 |
| White, both sexes | 50 | - | - | - | 1 | - | - | 1 | - | 1 | - | 1 |
| Male | 20 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 30 | - | - | - | 1 | - | - | 1 | - | - | - | 1 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 127 | - | - | - | - | 1 | - | 1 | - | 1 | 4 | 5 |
| Male | 75 | - | - | - | - | 1 | - | 1 | - | 1 | 3 | 4 |
| Female | 52 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 254 | 1 | - | 1 | - | - | 2 | 2 | 1 | 2 | 5 | 3 |
| Male | 148 | 1 | - | - | - | - | 2 | 1 | 1 | 1 | 4 | 1 |
| Female | 106 | - | - | 1 | - | - | - | 1 | - | 1 | 1 | 2 |
| White, both sexes | 253 | 1 | - | 1 | - | - | 2 | 2 | 1 | 2 | 5 | 3 |
| Male | 148 | 1 | - | - | - | - | 2 | 1 | 1 | 1 | 4 | 1 |
| Female | 105 | - | - | 1 | - | - | - | 1 | - | 1 | 1 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 2,471 | 1 | 6 | 3 | 3 | 8 | 18 | 21 | 25 | 18 | 37 | 56 |
| Male | 1,298 | - | 3 | 1 | 3 | 7 | 14 | 10 | 10 | 7 | 22 | 35 |
| Female | 1,173 | 1 | 3 | 2 | - | 1 | 4 | 11 | 15 | 11 | 15 | 21 |
| White, both sexes | 2,155 | 1 | 5 | 2 | 3 | 6 | 13 | 13 | 18 | 11 | 28 | 41 |
| Male | 1,139 | - | 2 | - | 3 | 5 | 10 | 7 | 8 | 3 | 17 | 26 |
| Female | 1,016 | 1 | 3 | 2 | - | 1 | 3 | 6 | 10 | 8 | 11 | 15 |
| Black, both sexes | 277 | - | 1 | 1 | - | 2 | 4 | 7 | 5 | 5 | 9 | 14 |
| Male | 140 | - | 1 | 1 | - | 2 | 3 | 3 | 2 | 4 | 5 | 9 |
| Female | 137 | - | - | - | - | - | 1 | 4 | 3 | 1 | 4 | 5 |
| American Indian 1/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 34 | - | - | - | - | - | 1 | 1 | 2 | 2 | - | 1 |
| Male | 16 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 18 | - | - | - | - | - | - | 1 | 2 | 2 | - | 1 |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 1,298 | 1 | 2 | 6 | 2 | 4 | 12 | 13 | 4 | 10 | 22 | 27 |
| Male | 729 | 1 | 1 | 4 | - | 3 | 7 | 7 | 2 | 5 | 8 | 13 |
| Female | 569 | - | 1 | 2 | 2 | 1 | 5 | 6 | 2 | 5 | 14 | 14 |
| White, both sexes | 1,214 | 1 | 2 | 6 | 2 | 4 | 11 | 10 | 2 | 9 | 21 | 23 |
| Male | 678 | 1 | 1 | 4 | - | 3 | 6 | 5 | 1 | 4 | 7 | 11 |
| Female | 536 | - | 1 | 2 | 2 | 1 | 5 | 5 | 1 | 5 | 14 | 12 |
| Black, both sexes | 79 | - | - | - | - | - | 1 | 3 | 2 | 1 | 1 | 4 |
| Male | 48 | - | - | - | - | - | 1 | 2 | 1 | 1 | 1 | 2 |
| Female | 31 | - | - | - | - | - | - | 1 | 1 | - | - | 2 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 705 | - | 2 | 2 | 2 | - | 1 | 4 | 4 | 6 | 7 | 15 |
| Male | 403 | - | 2 | 1 | 1 | - | 1 | 3 | 2 | 3 | 3 | 8 |
| Female | 302 | - | - | 1 | 1 | - | - | 1 | 2 | 3 | 4 | 7 |
| White, both sexes | 699 | - | 2 | 2 | 2 | - | 1 | 4 | 4 | 6 | 6 | 15 |
| Male | 399 | - | 2 | 1 | 1 | - | 1 | 3 | 2 | 3 | 2 | 8 |
| Female | 300 | - | - | 1 | 1 | - | - | 1 | 2 | 3 | 4 | 7 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 563 | - | 2 | 3 | 1 | 2 | 3 | - | 3 | 4 | 8 | 11 |
| Male | 322 | - | 2 | 1 | 1 | - | 1 | - | 3 | 2 | 5 | 7 |
| Female | 241 | - | - | 2 | - | 2 | 2 | - | - | 2 | 3 | 4 |
| White, both sexes | 533 | - | 2 | 3 | 1 | 2 | 3 | - | 3 | 4 | 7 | 9 |
| Male | 310 | - | 2 | 1 | 1 | - | 1 | - | 3 | 2 | 4 | 7 |
| Female | 223 | - | - | 2 | - | 2 | 2 | - | - | 2 | 3 | 2 |
| Black, both sexes | 23 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 8 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 15 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 884 | - | - | 2 | 1 | 3 | 3 | 5 | 6 | 14 | 19 | 29 |
| Male | 492 | - | - | 1 | 1 | 3 | 1 | 4 | 4 | 10 | 14 | 17 |
| Female | 392 | - | - | 1 | - | - | 2 | 1 | 2 | 4 | 5 | 12 |
| White, both sexes | 837 | - | - | 2 | 1 | 3 | 3 | 5 | 5 | 12 | 18 | 24 |
| Male | 460 | - | - | 1 | 1 | 3 | 1 | 4 | 3 | 8 | 13 | 13 |
| Female | 377 | - | - | 1 | - | - | 2 | 1 | 2 | 4 | 5 | 11 |
| Black, both sexes | 45 | - | - | - | - | - | - | - | - | 2 | 1 | 5 |
| Male | 30 | - | - | - | - | - | - | - | - | 2 | 1 | 4 |
| Female | 15 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 790 | - | 1 | 3 | 5 | 4 | 10 | 3 | 6 | 8 | 20 | 24 |
| Male | 436 | - | 1 | 3 | 3 | 3 | 6 | 1 | 2 | 3 | 8 | 14 |
| Female | 354 | - | - | - | 2 | 1 | 4 | 2 | 4 | 5 | 12 | 10 |
| White, both sexes | 580 | - | 1 | 1 | 2 | 1 | 7 | 3 | 3 | 4 | 13 | 12 |
| Male | 322 | - | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 4 | 7 |
| Female | 258 | - | - | - | 1 | - | 4 | 2 | 2 | 3 | 9 | 5 |
| Black, both sexes | 209 | - | - | 2 | 3 | 3 | 3 | - | 3 | 4 | 7 | 11 |
| Male | 114 | - | - | 2 | 2 | 2 | 3 | - | 1 | 2 | 4 | 7 |
| Female | 95 | - | - | - | 1 | 1 | - | - | 2 | 2 | 3 | 4 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 334 | 1 | 2 | - | 2 | 1 | 1 | 1 | - | 2 | 2 | 8 |
| Male | 183 | 1 | - | - | 2 | 1 | - | 1 | - | - | 1 | 4 |
| Female | 151 | - | 2 | - | - | - | 1 | - | - | 2 | 1 | 4 |
| White, both sexes | 333 | 1 | 2 | - | 2 | 1 | 1 | 1 | - | 2 | 2 | 8 |
| Male | 182 | 1 | - | - | 2 | 1 | - | 1 | - | - | 1 | 4 |
| Female | 151 | - | 2 | - | - | - | 1 | - | - | 2 | 1 | 4 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 990 | - | 5 | 3 | 4 | 10 | 3 | 6 | 11 | 13 | 15 | 36 |
| Male | 540 | - | 4 | 1 | 1 | 6 | 2 | 3 | 7 | 9 | 6 | 21 |
| Female | 450 | - | 1 | 2 | 3 | 4 | 1 | 3 | 4 | 4 | 9 | 15 |
| White, both sexes | 765 | - | 4 | 3 | 2 | 5 | - | 5 | 4 | 8 | 8 | 23 |
| Male | 416 | - | 3 | 1 | - | 4 | - | 3 | 3 | 6 | 3 | 13 |
| Female | 349 | - | 1 | 2 | 2 | 1 | - | 2 | 1 | 2 | 5 | 10 |
| Black, both sexes | 199 | - | 1 | - | 2 | 4 | 2 | 1 | 5 | 4 | 6 | 10 |
| Male | 109 | - | 1 | - | 1 | 2 | 2 | - | 3 | 2 | 3 | 6 |
| Female | 90 | - | - | - | 1 | 2 | - | 1 | 2 | 2 | 3 | 4 |
| American Indian 1/, both sexes | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 25 | - | - | - | - | - | 1 | - | 2 | 1 | 1 | 3 |
| Male | 15 | - | - | - | - | - | - | - | 1 | 1 | - | 2 |
| Female | 10 | - | - | - | - | - | 1 | - | 1 | - | 1 | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 1,264 | - | 2 | 5 | - | 4 | 7 | 8 | 10 | 13 | 17 | 21 |
| Male | 656 | - | 2 | 2 | - | 2 | 6 | 4 | 3 | 8 | 10 | 13 |
| Female | 608 | - | - | 3 | - | 2 | 1 | 4 | 7 | 5 | 7 | 8 |
| White, both sexes | 1,196 | - | 1 | 4 | - | 2 | 6 | 6 | 9 | 12 | 14 | 19 |
| Male | 620 | - | 1 | 2 | - | 1 | 5 | 4 | 2 | 7 | 8 | 11 |
| Female | 576 | - | - | 2 | - | 1 | 1 | 2 | 7 | 5 | 6 | 8 |
| Black, both sexes | 49 | - | 1 | - | - | 1 | 1 | - | 1 | 1 | 2 | 2 |
| Male | 27 | - | 1 | - | - | - | 1 | - | 1 | 1 | 2 | 2 |
| Female | 22 | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 17 | - | - | 1 | - | 1 | - | 2 | - | - | 1 | - |
| Male | 8 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 9 | - | - | 1 | - | - | - | 2 | - | - | 1 | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 2,140 | 2 | 5 | 6 | 5 | 12 | 14 | 11 | 17 | 13 | 27 | 53 |
| Male | 1,161 | 2 | 2 | 3 | 2 | 9 | 8 | 7 | 8 | 7 | 18 | 26 |
| Female | 979 | - | 3 | 3 | 3 | 3 | 6 | 4 | 9 | 6 | 9 | 27 |
| White, both sexes | 1,889 | 1 | 3 | 4 | 4 | 9 | 12 | 7 | 11 | 9 | 23 | 40 |
| Male | 1,037 | 1 | 1 | 1 | 2 | 7 | 8 | 5 | 4 | 5 | 16 | 21 |
| Female | 852 | - | 2 | 3 | 2 | 2 | 4 | 2 | 7 | 4 | 7 | 19 |
| Black, both sexes | 225 | 1 | 2 | 1 | 1 | 3 | 2 | 4 | 5 | 4 | 4 | 12 |
| Male | 111 | 1 | 1 | 1 | - | 2 | - | 2 | 4 | 2 | 2 | 5 |
| Female | 114 | - | 1 | - | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 7 |
| American Indian 1/, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 13 | - | - | 1 | - | - | - | - | 1 | - | - | 1 |
| Male | 7 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | 1 | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 980 | 1 | - | 2 | 5 | 4 | 5 | 3 | 4 | 9 | 14 | 26 |
| Male | 517 | 1 | - | 2 | 2 | 2 | 2 | 2 | 2 | 6 | 8 | 14 |
| Female | 463 | - | - | - | 3 | 2 | 3 | 1 | 2 | 3 | 6 | 12 |
| White, both sexes | 955 | - | - | 1 | 5 | 4 | 5 | 3 | 4 | 7 | 13 | 21 |
| Male | 503 | - | - | 1 | 2 | 2 | 2 | 2 | 2 | 4 | 7 | 12 |
| Female | 452 | - | - | - | 3 | 2 | 3 | 1 | 2 | 3 | 6 | 9 |
| Black, both sexes | 14 | 1 | - | - | - | - | - | - | - | 2 | 1 | 2 |
| Male | 11 | 1 | - | - | - | - | - | - | - | 2 | 1 | 2 |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 5 | - | - | 1 | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 2 |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 548 | - | 2 | 1 | 1 | 1 | 5 | 3 | 12 | 1 | 16 | 17 |
| Male | 291 | - | 1 | - | 1 | 1 | 2 | 1 | 9 | - | 9 | 11 |
| Female | 257 | - | 1 | 1 | - | - | 3 | 2 | 3 | 1 | 7 | 6 |
| White, both sexes | 381 | - | - | 1 | - | - | 2 | - | 6 | - | 7 | 10 |
| Male | 214 | - | - | - | - | - | 1 | - | 5 | - | 5 | 8 |
| Female | 167 | - | - | 1 | - | - | 1 | - | 1 | - | 2 | 2 |
| Black, both sexes | 163 | - | 2 | - | 1 | 1 | 2 | 3 | 6 | 1 | 9 | 7 |
| Male | 77 | - | 1 | - | 1 | 1 | 1 | 1 | 4 | - | 4 | 3 |
| Female | 86 | - | 1 | - | - | - | 1 | 2 | 2 | 1 | 5 | 4 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 1,178 | - | 1 | 1 | 1 | 5 | 12 | 8 | 10 | 9 | 18 | 22 |
| Male | 670 | - | 1 | 1 | 1 | 3 | 6 | 7 | 5 | 6 | 10 | 15 |
| Female | 508 | - | - | - | - | 2 | 6 | 1 | 5 | 3 | 8 | 7 |
| White, both sexes | 1,075 | - | 1 | - | 1 | 5 | 8 | 7 | 5 | 8 | 14 | 21 |
| Male | 610 | - | 1 | - | 1 | 3 | 5 | 6 | 4 | 6 | 9 | 14 |
| Female | 465 | - | - | - | - | 2 | 3 | 1 | 1 | 2 | 5 | 7 |
| Black, both sexes | 96 | - | - | 1 | - | - | 4 | 1 | 5 | - | 4 | 1 |
| Male | 56 | - | - | 1 | - | - | 1 | 1 | 1 | - | 1 | 1 |
| Female | 40 | - | - | - | - | - | 3 | - | 4 | - | 3 | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 203 | - | 1 | - | 2 | - | 3 | 1 | 1 | 4 | 1 | 7 |
| Male | 113 | - | 1 | - | 2 | - | 2 | - | 1 | 2 | - | 5 |
| Female | 90 | - | - | - | - | - | 1 | 1 | - | 2 | 1 | 2 |
| White, both sexes | 191 | - | - | - | 2 | - | 2 | 1 | 1 | 4 | - | 7 |
| Male | 107 | - | - | - | 2 | - | 2 | - | 1 | 2 | - | 5 |
| Female | 84 | - | - | - | - | - | - | 1 | - | 2 | - | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 10 | - | 1 | - | - | - | - | - | - | - | 1 | - |
| Male | 6 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 346 | - | - | 1 | 1 | 1 | 1 | - | 1 | 2 | 6 | 9 |
| Male | 187 | - | - | 1 | 1 | 1 | - | - | - | - | 2 | 8 |
| Female | 159 | - | - | - | - | - | 1 | - | 1 | 2 | 4 | 1 |
| White, both sexes | 334 | - | - | 1 | 1 | 1 | 1 | - | 1 | 2 | 6 | 8 |
| Male | 181 | - | - | 1 | 1 | 1 | - | - | - | - | 2 | 7 |
| Female | 153 | - | - | - | - | - | 1 | - | 1 | 2 | 4 | 1 |
| Black, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 322 | - | 1 | - | 3 | 1 | 1 | 4 | 4 | 6 | 8 | 10 |
| Male | 181 | - | 1 | - | 1 | 1 | - | - | 3 | 4 | 5 | 5 |
| Female | 141 | - | - | - | 2 | - | 1 | 4 | 1 | 2 | 3 | 5 |
| White, both sexes | 292 | - | 1 | - | 3 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| Male | 166 | - | 1 | - | 1 | 1 | - | - | 3 | 4 | 4 | 3 |
| Female | 126 | - | - | - | 2 | - | 1 | 2 | 1 | 2 | 2 | 3 |
| Black, both sexes | 19 | - | - | - | - | - | - | 2 | - | - | - | 2 |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 8 | - | - | - | - | - | - | 2 | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 11 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Male | 4 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 7 | - | - | - | - | - | - | - | - | - | 1 | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 247 | - | - | 1 | - | 1 | 3 | 1 | 1 | 4 | 8 | 3 |
| Male | 122 | - | - | 1 | - | 1 | 1 | 1 | 1 | 2 | 4 | 1 |
| Female | 125 | - | - | - | - | - | 2 | - | - | 2 | 4 | 2 |
| White, both sexes | 244 | - | - | 1 | - | 1 | 3 | 1 | 1 | 4 | 8 | 2 |
| Male | 120 | - | - | 1 | - | 1 | 1 | 1 | 1 | 2 | 4 | 1 |
| Female | 124 | - | - | - | - | - | 2 | - | - | 2 | 4 | 1 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 1,622 | 1 | 4 | 4 | 7 | 10 | 11 | 10 | 17 | 19 | 27 | 39 |
| Male | 862 | 1 | 2 | 2 | 7 | 5 | 10 | 5 | 9 | 12 | 15 | 19 |
| Female | 760 | - | 2 | 2 | - | 5 | 1 | 5 | 8 | 7 | 12 | 20 |
| White, both sexes | 1,413 | 1 | 3 | 4 | 3 | 9 | 10 | 7 | 12 | 9 | 17 | 27 |
| Male | 761 | 1 | 2 | 2 | 3 | 5 | 9 | 3 | 5 | 6 | 10 | 13 |
| Female | 652 | - | 1 | 2 | - | 4 | 1 | 4 | 7 | 3 | 7 | 14 |
| Black, both sexes | 171 | - | - | - | 4 | 1 | 1 | 1 | 3 | 8 | 9 | 11 |
| Male | 78 | - | - | - | 4 | - | 1 | - | 2 | 4 | 4 | 6 |
| Female | 93 | - | - | - | - | 1 | - | 1 | 1 | 4 | 5 | 5 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 36 | - | 1 | - | - | - | - | 2 | 2 | 2 | 1 | 1 |
| Male | 22 | - | - | - | - | - | - | 2 | 2 | 2 | 1 | - |
| Female | 14 | - | 1 | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 284 | 1 | 2 | 1 | - | 2 | 3 | 2 | 1 | 5 | 5 | 7 |
| Male | 151 | 1 | 1 | - | - | 1 | 2 | 1 | - | 2 | 2 | 3 |
| Female | 133 | - | 1 | 1 | - | 1 | 1 | 1 | 1 | 3 | 3 | 4 |
| White, both sexes | 261 | 1 | 1 | 1 | - | 1 | 2 | 2 | 1 | 5 | 4 | 6 |
| Male | 142 | 1 | 1 | - | - | 1 | 2 | 1 | - | 2 | 1 | 3 |
| Female | 119 | - | - | 1 | - | - | - | 1 | 1 | 3 | 3 | 3 |
| Black, both sexes | 8 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 15 | - | - | - | - | 1 | 1 | - | - | - | 1 | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 9 | - | - | - | - | 1 | 1 | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 3,466 | 1 | 10 | 8 | 12 | 16 | 25 | 26 | 27 | 33 | 72 | 116 |
| Male | 1,852 | 1 | 7 | 5 | 9 | 9 | 16 | 18 | 16 | 22 | 40 | 68 |
| Female | 1,614 | - | 3 | 3 | 3 | 7 | 9 | 8 | 11 | 11 | 32 | 48 |
| White, both sexes | 2,987 | 1 | 8 | 5 | 10 | 14 | 15 | 18 | 21 | 24 | 49 | 90 |
| Male | 1,615 | 1 | 5 | 3 | 8 | 9 | 10 | 12 | 12 | 16 | 29 | 54 |
| Female | 1,372 | - | 3 | 2 | 2 | 5 | 5 | 6 | 9 | 8 | 20 | 36 |
| Black, both sexes | 397 | - | 2 | 1 | 1 | 2 | 7 | 4 | 5 | 7 | 21 | 19 |
| Male | 186 | - | 2 | 1 | 1 | - | 5 | 2 | 4 | 6 | 9 | 8 |
| Female | 211 | - | - | - | - | 2 | 2 | 2 | 1 | 1 | 12 | 11 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 79 | - | - | 2 | 1 | - | 3 | 4 | 1 | 2 | 1 | 7 |
| Male | 49 | - | - | 1 | - | - | 1 | 4 | - | - | 1 | 6 |
| Female | 30 | - | - | 1 | 1 | - | 2 | - | 1 | 2 | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 1,552 | 1 | 4 | 1 | 6 | 5 | 8 | 8 | 12 | 16 | 17 | 35 |
| Male | 846 | - | 3 | - | 2 | 4 | 5 | 5 | 8 | 11 | 12 | 21 |
| Female | 706 | 1 | 1 | 1 | 4 | 1 | 3 | 3 | 4 | 5 | 5 | 14 |
| White, both sexes | 1,278 | 1 | 2 | - | 2 | 5 | 6 | 7 | 8 | 13 | 11 | 27 |
| Male | 712 | - | 1 | - | 2 | 4 | 3 | 5 | 5 | 8 | 9 | 14 |
| Female | 566 | 1 | 1 | - | - | 1 | 3 | 2 | 3 | 5 | 2 | 13 |
| Black, both sexes | 254 | - | 1 | 1 | 4 | - | 2 | 1 | 4 | 3 | 6 | 8 |
| Male | 120 | - | 1 | - | - | - | 2 | - | 3 | 3 | 3 | 7 |
| Female | 134 | - | - | 1 | 4 | - | - | 1 | 1 | - | 3 | 1 |
| American Indian 1/, both sexes | 14 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 8 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 146 | - | - | - | - | 1 | - | 1 | 2 | - | 1 | 3 |
| Male | 77 | - | - | - | - | - | - | - | 1 | - | 1 | 3 |
| Female | 69 | - | - | - | - | 1 | - | 1 | 1 | - | - | - |
| White, both sexes | 143 | - | - | - | - | 1 | - | 1 | 2 | - | 1 | 3 |
| Male | 76 | - | - | - | - | - | - | - | 1 | - | 1 | 3 |
| Female | 67 | - | - | - | - | 1 | - | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 2,369 | 1 | 2 | 2 | 3 | 9 | 8 | 12 | 13 | 24 | 40 | 47 |
| Male | 1,263 | - | 2 | 2 | 2 | 5 | 8 | 10 | 9 | 14 | 26 | 31 |
| Female | 1,106 | 1 | - | - | 1 | 4 | - | 2 | 4 | 10 | 14 | 16 |
| White, both sexes | 2,174 | 1 | 1 | 2 | 3 | 8 | 7 | 11 | 12 | 24 | 36 | 42 |
| Male | 1,163 | - | 1 | 2 | 2 | 5 | 7 | 10 | 9 | 14 | 23 | 28 |
| Female | 1,011 | 1 | - | - | 1 | 3 | - | 1 | 3 | 10 | 13 | 14 |
| Black, both sexes | 188 | - | 1 | - | - | 1 | 1 | 1 | 1 | - | 4 | 5 |
| Male | 96 | - | 1 | - | - | - | 1 | - | - | - | 3 | 3 |
| Female | 92 | - | - | - | - | 1 | - | 1 | 1 | - | 1 | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 677 | - | 2 | - | 2 | 4 | 2 | 5 | 5 | 10 | 8 | 15 |
| Male | 374 | - | 2 | - | 1 | 3 | 2 | 4 | 3 | 7 | 4 | 10 |
| Female | 303 | - | - | - | 1 | 1 | - | 1 | 2 | 3 | 4 | 5 |
| White, both sexes | 615 | - | 2 | - | 2 | 3 | 1 | 4 | 4 | 9 | 7 | 11 |
| Male | 340 | - | 2 | - | 1 | 2 | 1 | 3 | 2 | 6 | 4 | 8 |
| Female | 275 | - | - | - | 1 | 1 | - | 1 | 2 | 3 | 3 | 3 |
| Black, both sexes | 25 | - | - | - | - | 1 | - | - | 1 | - | - | 1 |
| Male | 15 | - | - | - | - | 1 | - | - | 1 | - | - | 1 |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 35 | - | - | - | - | - | 1 | 1 | - | 1 | 1 | 3 |
| Male | 18 | - | - | - | - | - | 1 | 1 | - | 1 | - | 1 |
| Female | 17 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 781 | - | 1 | 2 | 3 | 2 | 7 | 4 | 8 | 4 | 12 | 24 |
| Male | 426 | - | - | - | 3 | 2 | 3 | 3 | 7 | 3 | 7 | 16 |
| Female | 355 | - | 1 | 2 | - | - | 4 | 1 | 1 | 1 | 5 | 8 |
| White, both sexes | 758 | - | 1 | 2 | 3 | 2 | 7 | 4 | 7 | 3 | 11 | 22 |
| Male | 415 | - | - | - | 3 | 2 | 3 | 3 | 6 | 2 | 7 | 16 |
| Female | 343 | - | 1 | 2 | - | - | 4 | 1 | 1 | 1 | 4 | 6 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 8 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Asian or Pacific Islander 2/, both sexes | 10 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 2,919 | - | 4 | 4 | 10 | 8 | 9 | 16 | 22 | 28 | 46 | 69 |
| Male | 1,559 | - | 1 | 3 | 6 | 5 | 6 | 6 | 15 | 17 | 30 | 41 |
| Female | 1,360 | - | 3 | 1 | 4 | 3 | 3 | 10 | 7 | 11 | 16 | 28 |
| White, both sexes | 2,706 | - | 1 | 4 | 8 | 5 | 8 | 13 | 13 | 23 | 37 | 61 |
| Male | 1,448 | - | - | 3 | 5 | 3 | 6 | 5 | 8 | 13 | 25 | 35 |
| Female | 1,258 | - | 1 | 1 | 3 | 2 | 2 | 8 | 5 | 10 | 12 | 26 |
| Black, both sexes | 201 | - | 2 | - | 1 | 3 | 1 | 3 | 9 | 5 | 8 | 8 |
| Male | 105 | - | - | - | 1 | 2 | - | 1 | 7 | 4 | 5 | 6 |
| Female | 96 | - | 2 | - | - | 1 | 1 | 2 | 2 | 1 | 3 | 2 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 11 | - | 1 | - | 1 | - | - | - | - | - | 1 | - |
| Male | 6 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | 1 | - | - | - | - | - | 1 | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 223 | - | - | - | 3 | 1 | 2 | 1 | - | 3 | 2 | 2 |
| Male | 114 | - | - | - | 2 | 1 | 2 | - | - | 2 | 2 | 2 |
| Female | 109 | - | - | - | 1 | - | - | 1 | - | 1 | - | - |
| White, both sexes | 214 | - | - | - | 2 | 1 | 2 | 1 | - | 3 | 2 | 2 |
| Male | 105 | - | - | - | 1 | 1 | 2 | - | - | 2 | 2 | 2 |
| Female | 109 | - | - | - | 1 | - | - | 1 | - | 1 | - | - |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 735 | - | 2 | 1 | 3 | 6 | 5 | 2 | 12 | 6 | 16 | 20 |
| Male | 412 | - | 1 | 1 | 1 | 3 | 2 | 2 | 7 | 3 | 10 | 12 |
| Female | 323 | - | 1 | - | 2 | 3 | 3 | - | 5 | 3 | 6 | 8 |
| White, both sexes | 551 | - | - | - | 1 | 4 | 3 | 2 | 4 | 4 | 9 | 14 |
| Male | 312 | - | - | - | - | 3 | 1 | 2 | 2 | 3 | 7 | 9 |
| Female | 239 | - | - | - | 1 | 1 | 2 | - | 2 | 1 | 2 | 5 |
| Black, both sexes | 180 | - | 2 | 1 | 2 | 2 | 2 | - | 8 | 2 | 6 | 5 |
| Male | 98 | - | 1 | 1 | 1 | - | 1 | - | 5 | - | 3 | 3 |
| Female | 82 | - | 1 | - | 1 | 2 | 1 | - | 3 | 2 | 3 | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | 1 | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 151 | - | - | - | - | 1 | 2 | 4 | 3 | 1 | 2 | 2 |
| Male | 86 | - | - | - | - | 1 | 1 | 1 | 1 | - | 2 | 1 |
| Female | 65 | - | - | - | - | - | 1 | 3 | 2 | 1 | - | 1 |
| White, both sexes | 140 | - | - | - | - | 1 | 2 | 3 | 3 | 1 | 1 | 2 |
| Male | 79 | - | - | - | - | 1 | 1 | 1 | 1 | - | 1 | 1 |
| Female | 61 | - | - | - | - | - | 1 | 2 | 2 | 1 | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 10 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 4 | - | - | - | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 1,188 | 2 | 6 | 3 | 3 | 7 | 6 | 11 | 6 | 16 | 21 | 34 |
| Male | 644 | - | 3 | 2 | - | 3 | 3 | 9 | 2 | 7 | 14 | 17 |
| Female | 544 | 2 | 3 | 1 | 3 | 4 | 3 | 2 | 4 | 9 | 7 | 17 |
| White, both sexes | 1,045 | 2 | 5 | 2 | 3 | 6 | 5 | 6 | 4 | 13 | 17 | 28 |
| Male | 555 | - | 2 | 1 | - | 2 | 2 | 5 | 1 | 5 | 12 | 13 |
| Female | 490 | 2 | 3 | 1 | 3 | 4 | 3 | 1 | 3 | 8 | 5 | 15 |
| Black, both sexes | 136 | - | - | - | - | 1 | - | 5 | 2 | 3 | 4 | 5 |
| Male | 84 | - | - | - | - | 1 | - | 4 | 1 | 2 | 2 | 4 |
| Female | 52 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | 1 | 1 | - | - | 1 | - | - | - | - | 1 |
| Male | 4 | - | 1 | 1 | - | - | 1 | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 3,459 | 2 | 10 | 20 | 20 | 22 | 37 | 26 | 38 | 48 | 73 | 105 |
| Male | 1,953 | - | 8 | 12 | 12 | 14 | 23 | 12 | 22 | 22 | 47 | 56 |
| Female | 1,506 | 2 | 2 | 8 | 8 | 8 | 14 | 14 | 16 | 26 | 26 | 49 |
| White, both sexes | 3,064 | 1 | 7 | 20 | 19 | 21 | 31 | 20 | 31 | 41 | 56 | 79 |
| Male | 1,733 | - | 6 | 12 | 11 | 13 | 21 | 10 | 19 | 20 | 35 | 42 |
| Female | 1,331 | 1 | 1 | 8 | 8 | 8 | 10 | 10 | 12 | 21 | 21 | 37 |
| Black, both sexes | 352 | 1 | 3 | - | 1 | 1 | 6 | 6 | 6 | 5 | 14 | 25 |
| Male | 195 | - | 2 | - | 1 | 1 | 2 | 2 | 2 | 2 | 10 | 14 |
| Female | 157 | 1 | 1 | - | - | - | 4 | 4 | 4 | 3 | 4 | 11 |
| American Indian 1/, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 37 | - | - | - | - | - | - | - | 1 | 2 | 2 | 1 |
| Male | 20 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Female | 17 | - | - | - | - | - | - | - | - | 2 | 1 | 1 |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 324 | - | - | 1 | - | 5 | 3 | 2 | 2 | 5 | 4 | 9 |
| Male | 189 | - | - | - | - | 4 | 1 | - | 1 | 3 | 3 | 5 |
| Female | 135 | - | - | 1 | - | 1 | 2 | 2 | 1 | 2 | 1 | 4 |
| White, both sexes | 315 | - | - | 1 | - | 5 | 3 | 1 | 2 | 5 | 4 | 9 |
| Male | 183 | - | - | - | - | 4 | 1 | - | 1 | 3 | 3 | 5 |
| Female | 132 | - | - | 1 | - | 1 | 2 | 1 | 1 | 2 | 1 | 4 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 128 | - | - | - | - | - | 1 | 1 | - | 2 | 2 | 1 |
| Male | 68 | - | - | - | - | - | - | 1 | - | 2 | 1 | - |
| Female | 60 | - | - | - | - | - | 1 | - | - | - | 1 | 1 |
| White, both sexes | 127 | - | - | - | - | - | 1 | 1 | - | 2 | 2 | 1 |
| Male | 67 | - | - | - | - | - | - | 1 | - | 2 | 1 | - |
| Female | 60 | - | - | - | - | - | 1 | - | - | - | 1 | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 1,301 | - | 3 | 6 | 5 | 3 | 7 | 11 | 6 | 14 | 22 | 39 |
| Male | 709 | - | 1 | 5 | 2 | - | 5 | 5 | 3 | 8 | 11 | 22 |
| Female | 592 | - | 2 | 1 | 3 | 3 | 2 | 6 | 3 | 6 | 11 | 17 |
| White, both sexes | 1,036 | - | 2 | 5 | 4 | 2 | 6 | 4 | 5 | 9 | 14 | 24 |
| Male | 572 | - | - | 4 | 2 | - | 4 | 3 | 3 | 7 | 7 | 11 |
| Female | 464 | - | 2 | 1 | 2 | 2 | 2 | 1 | 2 | 2 | 7 | 13 |
| Black, both sexes | 227 | - | 1 | 1 | 1 | 1 | 1 | 6 | 1 | 4 | 6 | 13 |
| Male | 117 | - | 1 | 1 | - | - | 1 | 2 | - | 1 | 3 | 10 |
| Female | 110 | - | - | - | 1 | 1 | - | 4 | 1 | 3 | 3 | 3 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 35 | - | - | - | - | - | - | 1 | - | 1 | 2 | 2 |
| Male | 17 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 18 | - | - | - | - | - | - | 1 | - | 1 | 1 | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 1,116 | - | 1 | 3 | 5 | 6 | 4 | 3 | 9 | 6 | 13 | 33 |
| Male | 617 | - | - | 2 | 4 | 3 | 2 | 3 | 4 | 1 | 7 | 21 |
| Female | 499 | - | 1 | 1 | 1 | 3 | 2 | - | 5 | 5 | 6 | 12 |
| White, both sexes | 1,041 | - | 1 | 3 | 4 | 6 | 3 | 2 | 9 | 5 | 13 | 27 |
| Male | 576 | - | - | 2 | 3 | 3 | 1 | 2 | 4 | 1 | 7 | 18 |
| Female | 465 | - | 1 | 1 | 1 | 3 | 2 | - | 5 | 4 | 6 | 9 |
| Black, both sexes | 32 | - | - | - | - | - | 1 | - | - | 1 | - | 1 |
| Male | 17 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| Female | 15 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | 11 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 6 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 32 | - | - | - | 1 | - | - | - | - | - | - | 4 |
| Male | 18 | - | - | - | 1 | - | - | - | - | - | - | 2 |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | 2 |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 432 | - | - | 1 | 1 | 2 | 3 | 4 | 2 | 2 | 6 | 7 |
| Male | 235 | - | - | 1 | - | 1 | 2 | 2 | 1 | 2 | 5 | - |
| Female | 197 | - | - | - | 1 | 1 | 1 | 2 | 1 | - | 1 | 7 |
| White, both sexes | 425 | - | - | - | 1 | 2 | 3 | 4 | 2 | 2 | 6 | 7 |
| Male | 231 | - | - | - | - | 1 | 2 | 2 | 1 | 2 | 5 | - |
| Female | 194 | - | - | - | 1 | 1 | 1 | 2 | 1 | - | 1 | 7 |
| Black, both sexes | 7 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 1,224 | 1 | 4 | 3 | 3 | 6 | 3 | 2 | 5 | 13 | 18 | 26 |
| Male | 682 | 1 | 3 | 3 | 3 | 3 | 1 | 1 | - | 8 | 9 | 21 |
| Female | 542 | - | 1 | - | - | 3 | 2 | 1 | 5 | 5 | 9 | 5 |
| White, both sexes | 1,186 | 1 | 3 | 1 | 3 | 6 | 3 | 2 | 4 | 13 | 16 | 24 |
| Male | 659 | 1 | 2 | 1 | 3 | 3 | 1 | 1 | - | 8 | 8 | 19 |
| Female | 527 | - | 1 | - | - | 3 | 2 | 1 | 4 | 5 | 8 | 5 |
| Black, both sexes | 33 | - | 1 | 2 | - | - | - | - | 1 | - | 2 | 2 |
| Male | 19 | - | 1 | 2 | - | - | - | - | - | - | 1 | 2 |
| Female | 14 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 106 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Male | 55 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | 51 | - | - | - | - | - | - | - | - | - | - | 2 |
| White, both sexes | 106 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Male | 55 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | 51 | - | - | - | - | - | - | - | - | - | - | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 2,196 | 3,304 | 4,319 | 5,359 | 7,128 | 8,999 | 9,110 | 6,321 | 2,678 | 598 | 74 | - |
| Male | 1,305 | 2,017 | 2,526 | 3,217 | 4,168 | 5,020 | 4,642 | 2,934 | 1,047 | 209 | 19 | - |
| Female | 891 | 1,287 | 1,793 | 2,142 | 2,960 | 3,979 | 4,468 | 3,387 | 1,631 | 389 | 55 | - |
| White, both sexes | 1,745 | 2,744 | 3,713 | 4,651 | 6,315 | 8,213 | 8,450 | 5,927 | 2,510 | 543 | 61 | - |
| Male | 1,048 | 1,689 | 2,206 | 2,835 | 3,731 | 4,612 | 4,324 | 2,779 | 992 | 193 | 14 | - |
| Female | 697 | 1,055 | 1,507 | 1,816 | 2,584 | 3,601 | 4,126 | 3,148 | 1,518 | 350 | 47 | - |
| Black, both sexes | 369 | 450 | 486 | 578 | 632 | 617 | 525 | 312 | 136 | 52 | 12 | - |
| Male | 210 | 270 | 257 | 309 | 342 | 311 | 245 | 124 | 35 | 14 | 4 | - |
| Female | 159 | 180 | 229 | 269 | 290 | 306 | 280 | 188 | 101 | 38 | 8 | - |
| American Indian 1/, both sexes | 21 | 28 | 25 | 38 | 24 | 25 | 13 | 11 | 3 | 1 | - | - |
| Male | 13 | 11 | 12 | 25 | 13 | 16 | 7 | 3 | 1 | 1 | - | - |
| Female | 8 | 17 | 13 | 13 | 11 | 9 | 6 | 8 | 2 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 61 | 82 | 95 | 92 | 157 | 144 | 122 | 71 | 29 | 2 | 1 | - |
| Male | 34 | 47 | 51 | 48 | 82 | 81 | 66 | 28 | 19 | 1 | 1 | - |
| Female | 27 | 35 | 44 | 44 | 75 | 63 | 56 | 43 | 10 | 1 | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 36 | 61 | 73 | 102 | 123 | 161 | 154 | 102 | 42 | 5 | 2 | - |
| Male | 23 | 41 | 39 | 52 | 65 | 76 | 68 | 47 | 14 | 3 | - | - |
| Female | 13 | 20 | 34 | 50 | 58 | 85 | 86 | 55 | 28 | 2 | 2 | - |
| White, both sexes | 23 | 43 | 59 | 84 | 103 | 135 | 133 | 88 | 37 | 5 | 1 | - |
| Male | 16 | 30 | 32 | 46 | 57 | 64 | 60 | 41 | 11 | 3 | - | - |
| Female | 7 | 13 | 27 | 38 | 46 | 71 | 73 | 47 | 26 | 2 | 1 | - |
| Black, both sexes | 12 | 18 | 14 | 17 | 19 | 25 | 21 | 14 | 5 | - | 1 | - |
| Male | 6 | 11 | 7 | 5 | 8 | 12 | 8 | 6 | 3 | - | - | - |
| Female | 6 | 7 | 7 | 12 | 11 | 13 | 13 | 8 | 2 | - | 1 | - |
| American Indian 1/, both sexes | 1 | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 9 | 6 | 3 | 10 | 7 | 9 | 8 | 9 | 2 | - | - | - |
| Male | 4 | 4 | - | 3 | 3 | 5 | 5 | 4 | 1 | - | - | - |
| Female | 5 | 2 | 3 | 7 | 4 | 4 | 3 | 5 | 1 | - | - | - |
| White, both sexes | 8 | 3 | 3 | 7 | 7 | 7 | 7 | 8 | 2 | - | - | - |
| Male | 4 | 3 | - | 3 | 3 | 3 | 5 | 3 | 1 | - | - | - |
| Female | 4 | - | 3 | 4 | 4 | 4 | 2 | 5 | 1 | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | 2 | - | 3 | - | 2 | - | 1 | - | - | - | - |
| Male | - | 1 | - | - | - | 2 | - | 1 | - | - | - | - |
| Female | 1 | 1 | - | 3 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 29 | 50 | 75 | 101 | 132 | 172 | 182 | 113 | 38 | 6 | - | - |
| Male | 14 | 30 | 45 | 65 | 79 | 100 | 98 | 53 | 16 | 3 | - | - |
| Female | 15 | 20 | 30 | 36 | 53 | 72 | 84 | 60 | 22 | 3 | - | - |
| White, both sexes | 26 | 41 | 70 | 90 | 128 | 168 | 178 | 113 | 36 | 6 | - | - |
| Male | 13 | 25 | 43 | 58 | 77 | 98 | 96 | 53 | 16 | 3 | - | - |
| Female | 13 | 16 | 27 | 32 | 51 | 70 | 82 | 60 | 20 | 3 | - | - |
| Black, both sexes | 2 | 1 | 2 | 3 | 4 | 2 | 3 | - | 1 | - | - | - |
| Male | 1 | 1 | 1 | 3 | 2 | 1 | 1 | - | - | - | - | - |
| Female | 1 | - | 1 | - | 2 | 1 | 2 | - | 1 | - | - | - |
| American Indian 1/, both sexes | 1 | 7 | 2 | 6 | - | 1 | 1 | - | 1 | - | - | - |
| Male | - | 3 | 1 | 2 | - | 1 | 1 | - | - | - | - | - |
| Female | 1 | 4 | 1 | 4 | - | - | - | - | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | 2 | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | 2 | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 19 | 30 | 45 | 64 | 82 | 103 | 94 | 59 | 32 | 10 | 1 | - |
| Male | 10 | 22 | 27 | 38 | 50 | 54 | 48 | 31 | 16 | 4 | - | - |
| Female | 9 | 8 | 18 | 26 | 32 | 49 | 46 | 28 | 16 | 6 | 1 | - |
| White, both sexes | 15 | 26 | 41 | 55 | 69 | 97 | 85 | 52 | 31 | 9 | 1 | - |
| Male | 8 | 20 | 23 | 34 | 44 | 51 | 43 | 27 | 16 | 4 | - | - |
| Female | 7 | 6 | 18 | 21 | 25 | 46 | 42 | 25 | 15 | 5 | 1 | - |
| Black, both sexes | 4 | 4 | 4 | 9 | 12 | 6 | 8 | 7 | 1 | 1 | - | - |
| Male | 2 | 2 | 4 | 4 | 6 | 3 | 4 | 4 | - | - | - | - |
| Female | 2 | 2 | - | 5 | 6 | 3 | 4 | 3 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 228 | 358 | 445 | 535 | 675 | 866 | 891 | 607 | 266 | 57 | 7 | - |
| Male | 134 | 209 | 247 | 310 | 388 | 462 | 490 | 290 | 129 | 19 | 2 | - |
| Female | 94 | 149 | 198 | 225 | 287 | 404 | 401 | 317 | 137 | 38 | 5 | - |
| White, both sexes | 187 | 307 | 359 | 453 | 553 | 758 | 794 | 556 | 245 | 54 | 6 | - |
| Male | 114 | 176 | 208 | 267 | 326 | 404 | 438 | 272 | 118 | 19 | 1 | - |
| Female | 73 | 131 | 151 | 186 | 227 | 354 | 356 | 284 | 127 | 35 | 5 | - |
| Black, both sexes | 20 | 20 | 40 | 42 | 56 | 38 | 36 | 16 | 9 | 3 | - | - |
| Male | 9 | 15 | 17 | 21 | 30 | 19 | 19 | 5 | 2 | - | - | - |
| Female | 11 | 5 | 23 | 21 | 26 | 19 | 17 | 11 | 7 | 3 | - | - |
| American Indian 1/, both sexes | - | - | 1 | 3 | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | 3 | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 21 | 31 | 45 | 37 | 65 | 70 | 60 | 35 | 12 | - | 1 | - |
| Male | 11 | 18 | 22 | 19 | 32 | 39 | 32 | 13 | 9 | - | 1 | - |
| Female | 10 | 13 | 23 | 18 | 33 | 31 | 28 | 22 | 3 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 32 | 35 | 48 | 70 | 78 | 111 | 101 | 63 | 31 | 8 | - | - |
| Male | 19 | 19 | 27 | 38 | 43 | 66 | 55 | 29 | 12 | 3 | - | - |
| Female | 13 | 16 | 21 | 32 | 35 | 45 | 46 | 34 | 19 | 5 | - | - |
| White, both sexes | 29 | 32 | 45 | 65 | 73 | 105 | 99 | 62 | 30 | 8 | - | - |
| Male | 17 | 17 | 26 | 34 | 42 | 62 | 54 | 28 | 12 | 3 | - | - |
| Female | 12 | 15 | 19 | 31 | 31 | 43 | 45 | 34 | 18 | 5 | - | - |
| Black, both sexes | 2 | 2 | 3 | 4 | 3 | 3 | 1 | 1 | - | - | - | - |
| Male | 1 | 2 | 1 | 3 | 1 | 3 | - | 1 | - | - | - | - |
| Female | 1 | - | 2 | 1 | 2 | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | 2 | 3 | 1 | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | 1 | - | - | 2 | 2 | - | - | 1 | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 12 | 42 | 45 | 64 | 96 | 107 | 133 | 90 | 49 | 10 | - | - |
| Male | 5 | 29 | 32 | 36 | 55 | 57 | 64 | 38 | 22 | 4 | - | - |
| Female | 7 | 13 | 13 | 28 | 41 | 50 | 69 | 52 | 27 | 6 | - | - |
| White, both sexes | 9 | 36 | 41 | 57 | 87 | 105 | 129 | 86 | 49 | 10 | - | - |
| Male | 3 | 26 | 30 | 33 | 50 | 57 | 61 | 37 | 22 | 4 | - | - |
| Female | 6 | 10 | 11 | 24 | 37 | 48 | 68 | 49 | 27 | 6 | - | - |
| Black, both sexes | 3 | 6 | 4 | 4 | 8 | 2 | 2 | 4 | - | - | - | - |
| Male | 2 | 3 | 2 | 1 | 4 | - | 1 | 1 | - | - | - | - |
| Female | 1 | 3 | 2 | 3 | 4 | 2 | 1 | 3 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 2 | 1 | - | 2 | - | - | - | - | - |
| Male | - | - | - | 1 | 1 | - | 2 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 6 | 11 | 11 | 15 | 25 | 21 | 33 | 15 | 6 | 4 | - | - |
| Male | 4 | 4 | 11 | 4 | 15 | 11 | 16 | 7 | 2 | 1 | - | - |
| Female | 2 | 7 | - | 11 | 10 | 10 | 17 | 8 | 4 | 3 | - | - |
| White, both sexes | 5 | 7 | 10 | 10 | 22 | 21 | 30 | 15 | 5 | 4 | - | - |
| Male | 4 | 4 | 10 | 2 | 13 | 11 | 15 | 7 | 2 | 1 | - | - |
| Female | 1 | 3 | - | 8 | 9 | 10 | 15 | 8 | 3 | 3 | - | - |
| Black, both sexes | 1 | 4 | 1 | 5 | 3 | - | 3 | - | 1 | - | - | - |
| Male | - | - | 1 | 2 | 2 | - | 1 | - | - | - | - | - |
| Female | 1 | 4 | - | 3 | 1 | - | 2 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 2 | 6 | 12 | 11 | 11 | 17 | 12 | 9 | 3 | 2 | 2 | - |
| Male | 1 | 3 | 8 | 6 | 8 | 10 | 5 | 5 | - | - | - | - |
| Female | 1 | 3 | 4 | 5 | 3 | 7 | 7 | 4 | 3 | 2 | 2 | - |
| White, both sexes | - | 1 | 3 | 2 | 7 | 6 | 5 | 4 | 1 | 1 | - | - |
| Male | - | 1 | 2 | - | 5 | 4 | 3 | 3 | - | - | - | - |
| Female | - | - | 1 | 2 | 2 | 2 | 2 | 1 | 1 | 1 | - | - |
| Black, both sexes | 2 | 5 | 8 | 9 | 4 | 10 | 7 | 5 | 2 | 1 | 2 | - |
| Male | 1 | 2 | 6 | 6 | 3 | 5 | 2 | 2 | - | - | - | - |
| Female | 1 | 3 | 2 | 3 | 1 | 5 | 5 | 3 | 2 | 1 | 2 | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 147 | 226 | 263 | 375 | 530 | 695 | 708 | 485 | 192 | 38 | 5 | - |
| Male | 88 | 139 | 157 | 218 | 319 | 405 | 384 | 250 | 77 | 19 | 2 | - |
| Female | 59 | 87 | 106 | 157 | 211 | 290 | 324 | 235 | 115 | 19 | 3 | - |
| White, both sexes | 112 | 183 | 230 | 338 | 489 | 652 | 671 | 469 | 181 | 36 | 5 | - |
| Male | 64 | 110 | 134 | 198 | 303 | 384 | 367 | 244 | 76 | 18 | 2 | - |
| Female | 48 | 73 | 96 | 140 | 186 | 268 | 304 | 225 | 105 | 18 | 3 | - |
| Black, both sexes | 32 | 39 | 31 | 36 | 34 | 38 | 35 | 13 | 10 | 2 | - | - |
| Male | 22 | 28 | 22 | 20 | 15 | 21 | 16 | 5 | 1 | 1 | - | - |
| Female | 10 | 11 | 9 | 16 | 19 | 17 | 19 | 8 | 9 | 1 | - | - |
| American Indian 1/, both sexes | 1 | 1 | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 3 | 2 | 1 | 6 | 4 | 2 | 3 | 1 | - | - | - |
| Male | 1 | 1 | 1 | - | 1 | - | 1 | 1 | - | - | - | - |
| Female | 1 | 2 | 1 | 1 | 5 | 4 | 1 | 2 | 1 | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 72 | 85 | 113 | 147 | 155 | 207 | 182 | 136 | 46 | 12 | 2 | - |
| Male | 43 | 53 | 63 | 92 | 89 | 104 | 78 | 54 | 16 | 2 | 1 | - |
| Female | 29 | 32 | 50 | 55 | 66 | 103 | 104 | 82 | 30 | 10 | 1 | - |
| White, both sexes | 45 | 55 | 72 | 108 | 126 | 180 | 149 | 121 | 39 | 9 | - | - |
| Male | 26 | 39 | 38 | 73 | 71 | 94 | 62 | 51 | 13 | 2 | - | - |
| Female | 19 | 16 | 34 | 35 | 55 | 86 | 87 | 70 | 26 | 7 | - | - |
| Black, both sexes | 26 | 29 | 39 | 39 | 28 | 26 | 32 | 14 | 7 | 3 | 2 | - |
| Male | 17 | 14 | 24 | 19 | 18 | 9 | 15 | 3 | 3 | - | 1 | - |
| Female | 9 | 15 | 15 | 20 | 10 | 17 | 17 | 11 | 4 | 3 | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | 2 | - | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | 1 | 1 | 1 | - | 1 | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 9 | 18 | 14 | 13 | 34 | 23 | 23 | 20 | 8 | 2 | - | - |
| Male | 6 | 8 | 11 | 7 | 21 | 15 | 9 | 7 | 2 | 1 | - | - |
| Female | 3 | 10 | 3 | 6 | 13 | 8 | 14 | 13 | 6 | 1 | - | - |
| White, both sexes | 1 | 4 | 4 | 3 | 10 | 6 | 5 | 9 | 4 | - | - | - |
| Male | - | 3 | 3 | 2 | 5 | 2 | 1 | 2 | 1 | - | - | - |
| Female | 1 | 1 | 1 | 1 | 5 | 4 | 4 | 7 | 3 | - | - | - |
| Black, both sexes | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | 13 | 9 | 10 | 24 | 17 | 18 | 11 | 4 | 2 | - | - |
| Male | 5 | 4 | 7 | 5 | 16 | 13 | 8 | 5 | 1 | 1 | - | - |
| Female | 2 | 9 | 2 | 5 | 8 | 4 | 10 | 6 | 3 | 1 | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 8 | 17 | 25 | 25 | 31 | 39 | 49 | 28 | 14 | 1 | - | - |
| Male | 5 | 10 | 15 | 19 | 20 | 21 | 24 | 19 | 3 | 1 | - | - |
| Female | 3 | 7 | 10 | 6 | 11 | 18 | 25 | 9 | 11 | - | - | - |
| White, both sexes | 8 | 17 | 25 | 25 | 30 | 39 | 49 | 28 | 14 | 1 | - | - |
| Male | 5 | 10 | 15 | 19 | 20 | 21 | 24 | 19 | 3 | 1 | - | - |
| Female | 3 | 7 | 10 | 6 | 10 | 18 | 25 | 9 | 11 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 102 | 134 | 180 | 213 | 341 | 396 | 418 | 313 | 151 | 26 | 1 | - |
| Male | 55 | 83 | 102 | 121 | 194 | 216 | 212 | 133 | 59 | 11 | - | - |
| Female | 47 | 51 | 78 | 92 | 147 | 180 | 206 | 180 | 92 | 15 | 1 | - |
| White, both sexes | 82 | 111 | 155 | 170 | 291 | 349 | 400 | 295 | 138 | 22 | 1 | - |
| Male | 45 | 74 | 89 | 97 | 163 | 193 | 207 | 126 | 54 | 10 | - | - |
| Female | 37 | 37 | 66 | 73 | 128 | 156 | 193 | 169 | 84 | 12 | 1 | - |
| Black, both sexes | 18 | 22 | 25 | 36 | 43 | 41 | 16 | 15 | 9 | 4 | - | - |
| Male | 9 | 8 | 13 | 20 | 29 | 19 | 4 | 6 | 1 | 1 | - | - |
| Female | 9 | 14 | 12 | 16 | 14 | 22 | 12 | 9 | 8 | 3 | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | 2 | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | 2 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 1 | - | 6 | 5 | 5 | 2 | 2 | 4 | - | - | - |
| Male | 1 | 1 | - | 3 | - | 4 | 1 | 1 | 4 | - | - | - |
| Female | 1 | - | - | 3 | 5 | 1 | 1 | 1 | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 48 | 79 | 97 | 141 | 155 | 214 | 225 | 162 | 58 | 14 | 2 | - |
| Male | 28 | 49 | 68 | 97 | 92 | 125 | 110 | 78 | 23 | 8 | - | - |
| Female | 20 | 30 | 29 | 44 | 63 | 89 | 115 | 84 | 35 | 6 | 2 | - |
| White, both sexes | 43 | 70 | 91 | 130 | 146 | 204 | 213 | 154 | 57 | 13 | 2 | - |
| Male | 26 | 43 | 63 | 88 | 89 | 117 | 106 | 73 | 22 | 8 | - | - |
| Female | 17 | 27 | 28 | 42 | 57 | 87 | 107 | 81 | 35 | 5 | 2 | - |
| Black, both sexes | 4 | 8 | 5 | 10 | 8 | 10 | 12 | 8 | 1 | 1 | - | - |
| Male | 2 | 5 | 4 | 8 | 3 | 8 | 4 | 5 | 1 | - | - | - |
| Female | 2 | 3 | 1 | 2 | 5 | 2 | 8 | 3 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 17 | 40 | 42 | 60 | 80 | 111 | 159 | 96 | 45 | 10 | 2 | - |
| Male | 7 | 24 | 26 | 39 | 53 | 68 | 88 | 53 | 17 | 4 | - | - |
| Female | 10 | 16 | 16 | 21 | 27 | 43 | 71 | 43 | 28 | 6 | 2 | - |
| White, both sexes | 16 | 39 | 42 | 59 | 79 | 111 | 158 | 96 | 45 | 10 | 2 | - |
| Male | 7 | 23 | 26 | 39 | 52 | 68 | 87 | 53 | 17 | 4 | - | - |
| Female | 9 | 16 | 16 | 20 | 27 | 43 | 71 | 43 | 28 | 6 | 2 | - |
| Black, both sexes | - | 1 | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 26 | 24 | 41 | 56 | 73 | 98 | 94 | 66 | 37 | 11 | - | - |
| Male | 19 | 20 | 26 | 30 | 45 | 57 | 50 | 33 | 17 | 3 | - | - |
| Female | 7 | 4 | 15 | 26 | 28 | 41 | 44 | 33 | 20 | 8 | - | - |
| White, both sexes | 24 | 23 | 38 | 50 | 71 | 93 | 89 | 63 | 37 | 11 | - | - |
| Male | 18 | 19 | 25 | 28 | 44 | 54 | 49 | 32 | 17 | 3 | - | - |
| Female | 6 | 4 | 13 | 22 | 27 | 39 | 40 | 31 | 20 | 8 | - | - |
| Black, both sexes | 2 | - | 2 | 4 | 2 | 4 | 5 | 2 | - | - | - | - |
| Male | 1 | - | - | 2 | 1 | 2 | 1 | - | - | - | - | - |
| Female | 1 | - | 2 | 2 | 1 | 2 | 4 | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | 1 | - | 1 | - | 1 | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 31 | 44 | 78 | 97 | 106 | 151 | 145 | 100 | 44 | 6 | - | - |
| Male | 22 | 28 | 45 | 61 | 65 | 80 | 74 | 44 | 15 | 3 | - | - |
| Female | 9 | 16 | 33 | 36 | 41 | 71 | 71 | 56 | 29 | 3 | - | - |
| White, both sexes | 30 | 40 | 78 | 91 | 96 | 146 | 140 | 97 | 41 | 5 | - | - |
| Male | 22 | 24 | 45 | 59 | 57 | 77 | 71 | 42 | 14 | 2 | - | - |
| Female | 8 | 16 | 33 | 32 | 39 | 69 | 69 | 55 | 27 | 3 | - | - |
| Black, both sexes | 1 | 4 | - | 6 | 10 | 4 | 5 | 3 | 3 | 1 | - | - |
| Male | - | 4 | - | 2 | 8 | 2 | 3 | 2 | 1 | 1 | - | - |
| Female | 1 | - | - | 4 | 2 | 2 | 2 | 1 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 27 | 50 | 69 | 94 | 97 | 129 | 116 | 73 | 41 | 7 | 3 | - |
| Male | 18 | 27 | 31 | 56 | 55 | 78 | 69 | 38 | 15 | 3 | 2 | - |
| Female | 9 | 23 | 38 | 38 | 42 | 51 | 47 | 35 | 26 | 4 | 1 | - |
| White, both sexes | 17 | 33 | 48 | 68 | 80 | 102 | 90 | 55 | 33 | 5 | 2 | - |
| Male | 13 | 16 | 23 | 43 | 42 | 65 | 55 | 28 | 13 | 2 | 1 | - |
| Female | 4 | 17 | 25 | 25 | 38 | 37 | 35 | 27 | 20 | 3 | 1 | - |
| Black, both sexes | 10 | 17 | 21 | 26 | 17 | 27 | 26 | 18 | 8 | 2 | 1 | - |
| Male | 5 | 11 | 8 | 13 | 13 | 13 | 14 | 10 | 2 | 1 | 1 | - |
| Female | 5 | 6 | 13 | 13 | 4 | 14 | 12 | 8 | 6 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 9 | 16 | 34 | 25 | 55 | 57 | 52 | 46 | 16 | 4 | - | - |
| Male | 6 | 10 | 20 | 14 | 29 | 33 | 28 | 23 | 8 | 2 | - | - |
| Female | 3 | 6 | 14 | 11 | 26 | 24 | 24 | 23 | 8 | 2 | - | - |
| White, both sexes | 9 | 16 | 33 | 25 | 55 | 57 | 52 | 46 | 16 | 4 | - | - |
| Male | 6 | 10 | 19 | 14 | 29 | 33 | 28 | 23 | 8 | 2 | - | - |
| Female | 3 | 6 | 14 | 11 | 26 | 24 | 24 | 23 | 8 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 39 | 54 | 87 | 110 | 130 | 148 | 166 | 83 | 54 | 10 | 3 | - |
| Male | 24 | 33 | 49 | 63 | 67 | 99 | 81 | 35 | 24 | 4 | 1 | - |
| Female | 15 | 21 | 38 | 47 | 63 | 49 | 85 | 48 | 30 | 6 | 2 | - |
| White, both sexes | 24 | 38 | 61 | 89 | 97 | 121 | 140 | 78 | 45 | 7 | 3 | - |
| Male | 14 | 25 | 35 | 50 | 51 | 80 | 70 | 33 | 19 | 2 | 1 | - |
| Female | 10 | 13 | 26 | 39 | 46 | 41 | 70 | 45 | 26 | 5 | 2 | - |
| Black, both sexes | 12 | 16 | 24 | 19 | 30 | 22 | 24 | 5 | 9 | 3 | - | - |
| Male | 8 | 8 | 12 | 11 | 15 | 16 | 10 | 2 | 5 | 2 | - | - |
| Female | 4 | 8 | 12 | 8 | 15 | 6 | 14 | 3 | 4 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | 2 | 2 | 3 | 5 | 2 | - | - | - | - | - |
| Male | 2 | - | 2 | 2 | 1 | 3 | 1 | - | - | - | - | - |
| Female | 1 | - | - | - | 2 | 2 | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 42 | 55 | 89 | 119 | 167 | 214 | 229 | 171 | 72 | 19 | - | - |
| Male | 18 | 38 | 47 | 70 | 97 | 115 | 108 | 82 | 25 | 6 | - | - |
| Female | 24 | 17 | 42 | 49 | 70 | 99 | 121 | 89 | 47 | 13 | - | - |
| White, both sexes | 37 | 49 | 83 | 109 | 157 | 206 | 223 | 170 | 71 | 18 | - | - |
| Male | 15 | 34 | 46 | 63 | 92 | 112 | 104 | 82 | 25 | 6 | - | - |
| Female | 22 | 15 | 37 | 46 | 65 | 94 | 119 | 88 | 46 | 12 | - | - |
| Black, both sexes | 5 | 4 | 5 | 8 | 6 | 7 | 2 | 1 | 1 | 1 | - | - |
| Male | 3 | 2 | 1 | 6 | 3 | 3 | 1 | - | - | - | - | - |
| Female | 2 | 2 | 4 | 2 | 3 | 4 | 1 | 1 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | 1 | - | 4 | 1 | 4 | - | - | - | - | - |
| Male | - | 2 | - | - | 2 | - | 3 | - | - | - | - | - |
| Female | - | - | 1 | - | 2 | 1 | 1 | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 96 | 144 | 167 | 204 | 287 | 363 | 362 | 243 | 87 | 21 | 1 | - |
| Male | 62 | 78 | 88 | 121 | 178 | 200 | 193 | 112 | 29 | 8 | - | - |
| Female | 34 | 66 | 79 | 83 | 109 | 163 | 169 | 131 | 58 | 13 | 1 | - |
| White, both sexes | 72 | 119 | 148 | 170 | 263 | 328 | 337 | 227 | 83 | 18 | 1 | - |
| Male | 49 | 66 | 81 | 99 | 166 | 183 | 181 | 105 | 29 | 7 | - | - |
| Female | 23 | 53 | 67 | 71 | 97 | 145 | 156 | 122 | 54 | 11 | 1 | - |
| Black, both sexes | 22 | 20 | 18 | 31 | 21 | 31 | 22 | 14 | 4 | 3 | - | - |
| Male | 12 | 10 | 7 | 19 | 9 | 17 | 10 | 6 | - | 1 | - | - |
| Female | 10 | 10 | 11 | 12 | 12 | 14 | 12 | 8 | 4 | 2 | - | - |
| American Indian 1/, both sexes | 2 | 3 | 1 | 3 | 1 | 1 | 1 | 1 | - | - | - | - |
| Male | 1 | 1 | - | 3 | 1 | - | - | - | - | - | - | - |
| Female | 1 | 2 | 1 | - | - | 1 | 1 | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | - | - | 2 | 3 | 2 | 1 | - | - | - | - |
| Male | - | 1 | - | - | 2 | - | 2 | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | 3 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 44 | 54 | 61 | 80 | 115 | 169 | 171 | 121 | 70 | 19 | 3 | - |
| Male | 28 | 37 | 35 | 51 | 57 | 93 | 88 | 56 | 25 | 6 | - | - |
| Female | 16 | 17 | 26 | 29 | 58 | 76 | 83 | 65 | 45 | 13 | 3 | - |
| White, both sexes | 43 | 54 | 58 | 78 | 112 | 167 | 171 | 120 | 67 | 19 | 3 | - |
| Male | 28 | 37 | 33 | 49 | 57 | 92 | 88 | 55 | 24 | 6 | - | - |
| Female | 15 | 17 | 25 | 29 | 55 | 75 | 83 | 65 | 43 | 13 | 3 | - |
| Black, both sexes | 1 | - | 2 | 1 | 1 | 1 | - | 1 | 1 | - | - | - |
| Male | - | - | 2 | 1 | - | 1 | - | 1 | - | - | - | - |
| Female | 1 | - | - | - | 1 | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | 1 | - | - | - | 2 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | - | 1 | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 26 | 36 | 49 | 56 | 76 | 83 | 87 | 47 | 24 | 3 | 2 | - |
| Male | 15 | 17 | 30 | 32 | 51 | 39 | 40 | 23 | 8 | - | 1 | - |
| Female | 11 | 19 | 19 | 24 | 25 | 44 | 47 | 24 | 16 | 3 | 1 | - |
| White, both sexes | 15 | 25 | 32 | 40 | 54 | 67 | 68 | 34 | 18 | 2 | - | - |
| Male | 11 | 12 | 20 | 26 | 35 | 34 | 33 | 18 | 6 | - | - | - |
| Female | 4 | 13 | 12 | 14 | 19 | 33 | 35 | 16 | 12 | 2 | - | - |
| Black, both sexes | 10 | 10 | 17 | 16 | 22 | 16 | 19 | 12 | 6 | 1 | 2 | - |
| Male | 4 | 5 | 10 | 6 | 16 | 5 | 7 | 5 | 2 | - | 1 | - |
| Female | 6 | 5 | 7 | 10 | 6 | 11 | 12 | 7 | 4 | 1 | 1 | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 47 | 71 | 82 | 134 | 158 | 193 | 183 | 138 | 68 | 14 | 3 | - |
| Male | 31 | 45 | 53 | 90 | 97 | 110 | 96 | 54 | 33 | 5 | 1 | - |
| Female | 16 | 26 | 29 | 44 | 61 | 83 | 87 | 84 | 35 | 9 | 2 | - |
| White, both sexes | 34 | 61 | 80 | 121 | 142 | 189 | 170 | 126 | 66 | 14 | 2 | - |
| Male | 23 | 37 | 52 | 81 | 86 | 107 | 88 | 50 | 31 | 5 | 1 | - |
| Female | 11 | 24 | 28 | 40 | 56 | 82 | 82 | 76 | 35 | 9 | 1 | - |
| Black, both sexes | 11 | 8 | 2 | 13 | 16 | 4 | 11 | 12 | 2 | - | 1 | - |
| Male | 7 | 6 | 1 | 9 | 11 | 3 | 7 | 4 | 2 | - | - | - |
| Female | 4 | 2 | 1 | 4 | 5 | 1 | 4 | 8 | - | - | 1 | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 2 | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | 2 | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 4 | 11 | 16 | 22 | 34 | 33 | 33 | 22 | 7 | 1 | - | - |
| Male | 3 | 8 | 10 | 12 | 24 | 20 | 7 | 12 | 4 | - | - | - |
| Female | 1 | 3 | 6 | 10 | 10 | 13 | 26 | 10 | 3 | 1 | - | - |
| White, both sexes | 4 | 11 | 15 | 20 | 31 | 31 | 33 | 21 | 7 | 1 | - | - |
| Male | 3 | 8 | 10 | 10 | 22 | 19 | 7 | 12 | 4 | - | - | - |
| Female | 1 | 3 | 5 | 10 | 9 | 12 | 26 | 9 | 3 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | 2 | 3 | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | 2 | 2 | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 15 | 22 | 15 | 24 | 41 | 49 | 71 | 58 | 25 | 4 | - | - |
| Male | 12 | 17 | 9 | 8 | 22 | 30 | 40 | 28 | 8 | - | - | - |
| Female | 3 | 5 | 6 | 16 | 19 | 19 | 31 | 30 | 17 | 4 | - | - |
| White, both sexes | 13 | 22 | 14 | 24 | 38 | 48 | 67 | 58 | 25 | 4 | - | - |
| Male | 11 | 17 | 9 | 8 | 22 | 29 | 37 | 28 | 8 | - | - | - |
| Female | 2 | 5 | 5 | 16 | 16 | 19 | 30 | 30 | 17 | 4 | - | - |
| Black, both sexes | 1 | - | 1 | - | 2 | - | 3 | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | 2 | - | - | - | - | - |
| Female | - | - | 1 | - | 2 | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 9 | 22 | 26 | 43 | 47 | 54 | 43 | 29 | 10 | 1 | - | - |
| Male | 4 | 14 | 15 | 23 | 29 | 33 | 24 | 17 | 1 | 1 | - | - |
| Female | 5 | 8 | 11 | 20 | 18 | 21 | 19 | 12 | 9 | - | - | - |
| White, both sexes | 8 | 19 | 21 | 39 | 43 | 52 | 42 | 27 | 10 | 1 | - | - |
| Male | 3 | 14 | 12 | 21 | 26 | 32 | 23 | 16 | 1 | 1 | - | - |
| Female | 5 | 5 | 9 | 18 | 17 | 20 | 19 | 11 | 9 | - | - | - |
| Black, both sexes | 1 | 3 | 3 | 3 | 3 | - | 1 | 1 | - | - | - | - |
| Male | 1 | - | 2 | 2 | 3 | - | 1 | 1 | - | - | - | - |
| Female | - | 3 | 1 | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 2 | 1 | 1 | 2 | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | 1 | 1 | 1 | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 6 | 17 | 15 | 25 | 34 | 41 | 38 | 29 | 16 | 3 | 1 | - |
| Male | 2 | 6 | 11 | 17 | 17 | 18 | 16 | 13 | 9 | - | 1 | - |
| Female | 4 | 11 | 4 | 8 | 17 | 23 | 22 | 16 | 7 | 3 | - | - |
| White, both sexes | 5 | 17 | 15 | 25 | 34 | 41 | 38 | 28 | 16 | 3 | 1 | - |
| Male | 1 | 6 | 11 | 17 | 17 | 18 | 16 | 12 | 9 | - | 1 | - |
| Female | 4 | 11 | 4 | 8 | 17 | 23 | 22 | 16 | 7 | 3 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 61 | 83 | 127 | 149 | 197 | 273 | 277 | 207 | 77 | 20 | 2 | - |
| Male | 40 | 53 | 80 | 88 | 105 | 151 | 132 | 95 | 22 | 9 | - | - |
| Female | 21 | 30 | 47 | 61 | 92 | 122 | 145 | 112 | 55 | 11 | 2 | - |
| White, both sexes | 45 | 70 | 110 | 129 | 163 | 250 | 250 | 204 | 71 | 18 | 1 | - |
| Male | 29 | 47 | 69 | 78 | 90 | 143 | 123 | 93 | 22 | 8 | - | - |
| Female | 16 | 23 | 41 | 51 | 73 | 107 | 127 | 111 | 49 | 10 | 1 | - |
| Black, both sexes | 13 | 10 | 13 | 18 | 25 | 18 | 25 | 2 | 6 | 2 | 1 | - |
| Male | 9 | 5 | 7 | 8 | 11 | 8 | 7 | 1 | - | 1 | - | - |
| Female | 4 | 5 | 6 | 10 | 14 | 10 | 18 | 1 | 6 | 1 | 1 | - |
| American Indian 1/, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | 3 | 3 | 2 | 8 | 5 | 2 | 1 | - | - | - | - |
| Male | 2 | 1 | 3 | 2 | 4 | - | 2 | 1 | - | - | - | - |
| Female | 1 | 2 | - | - | 4 | 5 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 14 | 23 | 22 | 32 | 49 | 46 | 36 | 21 | 10 | 1 | 1 | - |
| Male | 9 | 7 | 15 | 18 | 28 | 25 | 18 | 14 | 4 | - | - | - |
| Female | 5 | 16 | 7 | 14 | 21 | 21 | 18 | 7 | 6 | 1 | 1 | - |
| White, both sexes | 13 | 20 | 18 | 30 | 48 | 41 | 34 | 21 | 10 | 1 | 1 | - |
| Male | 8 | 6 | 13 | 17 | 28 | 23 | 17 | 14 | 4 | - | - | - |
| Female | 5 | 14 | 5 | 13 | 20 | 18 | 17 | 7 | 6 | 1 | 1 | - |
| Black, both sexes | 1 | - | 3 | - | 1 | 1 | 1 | - | - | - | - | - |
| Male | 1 | - | 2 | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | 3 | 1 | 2 | - | 4 | 1 | - | - | - | - | - |
| Male | - | 1 | - | 1 | - | 2 | 1 | - | - | - | - | - |
| Female | - | 2 | 1 | 1 | - | 2 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 161 | 219 | 309 | 303 | 433 | 531 | 560 | 377 | 177 | 47 | 3 | - |
| Male | 84 | 123 | 192 | 182 | 249 | 272 | 281 | 166 | 73 | 18 | 1 | - |
| Female | 77 | 96 | 117 | 121 | 184 | 259 | 279 | 211 | 104 | 29 | 2 | - |
| White, both sexes | 125 | 165 | 260 | 252 | 378 | 473 | 517 | 354 | 163 | 42 | 3 | - |
| Male | 69 | 91 | 165 | 156 | 224 | 243 | 258 | 160 | 72 | 17 | 1 | - |
| Female | 56 | 74 | 95 | 96 | 154 | 230 | 259 | 194 | 91 | 25 | 2 | - |
| Black, both sexes | 29 | 47 | 39 | 43 | 44 | 52 | 36 | 20 | 13 | 5 | - | - |
| Male | 12 | 26 | 21 | 22 | 17 | 25 | 18 | 6 | - | 1 | - | - |
| Female | 17 | 21 | 18 | 21 | 27 | 27 | 18 | 14 | 13 | 4 | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | 7 | 9 | 8 | 10 | 6 | 7 | 3 | 1 | - | - | - |
| Male | 3 | 6 | 6 | 4 | 7 | 4 | 5 | - | 1 | - | - | - |
| Female | 4 | 1 | 3 | 4 | 3 | 2 | 2 | 3 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 61 | 102 | 132 | 174 | 199 | 259 | 263 | 165 | 67 | 17 | - | - |
| Male | 40 | 63 | 91 | 99 | 111 | 144 | 130 | 68 | 27 | 2 | - | - |
| Female | 21 | 39 | 41 | 75 | 88 | 115 | 133 | 97 | 40 | 15 | - | - |
| White, both sexes | 35 | 84 | 106 | 135 | 164 | 221 | 232 | 147 | 59 | 13 | - | - |
| Male | 24 | 53 | 75 | 80 | 97 | 125 | 116 | 65 | 24 | 2 | - | - |
| Female | 11 | 31 | 31 | 55 | 67 | 96 | 116 | 82 | 35 | 11 | - | - |
| Black, both sexes | 22 | 16 | 23 | 37 | 34 | 36 | 30 | 16 | 6 | 4 | - | - |
| Male | 13 | 9 | 14 | 17 | 14 | 17 | 14 | 2 | 1 | - | - | - |
| Female | 9 | 7 | 9 | 20 | 20 | 19 | 16 | 14 | 5 | 4 | - | - |
| American Indian 1/, both sexes | 3 | 2 | 2 | 1 | 1 | 1 | 1 | 2 | - | - | - | - |
| Male | 2 | 1 | 1 | 1 | - | 1 | - | 1 | - | - | - | - |
| Female | 1 | 1 | 1 | - | 1 | - | 1 | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | 1 | 1 | - | 1 | - | - | 2 | - | - | - |
| Male | 1 | - | 1 | 1 | - | 1 | - | - | 2 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 4 | 4 | 14 | 9 | 23 | 25 | 24 | 24 | 9 | 2 | - | - |
| Male | 2 | 3 | 8 | 7 | 14 | 15 | 9 | 12 | 2 | - | - | - |
| Female | 2 | 1 | 6 | 2 | 9 | 10 | 15 | 12 | 7 | 2 | - | - |
| White, both sexes | 3 | 4 | 13 | 9 | 22 | 25 | 24 | 24 | 9 | 2 | - | - |
| Male | 2 | 3 | 7 | 7 | 14 | 15 | 9 | 12 | 2 | - | - | - |
| Female | 1 | 1 | 6 | 2 | 8 | 10 | 15 | 12 | 7 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 90 | 147 | 198 | 259 | 281 | 396 | 414 | 295 | 98 | 27 | 3 | - |
| Male | 49 | 88 | 108 | 159 | 155 | 219 | 203 | 129 | 33 | 11 | - | - |
| Female | 41 | 59 | 90 | 100 | 126 | 177 | 211 | 166 | 65 | 16 | 3 | - |
| White, both sexes | 81 | 132 | 177 | 239 | 256 | 359 | 385 | 276 | 96 | 24 | 2 | - |
| Male | 44 | 82 | 97 | 148 | 142 | 201 | 184 | 122 | 33 | 9 | - | - |
| Female | 37 | 50 | 80 | 91 | 114 | 158 | 201 | 154 | 63 | 15 | 2 | - |
| Black, both sexes | 9 | 15 | 19 | 19 | 24 | 35 | 28 | 19 | 2 | 3 | 1 | - |
| Male | 5 | 6 | 10 | 10 | 13 | 17 | 18 | 7 | - | 2 | - | - |
| Female | 4 | 9 | 9 | 9 | 11 | 18 | 10 | 12 | 2 | 1 | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 2 | 1 | 1 | 2 | 1 | - | - | - | - | - |
| Male | - | - | 1 | 1 | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | 1 | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 27 | 35 | 66 | 67 | 88 | 110 | 112 | 76 | 34 | 4 | 5 | - |
| Male | 17 | 22 | 33 | 38 | 58 | 64 | 58 | 32 | 13 | 2 | 1 | - |
| Female | 10 | 13 | 33 | 29 | 30 | 46 | 54 | 44 | 21 | 2 | 4 | - |
| White, both sexes | 24 | 31 | 57 | 62 | 81 | 102 | 102 | 73 | 32 | 3 | 5 | - |
| Male | 15 | 19 | 30 | 35 | 54 | 60 | 53 | 31 | 12 | 1 | 1 | - |
| Female | 9 | 12 | 27 | 27 | 27 | 42 | 49 | 42 | 20 | 2 | 4 | - |
| Black, both sexes | 2 | 2 | 2 | 1 | 2 | 5 | 5 | 3 | - | - | - | - |
| Male | 1 | 2 | 1 | - | 1 | 3 | 3 | 1 | - | - | - | - |
| Female | 1 | - | 1 | 1 | 1 | 2 | 2 | 2 | - | - | - | - |
| American Indian 1/, both sexes | 1 | 1 | 7 | 3 | 5 | 3 | 5 | - | 2 | 1 | - | - |
| Male | 1 | 1 | 2 | 2 | 3 | 1 | 2 | - | 1 | 1 | - | - |
| Female | - | - | 5 | 1 | 2 | 2 | 3 | - | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 30 | 49 | 66 | 54 | 97 | 108 | 150 | 120 | 33 | 6 | 1 | - |
| Male | 14 | 29 | 42 | 31 | 65 | 61 | 69 | 56 | 11 | 3 | 1 | - |
| Female | 16 | 20 | 24 | 23 | 32 | 47 | 81 | 64 | 22 | 3 | - | - |
| White, both sexes | 29 | 46 | 63 | 52 | 93 | 107 | 148 | 118 | 33 | 6 | 1 | - |
| Male | 14 | 28 | 40 | 31 | 61 | 61 | 68 | 55 | 11 | 3 | 1 | - |
| Female | 15 | 18 | 23 | 21 | 32 | 46 | 80 | 63 | 22 | 3 | - | - |
| Black, both sexes | - | - | 2 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | 2 | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | 3 | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Female | 1 | 2 | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | 1 | 2 | 1 | 2 | 2 | - | - | - | - |
| Male | - | - | - | - | 2 | - | 1 | 1 | - | - | - | - |
| Female | - | - | 1 | 1 | - | 1 | 1 | 1 | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 91 | 164 | 196 | 251 | 396 | 506 | 520 | 367 | 170 | 37 | 5 | - |
| Male | 57 | 111 | 115 | 152 | 220 | 258 | 275 | 173 | 60 | 8 | - | - |
| Female | 34 | 53 | 81 | 99 | 176 | 248 | 245 | 194 | 110 | 29 | 5 | - |
| White, both sexes | 81 | 148 | 184 | 235 | 357 | 484 | 491 | 353 | 161 | 34 | 5 | - |
| Male | 51 | 101 | 109 | 143 | 198 | 246 | 262 | 169 | 58 | 8 | - | - |
| Female | 30 | 47 | 75 | 92 | 159 | 238 | 229 | 184 | 103 | 26 | 5 | - |
| Black, both sexes | 10 | 15 | 12 | 13 | 37 | 21 | 27 | 14 | 9 | 3 | - | - |
| Male | 6 | 10 | 6 | 7 | 20 | 11 | 13 | 4 | 2 | - | - | - |
| Female | 4 | 5 | 6 | 6 | 17 | 10 | 14 | 10 | 7 | 3 | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 3 | 2 | 1 | 2 | - | - | - | - | - |
| Male | - | - | - | 2 | 2 | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | 2 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 11 | 11 | 18 | 21 | 33 | 29 | 34 | 31 | 17 | 3 | 1 | - |
| Male | 7 | 8 | 10 | 14 | 13 | 16 | 17 | 14 | 2 | 1 | 1 | - |
| Female | 4 | 3 | 8 | 7 | 20 | 13 | 17 | 17 | 15 | 2 | - | - |
| White, both sexes | 9 | 10 | 17 | 19 | 32 | 29 | 34 | 30 | 17 | 3 | 1 | - |
| Male | 5 | 7 | 9 | 12 | 12 | 16 | 17 | 13 | 2 | 1 | 1 | - |
| Female | 4 | 3 | 8 | 7 | 20 | 13 | 17 | 17 | 15 | 2 | - | - |
| Black, both sexes | 1 | 1 | 1 | 2 | 1 | - | - | 1 | - | - | - | - |
| Male | 1 | 1 | 1 | 2 | 1 | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 27 | 50 | 57 | 83 | 103 | 126 | 102 | 70 | 37 | 7 | - | - |
| Male | 18 | 29 | 31 | 53 | 67 | 70 | 54 | 32 | 14 | 2 | - | - |
| Female | 9 | 21 | 26 | 30 | 36 | 56 | 48 | 38 | 23 | 5 | - | - |
| White, both sexes | 15 | 32 | 35 | 60 | 83 | 100 | 89 | 57 | 34 | 5 | - | - |
| Male | 8 | 17 | 18 | 39 | 55 | 59 | 46 | 27 | 14 | 2 | - | - |
| Female | 7 | 15 | 17 | 21 | 28 | 41 | 43 | 30 | 20 | 3 | - | - |
| Black, both sexes | 12 | 18 | 21 | 23 | 19 | 26 | 13 | 13 | 3 | 2 | - | - |
| Male | 10 | 12 | 12 | 14 | 11 | 11 | 8 | 5 | - | - | - | - |
| Female | 2 | 6 | 9 | 9 | 8 | 15 | 5 | 8 | 3 | 2 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 2 | 4 | 11 | 9 | 16 | 33 | 27 | 25 | 7 | 2 | - | - |
| Male | 2 | 3 | 7 | 7 | 12 | 23 | 13 | 10 | 1 | 1 | - | - |
| Female | - | 1 | 4 | 2 | 4 | 10 | 14 | 15 | 6 | 1 | - | - |
| White, both sexes | 2 | 2 | 10 | 7 | 14 | 32 | 27 | 24 | 7 | 2 | - | - |
| Male | 2 | 2 | 6 | 6 | 10 | 22 | 13 | 10 | 1 | 1 | - | - |
| Female | - | - | 4 | 1 | 4 | 10 | 14 | 14 | 6 | 1 | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 2 | 1 | 2 | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 46 | 83 | 104 | 128 | 177 | 193 | 171 | 118 | 41 | 10 | 2 | - |
| Male | 32 | 54 | 62 | 66 | 95 | 105 | 95 | 54 | 16 | 4 | 1 | - |
| Female | 14 | 29 | 42 | 62 | 82 | 88 | 76 | 64 | 25 | 6 | 1 | - |
| White, both sexes | 34 | 65 | 97 | 110 | 160 | 175 | 155 | 109 | 39 | 8 | 2 | - |
| Male | 24 | 40 | 59 | 55 | 86 | 95 | 86 | 50 | 14 | 2 | 1 | - |
| Female | 10 | 25 | 38 | 55 | 74 | 80 | 69 | 59 | 25 | 6 | 1 | - |
| Black, both sexes | 12 | 18 | 7 | 16 | 17 | 17 | 16 | 9 | 2 | 2 | - | - |
| Male | 8 | 14 | 3 | 10 | 9 | 9 | 9 | 4 | 2 | 2 | - | - |
| Female | 4 | 4 | 4 | 6 | 8 | 8 | 7 | 5 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 164 | 230 | 302 | 332 | 456 | 564 | 507 | 346 | 129 | 25 | 3 | - |
| Male | 98 | 146 | 163 | 218 | 276 | 330 | 254 | 177 | 55 | 8 | - | - |
| Female | 66 | 84 | 139 | 114 | 180 | 234 | 253 | 169 | 74 | 17 | 3 | - |
| White, both sexes | 129 | 190 | 258 | 297 | 415 | 509 | 478 | 316 | 120 | 23 | 3 | - |
| Male | 80 | 116 | 141 | 199 | 249 | 299 | 238 | 165 | 50 | 7 | - | - |
| Female | 49 | 74 | 117 | 98 | 166 | 210 | 240 | 151 | 70 | 16 | 3 | - |
| Black, both sexes | 32 | 33 | 39 | 32 | 35 | 49 | 26 | 28 | 8 | 2 | - | - |
| Male | 16 | 25 | 20 | 18 | 23 | 26 | 15 | 11 | 4 | 1 | - | - |
| Female | 16 | 8 | 19 | 14 | 12 | 23 | 11 | 17 | 4 | 1 | - | - |
| American Indian 1/, both sexes | - | - | 1 | 1 | 2 | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | 7 | 4 | 2 | 4 | 5 | 3 | 2 | 1 | - | - | - |
| Male | 2 | 5 | 1 | - | 3 | 4 | 1 | 1 | 1 | - | - | - |
| Female | 1 | 2 | 3 | 2 | 1 | 1 | 2 | 1 | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 7 | 17 | 20 | 32 | 45 | 49 | 62 | 46 | 13 | 1 | 1 | - |
| Male | 5 | 8 | 16 | 27 | 28 | 24 | 30 | 28 | 5 | 1 | - | - |
| Female | 2 | 9 | 4 | 5 | 17 | 25 | 32 | 18 | 8 | - | 1 | - |
| White, both sexes | 7 | 17 | 19 | 31 | 45 | 46 | 61 | 44 | 13 | 1 | 1 | - |
| Male | 5 | 8 | 15 | 26 | 28 | 21 | 29 | 28 | 5 | 1 | - | - |
| Female | 2 | 9 | 4 | 5 | 17 | 25 | 32 | 16 | 8 | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 2 | - | 2 | - | - | - | - |
| Male | - | - | - | - | - | 2 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 2 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 4 | 8 | 7 | 10 | 19 | 21 | 21 | 15 | 15 | 1 | - | - |
| Male | 1 | 2 | 5 | 8 | 13 | 14 | 10 | 4 | 7 | - | - | - |
| Female | 3 | 6 | 2 | 2 | 6 | 7 | 11 | 11 | 8 | 1 | - | - |
| White, both sexes | 4 | 8 | 7 | 10 | 18 | 21 | 21 | 15 | 15 | 1 | - | - |
| Male | 1 | 2 | 5 | 8 | 12 | 14 | 10 | 4 | 7 | - | - | - |
| Female | 3 | 6 | 2 | 2 | 6 | 7 | 11 | 11 | 8 | 1 | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 67 | 95 | 126 | 148 | 170 | 185 | 187 | 133 | 56 | 16 | 2 | - |
| Male | 38 | 63 | 74 | 88 | 108 | 104 | 95 | 54 | 21 | 1 | 1 | - |
| Female | 29 | 32 | 52 | 60 | 62 | 81 | 92 | 79 | 35 | 15 | 1 | - |
| White, both sexes | 47 | 71 | 95 | 117 | 136 | 153 | 164 | 115 | 49 | 13 | 1 | - |
| Male | 25 | 49 | 62 | 70 | 89 | 88 | 86 | 42 | 19 | 1 | - | - |
| Female | 22 | 22 | 33 | 47 | 47 | 65 | 78 | 73 | 30 | 12 | 1 | - |
| Black, both sexes | 18 | 22 | 26 | 26 | 27 | 30 | 18 | 15 | 6 | 3 | 1 | - |
| Male | 11 | 13 | 10 | 15 | 14 | 15 | 7 | 10 | 2 | - | 1 | - |
| Female | 7 | 9 | 16 | 11 | 13 | 15 | 11 | 5 | 4 | 3 | - | - |
| American Indian 1/, both sexes | 1 | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 2 | 4 | 4 | 7 | 2 | 5 | 3 | 1 | - | - | - |
| Male | 1 | 1 | 1 | 2 | 5 | 1 | 2 | 2 | - | - | - | - |
| Female | - | 1 | 3 | 2 | 2 | 1 | 3 | 1 | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 52 | 61 | 93 | 106 | 129 | 199 | 198 | 126 | 51 | 15 | 3 | - |
| Male | 36 | 37 | 55 | 66 | 82 | 113 | 98 | 60 | 20 | 2 | 1 | - |
| Female | 16 | 24 | 38 | 40 | 47 | 86 | 100 | 66 | 31 | 13 | 2 | - |
| White, both sexes | 42 | 50 | 85 | 98 | 120 | 191 | 195 | 118 | 51 | 15 | 3 | - |
| Male | 30 | 29 | 52 | 63 | 76 | 107 | 98 | 57 | 20 | 2 | 1 | - |
| Female | 12 | 21 | 33 | 35 | 44 | 84 | 97 | 61 | 31 | 13 | 2 | - |
| Black, both sexes | 3 | 6 | 4 | 3 | 5 | 4 | 1 | 3 | - | - | - | - |
| Male | 1 | 5 | 1 | 1 | 2 | 3 | - | 2 | - | - | - | - |
| Female | 2 | 1 | 3 | 2 | 3 | 1 | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | 2 | 1 | - | - | 1 | 2 | 1 | 2 | - | - | - | - |
| Male | 2 | - | - | - | 1 | 2 | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | 1 | 2 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | 4 | 4 | 5 | 3 | 2 | 1 | 3 | - | - | - | - |
| Male | 3 | 3 | 2 | 2 | 3 | 1 | - | 1 | - | - | - | - |
| Female | 2 | 1 | 2 | 3 | - | 1 | 1 | 2 | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 26 | 24 | 37 | 38 | 68 | 74 | 63 | 48 | 19 | 5 | 2 | - |
| Male | 17 | 15 | 17 | 24 | 34 | 47 | 35 | 18 | 9 | 4 | 1 | - |
| Female | 9 | 9 | 20 | 14 | 34 | 27 | 28 | 30 | 10 | 1 | 1 | - |
| White, both sexes | 26 | 23 | 37 | 37 | 68 | 72 | 61 | 48 | 19 | 5 | 2 | - |
| Male | 17 | 14 | 17 | 23 | 34 | 46 | 35 | 18 | 9 | 4 | 1 | - |
| Female | 9 | 9 | 20 | 14 | 34 | 26 | 26 | 30 | 10 | 1 | 1 | - |
| Black, both sexes | - | 1 | - | 1 | - | 2 | 2 | - | - | - | - | - |
| Male | - | 1 | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 2 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 48 | 67 | 87 | 105 | 165 | 218 | 203 | 162 | 62 | 23 | - | - |
| Male | 27 | 41 | 50 | 71 | 101 | 152 | 92 | 66 | 21 | 8 | - | - |
| Female | 21 | 26 | 37 | 34 | 64 | 66 | 111 | 96 | 41 | 15 | - | - |
| White, both sexes | 44 | 64 | 84 | 103 | 160 | 212 | 200 | 159 | 61 | 23 | - | - |
| Male | 24 | 39 | 49 | 70 | 99 | 147 | 91 | 65 | 20 | 8 | - | - |
| Female | 20 | 25 | 35 | 33 | 61 | 65 | 109 | 94 | 41 | 15 | - | - |
| Black, both sexes | 3 | 3 | 3 | 2 | 5 | 4 | 2 | 2 | 1 | - | - | - |
| Male | 2 | 2 | 1 | 1 | 2 | 3 | 1 | - | 1 | - | - | - |
| Female | 1 | 1 | 2 | 1 | 3 | 1 | 1 | 2 | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | 2 | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | 2 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 6 | 10 | 7 | 14 | 9 | 20 | 17 | 16 | 2 | 1 | - | - |
| Male | 2 | 7 | 5 | 8 | 7 | 13 | 6 | 4 | 1 | - | - | - |
| Female | 4 | 3 | 2 | 6 | 2 | 7 | 11 | 12 | 1 | 1 | - | - |
| White, both sexes | 6 | 10 | 7 | 14 | 9 | 20 | 17 | 16 | 2 | 1 | - | - |
| Male | 2 | 7 | 5 | 8 | 7 | 13 | 6 | 4 | 1 | - | - | - |
| Female | 4 | 3 | 2 | 6 | 2 | 7 | 11 | 12 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 1,272 | - | - | 5 | 6 | 11 | 50 | 57 | 59 | 56 | 62 | 94 |
| Male | 684 | - | - | 3 | 4 | 7 | 20 | 34 | 31 | 32 | 39 | 53 |
| Female | 588 | - | - | 2 | 2 | 4 | 30 | 23 | 28 | 24 | 23 | 41 |
| White, both sexes | 1,095 | - | - | 5 | 6 | 8 | 40 | 36 | 37 | 42 | 46 | 77 |
| Male | 582 | - | - | 3 | 4 | 6 | 16 | 21 | 17 | 26 | 29 | 42 |
| Female | 513 | - | - | 2 | 2 | 2 | 24 | 15 | 20 | 16 | 17 | 35 |
| Black, both sexes | 145 | - | - | - | - | 3 | 6 | 17 | 19 | 11 | 15 | 16 |
| Male | 85 | - | - | - | - | 1 | 3 | 9 | 13 | 5 | 9 | 10 |
| Female | 60 | - | - | - | - | 2 | 3 | 8 | 6 | 6 | 6 | 6 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 29 | - | - | - | - | - | 4 | 3 | 3 | 3 | 1 | 1 |
| Male | 14 | - | - | - | - | - | 1 | 3 | 1 | 1 | 1 | 1 |
| Female | 15 | - | - | - | - | - | 3 | - | 2 | 2 | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 21 | - | - | - | - | - | 2 | 2 | - | 2 | 1 | 1 |
| Male | 9 | - | - | - | - | - | 1 | 1 | - | - | 1 | 1 |
| Female | 12 | - | - | - | - | - | 1 | 1 | - | 2 | - | - |
| White, both sexes | 17 | - | - | - | - | - | 2 | 2 | - | 2 | 1 | - |
| Male | 7 | - | - | - | - | - | 1 | 1 | - | - | 1 | - |
| Female | 10 | - | - | - | - | - | 1 | 1 | - | 2 | - | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 19 | - | - | - | - | 1 | 2 | - | - | 1 | 2 | 2 |
| Male | 11 | - | - | - | - | 1 | 1 | - | - | - | - | 1 |
| Female | 8 | - | - | - | - | - | 1 | - | - | 1 | 2 | 1 |
| White, both sexes | 18 | - | - | - | - | 1 | 1 | - | - | 1 | 2 | 2 |
| Male | 10 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Female | 8 | - | - | - | - | - | 1 | - | - | 1 | 2 | 1 |
| Black, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | - | 2 | - | 1 | 1 | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 9 | - | - | - | - | - | - | 2 | - | 1 | - | - |
| White, both sexes | 14 | - | - | - | - | - | - | 2 | - | - | 1 | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 6 | - | - | - | - | - | - | 2 | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 157 | - | - | 1 | 2 | 1 | 9 | 10 | 2 | 9 | 6 | 10 |
| Male | 95 | - | - | - | 2 | - | 4 | 9 | - | 8 | 3 | 5 |
| Female | 62 | - | - | 1 | - | 1 | 5 | 1 | 2 | 1 | 3 | 5 |
| White, both sexes | 136 | - | - | 1 | 2 | - | 7 | 6 | 2 | 7 | 4 | 9 |
| Male | 81 | - | - | - | 2 | - | 3 | 5 | - | 6 | 2 | 4 |
| Female | 55 | - | - | 1 | - | - | 4 | 1 | 2 | 1 | 2 | 5 |
| Black, both sexes | 7 | - | - | - | - | 1 | - | - | - | 1 | 2 | - |
| Male | 5 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | 2 | - | - | - | - | 1 | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 13 | - | - | - | - | - | 2 | 3 | - | 1 | - | 1 |
| Male | 8 | - | - | - | - | - | 1 | 3 | - | 1 | - | 1 |
| Female | 5 | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 13 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Male | 10 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 13 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Male | 10 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 11 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| White, both sexes | 4 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 83 | - | - | - | - | 2 | 1 | 2 | 7 | 3 | 4 | 6 |
| Male | 49 | - | - | - | - | 1 | - | 1 | 5 | - | 3 | 5 |
| Female | 34 | - | - | - | - | 1 | 1 | 1 | 2 | 3 | 1 | 1 |
| White, both sexes | 69 | - | - | - | - | 1 | 1 | 1 | 6 | 2 | 4 | 3 |
| Male | 38 | - | - | - | - | 1 | - | - | 4 | - | 3 | 2 |
| Female | 31 | - | - | - | - | - | 1 | 1 | 2 | 2 | 1 | 1 |
| Black, both sexes | 11 | - | - | - | - | 1 | - | 1 | 1 | 1 | - | 3 |
| Male | 9 | - | - | - | - | - | - | 1 | 1 | - | - | 3 |
| Female | 2 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 25 | - | - | - | - | - | 1 | 2 | 3 | 1 | 2 | 1 |
| Male | 14 | - | - | - | - | - | - | 1 | 2 | 1 | 2 | 1 |
| Female | 11 | - | - | - | - | - | 1 | 1 | 1 | - | - | - |
| White, both sexes | 17 | - | - | - | - | - | 1 | - | - | 1 | 1 | 1 |
| Male | 9 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Female | 8 | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | 8 | - | - | - | - | - | - | 2 | 3 | - | 1 | - |
| Male | 5 | - | - | - | - | - | - | 1 | 2 | - | 1 | - |
| Female | 3 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 50 | - | - | - | - | - | - | 2 | 4 | 3 | 5 | 7 |
| Male | 24 | - | - | - | - | - | - | - | 1 | 1 | 3 | 6 |
| Female | 26 | - | - | - | - | - | - | 2 | 3 | 2 | 2 | 1 |
| White, both sexes | 41 | - | - | - | - | - | - | 1 | 3 | 2 | 4 | 5 |
| Male | 18 | - | - | - | - | - | - | - | 1 | 1 | 2 | 4 |
| Female | 23 | - | - | - | - | - | - | 1 | 2 | 1 | 2 | 1 |
| Black, both sexes | 8 | - | - | - | - | - | - | 1 | 1 | - | 1 | 2 |
| Male | 6 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 2 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 34 | - | - | 1 | - | - | 2 | 3 | - | 1 | 3 | 1 |
| Male | 20 | - | - | 1 | - | - | 1 | 1 | - | 1 | 1 | 1 |
| Female | 14 | - | - | - | - | - | 1 | 2 | - | - | 2 | - |
| White, both sexes | 31 | - | - | 1 | - | - | 1 | 3 | - | 1 | 3 | 1 |
| Male | 17 | - | - | 1 | - | - | - | 1 | - | 1 | 1 | 1 |
| Female | 14 | - | - | - | - | - | 1 | 2 | - | - | 2 | - |
| Black, both sexes | 3 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 15 | - | - | - | - | - | 1 | 1 | 1 | - | - | 2 |
| Male | 6 | - | - | - | - | - | 1 | 1 | 1 | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | 2 |
| White, both sexes | 15 | - | - | - | - | - | 1 | 1 | 1 | - | - | 2 |
| Male | 6 | - | - | - | - | - | 1 | 1 | 1 | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 16 | - | - | 1 | - | - | - | - | 1 | - | 2 | - |
| Male | 11 | - | - | - | - | - | - | - | 1 | - | 2 | - |
| Female | 5 | - | - | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | 15 | - | - | 1 | - | - | - | - | 1 | - | 1 | - |
| Male | 10 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Female | 5 | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 21 | - | - | - | - | - | 2 | - | 1 | - | 1 | 3 |
| Male | 11 | - | - | - | - | - | 1 | - | 1 | - | - | 1 |
| Female | 10 | - | - | - | - | - | 1 | - | - | - | 1 | 2 |
| White, both sexes | 19 | - | - | - | - | - | 2 | - | 1 | - | 1 | 2 |
| Male | 10 | - | - | - | - | - | 1 | - | 1 | - | - | 1 |
| Female | 9 | - | - | - | - | - | 1 | - | - | - | 1 | 1 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 23 | - | - | - | - | - | 2 | - | 1 | 2 | - | 3 |
| Male | 10 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 13 | - | - | - | - | - | 2 | - | 1 | 1 | - | 2 |
| White, both sexes | 18 | - | - | - | - | - | 2 | - | 1 | - | - | 2 |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 9 | - | - | - | - | - | 2 | - | 1 | - | - | 1 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | 2 | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 22 | - | - | - | - | 2 | 1 | - | 3 | 3 | 1 | 3 |
| Male | 11 | - | - | - | - | 2 | - | - | 2 | 2 | 1 | 2 |
| Female | 11 | - | - | - | - | - | 1 | - | 1 | 1 | - | 1 |
| White, both sexes | 12 | - | - | - | - | 1 | - | - | - | 1 | 1 | 2 |
| Male | 6 | - | - | - | - | 1 | - | - | - | 1 | 1 | 2 |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 7 | - | - | - | - | 1 | - | - | 1 | 2 | - | 1 |
| Male | 4 | - | - | - | - | 1 | - | - | 1 | 1 | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | 1 | - | 2 | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 2 | - | - | - | - | - | 1 | - | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 18 | - | - | - | - | - | 2 | 1 | 1 | - | - | 1 |
| Male | 10 | - | - | - | - | - | 1 | 1 | 1 | - | - | - |
| Female | 8 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| White, both sexes | 18 | - | - | - | - | - | 2 | 1 | 1 | - | - | 1 |
| Male | 10 | - | - | - | - | - | 1 | 1 | 1 | - | - | - |
| Female | 8 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 48 | - | - | - | - | - | - | 5 | 5 | - | 3 | 4 |
| Male | 23 | - | - | - | - | - | - | 3 | - | - | 2 | 2 |
| Female | 25 | - | - | - | - | - | - | 2 | 5 | - | 1 | 2 |
| White, both sexes | 41 | - | - | - | - | - | - | 3 | 4 | - | 1 | 4 |
| Male | 19 | - | - | - | - | - | - | 2 | - | - | 1 | 2 |
| Female | 22 | - | - | - | - | - | - | 1 | 4 | - | - | 2 |
| Black, both sexes | 6 | - | - | - | - | - | - | 2 | 1 | - | 2 | - |
| Male | 3 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Female | 3 | - | - | - | - | - | - | 1 | 1 | - | 1 | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 19 | - | - | - | - | - | 3 | - | - | - | - | 2 |
| Male | 8 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| Female | 11 | - | - | - | - | - | 2 | - | - | - | - | 1 |
| White, both sexes | 19 | - | - | - | - | - | 3 | - | - | - | - | 2 |
| Male | 8 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| Female | 11 | - | - | - | - | - | 2 | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 19 | - | - | - | - | - | - | 1 | 1 | - | 1 | 1 |
| Male | 12 | - | - | - | - | - | - | 1 | 1 | - | - | 1 |
| Female | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 11 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 8 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 8 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Male | 4 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 27 | - | - | - | - | - | - | 2 | 1 | 3 | 1 | 1 |
| Male | 13 | - | - | - | - | - | - | 2 | 1 | 2 | 1 | - |
| Female | 14 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| White, both sexes | 23 | - | - | - | - | - | - | 1 | - | 2 | - | 1 |
| Male | 10 | - | - | - | - | - | - | 1 | - | 2 | - | - |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 3 | - | - | - | - | - | - | 1 | 1 | - | 1 | - |
| Male | 3 | - | - | - | - | - | - | 1 | 1 | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | 1 | - | 1 | - | 2 |
| Male | 2 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 4 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Male | 2 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 3 | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 3 | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 38 | - | - | - | 1 | - | 1 | - | 3 | 1 | - | 1 |
| Male | 20 | - | - | - | 1 | - | 1 | - | 1 | 1 | - | - |
| Female | 18 | - | - | - | - | - | - | - | 2 | - | - | 1 |
| White, both sexes | 32 | - | - | - | 1 | - | 1 | - | 3 | 1 | - | 1 |
| Male | 18 | - | - | - | 1 | - | 1 | - | 1 | 1 | - | - |
| Female | 14 | - | - | - | - | - | - | - | 2 | - | - | 1 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 83 | - | - | 1 | - | 1 | 2 | 4 | 8 | 6 | 2 | 6 |
| Male | 45 | - | - | 1 | - | 1 | 1 | 2 | 4 | 4 | 2 | 3 |
| Female | 38 | - | - | - | - | - | 1 | 2 | 4 | 2 | - | 3 |
| White, both sexes | 68 | - | - | 1 | - | 1 | - | 1 | 5 | 4 | 2 | 5 |
| Male | 34 | - | - | 1 | - | 1 | - | - | 2 | 2 | 2 | 3 |
| Female | 34 | - | - | - | - | - | - | 1 | 3 | 2 | - | 2 |
| Black, both sexes | 14 | - | - | - | - | - | 2 | 3 | 2 | 2 | - | 1 |
| Male | 11 | - | - | - | - | - | 1 | 2 | 2 | 2 | - | - |
| Female | 3 | - | - | - | - | - | 1 | 1 | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 31 | - | - | - | - | 1 | - | 1 | 3 | 1 | 1 | 2 |
| Male | 19 | - | - | - | - | 1 | - | 1 | 2 | 1 | 1 | 2 |
| Female | 12 | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | 27 | - | - | - | - | 1 | - | 1 | 1 | 1 | 1 | 1 |
| Male | 16 | - | - | - | - | 1 | - | 1 | - | 1 | 1 | 1 |
| Female | 11 | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | 2 | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | 2 | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 52 | - | - | - | - | - | 1 | 1 | 1 | 2 | 1 | 1 |
| Male | 30 | - | - | - | - | - | 1 | 1 | 1 | 2 | 1 | 1 |
| Female | 22 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 50 | - | - | - | - | - | 1 | 1 | 1 | 2 | 1 | 1 |
| Male | 29 | - | - | - | - | - | 1 | 1 | 1 | 2 | 1 | 1 |
| Female | 21 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 15 | - | - | - | - | - | - | - | - | 3 | 1 | - |
| Male | 7 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | 8 | - | - | - | - | - | - | - | - | 2 | - | - |
| White, both sexes | 15 | - | - | - | - | - | - | - | - | 3 | 1 | - |
| Male | 7 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | 8 | - | - | - | - | - | - | - | - | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 23 | - | - | - | - | - | 2 | - | 2 | - | 2 | 6 |
| Male | 13 | - | - | - | - | - | 1 | - | 1 | - | - | 3 |
| Female | 10 | - | - | - | - | - | 1 | - | 1 | - | 2 | 3 |
| White, both sexes | 22 | - | - | - | - | - | 2 | - | 1 | - | 2 | 6 |
| Male | 12 | - | - | - | - | - | 1 | - | - | - | - | 3 |
| Female | 10 | - | - | - | - | - | 1 | - | 1 | - | 2 | 3 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 62 | - | - | - | - | - | 1 | 3 | 3 | 2 | 3 | 5 |
| Male | 33 | - | - | - | - | - | - | 2 | 2 | - | 1 | 1 |
| Female | 29 | - | - | - | - | - | 1 | 1 | 1 | 2 | 2 | 4 |
| White, both sexes | 57 | - | - | - | - | - | 1 | 2 | 1 | 2 | 2 | 5 |
| Male | 29 | - | - | - | - | - | - | 1 | - | - | 1 | 1 |
| Female | 28 | - | - | - | - | - | 1 | 1 | 1 | 2 | 1 | 4 |
| Black, both sexes | 5 | - | - | - | - | - | - | 1 | 2 | - | 1 | - |
| Male | 4 | - | - | - | - | - | - | 1 | 2 | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | - | - | - | 1 | 1 | - | 1 |
| Male | 8 | - | - | - | - | - | - | - | 1 | 1 | - | 1 |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 9 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | 2 | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | 2 | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 32 | - | - | - | 1 | 1 | 1 | 2 | - | 1 | - | 6 |
| Male | 14 | - | - | - | - | - | - | 2 | - | 1 | - | 5 |
| Female | 18 | - | - | - | 1 | 1 | 1 | - | - | - | - | 1 |
| White, both sexes | 28 | - | - | - | 1 | 1 | 1 | 1 | - | 1 | - | 5 |
| Male | 11 | - | - | - | - | - | - | 1 | - | 1 | - | 4 |
| Female | 17 | - | - | - | 1 | 1 | 1 | - | - | - | - | 1 |
| Black, both sexes | 4 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 93 | - | - | 1 | 1 | - | 7 | 5 | 3 | 7 | 6 | 6 |
| Male | 47 | - | - | 1 | - | - | 2 | 2 | 1 | 4 | 5 | 3 |
| Female | 46 | - | - | - | 1 | - | 5 | 3 | 2 | 3 | 1 | 3 |
| White, both sexes | 78 | - | - | 1 | 1 | - | 5 | 4 | 1 | 6 | 4 | 4 |
| Male | 42 | - | - | 1 | - | - | 2 | 2 | 1 | 4 | 3 | 2 |
| Female | 36 | - | - | - | 1 | - | 3 | 2 | - | 2 | 1 | 2 |
| Black, both sexes | 15 | - | - | - | - | - | 2 | 1 | 2 | 1 | 2 | 2 |
| Male | 5 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Female | 10 | - | - | - | - | - | 2 | 1 | 2 | 1 | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | 2 | - | - | - | 1 | 1 |
| Male | 6 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Female | 3 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| White, both sexes | 9 | - | - | - | - | - | 2 | - | - | - | 1 | 1 |
| Male | 6 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Female | 3 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 35 | - | - | - | - | - | 1 | 2 | 1 | - | 5 | 1 |
| Male | 19 | - | - | - | - | - | 1 | - | - | - | 2 | 1 |
| Female | 16 | - | - | - | - | - | - | 2 | 1 | - | 3 | - |
| White, both sexes | 24 | - | - | - | - | - | 1 | - | - | - | 2 | - |
| Male | 14 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 11 | - | - | - | - | - | - | 2 | 1 | - | 3 | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 6 | - | - | - | - | - | - | 2 | 1 | - | 2 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 27 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Male | 15 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 12 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| White, both sexes | 24 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 13 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 11 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 11 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 28 | - | - | - | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 |
| Male | 15 | - | - | - | 1 | 1 | - | 1 | - | - | - | 1 |
| Female | 13 | - | - | - | - | - | 1 | - | - | 1 | 1 | - |
| White, both sexes | 27 | - | - | - | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 |
| Male | 14 | - | - | - | 1 | 1 | - | 1 | - | - | - | 1 |
| Female | 13 | - | - | - | - | - | 1 | - | - | 1 | 1 | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 74 | 92 | 92 | 100 | 105 | 165 | 139 | 74 | 27 | 4 | - | - |
| Male | 41 | 64 | 57 | 58 | 60 | 73 | 58 | 41 | 8 | 1 | - | - |
| Female | 33 | 28 | 35 | 42 | 45 | 92 | 81 | 33 | 19 | 3 | - | - |
| White, both sexes | 60 | 78 | 85 | 94 | 95 | 155 | 134 | 69 | 24 | 4 | - | - |
| Male | 34 | 51 | 52 | 54 | 54 | 68 | 56 | 41 | 7 | 1 | - | - |
| Female | 26 | 27 | 33 | 40 | 41 | 87 | 78 | 28 | 17 | 3 | - | - |
| Black, both sexes | 12 | 13 | 4 | 5 | 8 | 8 | 3 | 3 | 2 | - | - | - |
| Male | 5 | 12 | 3 | 3 | 5 | 5 | 1 | - | 1 | - | - | - |
| Female | 7 | 1 | 1 | 2 | 3 | 3 | 2 | 3 | 1 | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | 3 | - | 2 | 2 | 2 | 2 | 1 | - | - | - |
| Male | 1 | 1 | 2 | - | 1 | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | 2 | 1 | 2 | 1 | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | 3 | 1 | 4 | - | 2 | 1 | - | - | - |
| Male | 1 | - | - | 2 | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | 1 | - | 3 | - | 2 | 1 | - | - | - |
| White, both sexes | 1 | - | 1 | 3 | 1 | 3 | - | - | 1 | - | - | - |
| Male | 1 | - | - | 2 | 1 | - | - | - | - | - | - | - |
| Female | - | - | 1 | 1 | - | 3 | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | 2 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | - | - | 3 | 1 | 4 | 2 | - | 1 | - | - | - | - |
| Male | - | - | 3 | - | 4 | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | 1 | - | 1 | - | - | - | - |
| White, both sexes | - | - | 3 | 1 | 4 | 2 | - | 1 | - | - | - | - |
| Male | - | - | 3 | - | 4 | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | 1 | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 3 | - | 2 | 3 | 2 | 2 | - | 1 | - | - | - | - |
| Male | 2 | - | 1 | 2 | 1 | - | - | 1 | - | - | - | - |
| Female | 1 | - | 1 | 1 | 1 | 2 | - | - | - | - | - | - |
| White, both sexes | 3 | - | 2 | 3 | 1 | 1 | - | 1 | - | - | - | - |
| Male | 2 | - | 1 | 2 | 1 | - | - | 1 | - | - | - | - |
| Female | 1 | - | 1 | 1 | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 8 | 16 | 10 | 20 | 9 | 14 | 14 | 11 | 5 | - | - | - |
| Male | 5 | 12 | 7 | 10 | 4 | 9 | 8 | 8 | 1 | - | - | - |
| Female | 3 | 4 | 3 | 10 | 5 | 5 | 6 | 3 | 4 | - | - | - |
| White, both sexes | 7 | 16 | 8 | 20 | 7 | 13 | 13 | 9 | 5 | - | - | - |
| Male | 4 | 12 | 6 | 10 | 3 | 8 | 7 | 8 | 1 | - | - | - |
| Female | 3 | 4 | 2 | 10 | 4 | 5 | 6 | 1 | 4 | - | - | - |
| Black, both sexes | 1 | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 2 | - | 1 | - | 1 | 2 | - | - | - | - |
| Male | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | 2 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 2 | - | 1 | 4 | 1 | - | 1 | - | - | - |
| Male | 1 | 1 | 2 | - | - | 3 | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | - | 1 | - | - | - |
| White, both sexes | 1 | 1 | 2 | - | 1 | 4 | 1 | - | 1 | - | - | - |
| Male | 1 | 1 | 2 | - | - | 3 | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 1 | 1 | 3 | 2 | 1 | - | - | - | - |
| Male | - | 1 | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | 2 | 2 | - | - | - | - | - |
| White, both sexes | - | 1 | - | 1 | 1 | 3 | 2 | 1 | - | - | - | - |
| Male | - | 1 | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | 2 | 2 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 4 | 9 | 4 | 10 | 4 | 10 | 8 | 4 | 5 | - | - | - |
| Male | 4 | 5 | 2 | 5 | 4 | 4 | 5 | 2 | 3 | - | - | - |
| Female | - | 4 | 2 | 5 | - | 6 | 3 | 2 | 2 | - | - | - |
| White, both sexes | 2 | 8 | 4 | 9 | 3 | 10 | 7 | 4 | 4 | - | - | - |
| Male | 2 | 4 | 2 | 4 | 3 | 4 | 4 | 2 | 3 | - | - | - |
| Female | - | 4 | 2 | 5 | - | 6 | 3 | 2 | 1 | - | - | - |
| Black, both sexes | 1 | 1 | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | 1 | 1 | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Male | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 2 | - | 2 | 1 | 4 | - | 1 | - | - | - |
| Male | - | 3 | 2 | - | 1 | - | 1 | - | - | - | - | - |
| Female | 2 | - | - | - | 1 | 1 | 3 | - | 1 | - | - | - |
| White, both sexes | 1 | 3 | 1 | - | 2 | 1 | 4 | - | 1 | - | - | - |
| Male | - | 3 | 1 | - | 1 | - | 1 | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | 1 | 3 | - | 1 | - | - | - |
| Black, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 2 | 2 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 2 | 2 | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 2 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 2 | 1 | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | 2 | - | 1 | - | 2 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | - | 2 | - | - | - | - | - | - |
| White, both sexes | - | 2 | - | 1 | - | 2 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | - | 2 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 4 | 2 | 2 | 1 | 8 | 3 | 5 | 2 | 2 | - | - | - |
| Male | 2 | 1 | 2 | - | 4 | 1 | 2 | - | 1 | - | - | - |
| Female | 2 | 1 | - | 1 | 4 | 2 | 3 | 2 | 1 | - | - | - |
| White, both sexes | 3 | 2 | 1 | 1 | 7 | 3 | 5 | 2 | 2 | - | - | - |
| Male | 1 | 1 | 1 | - | 3 | 1 | 2 | - | 1 | - | - | - |
| Female | 2 | 1 | - | 1 | 4 | 2 | 3 | 2 | 1 | - | - | - |
| Black, both sexes | 1 | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | 1 | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 3 | 2 | 3 | 1 | 3 | 5 | 4 | 1 | 1 | - | - | - |
| Male | 2 | 2 | 1 | 1 | 2 | 3 | 2 | 1 | - | - | - | - |
| Female | 1 | - | 2 | - | 1 | 2 | 2 | - | 1 | - | - | - |
| White, both sexes | 3 | 1 | 3 | 1 | 3 | 4 | 4 | 1 | 1 | - | - | - |
| Male | 2 | 1 | 1 | 1 | 2 | 2 | 2 | 1 | - | - | - | - |
| Female | 1 | - | 2 | - | 1 | 2 | 2 | - | 1 | - | - | - |
| Black, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 1 | - | - | 3 | 2 | 1 | 1 | - | - | - |
| Male | - | 1 | 1 | - | - | - | 1 | - | - | - | - | - |
| Female | 1 | - | - | - | - | 3 | 1 | 1 | 1 | - | - | - |
| White, both sexes | 1 | 1 | 1 | - | - | 3 | 2 | 1 | 1 | - | - | - |
| Male | - | 1 | 1 | - | - | - | 1 | - | - | - | - | - |
| Female | 1 | - | - | - | - | 3 | 1 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 2 | - | 1 | 1 | 2 | 2 | 1 | 2 | - | 1 | - | - |
| Male | 1 | - | 1 | 1 | 2 | - | - | 2 | - | 1 | - | - |
| Female | 1 | - | - | - | - | 2 | 1 | - | - | - | - | - |
| White, both sexes | 2 | - | 1 | 1 | 2 | 2 | 1 | 2 | - | 1 | - | - |
| Male | 1 | - | 1 | 1 | 2 | - | - | 2 | - | 1 | - | - |
| Female | 1 | - | - | - | - | 2 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 2 | 2 | 3 | 2 | 2 | - | - | - | - | - |
| Male | 2 | 1 | 1 | 1 | 3 | - | - | - | - | - | - | - |
| Female | - | - | 1 | 1 | - | 2 | 2 | - | - | - | - | - |
| White, both sexes | 2 | 1 | 2 | 2 | 2 | 2 | 2 | - | - | - | - | - |
| Male | 2 | 1 | 1 | 1 | 2 | - | - | - | - | - | - | - |
| Female | - | - | 1 | 1 | - | 2 | 2 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 3 | 3 | 2 | 2 | 2 | 1 | 1 | - | - | - |
| Male | - | - | 2 | 2 | - | 2 | 1 | 1 | - | - | - | - |
| Female | 1 | - | 1 | 1 | 2 | - | 1 | - | 1 | - | - | - |
| White, both sexes | 1 | - | 3 | 2 | 2 | 2 | 2 | 1 | - | - | - | - |
| Male | - | - | 2 | 2 | - | 2 | 1 | 1 | - | - | - | - |
| Female | 1 | - | 1 | - | 2 | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | 2 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | 2 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 1 | 1 | 3 | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Female | 1 | 1 | 1 | - | 2 | - | 1 | 1 | - | - | - | - |
| White, both sexes | - | 1 | 1 | - | 3 | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | 2 | - | 1 | 1 | - | - | - | - |
| Black, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 2 | - | 2 | 2 | - | 1 | 5 | 1 | - | - | - | - |
| Male | - | - | 2 | 2 | - | 1 | 2 | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | 3 | 1 | - | - | - | - |
| White, both sexes | 2 | - | 2 | 2 | - | 1 | 5 | 1 | - | - | - | - |
| Male | - | - | 2 | 2 | - | 1 | 2 | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | 3 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 2 | 3 | 6 | 8 | 7 | 3 | - | - | - | - |
| Male | 1 | 1 | 1 | 1 | 4 | 4 | 2 | 2 | - | - | - | - |
| Female | - | - | 1 | 2 | 2 | 4 | 5 | 1 | - | - | - | - |
| White, both sexes | 1 | 1 | 2 | 2 | 6 | 7 | 7 | 3 | - | - | - | - |
| Male | 1 | 1 | 1 | - | 4 | 3 | 2 | 2 | - | - | - | - |
| Female | - | - | 1 | 2 | 2 | 4 | 5 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 2 | 3 | 2 | 3 | 2 | 1 | - | - | - | - |
| Male | - | - | 1 | 2 | 1 | 1 | - | 1 | - | - | - | - |
| Female | 1 | - | 1 | 1 | 1 | 2 | 2 | - | - | - | - | - |
| White, both sexes | 1 | - | 2 | 3 | 2 | 3 | 2 | 1 | - | - | - | - |
| Male | - | - | 1 | 2 | 1 | 1 | - | 1 | - | - | - | - |
| Female | 1 | - | 1 | 1 | 1 | 2 | 2 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | 1 | 2 | 5 | 3 | 1 | 1 | - | - | - |
| Male | - | - | 1 | 1 | 1 | 3 | 1 | 1 | 1 | - | - | - |
| Female | 1 | - | - | - | 1 | 2 | 2 | - | - | - | - | - |
| White, both sexes | - | - | 1 | 1 | 1 | 3 | 2 | 1 | - | - | - | - |
| Male | - | - | 1 | 1 | - | 2 | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | 1 | 2 | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | 1 | - | - | 1 | - | - | - |
| Female | 1 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 2 | 2 | 3 | 3 | 5 | 1 | - | - | - | - |
| Male | - | 2 | 2 | 1 | 2 | - | - | - | - | - | - | - |
| Female | 1 | - | - | 1 | 1 | 3 | 5 | 1 | - | - | - | - |
| White, both sexes | 1 | 2 | 2 | 2 | 3 | 3 | 5 | 1 | - | - | - | - |
| Male | - | 2 | 2 | 1 | 2 | - | - | - | - | - | - | - |
| Female | 1 | - | - | 1 | 1 | 3 | 5 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | 1 | 2 | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | 2 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | - | 1 | 2 | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | 2 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | - | - | 2 | - | - | 1 | 1 | - | - |
| Male | 1 | 1 | - | - | - | 1 | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | 1 | - | - |
| White, both sexes | 1 | 1 | - | - | - | 2 | - | - | 1 | 1 | - | - |
| Male | 1 | 1 | - | - | - | 1 | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 2 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 4 | 4 | 3 | 2 | 6 | 4 | 4 | 4 | - | - | - | - |
| Male | 2 | 2 | 3 | 1 | 2 | 2 | 2 | 2 | - | - | - | - |
| Female | 2 | 2 | - | 1 | 4 | 2 | 2 | 2 | - | - | - | - |
| White, both sexes | 3 | 4 | 2 | 1 | 4 | 3 | 4 | 4 | - | - | - | - |
| Male | 2 | 2 | 2 | 1 | 1 | 2 | 2 | 2 | - | - | - | - |
| Female | 1 | 2 | - | - | 3 | 1 | 2 | 2 | - | - | - | - |
| Black, both sexes | 1 | - | - | 1 | 2 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | 1 | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | 1 | - | - | - | - | - | - |
| White, both sexes | 1 | 1 | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 5 | 8 | 7 | 4 | 7 | 10 | 6 | 5 | 1 | - | - | - |
| Male | 2 | 5 | 4 | 3 | 3 | 5 | 2 | 3 | - | - | - | - |
| Female | 3 | 3 | 3 | 1 | 4 | 5 | 4 | 2 | 1 | - | - | - |
| White, both sexes | 5 | 4 | 7 | 4 | 7 | 10 | 6 | 5 | 1 | - | - | - |
| Male | 2 | 1 | 4 | 3 | 3 | 5 | 2 | 3 | - | - | - | - |
| Female | 3 | 3 | 3 | 1 | 4 | 5 | 4 | 2 | 1 | - | - | - |
| Black, both sexes | - | 4 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 4 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 2 | 1 | 2 | 5 | 7 | - | - | - | - | - |
| Male | 2 | 1 | - | - | 1 | 2 | 5 | - | - | - | - | - |
| Female | - | 2 | 2 | 1 | 1 | 3 | 2 | - | - | - | - | - |
| White, both sexes | 2 | 3 | 1 | 1 | 2 | 5 | 7 | - | - | - | - | - |
| Male | 2 | 1 | - | - | 1 | 2 | 5 | - | - | - | - | - |
| Female | - | 2 | 1 | 1 | 1 | 3 | 2 | - | - | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 1 | 5 | 5 | 9 | 3 | 8 | 8 | 5 | 1 | - | - | - |
| Male | 1 | 1 | 1 | 7 | 3 | 4 | 3 | 3 | - | - | - | - |
| Female | - | 4 | 4 | 2 | - | 4 | 5 | 2 | 1 | - | - | - |
| White, both sexes | - | 4 | 5 | 9 | 3 | 8 | 8 | 5 | 1 | - | - | - |
| Male | - | 1 | 1 | 7 | 3 | 4 | 3 | 3 | - | - | - | - |
| Female | - | 3 | 4 | 2 | - | 4 | 5 | 2 | 1 | - | - | - |
| Black, both sexes | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 2 | 1 | 5 | 1 | - | 1 | - | - | - | - |
| Male | 1 | - | 1 | 1 | 2 | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | 3 | 1 | - | 1 | - | - | - | - |
| White, both sexes | 1 | - | 2 | 1 | 5 | 1 | - | 1 | - | - | - | - |
| Male | 1 | - | 1 | 1 | 2 | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | 3 | 1 | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 2 | - | 3 | 1 | - | - | 3 | 2 | - | - | - | - |
| Male | 1 | - | 2 | 1 | - | - | 2 | 2 | - | - | - | - |
| Female | 1 | - | 1 | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | 2 | - | 3 | 1 | - | - | 3 | 2 | - | - | - | - |
| Male | 1 | - | 2 | 1 | - | - | 2 | 2 | - | - | - | - |
| Female | 1 | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 3 | 10 | 2 | 2 | 5 | 10 | 10 | 3 | - | - | - | - |
| Male | 2 | 9 | - | 2 | 3 | 4 | 5 | 2 | - | - | - | - |
| Female | 1 | 1 | 2 | - | 2 | 6 | 5 | 1 | - | - | - | - |
| White, both sexes | 3 | 9 | 2 | 2 | 5 | 10 | 10 | 3 | - | - | - | - |
| Male | 2 | 8 | - | 2 | 3 | 4 | 5 | 2 | - | - | - | - |
| Female | 1 | 1 | 2 | - | 2 | 6 | 5 | 1 | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 2 | - | 1 | 2 | 1 | - | - | 1 | - | - |
| Male | - | 1 | 1 | - | - | 2 | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | - | - | 1 | - | - |
| White, both sexes | - | - | 2 | - | 1 | 2 | 1 | - | - | 1 | - | - |
| Male | - | - | 1 | - | - | 2 | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | - | - | 1 | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 2 | 2 | 1 | 8 | 1 | 3 | 2 | - | - | - |
| Male | - | 1 | 1 | 1 | - | 2 | - | 1 | - | - | - | - |
| Female | - | - | 1 | 1 | 1 | 6 | 1 | 2 | 2 | - | - | - |
| White, both sexes | - | - | 2 | 2 | 1 | 8 | 1 | 2 | 2 | - | - | - |
| Male | - | - | 1 | 1 | - | 2 | - | 1 | - | - | - | - |
| Female | - | - | 1 | 1 | 1 | 6 | 1 | 1 | 2 | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 5 | 7 | 6 | 5 | 6 | 14 | 11 | 1 | 2 | - | - | - |
| Male | 2 | 5 | 5 | 3 | 3 | 6 | 3 | 1 | 1 | - | - | - |
| Female | 3 | 2 | 1 | 2 | 3 | 8 | 8 | - | 1 | - | - | - |
| White, both sexes | 2 | 6 | 6 | 5 | 5 | 14 | 11 | 1 | 2 | - | - | - |
| Male | 1 | 4 | 5 | 3 | 3 | 6 | 3 | 1 | 1 | - | - | - |
| Female | 1 | 2 | 1 | 2 | 2 | 8 | 8 | - | 1 | - | - | - |
| Black, both sexes | 3 | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Male | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 1 | 1 | - | - | 2 | - | - | - | - |
| Male | - | - | - | 1 | 1 | - | - | 2 | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | 1 | 1 | - | - | 2 | - | - | - | - |
| Male | - | - | - | 1 | 1 | - | - | 2 | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 3 | 6 | 2 | 5 | 4 | 2 | - | - | - | - |
| Male | 1 | 2 | 3 | 3 | 1 | 2 | 2 | 1 | - | - | - | - |
| Female | - | - | - | 3 | 1 | 3 | 2 | 1 | - | - | - | - |
| White, both sexes | 1 | - | 3 | 5 | 2 | 5 | 3 | 2 | - | - | - | - |
| Male | 1 | - | 3 | 2 | 1 | 2 | 2 | 1 | - | - | - | - |
| Female | - | - | - | 3 | 1 | 3 | 1 | 1 | - | - | - | - |
| Black, both sexes | - | 2 | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | - | 2 | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 6 | 3 | 3 | 2 | 2 | 3 | 2 | 2 | - | - | - | - |
| Male | 4 | 2 | 1 | 1 | 1 | 2 | 2 | 1 | - | - | - | - |
| Female | 2 | 1 | 2 | 1 | 1 | 1 | - | 1 | - | - | - | - |
| White, both sexes | 5 | 2 | 3 | 2 | 2 | 3 | 2 | 2 | - | - | - | - |
| Male | 3 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | - | - | - | - |
| Female | 2 | 1 | 2 | 1 | 1 | 1 | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 2 | - | 1 | 1 | 1 | 1 | 2 | 1 | - | - | - | - |
| Male | 1 | - | 1 | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 2 | 1 | - | - | - | - |
| White, both sexes | 2 | - | 1 | 1 | 1 | 1 | 2 | 1 | - | - | - | - |
| Male | 1 | - | 1 | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 2 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hodgkin's disease (C81) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | - | - | 2 | 3 | 1 | 6 | 3 | 5 | - | 1 | - | - |
| Male | - | - | 1 | 1 | 1 | 5 | 1 | 2 | - | - | - | - |
| Female | - | - | 1 | 2 | - | 1 | 2 | 3 | - | 1 | - | - |
| White, both sexes | - | - | 1 | 3 | 1 | 6 | 3 | 5 | - | 1 | - | - |
| Male | - | - | - | 1 | 1 | 5 | 1 | 2 | - | - | - | - |
| Female | - | - | 1 | 2 | - | 1 | 2 | 3 | - | 1 | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 20,933 | 2 | 8 | 20 | 29 | 47 | 80 | 90 | 133 | 193 | 376 | 547 |
| Male | 11,171 | 1 | 3 | 15 | 25 | 36 | 54 | 52 | 82 | 118 | 250 | 349 |
| Female | 9,762 | 1 | 5 | 5 | 4 | 11 | 26 | 38 | 51 | 75 | 126 | 198 |
| White, both sexes | 19,023 | 2 | 6 | 14 | 25 | 39 | 53 | 63 | 90 | 143 | 291 | 436 |
| Male | 10,154 | 1 | 2 | 9 | 21 | 30 | 40 | 36 | 53 | 91 | 203 | 280 |
| Female | 8,869 | 1 | 4 | 5 | 4 | 9 | 13 | 27 | 37 | 52 | 88 | 156 |
| Black, both sexes | 1,398 | - | 2 | 5 | 4 | 7 | 23 | 19 | 38 | 41 | 71 | 88 |
| Male | 755 | - | 1 | 5 | 4 | 5 | 12 | 9 | 25 | 22 | 39 | 57 |
| Female | 643 | - | 1 | - | - | 2 | 11 | 10 | 13 | 19 | 32 | 31 |
| American Indian 1/, both sexes | 83 | - | - | - | - | - | - | 3 | - | 1 | 4 | 4 |
| Male | 39 | - | - | - | - | - | - | 2 | - | 1 | 2 | - |
| Female | 44 | - | - | - | - | - | - | 1 | - | - | 2 | 4 |
| Asian or Pacific Islander 2/, both sexes | 429 | - | - | 1 | - | 1 | 4 | 5 | 5 | 8 | 10 | 19 |
| Male | 223 | - | - | 1 | - | 1 | 2 | 5 | 4 | 4 | 6 | 12 |
| Female | 206 | - | - | - | - | - | 2 | - | 1 | 4 | 4 | 7 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 330 | - | - | 1 | - | - | 2 | 1 | 1 | 6 | 5 | 12 |
| Male | 174 | - | - | 1 | - | - | 1 | 1 | 1 | 3 | 3 | 8 |
| Female | 156 | - | - | - | - | - | 1 | - | - | 3 | 2 | 4 |
| White, both sexes | 288 | - | - | - | - | - | 1 | 1 | 1 | 3 | 5 | 8 |
| Male | 150 | - | - | - | - | - | 1 | 1 | 1 | 1 | 3 | 5 |
| Female | 138 | - | - | - | - | - | - | - | - | 2 | 2 | 3 |
| Black, both sexes | 38 | - | - | 1 | - | - | - | - | - | 3 | - | 4 |
| Male | 22 | - | - | 1 | - | - | - | - | - | 2 | - | 3 |
| Female | 16 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 29 | - | - | - | - | 1 | - | - | - | - | 1 | 2 |
| Male | 18 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 11 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| White, both sexes | 27 | - | - | - | - | 1 | - | - | - | - | 1 | 1 |
| Male | 17 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 10 | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 385 | - | 1 | - | - | 1 | 2 | 1 | - | 7 | 2 | 16 |
| Male | 220 | - | 1 | - | - | 1 | 2 | - | - | 6 | 2 | 12 |
| Female | 165 | - | - | - | - | - | - | 1 | - | 1 | - | 4 |
| White, both sexes | 365 | - | 1 | - | - | 1 | 2 | - | - | 5 | 2 | 15 |
| Male | 210 | - | 1 | - | - | 1 | 2 | - | - | 4 | 2 | 11 |
| Female | 155 | - | - | - | - | - | - | - | - | 1 | - | 4 |
| Black, both sexes | 9 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 11 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 5 | - | - | - | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 207 | - | - | - | - | - | 2 | - | 1 | 1 | 1 | 6 |
| Male | 126 | - | - | - | - | - | 2 | - | - | - | 1 | 5 |
| Female | 81 | - | - | - | - | - | - | - | 1 | 1 | - | 1 |
| White, both sexes | 189 | - | - | - | - | - | - | - | 1 | - | 1 | 5 |
| Male | 113 | - | - | - | - | - | - | - | - | - | 1 | 4 |
| Female | 76 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Black, both sexes | 16 | - | - | - | - | - | 2 | - | - | 1 | - | 1 |
| Male | 12 | - | - | - | - | - | 2 | - | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 2,148 | - | - | 2 | 1 | 7 | 11 | 9 | 15 | 19 | 61 | 62 |
| Male | 1,175 | - | - | 1 | 1 | 5 | 9 | 7 | 8 | 12 | 37 | 38 |
| Female | 973 | - | - | 1 | - | 2 | 2 | 2 | 7 | 7 | 24 | 24 |
| White, both sexes | 1,866 | - | - | 2 | 1 | 5 | 8 | 5 | 11 | 14 | 48 | 50 |
| Male | 1,039 | - | - | 1 | 1 | 3 | 6 | 3 | 5 | 10 | 32 | 33 |
| Female | 827 | - | - | 1 | - | 2 | 2 | 2 | 6 | 4 | 16 | 17 |
| Black, both sexes | 94 | - | - | - | - | 1 | 1 | 2 | 2 | 2 | 8 | 7 |
| Male | 40 | - | - | - | - | 1 | 1 | 2 | 1 | 1 | 2 | 2 |
| Female | 54 | - | - | - | - | - | - | - | 1 | 1 | 6 | 5 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 185 | - | - | - | - | 1 | 2 | 2 | 2 | 3 | 5 | 5 |
| Male | 94 | - | - | - | - | 1 | 2 | 2 | 2 | 1 | 3 | 3 |
| Female | 91 | - | - | - | - | - | - | - | - | 2 | 2 | 2 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 218 | - | - | 1 | - | 1 | 1 | - | 3 | - | 5 | 8 |
| Male | 124 | - | - | 1 | - | 1 | 1 | - | 3 | - | 5 | 5 |
| Female | 94 | - | - | - | - | - | - | - | - | - | - | 3 |
| White, both sexes | 206 | - | - | 1 | - | 1 | 1 | - | 3 | - | 5 | 8 |
| Male | 118 | - | - | 1 | - | 1 | 1 | - | 3 | - | 5 | 5 |
| Female | 88 | - | - | - | - | - | - | - | - | - | - | 3 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 273 | - | - | 1 | 1 | - | 2 | - | 1 | 1 | 6 | 5 |
| Male | 151 | - | - | 1 | - | - | 1 | - | 1 | - | 3 | 1 |
| Female | 122 | - | - | - | 1 | - | 1 | - | - | 1 | 3 | 4 |
| White, both sexes | 254 | - | - | - | 1 | - | 1 | - | 1 | 1 | 5 | 4 |
| Male | 141 | - | - | - | - | - | 1 | - | 1 | - | 3 | 1 |
| Female | 113 | - | - | - | 1 | - | - | - | - | 1 | 2 | 3 |
| Black, both sexes | 15 | - | - | - | - | - | 1 | - | - | - | 1 | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | 1 | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 56 | - | - | - | - | - | 1 | - | - | - | 2 | 1 |
| Male | 28 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Female | 28 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| White, both sexes | 50 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 25 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | 6 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Male | 3 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 37 | - | - | - | - | 1 | - | - | 1 | 1 | 3 | - |
| Male | 27 | - | - | - | - | 1 | - | - | 1 | 1 | 2 | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 9 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 22 | - | - | - | - | 1 | - | - | 1 | 1 | 1 | - |
| Male | 17 | - | - | - | - | 1 | - | - | 1 | 1 | 1 | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 1,567 | - | 1 | 1 | 5 | 6 | 7 | 9 | 10 | 21 | 16 | 29 |
| Male | 871 | - | - | 1 | 4 | 4 | 4 | 6 | 6 | 13 | 11 | 16 |
| Female | 696 | - | 1 | - | 1 | 2 | 3 | 3 | 4 | 8 | 5 | 13 |
| White, both sexes | 1,441 | - | 1 | - | 5 | 4 | 4 | 5 | 7 | 15 | 11 | 22 |
| Male | 804 | - | - | - | 4 | 3 | 2 | 3 | 3 | 13 | 9 | 12 |
| Female | 637 | - | 1 | - | 1 | 1 | 2 | 2 | 4 | 2 | 2 | 10 |
| Black, both sexes | 116 | - | - | 1 | - | 2 | 3 | 3 | 3 | 6 | 5 | 7 |
| Male | 65 | - | - | 1 | - | 1 | 2 | 2 | 3 | - | 2 | 4 |
| Female | 51 | - | - | - | - | 1 | 1 | 1 | - | 6 | 3 | 3 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 10 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 472 | - | 1 | - | 1 | 1 | 1 | 5 | 6 | 4 | 14 | 18 |
| Male | 250 | - | - | - | 1 | 1 | - | 2 | 4 | 2 | 10 | 16 |
| Female | 222 | - | 1 | - | - | - | 1 | 3 | 2 | 2 | 4 | 2 |
| White, both sexes | 396 | - | 1 | - | - | 1 | 1 | - | 1 | 3 | 10 | 15 |
| Male | 204 | - | - | - | - | 1 | - | - | 1 | 2 | 8 | 13 |
| Female | 192 | - | 1 | - | - | - | 1 | - | - | 1 | 2 | 2 |
| Black, both sexes | 74 | - | - | - | 1 | - | - | 5 | 5 | 1 | 4 | 3 |
| Male | 46 | - | - | - | 1 | - | - | 2 | 3 | - | 2 | 3 |
| Female | 28 | - | - | - | - | - | - | 3 | 2 | 1 | 2 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 78 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| Male | 43 | - | - | - | - | - | - | - | - | 1 | 1 | 4 |
| Female | 35 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 59 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| Male | 34 | - | - | - | - | - | - | - | - | 1 | 1 | 4 |
| Female | 25 | - | - | - | - | - | - | - | - | - | 1 | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 98 | - | - | - | - | - | 1 | 1 | 1 | - | 1 | 1 |
| Male | 65 | - | - | - | - | - | 1 | 1 | 1 | - | 1 | 1 |
| Female | 33 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 97 | - | - | - | - | - | 1 | 1 | 1 | - | 1 | 1 |
| Male | 65 | - | - | - | - | - | 1 | 1 | 1 | - | 1 | 1 |
| Female | 32 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 950 | 1 | 1 | 1 | 1 | 2 | 6 | 3 | 7 | 7 | 11 | 21 |
| Male | 493 | - | - | 1 | 1 | 1 | 5 | 2 | 3 | 3 | 8 | 16 |
| Female | 457 | 1 | 1 | - | - | 1 | 1 | 1 | 4 | 4 | 3 | 5 |
| White, both sexes | 864 | 1 | 1 | - | 1 | 2 | 4 | 3 | 4 | 3 | 9 | 17 |
| Male | 449 | - | - | - | 1 | 1 | 4 | 2 | 2 | 1 | 7 | 14 |
| Female | 415 | 1 | 1 | - | - | 1 | - | 1 | 2 | 2 | 2 | 3 |
| Black, both sexes | 69 | - | - | 1 | - | - | 2 | - | 2 | 3 | 2 | 4 |
| Male | 36 | - | - | 1 | - | - | 1 | - | 1 | 2 | 1 | 2 |
| Female | 33 | - | - | - | - | - | 1 | - | 1 | 1 | 1 | 2 |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 13 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 514 | - | - | 1 | - | 1 | 4 | 5 | - | 2 | 8 | 10 |
| Male | 283 | - | - | 1 | - | 1 | 2 | 2 | - | - | 4 | 5 |
| Female | 231 | - | - | - | - | - | 2 | 3 | - | 2 | 4 | 5 |
| White, both sexes | 489 | - | - | 1 | - | 1 | 4 | 3 | - | 2 | 8 | 10 |
| Male | 269 | - | - | 1 | - | 1 | 2 | 1 | - | - | 4 | 5 |
| Female | 220 | - | - | - | - | - | 2 | 2 | - | 2 | 4 | 5 |
| Black, both sexes | 21 | - | - | - | - | - | - | 2 | - | - | - | - |
| Male | 11 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 260 | - | - | - | - | - | - | - | - | 2 | 3 | 6 |
| Male | 143 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| Female | 117 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| White, both sexes | 259 | - | - | - | - | - | - | - | - | 2 | 3 | 6 |
| Male | 142 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| Female | 117 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 207 | - | - | - | - | - | - | - | 2 | 2 | 2 | 4 |
| Male | 120 | - | - | - | - | - | - | - | 2 | 1 | 2 | 1 |
| Female | 87 | - | - | - | - | - | - | - | - | 1 | - | 3 |
| White, both sexes | 198 | - | - | - | - | - | - | - | 2 | 2 | 2 | 3 |
| Male | 116 | - | - | - | - | - | - | - | 2 | 1 | 2 | 1 |
| Female | 82 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 343 | - | - | - | - | - | - | 3 | 2 | 5 | 7 | 11 |
| Male | 180 | - | - | - | - | - | - | 2 | 1 | 3 | 7 | 6 |
| Female | 163 | - | - | - | - | - | - | 1 | 1 | 2 | - | 5 |
| White, both sexes | 330 | - | - | - | - | - | - | 3 | 2 | 4 | 6 | 9 |
| Male | 171 | - | - | - | - | - | - | 2 | 1 | 2 | 6 | 4 |
| Female | 159 | - | - | - | - | - | - | 1 | 1 | 2 | - | 5 |
| Black, both sexes | 13 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Male | 9 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 316 | - | - | 2 | 2 | - | 4 | - | 3 | 4 | 8 | 7 |
| Male | 173 | - | - | 2 | 1 | - | 4 | - | 1 | 1 | 7 | 4 |
| Female | 143 | - | - | - | 1 | - | - | - | 2 | 3 | 1 | 3 |
| White, both sexes | 261 | - | - | 1 | 2 | - | 3 | - | 1 | 3 | 3 | 5 |
| Male | 143 | - | - | 1 | 1 | - | 3 | - | - | 1 | 3 | 3 |
| Female | 118 | - | - | - | 1 | - | - | - | 1 | 2 | - | 2 |
| Black, both sexes | 55 | - | - | 1 | - | - | 1 | - | 2 | 1 | 5 | 2 |
| Male | 30 | - | - | 1 | - | - | 1 | - | 1 | - | 4 | 1 |
| Female | 25 | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 116 | 1 | - | - | 1 | - | - | 1 | - | 1 | - | 2 |
| Male | 58 | 1 | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | 58 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| White, both sexes | 116 | 1 | - | - | 1 | - | - | 1 | - | 1 | - | 2 |
| Male | 58 | 1 | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | 58 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 366 | - | - | - | 1 | - | 1 | 2 | 2 | 2 | 6 | 13 |
| Male | 194 | - | - | - | 1 | - | 1 | 1 | 2 | 2 | 1 | 10 |
| Female | 172 | - | - | - | - | - | - | 1 | - | - | 5 | 3 |
| White, both sexes | 297 | - | - | - | - | - | - | 2 | 1 | 1 | 3 | 8 |
| Male | 157 | - | - | - | - | - | - | 1 | 1 | 1 | - | 5 |
| Female | 140 | - | - | - | - | - | - | 1 | - | - | 3 | 3 |
| Black, both sexes | 60 | - | - | - | 1 | - | 1 | - | 1 | 1 | 3 | 3 |
| Male | 33 | - | - | - | 1 | - | 1 | - | 1 | 1 | 1 | 3 |
| Female | 27 | - | - | - | - | - | - | - | - | - | 2 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 537 | - | - | 1 | - | - | - | 1 | 4 | 3 | 11 | 6 |
| Male | 265 | - | - | - | - | - | - | - | 1 | 3 | 8 | 5 |
| Female | 272 | - | - | 1 | - | - | - | 1 | 3 | - | 3 | 1 |
| White, both sexes | 511 | - | - | 1 | - | - | - | 1 | 4 | 3 | 9 | 4 |
| Male | 249 | - | - | - | - | - | - | - | 1 | 3 | 6 | 3 |
| Female | 262 | - | - | 1 | - | - | - | 1 | 3 | - | 3 | 1 |
| Black, both sexes | 16 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Male | 12 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 853 | - | - | 1 | - | 5 | 5 | 5 | 2 | 6 | 10 | 24 |
| Male | 439 | - | - | - | - | 4 | 2 | 3 | 2 | 4 | 8 | 12 |
| Female | 414 | - | - | 1 | - | 1 | 3 | 2 | - | 2 | 2 | 12 |
| White, both sexes | 773 | - | - | 1 | - | 3 | 3 | 3 | - | 4 | 9 | 18 |
| Male | 399 | - | - | - | - | 3 | 2 | 2 | - | 3 | 7 | 10 |
| Female | 374 | - | - | 1 | - | - | 1 | 1 | - | 1 | 2 | 8 |
| Black, both sexes | 68 | - | - | - | - | 2 | 2 | 2 | 2 | 2 | 1 | 5 |
| Male | 36 | - | - | - | - | 1 | - | 1 | 2 | 1 | 1 | 2 |
| Female | 32 | - | - | - | - | 1 | 2 | 1 | - | 1 | - | 3 |
| American Indian 1/, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 367 | - | - | - | 1 | - | - | - | 1 | 3 | 6 | 12 |
| Male | 194 | - | - | - | 1 | - | - | - | - | 2 | 5 | 5 |
| Female | 173 | - | - | - | - | - | - | - | 1 | 1 | 1 | 7 |
| White, both sexes | 361 | - | - | - | 1 | - | - | - | 1 | 3 | 5 | 10 |
| Male | 191 | - | - | - | 1 | - | - | - | - | 2 | 4 | 4 |
| Female | 170 | - | - | - | - | - | - | - | 1 | 1 | 1 | 6 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 185 | - | - | - | - | - | 1 | - | 2 | 1 | 5 | 6 |
| Male | 94 | - | - | - | - | - | - | - | 1 | - | 5 | 5 |
| Female | 91 | - | - | - | - | - | 1 | - | 1 | 1 | - | 1 |
| White, both sexes | 150 | - | - | - | - | - | - | - | 1 | - | 4 | 4 |
| Male | 79 | - | - | - | - | - | - | - | 1 | - | 4 | 3 |
| Female | 71 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 34 | - | - | - | - | - | - | - | 1 | 1 | 1 | 2 |
| Male | 15 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 19 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 411 | - | - | 1 | - | - | 5 | 2 | 2 | 5 | 7 | 5 |
| Male | 218 | - | - | 1 | - | - | 2 | 1 | 1 | 3 | 4 | 4 |
| Female | 193 | - | - | - | - | - | 3 | 1 | 1 | 2 | 3 | 1 |
| White, both sexes | 383 | - | - | - | - | - | 1 | 2 | 1 | 5 | 5 | 5 |
| Male | 205 | - | - | - | - | - | 1 | 1 | 1 | 3 | 4 | 4 |
| Female | 178 | - | - | - | - | - | - | 1 | - | 2 | 1 | 1 |
| Black, both sexes | 25 | - | - | 1 | - | - | 4 | - | 1 | - | 2 | - |
| Male | 12 | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | 13 | - | - | - | - | - | 3 | - | 1 | - | 2 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 74 | - | - | - | 2 | - | 1 | - | - | 1 | 1 | 3 |
| Male | 40 | - | - | - | 2 | - | 1 | - | - | 1 | - | 2 |
| Female | 34 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| White, both sexes | 68 | - | - | - | 2 | - | 1 | - | - | 1 | - | 3 |
| Male | 38 | - | - | - | 2 | - | 1 | - | - | 1 | - | 2 |
| Female | 30 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 150 | - | - | - | - | - | - | - | 1 | 1 | 3 | 5 |
| Male | 74 | - | - | - | - | - | - | - | - | - | 1 | 4 |
| Female | 76 | - | - | - | - | - | - | - | 1 | 1 | 2 | 1 |
| White, both sexes | 144 | - | - | - | - | - | - | - | 1 | 1 | 3 | 4 |
| Male | 71 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Female | 73 | - | - | - | - | - | - | - | 1 | 1 | 2 | 1 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 116 | - | - | - | - | - | - | - | 2 | 1 | 2 | 2 |
| Male | 55 | - | - | - | - | - | - | - | 2 | 1 | 2 | 1 |
| Female | 61 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 108 | - | - | - | - | - | - | - | 2 | 1 | 2 | 2 |
| Male | 50 | - | - | - | - | - | - | - | 2 | 1 | 2 | 1 |
| Female | 58 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 97 | - | - | 1 | - | - | 1 | - | 1 | 2 | 2 | 2 |
| Male | 51 | - | - | 1 | - | - | 1 | - | 1 | 1 | 1 | 1 |
| Female | 46 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| White, both sexes | 96 | - | - | 1 | - | - | 1 | - | 1 | 2 | 2 | 2 |
| Male | 50 | - | - | 1 | - | - | 1 | - | 1 | 1 | 1 | 1 |
| Female | 46 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 628 | - | - | - | 1 | 1 | 1 | 6 | 11 | 8 | 12 | 12 |
| Male | 326 | - | - | - | 1 | 1 | 1 | 2 | 6 | 5 | 9 | 10 |
| Female | 302 | - | - | - | - | - | - | 4 | 5 | 3 | 3 | 2 |
| White, both sexes | 560 | - | - | - | 1 | 1 | 1 | 4 | 6 | 3 | 7 | 6 |
| Male | 288 | - | - | - | 1 | 1 | 1 | 1 | 2 | 2 | 5 | 5 |
| Female | 272 | - | - | - | - | - | - | 3 | 4 | 1 | 2 | 1 |
| Black, both sexes | 51 | - | - | - | - | - | - | 1 | 3 | 4 | 4 | 6 |
| Male | 26 | - | - | - | - | - | - | - | 2 | 2 | 3 | 5 |
| Female | 25 | - | - | - | - | - | - | 1 | 1 | 2 | 1 | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 16 | - | - | - | - | - | - | 1 | 2 | 1 | 1 | - |
| Male | 12 | - | - | - | - | - | - | 1 | 2 | 1 | 1 | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 95 | - | - | - | - | - | - | - | - | 3 | 3 | 3 |
| Male | 52 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Female | 43 | - | - | - | - | - | - | - | - | 2 | 2 | 2 |
| White, both sexes | 89 | - | - | - | - | - | - | - | - | 3 | 3 | 3 |
| Male | 49 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Female | 40 | - | - | - | - | - | - | - | - | 2 | 2 | 2 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 1,293 | - | 1 | 1 | 3 | 6 | 6 | 8 | 7 | 9 | 37 | 46 |
| Male | 680 | - | - | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 18 | 28 |
| Female | 613 | - | 1 | - | - | 1 | 3 | 2 | 2 | 2 | 19 | 18 |
| White, both sexes | 1,145 | - | 1 | 1 | 3 | 6 | 5 | 7 | 7 | 6 | 24 | 37 |
| Male | 605 | - | - | 1 | 3 | 5 | 3 | 5 | 5 | 4 | 13 | 24 |
| Female | 540 | - | 1 | - | - | 1 | 2 | 2 | 2 | 2 | 11 | 13 |
| Black, both sexes | 120 | - | - | - | - | - | 1 | - | - | 3 | 12 | 5 |
| Male | 59 | - | - | - | - | - | - | - | - | 3 | 4 | 1 |
| Female | 61 | - | - | - | - | - | 1 | - | - | - | 8 | 4 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 27 | - | - | - | - | - | - | 1 | - | - | - | 4 |
| Male | 15 | - | - | - | - | - | - | 1 | - | - | - | 3 |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 538 | - | - | - | - | - | 1 | 2 | 3 | 7 | 7 | 11 |
| Male | 290 | - | - | - | - | - | 1 | 1 | 2 | 6 | 5 | 7 |
| Female | 248 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 4 |
| White, both sexes | 467 | - | - | - | - | - | 1 | 1 | 2 | 5 | 3 | 10 |
| Male | 251 | - | - | - | - | - | 1 | 1 | 1 | 4 | 3 | 6 |
| Female | 216 | - | - | - | - | - | - | - | 1 | 1 | - | 4 |
| Black, both sexes | 65 | - | - | - | - | - | - | 1 | 1 | 2 | 4 | 1 |
| Male | 35 | - | - | - | - | - | - | - | 1 | 2 | 2 | 1 |
| Female | 30 | - | - | - | - | - | - | 1 | - | - | 2 | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 59 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 33 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | 26 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 57 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 32 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 890 | - | - | - | 1 | 2 | 1 | 2 | 2 | 7 | 13 | 23 |
| Male | 467 | - | - | - | 1 | 2 | 1 | 1 | 1 | 5 | 11 | 14 |
| Female | 423 | - | - | - | - | - | - | 1 | 1 | 2 | 2 | 9 |
| White, both sexes | 848 | - | - | - | 1 | 2 | 1 | 2 | 1 | 7 | 12 | 21 |
| Male | 443 | - | - | - | 1 | 2 | 1 | 1 | 1 | 5 | 10 | 13 |
| Female | 405 | - | - | - | - | - | - | 1 | - | 2 | 2 | 8 |
| Black, both sexes | 39 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Male | 22 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 17 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 254 | - | - | - | - | 1 | - | 3 | 3 | 1 | 4 | 6 |
| Male | 135 | - | - | - | - | 1 | - | 2 | 2 | 1 | 2 | 4 |
| Female | 119 | - | - | - | - | - | - | 1 | 1 | - | 2 | 2 |
| White, both sexes | 229 | - | - | - | - | 1 | - | 2 | 2 | 1 | 3 | 3 |
| Male | 119 | - | - | - | - | 1 | - | 1 | 1 | 1 | 2 | 3 |
| Female | 110 | - | - | - | - | - | - | 1 | 1 | - | 1 | - |
| Black, both sexes | 8 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 16 | - | - | - | - | - | - | 1 | - | - | 1 | 2 |
| Male | 9 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 317 | - | - | - | 1 | - | 1 | 2 | 3 | 2 | 2 | 10 |
| Male | 156 | - | - | - | 1 | - | - | 2 | 3 | 2 | 2 | 6 |
| Female | 161 | - | - | - | - | - | 1 | - | - | - | - | 4 |
| White, both sexes | 305 | - | - | - | 1 | - | 1 | 2 | 3 | 1 | 2 | 8 |
| Male | 151 | - | - | - | 1 | - | - | 2 | 3 | 1 | 2 | 6 |
| Female | 154 | - | - | - | - | - | 1 | - | - | - | - | 2 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 1,164 | - | - | - | 3 | 2 | 3 | 2 | 5 | 11 | 20 | 25 |
| Male | 611 | - | - | - | 3 | 1 | 2 | - | 4 | 7 | 16 | 16 |
| Female | 553 | - | - | - | - | 1 | 1 | 2 | 1 | 4 | 4 | 9 |
| White, both sexes | 1,106 | - | - | - | 3 | 2 | 2 | 2 | 1 | 9 | 17 | 22 |
| Male | 586 | - | - | - | 3 | 1 | 2 | - | 1 | 5 | 14 | 14 |
| Female | 520 | - | - | - | - | 1 | - | 2 | - | 4 | 3 | 8 |
| Black, both sexes | 54 | - | - | - | - | - | 1 | - | 4 | 2 | 2 | 3 |
| Male | 23 | - | - | - | - | - | - | - | 3 | 2 | 2 | 2 |
| Female | 31 | - | - | - | - | - | 1 | - | 1 | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | 1 | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 84 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Male | 44 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 40 | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | 82 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Male | 42 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 40 | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 290 | - | 2 | - | 1 | 1 | 2 | 1 | 5 | 3 | 7 | 5 |
| Male | 160 | - | 1 | - | 1 | 1 | 1 | 1 | 4 | 1 | 4 | 3 |
| Female | 130 | - | 1 | - | - | - | 1 | - | 1 | 2 | 3 | 2 |
| White, both sexes | 231 | - | - | - | - | 1 | 1 | 1 | 1 | 2 | 5 | 4 |
| Male | 129 | - | - | - | - | 1 | - | 1 | 1 | 1 | 3 | 3 |
| Female | 102 | - | - | - | - | - | 1 | - | - | 1 | 2 | 1 |
| Black, both sexes | 58 | - | 2 | - | 1 | - | 1 | - | 4 | 1 | 2 | 1 |
| Male | 30 | - | 1 | - | 1 | - | 1 | - | 3 | - | 1 | - |
| Female | 28 | - | 1 | - | - | - | - | - | 1 | 1 | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 56 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 31 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 25 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 53 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 31 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 22 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 463 | - | - | - | - | 2 | - | 1 | 1 | 6 | 8 | 12 |
| Male | 236 | - | - | - | - | 1 | - | 1 | 1 | 4 | 5 | 3 |
| Female | 227 | - | - | - | - | 1 | - | - | - | 2 | 3 | 9 |
| White, both sexes | 422 | - | - | - | - | 1 | - | 1 | - | 4 | 7 | 10 |
| Male | 213 | - | - | - | - | - | - | 1 | - | 2 | 5 | 3 |
| Female | 209 | - | - | - | - | 1 | - | - | - | 2 | 2 | 7 |
| Black, both sexes | 40 | - | - | - | - | 1 | - | - | 1 | 2 | 1 | 1 |
| Male | 23 | - | - | - | - | 1 | - | - | 1 | 2 | - | - |
| Female | 17 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 1,288 | - | - | 3 | 2 | 3 | 4 | 6 | 16 | 13 | 30 | 37 |
| Male | 698 | - | - | 3 | 1 | 3 | 3 | 2 | 10 | 5 | 18 | 26 |
| Female | 590 | - | - | - | 1 | - | 1 | 4 | 6 | 8 | 12 | 11 |
| White, both sexes | 1,172 | - | - | 3 | 1 | 3 | 2 | 4 | 14 | 12 | 22 | 27 |
| Male | 628 | - | - | 3 | - | 3 | 2 | 1 | 9 | 5 | 11 | 19 |
| Female | 544 | - | - | - | 1 | - | - | 3 | 5 | 7 | 11 | 8 |
| Black, both sexes | 100 | - | - | - | 1 | - | 2 | 2 | 2 | 1 | 6 | 10 |
| Male | 59 | - | - | - | 1 | - | 1 | 1 | 1 | - | 5 | 7 |
| Female | 41 | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 | 3 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 14 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 9 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 121 | - | - | - | - | 1 | - | 1 | 1 | 2 | 1 | 4 |
| Male | 63 | - | - | - | - | 1 | - | - | - | 2 | 1 | 3 |
| Female | 58 | - | - | - | - | - | - | 1 | 1 | - | - | 1 |
| White, both sexes | 120 | - | - | - | - | 1 | - | 1 | 1 | 2 | 1 | 4 |
| Male | 62 | - | - | - | - | 1 | - | - | - | 2 | 1 | 3 |
| Female | 58 | - | - | - | - | - | - | 1 | 1 | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 40 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 20 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 20 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 40 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 20 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 20 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 478 | - | - | 1 | - | 1 | 1 | 3 | 1 | 7 | 6 | 18 |
| Male | 254 | - | - | - | - | - | 1 | 2 | - | 4 | 5 | 13 |
| Female | 224 | - | - | 1 | - | 1 | - | 1 | 1 | 3 | 1 | 5 |
| White, both sexes | 404 | - | - | 1 | - | 1 | 1 | 2 | 1 | 4 | 5 | 9 |
| Male | 217 | - | - | - | - | - | 1 | 2 | - | 3 | 4 | 6 |
| Female | 187 | - | - | 1 | - | 1 | - | - | 1 | 1 | 1 | 3 |
| Black, both sexes | 60 | - | - | - | - | - | - | 1 | - | 2 | 1 | 9 |
| Male | 32 | - | - | - | - | - | - | - | - | 1 | 1 | 7 |
| Female | 28 | - | - | - | - | - | - | 1 | - | 1 | - | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 14 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | 1 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 434 | - | - | 1 | 1 | 1 | - | 1 | 2 | - | 4 | 16 |
| Male | 215 | - | - | - | 1 | 1 | - | 1 | 1 | - | 1 | 13 |
| Female | 219 | - | - | 1 | - | - | - | - | 1 | - | 3 | 3 |
| White, both sexes | 407 | - | - | 1 | 1 | 1 | - | - | 2 | - | 4 | 15 |
| Male | 199 | - | - | - | 1 | 1 | - | - | 1 | - | 1 | 12 |
| Female | 208 | - | - | 1 | - | - | - | - | 1 | - | 3 | 3 |
| Black, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 5 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 168 | - | - | - | - | - | 2 | 3 | - | 1 | 2 | 3 |
| Male | 91 | - | - | - | - | - | 1 | 2 | - | 1 | 2 | - |
| Female | 77 | - | - | - | - | - | 1 | 1 | - | - | - | 3 |
| White, both sexes | 166 | - | - | - | - | - | 2 | 3 | - | 1 | 2 | 3 |
| Male | 91 | - | - | - | - | - | 1 | 2 | - | 1 | 2 | - |
| Female | 75 | - | - | - | - | - | 1 | 1 | - | - | - | 3 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 471 | - | 1 | - | - | - | - | - | 2 | 3 | 6 | 10 |
| Male | 243 | - | 1 | - | - | - | - | - | - | 2 | 4 | 8 |
| Female | 228 | - | - | - | - | - | - | - | 2 | 1 | 2 | 2 |
| White, both sexes | 461 | - | 1 | - | - | - | - | - | 1 | 3 | 6 | 9 |
| Male | 239 | - | 1 | - | - | - | - | - | - | 2 | 4 | 7 |
| Female | 222 | - | - | - | - | - | - | - | 1 | 1 | 2 | 2 |
| Black, both sexes | 8 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 5 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 42 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | 20 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | 22 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 42 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | 20 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | 22 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 865 | 1,325 | 1,610 | 1,948 | 2,692 | 3,482 | 3,645 | 2,597 | 1,030 | 192 | 22 | - |
| Male | 561 | 819 | 933 | 1,160 | 1,527 | 1,846 | 1,722 | 1,155 | 396 | 63 | 4 | - |
| Female | 304 | 506 | 677 | 788 | 1,165 | 1,636 | 1,923 | 1,442 | 634 | 129 | 18 | - |
| White, both sexes | 706 | 1,141 | 1,415 | 1,763 | 2,455 | 3,279 | 3,442 | 2,477 | 986 | 177 | 20 | - |
| Male | 454 | 710 | 826 | 1,056 | 1,402 | 1,755 | 1,633 | 1,112 | 378 | 59 | 3 | - |
| Female | 252 | 431 | 589 | 707 | 1,053 | 1,524 | 1,809 | 1,365 | 608 | 118 | 17 | - |
| Black, both sexes | 126 | 137 | 144 | 137 | 162 | 134 | 133 | 82 | 31 | 12 | 2 | - |
| Male | 86 | 86 | 81 | 75 | 94 | 58 | 53 | 30 | 10 | 2 | 1 | - |
| Female | 40 | 51 | 63 | 62 | 68 | 76 | 80 | 52 | 21 | 10 | 1 | - |
| American Indian 1/, both sexes | 6 | 13 | 12 | 13 | 6 | 6 | 7 | 6 | 1 | 1 | - | - |
| Male | 4 | 4 | 7 | 8 | 3 | 2 | 4 | - | 1 | 1 | - | - |
| Female | 2 | 9 | 5 | 5 | 3 | 4 | 3 | 6 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 27 | 34 | 39 | 35 | 69 | 63 | 63 | 32 | 12 | 2 | - | - |
| Male | 17 | 19 | 19 | 21 | 28 | 31 | 32 | 13 | 7 | 1 | - | - |
| Female | 10 | 15 | 20 | 14 | 41 | 32 | 31 | 19 | 5 | 1 | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 18 | 21 | 23 | 32 | 40 | 60 | 59 | 38 | 11 | - | - | - |
| Male | 14 | 17 | 12 | 16 | 18 | 27 | 25 | 23 | 4 | - | - | - |
| Female | 4 | 4 | 11 | 16 | 22 | 33 | 34 | 15 | 7 | - | - | - |
| White, both sexes | 12 | 16 | 22 | 27 | 35 | 53 | 58 | 36 | 10 | - | - | - |
| Male | 11 | 13 | 11 | 14 | 17 | 23 | 24 | 22 | 3 | - | - | - |
| Female | 1 | 3 | 11 | 13 | 18 | 30 | 34 | 14 | 7 | - | - | - |
| Black, both sexes | 5 | 5 | 1 | 4 | 4 | 7 | 1 | 2 | 1 | - | - | - |
| Male | 2 | 4 | 1 | 1 | 1 | 4 | 1 | 1 | 1 | - | - | - |
| Female | 3 | 1 | - | 3 | 3 | 3 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 2 | 4 | 1 | 5 | 4 | 2 | 4 | 3 | - | - | - | - |
| Male | 1 | 4 | - | 2 | 3 | 1 | 3 | 2 | - | - | - | - |
| Female | 1 | - | 1 | 3 | 1 | 1 | 1 | 1 | - | - | - | - |
| White, both sexes | 2 | 3 | 1 | 5 | 4 | 2 | 4 | 3 | - | - | - | - |
| Male | 1 | 3 | - | 2 | 3 | 1 | 3 | 2 | - | - | - | - |
| Female | 1 | - | 1 | 3 | 1 | 1 | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 12 | 22 | 30 | 31 | 47 | 70 | 80 | 44 | 18 | 1 | - | - |
| Male | 5 | 14 | 16 | 22 | 27 | 41 | 42 | 21 | 7 | 1 | - | - |
| Female | 7 | 8 | 14 | 9 | 20 | 29 | 38 | 23 | 11 | - | - | - |
| White, both sexes | 12 | 17 | 27 | 28 | 45 | 69 | 79 | 44 | 17 | 1 | - | - |
| Male | 5 | 12 | 14 | 20 | 27 | 41 | 41 | 21 | 7 | 1 | - | - |
| Female | 7 | 5 | 13 | 8 | 18 | 28 | 38 | 23 | 10 | - | - | - |
| Black, both sexes | - | - | 2 | 1 | 2 | 1 | - | - | 1 | - | - | - |
| Male | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | 2 | 1 | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | 5 | 1 | 2 | - | - | 1 | - | - | - | - | - |
| Male | - | 2 | 1 | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | 3 | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 5 | 10 | 21 | 18 | 32 | 34 | 40 | 20 | 13 | 3 | - | - |
| Male | 3 | 9 | 10 | 13 | 21 | 21 | 21 | 13 | 6 | 1 | - | - |
| Female | 2 | 1 | 11 | 5 | 11 | 13 | 19 | 7 | 7 | 2 | - | - |
| White, both sexes | 5 | 10 | 20 | 16 | 27 | 34 | 38 | 17 | 13 | 2 | - | - |
| Male | 3 | 9 | 9 | 12 | 17 | 21 | 19 | 11 | 6 | 1 | - | - |
| Female | 2 | 1 | 11 | 4 | 10 | 13 | 19 | 6 | 7 | 1 | - | - |
| Black, both sexes | - | - | 1 | 2 | 4 | - | 1 | 3 | - | 1 | - | - |
| Male | - | - | 1 | 1 | 4 | - | 1 | 2 | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | 1 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 87 | 150 | 174 | 213 | 245 | 362 | 371 | 251 | 82 | 24 | 2 | - |
| Male | 53 | 93 | 97 | 131 | 132 | 183 | 202 | 116 | 39 | 11 | - | - |
| Female | 34 | 57 | 77 | 82 | 113 | 179 | 169 | 135 | 43 | 13 | 2 | - |
| White, both sexes | 71 | 133 | 144 | 184 | 206 | 319 | 333 | 230 | 76 | 24 | 2 | - |
| Male | 44 | 82 | 88 | 113 | 114 | 166 | 183 | 108 | 36 | 11 | - | - |
| Female | 27 | 51 | 56 | 71 | 92 | 153 | 150 | 122 | 40 | 13 | 2 | - |
| Black, both sexes | 10 | 4 | 10 | 10 | 12 | 10 | 9 | 4 | 2 | - | - | - |
| Male | 6 | 4 | 2 | 5 | 7 | 2 | 3 | 1 | - | - | - | - |
| Female | 4 | - | 8 | 5 | 5 | 8 | 6 | 3 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | 1 | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | 13 | 19 | 18 | 27 | 33 | 28 | 17 | 4 | - | - | - |
| Male | 3 | 7 | 7 | 12 | 11 | 15 | 15 | 7 | 3 | - | - | - |
| Female | 3 | 6 | 12 | 6 | 16 | 18 | 13 | 10 | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 14 | 8 | 17 | 24 | 28 | 41 | 38 | 21 | 7 | 1 | - | - |
| Male | 13 | 5 | 10 | 13 | 17 | 23 | 19 | 5 | 3 | - | - | - |
| Female | 1 | 3 | 7 | 11 | 11 | 18 | 19 | 16 | 4 | 1 | - | - |
| White, both sexes | 13 | 7 | 17 | 23 | 25 | 37 | 37 | 21 | 6 | 1 | - | - |
| Male | 12 | 5 | 10 | 12 | 16 | 21 | 18 | 5 | 3 | - | - | - |
| Female | 1 | 2 | 7 | 11 | 9 | 16 | 19 | 16 | 3 | 1 | - | - |
| Black, both sexes | - | - | - | 1 | 2 | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | 1 | 3 | 1 | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | 2 | - | - | 1 | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 4 | 20 | 23 | 26 | 35 | 35 | 47 | 39 | 23 | 4 | - | - |
| Male | 2 | 14 | 16 | 14 | 22 | 24 | 27 | 16 | 7 | 2 | - | - |
| Female | 2 | 6 | 7 | 12 | 13 | 11 | 20 | 23 | 16 | 2 | - | - |
| White, both sexes | 3 | 17 | 19 | 22 | 34 | 35 | 45 | 39 | 23 | 4 | - | - |
| Male | 1 | 12 | 14 | 12 | 22 | 24 | 25 | 16 | 7 | 2 | - | - |
| Female | 2 | 5 | 5 | 10 | 12 | 11 | 20 | 23 | 16 | 2 | - | - |
| Black, both sexes | 1 | 3 | 4 | 2 | 1 | - | 1 | - | - | - | - | - |
| Male | 1 | 2 | 2 | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | 1 | 2 | 1 | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 2 | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 3 | 6 | 4 | 3 | 8 | 6 | 12 | 6 | 3 | 1 | - | - |
| Male | 3 | 2 | 4 | - | 4 | 5 | 4 | 3 | 1 | - | - | - |
| Female | - | 4 | - | 3 | 4 | 1 | 8 | 3 | 2 | 1 | - | - |
| White, both sexes | 3 | 4 | 4 | 3 | 8 | 6 | 11 | 6 | 2 | 1 | - | - |
| Male | 3 | 2 | 4 | - | 4 | 5 | 3 | 3 | 1 | - | - | - |
| Female | - | 2 | - | 3 | 4 | 1 | 8 | 3 | 1 | 1 | - | - |
| Black, both sexes | - | 2 | - | - | - | - | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | 2 | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | 4 | 6 | 4 | 3 | 6 | 6 | 1 | - | - | 1 | - |
| Male | - | 3 | 4 | 2 | 3 | 6 | 3 | 1 | - | - | - | - |
| Female | - | 1 | 2 | 2 | - | - | 3 | - | - | - | 1 | - |
| White, both sexes | - | 1 | 1 | 1 | 2 | 1 | 5 | - | - | - | - | - |
| Male | - | 1 | 1 | - | 2 | 1 | 3 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | 2 | - | - | - | - | - |
| Black, both sexes | - | 3 | 4 | 3 | 1 | 4 | 1 | 1 | - | - | 1 | - |
| Male | - | 2 | 3 | 2 | 1 | 4 | - | 1 | - | - | - | - |
| Female | - | 1 | 1 | 1 | - | - | 1 | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 56 | 98 | 99 | 119 | 239 | 274 | 301 | 196 | 71 | 7 | 2 | - |
| Male | 33 | 64 | 62 | 73 | 132 | 152 | 158 | 103 | 26 | 3 | - | - |
| Female | 23 | 34 | 37 | 46 | 107 | 122 | 143 | 93 | 45 | 4 | 2 | - |
| White, both sexes | 42 | 78 | 91 | 109 | 222 | 263 | 291 | 193 | 69 | 7 | 2 | - |
| Male | 23 | 49 | 55 | 69 | 126 | 147 | 156 | 102 | 25 | 3 | - | - |
| Female | 19 | 29 | 36 | 40 | 96 | 116 | 135 | 91 | 44 | 4 | 2 | - |
| Black, both sexes | 14 | 19 | 7 | 9 | 13 | 11 | 9 | 2 | 2 | - | - | - |
| Male | 10 | 15 | 6 | 4 | 6 | 5 | 2 | 1 | 1 | - | - | - |
| Female | 4 | 4 | 1 | 5 | 7 | 6 | 7 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | 1 | 4 | - | 1 | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | 4 | - | 1 | 1 | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 29 | 26 | 36 | 55 | 52 | 71 | 64 | 69 | 15 | 4 | - | - |
| Male | 22 | 17 | 20 | 37 | 31 | 32 | 21 | 26 | 7 | 1 | - | - |
| Female | 7 | 9 | 16 | 18 | 21 | 39 | 43 | 43 | 8 | 3 | - | - |
| White, both sexes | 21 | 21 | 27 | 44 | 45 | 66 | 60 | 64 | 13 | 3 | - | - |
| Male | 14 | 15 | 13 | 29 | 26 | 30 | 19 | 26 | 6 | 1 | - | - |
| Female | 7 | 6 | 14 | 15 | 19 | 36 | 41 | 38 | 7 | 2 | - | - |
| Black, both sexes | 8 | 4 | 9 | 11 | 7 | 5 | 4 | 4 | 2 | 1 | - | - |
| Male | 8 | 2 | 7 | 8 | 5 | 2 | 2 | - | 1 | - | - | - |
| Female | - | 2 | 2 | 3 | 2 | 3 | 2 | 4 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 5 | 6 | 7 | 5 | 10 | 9 | 13 | 10 | 4 | 2 | - | - |
| Male | 3 | 3 | 6 | 2 | 4 | 7 | 6 | 3 | 2 | 1 | - | - |
| Female | 2 | 3 | 1 | 3 | 6 | 2 | 7 | 7 | 2 | 1 | - | - |
| White, both sexes | - | 2 | 2 | 1 | 2 | 3 | 1 | 4 | 2 | - | - | - |
| Male | - | 2 | 2 | - | 1 | 1 | - | - | 1 | - | - | - |
| Female | - | - | - | 1 | 1 | 2 | 1 | 4 | 1 | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | 4 | 4 | 4 | 8 | 6 | 12 | 6 | 2 | 2 | - | - |
| Male | 2 | 1 | 3 | 2 | 3 | 6 | 6 | 3 | 1 | 1 | - | - |
| Female | 2 | 3 | 1 | 2 | 5 | - | 6 | 3 | 1 | 1 | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 5 | 8 | 10 | 6 | 16 | 17 | 18 | 8 | 4 | 1 | - | - |
| Male | 4 | 5 | 7 | 5 | 12 | 11 | 10 | 5 | - | 1 | - | - |
| Female | 1 | 3 | 3 | 1 | 4 | 6 | 8 | 3 | 4 | - | - | - |
| White, both sexes | 5 | 8 | 10 | 6 | 15 | 17 | 18 | 8 | 4 | 1 | - | - |
| Male | 4 | 5 | 7 | 5 | 12 | 11 | 10 | 5 | - | 1 | - | - |
| Female | 1 | 3 | 3 | 1 | 3 | 6 | 8 | 3 | 4 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 40 | 39 | 71 | 75 | 119 | 167 | 166 | 135 | 66 | 10 | 1 | - |
| Male | 23 | 29 | 34 | 47 | 65 | 90 | 80 | 57 | 24 | 4 | - | - |
| Female | 17 | 10 | 37 | 28 | 54 | 77 | 86 | 78 | 42 | 6 | 1 | - |
| White, both sexes | 35 | 37 | 63 | 62 | 104 | 154 | 161 | 130 | 62 | 10 | 1 | - |
| Male | 20 | 29 | 30 | 40 | 55 | 84 | 78 | 54 | 23 | 4 | - | - |
| Female | 15 | 8 | 33 | 22 | 49 | 70 | 83 | 76 | 39 | 6 | 1 | - |
| Black, both sexes | 5 | 2 | 8 | 10 | 11 | 9 | 4 | 3 | 3 | - | - | - |
| Male | 3 | - | 4 | 5 | 9 | 4 | 1 | 2 | - | - | - | - |
| Female | 2 | 2 | 4 | 5 | 2 | 5 | 3 | 1 | 3 | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 2 | 3 | 3 | 1 | 1 | 1 | - | - | - |
| Male | - | - | - | 1 | - | 2 | 1 | 1 | 1 | - | - | - |
| Female | - | - | - | 1 | 3 | 1 | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 16 | 33 | 31 | 61 | 57 | 81 | 92 | 80 | 23 | 9 | - | - |
| Male | 11 | 23 | 22 | 40 | 32 | 47 | 43 | 37 | 8 | 5 | - | - |
| Female | 5 | 10 | 9 | 21 | 25 | 34 | 49 | 43 | 15 | 4 | - | - |
| White, both sexes | 15 | 31 | 27 | 56 | 53 | 81 | 87 | 79 | 23 | 8 | - | - |
| Male | 10 | 21 | 19 | 35 | 32 | 47 | 42 | 36 | 8 | 5 | - | - |
| Female | 5 | 10 | 8 | 21 | 21 | 34 | 45 | 43 | 15 | 3 | - | - |
| Black, both sexes | 1 | 1 | 3 | 4 | 3 | - | 5 | 1 | - | 1 | - | - |
| Male | 1 | 1 | 2 | 4 | - | - | 1 | 1 | - | - | - | - |
| Female | - | - | 1 | - | 3 | - | 4 | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 6 | 16 | 15 | 22 | 30 | 41 | 55 | 38 | 22 | 3 | 1 | - |
| Male | 4 | 9 | 8 | 13 | 20 | 27 | 25 | 20 | 9 | 1 | - | - |
| Female | 2 | 7 | 7 | 9 | 10 | 14 | 30 | 18 | 13 | 2 | 1 | - |
| White, both sexes | 6 | 15 | 15 | 22 | 30 | 41 | 55 | 38 | 22 | 3 | 1 | - |
| Male | 4 | 8 | 8 | 13 | 20 | 27 | 25 | 20 | 9 | 1 | - | - |
| Female | 2 | 7 | 7 | 9 | 10 | 14 | 30 | 18 | 13 | 2 | 1 | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 7 | 9 | 13 | 19 | 27 | 39 | 34 | 29 | 14 | 6 | - | - |
| Male | 4 | 7 | 9 | 12 | 17 | 25 | 18 | 15 | 6 | 1 | - | - |
| Female | 3 | 2 | 4 | 7 | 10 | 14 | 16 | 14 | 8 | 5 | - | - |
| White, both sexes | 7 | 9 | 11 | 17 | 27 | 38 | 31 | 29 | 14 | 6 | - | - |
| Male | 4 | 7 | 8 | 10 | 17 | 24 | 18 | 15 | 6 | 1 | - | - |
| Female | 3 | 2 | 3 | 7 | 10 | 14 | 13 | 14 | 8 | 5 | - | - |
| Black, both sexes | - | - | 1 | 2 | - | 1 | 3 | - | - | - | - | - |
| Male | - | - | - | 2 | - | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | 3 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 13 | 18 | 30 | 39 | 38 | 68 | 52 | 38 | 17 | 2 | - | - |
| Male | 8 | 10 | 18 | 21 | 24 | 32 | 23 | 20 | 4 | 1 | - | - |
| Female | 5 | 8 | 12 | 18 | 14 | 36 | 29 | 18 | 13 | 1 | - | - |
| White, both sexes | 12 | 17 | 30 | 38 | 36 | 67 | 52 | 38 | 15 | 1 | - | - |
| Male | 8 | 9 | 18 | 21 | 22 | 32 | 23 | 20 | 3 | - | - | - |
| Female | 4 | 8 | 12 | 17 | 14 | 35 | 29 | 18 | 12 | 1 | - | - |
| Black, both sexes | 1 | 1 | - | 1 | 2 | 1 | - | - | 2 | 1 | - | - |
| Male | - | 1 | - | - | 2 | - | - | - | 1 | 1 | - | - |
| Female | 1 | - | - | 1 | - | 1 | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 12 | 15 | 31 | 35 | 40 | 51 | 53 | 31 | 17 | 1 | - | - |
| Male | 8 | 8 | 13 | 20 | 21 | 27 | 32 | 15 | 8 | 1 | - | - |
| Female | 4 | 7 | 18 | 15 | 19 | 24 | 21 | 16 | 9 | - | - | - |
| White, both sexes | 6 | 12 | 25 | 32 | 38 | 45 | 45 | 23 | 16 | 1 | - | - |
| Male | 5 | 7 | 11 | 17 | 19 | 24 | 28 | 11 | 8 | 1 | - | - |
| Female | 1 | 5 | 14 | 15 | 19 | 21 | 17 | 12 | 8 | - | - | - |
| Black, both sexes | 6 | 3 | 6 | 3 | 2 | 6 | 8 | 8 | 1 | - | - | - |
| Male | 3 | 1 | 2 | 3 | 2 | 3 | 4 | 4 | - | - | - | - |
| Female | 3 | 2 | 4 | - | - | 3 | 4 | 4 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 3 | 9 | 13 | 9 | 27 | 22 | 13 | 11 | 2 | 1 | - | - |
| Male | 1 | 5 | 8 | 6 | 15 | 10 | 4 | 5 | 1 | - | - | - |
| Female | 2 | 4 | 5 | 3 | 12 | 12 | 9 | 6 | 1 | 1 | - | - |
| White, both sexes | 3 | 9 | 13 | 9 | 27 | 22 | 13 | 11 | 2 | 1 | - | - |
| Male | 1 | 5 | 8 | 6 | 15 | 10 | 4 | 5 | 1 | - | - | - |
| Female | 2 | 4 | 5 | 3 | 12 | 12 | 9 | 6 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 14 | 21 | 37 | 46 | 50 | 52 | 63 | 31 | 20 | 4 | 1 | - |
| Male | 12 | 14 | 18 | 27 | 25 | 30 | 29 | 11 | 9 | - | 1 | - |
| Female | 2 | 7 | 19 | 19 | 25 | 22 | 34 | 20 | 11 | 4 | - | - |
| White, both sexes | 6 | 14 | 27 | 41 | 39 | 46 | 56 | 30 | 19 | 3 | 1 | - |
| Male | 4 | 10 | 13 | 26 | 21 | 27 | 28 | 10 | 9 | - | 1 | - |
| Female | 2 | 4 | 14 | 15 | 18 | 19 | 28 | 20 | 10 | 3 | - | - |
| Black, both sexes | 6 | 7 | 10 | 5 | 9 | 4 | 6 | 1 | 1 | 1 | - | - |
| Male | 6 | 4 | 5 | 1 | 4 | 3 | 1 | 1 | - | - | - | - |
| Female | - | 3 | 5 | 4 | 5 | 1 | 5 | - | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | 2 | 2 | 1 | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 2 | 2 | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 18 | 25 | 34 | 46 | 64 | 90 | 108 | 86 | 32 | 8 | - | - |
| Male | 10 | 18 | 18 | 24 | 37 | 45 | 42 | 44 | 8 | 2 | - | - |
| Female | 8 | 7 | 16 | 22 | 27 | 45 | 66 | 42 | 24 | 6 | - | - |
| White, both sexes | 16 | 23 | 31 | 44 | 57 | 87 | 106 | 86 | 32 | 7 | - | - |
| Male | 8 | 16 | 17 | 23 | 33 | 44 | 41 | 44 | 8 | 2 | - | - |
| Female | 8 | 7 | 14 | 21 | 24 | 43 | 65 | 42 | 24 | 5 | - | - |
| Black, both sexes | 2 | 1 | 2 | 1 | 3 | 2 | - | - | - | 1 | - | - |
| Male | 2 | 1 | 1 | 1 | 2 | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | 1 | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | - | 4 | 1 | 2 | - | - | - | - | - |
| Male | - | 1 | - | - | 2 | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | 2 | 1 | 1 | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 40 | 56 | 72 | 74 | 115 | 143 | 145 | 104 | 37 | 9 | - | - |
| Male | 29 | 28 | 33 | 42 | 64 | 75 | 69 | 46 | 13 | 5 | - | - |
| Female | 11 | 28 | 39 | 32 | 51 | 68 | 76 | 58 | 24 | 4 | - | - |
| White, both sexes | 33 | 47 | 64 | 66 | 108 | 137 | 135 | 97 | 36 | 9 | - | - |
| Male | 24 | 22 | 31 | 36 | 62 | 72 | 63 | 44 | 13 | 5 | - | - |
| Female | 9 | 25 | 33 | 30 | 46 | 65 | 72 | 53 | 23 | 4 | - | - |
| Black, both sexes | 7 | 6 | 7 | 7 | 7 | 4 | 7 | 6 | 1 | - | - | - |
| Male | 5 | 5 | 2 | 5 | 2 | 3 | 4 | 2 | - | - | - | - |
| Female | 2 | 1 | 5 | 2 | 5 | 1 | 3 | 4 | 1 | - | - | - |
| American Indian 1/, both sexes | - | 2 | 1 | 1 | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | 2 | 1 | - | - | 1 | 1 | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | 1 | 2 | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | 2 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 17 | 25 | 22 | 32 | 35 | 57 | 72 | 43 | 31 | 10 | - | - |
| Male | 16 | 19 | 12 | 21 | 17 | 31 | 34 | 19 | 10 | 2 | - | - |
| Female | 1 | 6 | 10 | 11 | 18 | 26 | 38 | 24 | 21 | 8 | - | - |
| White, both sexes | 17 | 25 | 22 | 32 | 35 | 56 | 72 | 42 | 30 | 10 | - | - |
| Male | 16 | 19 | 12 | 21 | 17 | 31 | 34 | 18 | 10 | 2 | - | - |
| Female | 1 | 6 | 10 | 11 | 18 | 25 | 38 | 24 | 20 | 8 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 4 | 18 | 18 | 22 | 22 | 34 | 29 | 17 | 6 | - | - | - |
| Male | 3 | 9 | 10 | 13 | 12 | 14 | 14 | 6 | 2 | - | - | - |
| Female | 1 | 9 | 8 | 9 | 10 | 20 | 15 | 11 | 4 | - | - | - |
| White, both sexes | 4 | 14 | 14 | 20 | 17 | 32 | 21 | 14 | 5 | - | - | - |
| Male | 3 | 7 | 8 | 12 | 9 | 14 | 11 | 5 | 2 | - | - | - |
| Female | 1 | 7 | 6 | 8 | 8 | 18 | 10 | 9 | 3 | - | - | - |
| Black, both sexes | - | 4 | 4 | 2 | 5 | 2 | 8 | 3 | 1 | - | - | - |
| Male | - | 2 | 2 | 1 | 3 | - | 3 | 1 | - | - | - | - |
| Female | - | 2 | 2 | 1 | 2 | 2 | 5 | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 19 | 23 | 28 | 40 | 66 | 69 | 59 | 51 | 24 | 3 | 2 | - |
| Male | 11 | 15 | 19 | 25 | 37 | 37 | 26 | 20 | 10 | 1 | 1 | - |
| Female | 8 | 8 | 9 | 15 | 29 | 32 | 33 | 31 | 14 | 2 | 1 | - |
| White, both sexes | 16 | 20 | 28 | 37 | 62 | 68 | 56 | 48 | 24 | 3 | 2 | - |
| Male | 10 | 12 | 19 | 22 | 34 | 37 | 26 | 19 | 10 | 1 | 1 | - |
| Female | 6 | 8 | 9 | 15 | 28 | 31 | 30 | 29 | 14 | 2 | 1 | - |
| Black, both sexes | 2 | 2 | - | 3 | 4 | 1 | 2 | 3 | - | - | - | - |
| Male | 1 | 2 | - | 3 | 3 | - | - | 1 | - | - | - | - |
| Female | 1 | - | - | - | 1 | 1 | 2 | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 5 | 8 | 16 | 13 | 9 | 7 | 3 | - | - | - |
| Male | 1 | 3 | 3 | 4 | 11 | 7 | 1 | 2 | 2 | - | - | - |
| Female | 1 | - | 2 | 4 | 5 | 6 | 8 | 5 | 1 | - | - | - |
| White, both sexes | 2 | 3 | 5 | 7 | 15 | 11 | 9 | 6 | 3 | - | - | - |
| Male | 1 | 3 | 3 | 3 | 11 | 6 | 1 | 2 | 2 | - | - | - |
| Female | 1 | - | 2 | 4 | 4 | 5 | 8 | 4 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | 11 | 5 | 12 | 22 | 18 | 32 | 26 | 13 | 1 | - | - |
| Male | - | 8 | 2 | 4 | 12 | 9 | 19 | 12 | 3 | - | - | - |
| Female | - | 3 | 3 | 8 | 10 | 9 | 13 | 14 | 10 | 1 | - | - |
| White, both sexes | - | 11 | 5 | 12 | 20 | 17 | 30 | 26 | 13 | 1 | - | - |
| Male | - | 8 | 2 | 4 | 12 | 8 | 18 | 12 | 3 | - | - | - |
| Female | - | 3 | 3 | 8 | 8 | 9 | 12 | 14 | 10 | 1 | - | - |
| Black, both sexes | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 2 | 10 | 14 | 16 | 21 | 19 | 13 | 8 | 6 | - | - | - |
| Male | - | 6 | 9 | 6 | 12 | 9 | 4 | 3 | - | - | - | - |
| Female | 2 | 4 | 5 | 10 | 9 | 10 | 9 | 5 | 6 | - | - | - |
| White, both sexes | 2 | 9 | 10 | 15 | 20 | 19 | 13 | 7 | 6 | - | - | - |
| Male | - | 6 | 6 | 5 | 11 | 9 | 4 | 3 | - | - | - | - |
| Female | 2 | 3 | 4 | 10 | 9 | 10 | 9 | 4 | 6 | - | - | - |
| Black, both sexes | - | 1 | 2 | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | - | 2 | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 2 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 1 | 8 | 4 | 11 | 15 | 12 | 18 | 10 | 7 | 2 | - | - |
| Male | 1 | 3 | 3 | 7 | 6 | 7 | 8 | 5 | 5 | - | - | - |
| Female | - | 5 | 1 | 4 | 9 | 5 | 10 | 5 | 2 | 2 | - | - |
| White, both sexes | - | 8 | 4 | 11 | 15 | 12 | 18 | 10 | 7 | 2 | - | - |
| Male | - | 3 | 3 | 7 | 6 | 7 | 8 | 5 | 5 | - | - | - |
| Female | - | 5 | 1 | 4 | 9 | 5 | 10 | 5 | 2 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 28 | 41 | 49 | 52 | 65 | 117 | 112 | 81 | 26 | 5 | - | - |
| Male | 20 | 28 | 33 | 28 | 32 | 56 | 48 | 33 | 10 | 3 | - | - |
| Female | 8 | 13 | 16 | 24 | 33 | 61 | 64 | 48 | 16 | 2 | - | - |
| White, both sexes | 23 | 36 | 42 | 48 | 56 | 110 | 105 | 81 | 25 | 5 | - | - |
| Male | 15 | 25 | 28 | 27 | 28 | 55 | 46 | 33 | 10 | 3 | - | - |
| Female | 8 | 11 | 14 | 21 | 28 | 55 | 59 | 48 | 15 | 2 | - | - |
| Black, both sexes | 3 | 3 | 5 | 3 | 6 | 5 | 7 | - | 1 | - | - | - |
| Male | 3 | 2 | 3 | - | 3 | 1 | 2 | - | - | - | - | - |
| Female | - | 1 | 2 | 3 | 3 | 4 | 5 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 2 | 2 | 1 | 2 | 2 | - | - | - | - | - | - |
| Male | 2 | 1 | 2 | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | 2 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 4 | 10 | 8 | 9 | 18 | 12 | 12 | 9 | 2 | 1 | 1 | - |
| Male | 3 | 4 | 6 | 5 | 9 | 8 | 6 | 7 | 1 | - | - | - |
| Female | 1 | 6 | 2 | 4 | 9 | 4 | 6 | 2 | 1 | 1 | 1 | - |
| White, both sexes | 4 | 8 | 7 | 9 | 17 | 12 | 10 | 9 | 2 | 1 | 1 | - |
| Male | 3 | 3 | 5 | 5 | 9 | 8 | 5 | 7 | 1 | - | - | - |
| Female | 1 | 5 | 2 | 4 | 8 | 4 | 5 | 2 | 1 | 1 | 1 | - |
| Black, both sexes | - | - | 1 | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | 2 | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 64 | 86 | 107 | 103 | 146 | 202 | 234 | 145 | 70 | 11 | 1 | - |
| Male | 37 | 49 | 66 | 61 | 87 | 100 | 105 | 63 | 34 | 2 | - | - |
| Female | 27 | 37 | 41 | 42 | 59 | 102 | 129 | 82 | 36 | 9 | 1 | - |
| White, both sexes | 50 | 65 | 93 | 87 | 130 | 185 | 221 | 138 | 68 | 10 | 1 | - |
| Male | 30 | 35 | 56 | 55 | 78 | 93 | 98 | 61 | 34 | 2 | - | - |
| Female | 20 | 30 | 37 | 32 | 52 | 92 | 123 | 77 | 34 | 8 | 1 | - |
| Black, both sexes | 10 | 16 | 12 | 15 | 12 | 15 | 11 | 5 | 2 | 1 | - | - |
| Male | 5 | 10 | 9 | 6 | 7 | 6 | 6 | 2 | - | - | - | - |
| Female | 5 | 6 | 3 | 9 | 5 | 9 | 5 | 3 | 2 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | 5 | 2 | 1 | 4 | 2 | 2 | 2 | - | - | - | - |
| Male | 2 | 4 | 1 | - | 2 | 1 | 1 | - | - | - | - | - |
| Female | 2 | 1 | 1 | 1 | 2 | 1 | 1 | 2 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 19 | 43 | 51 | 62 | 64 | 89 | 79 | 73 | 23 | 4 | - | - |
| Male | 14 | 24 | 39 | 32 | 35 | 50 | 34 | 28 | 11 | 1 | - | - |
| Female | 5 | 19 | 12 | 30 | 29 | 39 | 45 | 45 | 12 | 3 | - | - |
| White, both sexes | 12 | 38 | 41 | 52 | 56 | 79 | 75 | 68 | 21 | 3 | - | - |
| Male | 9 | 22 | 32 | 27 | 29 | 44 | 33 | 28 | 10 | 1 | - | - |
| Female | 3 | 16 | 9 | 25 | 27 | 35 | 42 | 40 | 11 | 2 | - | - |
| Black, both sexes | 6 | 4 | 7 | 10 | 8 | 10 | 4 | 5 | 1 | 1 | - | - |
| Male | 4 | 2 | 5 | 5 | 6 | 6 | 1 | - | - | - | - | - |
| Female | 2 | 2 | 2 | 5 | 2 | 4 | 3 | 5 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | 1 | 2 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | 1 | - | - | - | - | - | 1 | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 3 | 3 | 7 | 3 | 11 | 11 | 9 | 7 | 3 | - | - | - |
| Male | 1 | 3 | 5 | 2 | 7 | 6 | 2 | 5 | - | - | - | - |
| Female | 2 | - | 2 | 1 | 4 | 5 | 7 | 2 | 3 | - | - | - |
| White, both sexes | 2 | 3 | 6 | 3 | 11 | 11 | 9 | 7 | 3 | - | - | - |
| Male | 1 | 3 | 4 | 2 | 7 | 6 | 2 | 5 | - | - | - | - |
| Female | 1 | - | 2 | 1 | 4 | 5 | 7 | 2 | 3 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 34 | 60 | 63 | 85 | 116 | 164 | 153 | 113 | 43 | 6 | 2 | - |
| Male | 25 | 36 | 35 | 52 | 64 | 85 | 71 | 44 | 18 | 1 | - | - |
| Female | 9 | 24 | 28 | 33 | 52 | 79 | 82 | 69 | 25 | 5 | 2 | - |
| White, both sexes | 31 | 54 | 59 | 81 | 114 | 157 | 145 | 110 | 43 | 5 | 2 | - |
| Male | 22 | 34 | 31 | 50 | 62 | 81 | 67 | 43 | 18 | 1 | - | - |
| Female | 9 | 20 | 28 | 31 | 52 | 76 | 78 | 67 | 25 | 4 | 2 | - |
| Black, both sexes | 3 | 6 | 3 | 4 | 2 | 5 | 8 | 3 | - | 1 | - | - |
| Male | 3 | 2 | 3 | 2 | 2 | 3 | 4 | 1 | - | - | - | - |
| Female | - | 4 | - | 2 | - | 2 | 4 | 2 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | 2 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 11 | 9 | 30 | 31 | 30 | 43 | 37 | 30 | 12 | 1 | 2 | - |
| Male | 7 | 5 | 16 | 20 | 19 | 22 | 18 | 11 | 3 | 1 | 1 | - |
| Female | 4 | 4 | 14 | 11 | 11 | 21 | 19 | 19 | 9 | - | 1 | - |
| White, both sexes | 10 | 9 | 27 | 27 | 27 | 40 | 34 | 30 | 11 | - | 2 | - |
| Male | 6 | 5 | 14 | 17 | 17 | 21 | 16 | 11 | 2 | - | 1 | - |
| Female | 4 | 4 | 13 | 10 | 10 | 19 | 18 | 19 | 9 | - | 1 | - |
| Black, both sexes | 1 | - | 1 | - | 2 | 1 | 1 | - | - | - | - | - |
| Male | 1 | - | 1 | - | 1 | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 2 | 3 | 1 | 2 | 2 | - | 1 | 1 | - | - |
| Male | - | - | 1 | 2 | 1 | 1 | 1 | - | 1 | 1 | - | - |
| Female | - | - | 1 | 1 | - | 1 | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 11 | 16 | 26 | 23 | 40 | 39 | 66 | 62 | 11 | 2 | - | - |
| Male | 6 | 7 | 14 | 11 | 27 | 18 | 24 | 28 | 4 | 1 | - | - |
| Female | 5 | 9 | 12 | 12 | 13 | 21 | 42 | 34 | 7 | 1 | - | - |
| White, both sexes | 10 | 15 | 24 | 22 | 38 | 39 | 64 | 62 | 11 | 2 | - | - |
| Male | 6 | 7 | 13 | 11 | 25 | 18 | 23 | 28 | 4 | 1 | - | - |
| Female | 4 | 8 | 11 | 11 | 13 | 21 | 41 | 34 | 7 | 1 | - | - |
| Black, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | 1 | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 44 | 64 | 70 | 101 | 161 | 190 | 217 | 166 | 63 | 13 | 4 | - |
| Male | 31 | 42 | 45 | 60 | 87 | 86 | 107 | 78 | 24 | 2 | - | - |
| Female | 13 | 22 | 25 | 41 | 74 | 104 | 110 | 88 | 39 | 11 | 4 | - |
| White, both sexes | 41 | 59 | 68 | 96 | 151 | 187 | 206 | 161 | 62 | 13 | 4 | - |
| Male | 30 | 40 | 44 | 58 | 83 | 86 | 103 | 77 | 23 | 2 | - | - |
| Female | 11 | 19 | 24 | 38 | 68 | 101 | 103 | 84 | 39 | 11 | 4 | - |
| Black, both sexes | 3 | 5 | 2 | 4 | 9 | 3 | 10 | 5 | 1 | - | - | - |
| Male | 1 | 2 | 1 | 1 | 3 | - | 4 | 1 | 1 | - | - | - |
| Female | 2 | 3 | 1 | 3 | 6 | 3 | 6 | 4 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 5 | 3 | 8 | 6 | 15 | 12 | 14 | 10 | 7 | 2 | - | - |
| Male | 4 | 2 | 3 | 4 | 7 | 8 | 9 | 4 | 1 | 1 | - | - |
| Female | 1 | 1 | 5 | 2 | 8 | 4 | 5 | 6 | 6 | 1 | - | - |
| White, both sexes | 3 | 3 | 8 | 6 | 15 | 12 | 14 | 10 | 7 | 2 | - | - |
| Male | 2 | 2 | 3 | 4 | 7 | 8 | 9 | 4 | 1 | 1 | - | - |
| Female | 1 | 1 | 5 | 2 | 8 | 4 | 5 | 6 | 6 | 1 | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 10 | 26 | 17 | 27 | 37 | 53 | 46 | 29 | 15 | 3 | - | - |
| Male | 8 | 14 | 7 | 17 | 26 | 26 | 23 | 13 | 9 | - | - | - |
| Female | 2 | 12 | 10 | 10 | 11 | 27 | 23 | 16 | 6 | 3 | - | - |
| White, both sexes | 7 | 19 | 12 | 20 | 31 | 45 | 41 | 25 | 14 | 2 | - | - |
| Male | 5 | 11 | 5 | 12 | 22 | 24 | 20 | 11 | 9 | - | - | - |
| Female | 2 | 8 | 7 | 8 | 9 | 21 | 21 | 14 | 5 | 2 | - | - |
| Black, both sexes | 3 | 7 | 5 | 7 | 5 | 8 | 5 | 4 | 1 | 1 | - | - |
| Male | 3 | 3 | 2 | 5 | 3 | 2 | 3 | 2 | - | - | - | - |
| Female | - | 4 | 3 | 2 | 2 | 6 | 2 | 2 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 6 | 5 | 2 | 14 | 16 | 6 | 3 | - | - | - |
| Male | - | 1 | 3 | 3 | 1 | 9 | 10 | 1 | 1 | - | - | - |
| Female | - | 1 | 3 | 2 | 1 | 5 | 6 | 5 | 2 | - | - | - |
| White, both sexes | - | 1 | 6 | 4 | 2 | 14 | 16 | 5 | 3 | - | - | - |
| Male | - | 1 | 3 | 3 | 1 | 9 | 10 | 1 | 1 | - | - | - |
| Female | - | - | 3 | 1 | 1 | 5 | 6 | 4 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | 1 | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 27 | 40 | 44 | 49 | 70 | 69 | 69 | 48 | 16 | 1 | - | - |
| Male | 18 | 27 | 25 | 24 | 36 | 35 | 34 | 15 | 6 | 1 | - | - |
| Female | 9 | 13 | 19 | 25 | 34 | 34 | 35 | 33 | 10 | - | - | - |
| White, both sexes | 24 | 33 | 42 | 47 | 67 | 64 | 63 | 44 | 15 | - | - | - |
| Male | 17 | 21 | 24 | 24 | 33 | 32 | 32 | 14 | 5 | - | - | - |
| Female | 7 | 12 | 18 | 23 | 34 | 32 | 31 | 30 | 10 | - | - | - |
| Black, both sexes | 3 | 7 | 2 | 2 | 3 | 5 | 6 | 4 | 1 | 1 | - | - |
| Male | 1 | 6 | 1 | - | 3 | 3 | 2 | 1 | 1 | 1 | - | - |
| Female | 2 | 1 | 1 | 2 | - | 2 | 4 | 3 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 74 | 79 | 108 | 125 | 169 | 206 | 216 | 141 | 49 | 7 | - | - |
| Male | 47 | 44 | 60 | 83 | 98 | 109 | 97 | 63 | 23 | 3 | - | - |
| Female | 27 | 35 | 48 | 42 | 71 | 97 | 119 | 78 | 26 | 4 | - | - |
| White, both sexes | 57 | 68 | 92 | 121 | 159 | 197 | 208 | 132 | 44 | 6 | - | - |
| Male | 37 | 37 | 53 | 80 | 89 | 105 | 92 | 60 | 19 | 3 | - | - |
| Female | 20 | 31 | 39 | 41 | 70 | 92 | 116 | 72 | 25 | 3 | - | - |
| Black, both sexes | 15 | 11 | 14 | 4 | 8 | 6 | 5 | 8 | 4 | 1 | - | - |
| Male | 8 | 7 | 6 | 3 | 7 | 2 | 4 | 3 | 3 | - | - | - |
| Female | 7 | 4 | 8 | 1 | 1 | 4 | 1 | 5 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | 1 | - | 2 | 3 | 3 | 1 | 1 | - | - | - |
| Male | 2 | - | - | - | 2 | 2 | 1 | - | 1 | - | - | - |
| Female | - | - | 1 | - | - | 1 | 2 | 1 | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 4 | 8 | 7 | 8 | 18 | 16 | 24 | 18 | 7 | - | 1 | - |
| Male | 3 | 3 | 6 | 5 | 11 | 6 | 9 | 10 | 3 | - | - | - |
| Female | 1 | 5 | 1 | 3 | 7 | 10 | 15 | 8 | 4 | - | 1 | - |
| White, both sexes | 4 | 8 | 6 | 8 | 18 | 16 | 24 | 18 | 7 | - | 1 | - |
| Male | 3 | 3 | 5 | 5 | 11 | 6 | 9 | 10 | 3 | - | - | - |
| Female | 1 | 5 | 1 | 3 | 7 | 10 | 15 | 8 | 4 | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 1 | 5 | - | 4 | 10 | 8 | 4 | 4 | 4 | - | - | - |
| Male | - | - | - | 2 | 6 | 6 | 3 | 1 | 2 | - | - | - |
| Female | 1 | 5 | - | 2 | 4 | 2 | 1 | 3 | 2 | - | - | - |
| White, both sexes | 1 | 5 | - | 4 | 10 | 8 | 4 | 4 | 4 | - | - | - |
| Male | - | - | - | 2 | 6 | 6 | 3 | 1 | 2 | - | - | - |
| Female | 1 | 5 | - | 2 | 4 | 2 | 1 | 3 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 23 | 42 | 40 | 50 | 57 | 77 | 73 | 50 | 24 | 3 | 1 | - |
| Male | 12 | 29 | 24 | 29 | 37 | 41 | 32 | 17 | 7 | - | 1 | - |
| Female | 11 | 13 | 16 | 21 | 20 | 36 | 41 | 33 | 17 | 3 | - | - |
| White, both sexes | 15 | 35 | 31 | 44 | 46 | 71 | 69 | 45 | 21 | 3 | - | - |
| Male | 6 | 25 | 21 | 26 | 31 | 40 | 31 | 15 | 6 | - | - | - |
| Female | 9 | 10 | 10 | 18 | 15 | 31 | 38 | 30 | 15 | 3 | - | - |
| Black, both sexes | 8 | 6 | 7 | 4 | 8 | 5 | 2 | 4 | 2 | - | 1 | - |
| Male | 6 | 3 | 3 | 2 | 4 | 1 | 1 | 1 | 1 | - | 1 | - |
| Female | 2 | 3 | 4 | 2 | 4 | 4 | 1 | 3 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 2 | 2 | 3 | 1 | 2 | 1 | 1 | - | - | - |
| Male | - | 1 | - | 1 | 2 | - | - | 1 | - | - | - | - |
| Female | - | - | 2 | 1 | 1 | 1 | 2 | - | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 19 | 25 | 31 | 33 | 50 | 76 | 86 | 55 | 27 | 6 | - | - |
| Male | 13 | 14 | 21 | 20 | 31 | 37 | 32 | 23 | 6 | - | - | - |
| Female | 6 | 11 | 10 | 13 | 19 | 39 | 54 | 32 | 21 | 6 | - | - |
| White, both sexes | 14 | 21 | 28 | 31 | 45 | 74 | 85 | 52 | 27 | 6 | - | - |
| Male | 10 | 12 | 19 | 19 | 27 | 35 | 32 | 23 | 6 | - | - | - |
| Female | 4 | 9 | 9 | 12 | 18 | 39 | 53 | 29 | 21 | 6 | - | - |
| Black, both sexes | 1 | 2 | 2 | 1 | 2 | 1 | - | 1 | - | - | - | - |
| Male | 1 | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | 1 | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | 1 | 2 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 2 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | 2 | 1 | 1 | 3 | 1 | - | - | - | - | - | - |
| Male | 1 | 1 | 1 | - | 3 | 1 | - | - | - | - | - | - |
| Female | 2 | 1 | - | 1 | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 10 | 12 | 11 | 12 | 29 | 31 | 26 | 22 | 3 | 1 | - | - |
| Male | 6 | 7 | 5 | 7 | 19 | 23 | 12 | 5 | 1 | - | - | - |
| Female | 4 | 5 | 6 | 5 | 10 | 8 | 14 | 17 | 2 | 1 | - | - |
| White, both sexes | 10 | 12 | 11 | 12 | 29 | 31 | 24 | 22 | 3 | 1 | - | - |
| Male | 6 | 7 | 5 | 7 | 19 | 23 | 12 | 5 | 1 | - | - | - |
| Female | 4 | 5 | 6 | 5 | 10 | 8 | 12 | 17 | 2 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 2 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 18 | 23 | 31 | 48 | 56 | 83 | 80 | 71 | 30 | 9 | - | - |
| Male | 8 | 13 | 16 | 31 | 31 | 55 | 33 | 31 | 7 | 3 | - | - |
| Female | 10 | 10 | 15 | 17 | 25 | 28 | 47 | 40 | 23 | 6 | - | - |
| White, both sexes | 17 | 22 | 31 | 47 | 55 | 82 | 79 | 69 | 30 | 9 | - | - |
| Male | 7 | 12 | 16 | 31 | 31 | 55 | 33 | 30 | 7 | 3 | - | - |
| Female | 10 | 10 | 15 | 16 | 24 | 27 | 46 | 39 | 23 | 6 | - | - |
| Black, both sexes | 1 | 1 | - | 1 | 1 | 1 | - | 1 | - | - | - | - |
| Male | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | 1 | 1 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 2 | 6 | 2 | 4 | 5 | 7 | 6 | 6 | 1 | - | - | - |
| Male | - | 3 | 1 | 2 | 4 | 5 | 1 | 1 | 1 | - | - | - |
| Female | 2 | 3 | 1 | 2 | 1 | 2 | 5 | 5 | - | - | - | - |
| White, both sexes | 2 | 6 | 2 | 4 | 5 | 7 | 6 | 6 | 1 | - | - | - |
| Male | - | 3 | 1 | 2 | 4 | 5 | 1 | 1 | 1 | - | - | - |
| Female | 2 | 3 | 1 | 2 | 1 | 2 | 5 | 5 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 20,873 | 1 | 6 | 19 | 29 | 47 | 80 | 89 | 133 | 192 | 374 | 546 |
| Male | 11,131 | - | 2 | 15 | 25 | 36 | 54 | 52 | 82 | 117 | 248 | 348 |
| Female | 9,742 | 1 | 4 | 4 | 4 | 11 | 26 | 37 | 51 | 75 | 126 | 198 |
| White, both sexes | 18,970 | 1 | 5 | 13 | 25 | 39 | 53 | 62 | 90 | 142 | 289 | 435 |
| Male | 10,118 | - | 1 | 9 | 21 | 30 | 40 | 36 | 53 | 90 | 201 | 279 |
| Female | 8,852 | 1 | 4 | 4 | 4 | 9 | 13 | 26 | 37 | 52 | 88 | 156 |
| Black, both sexes | 1,392 | - | 1 | 5 | 4 | 7 | 23 | 19 | 38 | 41 | 71 | 88 |
| Male | 752 | - | 1 | 5 | 4 | 5 | 12 | 9 | 25 | 22 | 39 | 57 |
| Female | 640 | - | - | - | - | 2 | 11 | 10 | 13 | 19 | 32 | 31 |
| American Indian 1/, both sexes | 83 | - | - | - | - | - | - | 3 | - | 1 | 4 | 4 |
| Male | 39 | - | - | - | - | - | - | 2 | - | 1 | 2 | - |
| Female | 44 | - | - | - | - | - | - | 1 | - | - | 2 | 4 |
| Asian or Pacific Islander 2/, both sexes | 428 | - | - | 1 | - | 1 | 4 | 5 | 5 | 8 | 10 | 19 |
| Male | 222 | - | - | 1 | - | 1 | 2 | 5 | 4 | 4 | 6 | 12 |
| Female | 206 | - | - | - | - | - | 2 | - | 1 | 4 | 4 | 7 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 329 | - | - | 1 | - | - | 2 | 1 | 1 | 6 | 5 | 12 |
| Male | 173 | - | - | 1 | - | - | 1 | 1 | 1 | 3 | 3 | 8 |
| Female | 156 | - | - | - | - | - | 1 | - | - | 3 | 2 | 4 |
| White, both sexes | 287 | - | - | - | - | - | 1 | 1 | 1 | 3 | 5 | 8 |
| Male | 149 | - | - | - | - | - | 1 | 1 | 1 | 1 | 3 | 5 |
| Female | 138 | - | - | - | - | - | - | - | - | 2 | 2 | 3 |
| Black, both sexes | 38 | - | - | 1 | - | - | - | - | - | 3 | - | 4 |
| Male | 22 | - | - | 1 | - | - | - | - | - | 2 | - | 3 |
| Female | 16 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 29 | - | - | - | - | 1 | - | - | - | - | 1 | 2 |
| Male | 18 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 11 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| White, both sexes | 27 | - | - | - | - | 1 | - | - | - | - | 1 | 1 |
| Male | 17 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 10 | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 385 | - | 1 | - | - | 1 | 2 | 1 | - | 7 | 2 | 16 |
| Male | 220 | - | 1 | - | - | 1 | 2 | - | - | 6 | 2 | 12 |
| Female | 165 | - | - | - | - | - | - | 1 | - | 1 | - | 4 |
| White, both sexes | 365 | - | 1 | - | - | 1 | 2 | - | - | 5 | 2 | 15 |
| Male | 210 | - | 1 | - | - | 1 | 2 | - | - | 4 | 2 | 11 |
| Female | 155 | - | - | - | - | - | - | - | - | 1 | - | 4 |
| Black, both sexes | 9 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 11 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 5 | - | - | - | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 206 | - | - | - | - | - | 2 | - | 1 | 1 | 1 | 6 |
| Male | 125 | - | - | - | - | - | 2 | - | - | - | 1 | 5 |
| Female | 81 | - | - | - | - | - | - | - | 1 | 1 | - | 1 |
| White, both sexes | 189 | - | - | - | - | - | - | - | 1 | - | 1 | 5 |
| Male | 113 | - | - | - | - | - | - | - | - | - | 1 | 4 |
| Female | 76 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Black, both sexes | 15 | - | - | - | - | - | 2 | - | - | 1 | - | 1 |
| Male | 11 | - | - | - | - | - | 2 | - | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 2,140 | - | - | 2 | 1 | 7 | 11 | 9 | 15 | 19 | 60 | 61 |
| Male | 1,169 | - | - | 1 | 1 | 5 | 9 | 7 | 8 | 12 | 36 | 37 |
| Female | 971 | - | - | 1 | - | 2 | 2 | 2 | 7 | 7 | 24 | 24 |
| White, both sexes | 1,860 | - | - | 2 | 1 | 5 | 8 | 5 | 11 | 14 | 47 | 49 |
| Male | 1,034 | - | - | 1 | 1 | 3 | 6 | 3 | 5 | 10 | 31 | 32 |
| Female | 826 | - | - | 1 | - | 2 | 2 | 2 | 6 | 4 | 16 | 17 |
| Black, both sexes | 93 | - | - | - | - | 1 | 1 | 2 | 2 | 2 | 8 | 7 |
| Male | 40 | - | - | - | - | 1 | 1 | 2 | 1 | 1 | 2 | 2 |
| Female | 53 | - | - | - | - | - | - | - | 1 | 1 | 6 | 5 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 184 | - | - | - | - | 1 | 2 | 2 | 2 | 3 | 5 | 5 |
| Male | 93 | - | - | - | - | 1 | 2 | 2 | 2 | 1 | 3 | 3 |
| Female | 91 | - | - | - | - | - | - | - | - | 2 | 2 | 2 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 218 | - | - | 1 | - | 1 | 1 | - | 3 | - | 5 | 8 |
| Male | 124 | - | - | 1 | - | 1 | 1 | - | 3 | - | 5 | 5 |
| Female | 94 | - | - | - | - | - | - | - | - | - | - | 3 |
| White, both sexes | 206 | - | - | 1 | - | 1 | 1 | - | 3 | - | 5 | 8 |
| Male | 118 | - | - | 1 | - | 1 | 1 | - | 3 | - | 5 | 5 |
| Female | 88 | - | - | - | - | - | - | - | - | - | - | 3 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 273 | - | - | 1 | 1 | - | 2 | - | 1 | 1 | 6 | 5 |
| Male | 151 | - | - | 1 | - | - | 1 | - | 1 | - | 3 | 1 |
| Female | 122 | - | - | - | 1 | - | 1 | - | - | 1 | 3 | 4 |
| White, both sexes | 254 | - | - | - | 1 | - | 1 | - | 1 | 1 | 5 | 4 |
| Male | 141 | - | - | - | - | - | 1 | - | 1 | - | 3 | 1 |
| Female | 113 | - | - | - | 1 | - | - | - | - | 1 | 2 | 3 |
| Black, both sexes | 15 | - | - | - | - | - | 1 | - | - | - | 1 | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | 1 | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 56 | - | - | - | - | - | 1 | - | - | - | 2 | 1 |
| Male | 28 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Female | 28 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| White, both sexes | 50 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 25 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | 6 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Male | 3 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 36 | - | - | - | - | 1 | - | - | 1 | 1 | 3 | - |
| Male | 27 | - | - | - | - | 1 | - | - | 1 | 1 | 2 | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 9 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 21 | - | - | - | - | 1 | - | - | 1 | 1 | 1 | - |
| Male | 17 | - | - | - | - | 1 | - | - | 1 | 1 | 1 | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 1,564 | - | 1 | 1 | 5 | 6 | 7 | 9 | 10 | 21 | 15 | 29 |
| Male | 869 | - | - | 1 | 4 | 4 | 4 | 6 | 6 | 13 | 10 | 16 |
| Female | 695 | - | 1 | - | 1 | 2 | 3 | 3 | 4 | 8 | 5 | 13 |
| White, both sexes | 1,439 | - | 1 | - | 5 | 4 | 4 | 5 | 7 | 15 | 10 | 22 |
| Male | 803 | - | - | - | 4 | 3 | 2 | 3 | 3 | 13 | 8 | 12 |
| Female | 636 | - | 1 | - | 1 | 1 | 2 | 2 | 4 | 2 | 2 | 10 |
| Black, both sexes | 115 | - | - | 1 | - | 2 | 3 | 3 | 3 | 6 | 5 | 7 |
| Male | 64 | - | - | 1 | - | 1 | 2 | 2 | 3 | - | 2 | 4 |
| Female | 51 | - | - | - | - | 1 | 1 | 1 | - | 6 | 3 | 3 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 10 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 472 | - | 1 | - | 1 | 1 | 1 | 5 | 6 | 4 | 14 | 18 |
| Male | 250 | - | - | - | 1 | 1 | - | 2 | 4 | 2 | 10 | 16 |
| Female | 222 | - | 1 | - | - | - | 1 | 3 | 2 | 2 | 4 | 2 |
| White, both sexes | 396 | - | 1 | - | - | 1 | 1 | - | 1 | 3 | 10 | 15 |
| Male | 204 | - | - | - | - | 1 | - | - | 1 | 2 | 8 | 13 |
| Female | 192 | - | 1 | - | - | - | 1 | - | - | 1 | 2 | 2 |
| Black, both sexes | 74 | - | - | - | 1 | - | - | 5 | 5 | 1 | 4 | 3 |
| Male | 46 | - | - | - | 1 | - | - | 2 | 3 | - | 2 | 3 |
| Female | 28 | - | - | - | - | - | - | 3 | 2 | 1 | 2 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 78 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| Male | 43 | - | - | - | - | - | - | - | - | 1 | 1 | 4 |
| Female | 35 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 59 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| Male | 34 | - | - | - | - | - | - | - | - | 1 | 1 | 4 |
| Female | 25 | - | - | - | - | - | - | - | - | - | 1 | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 98 | - | - | - | - | - | 1 | 1 | 1 | - | 1 | 1 |
| Male | 65 | - | - | - | - | - | 1 | 1 | 1 | - | 1 | 1 |
| Female | 33 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 97 | - | - | - | - | - | 1 | 1 | 1 | - | 1 | 1 |
| Male | 65 | - | - | - | - | - | 1 | 1 | 1 | - | 1 | 1 |
| Female | 32 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 950 | 1 | 1 | 1 | 1 | 2 | 6 | 3 | 7 | 7 | 11 | 21 |
| Male | 493 | - | - | 1 | 1 | 1 | 5 | 2 | 3 | 3 | 8 | 16 |
| Female | 457 | 1 | 1 | - | - | 1 | 1 | 1 | 4 | 4 | 3 | 5 |
| White, both sexes | 864 | 1 | 1 | - | 1 | 2 | 4 | 3 | 4 | 3 | 9 | 17 |
| Male | 449 | - | - | - | 1 | 1 | 4 | 2 | 2 | 1 | 7 | 14 |
| Female | 415 | 1 | 1 | - | - | 1 | - | 1 | 2 | 2 | 2 | 3 |
| Black, both sexes | 69 | - | - | 1 | - | - | 2 | - | 2 | 3 | 2 | 4 |
| Male | 36 | - | - | 1 | - | - | 1 | - | 1 | 2 | 1 | 2 |
| Female | 33 | - | - | - | - | - | 1 | - | 1 | 1 | 1 | 2 |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 13 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 512 | - | - | 1 | - | 1 | 4 | 5 | - | 2 | 8 | 10 |
| Male | 282 | - | - | 1 | - | 1 | 2 | 2 | - | - | 4 | 5 |
| Female | 230 | - | - | - | - | - | 2 | 3 | - | 2 | 4 | 5 |
| White, both sexes | 487 | - | - | 1 | - | 1 | 4 | 3 | - | 2 | 8 | 10 |
| Male | 268 | - | - | 1 | - | 1 | 2 | 1 | - | - | 4 | 5 |
| Female | 219 | - | - | - | - | - | 2 | 2 | - | 2 | 4 | 5 |
| Black, both sexes | 21 | - | - | - | - | - | - | 2 | - | - | - | - |
| Male | 11 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 260 | - | - | - | - | - | - | - | - | 2 | 3 | 6 |
| Male | 143 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| Female | 117 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| White, both sexes | 259 | - | - | - | - | - | - | - | - | 2 | 3 | 6 |
| Male | 142 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| Female | 117 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 207 | - | - | - | - | - | - | - | 2 | 2 | 2 | 4 |
| Male | 120 | - | - | - | - | - | - | - | 2 | 1 | 2 | 1 |
| Female | 87 | - | - | - | - | - | - | - | - | 1 | - | 3 |
| White, both sexes | 198 | - | - | - | - | - | - | - | 2 | 2 | 2 | 3 |
| Male | 116 | - | - | - | - | - | - | - | 2 | 1 | 2 | 1 |
| Female | 82 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 342 | - | - | - | - | - | - | 3 | 2 | 5 | 7 | 11 |
| Male | 179 | - | - | - | - | - | - | 2 | 1 | 3 | 7 | 6 |
| Female | 163 | - | - | - | - | - | - | 1 | 1 | 2 | - | 5 |
| White, both sexes | 329 | - | - | - | - | - | - | 3 | 2 | 4 | 6 | 9 |
| Male | 170 | - | - | - | - | - | - | 2 | 1 | 2 | 6 | 4 |
| Female | 159 | - | - | - | - | - | - | 1 | 1 | 2 | - | 5 |
| Black, both sexes | 13 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Male | 9 | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 315 | - | - | 2 | 2 | - | 4 | - | 3 | 4 | 8 | 7 |
| Male | 172 | - | - | 2 | 1 | - | 4 | - | 1 | 1 | 7 | 4 |
| Female | 143 | - | - | - | 1 | - | - | - | 2 | 3 | 1 | 3 |
| White, both sexes | 260 | - | - | 1 | 2 | - | 3 | - | 1 | 3 | 3 | 5 |
| Male | 142 | - | - | 1 | 1 | - | 3 | - | - | 1 | 3 | 3 |
| Female | 118 | - | - | - | 1 | - | - | - | 1 | 2 | - | 2 |
| Black, both sexes | 55 | - | - | 1 | - | - | 1 | - | 2 | 1 | 5 | 2 |
| Male | 30 | - | - | 1 | - | - | 1 | - | 1 | - | 4 | 1 |
| Female | 25 | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 115 | - | - | - | 1 | - | - | 1 | - | 1 | - | 2 |
| Male | 57 | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | 58 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| White, both sexes | 115 | - | - | - | 1 | - | - | 1 | - | 1 | - | 2 |
| Male | 57 | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | 58 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 366 | - | - | - | 1 | - | 1 | 2 | 2 | 2 | 6 | 13 |
| Male | 194 | - | - | - | 1 | - | 1 | 1 | 2 | 2 | 1 | 10 |
| Female | 172 | - | - | - | - | - | - | 1 | - | - | 5 | 3 |
| White, both sexes | 297 | - | - | - | - | - | - | 2 | 1 | 1 | 3 | 8 |
| Male | 157 | - | - | - | - | - | - | 1 | 1 | 1 | - | 5 |
| Female | 140 | - | - | - | - | - | - | 1 | - | - | 3 | 3 |
| Black, both sexes | 60 | - | - | - | 1 | - | 1 | - | 1 | 1 | 3 | 3 |
| Male | 33 | - | - | - | 1 | - | 1 | - | 1 | 1 | 1 | 3 |
| Female | 27 | - | - | - | - | - | - | - | - | - | 2 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 536 | - | - | - | - | - | - | 1 | 4 | 3 | 11 | 6 |
| Male | 265 | - | - | - | - | - | - | - | 1 | 3 | 8 | 5 |
| Female | 271 | - | - | - | - | - | - | 1 | 3 | - | 3 | 1 |
| White, both sexes | 510 | - | - | - | - | - | - | 1 | 4 | 3 | 9 | 4 |
| Male | 249 | - | - | - | - | - | - | - | 1 | 3 | 6 | 3 |
| Female | 261 | - | - | - | - | - | - | 1 | 3 | - | 3 | 1 |
| Black, both sexes | 16 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Male | 12 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 848 | - | - | 1 | - | 5 | 5 | 5 | 2 | 6 | 10 | 24 |
| Male | 437 | - | - | - | - | 4 | 2 | 3 | 2 | 4 | 8 | 12 |
| Female | 411 | - | - | 1 | - | 1 | 3 | 2 | - | 2 | 2 | 12 |
| White, both sexes | 769 | - | - | 1 | - | 3 | 3 | 3 | - | 4 | 9 | 18 |
| Male | 398 | - | - | - | - | 3 | 2 | 2 | - | 3 | 7 | 10 |
| Female | 371 | - | - | 1 | - | - | 1 | 1 | - | 1 | 2 | 8 |
| Black, both sexes | 67 | - | - | - | - | 2 | 2 | 2 | 2 | 2 | 1 | 5 |
| Male | 35 | - | - | - | - | 1 | - | 1 | 2 | 1 | 1 | 2 |
| Female | 32 | - | - | - | - | 1 | 2 | 1 | - | 1 | - | 3 |
| American Indian 1/, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 365 | - | - | - | 1 | - | - | - | 1 | 3 | 6 | 12 |
| Male | 193 | - | - | - | 1 | - | - | - | - | 2 | 5 | 5 |
| Female | 172 | - | - | - | - | - | - | - | 1 | 1 | 1 | 7 |
| White, both sexes | 359 | - | - | - | 1 | - | - | - | 1 | 3 | 5 | 10 |
| Male | 190 | - | - | - | 1 | - | - | - | - | 2 | 4 | 4 |
| Female | 169 | - | - | - | - | - | - | - | 1 | 1 | 1 | 6 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 183 | - | - | - | - | - | 1 | - | 2 | 1 | 5 | 6 |
| Male | 92 | - | - | - | - | - | - | - | 1 | - | 5 | 5 |
| Female | 91 | - | - | - | - | - | 1 | - | 1 | 1 | - | 1 |
| White, both sexes | 148 | - | - | - | - | - | - | - | 1 | - | 4 | 4 |
| Male | 77 | - | - | - | - | - | - | - | 1 | - | 4 | 3 |
| Female | 71 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 34 | - | - | - | - | - | - | - | 1 | 1 | 1 | 2 |
| Male | 15 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 19 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 410 | - | - | 1 | - | - | 5 | 2 | 2 | 5 | 7 | 5 |
| Male | 218 | - | - | 1 | - | - | 2 | 1 | 1 | 3 | 4 | 4 |
| Female | 192 | - | - | - | - | - | 3 | 1 | 1 | 2 | 3 | 1 |
| White, both sexes | 382 | - | - | - | - | - | 1 | 2 | 1 | 5 | 5 | 5 |
| Male | 205 | - | - | - | - | - | 1 | 1 | 1 | 3 | 4 | 4 |
| Female | 177 | - | - | - | - | - | - | 1 | - | 2 | 1 | 1 |
| Black, both sexes | 25 | - | - | 1 | - | - | 4 | - | 1 | - | 2 | - |
| Male | 12 | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | 13 | - | - | - | - | - | 3 | - | 1 | - | 2 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 74 | - | - | - | 2 | - | 1 | - | - | 1 | 1 | 3 |
| Male | 40 | - | - | - | 2 | - | 1 | - | - | 1 | - | 2 |
| Female | 34 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| White, both sexes | 68 | - | - | - | 2 | - | 1 | - | - | 1 | - | 3 |
| Male | 38 | - | - | - | 2 | - | 1 | - | - | 1 | - | 2 |
| Female | 30 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 150 | - | - | - | - | - | - | - | 1 | 1 | 3 | 5 |
| Male | 74 | - | - | - | - | - | - | - | - | - | 1 | 4 |
| Female | 76 | - | - | - | - | - | - | - | 1 | 1 | 2 | 1 |
| White, both sexes | 144 | - | - | - | - | - | - | - | 1 | 1 | 3 | 4 |
| Male | 71 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Female | 73 | - | - | - | - | - | - | - | 1 | 1 | 2 | 1 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 116 | - | - | - | - | - | - | - | 2 | 1 | 2 | 2 |
| Male | 55 | - | - | - | - | - | - | - | 2 | 1 | 2 | 1 |
| Female | 61 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 108 | - | - | - | - | - | - | - | 2 | 1 | 2 | 2 |
| Male | 50 | - | - | - | - | - | - | - | 2 | 1 | 2 | 1 |
| Female | 58 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 97 | - | - | 1 | - | - | 1 | - | 1 | 2 | 2 | 2 |
| Male | 51 | - | - | 1 | - | - | 1 | - | 1 | 1 | 1 | 1 |
| Female | 46 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| White, both sexes | 96 | - | - | 1 | - | - | 1 | - | 1 | 2 | 2 | 2 |
| Male | 50 | - | - | 1 | - | - | 1 | - | 1 | 1 | 1 | 1 |
| Female | 46 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 627 | - | - | - | 1 | 1 | 1 | 6 | 11 | 8 | 12 | 12 |
| Male | 325 | - | - | - | 1 | 1 | 1 | 2 | 6 | 5 | 9 | 10 |
| Female | 302 | - | - | - | - | - | - | 4 | 5 | 3 | 3 | 2 |
| White, both sexes | 559 | - | - | - | 1 | 1 | 1 | 4 | 6 | 3 | 7 | 6 |
| Male | 287 | - | - | - | 1 | 1 | 1 | 1 | 2 | 2 | 5 | 5 |
| Female | 272 | - | - | - | - | - | - | 3 | 4 | 1 | 2 | 1 |
| Black, both sexes | 51 | - | - | - | - | - | - | 1 | 3 | 4 | 4 | 6 |
| Male | 26 | - | - | - | - | - | - | - | 2 | 2 | 3 | 5 |
| Female | 25 | - | - | - | - | - | - | 1 | 1 | 2 | 1 | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 16 | - | - | - | - | - | - | 1 | 2 | 1 | 1 | - |
| Male | 12 | - | - | - | - | - | - | 1 | 2 | 1 | 1 | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 94 | - | - | - | - | - | - | - | - | 3 | 3 | 3 |
| Male | 52 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Female | 42 | - | - | - | - | - | - | - | - | 2 | 2 | 2 |
| White, both sexes | 88 | - | - | - | - | - | - | - | - | 3 | 3 | 3 |
| Male | 49 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Female | 39 | - | - | - | - | - | - | - | - | 2 | 2 | 2 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 1,289 | - | 1 | 1 | 3 | 6 | 6 | 8 | 7 | 9 | 37 | 46 |
| Male | 678 | - | - | 1 | 3 | 5 | 3 | 6 | 5 | 7 | 18 | 28 |
| Female | 611 | - | 1 | - | - | 1 | 3 | 2 | 2 | 2 | 19 | 18 |
| White, both sexes | 1,141 | - | 1 | 1 | 3 | 6 | 5 | 7 | 7 | 6 | 24 | 37 |
| Male | 603 | - | - | 1 | 3 | 5 | 3 | 5 | 5 | 4 | 13 | 24 |
| Female | 538 | - | 1 | - | - | 1 | 2 | 2 | 2 | 2 | 11 | 13 |
| Black, both sexes | 120 | - | - | - | - | - | 1 | - | - | 3 | 12 | 5 |
| Male | 59 | - | - | - | - | - | - | - | - | 3 | 4 | 1 |
| Female | 61 | - | - | - | - | - | 1 | - | - | - | 8 | 4 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 27 | - | - | - | - | - | - | 1 | - | - | - | 4 |
| Male | 15 | - | - | - | - | - | - | 1 | - | - | - | 3 |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 536 | - | - | - | - | - | 1 | 2 | 3 | 7 | 7 | 11 |
| Male | 289 | - | - | - | - | - | 1 | 1 | 2 | 6 | 5 | 7 |
| Female | 247 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 4 |
| White, both sexes | 465 | - | - | - | - | - | 1 | 1 | 2 | 5 | 3 | 10 |
| Male | 250 | - | - | - | - | - | 1 | 1 | 1 | 4 | 3 | 6 |
| Female | 215 | - | - | - | - | - | - | - | 1 | 1 | - | 4 |
| Black, both sexes | 65 | - | - | - | - | - | - | 1 | 1 | 2 | 4 | 1 |
| Male | 35 | - | - | - | - | - | - | - | 1 | 2 | 2 | 1 |
| Female | 30 | - | - | - | - | - | - | 1 | - | - | 2 | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 59 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 33 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | 26 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 57 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 32 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 889 | - | - | - | 1 | 2 | 1 | 2 | 2 | 7 | 13 | 23 |
| Male | 466 | - | - | - | 1 | 2 | 1 | 1 | 1 | 5 | 11 | 14 |
| Female | 423 | - | - | - | - | - | - | 1 | 1 | 2 | 2 | 9 |
| White, both sexes | 847 | - | - | - | 1 | 2 | 1 | 2 | 1 | 7 | 12 | 21 |
| Male | 442 | - | - | - | 1 | 2 | 1 | 1 | 1 | 5 | 10 | 13 |
| Female | 405 | - | - | - | - | - | - | 1 | - | 2 | 2 | 8 |
| Black, both sexes | 39 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Male | 22 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 17 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 253 | - | - | - | - | 1 | - | 3 | 3 | 1 | 4 | 6 |
| Male | 134 | - | - | - | - | 1 | - | 2 | 2 | 1 | 2 | 4 |
| Female | 119 | - | - | - | - | - | - | 1 | 1 | - | 2 | 2 |
| White, both sexes | 228 | - | - | - | - | 1 | - | 2 | 2 | 1 | 3 | 3 |
| Male | 118 | - | - | - | - | 1 | - | 1 | 1 | 1 | 2 | 3 |
| Female | 110 | - | - | - | - | - | - | 1 | 1 | - | 1 | - |
| Black, both sexes | 8 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 16 | - | - | - | - | - | - | 1 | - | - | 1 | 2 |
| Male | 9 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 316 | - | - | - | 1 | - | 1 | 2 | 3 | 2 | 2 | 10 |
| Male | 155 | - | - | - | 1 | - | - | 2 | 3 | 2 | 2 | 6 |
| Female | 161 | - | - | - | - | - | 1 | - | - | - | - | 4 |
| White, both sexes | 304 | - | - | - | 1 | - | 1 | 2 | 3 | 1 | 2 | 8 |
| Male | 150 | - | - | - | 1 | - | - | 2 | 3 | 1 | 2 | 6 |
| Female | 154 | - | - | - | - | - | 1 | - | - | - | - | 2 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 1,162 | - | - | - | 3 | 2 | 3 | 2 | 5 | 11 | 20 | 25 |
| Male | 609 | - | - | - | 3 | 1 | 2 | - | 4 | 7 | 16 | 16 |
| Female | 553 | - | - | - | - | 1 | 1 | 2 | 1 | 4 | 4 | 9 |
| White, both sexes | 1,104 | - | - | - | 3 | 2 | 2 | 2 | 1 | 9 | 17 | 22 |
| Male | 584 | - | - | - | 3 | 1 | 2 | - | 1 | 5 | 14 | 14 |
| Female | 520 | - | - | - | - | 1 | - | 2 | - | 4 | 3 | 8 |
| Black, both sexes | 54 | - | - | - | - | - | 1 | - | 4 | 2 | 2 | 3 |
| Male | 23 | - | - | - | - | - | - | - | 3 | 2 | 2 | 2 |
| Female | 31 | - | - | - | - | - | 1 | - | 1 | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | 1 | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 83 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Male | 43 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 40 | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | 81 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Male | 41 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 40 | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 287 | - | 1 | - | 1 | 1 | 2 | 1 | 5 | 3 | 7 | 5 |
| Male | 159 | - | 1 | - | 1 | 1 | 1 | 1 | 4 | 1 | 4 | 3 |
| Female | 128 | - | - | - | - | - | 1 | - | 1 | 2 | 3 | 2 |
| White, both sexes | 229 | - | - | - | - | 1 | 1 | 1 | 1 | 2 | 5 | 4 |
| Male | 128 | - | - | - | - | 1 | - | 1 | 1 | 1 | 3 | 3 |
| Female | 101 | - | - | - | - | - | 1 | - | - | 1 | 2 | 1 |
| Black, both sexes | 57 | - | 1 | - | 1 | - | 1 | - | 4 | 1 | 2 | 1 |
| Male | 30 | - | 1 | - | 1 | - | 1 | - | 3 | - | 1 | - |
| Female | 27 | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 55 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 30 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 25 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 52 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 30 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 22 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 461 | - | - | - | - | 2 | - | 1 | 1 | 6 | 8 | 12 |
| Male | 235 | - | - | - | - | 1 | - | 1 | 1 | 4 | 5 | 3 |
| Female | 226 | - | - | - | - | 1 | - | - | - | 2 | 3 | 9 |
| White, both sexes | 420 | - | - | - | - | 1 | - | 1 | - | 4 | 7 | 10 |
| Male | 212 | - | - | - | - | - | - | 1 | - | 2 | 5 | 3 |
| Female | 208 | - | - | - | - | 1 | - | - | - | 2 | 2 | 7 |
| Black, both sexes | 40 | - | - | - | - | 1 | - | - | 1 | 2 | 1 | 1 |
| Male | 23 | - | - | - | - | 1 | - | - | 1 | 2 | - | - |
| Female | 17 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 1,283 | - | - | 3 | 2 | 3 | 4 | 6 | 16 | 13 | 30 | 37 |
| Male | 693 | - | - | 3 | 1 | 3 | 3 | 2 | 10 | 5 | 18 | 26 |
| Female | 590 | - | - | - | 1 | - | 1 | 4 | 6 | 8 | 12 | 11 |
| White, both sexes | 1,167 | - | - | 3 | 1 | 3 | 2 | 4 | 14 | 12 | 22 | 27 |
| Male | 623 | - | - | 3 | - | 3 | 2 | 1 | 9 | 5 | 11 | 19 |
| Female | 544 | - | - | - | 1 | - | - | 3 | 5 | 7 | 11 | 8 |
| Black, both sexes | 100 | - | - | - | 1 | - | 2 | 2 | 2 | 1 | 6 | 10 |
| Male | 59 | - | - | - | 1 | - | 1 | 1 | 1 | - | 5 | 7 |
| Female | 41 | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 | 3 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 14 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 9 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 121 | - | - | - | - | 1 | - | 1 | 1 | 2 | 1 | 4 |
| Male | 63 | - | - | - | - | 1 | - | - | - | 2 | 1 | 3 |
| Female | 58 | - | - | - | - | - | - | 1 | 1 | - | - | 1 |
| White, both sexes | 120 | - | - | - | - | 1 | - | 1 | 1 | 2 | 1 | 4 |
| Male | 62 | - | - | - | - | 1 | - | - | - | 2 | 1 | 3 |
| Female | 58 | - | - | - | - | - | - | 1 | 1 | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 40 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 20 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 20 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 40 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 20 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 20 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 478 | - | - | 1 | - | 1 | 1 | 3 | 1 | 7 | 6 | 18 |
| Male | 254 | - | - | - | - | - | 1 | 2 | - | 4 | 5 | 13 |
| Female | 224 | - | - | 1 | - | 1 | - | 1 | 1 | 3 | 1 | 5 |
| White, both sexes | 404 | - | - | 1 | - | 1 | 1 | 2 | 1 | 4 | 5 | 9 |
| Male | 217 | - | - | - | - | - | 1 | 2 | - | 3 | 4 | 6 |
| Female | 187 | - | - | 1 | - | 1 | - | - | 1 | 1 | 1 | 3 |
| Black, both sexes | 60 | - | - | - | - | - | - | 1 | - | 2 | 1 | 9 |
| Male | 32 | - | - | - | - | - | - | - | - | 1 | 1 | 7 |
| Female | 28 | - | - | - | - | - | - | 1 | - | 1 | - | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 14 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | 1 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 433 | - | - | 1 | 1 | 1 | - | 1 | 2 | - | 4 | 16 |
| Male | 214 | - | - | - | 1 | 1 | - | 1 | 1 | - | 1 | 13 |
| Female | 219 | - | - | 1 | - | - | - | - | 1 | - | 3 | 3 |
| White, both sexes | 406 | - | - | 1 | 1 | 1 | - | - | 2 | - | 4 | 15 |
| Male | 198 | - | - | - | 1 | 1 | - | - | 1 | - | 1 | 12 |
| Female | 208 | - | - | 1 | - | - | - | - | 1 | - | 3 | 3 |
| Black, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 5 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 167 | - | - | - | - | - | 2 | 2 | - | 1 | 2 | 3 |
| Male | 91 | - | - | - | - | - | 1 | 2 | - | 1 | 2 | - |
| Female | 76 | - | - | - | - | - | 1 | - | - | - | - | 3 |
| White, both sexes | 165 | - | - | - | - | - | 2 | 2 | - | 1 | 2 | 3 |
| Male | 91 | - | - | - | - | - | 1 | 2 | - | 1 | 2 | - |
| Female | 74 | - | - | - | - | - | 1 | - | - | - | - | 3 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 469 | - | - | - | - | - | - | - | 2 | 3 | 6 | 10 |
| Male | 242 | - | - | - | - | - | - | - | - | 2 | 4 | 8 |
| Female | 227 | - | - | - | - | - | - | - | 2 | 1 | 2 | 2 |
| White, both sexes | 459 | - | - | - | - | - | - | - | 1 | 3 | 6 | 9 |
| Male | 238 | - | - | - | - | - | - | - | - | 2 | 4 | 7 |
| Female | 221 | - | - | - | - | - | - | - | 1 | 1 | 2 | 2 |
| Black, both sexes | 8 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 5 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 41 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 19 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 22 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 41 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 19 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 22 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 864 | 1,321 | 1,604 | 1,942 | 2,684 | 3,475 | 3,636 | 2,592 | 1,025 | 192 | 22 | - |
| Male | 561 | 816 | 929 | 1,156 | 1,521 | 1,841 | 1,716 | 1,152 | 393 | 63 | 4 | - |
| Female | 303 | 505 | 675 | 786 | 1,163 | 1,634 | 1,920 | 1,440 | 632 | 129 | 18 | - |
| White, both sexes | 705 | 1,138 | 1,409 | 1,757 | 2,449 | 3,272 | 3,435 | 2,472 | 982 | 177 | 20 | - |
| Male | 454 | 708 | 822 | 1,052 | 1,398 | 1,750 | 1,628 | 1,109 | 375 | 59 | 3 | - |
| Female | 251 | 430 | 587 | 705 | 1,051 | 1,522 | 1,807 | 1,363 | 607 | 118 | 17 | - |
| Black, both sexes | 126 | 136 | 144 | 137 | 160 | 134 | 132 | 82 | 30 | 12 | 2 | - |
| Male | 86 | 85 | 81 | 75 | 92 | 58 | 53 | 30 | 10 | 2 | 1 | - |
| Female | 40 | 51 | 63 | 62 | 68 | 76 | 79 | 52 | 20 | 10 | 1 | - |
| American Indian 1/, both sexes | 6 | 13 | 12 | 13 | 6 | 6 | 7 | 6 | 1 | 1 | - | - |
| Male | 4 | 4 | 7 | 8 | 3 | 2 | 4 | - | 1 | 1 | - | - |
| Female | 2 | 9 | 5 | 5 | 3 | 4 | 3 | 6 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 27 | 34 | 39 | 35 | 69 | 63 | 62 | 32 | 12 | 2 | - | - |
| Male | 17 | 19 | 19 | 21 | 28 | 31 | 31 | 13 | 7 | 1 | - | - |
| Female | 10 | 15 | 20 | 14 | 41 | 32 | 31 | 19 | 5 | 1 | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 18 | 20 | 23 | 32 | 40 | 60 | 59 | 38 | 11 | - | - | - |
| Male | 14 | 16 | 12 | 16 | 18 | 27 | 25 | 23 | 4 | - | - | - |
| Female | 4 | 4 | 11 | 16 | 22 | 33 | 34 | 15 | 7 | - | - | - |
| White, both sexes | 12 | 15 | 22 | 27 | 35 | 53 | 58 | 36 | 10 | - | - | - |
| Male | 11 | 12 | 11 | 14 | 17 | 23 | 24 | 22 | 3 | - | - | - |
| Female | 1 | 3 | 11 | 13 | 18 | 30 | 34 | 14 | 7 | - | - | - |
| Black, both sexes | 5 | 5 | 1 | 4 | 4 | 7 | 1 | 2 | 1 | - | - | - |
| Male | 2 | 4 | 1 | 1 | 1 | 4 | 1 | 1 | 1 | - | - | - |
| Female | 3 | 1 | - | 3 | 3 | 3 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 2 | 4 | 1 | 5 | 4 | 2 | 4 | 3 | - | - | - | - |
| Male | 1 | 4 | - | 2 | 3 | 1 | 3 | 2 | - | - | - | - |
| Female | 1 | - | 1 | 3 | 1 | 1 | 1 | 1 | - | - | - | - |
| White, both sexes | 2 | 3 | 1 | 5 | 4 | 2 | 4 | 3 | - | - | - | - |
| Male | 1 | 3 | - | 2 | 3 | 1 | 3 | 2 | - | - | - | - |
| Female | 1 | - | 1 | 3 | 1 | 1 | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 12 | 22 | 30 | 31 | 47 | 70 | 80 | 44 | 18 | 1 | - | - |
| Male | 5 | 14 | 16 | 22 | 27 | 41 | 42 | 21 | 7 | 1 | - | - |
| Female | 7 | 8 | 14 | 9 | 20 | 29 | 38 | 23 | 11 | - | - | - |
| White, both sexes | 12 | 17 | 27 | 28 | 45 | 69 | 79 | 44 | 17 | 1 | - | - |
| Male | 5 | 12 | 14 | 20 | 27 | 41 | 41 | 21 | 7 | 1 | - | - |
| Female | 7 | 5 | 13 | 8 | 18 | 28 | 38 | 23 | 10 | - | - | - |
| Black, both sexes | - | - | 2 | 1 | 2 | 1 | - | - | 1 | - | - | - |
| Male | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | 2 | 1 | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | 5 | 1 | 2 | - | - | 1 | - | - | - | - | - |
| Male | - | 2 | 1 | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | 3 | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 5 | 10 | 21 | 18 | 31 | 34 | 40 | 20 | 13 | 3 | - | - |
| Male | 3 | 9 | 10 | 13 | 20 | 21 | 21 | 13 | 6 | 1 | - | - |
| Female | 2 | 1 | 11 | 5 | 11 | 13 | 19 | 7 | 7 | 2 | - | - |
| White, both sexes | 5 | 10 | 20 | 16 | 27 | 34 | 38 | 17 | 13 | 2 | - | - |
| Male | 3 | 9 | 9 | 12 | 17 | 21 | 19 | 11 | 6 | 1 | - | - |
| Female | 2 | 1 | 11 | 4 | 10 | 13 | 19 | 6 | 7 | 1 | - | - |
| Black, both sexes | - | - | 1 | 2 | 3 | - | 1 | 3 | - | 1 | - | - |
| Male | - | - | 1 | 1 | 3 | - | 1 | 2 | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | 1 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 87 | 150 | 174 | 212 | 245 | 361 | 368 | 251 | 81 | 24 | 2 | - |
| Male | 53 | 93 | 97 | 131 | 132 | 182 | 199 | 116 | 39 | 11 | - | - |
| Female | 34 | 57 | 77 | 81 | 113 | 179 | 169 | 135 | 42 | 13 | 2 | - |
| White, both sexes | 71 | 133 | 144 | 183 | 206 | 318 | 331 | 230 | 76 | 24 | 2 | - |
| Male | 44 | 82 | 88 | 113 | 114 | 165 | 181 | 108 | 36 | 11 | - | - |
| Female | 27 | 51 | 56 | 70 | 92 | 153 | 150 | 122 | 40 | 13 | 2 | - |
| Black, both sexes | 10 | 4 | 10 | 10 | 12 | 10 | 9 | 4 | 1 | - | - | - |
| Male | 6 | 4 | 2 | 5 | 7 | 2 | 3 | 1 | - | - | - | - |
| Female | 4 | - | 8 | 5 | 5 | 8 | 6 | 3 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | 1 | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | 13 | 19 | 18 | 27 | 33 | 27 | 17 | 4 | - | - | - |
| Male | 3 | 7 | 7 | 12 | 11 | 15 | 14 | 7 | 3 | - | - | - |
| Female | 3 | 6 | 12 | 6 | 16 | 18 | 13 | 10 | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 14 | 8 | 17 | 24 | 28 | 41 | 38 | 21 | 7 | 1 | - | - |
| Male | 13 | 5 | 10 | 13 | 17 | 23 | 19 | 5 | 3 | - | - | - |
| Female | 1 | 3 | 7 | 11 | 11 | 18 | 19 | 16 | 4 | 1 | - | - |
| White, both sexes | 13 | 7 | 17 | 23 | 25 | 37 | 37 | 21 | 6 | 1 | - | - |
| Male | 12 | 5 | 10 | 12 | 16 | 21 | 18 | 5 | 3 | - | - | - |
| Female | 1 | 2 | 7 | 11 | 9 | 16 | 19 | 16 | 3 | 1 | - | - |
| Black, both sexes | - | - | - | 1 | 2 | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | 1 | 3 | 1 | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | 2 | - | - | 1 | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 4 | 20 | 23 | 26 | 35 | 35 | 47 | 39 | 23 | 4 | - | - |
| Male | 2 | 14 | 16 | 14 | 22 | 24 | 27 | 16 | 7 | 2 | - | - |
| Female | 2 | 6 | 7 | 12 | 13 | 11 | 20 | 23 | 16 | 2 | - | - |
| White, both sexes | 3 | 17 | 19 | 22 | 34 | 35 | 45 | 39 | 23 | 4 | - | - |
| Male | 1 | 12 | 14 | 12 | 22 | 24 | 25 | 16 | 7 | 2 | - | - |
| Female | 2 | 5 | 5 | 10 | 12 | 11 | 20 | 23 | 16 | 2 | - | - |
| Black, both sexes | 1 | 3 | 4 | 2 | 1 | - | 1 | - | - | - | - | - |
| Male | 1 | 2 | 2 | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | 1 | 2 | 1 | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 2 | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 3 | 6 | 4 | 3 | 8 | 6 | 12 | 6 | 3 | 1 | - | - |
| Male | 3 | 2 | 4 | - | 4 | 5 | 4 | 3 | 1 | - | - | - |
| Female | - | 4 | - | 3 | 4 | 1 | 8 | 3 | 2 | 1 | - | - |
| White, both sexes | 3 | 4 | 4 | 3 | 8 | 6 | 11 | 6 | 2 | 1 | - | - |
| Male | 3 | 2 | 4 | - | 4 | 5 | 3 | 3 | 1 | - | - | - |
| Female | - | 2 | - | 3 | 4 | 1 | 8 | 3 | 1 | 1 | - | - |
| Black, both sexes | - | 2 | - | - | - | - | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | 2 | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | 4 | 6 | 4 | 3 | 6 | 5 | 1 | - | - | 1 | - |
| Male | - | 3 | 4 | 2 | 3 | 6 | 3 | 1 | - | - | - | - |
| Female | - | 1 | 2 | 2 | - | - | 2 | - | - | - | 1 | - |
| White, both sexes | - | 1 | 1 | 1 | 2 | 1 | 5 | - | - | - | - | - |
| Male | - | 1 | 1 | - | 2 | 1 | 3 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | 2 | - | - | - | - | - |
| Black, both sexes | - | 3 | 4 | 3 | 1 | 4 | - | 1 | - | - | 1 | - |
| Male | - | 2 | 3 | 2 | 1 | 4 | - | 1 | - | - | - | - |
| Female | - | 1 | 1 | 1 | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 55 | 98 | 99 | 119 | 238 | 274 | 301 | 196 | 71 | 7 | 2 | - |
| Male | 33 | 64 | 62 | 73 | 131 | 152 | 158 | 103 | 26 | 3 | - | - |
| Female | 22 | 34 | 37 | 46 | 107 | 122 | 143 | 93 | 45 | 4 | 2 | - |
| White, both sexes | 41 | 78 | 91 | 109 | 222 | 263 | 291 | 193 | 69 | 7 | 2 | - |
| Male | 23 | 49 | 55 | 69 | 126 | 147 | 156 | 102 | 25 | 3 | - | - |
| Female | 18 | 29 | 36 | 40 | 96 | 116 | 135 | 91 | 44 | 4 | 2 | - |
| Black, both sexes | 14 | 19 | 7 | 9 | 12 | 11 | 9 | 2 | 2 | - | - | - |
| Male | 10 | 15 | 6 | 4 | 5 | 5 | 2 | 1 | 1 | - | - | - |
| Female | 4 | 4 | 1 | 5 | 7 | 6 | 7 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | 1 | 4 | - | 1 | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | 4 | - | 1 | 1 | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 29 | 26 | 36 | 55 | 52 | 71 | 64 | 69 | 15 | 4 | - | - |
| Male | 22 | 17 | 20 | 37 | 31 | 32 | 21 | 26 | 7 | 1 | - | - |
| Female | 7 | 9 | 16 | 18 | 21 | 39 | 43 | 43 | 8 | 3 | - | - |
| White, both sexes | 21 | 21 | 27 | 44 | 45 | 66 | 60 | 64 | 13 | 3 | - | - |
| Male | 14 | 15 | 13 | 29 | 26 | 30 | 19 | 26 | 6 | 1 | - | - |
| Female | 7 | 6 | 14 | 15 | 19 | 36 | 41 | 38 | 7 | 2 | - | - |
| Black, both sexes | 8 | 4 | 9 | 11 | 7 | 5 | 4 | 4 | 2 | 1 | - | - |
| Male | 8 | 2 | 7 | 8 | 5 | 2 | 2 | - | 1 | - | - | - |
| Female | - | 2 | 2 | 3 | 2 | 3 | 2 | 4 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 5 | 6 | 7 | 5 | 10 | 9 | 13 | 10 | 4 | 2 | - | - |
| Male | 3 | 3 | 6 | 2 | 4 | 7 | 6 | 3 | 2 | 1 | - | - |
| Female | 2 | 3 | 1 | 3 | 6 | 2 | 7 | 7 | 2 | 1 | - | - |
| White, both sexes | - | 2 | 2 | 1 | 2 | 3 | 1 | 4 | 2 | - | - | - |
| Male | - | 2 | 2 | - | 1 | 1 | - | - | 1 | - | - | - |
| Female | - | - | - | 1 | 1 | 2 | 1 | 4 | 1 | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | 4 | 4 | 4 | 8 | 6 | 12 | 6 | 2 | 2 | - | - |
| Male | 2 | 1 | 3 | 2 | 3 | 6 | 6 | 3 | 1 | 1 | - | - |
| Female | 2 | 3 | 1 | 2 | 5 | - | 6 | 3 | 1 | 1 | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 5 | 8 | 10 | 6 | 16 | 17 | 18 | 8 | 4 | 1 | - | - |
| Male | 4 | 5 | 7 | 5 | 12 | 11 | 10 | 5 | - | 1 | - | - |
| Female | 1 | 3 | 3 | 1 | 4 | 6 | 8 | 3 | 4 | - | - | - |
| White, both sexes | 5 | 8 | 10 | 6 | 15 | 17 | 18 | 8 | 4 | 1 | - | - |
| Male | 4 | 5 | 7 | 5 | 12 | 11 | 10 | 5 | - | 1 | - | - |
| Female | 1 | 3 | 3 | 1 | 3 | 6 | 8 | 3 | 4 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 40 | 39 | 71 | 75 | 119 | 167 | 166 | 135 | 66 | 10 | 1 | - |
| Male | 23 | 29 | 34 | 47 | 65 | 90 | 80 | 57 | 24 | 4 | - | - |
| Female | 17 | 10 | 37 | 28 | 54 | 77 | 86 | 78 | 42 | 6 | 1 | - |
| White, both sexes | 35 | 37 | 63 | 62 | 104 | 154 | 161 | 130 | 62 | 10 | 1 | - |
| Male | 20 | 29 | 30 | 40 | 55 | 84 | 78 | 54 | 23 | 4 | - | - |
| Female | 15 | 8 | 33 | 22 | 49 | 70 | 83 | 76 | 39 | 6 | 1 | - |
| Black, both sexes | 5 | 2 | 8 | 10 | 11 | 9 | 4 | 3 | 3 | - | - | - |
| Male | 3 | - | 4 | 5 | 9 | 4 | 1 | 2 | - | - | - | - |
| Female | 2 | 2 | 4 | 5 | 2 | 5 | 3 | 1 | 3 | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 2 | 3 | 3 | 1 | 1 | 1 | - | - | - |
| Male | - | - | - | 1 | - | 2 | 1 | 1 | 1 | - | - | - |
| Female | - | - | - | 1 | 3 | 1 | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 16 | 33 | 31 | 60 | 57 | 80 | 92 | 80 | 23 | 9 | - | - |
| Male | 11 | 23 | 22 | 39 | 32 | 47 | 43 | 37 | 8 | 5 | - | - |
| Female | 5 | 10 | 9 | 21 | 25 | 33 | 49 | 43 | 15 | 4 | - | - |
| White, both sexes | 15 | 31 | 27 | 55 | 53 | 80 | 87 | 79 | 23 | 8 | - | - |
| Male | 10 | 21 | 19 | 34 | 32 | 47 | 42 | 36 | 8 | 5 | - | - |
| Female | 5 | 10 | 8 | 21 | 21 | 33 | 45 | 43 | 15 | 3 | - | - |
| Black, both sexes | 1 | 1 | 3 | 4 | 3 | - | 5 | 1 | - | 1 | - | - |
| Male | 1 | 1 | 2 | 4 | - | - | 1 | 1 | - | - | - | - |
| Female | - | - | 1 | - | 3 | - | 4 | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 6 | 16 | 15 | 22 | 30 | 41 | 55 | 38 | 22 | 3 | 1 | - |
| Male | 4 | 9 | 8 | 13 | 20 | 27 | 25 | 20 | 9 | 1 | - | - |
| Female | 2 | 7 | 7 | 9 | 10 | 14 | 30 | 18 | 13 | 2 | 1 | - |
| White, both sexes | 6 | 15 | 15 | 22 | 30 | 41 | 55 | 38 | 22 | 3 | 1 | - |
| Male | 4 | 8 | 8 | 13 | 20 | 27 | 25 | 20 | 9 | 1 | - | - |
| Female | 2 | 7 | 7 | 9 | 10 | 14 | 30 | 18 | 13 | 2 | 1 | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 7 | 9 | 13 | 19 | 27 | 39 | 34 | 29 | 14 | 6 | - | - |
| Male | 4 | 7 | 9 | 12 | 17 | 25 | 18 | 15 | 6 | 1 | - | - |
| Female | 3 | 2 | 4 | 7 | 10 | 14 | 16 | 14 | 8 | 5 | - | - |
| White, both sexes | 7 | 9 | 11 | 17 | 27 | 38 | 31 | 29 | 14 | 6 | - | - |
| Male | 4 | 7 | 8 | 10 | 17 | 24 | 18 | 15 | 6 | 1 | - | - |
| Female | 3 | 2 | 3 | 7 | 10 | 14 | 13 | 14 | 8 | 5 | - | - |
| Black, both sexes | - | - | 1 | 2 | - | 1 | 3 | - | - | - | - | - |
| Male | - | - | - | 2 | - | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | 3 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 13 | 18 | 30 | 38 | 38 | 68 | 52 | 38 | 17 | 2 | - | - |
| Male | 8 | 10 | 18 | 20 | 24 | 32 | 23 | 20 | 4 | 1 | - | - |
| Female | 5 | 8 | 12 | 18 | 14 | 36 | 29 | 18 | 13 | 1 | - | - |
| White, both sexes | 12 | 17 | 30 | 37 | 36 | 67 | 52 | 38 | 15 | 1 | - | - |
| Male | 8 | 9 | 18 | 20 | 22 | 32 | 23 | 20 | 3 | - | - | - |
| Female | 4 | 8 | 12 | 17 | 14 | 35 | 29 | 18 | 12 | 1 | - | - |
| Black, both sexes | 1 | 1 | - | 1 | 2 | 1 | - | - | 2 | 1 | - | - |
| Male | - | 1 | - | - | 2 | - | - | - | 1 | 1 | - | - |
| Female | 1 | - | - | 1 | - | 1 | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 12 | 15 | 31 | 35 | 39 | 51 | 53 | 31 | 17 | 1 | - | - |
| Male | 8 | 8 | 13 | 20 | 20 | 27 | 32 | 15 | 8 | 1 | - | - |
| Female | 4 | 7 | 18 | 15 | 19 | 24 | 21 | 16 | 9 | - | - | - |
| White, both sexes | 6 | 12 | 25 | 32 | 37 | 45 | 45 | 23 | 16 | 1 | - | - |
| Male | 5 | 7 | 11 | 17 | 18 | 24 | 28 | 11 | 8 | 1 | - | - |
| Female | 1 | 5 | 14 | 15 | 19 | 21 | 17 | 12 | 8 | - | - | - |
| Black, both sexes | 6 | 3 | 6 | 3 | 2 | 6 | 8 | 8 | 1 | - | - | - |
| Male | 3 | 1 | 2 | 3 | 2 | 3 | 4 | 4 | - | - | - | - |
| Female | 3 | 2 | 4 | - | - | 3 | 4 | 4 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 3 | 9 | 13 | 9 | 27 | 22 | 13 | 11 | 2 | 1 | - | - |
| Male | 1 | 5 | 8 | 6 | 15 | 10 | 4 | 5 | 1 | - | - | - |
| Female | 2 | 4 | 5 | 3 | 12 | 12 | 9 | 6 | 1 | 1 | - | - |
| White, both sexes | 3 | 9 | 13 | 9 | 27 | 22 | 13 | 11 | 2 | 1 | - | - |
| Male | 1 | 5 | 8 | 6 | 15 | 10 | 4 | 5 | 1 | - | - | - |
| Female | 2 | 4 | 5 | 3 | 12 | 12 | 9 | 6 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 14 | 21 | 37 | 46 | 50 | 52 | 63 | 31 | 20 | 4 | 1 | - |
| Male | 12 | 14 | 18 | 27 | 25 | 30 | 29 | 11 | 9 | - | 1 | - |
| Female | 2 | 7 | 19 | 19 | 25 | 22 | 34 | 20 | 11 | 4 | - | - |
| White, both sexes | 6 | 14 | 27 | 41 | 39 | 46 | 56 | 30 | 19 | 3 | 1 | - |
| Male | 4 | 10 | 13 | 26 | 21 | 27 | 28 | 10 | 9 | - | 1 | - |
| Female | 2 | 4 | 14 | 15 | 18 | 19 | 28 | 20 | 10 | 3 | - | - |
| Black, both sexes | 6 | 7 | 10 | 5 | 9 | 4 | 6 | 1 | 1 | 1 | - | - |
| Male | 6 | 4 | 5 | 1 | 4 | 3 | 1 | 1 | - | - | - | - |
| Female | - | 3 | 5 | 4 | 5 | 1 | 5 | - | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | 2 | 2 | 1 | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 2 | 2 | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 18 | 25 | 34 | 46 | 64 | 90 | 108 | 86 | 32 | 8 | - | - |
| Male | 10 | 18 | 18 | 24 | 37 | 45 | 42 | 44 | 8 | 2 | - | - |
| Female | 8 | 7 | 16 | 22 | 27 | 45 | 66 | 42 | 24 | 6 | - | - |
| White, both sexes | 16 | 23 | 31 | 44 | 57 | 87 | 106 | 86 | 32 | 7 | - | - |
| Male | 8 | 16 | 17 | 23 | 33 | 44 | 41 | 44 | 8 | 2 | - | - |
| Female | 8 | 7 | 14 | 21 | 24 | 43 | 65 | 42 | 24 | 5 | - | - |
| Black, both sexes | 2 | 1 | 2 | 1 | 3 | 2 | - | - | - | 1 | - | - |
| Male | 2 | 1 | 1 | 1 | 2 | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | 1 | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | - | 4 | 1 | 2 | - | - | - | - | - |
| Male | - | 1 | - | - | 2 | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | 2 | 1 | 1 | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 40 | 55 | 72 | 74 | 114 | 142 | 145 | 102 | 37 | 9 | - | - |
| Male | 29 | 27 | 33 | 42 | 64 | 75 | 69 | 45 | 13 | 5 | - | - |
| Female | 11 | 28 | 39 | 32 | 50 | 67 | 76 | 57 | 24 | 4 | - | - |
| White, both sexes | 33 | 47 | 64 | 66 | 107 | 136 | 135 | 95 | 36 | 9 | - | - |
| Male | 24 | 22 | 31 | 36 | 62 | 72 | 63 | 43 | 13 | 5 | - | - |
| Female | 9 | 25 | 33 | 30 | 45 | 64 | 72 | 52 | 23 | 4 | - | - |
| Black, both sexes | 7 | 5 | 7 | 7 | 7 | 4 | 7 | 6 | 1 | - | - | - |
| Male | 5 | 4 | 2 | 5 | 2 | 3 | 4 | 2 | - | - | - | - |
| Female | 2 | 1 | 5 | 2 | 5 | 1 | 3 | 4 | 1 | - | - | - |
| American Indian 1/, both sexes | - | 2 | 1 | 1 | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | 2 | 1 | - | - | 1 | 1 | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | 1 | 2 | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | 2 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 17 | 25 | 22 | 32 | 35 | 57 | 72 | 43 | 29 | 10 | - | - |
| Male | 16 | 19 | 12 | 21 | 17 | 31 | 34 | 19 | 9 | 2 | - | - |
| Female | 1 | 6 | 10 | 11 | 18 | 26 | 38 | 24 | 20 | 8 | - | - |
| White, both sexes | 17 | 25 | 22 | 32 | 35 | 56 | 72 | 42 | 28 | 10 | - | - |
| Male | 16 | 19 | 12 | 21 | 17 | 31 | 34 | 18 | 9 | 2 | - | - |
| Female | 1 | 6 | 10 | 11 | 18 | 25 | 38 | 24 | 19 | 8 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 4 | 18 | 18 | 22 | 21 | 33 | 29 | 17 | 6 | - | - | - |
| Male | 3 | 9 | 10 | 13 | 11 | 13 | 14 | 6 | 2 | - | - | - |
| Female | 1 | 9 | 8 | 9 | 10 | 20 | 15 | 11 | 4 | - | - | - |
| White, both sexes | 4 | 14 | 14 | 20 | 16 | 31 | 21 | 14 | 5 | - | - | - |
| Male | 3 | 7 | 8 | 12 | 8 | 13 | 11 | 5 | 2 | - | - | - |
| Female | 1 | 7 | 6 | 8 | 8 | 18 | 10 | 9 | 3 | - | - | - |
| Black, both sexes | - | 4 | 4 | 2 | 5 | 2 | 8 | 3 | 1 | - | - | - |
| Male | - | 2 | 2 | 1 | 3 | - | 3 | 1 | - | - | - | - |
| Female | - | 2 | 2 | 1 | 2 | 2 | 5 | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 19 | 23 | 28 | 39 | 66 | 69 | 59 | 51 | 24 | 3 | 2 | - |
| Male | 11 | 15 | 19 | 25 | 37 | 37 | 26 | 20 | 10 | 1 | 1 | - |
| Female | 8 | 8 | 9 | 14 | 29 | 32 | 33 | 31 | 14 | 2 | 1 | - |
| White, both sexes | 16 | 20 | 28 | 36 | 62 | 68 | 56 | 48 | 24 | 3 | 2 | - |
| Male | 10 | 12 | 19 | 22 | 34 | 37 | 26 | 19 | 10 | 1 | 1 | - |
| Female | 6 | 8 | 9 | 14 | 28 | 31 | 30 | 29 | 14 | 2 | 1 | - |
| Black, both sexes | 2 | 2 | - | 3 | 4 | 1 | 2 | 3 | - | - | - | - |
| Male | 1 | 2 | - | 3 | 3 | - | - | 1 | - | - | - | - |
| Female | 1 | - | - | - | 1 | 1 | 2 | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 5 | 8 | 16 | 13 | 9 | 7 | 3 | - | - | - |
| Male | 1 | 3 | 3 | 4 | 11 | 7 | 1 | 2 | 2 | - | - | - |
| Female | 1 | - | 2 | 4 | 5 | 6 | 8 | 5 | 1 | - | - | - |
| White, both sexes | 2 | 3 | 5 | 7 | 15 | 11 | 9 | 6 | 3 | - | - | - |
| Male | 1 | 3 | 3 | 3 | 11 | 6 | 1 | 2 | 2 | - | - | - |
| Female | 1 | - | 2 | 4 | 4 | 5 | 8 | 4 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | 11 | 5 | 12 | 22 | 18 | 32 | 26 | 13 | 1 | - | - |
| Male | - | 8 | 2 | 4 | 12 | 9 | 19 | 12 | 3 | - | - | - |
| Female | - | 3 | 3 | 8 | 10 | 9 | 13 | 14 | 10 | 1 | - | - |
| White, both sexes | - | 11 | 5 | 12 | 20 | 17 | 30 | 26 | 13 | 1 | - | - |
| Male | - | 8 | 2 | 4 | 12 | 8 | 18 | 12 | 3 | - | - | - |
| Female | - | 3 | 3 | 8 | 8 | 9 | 12 | 14 | 10 | 1 | - | - |
| Black, both sexes | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 2 | 10 | 14 | 16 | 21 | 19 | 13 | 8 | 6 | - | - | - |
| Male | - | 6 | 9 | 6 | 12 | 9 | 4 | 3 | - | - | - | - |
| Female | 2 | 4 | 5 | 10 | 9 | 10 | 9 | 5 | 6 | - | - | - |
| White, both sexes | 2 | 9 | 10 | 15 | 20 | 19 | 13 | 7 | 6 | - | - | - |
| Male | - | 6 | 6 | 5 | 11 | 9 | 4 | 3 | - | - | - | - |
| Female | 2 | 3 | 4 | 10 | 9 | 10 | 9 | 4 | 6 | - | - | - |
| Black, both sexes | - | 1 | 2 | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | - | 2 | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 2 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 1 | 8 | 4 | 11 | 15 | 12 | 18 | 10 | 7 | 2 | - | - |
| Male | 1 | 3 | 3 | 7 | 6 | 7 | 8 | 5 | 5 | - | - | - |
| Female | - | 5 | 1 | 4 | 9 | 5 | 10 | 5 | 2 | 2 | - | - |
| White, both sexes | - | 8 | 4 | 11 | 15 | 12 | 18 | 10 | 7 | 2 | - | - |
| Male | - | 3 | 3 | 7 | 6 | 7 | 8 | 5 | 5 | - | - | - |
| Female | - | 5 | 1 | 4 | 9 | 5 | 10 | 5 | 2 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 28 | 41 | 48 | 52 | 65 | 117 | 112 | 81 | 26 | 5 | - | - |
| Male | 20 | 28 | 32 | 28 | 32 | 56 | 48 | 33 | 10 | 3 | - | - |
| Female | 8 | 13 | 16 | 24 | 33 | 61 | 64 | 48 | 16 | 2 | - | - |
| White, both sexes | 23 | 36 | 41 | 48 | 56 | 110 | 105 | 81 | 25 | 5 | - | - |
| Male | 15 | 25 | 27 | 27 | 28 | 55 | 46 | 33 | 10 | 3 | - | - |
| Female | 8 | 11 | 14 | 21 | 28 | 55 | 59 | 48 | 15 | 2 | - | - |
| Black, both sexes | 3 | 3 | 5 | 3 | 6 | 5 | 7 | - | 1 | - | - | - |
| Male | 3 | 2 | 3 | - | 3 | 1 | 2 | - | - | - | - | - |
| Female | - | 1 | 2 | 3 | 3 | 4 | 5 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 2 | 2 | 1 | 2 | 2 | - | - | - | - | - | - |
| Male | 2 | 1 | 2 | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | 2 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 4 | 9 | 8 | 9 | 18 | 12 | 12 | 9 | 2 | 1 | 1 | - |
| Male | 3 | 4 | 6 | 5 | 9 | 8 | 6 | 7 | 1 | - | - | - |
| Female | 1 | 5 | 2 | 4 | 9 | 4 | 6 | 2 | 1 | 1 | 1 | - |
| White, both sexes | 4 | 7 | 7 | 9 | 17 | 12 | 10 | 9 | 2 | 1 | 1 | - |
| Male | 3 | 3 | 5 | 5 | 9 | 8 | 5 | 7 | 1 | - | - | - |
| Female | 1 | 4 | 2 | 4 | 8 | 4 | 5 | 2 | 1 | 1 | 1 | - |
| Black, both sexes | - | - | 1 | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | 2 | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 64 | 86 | 106 | 103 | 145 | 202 | 233 | 145 | 69 | 11 | 1 | - |
| Male | 37 | 49 | 66 | 61 | 86 | 100 | 105 | 63 | 33 | 2 | - | - |
| Female | 27 | 37 | 40 | 42 | 59 | 102 | 128 | 82 | 36 | 9 | 1 | - |
| White, both sexes | 50 | 65 | 92 | 87 | 129 | 185 | 220 | 138 | 67 | 10 | 1 | - |
| Male | 30 | 35 | 56 | 55 | 77 | 93 | 98 | 61 | 33 | 2 | - | - |
| Female | 20 | 30 | 36 | 32 | 52 | 92 | 122 | 77 | 34 | 8 | 1 | - |
| Black, both sexes | 10 | 16 | 12 | 15 | 12 | 15 | 11 | 5 | 2 | 1 | - | - |
| Male | 5 | 10 | 9 | 6 | 7 | 6 | 6 | 2 | - | - | - | - |
| Female | 5 | 6 | 3 | 9 | 5 | 9 | 5 | 3 | 2 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | 5 | 2 | 1 | 4 | 2 | 2 | 2 | - | - | - | - |
| Male | 2 | 4 | 1 | - | 2 | 1 | 1 | - | - | - | - | - |
| Female | 2 | 1 | 1 | 1 | 2 | 1 | 1 | 2 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 19 | 43 | 51 | 62 | 63 | 89 | 78 | 73 | 23 | 4 | - | - |
| Male | 14 | 24 | 39 | 32 | 35 | 50 | 33 | 28 | 11 | 1 | - | - |
| Female | 5 | 19 | 12 | 30 | 28 | 39 | 45 | 45 | 12 | 3 | - | - |
| White, both sexes | 12 | 38 | 41 | 52 | 55 | 79 | 74 | 68 | 21 | 3 | - | - |
| Male | 9 | 22 | 32 | 27 | 29 | 44 | 32 | 28 | 10 | 1 | - | - |
| Female | 3 | 16 | 9 | 25 | 26 | 35 | 42 | 40 | 11 | 2 | - | - |
| Black, both sexes | 6 | 4 | 7 | 10 | 8 | 10 | 4 | 5 | 1 | 1 | - | - |
| Male | 4 | 2 | 5 | 5 | 6 | 6 | 1 | - | - | - | - | - |
| Female | 2 | 2 | 2 | 5 | 2 | 4 | 3 | 5 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | 1 | 2 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | 1 | - | - | - | - | - | 1 | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 3 | 3 | 7 | 3 | 11 | 11 | 9 | 7 | 3 | - | - | - |
| Male | 1 | 3 | 5 | 2 | 7 | 6 | 2 | 5 | - | - | - | - |
| Female | 2 | - | 2 | 1 | 4 | 5 | 7 | 2 | 3 | - | - | - |
| White, both sexes | 2 | 3 | 6 | 3 | 11 | 11 | 9 | 7 | 3 | - | - | - |
| Male | 1 | 3 | 4 | 2 | 7 | 6 | 2 | 5 | - | - | - | - |
| Female | 1 | - | 2 | 1 | 4 | 5 | 7 | 2 | 3 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 34 | 60 | 62 | 85 | 116 | 164 | 153 | 113 | 43 | 6 | 2 | - |
| Male | 25 | 36 | 34 | 52 | 64 | 85 | 71 | 44 | 18 | 1 | - | - |
| Female | 9 | 24 | 28 | 33 | 52 | 79 | 82 | 69 | 25 | 5 | 2 | - |
| White, both sexes | 31 | 54 | 58 | 81 | 114 | 157 | 145 | 110 | 43 | 5 | 2 | - |
| Male | 22 | 34 | 30 | 50 | 62 | 81 | 67 | 43 | 18 | 1 | - | - |
| Female | 9 | 20 | 28 | 31 | 52 | 76 | 78 | 67 | 25 | 4 | 2 | - |
| Black, both sexes | 3 | 6 | 3 | 4 | 2 | 5 | 8 | 3 | - | 1 | - | - |
| Male | 3 | 2 | 3 | 2 | 2 | 3 | 4 | 1 | - | - | - | - |
| Female | - | 4 | - | 2 | - | 2 | 4 | 2 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | 2 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 11 | 9 | 30 | 31 | 30 | 42 | 37 | 30 | 12 | 1 | 2 | - |
| Male | 7 | 5 | 16 | 20 | 19 | 21 | 18 | 11 | 3 | 1 | 1 | - |
| Female | 4 | 4 | 14 | 11 | 11 | 21 | 19 | 19 | 9 | - | 1 | - |
| White, both sexes | 10 | 9 | 27 | 27 | 27 | 39 | 34 | 30 | 11 | - | 2 | - |
| Male | 6 | 5 | 14 | 17 | 17 | 20 | 16 | 11 | 2 | - | 1 | - |
| Female | 4 | 4 | 13 | 10 | 10 | 19 | 18 | 19 | 9 | - | 1 | - |
| Black, both sexes | 1 | - | 1 | - | 2 | 1 | 1 | - | - | - | - | - |
| Male | 1 | - | 1 | - | 1 | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 2 | 3 | 1 | 2 | 2 | - | 1 | 1 | - | - |
| Male | - | - | 1 | 2 | 1 | 1 | 1 | - | 1 | 1 | - | - |
| Female | - | - | 1 | 1 | - | 1 | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 11 | 16 | 26 | 22 | 40 | 39 | 66 | 62 | 11 | 2 | - | - |
| Male | 6 | 7 | 14 | 10 | 27 | 18 | 24 | 28 | 4 | 1 | - | - |
| Female | 5 | 9 | 12 | 12 | 13 | 21 | 42 | 34 | 7 | 1 | - | - |
| White, both sexes | 10 | 15 | 24 | 21 | 38 | 39 | 64 | 62 | 11 | 2 | - | - |
| Male | 6 | 7 | 13 | 10 | 25 | 18 | 23 | 28 | 4 | 1 | - | - |
| Female | 4 | 8 | 11 | 11 | 13 | 21 | 41 | 34 | 7 | 1 | - | - |
| Black, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | 1 | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 44 | 64 | 70 | 100 | 161 | 190 | 216 | 166 | 63 | 13 | 4 | - |
| Male | 31 | 42 | 45 | 59 | 87 | 86 | 106 | 78 | 24 | 2 | - | - |
| Female | 13 | 22 | 25 | 41 | 74 | 104 | 110 | 88 | 39 | 11 | 4 | - |
| White, both sexes | 41 | 59 | 68 | 95 | 151 | 187 | 205 | 161 | 62 | 13 | 4 | - |
| Male | 30 | 40 | 44 | 57 | 83 | 86 | 102 | 77 | 23 | 2 | - | - |
| Female | 11 | 19 | 24 | 38 | 68 | 101 | 103 | 84 | 39 | 11 | 4 | - |
| Black, both sexes | 3 | 5 | 2 | 4 | 9 | 3 | 10 | 5 | 1 | - | - | - |
| Male | 1 | 2 | 1 | 1 | 3 | - | 4 | 1 | 1 | - | - | - |
| Female | 2 | 3 | 1 | 3 | 6 | 3 | 6 | 4 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 5 | 3 | 8 | 6 | 15 | 12 | 14 | 10 | 6 | 2 | - | - |
| Male | 4 | 2 | 3 | 4 | 7 | 8 | 9 | 4 | - | 1 | - | - |
| Female | 1 | 1 | 5 | 2 | 8 | 4 | 5 | 6 | 6 | 1 | - | - |
| White, both sexes | 3 | 3 | 8 | 6 | 15 | 12 | 14 | 10 | 6 | 2 | - | - |
| Male | 2 | 2 | 3 | 4 | 7 | 8 | 9 | 4 | - | 1 | - | - |
| Female | 1 | 1 | 5 | 2 | 8 | 4 | 5 | 6 | 6 | 1 | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 10 | 26 | 17 | 27 | 37 | 52 | 45 | 29 | 15 | 3 | - | - |
| Male | 8 | 14 | 7 | 17 | 26 | 25 | 23 | 13 | 9 | - | - | - |
| Female | 2 | 12 | 10 | 10 | 11 | 27 | 22 | 16 | 6 | 3 | - | - |
| White, both sexes | 7 | 19 | 12 | 20 | 31 | 44 | 40 | 25 | 14 | 2 | - | - |
| Male | 5 | 11 | 5 | 12 | 22 | 23 | 20 | 11 | 9 | - | - | - |
| Female | 2 | 8 | 7 | 8 | 9 | 21 | 20 | 14 | 5 | 2 | - | - |
| Black, both sexes | 3 | 7 | 5 | 7 | 5 | 8 | 5 | 4 | 1 | 1 | - | - |
| Male | 3 | 3 | 2 | 5 | 3 | 2 | 3 | 2 | - | - | - | - |
| Female | - | 4 | 3 | 2 | 2 | 6 | 2 | 2 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 6 | 5 | 2 | 14 | 15 | 6 | 3 | - | - | - |
| Male | - | 1 | 3 | 3 | 1 | 9 | 9 | 1 | 1 | - | - | - |
| Female | - | 1 | 3 | 2 | 1 | 5 | 6 | 5 | 2 | - | - | - |
| White, both sexes | - | 1 | 6 | 4 | 2 | 14 | 15 | 5 | 3 | - | - | - |
| Male | - | 1 | 3 | 3 | 1 | 9 | 9 | 1 | 1 | - | - | - |
| Female | - | - | 3 | 1 | 1 | 5 | 6 | 4 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | 1 | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 27 | 40 | 43 | 49 | 69 | 69 | 69 | 48 | 16 | 1 | - | - |
| Male | 18 | 27 | 25 | 24 | 35 | 35 | 34 | 15 | 6 | 1 | - | - |
| Female | 9 | 13 | 18 | 25 | 34 | 34 | 35 | 33 | 10 | - | - | - |
| White, both sexes | 24 | 33 | 41 | 47 | 66 | 64 | 63 | 44 | 15 | - | - | - |
| Male | 17 | 21 | 24 | 24 | 32 | 32 | 32 | 14 | 5 | - | - | - |
| Female | 7 | 12 | 17 | 23 | 34 | 32 | 31 | 30 | 10 | - | - | - |
| Black, both sexes | 3 | 7 | 2 | 2 | 3 | 5 | 6 | 4 | 1 | 1 | - | - |
| Male | 1 | 6 | 1 | - | 3 | 3 | 2 | 1 | 1 | 1 | - | - |
| Female | 2 | 1 | 1 | 2 | - | 2 | 4 | 3 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 74 | 78 | 107 | 125 | 169 | 205 | 216 | 139 | 49 | 7 | - | - |
| Male | 47 | 43 | 59 | 83 | 98 | 108 | 97 | 61 | 23 | 3 | - | - |
| Female | 27 | 35 | 48 | 42 | 71 | 97 | 119 | 78 | 26 | 4 | - | - |
| White, both sexes | 57 | 67 | 91 | 121 | 159 | 196 | 208 | 130 | 44 | 6 | - | - |
| Male | 37 | 36 | 52 | 80 | 89 | 104 | 92 | 58 | 19 | 3 | - | - |
| Female | 20 | 31 | 39 | 41 | 70 | 92 | 116 | 72 | 25 | 3 | - | - |
| Black, both sexes | 15 | 11 | 14 | 4 | 8 | 6 | 5 | 8 | 4 | 1 | - | - |
| Male | 8 | 7 | 6 | 3 | 7 | 2 | 4 | 3 | 3 | - | - | - |
| Female | 7 | 4 | 8 | 1 | 1 | 4 | 1 | 5 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | 1 | - | 2 | 3 | 3 | 1 | 1 | - | - | - |
| Male | 2 | - | - | - | 2 | 2 | 1 | - | 1 | - | - | - |
| Female | - | - | 1 | - | - | 1 | 2 | 1 | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 4 | 8 | 7 | 8 | 18 | 16 | 24 | 18 | 7 | - | 1 | - |
| Male | 3 | 3 | 6 | 5 | 11 | 6 | 9 | 10 | 3 | - | - | - |
| Female | 1 | 5 | 1 | 3 | 7 | 10 | 15 | 8 | 4 | - | 1 | - |
| White, both sexes | 4 | 8 | 6 | 8 | 18 | 16 | 24 | 18 | 7 | - | 1 | - |
| Male | 3 | 3 | 5 | 5 | 11 | 6 | 9 | 10 | 3 | - | - | - |
| Female | 1 | 5 | 1 | 3 | 7 | 10 | 15 | 8 | 4 | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 1 | 5 | - | 4 | 10 | 8 | 4 | 4 | 4 | - | - | - |
| Male | - | - | - | 2 | 6 | 6 | 3 | 1 | 2 | - | - | - |
| Female | 1 | 5 | - | 2 | 4 | 2 | 1 | 3 | 2 | - | - | - |
| White, both sexes | 1 | 5 | - | 4 | 10 | 8 | 4 | 4 | 4 | - | - | - |
| Male | - | - | - | 2 | 6 | 6 | 3 | 1 | 2 | - | - | - |
| Female | 1 | 5 | - | 2 | 4 | 2 | 1 | 3 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 23 | 42 | 40 | 50 | 57 | 77 | 73 | 50 | 24 | 3 | 1 | - |
| Male | 12 | 29 | 24 | 29 | 37 | 41 | 32 | 17 | 7 | - | 1 | - |
| Female | 11 | 13 | 16 | 21 | 20 | 36 | 41 | 33 | 17 | 3 | - | - |
| White, both sexes | 15 | 35 | 31 | 44 | 46 | 71 | 69 | 45 | 21 | 3 | - | - |
| Male | 6 | 25 | 21 | 26 | 31 | 40 | 31 | 15 | 6 | - | - | - |
| Female | 9 | 10 | 10 | 18 | 15 | 31 | 38 | 30 | 15 | 3 | - | - |
| Black, both sexes | 8 | 6 | 7 | 4 | 8 | 5 | 2 | 4 | 2 | - | 1 | - |
| Male | 6 | 3 | 3 | 2 | 4 | 1 | 1 | 1 | 1 | - | 1 | - |
| Female | 2 | 3 | 4 | 2 | 4 | 4 | 1 | 3 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 2 | 2 | 3 | 1 | 2 | 1 | 1 | - | - | - |
| Male | - | 1 | - | 1 | 2 | - | - | 1 | - | - | - | - |
| Female | - | - | 2 | 1 | 1 | 1 | 2 | - | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 19 | 25 | 30 | 33 | 50 | 76 | 86 | 55 | 27 | 6 | - | - |
| Male | 13 | 14 | 20 | 20 | 31 | 37 | 32 | 23 | 6 | - | - | - |
| Female | 6 | 11 | 10 | 13 | 19 | 39 | 54 | 32 | 21 | 6 | - | - |
| White, both sexes | 14 | 21 | 27 | 31 | 45 | 74 | 85 | 52 | 27 | 6 | - | - |
| Male | 10 | 12 | 18 | 19 | 27 | 35 | 32 | 23 | 6 | - | - | - |
| Female | 4 | 9 | 9 | 12 | 18 | 39 | 53 | 29 | 21 | 6 | - | - |
| Black, both sexes | 1 | 2 | 2 | 1 | 2 | 1 | - | 1 | - | - | - | - |
| Male | 1 | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | 1 | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | 1 | 2 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 2 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | 2 | 1 | 1 | 3 | 1 | - | - | - | - | - | - |
| Male | 1 | 1 | 1 | - | 3 | 1 | - | - | - | - | - | - |
| Female | 2 | 1 | - | 1 | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 10 | 12 | 11 | 12 | 29 | 31 | 26 | 22 | 3 | 1 | - | - |
| Male | 6 | 7 | 5 | 7 | 19 | 23 | 12 | 5 | 1 | - | - | - |
| Female | 4 | 5 | 6 | 5 | 10 | 8 | 14 | 17 | 2 | 1 | - | - |
| White, both sexes | 10 | 12 | 11 | 12 | 29 | 31 | 24 | 22 | 3 | 1 | - | - |
| Male | 6 | 7 | 5 | 7 | 19 | 23 | 12 | 5 | 1 | - | - | - |
| Female | 4 | 5 | 6 | 5 | 10 | 8 | 12 | 17 | 2 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 2 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Non-Hodgkin's lymphoma (C82-C85) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 18 | 23 | 31 | 48 | 56 | 83 | 80 | 70 | 30 | 9 | - | - |
| Male | 8 | 13 | 16 | 31 | 31 | 55 | 33 | 31 | 7 | 3 | - | - |
| Female | 10 | 10 | 15 | 17 | 25 | 28 | 47 | 39 | 23 | 6 | - | - |
| White, both sexes | 17 | 22 | 31 | 47 | 55 | 82 | 79 | 68 | 30 | 9 | - | - |
| Male | 7 | 12 | 16 | 31 | 31 | 55 | 33 | 30 | 7 | 3 | - | - |
| Female | 10 | 10 | 15 | 16 | 24 | 27 | 46 | 38 | 23 | 6 | - | - |
| Black, both sexes | 1 | 1 | - | 1 | 1 | 1 | - | 1 | - | - | - | - |
| Male | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | 1 | 1 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 2 | 6 | 2 | 4 | 5 | 7 | 6 | 6 | 1 | - | - | - |
| Male | - | 3 | 1 | 2 | 4 | 5 | 1 | 1 | 1 | - | - | - |
| Female | 2 | 3 | 1 | 2 | 1 | 2 | 5 | 5 | - | - | - | - |
| White, both sexes | 2 | 6 | 2 | 4 | 5 | 7 | 6 | 6 | 1 | - | - | - |
| Male | - | 3 | 1 | 2 | 4 | 5 | 1 | 1 | 1 | - | - | - |
| Female | 2 | 3 | 1 | 2 | 1 | 2 | 5 | 5 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 60 | 1 | 2 | 1 | - | - | - | 1 | - | 1 | 2 | 1 |
| Male | 40 | 1 | 1 | - | - | - | - | - | - | 1 | 2 | 1 |
| Female | 20 | - | 1 | 1 | - | - | - | 1 | - | - | - | - |
| White, both sexes | 53 | 1 | 1 | 1 | - | - | - | 1 | - | 1 | 2 | 1 |
| Male | 36 | 1 | 1 | - | - | - | - | - | - | 1 | 2 | 1 |
| Female | 17 | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Black, both sexes | 6 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 3 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 1 | 4 | 6 | 6 | 8 | 7 | 9 | 5 | 5 | - | - | - |
| Male | - | 3 | 4 | 4 | 6 | 5 | 6 | 3 | 3 | - | - | - |
| Female | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | - | - | - |
| White, both sexes | 1 | 3 | 6 | 6 | 6 | 7 | 7 | 5 | 4 | - | - | - |
| Male | - | 2 | 4 | 4 | 4 | 5 | 5 | 3 | 3 | - | - | - |
| Female | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 1 | - | - | - |
| Black, both sexes | - | 1 | - | - | 2 | - | 1 | - | 1 | - | - | - |
| Male | - | 1 | - | - | 2 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | 1 | 3 | - | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | 3 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | 1 | - | - | - |
| White, both sexes | - | - | - | 1 | - | 1 | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 2 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | 1 | 1 | - | 2 | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | 1 | - | 2 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | 2 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | 2 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | 1 | - | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Female | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | 1 | - | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Female | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | - | - | 1 | - | 2 | - | - | - | - |
| Male | - | 1 | 1 | - | - | 1 | - | 2 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | 1 | - | - | 1 | - | 2 | - | - | - | - |
| Male | - | 1 | 1 | - | - | 1 | - | 2 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified lymphoid, hematopoietic and related tissue (C96) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 349 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 200 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 149 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 332 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 190 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 142 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 38 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 23 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 15 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 34 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 20 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 26 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 26 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 19 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 19 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 16 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 20 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 19 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 3 | 12 | 25 | 26 | 33 | 72 | 68 | 70 | 33 | 5 | - | - |
| Male | 2 | 9 | 13 | 16 | 18 | 40 | 40 | 43 | 17 | 1 | - | - |
| Female | 1 | 3 | 12 | 10 | 15 | 32 | 28 | 27 | 16 | 4 | - | - |
| White, both sexes | 2 | 10 | 23 | 25 | 29 | 70 | 66 | 69 | 32 | 5 | - | - |
| Male | 2 | 8 | 11 | 16 | 16 | 38 | 39 | 42 | 17 | 1 | - | - |
| Female | - | 2 | 12 | 9 | 13 | 32 | 27 | 27 | 15 | 4 | - | - |
| Black, both sexes | 1 | 2 | 2 | - | 3 | 1 | - | - | 1 | - | - | - |
| Male | - | 1 | 2 | - | 1 | 1 | - | - | - | - | - | - |
| Female | 1 | 1 | - | - | 2 | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | 1 | 1 | 2 | 1 | - | - | - | - |
| Male | - | - | - | - | 1 | 1 | 1 | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | 1 | 3 | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | 3 | - | 1 | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | 1 | 2 | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | 2 | - | 1 | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | 1 | 3 | 1 | 1 | - | - | - | - |
| Male | - | 1 | - | - | - | 2 | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| White, both sexes | - | 1 | - | - | 1 | 3 | 1 | 1 | - | - | - | - |
| Male | - | 1 | - | - | - | 2 | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 2 | 2 | 5 | 6 | 10 | 9 | 1 | - | - | - |
| Male | 1 | - | 2 | 1 | 4 | 4 | 3 | 6 | 1 | - | - | - |
| Female | - | 1 | - | 1 | 1 | 2 | 7 | 3 | - | - | - | - |
| White, both sexes | 1 | 1 | 1 | 2 | 4 | 6 | 9 | 9 | 1 | - | - | - |
| Male | 1 | - | 1 | 1 | 3 | 4 | 3 | 6 | 1 | - | - | - |
| Female | - | 1 | - | 1 | 1 | 2 | 6 | 3 | - | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 2 | 2 | 2 | - | 1 | - | - | - |
| Male | - | - | - | - | - | 2 | 1 | - | 1 | - | - | - |
| Female | - | - | - | - | 2 | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | 2 | 2 | 2 | - | 1 | - | - | - |
| Male | - | - | - | - | - | 2 | 1 | - | 1 | - | - | - |
| Female | - | - | - | - | 2 | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | 1 | 4 | 2 | 1 | - | - | - |
| Male | - | - | - | - | 1 | 1 | 2 | 1 | 1 | - | - | - |
| Female | - | - | - | - | - | - | 2 | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | 1 | 4 | 2 | 1 | - | - | - |
| Male | - | - | - | - | 1 | 1 | 2 | 1 | 1 | - | - | - |
| Female | - | - | - | - | - | - | 2 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 1 | 1 | 5 | 6 | 5 | 3 | 3 | - | - | - |
| Male | - | 1 | - | 1 | 2 | 3 | 3 | 1 | 2 | - | - | - |
| Female | - | 1 | 1 | - | 3 | 3 | 2 | 2 | 1 | - | - | - |
| White, both sexes | - | 2 | 1 | 1 | 5 | 6 | 5 | 3 | 3 | - | - | - |
| Male | - | 1 | - | 1 | 2 | 3 | 3 | 1 | 2 | - | - | - |
| Female | - | 1 | 1 | - | 3 | 3 | 2 | 2 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 2 | 1 | 1 | 3 | 3 | 1 | - | - | - |
| Male | - | - | 1 | 1 | - | 1 | 1 | 2 | 1 | - | - | - |
| Female | - | - | - | 1 | 1 | - | 2 | 1 | - | - | - | - |
| White, both sexes | - | - | 1 | 2 | 1 | 1 | 3 | 3 | 1 | - | - | - |
| Male | - | - | 1 | 1 | - | 1 | 1 | 2 | 1 | - | - | - |
| Female | - | - | - | 1 | 1 | - | 2 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | 1 | 1 | - | 4 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | 3 | - | - | - | - |
| Female | - | 1 | - | - | 1 | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | 1 | - | 4 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | 3 | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 3 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 2 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 3 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 2 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 2 | - | 1 | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Female | - | - | - | 2 | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 2 | - | 1 | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Female | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 2 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | - | 2 | 1 | 3 | 2 | 2 | 6 | 3 | - | - | - |
| Male | - | - | 2 | - | 3 | 1 | 1 | 3 | 2 | - | - | - |
| Female | - | - | - | 1 | - | 1 | 1 | 3 | 1 | - | - | - |
| White, both sexes | - | - | 2 | 1 | 3 | 2 | 2 | 6 | 3 | - | - | - |
| Male | - | - | 2 | - | 3 | 1 | 1 | 3 | 2 | - | - | - |
| Female | - | - | - | 1 | - | 1 | 1 | 3 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 3 | - | - | 2 | 1 | 4 | 1 | 1 | - | - |
| Male | 1 | - | 3 | - | - | 2 | 1 | 2 | - | - | - | - |
| Female | - | - | - | - | - | - | - | 2 | 1 | 1 | - | - |
| White, both sexes | 1 | - | 2 | - | - | 2 | 1 | 4 | 1 | 1 | - | - |
| Male | 1 | - | 2 | - | - | 2 | 1 | 2 | - | - | - | - |
| Female | - | - | - | - | - | - | - | 2 | 1 | 1 | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | 2 | 3 | 2 | - | - | - |
| Male | - | - | 1 | - | - | - | 2 | 2 | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | 2 | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | 2 | 3 | 2 | - | - | - |
| Male | - | - | 1 | - | - | - | 2 | 2 | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 2 | - | - | 2 | - | 2 | 2 | - | - |
| Male | - | - | 1 | 1 | - | - | - | - | 2 | 1 | - | - |
| Female | - | - | - | 1 | - | - | 2 | - | - | 1 | - | - |
| White, both sexes | - | - | 1 | 2 | - | - | 2 | - | 2 | 2 | - | - |
| Male | - | - | 1 | 1 | - | - | - | - | 2 | 1 | - | - |
| Female | - | - | - | 1 | - | - | 2 | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | 1 | 3 | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | 3 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | 1 | 3 | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | 3 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 2 | - | 1 | 2 | 5 | 5 | 2 | - | - | - |
| Male | - | 1 | 2 | - | 1 | 1 | 4 | 3 | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | 2 | 2 | - | - | - |
| White, both sexes | - | 1 | 2 | - | 1 | 2 | 4 | 4 | 2 | - | - | - |
| Male | - | 1 | 2 | - | 1 | 1 | 3 | 2 | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | 2 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 1 | 4 | 2 | 4 | 2 | 2 | 3 | - | - | - |
| Male | - | 1 | - | 2 | 2 | - | 2 | 2 | 1 | - | - | - |
| Female | 1 | - | 1 | 2 | - | 4 | - | - | 2 | - | - | - |
| White, both sexes | - | 1 | 1 | 4 | 2 | 4 | 2 | 2 | 2 | - | - | - |
| Male | - | 1 | - | 2 | 2 | - | 2 | 2 | 1 | - | - | - |
| Female | - | - | 1 | 2 | - | 4 | - | - | 1 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 1 | - | - | 1 | 3 | 2 | - | - | - |
| Male | - | - | - | 1 | - | - | - | 1 | 1 | - | - | - |
| Female | - | - | 1 | - | - | - | 1 | 2 | 1 | - | - | - |
| White, both sexes | - | - | 1 | 1 | - | - | 1 | 3 | 2 | - | - | - |
| Male | - | - | - | 1 | - | - | - | 1 | 1 | - | - | - |
| Female | - | - | 1 | - | - | - | 1 | 2 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 1 | - | 5 | 4 | 5 | 1 | - | - | - |
| Male | - | 1 | - | 1 | - | 3 | 2 | 4 | 1 | - | - | - |
| Female | - | - | - | - | - | 2 | 2 | 1 | - | - | - | - |
| White, both sexes | - | 1 | - | 1 | - | 5 | 4 | 5 | 1 | - | - | - |
| Male | - | 1 | - | 1 | - | 3 | 2 | 4 | 1 | - | - | - |
| Female | - | - | - | - | - | 2 | 2 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | - | 1 | 2 | - | - | 1 | - | - | - |
| Male | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | 2 | - | - | 1 | - | - | - |
| White, both sexes | - | 1 | 1 | - | 1 | 2 | - | - | 1 | - | - | - |
| Male | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | 2 | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 4 | - | 2 | 5 | 3 | 1 | 3 | - | - | - |
| Male | - | 1 | - | - | - | 4 | 2 | - | 2 | - | - | - |
| Female | - | - | 4 | - | 2 | 1 | 1 | 1 | 1 | - | - | - |
| White, both sexes | - | 1 | 4 | - | 1 | 4 | 3 | 1 | 3 | - | - | - |
| Male | - | 1 | - | - | - | 3 | 2 | - | 2 | - | - | - |
| Female | - | - | 4 | - | 1 | 1 | 1 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 2 | - | 1 | 1 | 1 | - | 2 | - | - |
| Male | - | - | - | 2 | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | - | 2 | - | - |
| White, both sexes | - | - | - | 2 | - | 1 | 1 | 1 | - | 2 | - | - |
| Male | - | - | - | 2 | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | - | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 2 | - | 5 | 3 | 2 | 1 | - | - | - |
| Male | - | - | - | 2 | - | - | 3 | 1 | - | - | - | - |
| Female | - | - | - | - | - | 5 | - | 1 | 1 | - | - | - |
| White, both sexes | - | - | - | 2 | - | 5 | 3 | 2 | 1 | - | - | - |
| Male | - | - | - | 2 | - | - | 3 | 1 | - | - | - | - |
| Female | - | - | - | - | - | 5 | - | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 1 | 2 | - | 2 | 1 | 2 | - | - | - |
| Male | - | - | - | - | 2 | - | 2 | - | 1 | - | - | - |
| Female | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - |
| White, both sexes | - | - | 1 | 1 | 1 | - | 2 | 1 | 2 | - | - | - |
| Male | - | - | - | - | 1 | - | 2 | - | 1 | - | - | - |
| Female | - | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | - | 2 | 1 | - | 3 | 2 | 4 | - | - | - | - |
| Male | - | - | 1 | - | - | 3 | 1 | 3 | - | - | - | - |
| Female | - | - | 1 | 1 | - | - | 1 | 1 | - | - | - | - |
| White, both sexes | - | - | 2 | - | - | 3 | 2 | 4 | - | - | - | - |
| Male | - | - | 1 | - | - | 3 | 1 | 3 | - | - | - | - |
| Female | - | - | 1 | - | - | - | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Malignant immunoproliferative diseases (C88) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | 3 | 3 | 1 | 1 | - | - | - |
| Male | - | 1 | - | - | - | 1 | 2 | 1 | - | - | - | - |
| Female | - | - | - | - | - | 2 | 1 | - | 1 | - | - | - |
| White, both sexes | - | 1 | - | - | - | 3 | 3 | 1 | 1 | - | - | - |
| Male | - | 1 | - | - | - | 1 | 2 | 1 | - | - | - | - |
| Female | - | - | - | - | - | 2 | 1 | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 10,851 | - | - | - | - | - | 1 | 1 | 10 | 29 | 102 | 241 |
| Male | 5,745 | - | - | - | - | - | 1 | 1 | 7 | 20 | 63 | 140 |
| Female | 5,106 | - | - | - | - | - | - | - | 3 | 9 | 39 | 101 |
| White, both sexes | 8,839 | - | - | - | - | - | 1 | 1 | 5 | 21 | 71 | 163 |
| Male | 4,747 | - | - | - | - | - | 1 | 1 | 3 | 16 | 47 | 96 |
| Female | 4,092 | - | - | - | - | - | - | - | 2 | 5 | 24 | 67 |
| Black, both sexes | 1,775 | - | - | - | - | - | - | - | 5 | 7 | 27 | 64 |
| Male | 877 | - | - | - | - | - | - | - | 4 | 4 | 15 | 39 |
| Female | 898 | - | - | - | - | - | - | - | 1 | 3 | 12 | 25 |
| American Indian 1/, both sexes | 63 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 36 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 27 | - | - | - | - | - | - | - | - | - | - | 2 |
| Asian or Pacific Islander 2/, both sexes | 174 | - | - | - | - | - | - | - | - | 1 | 3 | 12 |
| Male | 85 | - | - | - | - | - | - | - | - | - | - | 5 |
| Female | 89 | - | - | - | - | - | - | - | - | 1 | 3 | 7 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 219 | - | - | - | - | - | - | - | - | - | 1 | 7 |
| Male | 97 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Female | 122 | - | - | - | - | - | - | - | - | - | - | 4 |
| White, both sexes | 158 | - | - | - | - | - | - | - | - | - | 1 | 4 |
| Male | 71 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 87 | - | - | - | - | - | - | - | - | - | - | 2 |
| Black, both sexes | 61 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | 26 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 35 | - | - | - | - | - | - | - | - | - | - | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 198 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 104 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 94 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 176 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 91 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 85 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 106 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 54 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 52 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 84 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 41 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 43 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 22 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 13 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 1,095 | - | - | - | - | - | 1 | 1 | 2 | 4 | 14 | 40 |
| Male | 578 | - | - | - | - | - | 1 | 1 | 2 | 2 | 5 | 24 |
| Female | 517 | - | - | - | - | - | - | - | - | 2 | 9 | 16 |
| White, both sexes | 890 | - | - | - | - | - | 1 | 1 | 1 | 3 | 9 | 27 |
| Male | 484 | - | - | - | - | - | 1 | 1 | 1 | 2 | 4 | 18 |
| Female | 406 | - | - | - | - | - | - | - | - | 1 | 5 | 9 |
| Black, both sexes | 123 | - | - | - | - | - | - | - | 1 | 1 | 3 | 6 |
| Male | 56 | - | - | - | - | - | - | - | 1 | - | 1 | 3 |
| Female | 67 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 82 | - | - | - | - | - | - | - | - | - | 2 | 7 |
| Male | 38 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | 44 | - | - | - | - | - | - | - | - | - | 2 | 4 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 137 | - | - | - | - | - | - | - | - | 2 | 3 | 1 |
| Male | 72 | - | - | - | - | - | - | - | - | - | 3 | 1 |
| Female | 65 | - | - | - | - | - | - | - | - | 2 | - | - |
| White, both sexes | 126 | - | - | - | - | - | - | - | - | 2 | 3 | 1 |
| Male | 66 | - | - | - | - | - | - | - | - | - | 3 | 1 |
| Female | 60 | - | - | - | - | - | - | - | - | 2 | - | - |
| Black, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 142 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 66 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 76 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 128 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 60 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 68 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 38 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 17 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 21 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 28 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 14 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 24 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 12 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 712 | - | - | - | - | - | - | - | - | - | 5 | 16 |
| Male | 392 | - | - | - | - | - | - | - | - | - | 3 | 8 |
| Female | 320 | - | - | - | - | - | - | - | - | - | 2 | 8 |
| White, both sexes | 593 | - | - | - | - | - | - | - | - | - | 4 | 10 |
| Male | 327 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| Female | 266 | - | - | - | - | - | - | - | - | - | 2 | 7 |
| Black, both sexes | 112 | - | - | - | - | - | - | - | - | - | 1 | 6 |
| Male | 64 | - | - | - | - | - | - | - | - | - | 1 | 5 |
| Female | 48 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 289 | - | - | - | - | - | - | - | - | - | 2 | 9 |
| Male | 143 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Female | 146 | - | - | - | - | - | - | - | - | - | 1 | 6 |
| White, both sexes | 177 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 91 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 86 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 109 | - | - | - | - | - | - | - | - | - | 1 | 7 |
| Male | 51 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 58 | - | - | - | - | - | - | - | - | - | - | 6 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 31 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 16 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 15 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 19 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 42 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 42 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 486 | - | - | - | - | - | - | - | - | 2 | 9 | 8 |
| Male | 240 | - | - | - | - | - | - | - | - | 2 | 7 | 6 |
| Female | 246 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| White, both sexes | 379 | - | - | - | - | - | - | - | - | 1 | 5 | 5 |
| Male | 191 | - | - | - | - | - | - | - | - | 1 | 4 | 4 |
| Female | 188 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | 102 | - | - | - | - | - | - | - | - | 1 | 4 | 3 |
| Male | 46 | - | - | - | - | - | - | - | - | 1 | 3 | 2 |
| Female | 56 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 257 | - | - | - | - | - | - | - | 1 | 3 | 2 | - |
| Male | 150 | - | - | - | - | - | - | - | 1 | 2 | - | - |
| Female | 107 | - | - | - | - | - | - | - | - | 1 | 2 | - |
| White, both sexes | 235 | - | - | - | - | - | - | - | - | 2 | 2 | - |
| Male | 133 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 102 | - | - | - | - | - | - | - | - | 1 | 2 | - |
| Black, both sexes | 22 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Male | 17 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 128 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 76 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 52 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 125 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 74 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 51 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 114 | - | - | - | - | - | - | - | - | 1 | - | 3 |
| Male | 70 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Female | 44 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 103 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Male | 66 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Female | 37 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 181 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| Male | 107 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| Female | 74 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 159 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| Male | 94 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| Female | 65 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 22 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 13 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 166 | - | - | - | - | - | - | - | - | - | 2 | 5 |
| Male | 89 | - | - | - | - | - | - | - | - | - | - | 4 |
| Female | 77 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| White, both sexes | 91 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Male | 53 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 38 | - | - | - | - | - | - | - | - | - | 2 | - |
| Black, both sexes | 75 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | 36 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 39 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 64 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 34 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 30 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 63 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 33 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 30 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 234 | - | - | - | - | - | - | - | 1 | - | 1 | 4 |
| Male | 132 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 102 | - | - | - | - | - | - | - | 1 | - | - | 2 |
| White, both sexes | 155 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 89 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 66 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 74 | - | - | - | - | - | - | - | 1 | - | - | 2 |
| Male | 38 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 36 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 228 | - | - | - | - | - | - | - | 1 | - | 2 | 1 |
| Male | 115 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | 113 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 208 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Male | 106 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 102 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 18 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 397 | - | - | - | - | - | - | - | 2 | 1 | 5 | 9 |
| Male | 221 | - | - | - | - | - | - | - | 1 | 1 | 3 | 6 |
| Female | 176 | - | - | - | - | - | - | - | 1 | - | 2 | 3 |
| White, both sexes | 313 | - | - | - | - | - | - | - | 2 | - | 4 | 5 |
| Male | 178 | - | - | - | - | - | - | - | 1 | - | 3 | 3 |
| Female | 135 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Black, both sexes | 78 | - | - | - | - | - | - | - | - | 1 | 1 | 4 |
| Male | 39 | - | - | - | - | - | - | - | - | 1 | - | 3 |
| Female | 39 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 199 | - | - | - | - | - | - | - | - | - | 1 | 7 |
| Male | 109 | - | - | - | - | - | - | - | - | - | 1 | 5 |
| Female | 90 | - | - | - | - | - | - | - | - | - | - | 2 |
| White, both sexes | 189 | - | - | - | - | - | - | - | - | - | 1 | 5 |
| Male | 104 | - | - | - | - | - | - | - | - | - | 1 | 4 |
| Female | 85 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 118 | - | - | - | - | - | - | - | - | - | 3 | 5 |
| Male | 68 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| Female | 50 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| White, both sexes | 59 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 36 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 23 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 59 | - | - | - | - | - | - | - | - | - | 3 | 3 |
| Male | 32 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Female | 27 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 244 | - | - | - | - | - | - | - | - | 1 | 1 | 5 |
| Male | 147 | - | - | - | - | - | - | - | - | 1 | 1 | 4 |
| Female | 97 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 213 | - | - | - | - | - | - | - | - | 1 | 1 | 4 |
| Male | 124 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| Female | 89 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 28 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 20 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 39 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 20 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 19 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 36 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 18 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 54 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 29 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 25 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 52 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 28 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 24 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 50 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 29 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 21 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 43 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 26 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 17 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 49 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 21 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 28 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 49 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 21 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 28 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 315 | - | - | - | - | - | - | - | - | 1 | 4 | 10 |
| Male | 158 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Female | 157 | - | - | - | - | - | - | - | - | 1 | 3 | 7 |
| White, both sexes | 248 | - | - | - | - | - | - | - | - | - | 2 | 6 |
| Male | 132 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 116 | - | - | - | - | - | - | - | - | - | 1 | 4 |
| Black, both sexes | 61 | - | - | - | - | - | - | - | - | 1 | 2 | 4 |
| Male | 23 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 38 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 64 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 34 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 30 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 57 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 31 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 26 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 654 | - | - | - | - | - | - | - | - | 2 | 4 | 20 |
| Male | 323 | - | - | - | - | - | - | - | - | 1 | 2 | 15 |
| Female | 331 | - | - | - | - | - | - | - | - | 1 | 2 | 5 |
| White, both sexes | 515 | - | - | - | - | - | - | - | - | 2 | 4 | 11 |
| Male | 265 | - | - | - | - | - | - | - | - | 1 | 2 | 8 |
| Female | 250 | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| Black, both sexes | 129 | - | - | - | - | - | - | - | - | - | - | 8 |
| Male | 52 | - | - | - | - | - | - | - | - | - | - | 6 |
| Female | 77 | - | - | - | - | - | - | - | - | - | - | 2 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 363 | - | - | - | - | - | - | - | - | - | 2 | 5 |
| Male | 182 | - | - | - | - | - | - | - | - | - | 1 | 4 |
| Female | 181 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| White, both sexes | 256 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 133 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 123 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 104 | - | - | - | - | - | - | - | - | - | 2 | 3 |
| Male | 47 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Female | 57 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 24 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 24 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 494 | - | - | - | - | - | - | - | 1 | 1 | 6 | 7 |
| Male | 235 | - | - | - | - | - | - | - | 1 | 1 | 6 | 4 |
| Female | 259 | - | - | - | - | - | - | - | - | - | - | 3 |
| White, both sexes | 411 | - | - | - | - | - | - | - | 1 | 1 | 5 | 6 |
| Male | 195 | - | - | - | - | - | - | - | 1 | 1 | 5 | 3 |
| Female | 216 | - | - | - | - | - | - | - | - | - | - | 3 |
| Black, both sexes | 82 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 39 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 43 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 117 | - | - | - | - | - | - | - | - | 2 | 1 | 4 |
| Male | 68 | - | - | - | - | - | - | - | - | 2 | - | 3 |
| Female | 49 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| White, both sexes | 96 | - | - | - | - | - | - | - | - | 2 | 1 | 4 |
| Male | 59 | - | - | - | - | - | - | - | - | 2 | - | 3 |
| Female | 37 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 138 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 84 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 54 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 133 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 81 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 52 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 556 | - | - | - | - | - | - | - | - | 2 | 5 | 17 |
| Male | 298 | - | - | - | - | - | - | - | - | 2 | 2 | 12 |
| Female | 258 | - | - | - | - | - | - | - | - | - | 3 | 5 |
| White, both sexes | 480 | - | - | - | - | - | - | - | - | 2 | 4 | 13 |
| Male | 257 | - | - | - | - | - | - | - | - | 2 | 2 | 9 |
| Female | 223 | - | - | - | - | - | - | - | - | - | 2 | 4 |
| Black, both sexes | 74 | - | - | - | - | - | - | - | - | - | 1 | 4 |
| Male | 40 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | 34 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 42 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 24 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 41 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 24 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 154 | - | - | - | - | - | - | - | 2 | - | 3 | 5 |
| Male | 77 | - | - | - | - | - | - | - | 1 | - | 1 | 3 |
| Female | 77 | - | - | - | - | - | - | - | 1 | - | 2 | 2 |
| White, both sexes | 97 | - | - | - | - | - | - | - | 1 | - | 1 | 4 |
| Male | 53 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Female | 44 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Black, both sexes | 56 | - | - | - | - | - | - | - | 1 | - | 2 | - |
| Male | 24 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 32 | - | - | - | - | - | - | - | - | - | 2 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 27 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 15 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 26 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 244 | - | - | - | - | - | - | - | - | - | 3 | 4 |
| Male | 128 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Female | 116 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| White, both sexes | 201 | - | - | - | - | - | - | - | - | - | 2 | 4 |
| Male | 102 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 99 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Black, both sexes | 42 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 25 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 696 | - | - | - | - | - | - | - | - | 3 | 11 | 17 |
| Male | 370 | - | - | - | - | - | - | - | - | 1 | 8 | 6 |
| Female | 326 | - | - | - | - | - | - | - | - | 2 | 3 | 11 |
| White, both sexes | 567 | - | - | - | - | - | - | - | - | - | 7 | 16 |
| Male | 299 | - | - | - | - | - | - | - | - | - | 6 | 5 |
| Female | 268 | - | - | - | - | - | - | - | - | - | 1 | 11 |
| Black, both sexes | 120 | - | - | - | - | - | - | - | - | 2 | 3 | 1 |
| Male | 66 | - | - | - | - | - | - | - | - | 1 | 2 | 1 |
| Female | 54 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 62 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 36 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 26 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 58 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 33 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 25 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 291 | - | - | - | - | - | - | - | - | 1 | - | 8 |
| Male | 153 | - | - | - | - | - | - | - | - | 1 | - | 3 |
| Female | 138 | - | - | - | - | - | - | - | - | - | - | 5 |
| White, both sexes | 210 | - | - | - | - | - | - | - | - | 1 | - | 7 |
| Male | 112 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Female | 98 | - | - | - | - | - | - | - | - | - | - | 5 |
| Black, both sexes | 76 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 38 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 38 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 219 | - | - | - | - | - | - | - | - | 1 | 1 | 6 |
| Male | 129 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| Female | 90 | - | - | - | - | - | - | - | - | - | - | 3 |
| White, both sexes | 197 | - | - | - | - | - | - | - | - | 1 | 1 | 4 |
| Male | 121 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| Female | 76 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 77 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 47 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 30 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 75 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 45 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 30 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 212 | - | - | - | - | - | - | - | - | - | 2 | 4 |
| Male | 111 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Female | 101 | - | - | - | - | - | - | - | - | - | - | 2 |
| White, both sexes | 198 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Male | 101 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 97 | - | - | - | - | - | - | - | - | - | - | 2 |
| Black, both sexes | 12 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 8 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 23 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 23 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 442 | 742 | 1,063 | 1,275 | 1,635 | 1,890 | 1,816 | 1,123 | 401 | 73 | 7 | - |
| Male | 266 | 429 | 570 | 752 | 892 | 1,004 | 922 | 492 | 157 | 26 | 3 | - |
| Female | 176 | 313 | 493 | 523 | 743 | 886 | 894 | 631 | 244 | 47 | 4 | - |
| White, both sexes | 307 | 535 | 838 | 990 | 1,323 | 1,597 | 1,586 | 990 | 348 | 58 | 5 | - |
| Male | 191 | 308 | 467 | 605 | 735 | 859 | 816 | 433 | 144 | 22 | 3 | - |
| Female | 116 | 227 | 371 | 385 | 588 | 738 | 770 | 557 | 204 | 36 | 2 | - |
| Black, both sexes | 115 | 176 | 201 | 251 | 270 | 264 | 211 | 118 | 49 | 15 | 2 | - |
| Male | 65 | 103 | 94 | 128 | 134 | 129 | 96 | 52 | 10 | 4 | - | - |
| Female | 50 | 73 | 107 | 123 | 136 | 135 | 115 | 66 | 39 | 11 | 2 | - |
| American Indian 1/, both sexes | 9 | 11 | 7 | 13 | 12 | 7 | 1 | - | - | - | - | - |
| Male | 6 | 6 | 2 | 8 | 6 | 6 | 1 | - | - | - | - | - |
| Female | 3 | 5 | 5 | 5 | 6 | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 11 | 20 | 17 | 21 | 30 | 22 | 18 | 15 | 4 | - | - | - |
| Male | 4 | 12 | 7 | 11 | 17 | 10 | 9 | 7 | 3 | - | - | - |
| Female | 7 | 8 | 10 | 10 | 13 | 12 | 9 | 8 | 1 | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 7 | 19 | 18 | 19 | 38 | 44 | 37 | 21 | 8 | - | - | - |
| Male | 4 | 11 | 8 | 7 | 22 | 17 | 18 | 5 | 1 | - | - | - |
| Female | 3 | 8 | 10 | 12 | 16 | 27 | 19 | 16 | 7 | - | - | - |
| White, both sexes | 2 | 9 | 12 | 14 | 30 | 35 | 28 | 16 | 7 | - | - | - |
| Male | 1 | 5 | 6 | 6 | 19 | 14 | 14 | 2 | 1 | - | - | - |
| Female | 1 | 4 | 6 | 8 | 11 | 21 | 14 | 14 | 6 | - | - | - |
| Black, both sexes | 5 | 10 | 6 | 5 | 8 | 9 | 9 | 5 | 1 | - | - | - |
| Male | 3 | 6 | 2 | 1 | 3 | 3 | 4 | 3 | - | - | - | - |
| Female | 2 | 4 | 4 | 4 | 5 | 6 | 5 | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | 2 | 1 | 3 | 1 | 1 | 1 | - | - | - |
| Male | 1 | - | - | - | - | 2 | 1 | - | - | - | - | - |
| Female | 2 | - | - | 2 | 1 | 1 | - | 1 | 1 | - | - | - |
| White, both sexes | 2 | - | - | 1 | 1 | 2 | 1 | 1 | 1 | - | - | - |
| Male | 1 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | 1 | - | - | 1 | 1 | 1 | - | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 7 | 14 | 22 | 26 | 32 | 37 | 26 | 27 | 5 | - | - | - |
| Male | 3 | 9 | 12 | 13 | 16 | 18 | 15 | 13 | 3 | - | - | - |
| Female | 4 | 5 | 10 | 13 | 16 | 19 | 11 | 14 | 2 | - | - | - |
| White, both sexes | 5 | 10 | 21 | 19 | 30 | 34 | 24 | 27 | 5 | - | - | - |
| Male | 2 | 6 | 12 | 9 | 14 | 16 | 15 | 13 | 3 | - | - | - |
| Female | 3 | 4 | 9 | 10 | 16 | 18 | 9 | 14 | 2 | - | - | - |
| Black, both sexes | 1 | 1 | - | 2 | 2 | 1 | 2 | - | - | - | - | - |
| Male | 1 | 1 | - | 2 | 2 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 2 | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | 2 | 1 | 4 | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | 1 | 1 | 1 | 3 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 7 | 8 | 8 | 17 | 19 | 20 | 12 | 9 | 5 | - | - | - |
| Male | 3 | 5 | 5 | 11 | 9 | 9 | 6 | 2 | 3 | - | - | - |
| Female | 4 | 3 | 3 | 6 | 10 | 11 | 6 | 7 | 2 | - | - | - |
| White, both sexes | 4 | 5 | 6 | 13 | 17 | 17 | 10 | 7 | 5 | - | - | - |
| Male | 1 | 3 | 3 | 9 | 9 | 7 | 5 | 1 | 3 | - | - | - |
| Female | 3 | 2 | 3 | 4 | 8 | 10 | 5 | 6 | 2 | - | - | - |
| Black, both sexes | 3 | 3 | 2 | 4 | 2 | 3 | 2 | 2 | - | - | - | - |
| Male | 2 | 2 | 2 | 2 | - | 2 | 1 | 1 | - | - | - | - |
| Female | 1 | 1 | - | 2 | 2 | 1 | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 49 | 70 | 115 | 124 | 159 | 187 | 186 | 99 | 42 | 2 | - | - |
| Male | 28 | 40 | 55 | 67 | 88 | 97 | 92 | 49 | 26 | 1 | - | - |
| Female | 21 | 30 | 60 | 57 | 71 | 90 | 94 | 50 | 16 | 1 | - | - |
| White, both sexes | 37 | 56 | 89 | 98 | 123 | 160 | 162 | 85 | 36 | 2 | - | - |
| Male | 24 | 30 | 42 | 55 | 73 | 84 | 82 | 44 | 22 | 1 | - | - |
| Female | 13 | 26 | 47 | 43 | 50 | 76 | 80 | 41 | 14 | 1 | - | - |
| Black, both sexes | 6 | 5 | 17 | 18 | 25 | 17 | 12 | 8 | 4 | - | - | - |
| Male | 2 | 4 | 8 | 9 | 10 | 9 | 5 | 2 | 2 | - | - | - |
| Female | 4 | 1 | 9 | 9 | 15 | 8 | 7 | 6 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | 9 | 9 | 8 | 11 | 10 | 12 | 6 | 2 | - | - | - |
| Male | 2 | 6 | 5 | 3 | 5 | 4 | 5 | 3 | 2 | - | - | - |
| Female | 4 | 3 | 4 | 5 | 6 | 6 | 7 | 3 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 7 | 7 | 13 | 23 | 19 | 22 | 22 | 15 | 3 | - | - | - |
| Male | 2 | 4 | 7 | 15 | 10 | 9 | 12 | 9 | - | - | - | - |
| Female | 5 | 3 | 6 | 8 | 9 | 13 | 10 | 6 | 3 | - | - | - |
| White, both sexes | 6 | 6 | 11 | 19 | 18 | 21 | 22 | 14 | 3 | - | - | - |
| Male | 2 | 3 | 7 | 12 | 10 | 8 | 12 | 8 | - | - | - | - |
| Female | 4 | 3 | 4 | 7 | 8 | 13 | 10 | 6 | 3 | - | - | - |
| Black, both sexes | 1 | 1 | 2 | 3 | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | 1 | - | 2 | - | 1 | - | 1 | - | - | - | - |
| Female | 1 | - | 2 | 1 | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 5 | 9 | 11 | 13 | 16 | 14 | 35 | 24 | 10 | 3 | - | - |
| Male | 2 | 7 | 5 | 8 | 7 | 8 | 15 | 8 | 4 | 1 | - | - |
| Female | 3 | 2 | 6 | 5 | 9 | 6 | 20 | 16 | 6 | 2 | - | - |
| White, both sexes | 4 | 7 | 11 | 11 | 10 | 14 | 33 | 23 | 10 | 3 | - | - |
| Male | 2 | 6 | 5 | 7 | 4 | 8 | 14 | 8 | 4 | 1 | - | - |
| Female | 2 | 1 | 6 | 4 | 6 | 6 | 19 | 15 | 6 | 2 | - | - |
| Black, both sexes | 1 | 2 | - | 1 | 6 | - | 1 | 1 | - | - | - | - |
| Male | - | 1 | - | - | 3 | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | 1 | 3 | - | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 2 | 9 | 7 | 3 | 10 | 3 | 1 | - | - | - |
| Male | - | - | 2 | 4 | 4 | 1 | 4 | 1 | - | - | - | - |
| Female | 1 | 1 | - | 5 | 3 | 2 | 6 | 2 | 1 | - | - | - |
| White, both sexes | 1 | - | 2 | 4 | 5 | 3 | 8 | 3 | 1 | - | - | - |
| Male | - | - | 2 | 2 | 3 | 1 | 4 | 1 | - | - | - | - |
| Female | 1 | - | - | 2 | 2 | 2 | 4 | 2 | 1 | - | - | - |
| Black, both sexes | - | 1 | - | 5 | 2 | - | 2 | - | - | - | - | - |
| Male | - | - | - | 2 | 1 | - | - | - | - | - | - | - |
| Female | - | 1 | - | 3 | 1 | - | 2 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 1 | 3 | 4 | 6 | 2 | 2 | - | 1 | 1 | - |
| Male | 1 | - | - | 2 | 3 | 2 | 1 | 2 | - | - | - | - |
| Female | - | 2 | 1 | 1 | 1 | 4 | 1 | - | - | 1 | 1 | - |
| White, both sexes | - | - | 1 | - | 1 | 1 | - | 1 | - | 1 | - | - |
| Male | - | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | 1 | 2 | - | 3 | 3 | 5 | 2 | 1 | - | - | 1 | - |
| Male | 1 | - | - | 2 | 2 | 1 | 1 | 1 | - | - | - | - |
| Female | - | 2 | - | 1 | 1 | 4 | 1 | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 21 | 42 | 73 | 86 | 95 | 139 | 126 | 77 | 28 | 4 | - | - |
| Male | 13 | 25 | 46 | 39 | 58 | 79 | 65 | 40 | 14 | 2 | - | - |
| Female | 8 | 17 | 27 | 47 | 37 | 60 | 61 | 37 | 14 | 2 | - | - |
| White, both sexes | 13 | 26 | 58 | 75 | 78 | 122 | 113 | 70 | 22 | 2 | - | - |
| Male | 8 | 16 | 36 | 31 | 50 | 72 | 57 | 37 | 14 | 1 | - | - |
| Female | 5 | 10 | 22 | 44 | 28 | 50 | 56 | 33 | 8 | 1 | - | - |
| Black, both sexes | 7 | 14 | 15 | 11 | 15 | 16 | 13 | 6 | 6 | 2 | - | - |
| Male | 4 | 9 | 10 | 8 | 8 | 7 | 8 | 3 | - | 1 | - | - |
| Female | 3 | 5 | 5 | 3 | 7 | 9 | 5 | 3 | 6 | 1 | - | - |
| American Indian 1/, both sexes | 1 | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 20 | 28 | 27 | 34 | 41 | 49 | 44 | 26 | 9 | - | - | - |
| Male | 11 | 16 | 12 | 18 | 22 | 23 | 27 | 8 | 2 | - | - | - |
| Female | 9 | 12 | 15 | 16 | 19 | 26 | 17 | 18 | 7 | - | - | - |
| White, both sexes | 8 | 12 | 14 | 19 | 29 | 37 | 28 | 19 | 8 | - | - | - |
| Male | 4 | 8 | 6 | 13 | 14 | 18 | 18 | 6 | 2 | - | - | - |
| Female | 4 | 4 | 8 | 6 | 15 | 19 | 10 | 13 | 6 | - | - | - |
| Black, both sexes | 11 | 16 | 12 | 15 | 12 | 11 | 16 | 7 | 1 | - | - | - |
| Male | 7 | 8 | 6 | 5 | 8 | 4 | 9 | 2 | - | - | - | - |
| Female | 4 | 8 | 6 | 10 | 4 | 7 | 7 | 5 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 1 | - | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 1 | 5 | 2 | 1 | 10 | 5 | 3 | 3 | 1 | - | - | - |
| Male | 1 | 2 | 1 | 1 | 6 | 2 | 2 | 1 | - | - | - | - |
| Female | - | 3 | 1 | - | 4 | 3 | 1 | 2 | 1 | - | - | - |
| White, both sexes | - | 1 | 1 | 1 | 4 | 2 | 1 | 1 | - | - | - | - |
| Male | - | - | 1 | 1 | 1 | - | 1 | - | - | - | - | - |
| Female | - | 1 | - | - | 3 | 2 | - | 1 | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 3 | 1 | - | 6 | 3 | 2 | 2 | 1 | - | - | - |
| Male | 1 | 1 | - | - | 5 | 2 | 1 | 1 | - | - | - | - |
| Female | - | 2 | 1 | - | 1 | 1 | 1 | 1 | 1 | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 6 | 7 | 3 | 5 | 5 | 12 | 1 | - | - | - |
| Male | 1 | 1 | 2 | 4 | 2 | 2 | 4 | 9 | - | - | - | - |
| Female | - | 1 | 4 | 3 | 1 | 3 | 1 | 3 | 1 | - | - | - |
| White, both sexes | 1 | 2 | 6 | 7 | 3 | 5 | 5 | 12 | 1 | - | - | - |
| Male | 1 | 1 | 2 | 4 | 2 | 2 | 4 | 9 | - | - | - | - |
| Female | - | 1 | 4 | 3 | 1 | 3 | 1 | 3 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 20 | 50 | 41 | 52 | 77 | 74 | 61 | 59 | 28 | 5 | - | - |
| Male | 9 | 27 | 24 | 23 | 40 | 37 | 29 | 23 | 10 | 3 | - | - |
| Female | 11 | 23 | 17 | 29 | 37 | 37 | 32 | 36 | 18 | 2 | - | - |
| White, both sexes | 14 | 33 | 32 | 33 | 61 | 59 | 56 | 54 | 23 | 3 | - | - |
| Male | 6 | 20 | 20 | 14 | 31 | 30 | 29 | 21 | 9 | 2 | - | - |
| Female | 8 | 13 | 12 | 19 | 30 | 29 | 27 | 33 | 14 | 1 | - | - |
| Black, both sexes | 5 | 16 | 9 | 16 | 16 | 15 | 5 | 5 | 5 | 2 | - | - |
| Male | 3 | 6 | 4 | 7 | 9 | 7 | - | 2 | 1 | 1 | - | - |
| Female | 2 | 10 | 5 | 9 | 7 | 8 | 5 | 3 | 4 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | 3 | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | 2 | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 10 | 20 | 24 | 31 | 37 | 44 | 48 | 22 | 14 | - | 1 | - |
| Male | 6 | 11 | 15 | 23 | 23 | 27 | 25 | 10 | 7 | - | - | - |
| Female | 4 | 9 | 9 | 8 | 14 | 17 | 23 | 12 | 7 | - | 1 | - |
| White, both sexes | 9 | 18 | 24 | 28 | 34 | 41 | 45 | 18 | 13 | - | 1 | - |
| Male | 5 | 10 | 15 | 21 | 21 | 25 | 23 | 6 | 6 | - | - | - |
| Female | 4 | 8 | 9 | 7 | 13 | 16 | 22 | 12 | 7 | - | 1 | - |
| Black, both sexes | 1 | 2 | - | 3 | 3 | 3 | 3 | 4 | 1 | - | - | - |
| Male | 1 | 1 | - | 2 | 2 | 2 | 2 | 4 | 1 | - | - | - |
| Female | - | 1 | - | 1 | 1 | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 2 | 8 | 5 | 14 | 18 | 22 | 38 | 14 | 5 | 2 | - | - |
| Male | 2 | 6 | 1 | 9 | 10 | 15 | 21 | 9 | 2 | 1 | - | - |
| Female | - | 2 | 4 | 5 | 8 | 7 | 17 | 5 | 3 | 1 | - | - |
| White, both sexes | 2 | 8 | 5 | 13 | 17 | 22 | 37 | 14 | 5 | 2 | - | - |
| Male | 2 | 6 | 1 | 9 | 9 | 15 | 20 | 9 | 2 | 1 | - | - |
| Female | - | 2 | 4 | 4 | 8 | 7 | 17 | 5 | 3 | 1 | - | - |
| Black, both sexes | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 8 | 9 | 11 | 9 | 20 | 24 | 17 | 8 | 3 | 1 | - | - |
| Male | 6 | 7 | 7 | 6 | 8 | 16 | 11 | 2 | 3 | 1 | - | - |
| Female | 2 | 2 | 4 | 3 | 12 | 8 | 6 | 6 | - | - | - | - |
| White, both sexes | 6 | 8 | 11 | 9 | 19 | 21 | 15 | 7 | 3 | 1 | - | - |
| Male | 5 | 6 | 7 | 6 | 8 | 15 | 10 | 2 | 3 | 1 | - | - |
| Female | 1 | 2 | 4 | 3 | 11 | 6 | 5 | 5 | - | - | - | - |
| Black, both sexes | 2 | - | - | - | 1 | 3 | 2 | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | 2 | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 4 | 9 | 17 | 28 | 25 | 28 | 29 | 25 | 8 | 1 | - | - |
| Male | 4 | 7 | 12 | 21 | 14 | 17 | 14 | 10 | 2 | - | - | - |
| Female | - | 2 | 5 | 7 | 11 | 11 | 15 | 15 | 6 | 1 | - | - |
| White, both sexes | 4 | 6 | 17 | 24 | 19 | 25 | 27 | 23 | 7 | 1 | - | - |
| Male | 4 | 4 | 12 | 19 | 10 | 15 | 14 | 9 | 2 | - | - | - |
| Female | - | 2 | 5 | 5 | 9 | 10 | 13 | 14 | 5 | 1 | - | - |
| Black, both sexes | - | 3 | - | 4 | 6 | 3 | 2 | 2 | 1 | - | - | - |
| Male | - | 3 | - | 2 | 4 | 2 | - | 1 | - | - | - | - |
| Female | - | - | - | 2 | 2 | 1 | 2 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 3 | 12 | 17 | 21 | 22 | 28 | 33 | 15 | 6 | 2 | - | - |
| Male | 2 | 7 | 6 | 11 | 14 | 15 | 19 | 10 | 1 | - | - | - |
| Female | 1 | 5 | 11 | 10 | 8 | 13 | 14 | 5 | 5 | 2 | - | - |
| White, both sexes | 2 | 6 | 8 | 8 | 10 | 17 | 20 | 12 | 3 | 1 | - | - |
| Male | 2 | 2 | 4 | 6 | 6 | 12 | 11 | 7 | 1 | - | - | - |
| Female | - | 4 | 4 | 2 | 4 | 5 | 9 | 5 | 2 | 1 | - | - |
| Black, both sexes | 1 | 6 | 9 | 13 | 12 | 11 | 13 | 3 | 3 | 1 | - | - |
| Male | - | 5 | 2 | 5 | 8 | 3 | 8 | 3 | - | - | - | - |
| Female | 1 | 1 | 7 | 8 | 4 | 8 | 5 | - | 3 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 9 | 5 | 7 | 8 | 15 | 14 | 3 | 1 | - | - |
| Male | 1 | - | 7 | 3 | 3 | 2 | 9 | 6 | 2 | 1 | - | - |
| Female | - | 1 | 2 | 2 | 4 | 6 | 6 | 8 | 1 | - | - | - |
| White, both sexes | 1 | 1 | 8 | 5 | 7 | 8 | 15 | 14 | 3 | 1 | - | - |
| Male | 1 | - | 6 | 3 | 3 | 2 | 9 | 6 | 2 | 1 | - | - |
| Female | - | 1 | 2 | 2 | 4 | 6 | 6 | 8 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 9 | 11 | 27 | 29 | 36 | 40 | 43 | 20 | 10 | 3 | - | - |
| Male | 4 | 7 | 16 | 20 | 17 | 28 | 19 | 10 | 6 | 2 | - | - |
| Female | 5 | 4 | 11 | 9 | 19 | 12 | 24 | 10 | 4 | 1 | - | - |
| White, both sexes | 7 | 6 | 16 | 15 | 24 | 25 | 34 | 18 | 5 | 2 | - | - |
| Male | 4 | 5 | 11 | 10 | 13 | 16 | 15 | 10 | 2 | 1 | - | - |
| Female | 3 | 1 | 5 | 5 | 11 | 9 | 19 | 8 | 3 | 1 | - | - |
| Black, both sexes | 2 | 5 | 10 | 12 | 11 | 14 | 9 | 2 | 5 | 1 | - | - |
| Male | - | 2 | 4 | 8 | 3 | 11 | 4 | - | 4 | 1 | - | - |
| Female | 2 | 3 | 6 | 4 | 8 | 3 | 5 | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | 2 | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | 2 | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 10 | 13 | 23 | 25 | 35 | 40 | 41 | 25 | 10 | 2 | - | - |
| Male | 6 | 5 | 11 | 18 | 19 | 21 | 20 | 6 | 6 | - | - | - |
| Female | 4 | 8 | 12 | 7 | 16 | 19 | 21 | 19 | 4 | 2 | - | - |
| White, both sexes | 9 | 11 | 21 | 20 | 32 | 36 | 40 | 25 | 9 | 2 | - | - |
| Male | 5 | 5 | 11 | 14 | 18 | 20 | 19 | 6 | 6 | - | - | - |
| Female | 4 | 6 | 10 | 6 | 14 | 16 | 21 | 19 | 3 | 2 | - | - |
| Black, both sexes | 1 | 2 | 2 | 4 | 3 | 4 | - | - | 1 | - | - | - |
| Male | 1 | - | - | 3 | 1 | 1 | - | - | - | - | - | - |
| Female | - | 2 | 2 | 1 | 2 | 3 | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 14 | 31 | 33 | 54 | 55 | 77 | 72 | 30 | 11 | 3 | - | - |
| Male | 9 | 14 | 15 | 37 | 39 | 39 | 41 | 13 | 2 | 1 | - | - |
| Female | 5 | 17 | 18 | 17 | 16 | 38 | 31 | 17 | 9 | 2 | - | - |
| White, both sexes | 7 | 24 | 24 | 38 | 46 | 61 | 64 | 25 | 11 | 2 | - | - |
| Male | 5 | 11 | 11 | 28 | 33 | 32 | 40 | 8 | 2 | 1 | - | - |
| Female | 2 | 13 | 13 | 10 | 13 | 29 | 24 | 17 | 9 | 1 | - | - |
| Black, both sexes | 6 | 6 | 9 | 16 | 7 | 15 | 8 | 4 | - | 1 | - | - |
| Male | 3 | 3 | 4 | 9 | 4 | 7 | 1 | 4 | - | - | - | - |
| Female | 3 | 3 | 5 | 7 | 3 | 8 | 7 | - | - | 1 | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 9 | 16 | 14 | 16 | 27 | 46 | 35 | 19 | 7 | 2 | - | - |
| Male | 4 | 11 | 8 | 11 | 11 | 29 | 17 | 9 | 2 | 1 | - | - |
| Female | 5 | 5 | 6 | 5 | 16 | 17 | 18 | 10 | 5 | 1 | - | - |
| White, both sexes | 9 | 16 | 12 | 14 | 24 | 45 | 35 | 19 | 7 | 2 | - | - |
| Male | 4 | 11 | 7 | 9 | 11 | 28 | 17 | 9 | 2 | 1 | - | - |
| Female | 5 | 5 | 5 | 5 | 13 | 17 | 18 | 10 | 5 | 1 | - | - |
| Black, both sexes | - | - | 1 | 1 | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 9 | 5 | 14 | 9 | 21 | 19 | 18 | 9 | 6 | - | - | - |
| Male | 6 | 2 | 10 | 6 | 17 | 9 | 8 | 5 | - | - | - | - |
| Female | 3 | 3 | 4 | 3 | 4 | 10 | 10 | 4 | 6 | - | - | - |
| White, both sexes | 5 | 1 | 4 | 4 | 10 | 11 | 13 | 5 | 4 | - | - | - |
| Male | 4 | - | 3 | 4 | 8 | 7 | 6 | 2 | - | - | - | - |
| Female | 1 | 1 | 1 | - | 2 | 4 | 7 | 3 | 4 | - | - | - |
| Black, both sexes | 4 | 4 | 10 | 5 | 11 | 8 | 5 | 4 | 2 | - | - | - |
| Male | 2 | 2 | 7 | 2 | 9 | 2 | 2 | 3 | - | - | - | - |
| Female | 2 | 2 | 3 | 3 | 2 | 6 | 3 | 1 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 9 | 13 | 16 | 36 | 41 | 45 | 45 | 27 | 5 | - | - | - |
| Male | 7 | 8 | 9 | 23 | 26 | 23 | 31 | 10 | 4 | - | - | - |
| Female | 2 | 5 | 7 | 13 | 15 | 22 | 14 | 17 | 1 | - | - | - |
| White, both sexes | 5 | 9 | 14 | 35 | 33 | 45 | 38 | 23 | 5 | - | - | - |
| Male | 4 | 4 | 8 | 23 | 20 | 23 | 25 | 8 | 4 | - | - | - |
| Female | 1 | 5 | 6 | 12 | 13 | 22 | 13 | 15 | 1 | - | - | - |
| Black, both sexes | 3 | 3 | 2 | 1 | 8 | - | 6 | 4 | - | - | - | - |
| Male | 2 | 3 | 1 | - | 6 | - | 5 | 2 | - | - | - | - |
| Female | 1 | - | 1 | 1 | 2 | - | 1 | 2 | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | 3 | 5 | 7 | 4 | 6 | 7 | 5 | 1 | - | - | - |
| Male | - | 1 | 2 | 5 | 3 | 4 | 1 | 3 | - | - | - | - |
| Female | - | 2 | 3 | 2 | 1 | 2 | 6 | 2 | 1 | - | - | - |
| White, both sexes | - | 3 | 4 | 6 | 3 | 6 | 7 | 5 | 1 | - | - | - |
| Male | - | 1 | 2 | 4 | 2 | 4 | 1 | 3 | - | - | - | - |
| Female | - | 2 | 2 | 2 | 1 | 2 | 6 | 2 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 8 | 2 | 2 | 2 | 4 | 7 | 14 | 10 | 3 | - | - | - |
| Male | 6 | 1 | 2 | - | 3 | 2 | 8 | 5 | - | - | - | - |
| Female | 2 | 1 | - | 2 | 1 | 5 | 6 | 5 | 3 | - | - | - |
| White, both sexes | 6 | 2 | 2 | 2 | 4 | 7 | 14 | 10 | 3 | - | - | - |
| Male | 5 | 1 | 2 | - | 3 | 2 | 8 | 5 | - | - | - | - |
| Female | 1 | 1 | - | 2 | 1 | 5 | 6 | 5 | 3 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 3 | 2 | 4 | 11 | 11 | 5 | 7 | 3 | 2 | - | - | - |
| Male | 1 | - | 2 | 7 | 6 | 5 | 4 | 3 | - | - | - | - |
| Female | 2 | 2 | 2 | 4 | 5 | - | 3 | - | 2 | - | - | - |
| White, both sexes | 3 | 1 | 4 | 8 | 10 | 5 | 6 | 2 | 2 | - | - | - |
| Male | 1 | - | 2 | 6 | 6 | 5 | 3 | 2 | - | - | - | - |
| Female | 2 | 1 | 2 | 2 | 4 | - | 3 | - | 2 | - | - | - |
| Black, both sexes | - | 1 | - | 2 | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | 1 | - | - | - | - |
| Female | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 3 | 5 | 10 | 12 | 9 | 5 | 2 | - | 1 | - |
| Male | - | - | 2 | 3 | 5 | 5 | 3 | 1 | 1 | - | 1 | - |
| Female | - | 2 | 1 | 2 | 5 | 7 | 6 | 4 | 1 | - | - | - |
| White, both sexes | - | 2 | 3 | 5 | 10 | 12 | 9 | 5 | 2 | - | 1 | - |
| Male | - | - | 2 | 3 | 5 | 5 | 3 | 1 | 1 | - | 1 | - |
| Female | - | 2 | 1 | 2 | 5 | 7 | 6 | 4 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 11 | 11 | 29 | 35 | 58 | 58 | 53 | 27 | 13 | 4 | 1 | - |
| Male | 7 | 7 | 15 | 24 | 30 | 33 | 21 | 13 | 3 | 1 | - | - |
| Female | 4 | 4 | 14 | 11 | 28 | 25 | 32 | 14 | 10 | 3 | 1 | - |
| White, both sexes | 5 | 8 | 23 | 26 | 43 | 50 | 43 | 27 | 11 | 4 | - | - |
| Male | 4 | 6 | 12 | 17 | 24 | 30 | 19 | 13 | 3 | 1 | - | - |
| Female | 1 | 2 | 11 | 9 | 19 | 20 | 24 | 14 | 8 | 3 | - | - |
| Black, both sexes | 5 | 3 | 6 | 8 | 12 | 7 | 10 | - | 2 | - | 1 | - |
| Male | 3 | 1 | 3 | 6 | 4 | 3 | 2 | - | - | - | - | - |
| Female | 2 | 2 | 3 | 2 | 8 | 4 | 8 | - | 2 | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | 3 | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | 2 | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 4 | 6 | 9 | 9 | 7 | 6 | 17 | 2 | 2 | - | - | - |
| Male | 4 | - | 6 | 7 | 4 | 3 | 8 | 1 | - | - | - | - |
| Female | - | 6 | 3 | 2 | 3 | 3 | 9 | 1 | 2 | - | - | - |
| White, both sexes | 3 | 5 | 7 | 8 | 7 | 6 | 17 | 2 | 2 | - | - | - |
| Male | 3 | - | 5 | 7 | 4 | 3 | 8 | 1 | - | - | - | - |
| Female | - | 5 | 2 | 1 | 3 | 3 | 9 | 1 | 2 | - | - | - |
| Black, both sexes | 1 | - | 2 | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 35 | 46 | 63 | 70 | 105 | 99 | 103 | 62 | 32 | 12 | 1 | - |
| Male | 20 | 21 | 40 | 38 | 53 | 43 | 53 | 20 | 12 | 5 | - | - |
| Female | 15 | 25 | 23 | 32 | 52 | 56 | 50 | 42 | 20 | 7 | 1 | - |
| White, both sexes | 22 | 32 | 44 | 52 | 89 | 80 | 89 | 54 | 25 | 10 | 1 | - |
| Male | 15 | 14 | 30 | 30 | 50 | 33 | 47 | 19 | 11 | 5 | - | - |
| Female | 7 | 18 | 14 | 22 | 39 | 47 | 42 | 35 | 14 | 5 | 1 | - |
| Black, both sexes | 12 | 14 | 17 | 16 | 14 | 18 | 14 | 8 | 6 | 2 | - | - |
| Male | 4 | 7 | 9 | 8 | 2 | 9 | 6 | 1 | - | - | - | - |
| Female | 8 | 7 | 8 | 8 | 12 | 9 | 8 | 7 | 6 | 2 | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | 2 | 2 | 1 | 1 | - | - | 1 | - | - | - |
| Male | 1 | - | 1 | - | - | 1 | - | - | 1 | - | - | - |
| Female | - | - | 1 | 2 | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 16 | 27 | 33 | 50 | 52 | 67 | 63 | 30 | 14 | 4 | - | - |
| Male | 8 | 18 | 20 | 26 | 24 | 36 | 32 | 8 | 4 | 1 | - | - |
| Female | 8 | 9 | 13 | 24 | 28 | 31 | 31 | 22 | 10 | 3 | - | - |
| White, both sexes | 7 | 19 | 22 | 33 | 38 | 51 | 48 | 22 | 13 | 1 | - | - |
| Male | 3 | 13 | 13 | 19 | 21 | 28 | 24 | 7 | 3 | 1 | - | - |
| Female | 4 | 6 | 9 | 14 | 17 | 23 | 24 | 15 | 10 | - | - | - |
| Black, both sexes | 8 | 7 | 11 | 17 | 13 | 16 | 15 | 8 | 1 | 3 | - | - |
| Male | 4 | 4 | 7 | 7 | 3 | 8 | 8 | 1 | 1 | - | - | - |
| Female | 4 | 3 | 4 | 10 | 10 | 8 | 7 | 7 | - | 3 | - | - |
| American Indian 1/, both sexes | 1 | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Male | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 3 | 2 | 4 | 4 | 4 | 4 | 2 | - | - | - |
| Male | - | - | 1 | 2 | 4 | 3 | 2 | 1 | 1 | - | - | - |
| Female | - | 1 | 2 | - | - | 1 | 2 | 3 | 1 | - | - | - |
| White, both sexes | - | 1 | 3 | 2 | 4 | 4 | 4 | 4 | 2 | - | - | - |
| Male | - | - | 1 | 2 | 4 | 3 | 2 | 1 | 1 | - | - | - |
| Female | - | 1 | 2 | - | - | 1 | 2 | 3 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 21 | 29 | 65 | 68 | 55 | 79 | 82 | 67 | 10 | 3 | - | - |
| Male | 12 | 16 | 31 | 37 | 27 | 35 | 31 | 31 | 3 | - | - | - |
| Female | 9 | 13 | 34 | 31 | 28 | 44 | 51 | 36 | 7 | 3 | - | - |
| White, both sexes | 20 | 23 | 54 | 57 | 42 | 63 | 70 | 58 | 8 | 3 | - | - |
| Male | 11 | 14 | 27 | 31 | 19 | 29 | 24 | 27 | 3 | - | - | - |
| Female | 9 | 9 | 27 | 26 | 23 | 34 | 46 | 31 | 5 | 3 | - | - |
| Black, both sexes | 1 | 6 | 11 | 10 | 13 | 16 | 12 | 9 | 2 | - | - | - |
| Male | 1 | 2 | 4 | 5 | 8 | 6 | 7 | 4 | - | - | - | - |
| Female | - | 4 | 7 | 5 | 5 | 10 | 5 | 5 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 5 | 9 | 13 | 11 | 19 | 20 | 16 | 15 | 2 | - | - | - |
| Male | 4 | 8 | 7 | 5 | 12 | 13 | 6 | 6 | 2 | - | - | - |
| Female | 1 | 1 | 6 | 6 | 7 | 7 | 10 | 9 | - | - | - | - |
| White, both sexes | 4 | 8 | 8 | 11 | 15 | 16 | 13 | 12 | 2 | - | - | - |
| Male | 3 | 7 | 6 | 5 | 10 | 11 | 5 | 5 | 2 | - | - | - |
| Female | 1 | 1 | 2 | 6 | 5 | 5 | 8 | 7 | - | - | - | - |
| Black, both sexes | - | - | 1 | - | - | 3 | 3 | 3 | - | - | - | - |
| Male | - | - | - | - | - | 2 | 1 | 1 | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | 2 | 2 | - | - | - | - |
| American Indian 1/, both sexes | 1 | 1 | 4 | - | 4 | 1 | - | - | - | - | - | - |
| Male | 1 | 1 | 1 | - | 2 | - | - | - | - | - | - | - |
| Female | - | - | 3 | - | 2 | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 3 | 14 | 10 | 9 | 22 | 26 | 24 | 18 | 9 | - | 1 | - |
| Male | 2 | 9 | 9 | 5 | 13 | 16 | 15 | 7 | 5 | - | 1 | - |
| Female | 1 | 5 | 1 | 4 | 9 | 10 | 9 | 11 | 4 | - | - | - |
| White, both sexes | 3 | 13 | 9 | 8 | 22 | 26 | 24 | 16 | 9 | - | 1 | - |
| Male | 2 | 8 | 8 | 5 | 13 | 16 | 15 | 6 | 5 | - | 1 | - |
| Female | 1 | 5 | 1 | 3 | 9 | 10 | 9 | 10 | 4 | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | 2 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 13 | 29 | 44 | 57 | 98 | 106 | 96 | 64 | 21 | 4 | - | - |
| Male | 11 | 18 | 24 | 36 | 49 | 54 | 51 | 29 | 9 | 1 | - | - |
| Female | 2 | 11 | 20 | 21 | 49 | 52 | 45 | 35 | 12 | 3 | - | - |
| White, both sexes | 11 | 23 | 38 | 50 | 78 | 95 | 85 | 60 | 18 | 3 | - | - |
| Male | 9 | 14 | 21 | 31 | 37 | 48 | 47 | 28 | 8 | 1 | - | - |
| Female | 2 | 9 | 17 | 19 | 41 | 47 | 38 | 32 | 10 | 2 | - | - |
| Black, both sexes | 2 | 5 | 6 | 7 | 19 | 11 | 11 | 4 | 3 | 1 | - | - |
| Male | 2 | 4 | 3 | 5 | 11 | 6 | 4 | 1 | 1 | - | - | - |
| Female | - | 1 | 3 | 2 | 8 | 5 | 7 | 3 | 2 | 1 | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 4 | 3 | 8 | 10 | 4 | 7 | 3 | - | - | - |
| Male | - | 2 | 1 | 2 | 3 | 5 | 1 | 3 | 1 | - | - | - |
| Female | 1 | - | 3 | 1 | 5 | 5 | 3 | 4 | 2 | - | - | - |
| White, both sexes | 1 | 2 | 4 | 2 | 8 | 10 | 4 | 7 | 3 | - | - | - |
| Male | - | 2 | 1 | 1 | 3 | 5 | 1 | 3 | 1 | - | - | - |
| Female | 1 | - | 3 | 1 | 5 | 5 | 3 | 4 | 2 | - | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 4 | 12 | 16 | 23 | 21 | 23 | 25 | 12 | 7 | 1 | - | - |
| Male | 2 | 8 | 8 | 14 | 12 | 10 | 13 | 4 | 1 | - | - | - |
| Female | 2 | 4 | 8 | 9 | 9 | 13 | 12 | 8 | 6 | 1 | - | - |
| White, both sexes | 1 | 5 | 6 | 15 | 17 | 14 | 19 | 8 | 6 | - | - | - |
| Male | - | 3 | 4 | 10 | 11 | 6 | 10 | 4 | 1 | - | - | - |
| Female | 1 | 2 | 2 | 5 | 6 | 8 | 9 | 4 | 5 | - | - | - |
| Black, both sexes | 3 | 7 | 10 | 8 | 4 | 9 | 6 | 4 | 1 | 1 | - | - |
| Male | 2 | 5 | 4 | 4 | 1 | 4 | 3 | - | - | - | - | - |
| Female | 1 | 2 | 6 | 4 | 3 | 5 | 3 | 4 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 2 | 1 | 7 | 4 | 3 | 7 | 1 | 1 | - | - |
| Male | - | 1 | 2 | 1 | 4 | 3 | 2 | 2 | - | - | - | - |
| Female | - | - | - | - | 3 | 1 | 1 | 5 | 1 | 1 | - | - |
| White, both sexes | - | - | 2 | 1 | 7 | 4 | 3 | 7 | 1 | 1 | - | - |
| Male | - | - | 2 | 1 | 4 | 3 | 2 | 2 | - | - | - | - |
| Female | - | - | - | - | 3 | 1 | 1 | 5 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 9 | 16 | 25 | 32 | 44 | 40 | 43 | 23 | 4 | 1 | - | - |
| Male | 6 | 10 | 16 | 15 | 18 | 20 | 26 | 13 | 1 | - | - | - |
| Female | 3 | 6 | 9 | 17 | 26 | 20 | 17 | 10 | 3 | 1 | - | - |
| White, both sexes | 4 | 11 | 22 | 23 | 36 | 35 | 39 | 20 | 4 | 1 | - | - |
| Male | 2 | 7 | 15 | 9 | 15 | 17 | 23 | 11 | 1 | - | - | - |
| Female | 2 | 4 | 7 | 14 | 21 | 18 | 16 | 9 | 3 | 1 | - | - |
| Black, both sexes | 5 | 5 | 3 | 8 | 8 | 5 | 4 | 3 | - | - | - | - |
| Male | 4 | 3 | 1 | 5 | 3 | 3 | 3 | 2 | - | - | - | - |
| Female | 1 | 2 | 2 | 3 | 5 | 2 | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 30 | 59 | 85 | 79 | 102 | 119 | 106 | 59 | 21 | 5 | - | - |
| Male | 21 | 39 | 40 | 48 | 61 | 67 | 46 | 28 | 3 | 2 | - | - |
| Female | 9 | 20 | 45 | 31 | 41 | 52 | 60 | 31 | 18 | 3 | - | - |
| White, both sexes | 22 | 47 | 70 | 60 | 82 | 96 | 95 | 49 | 19 | 4 | - | - |
| Male | 16 | 29 | 33 | 39 | 48 | 54 | 41 | 24 | 3 | 1 | - | - |
| Female | 6 | 18 | 37 | 21 | 34 | 42 | 54 | 25 | 16 | 3 | - | - |
| Black, both sexes | 8 | 9 | 15 | 18 | 18 | 22 | 11 | 10 | 2 | 1 | - | - |
| Male | 5 | 8 | 7 | 8 | 12 | 12 | 5 | 4 | - | 1 | - | - |
| Female | 3 | 1 | 8 | 10 | 6 | 10 | 6 | 6 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | 2 | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 3 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 2 | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | 3 | 5 | 8 | 11 | 17 | 11 | 6 | 1 | - | - | - |
| Male | - | 1 | 3 | 7 | 6 | 9 | 7 | 3 | - | - | - | - |
| Female | - | 2 | 2 | 1 | 5 | 8 | 4 | 3 | 1 | - | - | - |
| White, both sexes | - | 3 | 5 | 8 | 11 | 15 | 10 | 5 | 1 | - | - | - |
| Male | - | 1 | 3 | 7 | 6 | 7 | 6 | 3 | - | - | - | - |
| Female | - | 2 | 2 | 1 | 5 | 8 | 4 | 2 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 1 | 1 | 2 | 6 | 8 | 3 | 2 | - | - | - |
| Male | - | - | 1 | 1 | 2 | 3 | 3 | - | 1 | - | - | - |
| Female | 1 | 1 | - | - | - | 3 | 5 | 3 | 1 | - | - | - |
| White, both sexes | 1 | 1 | 1 | 1 | 2 | 6 | 8 | 3 | 2 | - | - | - |
| Male | - | - | 1 | 1 | 2 | 3 | 3 | - | 1 | - | - | - |
| Female | 1 | 1 | - | - | - | 3 | 5 | 3 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 14 | 26 | 38 | 42 | 41 | 39 | 39 | 33 | 9 | 1 | - | - |
| Male | 8 | 15 | 14 | 26 | 23 | 24 | 21 | 16 | 2 | - | - | - |
| Female | 6 | 11 | 24 | 16 | 18 | 15 | 18 | 17 | 7 | 1 | - | - |
| White, both sexes | 9 | 16 | 27 | 33 | 29 | 25 | 30 | 25 | 7 | 1 | - | - |
| Male | 4 | 9 | 11 | 22 | 17 | 16 | 18 | 10 | 2 | - | - | - |
| Female | 5 | 7 | 16 | 11 | 12 | 9 | 12 | 15 | 5 | 1 | - | - |
| Black, both sexes | 5 | 10 | 11 | 9 | 9 | 14 | 8 | 7 | 2 | - | - | - |
| Male | 4 | 6 | 3 | 4 | 4 | 8 | 3 | 5 | - | - | - | - |
| Female | 1 | 4 | 8 | 5 | 5 | 6 | 5 | 2 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 3 | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | 2 | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | 1 | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 10 | 14 | 28 | 28 | 28 | 39 | 37 | 21 | 4 | 2 | - | - |
| Male | 6 | 8 | 14 | 20 | 17 | 20 | 23 | 11 | 4 | 1 | - | - |
| Female | 4 | 6 | 14 | 8 | 11 | 19 | 14 | 10 | - | 1 | - | - |
| White, both sexes | 8 | 9 | 25 | 25 | 26 | 36 | 36 | 20 | 4 | 2 | - | - |
| Male | 6 | 4 | 14 | 19 | 16 | 18 | 23 | 11 | 4 | 1 | - | - |
| Female | 2 | 5 | 11 | 6 | 10 | 18 | 13 | 9 | - | 1 | - | - |
| Black, both sexes | 2 | 4 | 1 | 2 | 2 | 1 | 1 | - | - | - | - | - |
| Male | - | 4 | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | 2 | - | 1 | 2 | 1 | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 2 | 1 | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | 2 | - | - | 1 | - | 1 | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 4 | 3 | 10 | 8 | 18 | 15 | 8 | 5 | 4 | - | 1 | - |
| Male | 3 | 2 | 5 | 8 | 7 | 10 | 5 | 2 | 4 | - | 1 | - |
| Female | 1 | 1 | 5 | - | 11 | 5 | 3 | 3 | - | - | - | - |
| White, both sexes | 4 | 3 | 10 | 7 | 18 | 14 | 8 | 5 | 4 | - | 1 | - |
| Male | 3 | 2 | 5 | 7 | 7 | 9 | 5 | 2 | 4 | - | 1 | - |
| Female | 1 | 1 | 5 | - | 11 | 5 | 3 | 3 | - | - | - | - |
| Black, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple myeloma and malignant plasma cell neoplasms (C90) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 10 | 17 | 15 | 16 | 38 | 47 | 30 | 28 | 2 | 3 | - | - |
| Male | 7 | 10 | 7 | 11 | 17 | 29 | 13 | 12 | - | 1 | - | - |
| Female | 3 | 7 | 8 | 5 | 21 | 18 | 17 | 16 | 2 | 2 | - | - |
| White, both sexes | 8 | 15 | 15 | 15 | 36 | 45 | 28 | 27 | 2 | 3 | - | - |
| Male | 5 | 9 | 7 | 10 | 16 | 27 | 12 | 12 | - | 1 | - | - |
| Female | 3 | 6 | 8 | 5 | 20 | 18 | 16 | 15 | 2 | 2 | - | - |
| Black, both sexes | 1 | 2 | - | 1 | 2 | 1 | 2 | 1 | - | - | - | - |
| Male | 1 | 1 | - | 1 | 1 | 1 | 1 | - | - | - | - | - |
| Female | - | 1 | - | - | 1 | - | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 2 | 5 | 1 | 7 | 3 | 1 | - | - | - | - |
| Male | 2 | 2 | 2 | 4 | 1 | 5 | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | - | 2 | 2 | 1 | - | - | - | - |
| White, both sexes | 2 | 2 | 2 | 5 | 1 | 7 | 3 | 1 | - | - | - | - |
| Male | 2 | 2 | 2 | 4 | 1 | 5 | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | - | 2 | 2 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 21,623 | 22 | 120 | 125 | 150 | 223 | 243 | 218 | 243 | 288 | 392 | 607 |
| Male | 12,231 | 11 | 81 | 76 | 83 | 131 | 162 | 132 | 125 | 152 | 206 | 327 |
| Female | 9,392 | 11 | 39 | 49 | 67 | 92 | 81 | 86 | 118 | 136 | 186 | 280 |
| White, both sexes | 19,414 | 18 | 87 | 106 | 118 | 179 | 202 | 159 | 192 | 246 | 312 | 490 |
| Male | 11,034 | 9 | 58 | 61 | 66 | 108 | 131 | 101 | 102 | 128 | 163 | 263 |
| Female | 8,380 | 9 | 29 | 45 | 52 | 71 | 71 | 58 | 90 | 118 | 149 | 227 |
| Black, both sexes | 1,718 | 4 | 25 | 11 | 25 | 35 | 30 | 42 | 42 | 31 | 58 | 86 |
| Male | 911 | 2 | 17 | 10 | 13 | 18 | 25 | 21 | 19 | 18 | 30 | 48 |
| Female | 807 | 2 | 8 | 1 | 12 | 17 | 5 | 21 | 23 | 13 | 28 | 38 |
| American Indian 1/, both sexes | 73 | - | 2 | 1 | - | 4 | 2 | 2 | - | 1 | 3 | 2 |
| Male | 43 | - | 2 | 1 | - | 2 | 1 | 1 | - | 1 | 2 | 2 |
| Female | 30 | - | - | - | - | 2 | 1 | 1 | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | 418 | - | 6 | 7 | 7 | 5 | 9 | 15 | 9 | 10 | 19 | 29 |
| Male | 243 | - | 4 | 4 | 4 | 3 | 5 | 9 | 4 | 5 | 11 | 14 |
| Female | 175 | - | 2 | 3 | 3 | 2 | 4 | 6 | 5 | 5 | 8 | 15 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 375 | - | - | 1 | 4 | 6 | 3 | 5 | 9 | 3 | 4 | 11 |
| Male | 196 | - | - | - | 3 | 4 | 3 | 3 | 4 | 1 | 3 | 6 |
| Female | 179 | - | - | 1 | 1 | 2 | - | 2 | 5 | 2 | 1 | 5 |
| White, both sexes | 302 | - | - | 1 | 2 | 5 | 3 | 1 | 6 | 1 | 2 | 7 |
| Male | 163 | - | - | - | 1 | 4 | 3 | - | 3 | - | 2 | 4 |
| Female | 139 | - | - | 1 | 1 | 1 | - | 1 | 3 | 1 | - | 3 |
| Black, both sexes | 72 | - | - | - | 2 | 1 | - | 4 | 3 | 2 | 2 | 4 |
| Male | 33 | - | - | - | 2 | - | - | 3 | 1 | 1 | 1 | 2 |
| Female | 39 | - | - | - | - | 1 | - | 1 | 2 | 1 | 1 | 2 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 34 | - | - | 2 | - | 1 | 1 | - | 1 | 1 | - | 2 |
| Male | 15 | - | - | 2 | - | 1 | 1 | - | - | - | - | 2 |
| Female | 19 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| White, both sexes | 23 | - | - | 1 | - | - | 1 | - | 1 | 1 | - | - |
| Male | 9 | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | 14 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 7 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Male | 4 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 373 | - | - | 4 | 2 | 4 | 2 | 6 | 6 | 5 | 3 | 12 |
| Male | 216 | - | - | 2 | 1 | 3 | 1 | 5 | 3 | 2 | 3 | 3 |
| Female | 157 | - | - | 2 | 1 | 1 | 1 | 1 | 3 | 3 | - | 9 |
| White, both sexes | 363 | - | - | 3 | 2 | 3 | 2 | 4 | 6 | 5 | 2 | 12 |
| Male | 210 | - | - | 1 | 1 | 2 | 1 | 4 | 3 | 2 | 2 | 3 |
| Female | 153 | - | - | 2 | 1 | 1 | 1 | - | 3 | 3 | - | 9 |
| Black, both sexes | 5 | - | - | 1 | - | - | - | 1 | - | - | 1 | - |
| Male | 3 | - | - | 1 | - | - | - | - | - | - | 1 | - |
| Female | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 247 | - | 2 | - | 1 | - | - | 3 | 2 | 4 | 5 | 6 |
| Male | 136 | - | 2 | - | 1 | - | - | 1 | - | 3 | 3 | 4 |
| Female | 111 | - | - | - | - | - | - | 2 | 2 | 1 | 2 | 2 |
| White, both sexes | 221 | - | 2 | - | 1 | - | - | 2 | 2 | 4 | 3 | 4 |
| Male | 124 | - | 2 | - | 1 | - | - | 1 | - | 3 | 1 | 2 |
| Female | 97 | - | - | - | - | - | - | 1 | 2 | 1 | 2 | 2 |
| Black, both sexes | 26 | - | - | - | - | - | - | 1 | - | - | 2 | 2 |
| Male | 12 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Female | 14 | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 2,194 | 4 | 17 | 22 | 22 | 37 | 46 | 32 | 33 | 35 | 57 | 92 |
| Male | 1,231 | 2 | 13 | 14 | 12 | 19 | 27 | 21 | 20 | 19 | 36 | 54 |
| Female | 963 | 2 | 4 | 8 | 10 | 18 | 19 | 11 | 13 | 16 | 21 | 38 |
| White, both sexes | 1,900 | 3 | 14 | 21 | 17 | 33 | 41 | 24 | 27 | 30 | 44 | 76 |
| Male | 1,057 | 2 | 11 | 14 | 10 | 19 | 23 | 14 | 15 | 17 | 27 | 43 |
| Female | 843 | 1 | 3 | 7 | 7 | 14 | 18 | 10 | 12 | 13 | 17 | 33 |
| Black, both sexes | 120 | 1 | - | - | 3 | 3 | 2 | 4 | 3 | 2 | 3 | 6 |
| Male | 70 | - | - | - | 1 | - | 2 | 4 | 3 | 1 | 2 | 5 |
| Female | 50 | 1 | - | - | 2 | 3 | - | - | - | 1 | 1 | 1 |
| American Indian 1/, both sexes | 5 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Male | 4 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 169 | - | 3 | 1 | 2 | 1 | 3 | 3 | 3 | 3 | 9 | 10 |
| Male | 100 | - | 2 | - | 1 | - | 2 | 2 | 2 | 1 | 6 | 6 |
| Female | 69 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 4 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 276 | 1 | 6 | 2 | 4 | 4 | 2 | 3 | 3 | 2 | 7 | 13 |
| Male | 149 | - | 5 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 4 | 9 |
| Female | 127 | 1 | 1 | 1 | 3 | 3 | 1 | 1 | 2 | 1 | 3 | 4 |
| White, both sexes | 267 | 1 | 6 | 2 | 4 | 3 | 2 | 3 | 2 | 2 | 7 | 12 |
| Male | 144 | - | 5 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 4 | 8 |
| Female | 123 | 1 | 1 | 1 | 3 | 2 | 1 | 1 | 1 | 1 | 3 | 4 |
| Black, both sexes | 6 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | 1 | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 262 | - | 1 | 1 | 2 | 5 | - | 3 | 2 | 4 | 5 | 5 |
| Male | 142 | - | - | 1 | 2 | 4 | - | 3 | 1 | 2 | 3 | 3 |
| Female | 120 | - | 1 | - | - | 1 | - | - | 1 | 2 | 2 | 2 |
| White, both sexes | 249 | - | 1 | 1 | 2 | 5 | - | 3 | 2 | 2 | 4 | 5 |
| Male | 135 | - | - | 1 | 2 | 4 | - | 3 | 1 | - | 2 | 3 |
| Female | 114 | - | 1 | - | - | 1 | - | - | 1 | 2 | 2 | 2 |
| Black, both sexes | 10 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | 2 | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | 2 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 62 | - | - | - | - | 1 | 1 | 1 | 1 | 1 | - | 2 |
| Male | 35 | - | - | - | - | 1 | 1 | 1 | - | - | - | - |
| Female | 27 | - | - | - | - | - | - | - | 1 | 1 | - | 2 |
| White, both sexes | 56 | - | - | - | - | 1 | 1 | - | - | 1 | - | 2 |
| Male | 32 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | 24 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 35 | - | - | 1 | - | 3 | - | - | - | - | - | - |
| Male | 16 | - | - | 1 | - | 3 | - | - | - | - | - | - |
| Female | 19 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 22 | - | - | 1 | - | 3 | - | - | - | - | - | - |
| Male | 10 | - | - | 1 | - | 3 | - | - | - | - | - | - |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 1,601 | 1 | 7 | 7 | 10 | 15 | 13 | 14 | 18 | 19 | 19 | 51 |
| Male | 930 | - | 4 | 7 | 6 | 10 | 10 | 8 | 6 | 13 | 13 | 29 |
| Female | 671 | 1 | 3 | - | 4 | 5 | 3 | 6 | 12 | 6 | 6 | 22 |
| White, both sexes | 1,482 | 1 | 4 | 7 | 8 | 11 | 10 | 10 | 13 | 17 | 15 | 43 |
| Male | 867 | - | 3 | 7 | 4 | 6 | 9 | 5 | 5 | 12 | 9 | 25 |
| Female | 615 | 1 | 1 | - | 4 | 5 | 1 | 5 | 8 | 5 | 6 | 18 |
| Black, both sexes | 105 | - | 3 | - | 1 | 3 | 3 | 4 | 3 | 2 | 3 | 8 |
| Male | 57 | - | 1 | - | 1 | 3 | 1 | 3 | 1 | 1 | 3 | 4 |
| Female | 48 | - | 2 | - | - | - | 2 | 1 | 2 | 1 | - | 4 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 13 | - | - | - | 1 | 1 | - | - | 2 | - | 1 | - |
| Male | 6 | - | - | - | 1 | 1 | - | - | - | - | 1 | - |
| Female | 7 | - | - | - | - | - | - | - | 2 | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 522 | 1 | 5 | 3 | 5 | 4 | 10 | 8 | 7 | 12 | 9 | 18 |
| Male | 279 | - | 4 | 1 | 2 | 2 | 9 | 5 | 4 | 8 | 1 | 10 |
| Female | 243 | 1 | 1 | 2 | 3 | 2 | 1 | 3 | 3 | 4 | 8 | 8 |
| White, both sexes | 402 | 1 | 2 | 3 | 4 | 2 | 5 | 5 | 4 | 9 | 5 | 11 |
| Male | 223 | - | 1 | 1 | 2 | 1 | 5 | 4 | 3 | 6 | 1 | 5 |
| Female | 179 | 1 | 1 | 2 | 2 | 1 | - | 1 | 1 | 3 | 4 | 6 |
| Black, both sexes | 114 | - | 3 | - | 1 | 2 | 4 | 3 | 3 | 3 | 4 | 5 |
| Male | 53 | - | 3 | - | - | 1 | 4 | 1 | 1 | 2 | - | 4 |
| Female | 61 | - | - | - | 1 | 1 | - | 2 | 2 | 1 | 4 | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | 1 | - | - | - | - | 2 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 3 | - | - | - | - | - | 1 | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 64 | - | - | - | 1 | 1 | - | 2 | - | 1 | 1 | 2 |
| Male | 37 | - | - | - | - | 1 | - | 1 | - | 1 | 1 | - |
| Female | 27 | - | - | - | 1 | - | - | 1 | - | - | - | 2 |
| White, both sexes | 19 | - | - | - | 1 | - | - | 1 | - | 1 | - | 1 |
| Male | 8 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 11 | - | - | - | 1 | - | - | 1 | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 45 | - | - | - | - | 1 | - | 1 | - | - | 1 | 1 |
| Male | 29 | - | - | - | - | 1 | - | 1 | - | - | 1 | - |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | 1 |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 106 | 1 | - | 1 | - | - | 1 | 1 | - | 2 | 3 | 2 |
| Male | 55 | 1 | - | - | - | - | 1 | - | - | 1 | 2 | - |
| Female | 51 | - | - | 1 | - | - | - | 1 | - | 1 | 1 | 2 |
| White, both sexes | 106 | 1 | - | 1 | - | - | 1 | 1 | - | 2 | 3 | 2 |
| Male | 55 | 1 | - | - | - | - | 1 | - | - | 1 | 2 | - |
| Female | 51 | - | - | 1 | - | - | - | 1 | - | 1 | 1 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 973 | - | 5 | 2 | 2 | 6 | 12 | 16 | 14 | 6 | 12 | 20 |
| Male | 534 | - | 3 | - | 2 | 6 | 9 | 8 | 6 | 1 | 4 | 7 |
| Female | 439 | - | 2 | 2 | - | - | 3 | 8 | 8 | 5 | 8 | 13 |
| White, both sexes | 859 | - | 4 | 2 | 2 | 4 | 9 | 9 | 11 | 5 | 10 | 14 |
| Male | 474 | - | 2 | - | 2 | 4 | 6 | 5 | 5 | - | 4 | 4 |
| Female | 385 | - | 2 | 2 | - | - | 3 | 4 | 6 | 5 | 6 | 10 |
| Black, both sexes | 98 | - | 1 | - | - | 2 | 2 | 6 | 2 | 1 | 2 | 5 |
| Male | 52 | - | 1 | - | - | 2 | 2 | 3 | 1 | 1 | - | 3 |
| Female | 46 | - | - | - | - | - | - | 3 | 1 | - | 2 | 2 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 15 | - | - | - | - | - | 1 | 1 | 1 | - | - | 1 |
| Male | 7 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | 1 | 1 | - | - | 1 |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 486 | 1 | 2 | 4 | 2 | 3 | 6 | 5 | 3 | 4 | 9 | 16 |
| Male | 272 | 1 | 1 | 2 | - | 2 | 4 | 4 | 1 | 2 | 3 | 7 |
| Female | 214 | - | 1 | 2 | 2 | 1 | 2 | 1 | 2 | 2 | 6 | 9 |
| White, both sexes | 453 | 1 | 2 | 4 | 2 | 3 | 6 | 4 | 2 | 4 | 8 | 12 |
| Male | 255 | 1 | 1 | 2 | - | 2 | 4 | 3 | 1 | 2 | 2 | 5 |
| Female | 198 | - | 1 | 2 | 2 | 1 | 2 | 1 | 1 | 2 | 6 | 7 |
| Black, both sexes | 32 | - | - | - | - | - | - | 1 | 1 | - | 1 | 4 |
| Male | 17 | - | - | - | - | - | - | 1 | - | - | 1 | 2 |
| Female | 15 | - | - | - | - | - | - | - | 1 | - | - | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 298 | - | 2 | 2 | 2 | - | - | 3 | 3 | 4 | 4 | 7 |
| Male | 176 | - | 2 | 1 | 1 | - | - | 2 | 1 | 2 | 1 | 4 |
| Female | 122 | - | - | 1 | 1 | - | - | 1 | 2 | 2 | 3 | 3 |
| White, both sexes | 296 | - | 2 | 2 | 2 | - | - | 3 | 3 | 4 | 3 | 7 |
| Male | 175 | - | 2 | 1 | 1 | - | - | 2 | 1 | 2 | - | 4 |
| Female | 121 | - | - | 1 | 1 | - | - | 1 | 2 | 2 | 3 | 3 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 222 | - | 2 | 2 | 1 | 2 | 3 | - | - | 1 | 4 | 4 |
| Male | 119 | - | 2 | 1 | 1 | - | 1 | - | - | - | 1 | 4 |
| Female | 103 | - | - | 1 | - | 2 | 2 | - | - | 1 | 3 | - |
| White, both sexes | 213 | - | 2 | 2 | 1 | 2 | 3 | - | - | 1 | 4 | 4 |
| Male | 116 | - | 2 | 1 | 1 | - | 1 | - | - | - | 1 | 4 |
| Female | 97 | - | - | 1 | - | 2 | 2 | - | - | 1 | 3 | - |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 337 | - | - | 2 | 1 | 3 | 1 | 2 | 3 | 8 | 9 | 11 |
| Male | 194 | - | - | 1 | 1 | 3 | - | 2 | 2 | 6 | 5 | 7 |
| Female | 143 | - | - | 1 | - | - | 1 | - | 1 | 2 | 4 | 4 |
| White, both sexes | 327 | - | - | 2 | 1 | 3 | 1 | 2 | 2 | 7 | 9 | 10 |
| Male | 185 | - | - | 1 | 1 | 3 | - | 2 | 1 | 5 | 5 | 6 |
| Female | 142 | - | - | 1 | - | - | 1 | - | 1 | 2 | 4 | 4 |
| Black, both sexes | 8 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 283 | - | 1 | 1 | 3 | 4 | 4 | 3 | 2 | 2 | 10 | 9 |
| Male | 162 | - | 1 | 1 | 2 | 3 | 2 | 1 | 1 | 1 | 1 | 5 |
| Female | 121 | - | - | - | 1 | 1 | 2 | 2 | 1 | 1 | 9 | 4 |
| White, both sexes | 208 | - | 1 | - | - | 1 | 2 | 3 | 1 | 1 | 8 | 3 |
| Male | 115 | - | 1 | - | - | 1 | - | 1 | 1 | - | 1 | 1 |
| Female | 93 | - | - | - | - | - | 2 | 2 | - | 1 | 7 | 2 |
| Black, both sexes | 74 | - | - | 1 | 3 | 3 | 2 | - | 1 | 1 | 2 | 5 |
| Male | 47 | - | - | 1 | 2 | 2 | 2 | - | - | 1 | - | 4 |
| Female | 27 | - | - | - | 1 | 1 | - | - | 1 | - | 2 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 147 | - | 2 | - | 1 | 1 | 1 | - | - | 1 | 2 | 5 |
| Male | 87 | - | - | - | 1 | 1 | - | - | - | - | 1 | 3 |
| Female | 60 | - | 2 | - | - | - | 1 | - | - | 1 | 1 | 2 |
| White, both sexes | 147 | - | 2 | - | 1 | 1 | 1 | - | - | 1 | 2 | 5 |
| Male | 87 | - | - | - | 1 | 1 | - | - | - | - | 1 | 3 |
| Female | 60 | - | 2 | - | - | - | 1 | - | - | 1 | 1 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 365 | - | 5 | 3 | 3 | 8 | 1 | 4 | 5 | 8 | 7 | 16 |
| Male | 201 | - | 4 | 1 | - | 4 | 1 | 2 | 3 | 5 | 3 | 7 |
| Female | 164 | - | 1 | 2 | 3 | 4 | - | 2 | 2 | 3 | 4 | 9 |
| White, both sexes | 299 | - | 4 | 3 | 2 | 4 | - | 3 | 3 | 6 | 3 | 11 |
| Male | 162 | - | 3 | 1 | - | 3 | - | 2 | 2 | 4 | 1 | 5 |
| Female | 137 | - | 1 | 2 | 2 | 1 | - | 1 | 1 | 2 | 2 | 6 |
| Black, both sexes | 57 | - | 1 | - | 1 | 3 | 1 | 1 | 2 | 1 | 3 | 4 |
| Male | 34 | - | 1 | - | - | 1 | 1 | - | 1 | - | 2 | 2 |
| Female | 23 | - | - | - | 1 | 2 | - | 1 | 1 | 1 | 1 | 2 |
| American Indian 1/, both sexes | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | 1 | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 462 | - | 2 | 4 | - | 4 | 5 | 6 | 4 | 10 | 4 | 13 |
| Male | 254 | - | 2 | 2 | - | 2 | 5 | 3 | - | 5 | 1 | 7 |
| Female | 208 | - | - | 2 | - | 2 | - | 3 | 4 | 5 | 3 | 6 |
| White, both sexes | 440 | - | 1 | 3 | - | 2 | 4 | 4 | 4 | 9 | 3 | 13 |
| Male | 243 | - | 1 | 2 | - | 1 | 4 | 3 | - | 4 | 1 | 7 |
| Female | 197 | - | - | 1 | - | 1 | - | 1 | 4 | 5 | 2 | 6 |
| Black, both sexes | 15 | - | 1 | - | - | 1 | 1 | - | - | 1 | - | - |
| Male | 8 | - | 1 | - | - | - | 1 | - | - | 1 | - | - |
| Female | 7 | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | 1 | - | 1 | - | 2 | - | - | 1 | - |
| Male | 3 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 4 | - | - | 1 | - | - | - | 2 | - | - | 1 | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 829 | 2 | 5 | 5 | 5 | 7 | 9 | 1 | 8 | 6 | 9 | 16 |
| Male | 469 | 2 | 2 | 3 | 2 | 5 | 6 | 1 | 5 | 2 | 5 | 6 |
| Female | 360 | - | 3 | 2 | 3 | 2 | 3 | - | 3 | 4 | 4 | 10 |
| White, both sexes | 750 | 1 | 3 | 3 | 4 | 6 | 9 | 1 | 5 | 5 | 9 | 13 |
| Male | 433 | 1 | 1 | 1 | 2 | 4 | 6 | 1 | 3 | 2 | 5 | 6 |
| Female | 317 | - | 2 | 2 | 2 | 2 | 3 | - | 2 | 3 | 4 | 7 |
| Black, both sexes | 72 | 1 | 2 | 1 | 1 | 1 | - | - | 2 | 1 | - | 3 |
| Male | 32 | 1 | 1 | 1 | - | 1 | - | - | 2 | - | - | - |
| Female | 40 | - | 1 | - | 1 | - | - | - | - | 1 | - | 3 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | 1 | - | - | - | - | 1 | - | - | - |
| Male | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 387 | 1 | - | 2 | 4 | 4 | 2 | 3 | 3 | 6 | 7 | 5 |
| Male | 201 | 1 | - | 2 | 1 | 2 | 1 | 2 | 2 | 4 | 2 | 3 |
| Female | 186 | - | - | - | 3 | 2 | 1 | 1 | 1 | 2 | 5 | 2 |
| White, both sexes | 378 | - | - | 1 | 4 | 4 | 2 | 3 | 3 | 4 | 7 | 4 |
| Male | 195 | - | - | 1 | 1 | 2 | 1 | 2 | 2 | 2 | 2 | 3 |
| Female | 183 | - | - | - | 3 | 2 | 1 | 1 | 1 | 2 | 5 | 1 |
| Black, both sexes | 6 | 1 | - | - | - | - | - | - | - | 2 | - | - |
| Male | 4 | 1 | - | - | - | - | - | - | - | 2 | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 225 | - | 2 | 1 | 1 | 1 | 4 | 2 | 9 | - | 7 | 5 |
| Male | 116 | - | 1 | - | 1 | 1 | 2 | - | 7 | - | 2 | 2 |
| Female | 109 | - | 1 | 1 | - | - | 2 | 2 | 2 | - | 5 | 3 |
| White, both sexes | 160 | - | - | 1 | - | - | 2 | - | 4 | - | 3 | 3 |
| Male | 90 | - | - | - | - | - | 1 | - | 3 | - | 1 | 2 |
| Female | 70 | - | - | 1 | - | - | 1 | - | 1 | - | 2 | 1 |
| Black, both sexes | 62 | - | 2 | - | 1 | 1 | 2 | 2 | 5 | - | 4 | 2 |
| Male | 26 | - | 1 | - | 1 | 1 | 1 | - | 4 | - | 1 | - |
| Female | 36 | - | 1 | - | - | - | 1 | 2 | 1 | - | 3 | 2 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 487 | - | 1 | - | 1 | 5 | 7 | 4 | 7 | - | 9 | 11 |
| Male | 287 | - | 1 | - | 1 | 3 | 4 | 4 | 3 | - | 4 | 7 |
| Female | 200 | - | - | - | - | 2 | 3 | - | 4 | - | 5 | 4 |
| White, both sexes | 447 | - | 1 | - | 1 | 5 | 7 | 4 | 4 | - | 8 | 11 |
| Male | 266 | - | 1 | - | 1 | 3 | 4 | 4 | 3 | - | 4 | 7 |
| Female | 181 | - | - | - | - | 2 | 3 | - | 1 | - | 4 | 4 |
| Black, both sexes | 40 | - | - | - | - | - | - | - | 3 | - | 1 | - |
| Male | 21 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 19 | - | - | - | - | - | - | - | 3 | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 84 | - | 1 | - | - | - | 1 | 1 | - | 3 | - | 3 |
| Male | 49 | - | 1 | - | - | - | 1 | - | - | 1 | - | 2 |
| Female | 35 | - | - | - | - | - | - | 1 | - | 2 | - | 1 |
| White, both sexes | 82 | - | - | - | - | - | 1 | 1 | - | 3 | - | 3 |
| Male | 47 | - | - | - | - | - | 1 | - | - | 1 | - | 2 |
| Female | 35 | - | - | - | - | - | - | 1 | - | 2 | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 134 | - | - | 1 | 1 | 1 | 1 | - | - | 1 | 2 | 3 |
| Male | 79 | - | - | 1 | 1 | 1 | - | - | - | - | - | 3 |
| Female | 55 | - | - | - | - | - | 1 | - | - | 1 | 2 | - |
| White, both sexes | 130 | - | - | 1 | 1 | 1 | 1 | - | - | 1 | 2 | 3 |
| Male | 77 | - | - | 1 | 1 | 1 | - | - | - | - | - | 3 |
| Female | 53 | - | - | - | - | - | 1 | - | - | 1 | 2 | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 145 | - | 1 | - | 3 | 1 | 1 | 3 | 2 | 4 | 4 | 6 |
| Male | 90 | - | 1 | - | 1 | 1 | - | - | 1 | 2 | 2 | 3 |
| Female | 55 | - | - | - | 2 | - | 1 | 3 | 1 | 2 | 2 | 3 |
| White, both sexes | 131 | - | 1 | - | 3 | 1 | 1 | 2 | 2 | 4 | 2 | 2 |
| Male | 83 | - | 1 | - | 1 | 1 | - | - | 1 | 2 | 1 | 1 |
| Female | 48 | - | - | - | 2 | - | 1 | 2 | 1 | 2 | 1 | 1 |
| Black, both sexes | 8 | - | - | - | - | - | - | 1 | - | - | - | 2 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Male | 3 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 3 | - | - | - | - | - | - | - | - | - | 1 | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 95 | - | - | - | - | 1 | 1 | - | - | 2 | 6 | 1 |
| Male | 48 | - | - | - | - | 1 | - | - | - | 1 | 3 | - |
| Female | 47 | - | - | - | - | - | 1 | - | - | 1 | 3 | 1 |
| White, both sexes | 93 | - | - | - | - | 1 | 1 | - | - | 2 | 6 | - |
| Male | 47 | - | - | - | - | 1 | - | - | - | 1 | 3 | - |
| Female | 46 | - | - | - | - | - | 1 | - | - | 1 | 3 | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 623 | 1 | 4 | 4 | 5 | 9 | 9 | 4 | 3 | 9 | 11 | 16 |
| Male | 346 | 1 | 2 | 2 | 5 | 4 | 8 | 3 | 2 | 6 | 5 | 6 |
| Female | 277 | - | 2 | 2 | - | 5 | 1 | 1 | 1 | 3 | 6 | 10 |
| White, both sexes | 557 | 1 | 3 | 4 | 1 | 8 | 8 | 3 | 3 | 5 | 8 | 14 |
| Male | 313 | 1 | 2 | 2 | 1 | 4 | 7 | 2 | 2 | 3 | 4 | 6 |
| Female | 244 | - | 1 | 2 | - | 4 | 1 | 1 | 1 | 2 | 4 | 8 |
| Black, both sexes | 54 | - | - | - | 4 | 1 | 1 | - | - | 3 | 3 | 1 |
| Male | 28 | - | - | - | 4 | - | 1 | - | - | 2 | 1 | - |
| Female | 26 | - | - | - | - | 1 | - | - | - | 1 | 2 | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 11 | - | 1 | - | - | - | - | 1 | - | 1 | - | 1 |
| Male | 4 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Female | 7 | - | 1 | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 119 | 1 | 2 | 1 | - | 2 | 3 | 2 | 1 | 2 | 1 | 3 |
| Male | 62 | 1 | 1 | - | - | 1 | 2 | 1 | - | 1 | - | 2 |
| Female | 57 | - | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| White, both sexes | 109 | 1 | 1 | 1 | - | 1 | 2 | 2 | 1 | 2 | 1 | 3 |
| Male | 59 | 1 | 1 | - | - | 1 | 2 | 1 | - | 1 | - | 2 |
| Female | 50 | - | - | 1 | - | - | - | 1 | 1 | 1 | 1 | 1 |
| Black, both sexes | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 8 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 1,416 | 1 | 9 | 6 | 9 | 9 | 17 | 14 | 12 | 16 | 29 | 44 |
| Male | 794 | 1 | 7 | 3 | 6 | 3 | 12 | 10 | 7 | 10 | 18 | 22 |
| Female | 622 | - | 2 | 3 | 3 | 6 | 5 | 4 | 5 | 6 | 11 | 22 |
| White, both sexes | 1,241 | 1 | 7 | 3 | 7 | 7 | 10 | 10 | 9 | 12 | 19 | 37 |
| Male | 701 | 1 | 5 | 1 | 5 | 3 | 7 | 7 | 5 | 9 | 12 | 19 |
| Female | 540 | - | 2 | 2 | 2 | 4 | 3 | 3 | 4 | 3 | 7 | 18 |
| Black, both sexes | 132 | - | 2 | 1 | 1 | 2 | 4 | 1 | 3 | 2 | 9 | 5 |
| Male | 64 | - | 2 | 1 | 1 | - | 4 | - | 2 | 1 | 5 | 1 |
| Female | 68 | - | - | - | - | 2 | - | 1 | 1 | 1 | 4 | 4 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 42 | - | - | 2 | 1 | - | 3 | 3 | - | 2 | 1 | 2 |
| Male | 29 | - | - | 1 | - | - | 1 | 3 | - | - | 1 | 2 |
| Female | 13 | - | - | 1 | 1 | - | 2 | - | - | 2 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 612 | 1 | 4 | 1 | 6 | 4 | 7 | 5 | 6 | 8 | 7 | 17 |
| Male | 352 | - | 3 | - | 2 | 3 | 4 | 3 | 4 | 4 | 5 | 8 |
| Female | 260 | 1 | 1 | 1 | 4 | 1 | 3 | 2 | 2 | 4 | 2 | 9 |
| White, both sexes | 520 | 1 | 2 | - | 2 | 4 | 5 | 5 | 5 | 7 | 7 | 14 |
| Male | 309 | - | 1 | - | 2 | 3 | 2 | 3 | 4 | 3 | 5 | 6 |
| Female | 211 | 1 | 1 | - | - | 1 | 3 | 2 | 1 | 4 | 2 | 8 |
| Black, both sexes | 81 | - | 1 | 1 | 4 | - | 2 | - | 1 | 1 | - | 3 |
| Male | 35 | - | 1 | - | - | - | 2 | - | - | 1 | - | 2 |
| Female | 46 | - | - | 1 | 4 | - | - | - | 1 | - | - | 1 |
| American Indian 1/, both sexes | 8 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 58 | - | - | - | - | 1 | - | - | - | - | 1 | 2 |
| Male | 28 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 30 | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | 57 | - | - | - | - | 1 | - | - | - | - | 1 | 2 |
| Male | 28 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 29 | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 916 | 1 | 2 | 2 | 2 | 7 | 6 | 9 | 9 | 14 | 20 | 16 |
| Male | 519 | - | 2 | 2 | 1 | 3 | 6 | 8 | 6 | 6 | 8 | 12 |
| Female | 397 | 1 | - | - | 1 | 4 | - | 1 | 3 | 8 | 12 | 4 |
| White, both sexes | 848 | 1 | 1 | 2 | 2 | 6 | 5 | 8 | 9 | 14 | 18 | 14 |
| Male | 484 | - | 1 | 2 | 1 | 3 | 5 | 8 | 6 | 6 | 7 | 11 |
| Female | 364 | 1 | - | - | 1 | 3 | - | - | 3 | 8 | 11 | 3 |
| Black, both sexes | 65 | - | 1 | - | - | 1 | 1 | 1 | - | - | 2 | 2 |
| Male | 34 | - | 1 | - | - | - | 1 | - | - | - | 1 | 1 |
| Female | 31 | - | - | - | - | 1 | - | 1 | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 289 | - | 2 | - | 2 | 3 | 2 | 2 | 2 | 4 | 2 | 5 |
| Male | 164 | - | 2 | - | 1 | 2 | 2 | 2 | 1 | 3 | 1 | 3 |
| Female | 125 | - | - | - | 1 | 1 | - | - | 1 | 1 | 1 | 2 |
| White, both sexes | 273 | - | 2 | - | 2 | 2 | 1 | 2 | 2 | 3 | 2 | 4 |
| Male | 155 | - | 2 | - | 1 | 1 | 1 | 2 | 1 | 2 | 1 | 2 |
| Female | 118 | - | - | - | 1 | 1 | - | - | 1 | 1 | 1 | 2 |
| Black, both sexes | 7 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 8 | - | - | - | - | - | 1 | - | - | 1 | - | 1 |
| Male | 4 | - | - | - | - | - | 1 | - | - | 1 | - | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 297 | - | 1 | 2 | 2 | 2 | 4 | 2 | 3 | 2 | 7 | 7 |
| Male | 171 | - | - | - | 2 | 2 | 2 | 1 | 3 | 1 | 4 | 6 |
| Female | 126 | - | 1 | 2 | - | - | 2 | 1 | - | 1 | 3 | 1 |
| White, both sexes | 292 | - | 1 | 2 | 2 | 2 | 4 | 2 | 3 | 2 | 6 | 7 |
| Male | 169 | - | - | - | 2 | 2 | 2 | 1 | 3 | 1 | 4 | 6 |
| Female | 123 | - | 1 | 2 | - | - | 2 | 1 | - | 1 | 2 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 1,118 | - | 4 | 4 | 7 | 6 | 5 | 11 | 14 | 13 | 18 | 22 |
| Male | 608 | - | 1 | 3 | 3 | 4 | 4 | 4 | 9 | 8 | 11 | 12 |
| Female | 510 | - | 3 | 1 | 4 | 2 | 1 | 7 | 5 | 5 | 7 | 10 |
| White, both sexes | 1,046 | - | 1 | 4 | 5 | 3 | 5 | 9 | 11 | 10 | 14 | 21 |
| Male | 568 | - | - | 3 | 2 | 2 | 4 | 4 | 7 | 6 | 8 | 11 |
| Female | 478 | - | 1 | 1 | 3 | 1 | 1 | 5 | 4 | 4 | 6 | 10 |
| Black, both sexes | 67 | - | 2 | - | 1 | 3 | - | 2 | 3 | 3 | 4 | 1 |
| Male | 38 | - | - | - | 1 | 2 | - | - | 2 | 2 | 3 | 1 |
| Female | 29 | - | 2 | - | - | 1 | - | 2 | 1 | 1 | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 93 | - | - | - | 3 | 1 | 2 | - | - | 3 | 1 | 2 |
| Male | 49 | - | - | - | 2 | 1 | 2 | - | - | 2 | 1 | 2 |
| Female | 44 | - | - | - | 1 | - | - | - | - | 1 | - | - |
| White, both sexes | 87 | - | - | - | 2 | 1 | 2 | - | - | 3 | 1 | 2 |
| Male | 43 | - | - | - | 1 | 1 | 2 | - | - | 2 | 1 | 2 |
| Female | 44 | - | - | - | 1 | - | - | - | - | 1 | - | - |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 279 | - | - | 1 | 2 | 5 | 3 | 1 | 4 | 2 | 6 | 9 |
| Male | 167 | - | - | 1 | - | 2 | 1 | 1 | 1 | 1 | 5 | 5 |
| Female | 112 | - | - | - | 2 | 3 | 2 | - | 3 | 1 | 1 | 4 |
| White, both sexes | 213 | - | - | - | 1 | 3 | 2 | 1 | 2 | 1 | 3 | 5 |
| Male | 124 | - | - | - | - | 2 | 1 | 1 | 1 | 1 | 3 | 2 |
| Female | 89 | - | - | - | 1 | 1 | 1 | - | 1 | - | - | 3 |
| Black, both sexes | 64 | - | - | 1 | 1 | 2 | 1 | - | 2 | 1 | 2 | 4 |
| Male | 42 | - | - | 1 | - | - | - | - | - | - | 2 | 3 |
| Female | 22 | - | - | - | 1 | 2 | 1 | - | 2 | 1 | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 64 | - | - | - | - | 1 | 2 | 2 | 3 | 1 | 1 | 1 |
| Male | 37 | - | - | - | - | 1 | 1 | - | 1 | - | 1 | - |
| Female | 27 | - | - | - | - | - | 1 | 2 | 2 | 1 | - | 1 |
| White, both sexes | 57 | - | - | - | - | 1 | 2 | 1 | 3 | 1 | - | 1 |
| Male | 31 | - | - | - | - | 1 | 1 | - | 1 | - | - | - |
| Female | 26 | - | - | - | - | - | 1 | 1 | 2 | 1 | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 6 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 442 | 2 | 6 | 3 | 2 | 4 | 5 | 8 | 5 | 9 | 10 | 12 |
| Male | 263 | - | 3 | 2 | - | 2 | 3 | 6 | 1 | 2 | 7 | 8 |
| Female | 179 | 2 | 3 | 1 | 2 | 2 | 2 | 2 | 4 | 7 | 3 | 4 |
| White, both sexes | 387 | 2 | 5 | 2 | 2 | 4 | 4 | 4 | 4 | 8 | 8 | 9 |
| Male | 226 | - | 2 | 1 | - | 2 | 2 | 3 | 1 | 2 | 6 | 5 |
| Female | 161 | 2 | 3 | 1 | 2 | 2 | 2 | 1 | 3 | 6 | 2 | 4 |
| Black, both sexes | 50 | - | - | - | - | - | - | 4 | 1 | 1 | 2 | 3 |
| Male | 33 | - | - | - | - | - | - | 3 | - | - | 1 | 3 |
| Female | 17 | - | - | - | - | - | - | 1 | 1 | 1 | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | 1 | 1 | - | - | 1 | - | - | - | - | - |
| Male | 4 | - | 1 | 1 | - | - | 1 | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 1,369 | 2 | 10 | 16 | 17 | 19 | 26 | 15 | 19 | 25 | 26 | 45 |
| Male | 832 | - | 8 | 8 | 11 | 11 | 18 | 8 | 11 | 12 | 16 | 21 |
| Female | 537 | 2 | 2 | 8 | 6 | 8 | 8 | 7 | 8 | 13 | 10 | 24 |
| White, both sexes | 1,234 | 1 | 7 | 16 | 17 | 18 | 24 | 12 | 16 | 23 | 23 | 32 |
| Male | 758 | - | 6 | 8 | 11 | 10 | 17 | 7 | 9 | 11 | 15 | 16 |
| Female | 476 | 1 | 1 | 8 | 6 | 8 | 7 | 5 | 7 | 12 | 8 | 16 |
| Black, both sexes | 117 | 1 | 3 | - | - | 1 | 2 | 3 | 2 | 1 | 3 | 12 |
| Male | 65 | - | 2 | - | - | 1 | 1 | 1 | 1 | 1 | 1 | 5 |
| Female | 52 | 1 | 1 | - | - | - | 1 | 2 | 1 | - | 2 | 7 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 18 | - | - | - | - | - | - | - | 1 | 1 | - | 1 |
| Male | 9 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 132 | - | - | 1 | - | 4 | 1 | 1 | 1 | 3 | 2 | 4 |
| Male | 84 | - | - | - | - | 3 | - | - | 1 | 1 | 1 | 2 |
| Female | 48 | - | - | 1 | - | 1 | 1 | 1 | - | 2 | 1 | 2 |
| White, both sexes | 128 | - | - | 1 | - | 4 | 1 | - | 1 | 3 | 2 | 4 |
| Male | 82 | - | - | - | - | 3 | - | - | 1 | 1 | 1 | 2 |
| Female | 46 | - | - | 1 | - | 1 | 1 | - | - | 2 | 1 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 59 | - | - | - | - | - | 1 | 1 | - | 2 | 2 | 1 |
| Male | 36 | - | - | - | - | - | - | 1 | - | 2 | 1 | - |
| Female | 23 | - | - | - | - | - | 1 | - | - | - | 1 | 1 |
| White, both sexes | 58 | - | - | - | - | - | 1 | 1 | - | 2 | 2 | 1 |
| Male | 35 | - | - | - | - | - | - | 1 | - | 2 | 1 | - |
| Female | 23 | - | - | - | - | - | 1 | - | - | - | 1 | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 488 | - | 3 | 5 | 5 | 2 | 5 | 6 | 4 | 6 | 11 | 12 |
| Male | 278 | - | 1 | 5 | 2 | - | 3 | 3 | 3 | 3 | 4 | 5 |
| Female | 210 | - | 2 | - | 3 | 2 | 2 | 3 | 1 | 3 | 7 | 7 |
| White, both sexes | 390 | - | 2 | 4 | 4 | 1 | 4 | 2 | 4 | 4 | 7 | 8 |
| Male | 225 | - | - | 4 | 2 | - | 2 | 1 | 3 | 3 | 2 | 3 |
| Female | 165 | - | 2 | - | 2 | 1 | 2 | 1 | 1 | 1 | 5 | 5 |
| Black, both sexes | 79 | - | 1 | 1 | 1 | 1 | 1 | 3 | - | 2 | 2 | 2 |
| Male | 41 | - | 1 | 1 | - | - | 1 | 2 | - | - | 1 | 1 |
| Female | 38 | - | - | - | 1 | 1 | - | 1 | - | 2 | 1 | 1 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 16 | - | - | - | - | - | - | 1 | - | - | 2 | 2 |
| Male | 9 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 7 | - | - | - | - | - | - | 1 | - | - | 1 | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 424 | - | 1 | 2 | 4 | 5 | 4 | 2 | 7 | 4 | 7 | 9 |
| Male | 250 | - | - | 2 | 3 | 2 | 2 | 2 | 3 | - | 5 | 4 |
| Female | 174 | - | 1 | - | 1 | 3 | 2 | - | 4 | 4 | 2 | 5 |
| White, both sexes | 402 | - | 1 | 2 | 3 | 5 | 3 | 2 | 7 | 4 | 7 | 6 |
| Male | 235 | - | - | 2 | 2 | 2 | 1 | 2 | 3 | - | 5 | 2 |
| Female | 167 | - | 1 | - | 1 | 3 | 2 | - | 4 | 4 | 2 | 4 |
| Black, both sexes | 7 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 13 | - | - | - | 1 | - | - | - | - | - | - | 3 |
| Male | 9 | - | - | - | 1 | - | - | - | - | - | - | 2 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 174 | - | - | 1 | 1 | 2 | 1 | 1 | 2 | 1 | 3 | 2 |
| Male | 91 | - | - | 1 | - | 1 | 1 | - | 1 | 1 | 2 | - |
| Female | 83 | - | - | - | 1 | 1 | - | 1 | 1 | - | 1 | 2 |
| White, both sexes | 171 | - | - | - | 1 | 2 | 1 | 1 | 2 | 1 | 3 | 2 |
| Male | 89 | - | - | - | - | 1 | 1 | - | 1 | 1 | 2 | - |
| Female | 82 | - | - | - | 1 | 1 | - | 1 | 1 | - | 1 | 2 |
| Black, both sexes | 3 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 504 | 1 | 3 | 3 | 2 | 5 | 2 | 1 | 3 | 9 | 9 | 11 |
| Male | 308 | 1 | 2 | 3 | 2 | 2 | 1 | - | - | 6 | 3 | 10 |
| Female | 196 | - | 1 | - | - | 3 | 1 | 1 | 3 | 3 | 6 | 1 |
| White, both sexes | 491 | 1 | 2 | 1 | 2 | 5 | 2 | 1 | 3 | 9 | 8 | 11 |
| Male | 300 | 1 | 1 | 1 | 2 | 2 | 1 | - | - | 6 | 3 | 10 |
| Female | 191 | - | 1 | - | - | 3 | 1 | 1 | 3 | 3 | 5 | 1 |
| Black, both sexes | 12 | - | 1 | 2 | - | - | - | - | - | - | 1 | - |
| Male | 7 | - | 1 | 2 | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 37 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 20 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 37 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 20 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 812 | 1,133 | 1,529 | 2,010 | 2,663 | 3,390 | 3,442 | 2,457 | 1,187 | 324 | 45 | - |
| Male | 435 | 696 | 953 | 1,231 | 1,671 | 2,057 | 1,900 | 1,203 | 469 | 118 | 12 | - |
| Female | 377 | 437 | 576 | 779 | 992 | 1,333 | 1,542 | 1,254 | 718 | 206 | 33 | - |
| White, both sexes | 670 | 980 | 1,352 | 1,779 | 2,413 | 3,112 | 3,222 | 2,322 | 1,120 | 299 | 36 | - |
| Male | 367 | 612 | 850 | 1,104 | 1,524 | 1,892 | 1,780 | 1,151 | 446 | 110 | 8 | - |
| Female | 303 | 368 | 502 | 675 | 889 | 1,220 | 1,442 | 1,171 | 674 | 189 | 28 | - |
| Black, both sexes | 115 | 122 | 135 | 185 | 189 | 210 | 178 | 109 | 53 | 25 | 8 | - |
| Male | 54 | 68 | 77 | 103 | 108 | 118 | 95 | 42 | 14 | 8 | 3 | - |
| Female | 61 | 54 | 58 | 82 | 81 | 92 | 83 | 67 | 39 | 17 | 5 | - |
| American Indian 1/, both sexes | 5 | 4 | 6 | 11 | 6 | 12 | 5 | 5 | 2 | - | - | - |
| Male | 2 | 1 | 3 | 8 | 4 | 8 | 2 | 3 | - | - | - | - |
| Female | 3 | 3 | 3 | 3 | 2 | 4 | 3 | 2 | 2 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 22 | 27 | 36 | 35 | 55 | 56 | 37 | 21 | 12 | - | 1 | - |
| Male | 12 | 15 | 23 | 16 | 35 | 39 | 23 | 7 | 9 | - | 1 | - |
| Female | 10 | 12 | 13 | 19 | 20 | 17 | 14 | 14 | 3 | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 10 | 21 | 31 | 47 | 43 | 50 | 58 | 40 | 22 | 5 | 2 | - |
| Male | 4 | 13 | 19 | 26 | 24 | 28 | 25 | 18 | 9 | 3 | - | - |
| Female | 6 | 8 | 12 | 21 | 19 | 22 | 33 | 22 | 13 | 2 | 2 | - |
| White, both sexes | 8 | 18 | 24 | 39 | 36 | 42 | 47 | 35 | 19 | 5 | 1 | - |
| Male | 3 | 12 | 15 | 23 | 20 | 25 | 22 | 16 | 7 | 3 | - | - |
| Female | 5 | 6 | 9 | 16 | 16 | 17 | 25 | 19 | 12 | 2 | 1 | - |
| Black, both sexes | 2 | 3 | 7 | 8 | 7 | 7 | 11 | 5 | 3 | - | 1 | - |
| Male | 1 | 1 | 4 | 3 | 4 | 3 | 3 | 2 | 2 | - | - | - |
| Female | 1 | 2 | 3 | 5 | 3 | 4 | 8 | 3 | 1 | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 4 | 2 | 2 | 3 | 2 | 4 | 3 | 5 | 1 | - | - | - |
| Male | 2 | - | - | 1 | - | 2 | 1 | 2 | 1 | - | - | - |
| Female | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | - | - | - | - |
| White, both sexes | 4 | - | 2 | 1 | 2 | 3 | 2 | 4 | 1 | - | - | - |
| Male | 2 | - | - | 1 | - | 1 | 1 | 1 | 1 | - | - | - |
| Female | 2 | - | 2 | - | 2 | 2 | 1 | 3 | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | 2 | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Female | - | 1 | - | 2 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 10 | 13 | 20 | 43 | 48 | 60 | 75 | 40 | 15 | 5 | - | - |
| Male | 6 | 6 | 14 | 30 | 32 | 38 | 40 | 19 | 6 | 2 | - | - |
| Female | 4 | 7 | 6 | 13 | 16 | 22 | 35 | 21 | 9 | 3 | - | - |
| White, both sexes | 9 | 13 | 19 | 42 | 48 | 60 | 74 | 40 | 14 | 5 | - | - |
| Male | 6 | 6 | 14 | 29 | 32 | 38 | 39 | 19 | 6 | 2 | - | - |
| Female | 3 | 7 | 5 | 13 | 16 | 22 | 35 | 21 | 8 | 3 | - | - |
| Black, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 4 | 12 | 14 | 26 | 29 | 46 | 42 | 29 | 14 | 7 | 1 | - |
| Male | 2 | 8 | 11 | 12 | 19 | 24 | 21 | 15 | 7 | 3 | - | - |
| Female | 2 | 4 | 3 | 14 | 10 | 22 | 21 | 14 | 7 | 4 | 1 | - |
| White, both sexes | 3 | 11 | 13 | 23 | 24 | 44 | 37 | 27 | 13 | 7 | 1 | - |
| Male | 2 | 8 | 10 | 11 | 17 | 23 | 19 | 14 | 7 | 3 | - | - |
| Female | 1 | 3 | 3 | 12 | 7 | 21 | 18 | 13 | 6 | 4 | 1 | - |
| Black, both sexes | 1 | 1 | 1 | 3 | 5 | 2 | 5 | 2 | 1 | - | - | - |
| Male | - | - | 1 | 1 | 2 | 1 | 2 | 1 | - | - | - | - |
| Female | 1 | 1 | - | 2 | 3 | 1 | 3 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 83 | 121 | 144 | 176 | 257 | 297 | 310 | 237 | 136 | 31 | 5 | - |
| Male | 47 | 64 | 86 | 101 | 160 | 169 | 185 | 111 | 62 | 7 | 2 | - |
| Female | 36 | 57 | 58 | 75 | 97 | 128 | 125 | 126 | 74 | 24 | 3 | - |
| White, both sexes | 71 | 101 | 117 | 149 | 213 | 260 | 277 | 223 | 127 | 28 | 4 | - |
| Male | 41 | 52 | 71 | 88 | 133 | 142 | 163 | 106 | 58 | 7 | 1 | - |
| Female | 30 | 49 | 46 | 61 | 80 | 118 | 114 | 117 | 69 | 21 | 3 | - |
| Black, both sexes | 3 | 11 | 12 | 14 | 18 | 10 | 15 | 4 | 3 | 3 | - | - |
| Male | - | 7 | 6 | 7 | 12 | 7 | 11 | 2 | - | - | - | - |
| Female | 3 | 4 | 6 | 7 | 6 | 3 | 4 | 2 | 3 | 3 | - | - |
| American Indian 1/, both sexes | - | - | - | 2 | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 9 | 9 | 15 | 11 | 25 | 27 | 18 | 10 | 6 | - | 1 | - |
| Male | 6 | 5 | 9 | 4 | 15 | 20 | 11 | 3 | 4 | - | 1 | - |
| Female | 3 | 4 | 6 | 7 | 10 | 7 | 7 | 7 | 2 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 10 | 19 | 16 | 23 | 28 | 42 | 38 | 27 | 19 | 7 | - | - |
| Male | 3 | 9 | 8 | 10 | 16 | 29 | 22 | 15 | 8 | 3 | - | - |
| Female | 7 | 10 | 8 | 13 | 12 | 13 | 16 | 12 | 11 | 4 | - | - |
| White, both sexes | 9 | 18 | 15 | 23 | 27 | 41 | 37 | 27 | 19 | 7 | - | - |
| Male | 2 | 8 | 7 | 10 | 16 | 28 | 22 | 15 | 8 | 3 | - | - |
| Female | 7 | 10 | 8 | 13 | 11 | 13 | 15 | 12 | 11 | 4 | - | - |
| Black, both sexes | 1 | 1 | 1 | - | - | 1 | 1 | - | - | - | - | - |
| Male | 1 | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 3 | 12 | 11 | 24 | 43 | 54 | 45 | 24 | 15 | 3 | - | - |
| Male | 1 | 7 | 11 | 14 | 24 | 23 | 20 | 12 | 10 | 1 | - | - |
| Female | 2 | 5 | - | 10 | 19 | 31 | 25 | 12 | 5 | 2 | - | - |
| White, both sexes | 2 | 11 | 11 | 23 | 41 | 52 | 45 | 21 | 15 | 3 | - | - |
| Male | - | 7 | 11 | 14 | 22 | 23 | 20 | 11 | 10 | 1 | - | - |
| Female | 2 | 4 | - | 9 | 19 | 29 | 25 | 10 | 5 | 2 | - | - |
| Black, both sexes | 1 | 1 | - | 1 | 1 | 2 | - | 3 | - | - | - | - |
| Male | 1 | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | - | 1 | - | 1 | - | 2 | - | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 2 | 4 | 5 | 2 | 9 | 11 | 11 | 6 | 2 | 3 | - | - |
| Male | 1 | 2 | 5 | - | 6 | 5 | 8 | 3 | 1 | 1 | - | - |
| Female | 1 | 2 | - | 2 | 3 | 6 | 3 | 3 | 1 | 2 | - | - |
| White, both sexes | 1 | 3 | 4 | 2 | 8 | 11 | 11 | 6 | 2 | 3 | - | - |
| Male | 1 | 2 | 4 | - | 5 | 5 | 8 | 3 | 1 | 1 | - | - |
| Female | - | 1 | - | 2 | 3 | 6 | 3 | 3 | 1 | 2 | - | - |
| Black, both sexes | 1 | 1 | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | 5 | 4 | 4 | 5 | 4 | 5 | 3 | 1 | - | - |
| Male | - | - | 4 | 2 | 2 | 2 | 1 | 1 | - | - | - | - |
| Female | - | - | 1 | 2 | 2 | 3 | 3 | 4 | 3 | 1 | - | - |
| White, both sexes | - | - | 1 | 1 | 4 | 4 | - | 2 | 1 | - | - | - |
| Male | - | - | 1 | - | 2 | 2 | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | 2 | 2 | - | 1 | 1 | - | - | - |
| Black, both sexes | - | - | 4 | 3 | - | 1 | 4 | 3 | 2 | 1 | - | - |
| Male | - | - | 3 | 2 | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | 1 | - | 1 | 3 | 3 | 2 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 66 | 75 | 86 | 159 | 187 | 266 | 268 | 205 | 85 | 27 | 3 | - |
| Male | 38 | 44 | 47 | 100 | 123 | 167 | 153 | 104 | 32 | 14 | 2 | - |
| Female | 28 | 31 | 39 | 59 | 64 | 99 | 115 | 101 | 53 | 13 | 1 | - |
| White, both sexes | 55 | 69 | 76 | 144 | 181 | 251 | 255 | 199 | 83 | 27 | 3 | - |
| Male | 31 | 40 | 41 | 93 | 122 | 158 | 147 | 102 | 32 | 14 | 2 | - |
| Female | 24 | 29 | 35 | 51 | 59 | 93 | 108 | 97 | 51 | 13 | 1 | - |
| Black, both sexes | 10 | 5 | 9 | 15 | 6 | 11 | 12 | 5 | 2 | - | - | - |
| Male | 7 | 3 | 6 | 7 | 1 | 9 | 5 | 1 | - | - | - | - |
| Female | 3 | 2 | 3 | 8 | 5 | 2 | 7 | 4 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | 1 | - | - | 3 | 1 | 1 | - | - | - | - |
| Male | - | 1 | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | 1 | - | 1 | - | - | 3 | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 21 | 27 | 48 | 57 | 60 | 85 | 70 | 41 | 21 | 8 | 2 | - |
| Male | 10 | 16 | 29 | 36 | 35 | 49 | 29 | 20 | 7 | 1 | 1 | - |
| Female | 11 | 11 | 19 | 21 | 25 | 36 | 41 | 21 | 14 | 7 | 1 | - |
| White, both sexes | 15 | 19 | 30 | 44 | 50 | 75 | 57 | 38 | 17 | 6 | - | - |
| Male | 8 | 13 | 18 | 30 | 30 | 46 | 24 | 19 | 5 | 1 | - | - |
| Female | 7 | 6 | 12 | 14 | 20 | 29 | 33 | 19 | 12 | 5 | - | - |
| Black, both sexes | 6 | 8 | 17 | 13 | 9 | 10 | 12 | 3 | 4 | 2 | 2 | - |
| Male | 2 | 3 | 10 | 6 | 5 | 3 | 4 | 1 | 2 | - | 1 | - |
| Female | 4 | 5 | 7 | 7 | 4 | 7 | 8 | 2 | 2 | 2 | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 3 | 7 | 5 | 7 | 14 | 7 | 5 | 5 | 3 | - | - | - |
| Male | 2 | 3 | 4 | 4 | 11 | 6 | 1 | 2 | - | - | - | - |
| Female | 1 | 4 | 1 | 3 | 3 | 1 | 4 | 3 | 3 | - | - | - |
| White, both sexes | 1 | 1 | 1 | 1 | 4 | 1 | 2 | 2 | 2 | - | - | - |
| Male | - | 1 | - | 1 | 3 | 1 | - | 1 | - | - | - | - |
| Female | 1 | - | 1 | - | 1 | - | 2 | 1 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 6 | 4 | 6 | 10 | 6 | 3 | 3 | 1 | - | - | - |
| Male | 2 | 2 | 4 | 3 | 8 | 5 | 1 | 1 | - | - | - | - |
| Female | - | 4 | - | 3 | 2 | 1 | 2 | 2 | 1 | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 2 | 5 | 9 | 10 | 12 | 14 | 26 | 8 | 9 | - | - | - |
| Male | - | 3 | 6 | 9 | 6 | 8 | 10 | 5 | 3 | - | - | - |
| Female | 2 | 2 | 3 | 1 | 6 | 6 | 16 | 3 | 6 | - | - | - |
| White, both sexes | 2 | 5 | 9 | 10 | 12 | 14 | 26 | 8 | 9 | - | - | - |
| Male | - | 3 | 6 | 9 | 6 | 8 | 10 | 5 | 3 | - | - | - |
| Female | 2 | 2 | 3 | 1 | 6 | 6 | 16 | 3 | 6 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 38 | 43 | 65 | 83 | 136 | 151 | 183 | 114 | 54 | 11 | - | - |
| Male | 21 | 26 | 41 | 50 | 85 | 87 | 100 | 51 | 23 | 4 | - | - |
| Female | 17 | 17 | 24 | 33 | 51 | 64 | 83 | 63 | 31 | 7 | - | - |
| White, both sexes | 30 | 39 | 58 | 72 | 118 | 132 | 175 | 106 | 50 | 9 | - | - |
| Male | 18 | 24 | 37 | 42 | 74 | 77 | 97 | 49 | 20 | 4 | - | - |
| Female | 12 | 15 | 21 | 30 | 44 | 55 | 78 | 57 | 30 | 5 | - | - |
| Black, both sexes | 7 | 4 | 7 | 10 | 15 | 17 | 7 | 7 | 1 | 2 | - | - |
| Male | 2 | 2 | 4 | 8 | 10 | 8 | 3 | 2 | - | - | - | - |
| Female | 5 | 2 | 3 | 2 | 5 | 9 | 4 | 5 | 1 | 2 | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | 2 | 2 | 1 | 1 | 3 | - | - | - |
| Male | 1 | - | - | - | - | 2 | - | - | 3 | - | - | - |
| Female | - | - | - | 1 | 2 | - | 1 | 1 | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 19 | 23 | 39 | 48 | 57 | 83 | 81 | 55 | 20 | 5 | 1 | - |
| Male | 9 | 13 | 30 | 33 | 35 | 47 | 40 | 27 | 8 | 3 | - | - |
| Female | 10 | 10 | 9 | 15 | 22 | 36 | 41 | 28 | 12 | 2 | 1 | - |
| White, both sexes | 16 | 20 | 37 | 45 | 55 | 77 | 77 | 52 | 20 | 5 | 1 | - |
| Male | 9 | 11 | 28 | 31 | 34 | 42 | 39 | 27 | 8 | 3 | - | - |
| Female | 7 | 9 | 9 | 14 | 21 | 35 | 38 | 25 | 12 | 2 | 1 | - |
| Black, both sexes | 2 | 3 | 2 | 3 | 2 | 6 | 4 | 3 | - | - | - | - |
| Male | - | 2 | 2 | 2 | 1 | 5 | 1 | - | - | - | - | - |
| Female | 2 | 1 | - | 1 | 1 | 1 | 3 | 3 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 8 | 15 | 21 | 24 | 32 | 42 | 63 | 43 | 17 | 5 | 1 | - |
| Male | 1 | 8 | 16 | 17 | 23 | 25 | 40 | 24 | 6 | 2 | - | - |
| Female | 7 | 7 | 5 | 7 | 9 | 17 | 23 | 19 | 11 | 3 | 1 | - |
| White, both sexes | 7 | 15 | 21 | 24 | 32 | 42 | 63 | 43 | 17 | 5 | 1 | - |
| Male | 1 | 8 | 16 | 17 | 23 | 25 | 40 | 24 | 6 | 2 | - | - |
| Female | 6 | 7 | 5 | 7 | 9 | 17 | 23 | 19 | 11 | 3 | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 9 | 6 | 16 | 25 | 24 | 32 | 42 | 27 | 19 | 3 | - | - |
| Male | 8 | 6 | 9 | 11 | 18 | 15 | 21 | 14 | 7 | - | - | - |
| Female | 1 | - | 7 | 14 | 6 | 17 | 21 | 13 | 12 | 3 | - | - |
| White, both sexes | 9 | 6 | 15 | 21 | 23 | 31 | 42 | 25 | 19 | 3 | - | - |
| Male | 8 | 6 | 9 | 11 | 17 | 14 | 21 | 13 | 7 | - | - | - |
| Female | 1 | - | 6 | 10 | 6 | 17 | 21 | 12 | 12 | 3 | - | - |
| Black, both sexes | - | - | 1 | 2 | 1 | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | 1 | 2 | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 12 | 16 | 28 | 28 | 39 | 53 | 62 | 37 | 19 | 3 | - | - |
| Male | 8 | 10 | 14 | 18 | 24 | 31 | 37 | 14 | 9 | 2 | - | - |
| Female | 4 | 6 | 14 | 10 | 15 | 22 | 25 | 23 | 10 | 1 | - | - |
| White, both sexes | 12 | 16 | 28 | 27 | 38 | 52 | 59 | 36 | 19 | 3 | - | - |
| Male | 8 | 10 | 14 | 18 | 23 | 30 | 34 | 13 | 9 | 2 | - | - |
| Female | 4 | 6 | 14 | 9 | 15 | 22 | 25 | 23 | 10 | 1 | - | - |
| Black, both sexes | - | - | - | 1 | 1 | - | 3 | 1 | - | - | - | - |
| Male | - | - | - | - | 1 | - | 3 | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 11 | 23 | 18 | 35 | 32 | 47 | 28 | 26 | 17 | 4 | 3 | - |
| Male | 8 | 12 | 10 | 23 | 19 | 33 | 17 | 12 | 6 | 2 | 2 | - |
| Female | 3 | 11 | 8 | 12 | 13 | 14 | 11 | 14 | 11 | 2 | 1 | - |
| White, both sexes | 8 | 15 | 12 | 26 | 29 | 37 | 23 | 19 | 14 | 3 | 2 | - |
| Male | 6 | 7 | 6 | 18 | 16 | 26 | 15 | 9 | 4 | 1 | 1 | - |
| Female | 2 | 8 | 6 | 8 | 13 | 11 | 8 | 10 | 10 | 2 | 1 | - |
| Black, both sexes | 3 | 8 | 6 | 9 | 3 | 10 | 5 | 7 | 3 | 1 | 1 | - |
| Male | 2 | 5 | 4 | 5 | 3 | 7 | 2 | 3 | 2 | 1 | 1 | - |
| Female | 1 | 3 | 2 | 4 | - | 3 | 3 | 4 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 5 | 6 | 11 | 11 | 19 | 26 | 23 | 20 | 11 | 2 | - | - |
| Male | 4 | 5 | 5 | 5 | 10 | 20 | 14 | 12 | 5 | 1 | - | - |
| Female | 1 | 1 | 6 | 6 | 9 | 6 | 9 | 8 | 6 | 1 | - | - |
| White, both sexes | 5 | 6 | 11 | 11 | 19 | 26 | 23 | 20 | 11 | 2 | - | - |
| Male | 4 | 5 | 5 | 5 | 10 | 20 | 14 | 12 | 5 | 1 | - | - |
| Female | 1 | 1 | 6 | 6 | 9 | 6 | 9 | 8 | 6 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 15 | 21 | 22 | 34 | 39 | 56 | 58 | 31 | 24 | 3 | 2 | - |
| Male | 8 | 12 | 15 | 15 | 23 | 41 | 32 | 14 | 9 | 2 | - | - |
| Female | 7 | 9 | 7 | 19 | 16 | 15 | 26 | 17 | 15 | 1 | 2 | - |
| White, both sexes | 11 | 17 | 17 | 33 | 30 | 50 | 48 | 29 | 21 | 2 | 2 | - |
| Male | 6 | 10 | 11 | 14 | 15 | 37 | 26 | 13 | 8 | 1 | - | - |
| Female | 5 | 7 | 6 | 19 | 15 | 13 | 22 | 16 | 13 | 1 | 2 | - |
| Black, both sexes | 3 | 4 | 4 | 1 | 9 | 4 | 9 | 2 | 3 | 1 | - | - |
| Male | 2 | 2 | 3 | 1 | 8 | 2 | 5 | 1 | 1 | 1 | - | - |
| Female | 1 | 2 | 1 | - | 1 | 2 | 4 | 1 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | 1 | - | - | 2 | 1 | - | - | - | - | - |
| Male | - | - | 1 | - | - | 2 | 1 | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 12 | 17 | 28 | 45 | 65 | 81 | 73 | 53 | 27 | 9 | - | - |
| Male | 2 | 15 | 14 | 26 | 38 | 47 | 43 | 29 | 9 | 4 | - | - |
| Female | 10 | 2 | 14 | 19 | 27 | 34 | 30 | 24 | 18 | 5 | - | - |
| White, both sexes | 10 | 15 | 27 | 42 | 65 | 80 | 70 | 52 | 27 | 9 | - | - |
| Male | 2 | 13 | 14 | 24 | 38 | 46 | 41 | 29 | 9 | 4 | - | - |
| Female | 8 | 2 | 13 | 18 | 27 | 34 | 29 | 23 | 18 | 5 | - | - |
| Black, both sexes | 2 | 1 | 1 | 3 | - | 1 | 2 | 1 | - | - | - | - |
| Male | - | 1 | - | 2 | - | 1 | 1 | - | - | - | - | - |
| Female | 2 | - | 1 | 1 | - | - | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 40 | 56 | 57 | 73 | 111 | 133 | 137 | 102 | 38 | 8 | 1 | - |
| Male | 22 | 35 | 36 | 41 | 71 | 80 | 80 | 49 | 14 | 2 | - | - |
| Female | 18 | 21 | 21 | 32 | 40 | 53 | 57 | 53 | 24 | 6 | 1 | - |
| White, both sexes | 30 | 47 | 56 | 64 | 103 | 121 | 130 | 98 | 35 | 6 | 1 | - |
| Male | 18 | 32 | 36 | 35 | 67 | 74 | 75 | 49 | 14 | 1 | - | - |
| Female | 12 | 15 | 20 | 29 | 36 | 47 | 55 | 49 | 21 | 5 | 1 | - |
| Black, both sexes | 9 | 8 | 1 | 8 | 7 | 11 | 7 | 4 | 3 | 2 | - | - |
| Male | 4 | 2 | - | 5 | 3 | 6 | 5 | - | - | 1 | - | - |
| Female | 5 | 6 | 1 | 3 | 4 | 5 | 2 | 4 | 3 | 1 | - | - |
| American Indian 1/, both sexes | 1 | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 17 | 13 | 22 | 29 | 51 | 63 | 60 | 55 | 30 | 7 | 3 | - |
| Male | 8 | 7 | 13 | 17 | 28 | 32 | 35 | 25 | 13 | 3 | - | - |
| Female | 9 | 6 | 9 | 12 | 23 | 31 | 25 | 30 | 17 | 4 | 3 | - |
| White, both sexes | 16 | 13 | 21 | 29 | 51 | 63 | 60 | 55 | 28 | 7 | 3 | - |
| Male | 8 | 7 | 12 | 17 | 28 | 32 | 35 | 25 | 12 | 3 | - | - |
| Female | 8 | 6 | 9 | 12 | 23 | 31 | 25 | 30 | 16 | 4 | 3 | - |
| Black, both sexes | 1 | - | 1 | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 12 | 13 | 16 | 24 | 31 | 24 | 37 | 20 | 11 | 3 | 2 | - |
| Male | 6 | 6 | 9 | 12 | 21 | 12 | 17 | 11 | 5 | - | 1 | - |
| Female | 6 | 7 | 7 | 12 | 10 | 12 | 20 | 9 | 6 | 3 | 1 | - |
| White, both sexes | 6 | 10 | 13 | 15 | 26 | 20 | 32 | 14 | 9 | 2 | - | - |
| Male | 4 | 5 | 8 | 9 | 18 | 10 | 15 | 10 | 4 | - | - | - |
| Female | 2 | 5 | 5 | 6 | 8 | 10 | 17 | 4 | 5 | 2 | - | - |
| Black, both sexes | 5 | 2 | 3 | 9 | 5 | 4 | 5 | 5 | 2 | 1 | 2 | - |
| Male | 2 | 1 | 1 | 3 | 3 | 2 | 2 | 1 | 1 | - | 1 | - |
| Female | 3 | 1 | 2 | 6 | 2 | 2 | 3 | 4 | 1 | 1 | 1 | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 18 | 33 | 35 | 54 | 48 | 76 | 72 | 59 | 37 | 9 | 1 | - |
| Male | 13 | 20 | 22 | 40 | 32 | 50 | 39 | 24 | 17 | 3 | - | - |
| Female | 5 | 13 | 13 | 14 | 16 | 26 | 33 | 35 | 20 | 6 | 1 | - |
| White, both sexes | 12 | 30 | 35 | 45 | 44 | 73 | 69 | 54 | 35 | 9 | - | - |
| Male | 9 | 19 | 22 | 34 | 30 | 47 | 37 | 23 | 15 | 3 | - | - |
| Female | 3 | 11 | 13 | 11 | 14 | 26 | 32 | 31 | 20 | 6 | - | - |
| Black, both sexes | 6 | 3 | - | 9 | 4 | 3 | 3 | 5 | 2 | - | 1 | - |
| Male | 4 | 1 | - | 6 | 2 | 3 | 2 | 1 | 2 | - | - | - |
| Female | 2 | 2 | - | 3 | 2 | - | 1 | 4 | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 2 | 4 | 6 | 7 | 14 | 13 | 15 | 10 | 3 | 1 | - | - |
| Male | 2 | 3 | 5 | 3 | 10 | 9 | 3 | 7 | 2 | - | - | - |
| Female | - | 1 | 1 | 4 | 4 | 4 | 12 | 3 | 1 | 1 | - | - |
| White, both sexes | 2 | 4 | 6 | 7 | 13 | 13 | 15 | 10 | 3 | 1 | - | - |
| Male | 2 | 3 | 5 | 3 | 9 | 9 | 3 | 7 | 2 | - | - | - |
| Female | - | 1 | 1 | 4 | 4 | 4 | 12 | 3 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 6 | 8 | 8 | 10 | 15 | 22 | 24 | 21 | 8 | 2 | - | - |
| Male | 5 | 7 | 5 | 4 | 7 | 18 | 13 | 10 | 4 | - | - | - |
| Female | 1 | 1 | 3 | 6 | 8 | 4 | 11 | 11 | 4 | 2 | - | - |
| White, both sexes | 6 | 8 | 7 | 10 | 14 | 22 | 22 | 21 | 8 | 2 | - | - |
| Male | 5 | 7 | 5 | 4 | 7 | 18 | 11 | 10 | 4 | - | - | - |
| Female | 1 | 1 | 2 | 6 | 7 | 4 | 11 | 11 | 4 | 2 | - | - |
| Black, both sexes | - | - | 1 | - | 1 | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 4 | 10 | 8 | 16 | 15 | 29 | 20 | 15 | 2 | 1 | - | - |
| Male | 3 | 8 | 4 | 10 | 11 | 18 | 15 | 8 | 1 | 1 | - | - |
| Female | 1 | 2 | 4 | 6 | 4 | 11 | 5 | 7 | 1 | - | - | - |
| White, both sexes | 3 | 9 | 7 | 16 | 13 | 27 | 20 | 15 | 2 | 1 | - | - |
| Male | 2 | 8 | 4 | 10 | 9 | 17 | 15 | 8 | 1 | 1 | - | - |
| Female | 1 | 1 | 3 | 6 | 4 | 10 | 5 | 7 | 1 | - | - | - |
| Black, both sexes | 1 | 1 | 1 | - | 2 | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | 2 | - | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 2 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 5 | 6 | 8 | 9 | 9 | 15 | 11 | 13 | 7 | 1 | - | - |
| Male | 1 | 3 | 6 | 7 | 6 | 6 | 5 | 6 | 3 | - | - | - |
| Female | 4 | 3 | 2 | 2 | 3 | 9 | 6 | 7 | 4 | 1 | - | - |
| White, both sexes | 5 | 6 | 8 | 9 | 9 | 15 | 11 | 12 | 7 | 1 | - | - |
| Male | 1 | 3 | 6 | 7 | 6 | 6 | 5 | 5 | 3 | - | - | - |
| Female | 4 | 3 | 2 | 2 | 3 | 9 | 6 | 7 | 4 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 18 | 26 | 44 | 60 | 67 | 92 | 103 | 90 | 36 | 11 | 1 | - |
| Male | 11 | 15 | 27 | 35 | 40 | 59 | 57 | 44 | 9 | 5 | - | - |
| Female | 7 | 11 | 17 | 25 | 27 | 33 | 46 | 46 | 27 | 6 | 1 | - |
| White, both sexes | 14 | 21 | 41 | 54 | 59 | 85 | 94 | 88 | 33 | 9 | 1 | - |
| Male | 8 | 13 | 25 | 33 | 36 | 55 | 53 | 43 | 9 | 4 | - | - |
| Female | 6 | 8 | 16 | 21 | 23 | 30 | 41 | 45 | 24 | 5 | 1 | - |
| Black, both sexes | 4 | 4 | 2 | 6 | 5 | 5 | 8 | 2 | 3 | 2 | - | - |
| Male | 3 | 2 | 1 | 2 | 3 | 4 | 3 | 1 | - | 1 | - | - |
| Female | 1 | 2 | 1 | 4 | 2 | 1 | 5 | 1 | 3 | 1 | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | 3 | 2 | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Female | - | 1 | - | - | 2 | 2 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 5 | 6 | 5 | 14 | 23 | 26 | 7 | 9 | 6 | - | - | - |
| Male | 2 | 2 | 3 | 6 | 15 | 13 | 4 | 5 | 3 | - | - | - |
| Female | 3 | 4 | 2 | 8 | 8 | 13 | 3 | 4 | 3 | - | - | - |
| White, both sexes | 5 | 6 | 4 | 13 | 23 | 21 | 7 | 9 | 6 | - | - | - |
| Male | 2 | 2 | 3 | 5 | 15 | 11 | 4 | 5 | 3 | - | - | - |
| Female | 3 | 4 | 1 | 8 | 8 | 10 | 3 | 4 | 3 | - | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | 1 | - | 4 | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | 2 | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | 2 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 56 | 78 | 131 | 122 | 173 | 216 | 215 | 163 | 71 | 24 | 1 | - |
| Male | 25 | 47 | 82 | 78 | 104 | 124 | 119 | 78 | 26 | 11 | 1 | - |
| Female | 31 | 31 | 49 | 44 | 69 | 92 | 96 | 85 | 45 | 13 | - | - |
| White, both sexes | 48 | 63 | 115 | 105 | 150 | 194 | 199 | 155 | 67 | 22 | 1 | - |
| Male | 22 | 40 | 75 | 66 | 91 | 112 | 109 | 75 | 26 | 10 | 1 | - |
| Female | 26 | 23 | 40 | 39 | 59 | 82 | 90 | 80 | 41 | 12 | - | - |
| Black, both sexes | 6 | 13 | 10 | 12 | 18 | 19 | 11 | 7 | 4 | 2 | - | - |
| Male | 3 | 5 | 3 | 8 | 8 | 10 | 6 | 3 | - | 1 | - | - |
| Female | 3 | 8 | 7 | 4 | 10 | 9 | 5 | 4 | 4 | 1 | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 2 | 5 | 5 | 5 | 3 | 5 | 1 | - | - | - | - |
| Male | - | 2 | 4 | 4 | 5 | 2 | 4 | - | - | - | - | - |
| Female | 2 | - | 1 | 1 | - | 1 | 1 | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 24 | 29 | 45 | 60 | 81 | 98 | 113 | 59 | 28 | 9 | - | - |
| Male | 16 | 20 | 32 | 40 | 51 | 56 | 59 | 31 | 11 | - | - | - |
| Female | 8 | 9 | 13 | 20 | 30 | 42 | 54 | 28 | 17 | 9 | - | - |
| White, both sexes | 14 | 24 | 41 | 48 | 68 | 86 | 101 | 54 | 23 | 9 | - | - |
| Male | 10 | 17 | 30 | 33 | 46 | 51 | 54 | 29 | 10 | - | - | - |
| Female | 4 | 7 | 11 | 15 | 22 | 35 | 47 | 25 | 13 | 9 | - | - |
| Black, both sexes | 8 | 5 | 4 | 10 | 13 | 10 | 11 | 3 | 4 | - | - | - |
| Male | 5 | 3 | 2 | 5 | 5 | 3 | 5 | 1 | - | - | - | - |
| Female | 3 | 2 | 2 | 5 | 8 | 7 | 6 | 2 | 4 | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | 1 | - | 1 | 1 | 2 | - | - | - | - |
| Male | 1 | - | - | 1 | - | 1 | - | 1 | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | 1 | - | - | 1 | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 4 | 4 | 8 | 9 | 9 | 13 | 4 | 2 | - | - |
| Male | 1 | - | 2 | 3 | 3 | 5 | 4 | 6 | 1 | - | - | - |
| Female | - | - | 2 | 1 | 5 | 4 | 5 | 7 | 3 | 2 | - | - |
| White, both sexes | 1 | - | 4 | 4 | 7 | 9 | 9 | 13 | 4 | 2 | - | - |
| Male | 1 | - | 2 | 3 | 3 | 5 | 4 | 6 | 1 | - | - | - |
| Female | - | - | 2 | 1 | 4 | 4 | 5 | 7 | 3 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 34 | 52 | 65 | 96 | 107 | 140 | 167 | 105 | 43 | 18 | 1 | - |
| Male | 11 | 34 | 41 | 62 | 61 | 92 | 96 | 47 | 11 | 10 | - | - |
| Female | 23 | 18 | 24 | 34 | 46 | 48 | 71 | 58 | 32 | 8 | 1 | - |
| White, both sexes | 30 | 50 | 59 | 91 | 97 | 126 | 158 | 98 | 43 | 16 | - | - |
| Male | 11 | 32 | 38 | 59 | 58 | 84 | 88 | 45 | 11 | 8 | - | - |
| Female | 19 | 18 | 21 | 32 | 39 | 42 | 70 | 53 | 32 | 8 | - | - |
| Black, both sexes | 4 | 2 | 5 | 5 | 9 | 14 | 8 | 7 | - | 2 | 1 | - |
| Male | - | 2 | 3 | 3 | 3 | 8 | 7 | 2 | - | 2 | - | - |
| Female | 4 | - | 2 | 2 | 6 | 6 | 1 | 5 | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 10 | 17 | 20 | 24 | 33 | 46 | 59 | 30 | 20 | 3 | 3 | - |
| Male | 5 | 9 | 9 | 12 | 25 | 29 | 34 | 15 | 8 | 1 | - | - |
| Female | 5 | 8 | 11 | 12 | 8 | 17 | 25 | 15 | 12 | 2 | 3 | - |
| White, both sexes | 9 | 14 | 19 | 23 | 33 | 45 | 55 | 30 | 19 | 3 | 3 | - |
| Male | 5 | 7 | 9 | 12 | 25 | 28 | 32 | 15 | 8 | 1 | - | - |
| Female | 4 | 7 | 10 | 11 | 8 | 17 | 23 | 15 | 11 | 2 | 3 | - |
| Black, both sexes | 1 | 2 | - | 1 | - | 1 | 1 | - | - | - | - | - |
| Male | - | 2 | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | 3 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | 2 | - | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 14 | 18 | 26 | 21 | 34 | 41 | 57 | 38 | 12 | 4 | - | - |
| Male | 5 | 12 | 17 | 14 | 24 | 27 | 28 | 19 | 2 | 2 | - | - |
| Female | 9 | 6 | 9 | 7 | 10 | 14 | 29 | 19 | 10 | 2 | - | - |
| White, both sexes | 14 | 17 | 26 | 21 | 32 | 40 | 57 | 38 | 12 | 4 | - | - |
| Male | 5 | 12 | 17 | 14 | 22 | 27 | 28 | 19 | 2 | 2 | - | - |
| Female | 9 | 5 | 9 | 7 | 10 | 13 | 29 | 19 | 10 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 2 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | 2 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 31 | 60 | 76 | 91 | 130 | 195 | 194 | 133 | 83 | 20 | 1 | - |
| Male | 13 | 41 | 46 | 54 | 81 | 110 | 110 | 64 | 25 | 5 | - | - |
| Female | 18 | 19 | 30 | 37 | 49 | 85 | 84 | 69 | 58 | 15 | 1 | - |
| White, both sexes | 26 | 56 | 72 | 87 | 122 | 188 | 187 | 128 | 78 | 18 | 1 | - |
| Male | 10 | 38 | 44 | 52 | 75 | 105 | 105 | 62 | 25 | 5 | - | - |
| Female | 16 | 18 | 28 | 35 | 47 | 83 | 82 | 66 | 53 | 13 | 1 | - |
| Black, both sexes | 5 | 4 | 4 | 2 | 8 | 7 | 6 | 5 | 5 | 2 | - | - |
| Male | 3 | 3 | 2 | 1 | 6 | 5 | 5 | 2 | - | - | - | - |
| Female | 2 | 1 | 2 | 1 | 2 | 2 | 1 | 3 | 5 | 2 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 2 | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 5 | 6 | 5 | 12 | 10 | 7 | 14 | 13 | 7 | 1 | 1 | - |
| Male | 3 | 4 | 5 | 8 | 3 | 3 | 5 | 7 | - | - | 1 | - |
| Female | 2 | 2 | - | 4 | 7 | 4 | 9 | 6 | 7 | 1 | - | - |
| White, both sexes | 5 | 5 | 4 | 11 | 9 | 7 | 14 | 12 | 7 | 1 | 1 | - |
| Male | 3 | 3 | 4 | 7 | 2 | 3 | 5 | 6 | - | - | 1 | - |
| Female | 2 | 2 | - | 4 | 7 | 4 | 9 | 6 | 7 | 1 | - | - |
| Black, both sexes | - | 1 | 1 | 1 | 1 | - | - | 1 | - | - | - | - |
| Male | - | 1 | 1 | 1 | 1 | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 13 | 11 | 22 | 33 | 44 | 48 | 30 | 28 | 15 | 2 | - | - |
| Male | 8 | 6 | 15 | 22 | 29 | 32 | 17 | 15 | 4 | 2 | - | - |
| Female | 5 | 5 | 7 | 11 | 15 | 16 | 13 | 13 | 11 | - | - | - |
| White, both sexes | 7 | 8 | 15 | 25 | 34 | 39 | 28 | 23 | 14 | 2 | - | - |
| Male | 3 | 3 | 8 | 17 | 22 | 27 | 15 | 12 | 4 | 2 | - | - |
| Female | 4 | 5 | 7 | 8 | 12 | 12 | 13 | 11 | 10 | - | - | - |
| Black, both sexes | 6 | 3 | 6 | 8 | 10 | 9 | 2 | 5 | 1 | - | - | - |
| Male | 5 | 3 | 6 | 5 | 7 | 5 | 2 | 3 | - | - | - | - |
| Female | 1 | - | - | 3 | 3 | 4 | - | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 3 | 2 | 7 | 14 | 8 | 12 | 3 | 1 | - | - |
| Male | 2 | 1 | 2 | 2 | 7 | 10 | 1 | 7 | - | 1 | - | - |
| Female | - | - | 1 | - | - | 4 | 7 | 5 | 3 | - | - | - |
| White, both sexes | 2 | 1 | 2 | 1 | 5 | 13 | 8 | 12 | 3 | 1 | - | - |
| Male | 2 | 1 | 1 | 1 | 5 | 9 | 1 | 7 | - | 1 | - | - |
| Female | - | - | 1 | - | - | 4 | 7 | 5 | 3 | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | 1 | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 10 | 26 | 33 | 43 | 62 | 75 | 57 | 43 | 19 | 6 | 2 | - |
| Male | 8 | 16 | 20 | 24 | 41 | 48 | 34 | 25 | 9 | 3 | 1 | - |
| Female | 2 | 10 | 13 | 19 | 21 | 27 | 23 | 18 | 10 | 3 | 1 | - |
| White, both sexes | 6 | 21 | 31 | 36 | 56 | 67 | 51 | 42 | 18 | 5 | 2 | - |
| Male | 5 | 12 | 19 | 19 | 38 | 44 | 30 | 24 | 8 | 2 | 1 | - |
| Female | 1 | 9 | 12 | 17 | 18 | 23 | 21 | 18 | 10 | 3 | 1 | - |
| Black, both sexes | 4 | 5 | 2 | 6 | 6 | 7 | 6 | 1 | 1 | 1 | - | - |
| Male | 3 | 4 | 1 | 5 | 3 | 3 | 4 | 1 | 1 | 1 | - | - |
| Female | 1 | 1 | 1 | 1 | 3 | 4 | 2 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 55 | 85 | 103 | 121 | 179 | 220 | 171 | 143 | 56 | 13 | 3 | - |
| Male | 28 | 58 | 58 | 82 | 114 | 148 | 105 | 84 | 28 | 3 | - | - |
| Female | 27 | 27 | 45 | 39 | 65 | 72 | 66 | 59 | 28 | 10 | 3 | - |
| White, both sexes | 48 | 69 | 90 | 109 | 169 | 197 | 161 | 132 | 54 | 13 | 3 | - |
| Male | 26 | 46 | 50 | 75 | 109 | 134 | 99 | 79 | 27 | 3 | - | - |
| Female | 22 | 23 | 40 | 34 | 60 | 63 | 62 | 53 | 27 | 10 | 3 | - |
| Black, both sexes | 6 | 12 | 10 | 10 | 8 | 21 | 10 | 10 | 2 | - | - | - |
| Male | 2 | 9 | 7 | 7 | 4 | 12 | 6 | 4 | 1 | - | - | - |
| Female | 4 | 3 | 3 | 3 | 4 | 9 | 4 | 6 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 4 | 3 | 2 | 2 | 2 | - | 1 | - | - | - | - |
| Male | - | 3 | 1 | - | 1 | 2 | - | 1 | - | - | - | - |
| Female | 1 | 1 | 2 | 2 | 1 | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 3 | 5 | 8 | 15 | 15 | 16 | 27 | 20 | 5 | 1 | - | - |
| Male | 2 | 4 | 7 | 14 | 10 | 9 | 14 | 13 | 2 | 1 | - | - |
| Female | 1 | 1 | 1 | 1 | 5 | 7 | 13 | 7 | 3 | - | - | - |
| White, both sexes | 3 | 5 | 8 | 14 | 15 | 15 | 27 | 19 | 5 | 1 | - | - |
| Male | 2 | 4 | 7 | 13 | 10 | 8 | 14 | 13 | 2 | 1 | - | - |
| Female | 1 | 1 | 1 | 1 | 5 | 7 | 13 | 6 | 3 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 5 | 5 | 7 | 7 | 8 | 8 | 8 | 1 | - | - |
| Male | 1 | 1 | 4 | 5 | 5 | 5 | 4 | 3 | 4 | - | - | - |
| Female | 1 | - | 1 | - | 2 | 2 | 4 | 5 | 4 | 1 | - | - |
| White, both sexes | 2 | 1 | 5 | 5 | 6 | 7 | 8 | 8 | 8 | 1 | - | - |
| Male | 1 | 1 | 4 | 5 | 4 | 5 | 4 | 3 | 4 | - | - | - |
| Female | 1 | - | 1 | - | 2 | 2 | 4 | 5 | 4 | 1 | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 29 | 25 | 44 | 49 | 68 | 64 | 69 | 47 | 21 | 12 | 1 | - |
| Male | 17 | 17 | 33 | 30 | 45 | 37 | 38 | 20 | 11 | 1 | - | - |
| Female | 12 | 8 | 11 | 19 | 23 | 27 | 31 | 27 | 10 | 11 | 1 | - |
| White, both sexes | 22 | 20 | 33 | 34 | 58 | 52 | 60 | 42 | 19 | 9 | 1 | - |
| Male | 14 | 15 | 27 | 20 | 39 | 30 | 33 | 16 | 10 | 1 | - | - |
| Female | 8 | 5 | 6 | 14 | 19 | 22 | 27 | 26 | 9 | 8 | 1 | - |
| Black, both sexes | 5 | 4 | 8 | 12 | 9 | 11 | 7 | 4 | 2 | 3 | - | - |
| Male | 1 | 2 | 4 | 8 | 5 | 6 | 3 | 4 | 1 | - | - | - |
| Female | 4 | 2 | 4 | 4 | 4 | 5 | 4 | - | 1 | 3 | - | - |
| American Indian 1/, both sexes | 1 | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | 2 | 2 | 1 | 1 | 2 | 1 | - | - | - | - |
| Male | 1 | - | 1 | 1 | 1 | 1 | 2 | - | - | - | - | - |
| Female | - | 1 | 1 | 1 | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 17 | 19 | 29 | 42 | 49 | 78 | 71 | 44 | 20 | 7 | 3 | - |
| Male | 13 | 13 | 18 | 25 | 33 | 51 | 40 | 22 | 10 | 1 | 1 | - |
| Female | 4 | 6 | 11 | 17 | 16 | 27 | 31 | 22 | 10 | 6 | 2 | - |
| White, both sexes | 15 | 18 | 27 | 40 | 47 | 75 | 70 | 40 | 20 | 7 | 3 | - |
| Male | 11 | 12 | 17 | 24 | 32 | 49 | 40 | 19 | 10 | 1 | 1 | - |
| Female | 4 | 6 | 10 | 16 | 15 | 26 | 30 | 21 | 10 | 6 | 2 | - |
| Black, both sexes | - | - | 1 | - | 1 | 2 | - | 2 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | 2 | - | - | - | - |
| Female | - | - | 1 | - | 1 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 1 | 1 | 2 | - | - | 1 | 2 | - | - | - | - |
| Male | 2 | 1 | 1 | 1 | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | - | 1 | 1 | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 10 | 9 | 15 | 17 | 20 | 26 | 26 | 20 | 12 | 4 | 1 | - |
| Male | 7 | 6 | 6 | 8 | 7 | 13 | 18 | 11 | 4 | 4 | - | - |
| Female | 3 | 3 | 9 | 9 | 13 | 13 | 8 | 9 | 8 | - | 1 | - |
| White, both sexes | 10 | 8 | 15 | 17 | 20 | 25 | 26 | 20 | 12 | 4 | 1 | - |
| Male | 7 | 5 | 6 | 8 | 7 | 13 | 18 | 11 | 4 | 4 | - | - |
| Female | 3 | 3 | 9 | 9 | 13 | 12 | 8 | 9 | 8 | - | 1 | - |
| Black, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Leukemia (C91-C95) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 20 | 26 | 39 | 38 | 70 | 79 | 87 | 57 | 29 | 10 | - | - |
| Male | 12 | 17 | 26 | 28 | 52 | 62 | 43 | 20 | 14 | 4 | - | - |
| Female | 8 | 9 | 13 | 10 | 18 | 17 | 44 | 37 | 15 | 6 | - | - |
| White, both sexes | 19 | 26 | 37 | 38 | 68 | 76 | 87 | 57 | 28 | 10 | - | - |
| Male | 12 | 17 | 26 | 28 | 51 | 59 | 43 | 20 | 13 | 4 | - | - |
| Female | 7 | 9 | 11 | 10 | 17 | 17 | 44 | 37 | 15 | 6 | - | - |
| Black, both sexes | 1 | - | 2 | - | 2 | 2 | - | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | 2 | - | - | 1 | - | - | - |
| Female | 1 | - | 2 | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 3 | 5 | 3 | 6 | 6 | 9 | - | 1 | - | - |
| Male | - | 2 | 2 | 2 | 2 | 3 | 3 | 3 | - | - | - | - |
| Female | 2 | - | 1 | 3 | 1 | 3 | 3 | 6 | - | 1 | - | - |
| White, both sexes | 2 | 2 | 3 | 5 | 3 | 6 | 6 | 9 | - | 1 | - | - |
| Male | - | 2 | 2 | 2 | 2 | 3 | 3 | 3 | - | - | - | - |
| Female | 2 | - | 1 | 3 | 1 | 3 | 3 | 6 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 6,290 | 4 | 41 | 67 | 81 | 87 | 111 | 70 | 66 | 70 | 87 | 148 |
| Male | 3,706 | 2 | 33 | 45 | 43 | 59 | 78 | 48 | 36 | 42 | 50 | 92 |
| Female | 2,584 | 2 | 8 | 22 | 38 | 28 | 33 | 22 | 30 | 28 | 37 | 56 |
| White, both sexes | 5,683 | 3 | 34 | 58 | 69 | 75 | 96 | 54 | 57 | 63 | 71 | 114 |
| Male | 3,342 | 1 | 26 | 36 | 38 | 50 | 65 | 36 | 31 | 37 | 43 | 73 |
| Female | 2,341 | 2 | 8 | 22 | 31 | 25 | 31 | 18 | 26 | 26 | 28 | 41 |
| Black, both sexes | 498 | 1 | 4 | 7 | 9 | 10 | 9 | 13 | 7 | 3 | 11 | 25 |
| Male | 294 | 1 | 4 | 7 | 3 | 7 | 9 | 10 | 3 | 2 | 7 | 16 |
| Female | 204 | - | - | - | 6 | 3 | - | 3 | 4 | 1 | 4 | 9 |
| American Indian 1/, both sexes | 26 | - | 1 | - | - | 2 | 1 | - | - | 1 | 1 | 1 |
| Male | 20 | - | 1 | - | - | 2 | 1 | - | - | 1 | - | 1 |
| Female | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | 83 | - | 2 | 2 | 3 | - | 5 | 3 | 2 | 3 | 4 | 8 |
| Male | 50 | - | 2 | 2 | 2 | - | 3 | 2 | 2 | 2 | - | 2 |
| Female | 33 | - | - | - | 1 | - | 2 | 1 | - | 1 | 4 | 6 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 124 | - | - | 1 | 2 | 3 | 1 | 3 | 2 | - | 1 | 2 |
| Male | 70 | - | - | - | 2 | 2 | 1 | 3 | - | - | - | 2 |
| Female | 54 | - | - | 1 | - | 1 | - | - | 2 | - | 1 | - |
| White, both sexes | 94 | - | - | 1 | 1 | 2 | 1 | - | 1 | - | - | 1 |
| Male | 55 | - | - | - | 1 | 2 | 1 | - | - | - | - | 1 |
| Female | 39 | - | - | 1 | - | - | - | - | 1 | - | - | - |
| Black, both sexes | 30 | - | - | - | 1 | 1 | - | 3 | 1 | - | 1 | 1 |
| Male | 15 | - | - | - | 1 | - | - | 3 | - | - | - | 1 |
| Female | 15 | - | - | - | - | 1 | - | - | 1 | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 13 | - | - | 1 | - | 1 | 1 | - | - | 1 | - | - |
| Male | 8 | - | - | 1 | - | 1 | 1 | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 9 | - | - | - | - | - | 1 | - | - | 1 | - | - |
| Male | 5 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 105 | - | - | 3 | 1 | 1 | 1 | 3 | 3 | 1 | 1 | 2 |
| Male | 64 | - | - | 2 | - | 1 | - | 3 | 1 | - | 1 | - |
| Female | 41 | - | - | 1 | 1 | - | 1 | - | 2 | 1 | - | 2 |
| White, both sexes | 103 | - | - | 2 | 1 | - | 1 | 3 | 3 | 1 | 1 | 2 |
| Male | 62 | - | - | 1 | - | - | - | 3 | 1 | - | 1 | - |
| Female | 41 | - | - | 1 | 1 | - | 1 | - | 2 | 1 | - | 2 |
| Black, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 43 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | 24 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 19 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 41 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | 23 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 18 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 643 | - | 6 | 11 | 16 | 18 | 23 | 11 | 15 | 13 | 13 | 26 |
| Male | 365 | - | 6 | 9 | 10 | 12 | 15 | 6 | 8 | 7 | 7 | 16 |
| Female | 278 | - | - | 2 | 6 | 6 | 8 | 5 | 7 | 6 | 6 | 10 |
| White, both sexes | 579 | - | 5 | 11 | 13 | 18 | 20 | 9 | 13 | 11 | 11 | 20 |
| Male | 327 | - | 5 | 9 | 9 | 12 | 13 | 4 | 6 | 6 | 7 | 13 |
| Female | 252 | - | - | 2 | 4 | 6 | 7 | 5 | 7 | 5 | 4 | 7 |
| Black, both sexes | 31 | - | - | - | 1 | - | 1 | 1 | 1 | 1 | - | 2 |
| Male | 19 | - | - | - | - | - | 1 | 1 | 1 | 1 | - | 2 |
| Female | 12 | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 32 | - | 1 | - | 2 | - | 2 | 1 | 1 | 1 | 2 | 4 |
| Male | 18 | - | 1 | - | 1 | - | 1 | 1 | 1 | - | - | 1 |
| Female | 14 | - | - | - | 1 | - | 1 | - | - | 1 | 2 | 3 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 88 | - | 2 | 1 | 2 | 1 | 2 | 2 | - | - | 6 | 5 |
| Male | 51 | - | 2 | - | 1 | 1 | 1 | 2 | - | - | 3 | 4 |
| Female | 37 | - | - | 1 | 1 | - | 1 | - | - | - | 3 | 1 |
| White, both sexes | 85 | - | 2 | 1 | 2 | 1 | 2 | 2 | - | - | 6 | 5 |
| Male | 50 | - | 2 | - | 1 | 1 | 1 | 2 | - | - | 3 | 4 |
| Female | 35 | - | - | 1 | 1 | - | 1 | - | - | - | 3 | 1 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 76 | - | 1 | - | - | 1 | - | - | - | 1 | 2 | 1 |
| Male | 46 | - | - | - | - | - | - | - | - | 1 | 2 | 1 |
| Female | 30 | - | 1 | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | 72 | - | 1 | - | - | 1 | - | - | - | - | 1 | 1 |
| Male | 43 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 29 | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 19 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 7 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 450 | - | 2 | 5 | 4 | 6 | 3 | 2 | 1 | 2 | 4 | 11 |
| Male | 267 | - | 2 | 5 | 2 | 5 | 2 | 2 | - | 1 | 3 | 6 |
| Female | 183 | - | - | - | 2 | 1 | 1 | - | 1 | 1 | 1 | 5 |
| White, both sexes | 419 | - | 1 | 5 | 4 | 5 | 3 | - | 1 | 2 | 3 | 9 |
| Male | 248 | - | 1 | 5 | 2 | 4 | 2 | - | - | 1 | 2 | 6 |
| Female | 171 | - | - | - | 2 | 1 | 1 | - | 1 | 1 | 1 | 3 |
| Black, both sexes | 28 | - | 1 | - | - | 1 | - | 2 | - | - | 1 | 2 |
| Male | 18 | - | 1 | - | - | 1 | - | 2 | - | - | 1 | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 145 | 1 | 1 | 1 | 3 | 2 | 5 | 4 | 1 | 2 | 2 | 5 |
| Male | 84 | - | 1 | - | 1 | - | 5 | 3 | - | 1 | - | 3 |
| Female | 61 | 1 | - | 1 | 2 | 2 | - | 1 | 1 | 1 | 2 | 2 |
| White, both sexes | 107 | 1 | - | 1 | 3 | 1 | 3 | 2 | 1 | 2 | 2 | 2 |
| Male | 60 | - | - | - | 1 | - | 3 | 2 | - | 1 | - | 1 |
| Female | 47 | 1 | - | 1 | 2 | 1 | - | - | 1 | 1 | 2 | 1 |
| Black, both sexes | 35 | - | 1 | - | - | 1 | 2 | 2 | - | - | - | 2 |
| Male | 22 | - | 1 | - | - | - | 2 | 1 | - | - | - | 2 |
| Female | 13 | - | - | - | - | 1 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 30 | - | - | - | - | - | - | 1 | - | 1 | 1 | - |
| Male | 12 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 18 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| White, both sexes | 30 | - | - | - | - | - | - | 1 | - | 1 | 1 | - |
| Male | 12 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 18 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 259 | - | 3 | 1 | 1 | 4 | 5 | 3 | 3 | 1 | - | 5 |
| Male | 147 | - | 2 | - | 1 | 4 | 2 | 2 | 3 | - | - | 3 |
| Female | 112 | - | 1 | 1 | - | - | 3 | 1 | - | 1 | - | 2 |
| White, both sexes | 230 | - | 3 | 1 | 1 | 3 | 5 | 2 | 3 | 1 | - | 2 |
| Male | 129 | - | 2 | - | 1 | 3 | 2 | 1 | 3 | - | - | 1 |
| Female | 101 | - | 1 | 1 | - | - | 3 | 1 | - | 1 | - | 1 |
| Black, both sexes | 26 | - | - | - | - | 1 | - | 1 | - | - | - | 3 |
| Male | 17 | - | - | - | - | 1 | - | 1 | - | - | - | 2 |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 114 | - | 1 | 2 | 1 | 1 | 2 | 1 | - | 1 | - | 4 |
| Male | 68 | - | 1 | 1 | - | - | 2 | 1 | - | 1 | - | 1 |
| Female | 46 | - | - | 1 | 1 | 1 | - | - | - | - | - | 3 |
| White, both sexes | 106 | - | 1 | 2 | 1 | 1 | 2 | 1 | - | 1 | - | 3 |
| Male | 64 | - | 1 | 1 | - | - | 2 | 1 | - | 1 | - | 1 |
| Female | 42 | - | - | 1 | 1 | 1 | - | - | - | - | - | 2 |
| Black, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 103 | - | 1 | 1 | 2 | - | - | 2 | 1 | - | - | 4 |
| Male | 70 | - | 1 | - | 1 | - | - | 1 | - | - | - | 3 |
| Female | 33 | - | - | 1 | 1 | - | - | 1 | 1 | - | - | 1 |
| White, both sexes | 103 | - | 1 | 1 | 2 | - | - | 2 | 1 | - | - | 4 |
| Male | 70 | - | 1 | - | 1 | - | - | 1 | - | - | - | 3 |
| Female | 33 | - | - | 1 | 1 | - | - | 1 | 1 | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 69 | - | 1 | - | 1 | - | 2 | - | - | 1 | - | 1 |
| Male | 38 | - | 1 | - | 1 | - | - | - | - | - | - | 1 |
| Female | 31 | - | - | - | - | - | 2 | - | - | 1 | - | - |
| White, both sexes | 66 | - | 1 | - | 1 | - | 2 | - | - | 1 | - | 1 |
| Male | 37 | - | 1 | - | 1 | - | - | - | - | - | - | 1 |
| Female | 29 | - | - | - | - | - | 2 | - | - | 1 | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 114 | - | - | - | - | 1 | - | 1 | 2 | 2 | 2 | 1 |
| Male | 73 | - | - | - | - | 1 | - | 1 | 1 | 1 | 2 | 1 |
| Female | 41 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| White, both sexes | 110 | - | - | - | - | 1 | - | 1 | 1 | 2 | 2 | 1 |
| Male | 69 | - | - | - | - | 1 | - | 1 | - | 1 | 2 | 1 |
| Female | 41 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 76 | - | - | - | - | 1 | 1 | 1 | 1 | - | 1 | 4 |
| Male | 44 | - | - | - | - | - | 1 | 1 | 1 | - | - | 2 |
| Female | 32 | - | - | - | - | 1 | - | - | - | - | 1 | 2 |
| White, both sexes | 56 | - | - | - | - | - | - | 1 | 1 | - | 1 | 1 |
| Male | 30 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Female | 26 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | 20 | - | - | - | - | 1 | 1 | - | - | - | - | 3 |
| Male | 14 | - | - | - | - | - | 1 | - | - | - | - | 2 |
| Female | 6 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 44 | - | 1 | - | - | - | - | - | - | - | - | 1 |
| Male | 30 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 14 | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | 44 | - | 1 | - | - | - | - | - | - | - | - | 1 |
| Male | 30 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 14 | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 122 | - | 3 | 3 | 1 | 2 | 1 | 2 | 2 | 2 | 2 | 6 |
| Male | 67 | - | 2 | 1 | - | 1 | 1 | 2 | - | 1 | 1 | 2 |
| Female | 55 | - | 1 | 2 | 1 | 1 | - | - | 2 | 1 | 1 | 4 |
| White, both sexes | 104 | - | 3 | 3 | - | 1 | - | 2 | 1 | - | - | 5 |
| Male | 58 | - | 2 | 1 | - | - | - | 2 | - | - | - | 2 |
| Female | 46 | - | 1 | 2 | - | 1 | - | - | 1 | - | - | 3 |
| Black, both sexes | 14 | - | - | - | 1 | 1 | 1 | - | 1 | 1 | 1 | - |
| Male | 7 | - | - | - | - | 1 | 1 | - | - | - | 1 | - |
| Female | 7 | - | - | - | 1 | - | - | - | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | 1 | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 107 | - | 2 | 2 | - | 1 | - | 1 | 1 | 1 | 1 | 5 |
| Male | 72 | - | 2 | 2 | - | 1 | - | - | - | 1 | 1 | 2 |
| Female | 35 | - | - | - | - | - | - | 1 | 1 | - | - | 3 |
| White, both sexes | 101 | - | 1 | 2 | - | 1 | - | - | 1 | 1 | 1 | 5 |
| Male | 70 | - | 1 | 2 | - | 1 | - | - | - | 1 | 1 | 2 |
| Female | 31 | - | - | - | - | - | - | - | 1 | - | - | 3 |
| Black, both sexes | 5 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 231 | - | 2 | 3 | 2 | 3 | 7 | - | - | 2 | 3 | 6 |
| Male | 140 | - | 2 | 2 | - | 3 | 5 | - | - | 1 | 2 | 3 |
| Female | 91 | - | - | 1 | 2 | - | 2 | - | - | 1 | 1 | 3 |
| White, both sexes | 214 | - | 1 | 2 | 2 | 3 | 7 | - | - | 2 | 3 | 5 |
| Male | 131 | - | 1 | 1 | - | 3 | 5 | - | - | 1 | 2 | 3 |
| Female | 83 | - | - | 1 | 2 | - | 2 | - | - | 1 | 1 | 2 |
| Black, both sexes | 15 | - | 1 | 1 | - | - | - | - | - | - | - | 1 |
| Male | 7 | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 127 | 1 | - | - | 1 | 2 | 1 | 1 | 1 | 1 | 2 | - |
| Male | 75 | 1 | - | - | - | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Female | 52 | - | - | - | 1 | 1 | - | - | - | - | 1 | - |
| White, both sexes | 125 | - | - | - | 1 | 2 | 1 | 1 | 1 | 1 | 2 | - |
| Male | 74 | - | - | - | - | 1 | 1 | 1 | 1 | 1 | 1 | - |
| Female | 51 | - | - | - | 1 | 1 | - | - | - | - | 1 | - |
| Black, both sexes | 2 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 56 | - | - | - | - | 1 | 2 | - | 6 | - | 1 | - |
| Male | 35 | - | - | - | - | 1 | 1 | - | 4 | - | - | - |
| Female | 21 | - | - | - | - | - | 1 | - | 2 | - | 1 | - |
| White, both sexes | 42 | - | - | - | - | - | 2 | - | 3 | - | 1 | - |
| Male | 27 | - | - | - | - | - | 1 | - | 2 | - | - | - |
| Female | 15 | - | - | - | - | - | 1 | - | 1 | - | 1 | - |
| Black, both sexes | 12 | - | - | - | - | 1 | - | - | 3 | - | - | - |
| Male | 8 | - | - | - | - | 1 | - | - | 2 | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 153 | - | 1 | - | - | 3 | 2 | 1 | - | - | 3 | 4 |
| Male | 85 | - | 1 | - | - | 2 | - | 1 | - | - | 3 | 1 |
| Female | 68 | - | - | - | - | 1 | 2 | - | - | - | - | 3 |
| White, both sexes | 141 | - | 1 | - | - | 3 | 2 | 1 | - | - | 3 | 4 |
| Male | 78 | - | 1 | - | - | 2 | - | 1 | - | - | 3 | 1 |
| Female | 63 | - | - | - | - | 1 | 2 | - | - | - | - | 3 |
| Black, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 25 | - | - | - | - | - | 1 | 1 | - | - | - | 1 |
| Male | 14 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 11 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| White, both sexes | 24 | - | - | - | - | - | 1 | 1 | - | - | - | 1 |
| Male | 13 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 11 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 35 | - | - | 1 | - | 1 | 1 | - | - | - | - | 1 |
| Male | 22 | - | - | 1 | - | 1 | - | - | - | - | - | 1 |
| Female | 13 | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | 34 | - | - | 1 | - | 1 | 1 | - | - | - | - | 1 |
| Male | 21 | - | - | 1 | - | 1 | - | - | - | - | - | 1 |
| Female | 13 | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 40 | - | - | - | 3 | 1 | 1 | 1 | 1 | 1 | 2 | 2 |
| Male | 22 | - | - | - | 1 | 1 | - | - | 1 | - | 1 | 1 |
| Female | 18 | - | - | - | 2 | - | 1 | 1 | - | 1 | 1 | 1 |
| White, both sexes | 38 | - | - | - | 3 | 1 | 1 | 1 | 1 | 1 | 2 | 1 |
| Male | 21 | - | - | - | 1 | 1 | - | - | 1 | - | 1 | 1 |
| Female | 17 | - | - | - | 2 | - | 1 | 1 | - | 1 | 1 | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 29 | - | - | - | - | - | 1 | - | - | 1 | 1 | 1 |
| Male | 12 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | 17 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| White, both sexes | 27 | - | - | - | - | - | 1 | - | - | 1 | 1 | - |
| Male | 11 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | 16 | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 188 | - | 1 | 2 | 3 | 3 | 5 | 2 | 1 | 2 | 3 | 1 |
| Male | 103 | - | - | - | 3 | 1 | 5 | 1 | 1 | 2 | - | 1 |
| Female | 85 | - | 1 | 2 | - | 2 | - | 1 | - | - | 3 | - |
| White, both sexes | 172 | - | 1 | 2 | 1 | 3 | 5 | 2 | 1 | 2 | 2 | 1 |
| Male | 93 | - | - | - | 1 | 1 | 5 | 1 | 1 | 2 | - | 1 |
| Female | 79 | - | 1 | 2 | - | 2 | - | 1 | - | - | 2 | - |
| Black, both sexes | 15 | - | - | - | 2 | - | - | - | - | - | 1 | - |
| Male | 9 | - | - | - | 2 | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 34 | - | 1 | - | - | 1 | 1 | 1 | - | - | - | 1 |
| Male | 22 | - | 1 | - | - | 1 | 1 | 1 | - | - | - | 1 |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 32 | - | 1 | - | - | 1 | 1 | 1 | - | - | - | 1 |
| Male | 20 | - | 1 | - | - | 1 | 1 | 1 | - | - | - | 1 |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 376 | - | 4 | 3 | 7 | 4 | 7 | 6 | 3 | 2 | 5 | 8 |
| Male | 219 | - | 3 | 3 | 5 | 1 | 6 | 5 | 1 | 2 | 3 | 5 |
| Female | 157 | - | 1 | - | 2 | 3 | 1 | 1 | 2 | - | 2 | 3 |
| White, both sexes | 334 | - | 4 | 1 | 7 | 4 | 3 | 5 | 3 | 2 | 3 | 8 |
| Male | 195 | - | 3 | 1 | 5 | 1 | 3 | 4 | 1 | 2 | 2 | 5 |
| Female | 139 | - | 1 | - | 2 | 3 | - | 1 | 2 | - | 1 | 3 |
| Black, both sexes | 34 | - | - | 1 | - | - | 2 | - | - | - | 2 | - |
| Male | 18 | - | - | 1 | - | - | 2 | - | - | - | 1 | - |
| Female | 16 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | - | - | 1 | - | - | 2 | 1 | - | - | - | - |
| Male | 6 | - | - | 1 | - | - | 1 | 1 | - | - | - | - |
| Female | 2 | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 181 | - | 1 | - | 3 | 1 | 1 | 1 | 1 | 4 | - | 2 |
| Male | 110 | - | 1 | - | 1 | 1 | - | - | 1 | 3 | - | 2 |
| Female | 71 | - | - | - | 2 | - | 1 | 1 | - | 1 | - | - |
| White, both sexes | 149 | - | - | - | 1 | 1 | 1 | 1 | 1 | 3 | - | 1 |
| Male | 95 | - | - | - | 1 | 1 | - | - | 1 | 2 | - | 1 |
| Female | 54 | - | - | - | - | - | 1 | 1 | - | 1 | - | - |
| Black, both sexes | 30 | - | - | - | 2 | - | - | - | - | 1 | - | 1 |
| Male | 13 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 17 | - | - | - | 2 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 18 | - | - | - | - | 1 | - | - | - | - | - | 2 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 11 | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | 17 | - | - | - | - | 1 | - | - | - | - | - | 2 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 10 | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 265 | - | - | 1 | 2 | 2 | 4 | 3 | 2 | 6 | 3 | 5 |
| Male | 149 | - | - | 1 | 1 | 1 | 4 | 3 | 1 | 4 | 1 | 5 |
| Female | 116 | - | - | - | 1 | 1 | - | - | 1 | 2 | 2 | - |
| White, both sexes | 245 | - | - | 1 | 2 | 2 | 3 | 3 | 2 | 6 | 3 | 5 |
| Male | 138 | - | - | 1 | 1 | 1 | 3 | 3 | 1 | 4 | 1 | 5 |
| Female | 107 | - | - | - | 1 | 1 | - | - | 1 | 2 | 2 | - |
| Black, both sexes | 19 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 10 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 95 | - | 1 | - | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| Male | 51 | - | 1 | - | 1 | 1 | 1 | 1 | - | 1 | - | 2 |
| Female | 44 | - | - | - | 1 | - | - | - | 1 | - | 1 | - |
| White, both sexes | 87 | - | 1 | - | 2 | - | - | 1 | 1 | - | 1 | 1 |
| Male | 45 | - | 1 | - | 1 | - | - | 1 | - | - | - | 1 |
| Female | 42 | - | - | - | 1 | - | - | - | 1 | - | 1 | - |
| Black, both sexes | 4 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | 1 | - | - | 1 | - | 1 |
| Male | 3 | - | - | - | - | - | 1 | - | - | 1 | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 93 | - | - | 2 | 1 | - | 2 | - | - | - | 1 | 1 |
| Male | 59 | - | - | - | 1 | - | 2 | - | - | - | - | 1 |
| Female | 34 | - | - | 2 | - | - | - | - | - | - | 1 | - |
| White, both sexes | 92 | - | - | 2 | 1 | - | 2 | - | - | - | - | 1 |
| Male | 59 | - | - | - | 1 | - | 2 | - | - | - | - | 1 |
| Female | 33 | - | - | 2 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 317 | - | 1 | 3 | 2 | 3 | 3 | 4 | 5 | 2 | 5 | 6 |
| Male | 170 | - | - | 3 | 1 | 3 | 2 | 1 | 5 | - | 4 | 5 |
| Female | 147 | - | 1 | - | 1 | - | 1 | 3 | - | 2 | 1 | 1 |
| White, both sexes | 295 | - | 1 | 3 | 2 | 2 | 3 | 3 | 5 | 2 | 2 | 5 |
| Male | 160 | - | - | 3 | 1 | 2 | 2 | 1 | 5 | - | 2 | 4 |
| Female | 135 | - | 1 | - | 1 | - | 1 | 2 | - | 2 | - | 1 |
| Black, both sexes | 22 | - | - | - | - | 1 | - | 1 | - | - | 3 | 1 |
| Male | 10 | - | - | - | - | 1 | - | - | - | - | 2 | 1 |
| Female | 12 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 24 | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | 13 | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 22 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 11 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 82 | - | - | 1 | 2 | - | 1 | 1 | 2 | - | 2 | 2 |
| Male | 49 | - | - | 1 | - | - | 1 | 1 | 1 | - | 1 | 2 |
| Female | 33 | - | - | - | 2 | - | - | - | 1 | - | 1 | - |
| White, both sexes | 56 | - | - | - | 1 | - | 1 | 1 | 1 | - | 1 | - |
| Male | 31 | - | - | - | - | - | 1 | 1 | 1 | - | 1 | - |
| Female | 25 | - | - | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | 24 | - | - | 1 | 1 | - | - | - | 1 | - | - | 2 |
| Male | 17 | - | - | 1 | - | - | - | - | - | - | - | 2 |
| Female | 7 | - | - | - | 1 | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 20 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 11 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| White, both sexes | 19 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 11 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 143 | 1 | 1 | 2 | 2 | 1 | 3 | 3 | 2 | 2 | 4 | 3 |
| Male | 92 | - | 1 | 1 | - | 1 | 1 | 2 | - | - | 3 | 3 |
| Female | 51 | 1 | - | 1 | 2 | - | 2 | 1 | 2 | 2 | 1 | - |
| White, both sexes | 121 | 1 | - | 2 | 2 | 1 | 2 | 1 | 2 | 2 | 4 | 2 |
| Male | 75 | - | - | 1 | - | 1 | - | - | - | - | 3 | 2 |
| Female | 46 | 1 | - | 1 | 2 | - | 2 | 1 | 2 | 2 | 1 | - |
| Black, both sexes | 19 | - | - | - | - | - | - | 2 | - | - | - | 1 |
| Male | 15 | - | - | - | - | - | - | 2 | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | 2 | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 411 | - | 3 | 9 | 11 | 8 | 13 | 6 | 5 | 12 | 6 | 11 |
| Male | 258 | - | 3 | 5 | 7 | 6 | 10 | 4 | 4 | 7 | 5 | 6 |
| Female | 153 | - | - | 4 | 4 | 2 | 3 | 2 | 1 | 5 | 1 | 5 |
| White, both sexes | 374 | - | 3 | 9 | 11 | 8 | 13 | 5 | 5 | 12 | 5 | 9 |
| Male | 237 | - | 3 | 5 | 7 | 6 | 10 | 4 | 4 | 7 | 4 | 5 |
| Female | 137 | - | - | 4 | 4 | 2 | 3 | 1 | 1 | 5 | 1 | 4 |
| Black, both sexes | 33 | - | - | - | - | - | - | 1 | - | - | 1 | 2 |
| Male | 18 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 15 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 34 | - | - | 1 | - | 2 | - | - | - | 1 | - | - |
| Male | 25 | - | - | - | - | 2 | - | - | - | 1 | - | - |
| Female | 9 | - | - | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | 34 | - | - | 1 | - | 2 | - | - | - | 1 | - | - |
| Male | 25 | - | - | - | - | 2 | - | - | - | 1 | - | - |
| Female | 9 | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 20 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 20 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 159 | - | 1 | 2 | 3 | - | 2 | - | 1 | 1 | 2 | 3 |
| Male | 99 | - | - | 2 | 1 | - | 2 | - | 1 | 1 | 1 | 1 |
| Female | 60 | - | 1 | - | 2 | - | - | - | - | - | 1 | 2 |
| White, both sexes | 131 | - | 1 | 2 | 2 | - | 1 | - | 1 | 1 | 2 | 1 |
| Male | 80 | - | - | 2 | 1 | - | 1 | - | 1 | 1 | 1 | - |
| Female | 51 | - | 1 | - | 1 | - | - | - | - | - | 1 | 1 |
| Black, both sexes | 24 | - | - | - | 1 | - | 1 | - | - | - | - | 1 |
| Male | 15 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 9 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 148 | - | - | 1 | 2 | 2 | 2 | - | 1 | - | 2 | 1 |
| Male | 99 | - | - | 1 | 1 | 1 | 1 | - | - | - | 2 | - |
| Female | 49 | - | - | - | 1 | 1 | 1 | - | 1 | - | - | 1 |
| White, both sexes | 141 | - | - | 1 | 2 | 2 | 2 | - | 1 | - | 2 | 1 |
| Male | 94 | - | - | 1 | 1 | 1 | 1 | - | - | - | 2 | - |
| Female | 47 | - | - | - | 1 | 1 | 1 | - | 1 | - | - | 1 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 53 | - | - | 1 | - | 1 | 1 | - | 1 | - | - | - |
| Male | 35 | - | - | 1 | - | 1 | 1 | - | 1 | - | - | - |
| Female | 18 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 52 | - | - | - | - | 1 | 1 | - | 1 | - | - | - |
| Male | 34 | - | - | - | - | 1 | 1 | - | 1 | - | - | - |
| Female | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 153 | 1 | - | 3 | - | 2 | 1 | - | - | 2 | 3 | 1 |
| Male | 89 | 1 | - | 3 | - | - | 1 | - | - | 2 | 2 | 1 |
| Female | 64 | - | - | - | - | 2 | - | - | - | - | 1 | - |
| White, both sexes | 146 | 1 | - | 1 | - | 2 | 1 | - | - | 2 | 3 | 1 |
| Male | 84 | 1 | - | 1 | - | - | 1 | - | - | 2 | 2 | 1 |
| Female | 62 | - | - | - | - | 2 | - | - | - | - | 1 | - |
| Black, both sexes | 7 | - | - | 2 | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | 2 | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 186 | 265 | 399 | 531 | 686 | 912 | 989 | 828 | 484 | 152 | 26 | - |
| Male | 119 | 182 | 281 | 348 | 467 | 565 | 549 | 416 | 188 | 59 | 4 | - |
| Female | 67 | 83 | 118 | 183 | 219 | 347 | 440 | 412 | 296 | 93 | 22 | - |
| White, both sexes | 159 | 231 | 348 | 445 | 631 | 830 | 924 | 790 | 463 | 144 | 24 | - |
| Male | 102 | 161 | 250 | 295 | 434 | 510 | 513 | 402 | 180 | 55 | 4 | - |
| Female | 57 | 70 | 98 | 150 | 197 | 320 | 411 | 388 | 283 | 89 | 20 | - |
| Black, both sexes | 25 | 26 | 43 | 72 | 49 | 71 | 53 | 32 | 18 | 8 | 2 | - |
| Male | 15 | 16 | 25 | 45 | 29 | 45 | 29 | 10 | 7 | 4 | - | - |
| Female | 10 | 10 | 18 | 27 | 20 | 26 | 24 | 22 | 11 | 4 | 2 | - |
| American Indian 1/, both sexes | - | 2 | 2 | 6 | 2 | 3 | 1 | 2 | 1 | - | - | - |
| Male | - | 1 | 2 | 5 | 1 | 3 | 1 | 1 | - | - | - | - |
| Female | - | 1 | - | 1 | 1 | - | - | 1 | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 6 | 6 | 8 | 4 | 8 | 11 | 4 | 2 | - | - | - |
| Male | 2 | 4 | 4 | 3 | 3 | 7 | 6 | 3 | 1 | - | - | - |
| Female | - | 2 | 2 | 5 | 1 | 1 | 5 | 1 | 1 | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 3 | 6 | 8 | 13 | 15 | 14 | 16 | 18 | 13 | 2 | 1 | - |
| Male | 1 | 5 | 6 | 11 | 8 | 8 | 8 | 6 | 5 | 2 | - | - |
| Female | 2 | 1 | 2 | 2 | 7 | 6 | 8 | 12 | 8 | - | 1 | - |
| White, both sexes | 3 | 6 | 3 | 12 | 12 | 11 | 11 | 16 | 11 | 2 | - | - |
| Male | 1 | 5 | 2 | 10 | 7 | 7 | 6 | 6 | 4 | 2 | - | - |
| Female | 2 | 1 | 1 | 2 | 5 | 4 | 5 | 10 | 7 | - | - | - |
| Black, both sexes | - | - | 5 | 1 | 3 | 3 | 5 | 2 | 2 | - | 1 | - |
| Male | - | - | 4 | 1 | 1 | 1 | 2 | - | 1 | - | - | - |
| Female | - | - | 1 | - | 2 | 2 | 3 | 2 | 1 | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | 1 | - | 2 | 2 | 3 | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | 1 | 2 | - | - | - | - |
| Female | - | - | - | - | - | 2 | 1 | 1 | - | - | - | - |
| White, both sexes | 1 | - | - | 1 | - | 2 | 1 | 2 | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | - | 2 | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 4 | 4 | 4 | 11 | 11 | 19 | 18 | 8 | 5 | 5 | - | - |
| Male | 4 | 3 | 3 | 8 | 7 | 13 | 10 | 5 | 1 | 2 | - | - |
| Female | - | 1 | 1 | 3 | 4 | 6 | 8 | 3 | 4 | 3 | - | - |
| White, both sexes | 4 | 4 | 4 | 11 | 11 | 19 | 18 | 8 | 5 | 5 | - | - |
| Male | 4 | 3 | 3 | 8 | 7 | 13 | 10 | 5 | 1 | 2 | - | - |
| Female | - | 1 | 1 | 3 | 4 | 6 | 8 | 3 | 4 | 3 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | 3 | 4 | 3 | 4 | 7 | 7 | 5 | 4 | 3 | - | - |
| Male | - | 2 | 3 | 1 | 3 | 3 | 4 | 2 | 2 | 2 | - | - |
| Female | - | 1 | 1 | 2 | 1 | 4 | 3 | 3 | 2 | 1 | - | - |
| White, both sexes | - | 3 | 4 | 3 | 3 | 7 | 7 | 5 | 4 | 3 | - | - |
| Male | - | 2 | 3 | 1 | 3 | 3 | 4 | 2 | 2 | 2 | - | - |
| Female | - | 1 | 1 | 2 | - | 4 | 3 | 3 | 2 | 1 | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 13 | 31 | 32 | 45 | 55 | 91 | 71 | 78 | 57 | 15 | 3 | - |
| Male | 5 | 20 | 17 | 26 | 37 | 53 | 43 | 41 | 24 | 2 | 1 | - |
| Female | 8 | 11 | 15 | 19 | 18 | 38 | 28 | 37 | 33 | 13 | 2 | - |
| White, both sexes | 13 | 28 | 25 | 36 | 50 | 83 | 64 | 76 | 57 | 13 | 3 | - |
| Male | 5 | 19 | 14 | 23 | 33 | 45 | 37 | 40 | 24 | 2 | 1 | - |
| Female | 8 | 9 | 11 | 13 | 17 | 38 | 27 | 36 | 33 | 11 | 2 | - |
| Black, both sexes | - | 1 | 5 | 5 | 4 | 4 | 3 | - | - | 2 | - | - |
| Male | - | - | 2 | 1 | 3 | 4 | 3 | - | - | - | - | - |
| Female | - | 1 | 3 | 4 | 1 | - | - | - | - | 2 | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | 2 | 3 | 1 | 4 | 4 | 2 | - | - | - | - |
| Male | - | 1 | 1 | 1 | 1 | 4 | 3 | 1 | - | - | - | - |
| Female | - | 1 | 1 | 2 | - | - | 1 | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 4 | 5 | 6 | 12 | 12 | 13 | 10 | 2 | - | - |
| Male | 1 | 1 | 3 | 2 | 3 | 7 | 5 | 9 | 5 | 1 | - | - |
| Female | - | 1 | 1 | 3 | 3 | 5 | 7 | 4 | 5 | 1 | - | - |
| White, both sexes | 1 | 2 | 4 | 5 | 5 | 11 | 11 | 13 | 10 | 2 | - | - |
| Male | 1 | 1 | 3 | 2 | 3 | 6 | 5 | 9 | 5 | 1 | - | - |
| Female | - | 1 | 1 | 3 | 2 | 5 | 6 | 4 | 5 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | 8 | 5 | 4 | 8 | 16 | 15 | 9 | 3 | 2 | - | - |
| Male | - | 4 | 5 | 3 | 5 | 6 | 11 | 6 | 2 | - | - | - |
| Female | - | 4 | - | 1 | 3 | 10 | 4 | 3 | 1 | 2 | - | - |
| White, both sexes | - | 7 | 5 | 4 | 8 | 16 | 15 | 8 | 3 | 2 | - | - |
| Male | - | 4 | 5 | 3 | 5 | 6 | 11 | 5 | 2 | - | - | - |
| Female | - | 3 | - | 1 | 3 | 10 | 4 | 3 | 1 | 2 | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | 3 | 1 | 1 | 3 | 4 | 4 | 1 | 2 | - | - | - |
| Male | - | 2 | 1 | - | 3 | 3 | 3 | 1 | 1 | - | - | - |
| Female | - | 1 | - | 1 | - | 1 | 1 | - | 1 | - | - | - |
| White, both sexes | - | 2 | 1 | 1 | 2 | 4 | 4 | 1 | 2 | - | - | - |
| Male | - | 2 | 1 | - | 2 | 3 | 3 | 1 | 1 | - | - | - |
| Female | - | - | - | 1 | - | 1 | 1 | - | 1 | - | - | - |
| Black, both sexes | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 2 | 1 | - | 1 | 3 | - | - | - | - |
| Male | - | - | 1 | 2 | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | 3 | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | 1 | 2 | - | - | 1 | 2 | - | - | - | - |
| Male | - | - | 1 | 2 | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 15 | 18 | 24 | 46 | 48 | 68 | 69 | 76 | 29 | 15 | 2 | - |
| Male | 12 | 12 | 13 | 32 | 33 | 40 | 39 | 39 | 11 | 7 | 1 | - |
| Female | 3 | 6 | 11 | 14 | 15 | 28 | 30 | 37 | 18 | 8 | 1 | - |
| White, both sexes | 12 | 16 | 20 | 40 | 47 | 64 | 67 | 74 | 29 | 15 | 2 | - |
| Male | 9 | 11 | 11 | 29 | 33 | 37 | 38 | 38 | 11 | 7 | 1 | - |
| Female | 3 | 5 | 9 | 11 | 14 | 27 | 29 | 36 | 18 | 8 | 1 | - |
| Black, both sexes | 3 | 2 | 3 | 6 | 1 | 3 | 2 | 1 | - | - | - | - |
| Male | 3 | 1 | 2 | 3 | - | 3 | 1 | - | - | - | - | - |
| Female | - | 1 | 1 | 3 | 1 | - | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 5 | 7 | 12 | 12 | 22 | 17 | 22 | 10 | 10 | 1 | - | - |
| Male | 2 | 5 | 10 | 10 | 13 | 12 | 10 | 3 | 4 | 1 | - | - |
| Female | 3 | 2 | 2 | 2 | 9 | 5 | 12 | 7 | 6 | - | - | - |
| White, both sexes | 3 | 5 | 6 | 8 | 17 | 14 | 16 | 10 | 9 | 1 | - | - |
| Male | 1 | 4 | 5 | 7 | 11 | 11 | 6 | 3 | 3 | 1 | - | - |
| Female | 2 | 1 | 1 | 1 | 6 | 3 | 10 | 7 | 6 | - | - | - |
| Black, both sexes | 2 | 2 | 5 | 4 | 5 | 3 | 5 | - | 1 | - | - | - |
| Male | 1 | 1 | 4 | 3 | 2 | 1 | 3 | - | 1 | - | - | - |
| Female | 1 | 1 | 1 | 1 | 3 | 2 | 2 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 1 | - | 1 | 1 | - | 2 | 2 | - | - | - |
| Male | 1 | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Female | 1 | 1 | 1 | - | - | - | - | 1 | 2 | - | - | - |
| White, both sexes | 1 | - | 1 | - | - | - | - | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | 1 | - | - | - | - | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | 1 | 1 | - | 1 | 1 | - | - | - |
| Male | 1 | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | 1 | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 6 | 1 | 2 | 2 | 11 | 2 | 1 | - | - | - |
| Male | - | 1 | 4 | - | - | 1 | 4 | 1 | - | - | - | - |
| Female | 1 | - | 2 | 1 | 2 | 1 | 7 | 1 | 1 | - | - | - |
| White, both sexes | 1 | 1 | 6 | 1 | 2 | 2 | 11 | 2 | 1 | - | - | - |
| Male | - | 1 | 4 | - | - | 1 | 4 | 1 | - | - | - | - |
| Female | 1 | - | 2 | 1 | 2 | 1 | 7 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 10 | 7 | 20 | 22 | 40 | 38 | 41 | 34 | 16 | 5 | - | - |
| Male | 6 | 5 | 16 | 14 | 26 | 20 | 21 | 15 | 5 | 2 | - | - |
| Female | 4 | 2 | 4 | 8 | 14 | 18 | 20 | 19 | 11 | 3 | - | - |
| White, both sexes | 9 | 5 | 18 | 16 | 34 | 35 | 39 | 33 | 15 | 5 | - | - |
| Male | 5 | 4 | 15 | 10 | 22 | 19 | 21 | 14 | 4 | 2 | - | - |
| Female | 4 | 1 | 3 | 6 | 12 | 16 | 18 | 19 | 11 | 3 | - | - |
| Black, both sexes | 1 | 2 | 2 | 5 | 6 | 3 | 1 | 1 | - | - | - | - |
| Male | 1 | 1 | 1 | 4 | 4 | 1 | - | 1 | - | - | - | - |
| Female | - | 1 | 1 | 1 | 2 | 2 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 3 | 4 | 8 | 12 | 8 | 22 | 18 | 18 | 6 | 1 | 1 | - |
| Male | 2 | 4 | 5 | 9 | 6 | 13 | 9 | 9 | 3 | 1 | - | - |
| Female | 1 | - | 3 | 3 | 2 | 9 | 9 | 9 | 3 | - | 1 | - |
| White, both sexes | 3 | 4 | 8 | 10 | 8 | 19 | 17 | 17 | 6 | 1 | 1 | - |
| Male | 2 | 4 | 5 | 7 | 6 | 11 | 9 | 9 | 3 | 1 | - | - |
| Female | 1 | - | 3 | 3 | 2 | 8 | 8 | 8 | 3 | - | 1 | - |
| Black, both sexes | - | - | - | 2 | - | 3 | 1 | 1 | - | - | - | - |
| Male | - | - | - | 2 | - | 2 | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 5 | 9 | 12 | 10 | 24 | 17 | 8 | 4 | - | - |
| Male | - | 1 | 4 | 7 | 11 | 8 | 17 | 11 | 3 | 2 | - | - |
| Female | 1 | 1 | 1 | 2 | 1 | 2 | 7 | 6 | 5 | 2 | - | - |
| White, both sexes | 1 | 2 | 5 | 9 | 12 | 10 | 24 | 17 | 8 | 4 | - | - |
| Male | - | 1 | 4 | 7 | 11 | 8 | 17 | 11 | 3 | 2 | - | - |
| Female | 1 | 1 | 1 | 2 | 1 | 2 | 7 | 6 | 5 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 2 | 4 | 4 | 6 | 10 | 9 | 11 | 9 | 6 | 2 | - | - |
| Male | 2 | 4 | 4 | 2 | 7 | 5 | 5 | 5 | 1 | - | - | - |
| Female | - | - | - | 4 | 3 | 4 | 6 | 4 | 5 | 2 | - | - |
| White, both sexes | 2 | 4 | 4 | 5 | 10 | 8 | 11 | 8 | 6 | 2 | - | - |
| Male | 2 | 4 | 4 | 2 | 7 | 4 | 5 | 5 | 1 | - | - | - |
| Female | - | - | - | 3 | 3 | 4 | 6 | 3 | 5 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 6 | 3 | 11 | 4 | 13 | 20 | 21 | 17 | 9 | 1 | - | - |
| Male | 4 | 2 | 7 | 2 | 9 | 15 | 15 | 8 | 4 | - | - | - |
| Female | 2 | 1 | 4 | 2 | 4 | 5 | 6 | 9 | 5 | 1 | - | - |
| White, both sexes | 6 | 3 | 11 | 4 | 13 | 19 | 19 | 17 | 9 | 1 | - | - |
| Male | 4 | 2 | 7 | 2 | 9 | 14 | 13 | 8 | 4 | - | - | - |
| Female | 2 | 1 | 4 | 2 | 4 | 5 | 6 | 9 | 5 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 3 | 4 | 3 | 10 | 7 | 16 | 6 | 6 | 8 | 3 | 1 | - |
| Male | 3 | 3 | 1 | 7 | 7 | 10 | 1 | 4 | 2 | 1 | - | - |
| Female | - | 1 | 2 | 3 | - | 6 | 5 | 2 | 6 | 2 | 1 | - |
| White, both sexes | 3 | 2 | 2 | 6 | 7 | 13 | 4 | 5 | 7 | 2 | 1 | - |
| Male | 3 | 1 | - | 4 | 7 | 8 | - | 4 | 1 | - | - | - |
| Female | - | 1 | 2 | 2 | - | 5 | 4 | 1 | 6 | 2 | 1 | - |
| Black, both sexes | - | 2 | 1 | 4 | - | 3 | 2 | 1 | 1 | 1 | - | - |
| Male | - | 2 | 1 | 3 | - | 2 | 1 | - | 1 | 1 | - | - |
| Female | - | - | - | 1 | - | 1 | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 4 | 2 | 3 | 14 | 3 | 8 | 4 | 2 | - | - |
| Male | - | 2 | 2 | 2 | - | 10 | 3 | 5 | 4 | 1 | - | - |
| Female | - | - | 2 | - | 3 | 4 | - | 3 | - | 1 | - | - |
| White, both sexes | - | 2 | 4 | 2 | 3 | 14 | 3 | 8 | 4 | 2 | - | - |
| Male | - | 2 | 2 | 2 | - | 10 | 3 | 5 | 4 | 1 | - | - |
| Female | - | - | 2 | - | 3 | 4 | - | 3 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 4 | 6 | 6 | 6 | 10 | 15 | 21 | 18 | 9 | 1 | 2 | - |
| Male | 3 | 3 | 5 | 2 | 6 | 12 | 11 | 8 | 5 | 1 | - | - |
| Female | 1 | 3 | 1 | 4 | 4 | 3 | 10 | 10 | 4 | - | 2 | - |
| White, both sexes | 4 | 6 | 6 | 6 | 8 | 15 | 16 | 16 | 9 | 1 | 2 | - |
| Male | 3 | 3 | 5 | 2 | 5 | 12 | 8 | 7 | 5 | 1 | - | - |
| Female | 1 | 3 | 1 | 4 | 3 | 3 | 8 | 9 | 4 | - | 2 | - |
| Black, both sexes | - | - | - | - | 2 | - | 4 | 2 | - | - | - | - |
| Male | - | - | - | - | 1 | - | 2 | 1 | - | - | - | - |
| Female | - | - | - | - | 1 | - | 2 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 3 | 3 | 9 | 6 | 8 | 19 | 16 | 15 | 10 | 4 | - | - |
| Male | - | 3 | 8 | 5 | 6 | 15 | 11 | 9 | 4 | 2 | - | - |
| Female | 3 | - | 1 | 1 | 2 | 4 | 5 | 6 | 6 | 2 | - | - |
| White, both sexes | 1 | 3 | 9 | 5 | 8 | 19 | 16 | 14 | 10 | 4 | - | - |
| Male | - | 3 | 8 | 4 | 6 | 15 | 11 | 9 | 4 | 2 | - | - |
| Female | 1 | - | 1 | 1 | 2 | 4 | 5 | 5 | 6 | 2 | - | - |
| Black, both sexes | 2 | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 7 | 12 | 18 | 18 | 30 | 28 | 36 | 30 | 19 | 4 | 1 | - |
| Male | 5 | 9 | 15 | 11 | 22 | 17 | 20 | 16 | 6 | 1 | - | - |
| Female | 2 | 3 | 3 | 7 | 8 | 11 | 16 | 14 | 13 | 3 | 1 | - |
| White, both sexes | 7 | 9 | 17 | 14 | 30 | 25 | 35 | 30 | 17 | 4 | 1 | - |
| Male | 5 | 7 | 15 | 8 | 22 | 16 | 19 | 16 | 6 | 1 | - | - |
| Female | 2 | 2 | 2 | 6 | 8 | 9 | 16 | 14 | 11 | 3 | 1 | - |
| Black, both sexes | - | 2 | 1 | 3 | - | 3 | 1 | - | 2 | - | - | - |
| Male | - | 1 | - | 2 | - | 1 | 1 | - | - | - | - | - |
| Female | - | 1 | 1 | 1 | - | 2 | - | - | 2 | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 4 | 5 | 5 | 9 | 17 | 17 | 13 | 26 | 13 | 6 | 2 | - |
| Male | 4 | 4 | 3 | 6 | 8 | 9 | 9 | 15 | 7 | 3 | - | - |
| Female | - | 1 | 2 | 3 | 9 | 8 | 4 | 11 | 6 | 3 | 2 | - |
| White, both sexes | 4 | 5 | 5 | 9 | 17 | 17 | 13 | 26 | 12 | 6 | 2 | - |
| Male | 4 | 4 | 3 | 6 | 8 | 9 | 9 | 15 | 7 | 3 | - | - |
| Female | - | 1 | 2 | 3 | 9 | 8 | 4 | 11 | 5 | 3 | 2 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 4 | 3 | 5 | 4 | 10 | 1 | 6 | 7 | 5 | 1 | - | - |
| Male | 3 | 1 | 2 | 4 | 9 | 1 | 3 | 3 | 3 | - | - | - |
| Female | 1 | 2 | 3 | - | 1 | - | 3 | 4 | 2 | 1 | - | - |
| White, both sexes | 3 | 2 | 4 | 3 | 8 | 1 | 6 | 4 | 4 | 1 | - | - |
| Male | 2 | 1 | 2 | 3 | 7 | 1 | 3 | 3 | 2 | - | - | - |
| Female | 1 | 1 | 2 | - | 1 | - | 3 | 1 | 2 | 1 | - | - |
| Black, both sexes | 1 | - | 1 | 1 | 2 | - | - | 2 | 1 | - | - | - |
| Male | 1 | - | - | 1 | 2 | - | - | - | 1 | - | - | - |
| Female | - | - | 1 | - | - | - | - | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 5 | 14 | 9 | 13 | 12 | 21 | 23 | 20 | 17 | 4 | 1 | - |
| Male | 5 | 10 | 7 | 8 | 8 | 12 | 12 | 9 | 5 | 1 | - | - |
| Female | - | 4 | 2 | 5 | 4 | 9 | 11 | 11 | 12 | 3 | 1 | - |
| White, both sexes | 3 | 13 | 9 | 8 | 11 | 20 | 23 | 19 | 17 | 4 | - | - |
| Male | 3 | 10 | 7 | 5 | 7 | 11 | 12 | 9 | 5 | 1 | - | - |
| Female | - | 3 | 2 | 3 | 4 | 9 | 11 | 10 | 12 | 3 | - | - |
| Black, both sexes | 2 | 1 | - | 5 | 1 | 1 | - | 1 | - | - | 1 | - |
| Male | 2 | - | - | 3 | 1 | 1 | - | - | - | - | - | - |
| Female | - | 1 | - | 2 | - | - | - | 1 | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 2 | 1 | 7 | 1 | 6 | 2 | - | 1 | - | - |
| Male | - | 2 | 1 | 1 | 6 | 1 | 1 | 1 | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | 5 | 1 | - | 1 | - | - |
| White, both sexes | - | 2 | 2 | 1 | 6 | 1 | 6 | 2 | - | 1 | - | - |
| Male | - | 2 | 1 | 1 | 5 | 1 | 1 | 1 | - | - | - | - |
| Female | - | - | 1 | - | 1 | - | 5 | 1 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 2 | - | 4 | 5 | 9 | 5 | 2 | 1 | - | - |
| Male | 1 | 1 | 2 | - | 3 | 5 | 5 | 1 | 1 | - | - | - |
| Female | - | 1 | - | - | 1 | - | 4 | 4 | 1 | 1 | - | - |
| White, both sexes | 1 | 2 | 2 | - | 4 | 5 | 8 | 5 | 2 | 1 | - | - |
| Male | 1 | 1 | 2 | - | 3 | 5 | 4 | 1 | 1 | - | - | - |
| Female | - | 1 | - | - | 1 | - | 4 | 4 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | - | 3 | 3 | 6 | 7 | 6 | - | - | - | - |
| Male | 2 | 1 | - | 2 | 2 | 2 | 5 | 3 | - | - | - | - |
| Female | - | - | - | 1 | 1 | 4 | 2 | 3 | - | - | - | - |
| White, both sexes | 1 | 1 | - | 3 | 3 | 6 | 7 | 6 | - | - | - | - |
| Male | 1 | 1 | - | 2 | 2 | 2 | 5 | 3 | - | - | - | - |
| Female | - | - | - | 1 | 1 | 4 | 2 | 3 | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 4 | 3 | - | 3 | 3 | 6 | 4 | 1 | - | - |
| Male | - | - | 2 | 2 | - | 2 | 1 | 2 | 1 | - | - | - |
| Female | - | 1 | 2 | 1 | - | 1 | 2 | 4 | 3 | 1 | - | - |
| White, both sexes | - | 1 | 4 | 3 | - | 3 | 3 | 5 | 4 | 1 | - | - |
| Male | - | - | 2 | 2 | - | 2 | 1 | 1 | 1 | - | - | - |
| Female | - | 1 | 2 | 1 | - | 1 | 2 | 4 | 3 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 4 | 6 | 7 | 20 | 18 | 24 | 36 | 26 | 18 | 5 | 1 | - |
| Male | 3 | 4 | 4 | 11 | 10 | 15 | 22 | 14 | 3 | 3 | - | - |
| Female | 1 | 2 | 3 | 9 | 8 | 9 | 14 | 12 | 15 | 2 | 1 | - |
| White, both sexes | 4 | 4 | 5 | 17 | 18 | 23 | 33 | 26 | 17 | 4 | 1 | - |
| Male | 3 | 2 | 3 | 9 | 10 | 14 | 21 | 14 | 3 | 2 | - | - |
| Female | 1 | 2 | 2 | 8 | 8 | 9 | 12 | 12 | 14 | 2 | 1 | - |
| Black, both sexes | - | 2 | 1 | 3 | - | 1 | 3 | - | 1 | 1 | - | - |
| Male | - | 2 | - | 2 | - | 1 | 1 | - | - | 1 | - | - |
| Female | - | - | 1 | 1 | - | - | 2 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | - | 6 | 5 | 7 | 3 | 2 | 3 | - | - | - |
| Male | 2 | 1 | - | 2 | 4 | 2 | 3 | 1 | 2 | - | - | - |
| Female | - | - | - | 4 | 1 | 5 | - | 1 | 1 | - | - | - |
| White, both sexes | 2 | 1 | - | 5 | 5 | 6 | 3 | 2 | 3 | - | - | - |
| Male | 2 | 1 | - | 1 | 4 | 1 | 3 | 1 | 2 | - | - | - |
| Female | - | - | - | 4 | 1 | 5 | - | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 13 | 15 | 28 | 41 | 43 | 56 | 60 | 42 | 22 | 7 | - | - |
| Male | 7 | 9 | 21 | 30 | 25 | 30 | 31 | 18 | 10 | 4 | - | - |
| Female | 6 | 6 | 7 | 11 | 18 | 26 | 29 | 24 | 12 | 3 | - | - |
| White, both sexes | 11 | 15 | 23 | 34 | 38 | 47 | 56 | 41 | 22 | 7 | - | - |
| Male | 6 | 9 | 20 | 24 | 22 | 25 | 30 | 18 | 10 | 4 | - | - |
| Female | 5 | 6 | 3 | 10 | 16 | 22 | 26 | 23 | 12 | 3 | - | - |
| Black, both sexes | 2 | - | 5 | 5 | 5 | 8 | 3 | 1 | - | - | - | - |
| Male | 1 | - | 1 | 4 | 3 | 4 | 1 | - | - | - | - | - |
| Female | 1 | - | 4 | 1 | 2 | 4 | 2 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 2 | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | 2 | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 7 | 5 | 14 | 22 | 20 | 25 | 39 | 21 | 11 | 3 | - | - |
| Male | 5 | 2 | 11 | 17 | 16 | 12 | 21 | 13 | 4 | - | - | - |
| Female | 2 | 3 | 3 | 5 | 4 | 13 | 18 | 8 | 7 | 3 | - | - |
| White, both sexes | 3 | 3 | 13 | 16 | 16 | 21 | 35 | 21 | 9 | 3 | - | - |
| Male | 3 | 1 | 11 | 14 | 14 | 10 | 19 | 13 | 4 | - | - | - |
| Female | - | 2 | 2 | 2 | 2 | 11 | 16 | 8 | 5 | 3 | - | - |
| Black, both sexes | 4 | 2 | 1 | 5 | 4 | 4 | 4 | - | 2 | - | - | - |
| Male | 2 | 1 | - | 2 | 2 | 2 | 2 | - | - | - | - | - |
| Female | 2 | 1 | 1 | 3 | 2 | 2 | 2 | - | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | 1 | 1 | 3 | 6 | 2 | 1 | - | - |
| Male | - | - | 1 | - | - | - | 2 | 2 | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | 1 | 4 | 2 | 1 | - | - |
| White, both sexes | - | - | 1 | - | - | 1 | 3 | 6 | 2 | 1 | - | - |
| Male | - | - | 1 | - | - | - | 2 | 2 | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | 4 | 2 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 9 | 9 | 17 | 25 | 28 | 39 | 46 | 33 | 21 | 10 | - | - |
| Male | 2 | 6 | 12 | 14 | 15 | 27 | 23 | 18 | 4 | 7 | - | - |
| Female | 7 | 3 | 5 | 11 | 13 | 12 | 23 | 15 | 17 | 3 | - | - |
| White, both sexes | 8 | 7 | 16 | 24 | 27 | 31 | 44 | 32 | 21 | 8 | - | - |
| Male | 2 | 4 | 11 | 14 | 15 | 23 | 22 | 18 | 4 | 5 | - | - |
| Female | 6 | 3 | 5 | 10 | 12 | 8 | 22 | 14 | 17 | 3 | - | - |
| Black, both sexes | 1 | 2 | 1 | 1 | 1 | 8 | 1 | 1 | - | 2 | - | - |
| Male | - | 2 | 1 | - | - | 4 | - | - | - | 2 | - | - |
| Female | 1 | - | - | 1 | 1 | 4 | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 1 | 9 | 7 | 4 | 6 | 11 | 20 | 11 | 11 | 2 | 2 | - |
| Male | 1 | 4 | 4 | 1 | 5 | 7 | 13 | 2 | 5 | 1 | - | - |
| Female | - | 5 | 3 | 3 | 1 | 4 | 7 | 9 | 6 | 1 | 2 | - |
| White, both sexes | 1 | 8 | 7 | 3 | 6 | 10 | 20 | 11 | 10 | 2 | 2 | - |
| Male | 1 | 3 | 4 | 1 | 5 | 6 | 13 | 2 | 5 | 1 | - | - |
| Female | - | 5 | 3 | 2 | 1 | 4 | 7 | 9 | 5 | 1 | 2 | - |
| Black, both sexes | - | 1 | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 3 | 3 | 7 | 5 | 8 | 13 | 24 | 17 | 4 | 2 | - | - |
| Male | 2 | 3 | 5 | 3 | 7 | 10 | 10 | 11 | 2 | 2 | - | - |
| Female | 1 | - | 2 | 2 | 1 | 3 | 14 | 6 | 2 | - | - | - |
| White, both sexes | 3 | 3 | 7 | 5 | 8 | 13 | 24 | 17 | 4 | 2 | - | - |
| Male | 2 | 3 | 5 | 3 | 7 | 10 | 10 | 11 | 2 | 2 | - | - |
| Female | 1 | - | 2 | 2 | 1 | 3 | 14 | 6 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 4 | 7 | 18 | 25 | 31 | 55 | 54 | 44 | 32 | 12 | 1 | - |
| Male | 2 | 6 | 12 | 14 | 21 | 31 | 31 | 17 | 9 | 3 | - | - |
| Female | 2 | 1 | 6 | 11 | 10 | 24 | 23 | 27 | 23 | 9 | 1 | - |
| White, both sexes | 4 | 7 | 17 | 23 | 29 | 53 | 52 | 41 | 30 | 10 | 1 | - |
| Male | 2 | 6 | 11 | 13 | 19 | 30 | 30 | 17 | 9 | 3 | - | - |
| Female | 2 | 1 | 6 | 10 | 10 | 23 | 22 | 24 | 21 | 7 | 1 | - |
| Black, both sexes | - | - | 1 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | - | - |
| Male | - | - | 1 | 1 | 2 | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | - | 1 | 1 | 3 | 2 | 2 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 2 | 3 | 2 | 3 | 7 | 3 | 1 | - | - |
| Male | - | 1 | - | 2 | 3 | - | 2 | 3 | - | - | - | - |
| Female | - | - | - | - | - | 2 | 1 | 4 | 3 | 1 | - | - |
| White, both sexes | - | 1 | - | 2 | 2 | 2 | 3 | 7 | 3 | 1 | - | - |
| Male | - | 1 | - | 2 | 2 | - | 2 | 3 | - | - | - | - |
| Female | - | - | - | - | - | 2 | 1 | 4 | 3 | 1 | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 4 | 3 | 8 | 12 | 10 | 9 | 6 | 11 | 8 | - | - | - |
| Male | 3 | 1 | 6 | 9 | 8 | 7 | 2 | 5 | 1 | - | - | - |
| Female | 1 | 2 | 2 | 3 | 2 | 2 | 4 | 6 | 7 | - | - | - |
| White, both sexes | 3 | 2 | 4 | 7 | 8 | 6 | 6 | 8 | 7 | - | - | - |
| Male | 2 | - | 2 | 6 | 6 | 5 | 2 | 3 | 1 | - | - | - |
| Female | 1 | 2 | 2 | 1 | 2 | 1 | 4 | 5 | 6 | - | - | - |
| Black, both sexes | 1 | 1 | 3 | 5 | 2 | 3 | - | 3 | 1 | - | - | - |
| Male | 1 | 1 | 3 | 3 | 2 | 2 | - | 2 | - | - | - | - |
| Female | - | - | - | 2 | - | 1 | - | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | - | 3 | 3 | 4 | 4 | 1 | 1 | - | - |
| Male | 1 | - | - | - | 3 | 1 | - | 3 | - | 1 | - | - |
| Female | - | - | 1 | - | - | 2 | 4 | 1 | 1 | - | - | - |
| White, both sexes | 1 | - | 1 | - | 2 | 3 | 4 | 4 | 1 | 1 | - | - |
| Male | 1 | - | - | - | 2 | 1 | - | 3 | - | 1 | - | - |
| Female | - | - | 1 | - | - | 2 | 4 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 4 | 3 | 10 | 15 | 15 | 25 | 17 | 17 | 8 | 3 | 2 | - |
| Male | 3 | 2 | 9 | 13 | 11 | 15 | 9 | 11 | 5 | 1 | 1 | - |
| Female | 1 | 1 | 1 | 2 | 4 | 10 | 8 | 6 | 3 | 2 | 1 | - |
| White, both sexes | 2 | 3 | 10 | 8 | 14 | 22 | 15 | 16 | 7 | 3 | 2 | - |
| Male | 1 | 2 | 9 | 8 | 11 | 13 | 8 | 10 | 4 | 1 | 1 | - |
| Female | 1 | 1 | 1 | - | 3 | 9 | 7 | 6 | 3 | 2 | 1 | - |
| Black, both sexes | 2 | - | - | 6 | 1 | 3 | 2 | 1 | 1 | - | - | - |
| Male | 2 | - | - | 5 | - | 2 | 1 | 1 | 1 | - | - | - |
| Female | - | - | - | 1 | 1 | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 12 | 23 | 24 | 31 | 50 | 59 | 57 | 42 | 22 | 4 | 3 | - |
| Male | 6 | 15 | 15 | 17 | 35 | 43 | 37 | 24 | 9 | - | - | - |
| Female | 6 | 8 | 9 | 14 | 15 | 16 | 20 | 18 | 13 | 4 | 3 | - |
| White, both sexes | 10 | 19 | 21 | 27 | 48 | 52 | 51 | 38 | 21 | 4 | 3 | - |
| Male | 6 | 12 | 12 | 16 | 34 | 38 | 33 | 23 | 8 | - | - | - |
| Female | 4 | 7 | 9 | 11 | 14 | 14 | 18 | 15 | 13 | 4 | 3 | - |
| Black, both sexes | 2 | 2 | 3 | 3 | 1 | 7 | 6 | 4 | 1 | - | - | - |
| Male | - | 1 | 3 | 1 | - | 5 | 4 | 1 | 1 | - | - | - |
| Female | 2 | 1 | - | 2 | 1 | 2 | 2 | 3 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | 2 | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | 6 | 3 | 8 | 11 | 1 | - | - | - |
| Male | - | - | - | 1 | 6 | 3 | 4 | 7 | 1 | - | - | - |
| Female | - | - | - | - | - | - | 4 | 4 | - | - | - | - |
| White, both sexes | - | - | - | 1 | 6 | 3 | 8 | 11 | 1 | - | - | - |
| Male | - | - | - | 1 | 6 | 3 | 4 | 7 | 1 | - | - | - |
| Female | - | - | - | - | - | - | 4 | 4 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | 2 | 2 | 2 | 4 | 2 | 4 | 1 | - | - |
| Male | 1 | - | 1 | 2 | 2 | 1 | 2 | 1 | 3 | - | - | - |
| Female | - | - | - | - | - | 1 | 2 | 1 | 1 | 1 | - | - |
| White, both sexes | 1 | - | 1 | 2 | 2 | 2 | 4 | 2 | 4 | 1 | - | - |
| Male | 1 | - | 1 | 2 | 2 | 1 | 2 | 1 | 3 | - | - | - |
| Female | - | - | - | - | - | 1 | 2 | 1 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 4 | 10 | 20 | 11 | 21 | 25 | 21 | 17 | 12 | 3 | - | - |
| Male | 3 | 9 | 16 | 8 | 14 | 15 | 11 | 8 | 6 | - | - | - |
| Female | 1 | 1 | 4 | 3 | 7 | 10 | 10 | 9 | 6 | 3 | - | - |
| White, both sexes | 4 | 8 | 16 | 8 | 17 | 20 | 17 | 16 | 11 | 3 | - | - |
| Male | 3 | 7 | 14 | 6 | 11 | 11 | 8 | 7 | 6 | - | - | - |
| Female | 1 | 1 | 2 | 2 | 6 | 9 | 9 | 9 | 5 | 3 | - | - |
| Black, both sexes | - | 2 | 3 | 2 | 4 | 5 | 3 | 1 | 1 | - | - | - |
| Male | - | 2 | 1 | 1 | 3 | 4 | 2 | 1 | - | - | - | - |
| Female | - | - | 2 | 1 | 1 | 1 | 1 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 8 | 7 | 8 | 11 | 14 | 27 | 35 | 11 | 10 | 4 | 2 | - |
| Male | 6 | 6 | 6 | 6 | 11 | 23 | 19 | 7 | 7 | 1 | 1 | - |
| Female | 2 | 1 | 2 | 5 | 3 | 4 | 16 | 4 | 3 | 3 | 1 | - |
| White, both sexes | 7 | 6 | 6 | 11 | 14 | 26 | 34 | 10 | 10 | 4 | 2 | - |
| Male | 5 | 5 | 5 | 6 | 11 | 22 | 19 | 6 | 7 | 1 | 1 | - |
| Female | 2 | 1 | 1 | 5 | 3 | 4 | 15 | 4 | 3 | 3 | 1 | - |
| Black, both sexes | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | 1 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 3 | - | 4 | 10 | 7 | 8 | 5 | 4 | 4 | 3 | 1 | - |
| Male | 3 | - | 2 | 6 | 3 | 5 | 4 | 3 | 2 | 3 | - | - |
| Female | - | - | 2 | 4 | 4 | 3 | 1 | 1 | 2 | - | 1 | - |
| White, both sexes | 3 | - | 4 | 10 | 7 | 8 | 5 | 4 | 4 | 3 | 1 | - |
| Male | 3 | - | 2 | 6 | 3 | 5 | 4 | 3 | 2 | 3 | - | - |
| Female | - | - | 2 | 4 | 4 | 3 | 1 | 1 | 2 | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoid leukemia (C91) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 5 | 3 | 7 | 13 | 23 | 19 | 28 | 23 | 15 | 4 | - | - |
| Male | 2 | 2 | 6 | 11 | 18 | 13 | 13 | 7 | 6 | 1 | - | - |
| Female | 3 | 1 | 1 | 2 | 5 | 6 | 15 | 16 | 9 | 3 | - | - |
| White, both sexes | 4 | 3 | 7 | 13 | 22 | 17 | 28 | 23 | 14 | 4 | - | - |
| Male | 2 | 2 | 6 | 11 | 18 | 11 | 13 | 7 | 5 | 1 | - | - |
| Female | 2 | 1 | 1 | 2 | 4 | 6 | 15 | 16 | 9 | 3 | - | - |
| Black, both sexes | 1 | - | - | - | 1 | 2 | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | 2 | - | - | 1 | - | - | - |
| Female | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | 3 | 2 | 1 | 4 | 5 | - | - | - | - |
| Male | - | 1 | - | 1 | 1 | 1 | 2 | 1 | - | - | - | - |
| Female | 1 | - | - | 2 | 1 | - | 2 | 4 | - | - | - | - |
| White, both sexes | 1 | 1 | - | 3 | 2 | 1 | 4 | 5 | - | - | - | - |
| Male | - | 1 | - | 1 | 1 | 1 | 2 | 1 | - | - | - | - |
| Female | 1 | - | - | 2 | 1 | - | 2 | 4 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 9,951 | 4 | 59 | 31 | 49 | 91 | 87 | 107 | 125 | 157 | 240 | 361 |
| Male | 5,592 | 2 | 35 | 17 | 29 | 43 | 54 | 57 | 62 | 75 | 119 | 178 |
| Female | 4,359 | 2 | 24 | 14 | 20 | 48 | 33 | 50 | 63 | 82 | 121 | 183 |
| White, both sexes | 8,922 | 4 | 37 | 27 | 36 | 68 | 74 | 78 | 94 | 131 | 194 | 295 |
| Male | 5,063 | 2 | 22 | 14 | 21 | 34 | 44 | 46 | 48 | 62 | 95 | 141 |
| Female | 3,859 | 2 | 15 | 13 | 15 | 34 | 30 | 32 | 46 | 69 | 99 | 154 |
| Black, both sexes | 776 | - | 17 | 2 | 9 | 17 | 10 | 20 | 27 | 21 | 34 | 49 |
| Male | 384 | - | 10 | 2 | 6 | 6 | 9 | 5 | 12 | 11 | 16 | 28 |
| Female | 392 | - | 7 | - | 3 | 11 | 1 | 15 | 15 | 10 | 18 | 21 |
| American Indian 1/, both sexes | 31 | - | 1 | 1 | - | 1 | 1 | 1 | - | - | 2 | 1 |
| Male | 17 | - | 1 | 1 | - | - | - | 1 | - | - | 2 | 1 |
| Female | 14 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 222 | - | 4 | 1 | 4 | 5 | 2 | 8 | 4 | 5 | 10 | 16 |
| Male | 128 | - | 2 | - | 2 | 3 | 1 | 5 | 2 | 2 | 6 | 8 |
| Female | 94 | - | 2 | 1 | 2 | 2 | 1 | 3 | 2 | 3 | 4 | 8 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 138 | - | - | - | 1 | 1 | - | 2 | 3 | 2 | 2 | 5 |
| Male | 72 | - | - | - | 1 | - | - | - | 1 | - | 2 | 3 |
| Female | 66 | - | - | - | - | 1 | - | 2 | 2 | 2 | - | 2 |
| White, both sexes | 111 | - | - | - | - | 1 | - | 1 | 3 | 1 | 1 | 3 |
| Male | 62 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Female | 49 | - | - | - | - | 1 | - | 1 | 2 | 1 | - | 1 |
| Black, both sexes | 26 | - | - | - | 1 | - | - | 1 | - | 1 | 1 | 2 |
| Male | 10 | - | - | - | 1 | - | - | - | - | - | 1 | 1 |
| Female | 16 | - | - | - | - | - | - | 1 | - | 1 | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 13 | - | - | 1 | - | - | - | - | 1 | - | - | 2 |
| Male | 4 | - | - | 1 | - | - | - | - | - | - | - | 2 |
| Female | 9 | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | 9 | - | - | 1 | - | - | - | - | 1 | - | - | - |
| Male | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 170 | - | - | 1 | - | 3 | 1 | 2 | 3 | 2 | 1 | 9 |
| Male | 100 | - | - | - | - | 2 | 1 | 2 | 2 | 1 | 1 | 3 |
| Female | 70 | - | - | 1 | - | 1 | - | - | 1 | 1 | - | 6 |
| White, both sexes | 166 | - | - | 1 | - | 3 | 1 | 1 | 3 | 2 | 1 | 9 |
| Male | 98 | - | - | - | - | 2 | 1 | 1 | 2 | 1 | 1 | 3 |
| Female | 68 | - | - | 1 | - | 1 | - | - | 1 | 1 | - | 6 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 105 | - | 2 | - | 1 | - | - | 2 | 2 | 1 | 3 | 5 |
| Male | 58 | - | 2 | - | 1 | - | - | 1 | - | 1 | 3 | 3 |
| Female | 47 | - | - | - | - | - | - | 1 | 2 | - | - | 2 |
| White, both sexes | 90 | - | 2 | - | 1 | - | - | 1 | 2 | 1 | 1 | 4 |
| Male | 51 | - | 2 | - | 1 | - | - | 1 | - | 1 | 1 | 2 |
| Female | 39 | - | - | - | - | - | - | - | 2 | - | - | 2 |
| Black, both sexes | 15 | - | - | - | - | - | - | 1 | - | - | 2 | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | - | 2 | 1 |
| Female | 8 | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 1,085 | 1 | 6 | 5 | 3 | 13 | 11 | 15 | 15 | 17 | 38 | 53 |
| Male | 611 | 1 | 3 | 3 | 1 | 6 | 3 | 10 | 10 | 8 | 25 | 30 |
| Female | 474 | - | 3 | 2 | 2 | 7 | 8 | 5 | 5 | 9 | 13 | 23 |
| White, both sexes | 930 | 1 | 4 | 5 | 3 | 11 | 11 | 11 | 11 | 15 | 29 | 45 |
| Male | 520 | 1 | 2 | 3 | 1 | 6 | 3 | 7 | 7 | 8 | 18 | 23 |
| Female | 410 | - | 2 | 2 | 2 | 5 | 8 | 4 | 4 | 7 | 11 | 22 |
| Black, both sexes | 57 | - | - | - | - | 1 | - | 1 | 2 | 1 | 3 | 4 |
| Male | 32 | - | - | - | - | - | - | 1 | 2 | - | 2 | 3 |
| Female | 25 | - | - | - | - | 1 | - | - | - | 1 | 1 | 1 |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Male | 3 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 94 | - | 2 | - | - | 1 | - | 2 | 2 | 1 | 5 | 4 |
| Male | 56 | - | 1 | - | - | - | - | 1 | 1 | - | 4 | 4 |
| Female | 38 | - | 1 | - | - | 1 | - | 1 | 1 | 1 | 1 | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 126 | - | 4 | 1 | 1 | 3 | - | 1 | 2 | 2 | - | 5 |
| Male | 64 | - | 3 | 1 | - | - | - | - | - | 1 | - | 3 |
| Female | 62 | - | 1 | - | 1 | 3 | - | 1 | 2 | 1 | - | 2 |
| White, both sexes | 121 | - | 4 | 1 | 1 | 2 | - | 1 | 1 | 2 | - | 5 |
| Male | 61 | - | 3 | 1 | - | - | - | - | - | 1 | - | 3 |
| Female | 60 | - | 1 | - | 1 | 2 | - | 1 | 1 | 1 | - | 2 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 125 | - | - | 1 | 2 | 2 | - | 3 | 2 | 2 | 3 | 4 |
| Male | 69 | - | - | 1 | 2 | 2 | - | 3 | 1 | 1 | 1 | 2 |
| Female | 56 | - | - | - | - | - | - | - | 1 | 1 | 2 | 2 |
| White, both sexes | 117 | - | - | 1 | 2 | 2 | - | 3 | 2 | 1 | 3 | 4 |
| Male | 65 | - | - | 1 | 2 | 2 | - | 3 | 1 | - | 1 | 2 |
| Female | 52 | - | - | - | - | - | - | - | 1 | 1 | 2 | 2 |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 23 | - | - | - | - | - | 1 | 1 | 1 | 1 | - | 1 |
| Male | 13 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | 1 | 1 | - | 1 |
| White, both sexes | 20 | - | - | - | - | - | 1 | - | - | 1 | - | 1 |
| Male | 12 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | 9 | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 9 | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | 4 | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 748 | - | 5 | 1 | 5 | 7 | 8 | 9 | 11 | 12 | 11 | 34 |
| Male | 446 | - | 2 | 1 | 3 | 4 | 7 | 3 | 5 | 8 | 7 | 18 |
| Female | 302 | - | 3 | - | 2 | 3 | 1 | 6 | 6 | 4 | 4 | 16 |
| White, both sexes | 690 | - | 3 | 1 | 4 | 4 | 6 | 7 | 8 | 11 | 10 | 29 |
| Male | 415 | - | 2 | 1 | 2 | 1 | 6 | 2 | 4 | 8 | 6 | 15 |
| Female | 275 | - | 1 | - | 2 | 3 | - | 5 | 4 | 3 | 4 | 14 |
| Black, both sexes | 49 | - | 2 | - | - | 2 | 2 | 2 | 2 | 1 | - | 5 |
| Male | 27 | - | - | - | - | 2 | 1 | 1 | 1 | - | - | 3 |
| Female | 22 | - | 2 | - | - | - | 1 | 1 | 1 | 1 | - | 2 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | - | - | - | 1 | 1 | - | - | 1 | - | 1 | - |
| Male | 4 | - | - | - | 1 | 1 | - | - | - | - | 1 | - |
| Female | 4 | - | - | - | - | - | - | - | 1 | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 238 | - | 3 | 1 | 1 | 1 | 3 | 4 | 6 | 8 | 7 | 9 |
| Male | 122 | - | 2 | - | 1 | 1 | 3 | 2 | 4 | 6 | 1 | 5 |
| Female | 116 | - | 1 | 1 | - | - | - | 2 | 2 | 2 | 6 | 4 |
| White, both sexes | 184 | - | 2 | 1 | 1 | 1 | 2 | 3 | 3 | 6 | 3 | 6 |
| Male | 102 | - | 1 | - | 1 | 1 | 2 | 2 | 3 | 4 | 1 | 3 |
| Female | 82 | - | 1 | 1 | - | - | - | 1 | - | 2 | 2 | 3 |
| Black, both sexes | 54 | - | 1 | - | - | - | 1 | 1 | 3 | 2 | 4 | 3 |
| Male | 20 | - | 1 | - | - | - | 1 | - | 1 | 2 | - | 2 |
| Female | 34 | - | - | - | - | - | - | 1 | 2 | - | 4 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 31 | - | - | - | 1 | 1 | - | 1 | - | - | 1 | 2 |
| Male | 18 | - | - | - | - | 1 | - | - | - | - | 1 | - |
| Female | 13 | - | - | - | 1 | - | - | 1 | - | - | - | 2 |
| White, both sexes | 9 | - | - | - | 1 | - | - | 1 | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | 1 | - | - | 1 | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 22 | - | - | - | - | 1 | - | - | - | - | 1 | 1 |
| Male | 15 | - | - | - | - | 1 | - | - | - | - | 1 | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 58 | - | - | 1 | - | - | - | - | - | 1 | 1 | 2 |
| Male | 31 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 27 | - | - | 1 | - | - | - | - | - | 1 | - | 2 |
| White, both sexes | 58 | - | - | 1 | - | - | - | - | - | 1 | 1 | 2 |
| Male | 31 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 27 | - | - | 1 | - | - | - | - | - | 1 | - | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 430 | - | 2 | - | - | 1 | 6 | 8 | 6 | 5 | 10 | 11 |
| Male | 233 | - | 1 | - | - | 1 | 6 | 3 | 2 | 1 | 3 | 2 |
| Female | 197 | - | 1 | - | - | - | - | 5 | 4 | 4 | 7 | 9 |
| White, both sexes | 380 | - | 1 | - | - | 1 | 4 | 5 | 4 | 4 | 8 | 9 |
| Male | 210 | - | - | - | - | 1 | 4 | 3 | 1 | - | 3 | 1 |
| Female | 170 | - | 1 | - | - | - | - | 2 | 3 | 4 | 5 | 8 |
| Black, both sexes | 45 | - | 1 | - | - | - | 1 | 3 | 2 | 1 | 2 | 1 |
| Male | 20 | - | 1 | - | - | - | 1 | - | 1 | 1 | - | 1 |
| Female | 25 | - | - | - | - | - | - | 3 | 1 | - | 2 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 237 | - | 1 | - | 1 | 1 | 3 | 2 | 2 | 2 | 9 | 11 |
| Male | 133 | - | - | - | - | 1 | 2 | 2 | - | - | 3 | 5 |
| Female | 104 | - | 1 | - | 1 | - | 1 | - | 2 | 2 | 6 | 6 |
| White, both sexes | 217 | - | 1 | - | 1 | 1 | 3 | 1 | 1 | 2 | 8 | 8 |
| Male | 121 | - | - | - | - | 1 | 2 | 1 | - | - | 2 | 3 |
| Female | 96 | - | 1 | - | 1 | - | 1 | - | 1 | 2 | 6 | 5 |
| Black, both sexes | 20 | - | - | - | - | - | - | 1 | 1 | - | 1 | 3 |
| Male | 12 | - | - | - | - | - | - | 1 | - | - | 1 | 2 |
| Female | 8 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 159 | - | 1 | 1 | - | - | - | 1 | 1 | 4 | 4 | 3 |
| Male | 87 | - | 1 | 1 | - | - | - | 1 | - | 2 | 1 | 1 |
| Female | 72 | - | - | - | - | - | - | - | 1 | 2 | 3 | 2 |
| White, both sexes | 157 | - | 1 | 1 | - | - | - | 1 | 1 | 4 | 3 | 3 |
| Male | 86 | - | 1 | 1 | - | - | - | 1 | - | 2 | - | 1 |
| Female | 71 | - | - | - | - | - | - | - | 1 | 2 | 3 | 2 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 112 | - | 1 | - | - | 1 | 1 | - | - | - | 3 | 3 |
| Male | 61 | - | 1 | - | - | - | 1 | - | - | - | - | 3 |
| Female | 51 | - | - | - | - | 1 | - | - | - | - | 3 | - |
| White, both sexes | 106 | - | 1 | - | - | 1 | 1 | - | - | - | 3 | 3 |
| Male | 59 | - | 1 | - | - | - | 1 | - | - | - | - | 3 |
| Female | 47 | - | - | - | - | 1 | - | - | - | - | 3 | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 135 | - | - | 1 | 1 | 2 | - | 1 | - | 4 | 7 | 9 |
| Male | 74 | - | - | - | 1 | 2 | - | 1 | - | 3 | 3 | 5 |
| Female | 61 | - | - | 1 | - | - | - | - | - | 1 | 4 | 4 |
| White, both sexes | 131 | - | - | 1 | 1 | 2 | - | 1 | - | 4 | 7 | 8 |
| Male | 71 | - | - | - | 1 | 2 | - | 1 | - | 3 | 3 | 4 |
| Female | 60 | - | - | 1 | - | - | - | - | - | 1 | 4 | 4 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 111 | - | 1 | - | 1 | 2 | 3 | 2 | 1 | 1 | 7 | 4 |
| Male | 65 | - | 1 | - | 1 | 2 | 1 | - | - | 1 | 1 | 2 |
| Female | 46 | - | - | - | - | - | 2 | 2 | 1 | - | 6 | 2 |
| White, both sexes | 82 | - | 1 | - | - | - | 2 | 2 | - | - | 6 | 2 |
| Male | 46 | - | 1 | - | - | - | - | - | - | - | 1 | 1 |
| Female | 36 | - | - | - | - | - | 2 | 2 | - | - | 5 | 1 |
| Black, both sexes | 28 | - | - | - | 1 | 2 | 1 | - | 1 | 1 | 1 | 1 |
| Male | 19 | - | - | - | 1 | 2 | 1 | - | - | 1 | - | 1 |
| Female | 9 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 67 | - | 1 | - | - | 1 | 1 | - | - | 1 | 2 | 2 |
| Male | 37 | - | - | - | - | 1 | - | - | - | - | 1 | 1 |
| Female | 30 | - | 1 | - | - | - | 1 | - | - | 1 | 1 | 1 |
| White, both sexes | 67 | - | 1 | - | - | 1 | 1 | - | - | 1 | 2 | 2 |
| Male | 37 | - | - | - | - | 1 | - | - | - | - | 1 | 1 |
| Female | 30 | - | 1 | - | - | - | 1 | - | - | 1 | 1 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 148 | - | 1 | - | 1 | 4 | - | - | 3 | 3 | 4 | 7 |
| Male | 80 | - | 1 | - | - | 1 | - | - | 3 | 1 | 1 | 3 |
| Female | 68 | - | - | - | 1 | 3 | - | - | - | 2 | 3 | 4 |
| White, both sexes | 125 | - | - | - | 1 | 1 | - | - | 2 | 3 | 3 | 5 |
| Male | 67 | - | - | - | - | 1 | - | - | 2 | 1 | 1 | 2 |
| Female | 58 | - | - | - | 1 | - | - | - | - | 2 | 2 | 3 |
| Black, both sexes | 20 | - | 1 | - | - | 2 | - | - | 1 | - | 1 | 2 |
| Male | 12 | - | 1 | - | - | - | - | - | 1 | - | - | 1 |
| Female | 8 | - | - | - | - | 2 | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 202 | - | - | 1 | - | 2 | 3 | 2 | 2 | 3 | 3 | 5 |
| Male | 103 | - | - | - | - | 1 | 3 | 1 | - | 1 | - | 3 |
| Female | 99 | - | - | 1 | - | 1 | - | 1 | 2 | 2 | 3 | 2 |
| White, both sexes | 189 | - | - | 1 | - | - | 2 | 1 | 2 | 2 | 2 | 5 |
| Male | 95 | - | - | - | - | - | 2 | 1 | - | - | - | 3 |
| Female | 94 | - | - | 1 | - | - | - | - | 2 | 2 | 2 | 2 |
| Black, both sexes | 8 | - | - | - | - | 1 | 1 | - | - | 1 | - | - |
| Male | 5 | - | - | - | - | - | 1 | - | - | 1 | - | - |
| Female | 3 | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | 1 | - | 1 | - | - | 1 | - |
| Male | 3 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 378 | 1 | 3 | - | 3 | 2 | 2 | - | 7 | 1 | 6 | 8 |
| Male | 205 | 1 | - | - | 2 | - | 1 | - | 5 | - | 3 | 2 |
| Female | 173 | - | 3 | - | 1 | 2 | 1 | - | 2 | 1 | 3 | 6 |
| White, both sexes | 345 | 1 | 2 | - | 2 | 2 | 2 | - | 5 | - | 6 | 7 |
| Male | 191 | 1 | - | - | 2 | - | 1 | - | 3 | - | 3 | 2 |
| Female | 154 | - | 2 | - | - | 2 | 1 | - | 2 | - | 3 | 5 |
| Black, both sexes | 30 | - | 1 | - | 1 | - | - | - | 2 | 1 | - | 1 |
| Male | 13 | - | - | - | - | - | - | - | 2 | - | - | - |
| Female | 17 | - | 1 | - | 1 | - | - | - | - | 1 | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 195 | - | - | 2 | 3 | 1 | 1 | 2 | 2 | 5 | 5 | 5 |
| Male | 94 | - | - | 2 | 1 | - | - | 1 | 1 | 3 | 1 | 3 |
| Female | 101 | - | - | - | 2 | 1 | 1 | 1 | 1 | 2 | 4 | 2 |
| White, both sexes | 189 | - | - | 1 | 3 | 1 | 1 | 2 | 2 | 3 | 5 | 4 |
| Male | 90 | - | - | 1 | 1 | - | - | 1 | 1 | 1 | 1 | 3 |
| Female | 99 | - | - | - | 2 | 1 | 1 | 1 | 1 | 2 | 4 | 1 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | 2 | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | 2 | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 80 | - | - | 1 | 1 | - | - | 2 | 1 | - | 4 | 2 |
| Male | 39 | - | - | - | 1 | - | - | - | 1 | - | 2 | 1 |
| Female | 41 | - | - | 1 | - | - | - | 2 | - | - | 2 | 1 |
| White, both sexes | 58 | - | - | 1 | - | - | - | - | - | - | 2 | 1 |
| Male | 32 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 26 | - | - | 1 | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 21 | - | - | - | 1 | - | - | 2 | 1 | - | 2 | 1 |
| Male | 7 | - | - | - | 1 | - | - | - | 1 | - | 1 | - |
| Female | 14 | - | - | - | - | - | - | 2 | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 239 | - | - | - | - | 2 | 3 | 2 | 6 | - | 4 | 5 |
| Male | 137 | - | - | - | - | 1 | 3 | 2 | 2 | - | 1 | 4 |
| Female | 102 | - | - | - | - | 1 | - | - | 4 | - | 3 | 1 |
| White, both sexes | 218 | - | - | - | - | 2 | 3 | 2 | 3 | - | 3 | 5 |
| Male | 128 | - | - | - | - | 1 | 3 | 2 | 2 | - | 1 | 4 |
| Female | 90 | - | - | - | - | 1 | - | - | 1 | - | 2 | 1 |
| Black, both sexes | 21 | - | - | - | - | - | - | - | 3 | - | 1 | - |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 12 | - | - | - | - | - | - | - | 3 | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 45 | - | 1 | - | - | - | - | - | - | 3 | - | 2 |
| Male | 28 | - | 1 | - | - | - | - | - | - | 1 | - | 2 |
| Female | 17 | - | - | - | - | - | - | - | - | 2 | - | - |
| White, both sexes | 44 | - | - | - | - | - | - | - | - | 3 | - | 2 |
| Male | 27 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Female | 17 | - | - | - | - | - | - | - | - | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 62 | - | - | - | 1 | - | - | - | - | 1 | - | 2 |
| Male | 34 | - | - | - | 1 | - | - | - | - | - | - | 2 |
| Female | 28 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 60 | - | - | - | 1 | - | - | - | - | 1 | - | 2 |
| Male | 33 | - | - | - | 1 | - | - | - | - | - | - | 2 |
| Female | 27 | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 60 | - | 1 | - | - | - | - | 1 | 1 | 2 | 1 | 3 |
| Male | 43 | - | 1 | - | - | - | - | - | - | 2 | - | 1 |
| Female | 17 | - | - | - | - | - | - | 1 | 1 | - | 1 | 2 |
| White, both sexes | 52 | - | 1 | - | - | - | - | - | 1 | 2 | - | 1 |
| Male | 40 | - | 1 | - | - | - | - | - | - | 2 | - | - |
| Female | 12 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Black, both sexes | 6 | - | - | - | - | - | - | 1 | - | - | - | 2 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 38 | - | - | - | - | 1 | - | - | - | - | 4 | - |
| Male | 19 | - | - | - | - | 1 | - | - | - | - | 1 | - |
| Female | 19 | - | - | - | - | - | - | - | - | - | 3 | - |
| White, both sexes | 38 | - | - | - | - | 1 | - | - | - | - | 4 | - |
| Male | 19 | - | - | - | - | 1 | - | - | - | - | 1 | - |
| Female | 19 | - | - | - | - | - | - | - | - | - | 3 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 266 | - | 2 | 1 | 1 | 5 | 3 | 1 | 2 | 5 | 7 | 11 |
| Male | 150 | - | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 3 | 4 | 3 |
| Female | 116 | - | 1 | - | - | 3 | 1 | - | 1 | 2 | 3 | 8 |
| White, both sexes | 234 | - | 1 | 1 | - | 4 | 3 | 1 | 2 | 2 | 5 | 10 |
| Male | 137 | - | 1 | 1 | - | 2 | 2 | 1 | 1 | 1 | 3 | 3 |
| Female | 97 | - | - | - | - | 2 | 1 | - | 1 | 1 | 2 | 7 |
| Black, both sexes | 23 | - | - | - | 1 | 1 | - | - | - | 2 | 2 | - |
| Male | 10 | - | - | - | 1 | - | - | - | - | 1 | 1 | - |
| Female | 13 | - | - | - | - | 1 | - | - | - | 1 | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 9 | - | 1 | - | - | - | - | - | - | 1 | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 6 | - | 1 | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 55 | - | 1 | 1 | - | - | 1 | 1 | 1 | 2 | 1 | 2 |
| Male | 24 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 31 | - | 1 | 1 | - | - | 1 | 1 | 1 | 1 | 1 | 1 |
| White, both sexes | 49 | - | - | 1 | - | - | - | 1 | 1 | 2 | 1 | 2 |
| Male | 23 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 26 | - | - | 1 | - | - | - | 1 | 1 | 1 | 1 | 1 |
| Black, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 5 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 670 | - | 2 | 3 | 2 | 4 | 8 | 5 | 6 | 10 | 17 | 27 |
| Male | 376 | - | 2 | - | 1 | 2 | 4 | 3 | 5 | 4 | 9 | 11 |
| Female | 294 | - | - | 3 | 1 | 2 | 4 | 2 | 1 | 6 | 8 | 16 |
| White, both sexes | 574 | - | - | 2 | - | 2 | 6 | 3 | 3 | 6 | 12 | 21 |
| Male | 327 | - | - | - | - | 2 | 3 | 1 | 3 | 3 | 6 | 8 |
| Female | 247 | - | - | 2 | - | - | 3 | 2 | - | 3 | 6 | 13 |
| Black, both sexes | 67 | - | 2 | - | 1 | 2 | 1 | - | 3 | 2 | 5 | 4 |
| Male | 31 | - | 2 | - | 1 | - | 1 | - | 2 | 1 | 3 | 1 |
| Female | 36 | - | - | - | - | 2 | - | - | 1 | 1 | 2 | 3 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 28 | - | - | 1 | 1 | - | 1 | 2 | - | 2 | - | 2 |
| Male | 18 | - | - | - | - | - | - | 2 | - | - | - | 2 |
| Female | 10 | - | - | 1 | 1 | - | 1 | - | - | 2 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 291 | - | 2 | - | 3 | 1 | 4 | 4 | 4 | 3 | 6 | 13 |
| Male | 171 | - | 2 | - | 1 | 1 | 2 | 3 | 3 | - | 4 | 5 |
| Female | 120 | - | - | - | 2 | - | 2 | 1 | 1 | 3 | 2 | 8 |
| White, both sexes | 252 | - | 1 | - | 1 | 1 | 3 | 4 | 3 | 3 | 6 | 11 |
| Male | 151 | - | 1 | - | 1 | 1 | 1 | 3 | 3 | - | 4 | 4 |
| Female | 101 | - | - | - | - | - | 2 | 1 | - | 3 | 2 | 7 |
| Black, both sexes | 35 | - | 1 | - | 2 | - | 1 | - | 1 | - | - | 2 |
| Male | 16 | - | 1 | - | - | - | 1 | - | - | - | - | 1 |
| Female | 19 | - | - | - | 2 | - | - | - | 1 | - | - | 1 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 33 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 19 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 33 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 19 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 400 | 1 | 1 | 1 | - | 4 | 2 | 6 | 4 | 5 | 13 | 8 |
| Male | 235 | - | 1 | 1 | - | 2 | 2 | 5 | 3 | 1 | 7 | 5 |
| Female | 165 | 1 | - | - | - | 2 | - | 1 | 1 | 4 | 6 | 3 |
| White, both sexes | 373 | 1 | 1 | 1 | - | 3 | 2 | 5 | 4 | 5 | 12 | 6 |
| Male | 222 | - | 1 | 1 | - | 2 | 2 | 5 | 3 | 1 | 6 | 4 |
| Female | 151 | 1 | - | - | - | 1 | - | - | 1 | 4 | 6 | 2 |
| Black, both sexes | 26 | - | - | - | - | 1 | - | 1 | - | - | 1 | 2 |
| Male | 13 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 13 | - | - | - | - | 1 | - | 1 | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 145 | - | 1 | - | - | 1 | 1 | 1 | 1 | 3 | 1 | 3 |
| Male | 83 | - | 1 | - | - | - | 1 | 1 | 1 | 2 | 1 | 1 |
| Female | 62 | - | - | - | - | 1 | - | - | - | 1 | - | 2 |
| White, both sexes | 140 | - | 1 | - | - | 1 | 1 | 1 | 1 | 3 | 1 | 3 |
| Male | 80 | - | 1 | - | - | - | 1 | 1 | 1 | 2 | 1 | 1 |
| Female | 60 | - | - | - | - | 1 | - | - | - | 1 | - | 2 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 155 | - | - | - | 1 | 1 | 2 | 2 | 1 | 2 | 5 | 5 |
| Male | 87 | - | - | - | 1 | 1 | - | 1 | 1 | 1 | 3 | 4 |
| Female | 68 | - | - | - | - | - | 2 | 1 | - | 1 | 2 | 1 |
| White, both sexes | 151 | - | - | - | 1 | 1 | 2 | 2 | 1 | 2 | 5 | 5 |
| Male | 85 | - | - | - | 1 | 1 | - | 1 | 1 | 1 | 3 | 4 |
| Female | 66 | - | - | - | - | - | 2 | 1 | - | 1 | 2 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 476 | - | 3 | - | 3 | 2 | 1 | 4 | 4 | 8 | 12 | 10 |
| Male | 256 | - | 1 | - | 1 | 1 | 1 | 1 | 1 | 5 | 6 | 5 |
| Female | 220 | - | 2 | - | 2 | 1 | - | 3 | 3 | 3 | 6 | 5 |
| White, both sexes | 442 | - | - | - | 1 | - | 1 | 3 | 4 | 5 | 11 | 10 |
| Male | 237 | - | - | - | - | - | 1 | 1 | 1 | 3 | 5 | 5 |
| Female | 205 | - | - | - | 1 | - | - | 2 | 3 | 2 | 6 | 5 |
| Black, both sexes | 30 | - | 2 | - | 1 | 2 | - | 1 | - | 3 | 1 | - |
| Male | 17 | - | - | - | 1 | 1 | - | - | - | 2 | 1 | - |
| Female | 13 | - | 2 | - | - | 1 | - | 1 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 42 | - | - | - | 1 | - | - | - | - | 2 | 1 | 2 |
| Male | 24 | - | - | - | - | - | - | - | - | 2 | 1 | 2 |
| Female | 18 | - | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | 39 | - | - | - | 1 | - | - | - | - | 2 | 1 | 2 |
| Male | 21 | - | - | - | - | - | - | - | - | 2 | 1 | 2 |
| Female | 18 | - | - | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 120 | - | - | - | - | 4 | 1 | - | - | 1 | 1 | 6 |
| Male | 74 | - | - | - | - | 1 | - | - | - | 1 | 1 | 2 |
| Female | 46 | - | - | - | - | 3 | 1 | - | - | - | - | 4 |
| White, both sexes | 94 | - | - | - | - | 2 | 1 | - | - | 1 | - | 4 |
| Male | 55 | - | - | - | - | 1 | - | - | - | 1 | - | 1 |
| Female | 39 | - | - | - | - | 1 | 1 | - | - | - | - | 3 |
| Black, both sexes | 26 | - | - | - | - | 2 | - | - | - | - | 1 | 2 |
| Male | 19 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 7 | - | - | - | - | 2 | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 26 | - | - | - | - | 1 | 1 | - | 1 | - | 1 | 1 |
| Male | 20 | - | - | - | - | 1 | 1 | - | 1 | - | 1 | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 22 | - | - | - | - | 1 | 1 | - | 1 | - | - | 1 |
| Male | 16 | - | - | - | - | 1 | 1 | - | 1 | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 205 | 1 | 4 | - | - | 1 | 2 | 4 | 1 | 7 | 5 | 6 |
| Male | 114 | - | 1 | - | - | - | 2 | 3 | - | 2 | 3 | 4 |
| Female | 91 | 1 | 3 | - | - | 1 | - | 1 | 1 | 5 | 2 | 2 |
| White, both sexes | 182 | 1 | 4 | - | - | 1 | 2 | 3 | - | 6 | 3 | 4 |
| Male | 100 | - | 1 | - | - | - | 2 | 3 | - | 2 | 2 | 2 |
| Female | 82 | 1 | 3 | - | - | 1 | - | - | - | 4 | 1 | 2 |
| Black, both sexes | 22 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 2 |
| Male | 13 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 9 | - | - | - | - | - | - | 1 | 1 | 1 | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 631 | - | 6 | 4 | 6 | 8 | 8 | 8 | 12 | 9 | 13 | 28 |
| Male | 381 | - | 4 | 2 | 4 | 2 | 5 | 3 | 6 | 4 | 9 | 12 |
| Female | 250 | - | 2 | 2 | 2 | 6 | 3 | 5 | 6 | 5 | 4 | 16 |
| White, both sexes | 572 | - | 3 | 4 | 6 | 8 | 7 | 6 | 9 | 9 | 12 | 19 |
| Male | 352 | - | 2 | 2 | 4 | 2 | 4 | 2 | 4 | 4 | 9 | 9 |
| Female | 220 | - | 1 | 2 | 2 | 6 | 3 | 4 | 5 | 5 | 3 | 10 |
| Black, both sexes | 52 | - | 3 | - | - | - | 1 | 2 | 2 | - | 1 | 8 |
| Male | 26 | - | 2 | - | - | - | 1 | 1 | 1 | - | - | 3 |
| Female | 26 | - | 1 | - | - | - | - | 1 | 1 | - | 1 | 5 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 60 | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 | 4 |
| Male | 36 | - | - | - | - | - | - | - | 1 | - | - | 2 |
| Female | 24 | - | - | - | - | - | 1 | 1 | - | 1 | 1 | 2 |
| White, both sexes | 58 | - | - | - | - | - | 1 | - | 1 | 1 | 1 | 4 |
| Male | 35 | - | - | - | - | - | - | - | 1 | - | - | 2 |
| Female | 23 | - | - | - | - | - | 1 | - | - | 1 | 1 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 31 | - | - | - | - | - | 1 | - | - | 2 | 1 | 1 |
| Male | 19 | - | - | - | - | - | - | - | - | 2 | 1 | - |
| Female | 12 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| White, both sexes | 30 | - | - | - | - | - | 1 | - | - | 2 | 1 | 1 |
| Male | 18 | - | - | - | - | - | - | - | - | 2 | 1 | - |
| Female | 12 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 208 | - | 1 | 2 | 2 | 1 | 2 | 3 | 1 | 4 | 4 | 6 |
| Male | 109 | - | 1 | 2 | 1 | - | 1 | 1 | - | 1 | - | 3 |
| Female | 99 | - | - | - | 1 | 1 | 1 | 2 | 1 | 3 | 4 | 3 |
| White, both sexes | 163 | - | - | 1 | 2 | 1 | 2 | 1 | 1 | 2 | 2 | 4 |
| Male | 92 | - | - | 1 | 1 | - | 1 | - | - | 1 | - | 2 |
| Female | 71 | - | - | - | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 |
| Black, both sexes | 38 | - | 1 | 1 | - | - | - | 2 | - | 2 | 1 | 1 |
| Male | 14 | - | 1 | 1 | - | - | - | 1 | - | - | - | 1 |
| Female | 24 | - | - | - | - | - | - | 1 | - | 2 | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | 1 | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 215 | - | - | - | 2 | 2 | 1 | 2 | 5 | 3 | 4 | 7 |
| Male | 120 | - | - | - | 2 | - | 1 | 2 | 2 | - | 3 | 4 |
| Female | 95 | - | - | - | - | 2 | - | - | 3 | 3 | 1 | 3 |
| White, both sexes | 203 | - | - | - | 1 | 2 | - | 2 | 5 | 3 | 4 | 4 |
| Male | 113 | - | - | - | 1 | - | - | 2 | 2 | - | 3 | 2 |
| Female | 90 | - | - | - | - | 2 | - | - | 3 | 3 | 1 | 2 |
| Black, both sexes | 4 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | - | 1 | - | - | - | - | - | - | 3 |
| Male | 4 | - | - | - | 1 | - | - | - | - | - | - | 2 |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 86 | - | - | - | - | 1 | - | 1 | 1 | 1 | 2 | 2 |
| Male | 39 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | 47 | - | - | - | - | 1 | - | 1 | 1 | - | 1 | 2 |
| White, both sexes | 84 | - | - | - | - | 1 | - | 1 | 1 | 1 | 2 | 2 |
| Male | 38 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | 46 | - | - | - | - | 1 | - | 1 | 1 | - | 1 | 2 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 246 | - | 3 | - | 1 | 3 | 1 | 1 | 2 | 6 | 4 | 6 |
| Male | 157 | - | 2 | - | 1 | 2 | - | - | - | 4 | 1 | 5 |
| Female | 89 | - | 1 | - | - | 1 | 1 | 1 | 2 | 2 | 3 | 1 |
| White, both sexes | 241 | - | 2 | - | 1 | 3 | 1 | 1 | 2 | 6 | 3 | 6 |
| Male | 154 | - | 1 | - | 1 | 2 | - | - | - | 4 | 1 | 5 |
| Female | 87 | - | 1 | - | - | 1 | 1 | 1 | 2 | 2 | 2 | 1 |
| Black, both sexes | 4 | - | 1 | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 15 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 15 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 462 | 629 | 830 | 1,018 | 1,349 | 1,605 | 1,432 | 910 | 321 | 79 | 5 | - |
| Male | 235 | 367 | 501 | 608 | 811 | 976 | 812 | 451 | 131 | 27 | 2 | - |
| Female | 227 | 262 | 329 | 410 | 538 | 629 | 620 | 459 | 190 | 52 | 3 | - |
| White, both sexes | 373 | 547 | 743 | 922 | 1,223 | 1,489 | 1,353 | 862 | 297 | 70 | 5 | - |
| Male | 197 | 323 | 449 | 561 | 743 | 911 | 762 | 437 | 124 | 25 | 2 | - |
| Female | 176 | 224 | 294 | 361 | 480 | 578 | 591 | 425 | 173 | 45 | 3 | - |
| Black, both sexes | 72 | 66 | 61 | 75 | 90 | 77 | 64 | 38 | 18 | 9 | - | - |
| Male | 31 | 35 | 35 | 37 | 45 | 41 | 38 | 12 | 3 | 2 | - | - |
| Female | 41 | 31 | 26 | 38 | 45 | 36 | 26 | 26 | 15 | 7 | - | - |
| American Indian 1/, both sexes | 3 | 1 | 2 | 3 | 3 | 7 | 1 | 2 | 1 | - | - | - |
| Male | 1 | - | - | 2 | 2 | 3 | 1 | 2 | - | - | - | - |
| Female | 2 | 1 | 2 | 1 | 1 | 4 | - | - | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 14 | 15 | 24 | 18 | 33 | 32 | 14 | 8 | 5 | - | - | - |
| Male | 6 | 9 | 17 | 8 | 21 | 21 | 11 | - | 4 | - | - | - |
| Female | 8 | 6 | 7 | 10 | 12 | 11 | 3 | 8 | 1 | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 6 | 9 | 15 | 24 | 14 | 15 | 23 | 10 | 4 | 2 | - | - |
| Male | 2 | 6 | 9 | 10 | 8 | 9 | 12 | 6 | 2 | 1 | - | - |
| Female | 4 | 3 | 6 | 14 | 6 | 6 | 11 | 4 | 2 | 1 | - | - |
| White, both sexes | 4 | 7 | 15 | 17 | 13 | 13 | 19 | 7 | 4 | 2 | - | - |
| Male | 1 | 5 | 9 | 8 | 8 | 9 | 11 | 4 | 2 | 1 | - | - |
| Female | 3 | 2 | 6 | 9 | 5 | 4 | 8 | 3 | 2 | 1 | - | - |
| Black, both sexes | 2 | 2 | - | 7 | 1 | 1 | 4 | 3 | - | - | - | - |
| Male | 1 | 1 | - | 2 | - | - | 1 | 2 | - | - | - | - |
| Female | 1 | 1 | - | 5 | 1 | 1 | 3 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 1 | 1 | 2 | 1 | 1 | - | 1 | 1 | - | - | - | - |
| White, both sexes | 1 | - | 2 | - | 1 | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 1 | - | 2 | - | 1 | - | 1 | 1 | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 4 | 7 | 8 | 21 | 27 | 24 | 30 | 22 | 5 | - | - | - |
| Male | 1 | 3 | 4 | 15 | 19 | 16 | 16 | 12 | 2 | - | - | - |
| Female | 3 | 4 | 4 | 6 | 8 | 8 | 14 | 10 | 3 | - | - | - |
| White, both sexes | 3 | 7 | 8 | 21 | 27 | 24 | 29 | 22 | 4 | - | - | - |
| Male | 1 | 3 | 4 | 15 | 19 | 16 | 15 | 12 | 2 | - | - | - |
| Female | 2 | 4 | 4 | 6 | 8 | 8 | 14 | 10 | 2 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 2 | 7 | 8 | 14 | 15 | 15 | 18 | 7 | 2 | - | 1 | - |
| Male | 1 | 4 | 6 | 7 | 9 | 8 | 8 | 3 | 1 | - | - | - |
| Female | 1 | 3 | 2 | 7 | 6 | 7 | 10 | 4 | 1 | - | 1 | - |
| White, both sexes | 1 | 6 | 7 | 12 | 12 | 14 | 16 | 7 | 2 | - | 1 | - |
| Male | 1 | 4 | 5 | 7 | 8 | 7 | 7 | 3 | 1 | - | - | - |
| Female | - | 2 | 2 | 5 | 4 | 7 | 9 | 4 | 1 | - | 1 | - |
| Black, both sexes | 1 | 1 | 1 | 2 | 3 | 1 | 2 | - | - | - | - | - |
| Male | - | - | 1 | - | 1 | 1 | 1 | - | - | - | - | - |
| Female | 1 | 1 | - | 2 | 2 | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 57 | 66 | 86 | 100 | 153 | 144 | 150 | 98 | 47 | 7 | - | - |
| Male | 34 | 31 | 55 | 62 | 91 | 80 | 91 | 45 | 22 | - | - | - |
| Female | 23 | 35 | 31 | 38 | 62 | 64 | 59 | 53 | 25 | 7 | - | - |
| White, both sexes | 48 | 54 | 70 | 89 | 123 | 126 | 134 | 93 | 41 | 6 | - | - |
| Male | 30 | 24 | 45 | 53 | 76 | 70 | 81 | 43 | 19 | - | - | - |
| Female | 18 | 30 | 25 | 36 | 47 | 56 | 53 | 50 | 22 | 6 | - | - |
| Black, both sexes | 2 | 7 | 4 | 6 | 11 | 3 | 7 | 2 | 2 | 1 | - | - |
| Male | - | 4 | 2 | 6 | 6 | - | 4 | 2 | - | - | - | - |
| Female | 2 | 3 | 2 | - | 5 | 3 | 3 | - | 2 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | 5 | 12 | 4 | 18 | 15 | 9 | 3 | 4 | - | - | - |
| Male | 4 | 3 | 8 | 2 | 9 | 10 | 6 | - | 3 | - | - | - |
| Female | 3 | 2 | 4 | 2 | 9 | 5 | 3 | 3 | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 7 | 13 | 12 | 13 | 15 | 15 | 17 | 9 | 3 | 3 | - | - |
| Male | 1 | 7 | 5 | 7 | 9 | 10 | 12 | 3 | 1 | 1 | - | - |
| Female | 6 | 6 | 7 | 6 | 6 | 5 | 5 | 6 | 2 | 2 | - | - |
| White, both sexes | 6 | 12 | 11 | 13 | 15 | 15 | 17 | 9 | 3 | 3 | - | - |
| Male | - | 6 | 4 | 7 | 9 | 10 | 12 | 3 | 1 | 1 | - | - |
| Female | 6 | 6 | 7 | 6 | 6 | 5 | 5 | 6 | 2 | 2 | - | - |
| Black, both sexes | 1 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | 1 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 3 | 3 | 6 | 16 | 24 | 24 | 17 | 7 | 5 | 1 | - | - |
| Male | 1 | 2 | 6 | 8 | 16 | 10 | 6 | 2 | 4 | 1 | - | - |
| Female | 2 | 1 | - | 8 | 8 | 14 | 11 | 5 | 1 | - | - | - |
| White, both sexes | 2 | 3 | 6 | 15 | 22 | 22 | 17 | 6 | 5 | 1 | - | - |
| Male | - | 2 | 6 | 8 | 14 | 10 | 6 | 2 | 4 | 1 | - | - |
| Female | 2 | 1 | - | 7 | 8 | 12 | 11 | 4 | 1 | - | - | - |
| Black, both sexes | 1 | - | - | 1 | 1 | 2 | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | 2 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 2 | - | 2 | - | 4 | 5 | 3 | 2 | - | - | - | - |
| Male | 1 | - | 2 | - | 2 | 2 | 3 | 1 | - | - | - | - |
| Female | 1 | - | - | - | 2 | 3 | - | 1 | - | - | - | - |
| White, both sexes | 1 | - | 2 | - | 4 | 5 | 3 | 2 | - | - | - | - |
| Male | 1 | - | 2 | - | 2 | 2 | 3 | 1 | - | - | - | - |
| Female | - | - | - | - | 2 | 3 | - | 1 | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | 4 | 1 | 1 | 4 | 2 | 2 | 1 | - | - | - |
| Male | - | - | 3 | - | 1 | 2 | - | 1 | - | - | - | - |
| Female | - | - | 1 | 1 | - | 2 | 2 | 1 | 1 | - | - | - |
| White, both sexes | - | - | 1 | 1 | 1 | 4 | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | 1 | 2 | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | 2 | - | - | - | - | - | - |
| Black, both sexes | - | - | 3 | - | - | - | 2 | 1 | 1 | - | - | - |
| Male | - | - | 2 | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | 2 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 43 | 45 | 46 | 71 | 103 | 127 | 119 | 64 | 21 | 5 | 1 | - |
| Male | 23 | 26 | 29 | 44 | 65 | 85 | 69 | 32 | 11 | 3 | 1 | - |
| Female | 20 | 19 | 17 | 27 | 38 | 42 | 50 | 32 | 10 | 2 | - | - |
| White, both sexes | 35 | 41 | 42 | 67 | 99 | 121 | 114 | 62 | 20 | 5 | 1 | - |
| Male | 19 | 23 | 25 | 41 | 65 | 82 | 66 | 32 | 11 | 3 | 1 | - |
| Female | 16 | 18 | 17 | 26 | 34 | 39 | 48 | 30 | 9 | 2 | - | - |
| Black, both sexes | 7 | 3 | 4 | 4 | 4 | 3 | 5 | 2 | 1 | - | - | - |
| Male | 4 | 2 | 4 | 3 | - | 3 | 3 | - | - | - | - | - |
| Female | 3 | 1 | - | 1 | 4 | - | 2 | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | - | 2 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | 2 | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 12 | 11 | 24 | 28 | 25 | 46 | 26 | 16 | 5 | 2 | - | - |
| Male | 5 | 4 | 11 | 17 | 14 | 24 | 13 | 8 | 1 | - | - | - |
| Female | 7 | 7 | 13 | 11 | 11 | 22 | 13 | 8 | 4 | 2 | - | - |
| White, both sexes | 8 | 7 | 15 | 19 | 22 | 42 | 24 | 14 | 3 | 2 | - | - |
| Male | 4 | 3 | 7 | 14 | 11 | 24 | 13 | 8 | - | - | - | - |
| Female | 4 | 4 | 8 | 5 | 11 | 18 | 11 | 6 | 3 | 2 | - | - |
| Black, both sexes | 4 | 4 | 9 | 9 | 3 | 4 | 2 | 2 | 2 | - | - | - |
| Male | 1 | 1 | 4 | 3 | 3 | - | - | - | 1 | - | - | - |
| Female | 3 | 3 | 5 | 6 | - | 4 | 2 | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 1 | 4 | 2 | 5 | 5 | 3 | 3 | 2 | - | - | - | - |
| Male | 1 | 3 | 2 | 2 | 4 | 3 | 1 | - | - | - | - | - |
| Female | - | 1 | - | 3 | 1 | - | 2 | 2 | - | - | - | - |
| White, both sexes | - | 1 | - | 1 | 2 | - | 2 | - | - | - | - | - |
| Male | - | 1 | - | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | 2 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 3 | 2 | 4 | 3 | 3 | 1 | 2 | - | - | - | - |
| Male | 1 | 2 | 2 | 1 | 3 | 3 | 1 | - | - | - | - | - |
| Female | - | 1 | - | 3 | - | - | - | 2 | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 1 | 4 | 2 | 8 | 7 | 9 | 13 | 5 | 4 | - | - | - |
| Male | - | 2 | 1 | 8 | 4 | 6 | 5 | 3 | 1 | - | - | - |
| Female | 1 | 2 | 1 | - | 3 | 3 | 8 | 2 | 3 | - | - | - |
| White, both sexes | 1 | 4 | 2 | 8 | 7 | 9 | 13 | 5 | 4 | - | - | - |
| Male | - | 2 | 1 | 8 | 4 | 6 | 5 | 3 | 1 | - | - | - |
| Female | 1 | 2 | 1 | - | 3 | 3 | 8 | 2 | 3 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 20 | 28 | 29 | 43 | 60 | 73 | 76 | 38 | 12 | 2 | - | - |
| Male | 11 | 17 | 17 | 27 | 36 | 45 | 42 | 14 | 4 | 1 | - | - |
| Female | 9 | 11 | 12 | 16 | 24 | 28 | 34 | 24 | 8 | 1 | - | - |
| White, both sexes | 15 | 27 | 26 | 41 | 55 | 61 | 73 | 32 | 12 | 2 | - | - |
| Male | 10 | 16 | 16 | 26 | 34 | 37 | 40 | 13 | 4 | 1 | - | - |
| Female | 5 | 11 | 10 | 15 | 21 | 24 | 33 | 19 | 8 | 1 | - | - |
| Black, both sexes | 5 | 1 | 3 | 2 | 5 | 10 | 3 | 5 | - | - | - | - |
| Male | 1 | 1 | 1 | 1 | 2 | 6 | 2 | 1 | - | - | - | - |
| Female | 4 | - | 2 | 1 | 3 | 4 | 1 | 4 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 2 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 2 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 9 | 15 | 22 | 25 | 33 | 39 | 39 | 15 | 6 | 2 | - | - |
| Male | 4 | 9 | 17 | 16 | 19 | 25 | 18 | 8 | 2 | 2 | - | - |
| Female | 5 | 6 | 5 | 9 | 14 | 14 | 21 | 7 | 4 | - | - | - |
| White, both sexes | 7 | 13 | 20 | 24 | 31 | 37 | 37 | 14 | 6 | 2 | - | - |
| Male | 4 | 7 | 15 | 16 | 18 | 23 | 17 | 8 | 2 | 2 | - | - |
| Female | 3 | 6 | 5 | 8 | 13 | 14 | 20 | 6 | 4 | - | - | - |
| Black, both sexes | 2 | 2 | 2 | 1 | 2 | 2 | 2 | 1 | - | - | - | - |
| Male | - | 2 | 2 | - | 1 | 2 | 1 | - | - | - | - | - |
| Female | 2 | - | - | 1 | 1 | - | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 6 | 13 | 13 | 14 | 17 | 24 | 29 | 20 | 7 | 1 | - | - |
| Male | 1 | 7 | 9 | 9 | 11 | 13 | 16 | 12 | 2 | - | - | - |
| Female | 5 | 6 | 4 | 5 | 6 | 11 | 13 | 8 | 5 | 1 | - | - |
| White, both sexes | 5 | 13 | 13 | 14 | 17 | 24 | 29 | 20 | 7 | 1 | - | - |
| Male | 1 | 7 | 9 | 9 | 11 | 13 | 16 | 12 | 2 | - | - | - |
| Female | 4 | 6 | 4 | 5 | 6 | 11 | 13 | 8 | 5 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 6 | 2 | 11 | 17 | 11 | 11 | 21 | 18 | 5 | 1 | - | - |
| Male | 5 | 2 | 5 | 8 | 8 | 5 | 12 | 9 | 2 | - | - | - |
| Female | 1 | - | 6 | 9 | 3 | 6 | 9 | 9 | 3 | 1 | - | - |
| White, both sexes | 6 | 2 | 10 | 14 | 10 | 11 | 21 | 17 | 5 | 1 | - | - |
| Male | 5 | 2 | 5 | 8 | 7 | 5 | 12 | 8 | 2 | - | - | - |
| Female | 1 | - | 5 | 6 | 3 | 6 | 9 | 9 | 3 | 1 | - | - |
| Black, both sexes | - | - | 1 | 2 | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | 1 | 2 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 4 | 7 | 12 | 15 | 14 | 19 | 22 | 12 | 4 | 1 | - | - |
| Male | 3 | 4 | 6 | 11 | 9 | 9 | 12 | 3 | 1 | 1 | - | - |
| Female | 1 | 3 | 6 | 4 | 5 | 10 | 10 | 9 | 3 | - | - | - |
| White, both sexes | 4 | 7 | 12 | 14 | 13 | 19 | 22 | 11 | 4 | 1 | - | - |
| Male | 3 | 4 | 6 | 11 | 8 | 9 | 12 | 2 | 1 | 1 | - | - |
| Female | 1 | 3 | 6 | 3 | 5 | 10 | 10 | 9 | 3 | - | - | - |
| Black, both sexes | - | - | - | 1 | 1 | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 4 | 12 | 9 | 19 | 11 | 15 | 7 | 11 | 1 | - | - | - |
| Male | 3 | 5 | 8 | 12 | 5 | 13 | 6 | 4 | - | - | - | - |
| Female | 1 | 7 | 1 | 7 | 6 | 2 | 1 | 7 | 1 | - | - | - |
| White, both sexes | 3 | 7 | 6 | 16 | 10 | 12 | 6 | 8 | 1 | - | - | - |
| Male | 2 | 3 | 5 | 10 | 4 | 10 | 6 | 3 | - | - | - | - |
| Female | 1 | 4 | 1 | 6 | 6 | 2 | - | 5 | 1 | - | - | - |
| Black, both sexes | 1 | 5 | 3 | 3 | 1 | 3 | 1 | 3 | - | - | - | - |
| Male | 1 | 2 | 3 | 2 | 1 | 3 | - | 1 | - | - | - | - |
| Female | - | 3 | - | 1 | - | - | 1 | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 5 | 4 | 5 | 4 | 13 | 7 | 12 | 6 | 3 | - | - | - |
| Male | 4 | 3 | 3 | 1 | 8 | 5 | 5 | 4 | 1 | - | - | - |
| Female | 1 | 1 | 2 | 3 | 5 | 2 | 7 | 2 | 2 | - | - | - |
| White, both sexes | 5 | 4 | 5 | 4 | 13 | 7 | 12 | 6 | 3 | - | - | - |
| Male | 4 | 3 | 3 | 1 | 8 | 5 | 5 | 4 | 1 | - | - | - |
| Female | 1 | 1 | 2 | 3 | 5 | 2 | 7 | 2 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 8 | 12 | 10 | 20 | 18 | 22 | 16 | 9 | 8 | 2 | - | - |
| Male | 4 | 6 | 8 | 9 | 11 | 15 | 9 | 5 | 2 | 1 | - | - |
| Female | 4 | 6 | 2 | 11 | 7 | 7 | 7 | 4 | 6 | 1 | - | - |
| White, both sexes | 5 | 8 | 8 | 20 | 16 | 21 | 14 | 9 | 8 | 1 | - | - |
| Male | 2 | 4 | 6 | 9 | 9 | 15 | 8 | 5 | 2 | - | - | - |
| Female | 3 | 4 | 2 | 11 | 7 | 6 | 6 | 4 | 6 | 1 | - | - |
| Black, both sexes | 2 | 4 | 1 | - | 2 | 1 | 2 | - | - | 1 | - | - |
| Male | 2 | 2 | 1 | - | 2 | - | 1 | - | - | 1 | - | - |
| Female | - | 2 | - | - | - | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 4 | 10 | 14 | 28 | 39 | 34 | 31 | 16 | 3 | 2 | - | - |
| Male | 1 | 9 | 4 | 13 | 22 | 15 | 19 | 9 | 2 | - | - | - |
| Female | 3 | 1 | 10 | 15 | 17 | 19 | 12 | 7 | 1 | 2 | - | - |
| White, both sexes | 4 | 9 | 13 | 26 | 39 | 33 | 29 | 16 | 3 | 2 | - | - |
| Male | 1 | 8 | 4 | 12 | 22 | 14 | 17 | 9 | 2 | - | - | - |
| Female | 3 | 1 | 9 | 14 | 17 | 19 | 12 | 7 | 1 | 2 | - | - |
| Black, both sexes | - | - | 1 | 2 | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 22 | 31 | 25 | 38 | 56 | 68 | 56 | 41 | 6 | 2 | - | - |
| Male | 11 | 18 | 11 | 19 | 34 | 43 | 32 | 19 | 4 | - | - | - |
| Female | 11 | 13 | 14 | 19 | 22 | 25 | 24 | 22 | 2 | 2 | - | - |
| White, both sexes | 16 | 27 | 25 | 36 | 51 | 63 | 53 | 39 | 6 | 2 | - | - |
| Male | 8 | 17 | 11 | 19 | 31 | 40 | 30 | 19 | 4 | - | - | - |
| Female | 8 | 10 | 14 | 17 | 20 | 23 | 23 | 20 | 2 | 2 | - | - |
| Black, both sexes | 5 | 4 | - | 2 | 4 | 4 | 3 | 2 | - | - | - | - |
| Male | 3 | 1 | - | - | 2 | 3 | 2 | - | - | - | - | - |
| Female | 2 | 3 | - | 2 | 2 | 1 | 1 | 2 | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 11 | 6 | 15 | 14 | 29 | 32 | 31 | 17 | 12 | 1 | 1 | - |
| Male | 4 | 2 | 9 | 6 | 17 | 18 | 16 | 5 | 5 | - | - | - |
| Female | 7 | 4 | 6 | 8 | 12 | 14 | 15 | 12 | 7 | 1 | 1 | - |
| White, both sexes | 10 | 6 | 15 | 14 | 29 | 32 | 31 | 17 | 11 | 1 | 1 | - |
| Male | 4 | 2 | 9 | 6 | 17 | 18 | 16 | 5 | 4 | - | - | - |
| Female | 6 | 4 | 6 | 8 | 12 | 14 | 15 | 12 | 7 | 1 | 1 | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 5 | 7 | 8 | 7 | 11 | 13 | 10 | 5 | 2 | 1 | - | - |
| Male | 1 | 4 | 5 | 4 | 7 | 7 | 4 | 2 | - | - | - | - |
| Female | 4 | 3 | 3 | 3 | 4 | 6 | 6 | 3 | 2 | 1 | - | - |
| White, both sexes | 2 | 5 | 6 | 6 | 9 | 11 | 10 | 4 | 1 | - | - | - |
| Male | 1 | 3 | 4 | 4 | 6 | 6 | 4 | 2 | - | - | - | - |
| Female | 1 | 2 | 2 | 2 | 3 | 5 | 6 | 2 | 1 | - | - | - |
| Black, both sexes | 2 | 2 | 2 | 1 | 2 | 2 | - | 1 | 1 | 1 | - | - |
| Male | - | 1 | 1 | - | 1 | 1 | - | - | - | - | - | - |
| Female | 2 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 12 | 15 | 25 | 26 | 26 | 44 | 32 | 23 | 11 | 3 | - | - |
| Male | 8 | 7 | 14 | 19 | 14 | 29 | 18 | 7 | 6 | 2 | - | - |
| Female | 4 | 8 | 11 | 7 | 12 | 15 | 14 | 16 | 5 | 1 | - | - |
| White, both sexes | 8 | 13 | 25 | 23 | 24 | 43 | 30 | 21 | 10 | 3 | - | - |
| Male | 6 | 6 | 14 | 17 | 14 | 28 | 16 | 7 | 5 | 2 | - | - |
| Female | 2 | 7 | 11 | 6 | 10 | 15 | 14 | 14 | 5 | 1 | - | - |
| Black, both sexes | 4 | 2 | - | 3 | 2 | 1 | 2 | 2 | 1 | - | - | - |
| Male | 2 | 1 | - | 2 | - | 1 | 2 | - | 1 | - | - | - |
| Female | 2 | 1 | - | 1 | 2 | - | - | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 2 | 4 | 7 | 10 | 4 | 7 | 2 | - | - | - |
| Male | 2 | 1 | 2 | 2 | 4 | 6 | 1 | 5 | 1 | - | - | - |
| Female | - | - | - | 2 | 3 | 4 | 3 | 2 | 1 | - | - | - |
| White, both sexes | 2 | 1 | 2 | 4 | 7 | 10 | 4 | 7 | 2 | - | - | - |
| Male | 2 | 1 | 2 | 2 | 4 | 6 | 1 | 5 | 1 | - | - | - |
| Female | - | - | - | 2 | 3 | 4 | 3 | 2 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 4 | 4 | 4 | 7 | 7 | 12 | 9 | 8 | 3 | - | - | - |
| Male | 3 | 4 | 1 | 3 | 3 | 8 | 4 | 4 | 1 | - | - | - |
| Female | 1 | - | 3 | 4 | 4 | 4 | 5 | 4 | 2 | - | - | - |
| White, both sexes | 4 | 4 | 3 | 7 | 7 | 12 | 8 | 8 | 3 | - | - | - |
| Male | 3 | 4 | 1 | 3 | 3 | 8 | 3 | 4 | 1 | - | - | - |
| Female | 1 | - | 2 | 4 | 4 | 4 | 5 | 4 | 2 | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 1 | 7 | 6 | 7 | 7 | 14 | 6 | 2 | 1 | - | - | - |
| Male | - | 5 | 4 | 5 | 5 | 12 | 5 | 2 | 1 | - | - | - |
| Female | 1 | 2 | 2 | 2 | 2 | 2 | 1 | - | - | - | - | - |
| White, both sexes | 1 | 6 | 5 | 7 | 6 | 13 | 6 | 2 | 1 | - | - | - |
| Male | - | 5 | 4 | 5 | 4 | 11 | 5 | 2 | 1 | - | - | - |
| Female | 1 | 1 | 1 | 2 | 2 | 2 | 1 | - | - | - | - | - |
| Black, both sexes | - | 1 | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 3 | 4 | 4 | 4 | 7 | 4 | 4 | 3 | - | - | - | - |
| Male | 1 | 2 | 4 | 3 | 4 | - | 2 | 1 | - | - | - | - |
| Female | 2 | 2 | - | 1 | 3 | 4 | 2 | 2 | - | - | - | - |
| White, both sexes | 3 | 4 | 4 | 4 | 7 | 4 | 4 | 3 | - | - | - | - |
| Male | 1 | 2 | 4 | 3 | 4 | - | 2 | 1 | - | - | - | - |
| Female | 2 | 2 | - | 1 | 3 | 4 | 2 | 2 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 10 | 12 | 27 | 23 | 32 | 43 | 38 | 35 | 5 | 3 | - | - |
| Male | 4 | 6 | 18 | 13 | 17 | 32 | 17 | 22 | 1 | 1 | - | - |
| Female | 6 | 6 | 9 | 10 | 15 | 11 | 21 | 13 | 4 | 2 | - | - |
| White, both sexes | 8 | 10 | 26 | 22 | 25 | 39 | 34 | 35 | 4 | 2 | - | - |
| Male | 3 | 6 | 17 | 13 | 14 | 30 | 15 | 22 | 1 | 1 | - | - |
| Female | 5 | 4 | 9 | 9 | 11 | 9 | 19 | 13 | 3 | 1 | - | - |
| Black, both sexes | 2 | 1 | 1 | 1 | 4 | 3 | 3 | - | 1 | 1 | - | - |
| Male | 1 | - | 1 | - | 2 | 2 | 1 | - | - | - | - | - |
| Female | 1 | 1 | - | 1 | 2 | 1 | 2 | - | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | 3 | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Female | - | 1 | - | - | 2 | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 1 | 4 | 3 | 4 | 11 | 15 | 2 | 5 | - | - | - | - |
| Male | - | 1 | 1 | 2 | 6 | 8 | 1 | 3 | - | - | - | - |
| Female | 1 | 3 | 2 | 2 | 5 | 7 | 1 | 2 | - | - | - | - |
| White, both sexes | 1 | 4 | 2 | 4 | 11 | 12 | 2 | 5 | - | - | - | - |
| Male | - | 1 | 1 | 2 | 6 | 7 | 1 | 3 | - | - | - | - |
| Female | 1 | 3 | 1 | 2 | 5 | 5 | 1 | 2 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | 3 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | 2 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 27 | 46 | 81 | 55 | 89 | 106 | 85 | 67 | 22 | 8 | - | - |
| Male | 10 | 26 | 50 | 32 | 52 | 62 | 55 | 36 | 8 | 4 | - | - |
| Female | 17 | 20 | 31 | 23 | 37 | 44 | 30 | 31 | 14 | 4 | - | - |
| White, both sexes | 21 | 37 | 70 | 48 | 75 | 98 | 80 | 64 | 19 | 7 | - | - |
| Male | 8 | 21 | 44 | 28 | 44 | 57 | 52 | 35 | 8 | 4 | - | - |
| Female | 13 | 16 | 26 | 20 | 31 | 41 | 28 | 29 | 11 | 3 | - | - |
| Black, both sexes | 4 | 7 | 5 | 5 | 10 | 6 | 4 | 2 | 3 | 1 | - | - |
| Male | 2 | 3 | 2 | 2 | 4 | 4 | 2 | 1 | - | - | - | - |
| Female | 2 | 4 | 3 | 3 | 6 | 2 | 2 | 1 | 3 | 1 | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 2 | 5 | 2 | 4 | 2 | 1 | 1 | - | - | - | - |
| Male | - | 2 | 4 | 2 | 4 | 1 | 1 | - | - | - | - | - |
| Female | 2 | - | 1 | - | - | 1 | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 14 | 16 | 25 | 27 | 43 | 45 | 49 | 24 | 6 | 2 | - | - |
| Male | 10 | 13 | 18 | 17 | 24 | 26 | 29 | 11 | 2 | - | - | - |
| Female | 4 | 3 | 7 | 10 | 19 | 19 | 20 | 13 | 4 | 2 | - | - |
| White, both sexes | 9 | 15 | 23 | 22 | 37 | 39 | 46 | 21 | 5 | 2 | - | - |
| Male | 6 | 12 | 16 | 14 | 22 | 24 | 27 | 10 | 2 | - | - | - |
| Female | 3 | 3 | 7 | 8 | 15 | 15 | 19 | 11 | 3 | 2 | - | - |
| Black, both sexes | 4 | 1 | 2 | 4 | 6 | 5 | 3 | 2 | 1 | - | - | - |
| Male | 3 | 1 | 2 | 2 | 2 | 1 | 2 | - | - | - | - | - |
| Female | 1 | - | - | 2 | 4 | 4 | 1 | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 2 | 2 | 6 | 8 | 5 | 5 | 2 | 1 | - | - |
| Male | 1 | - | 1 | 2 | 3 | 5 | 2 | 3 | 1 | - | - | - |
| Female | - | - | 1 | - | 3 | 3 | 3 | 2 | 1 | 1 | - | - |
| White, both sexes | 1 | - | 2 | 2 | 6 | 8 | 5 | 5 | 2 | 1 | - | - |
| Male | 1 | - | 1 | 2 | 3 | 5 | 2 | 3 | 1 | - | - | - |
| Female | - | - | 1 | - | 3 | 3 | 3 | 2 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 18 | 28 | 32 | 45 | 50 | 66 | 69 | 35 | 9 | 3 | - | - |
| Male | 6 | 21 | 19 | 33 | 28 | 42 | 39 | 15 | 3 | 2 | - | - |
| Female | 12 | 7 | 13 | 12 | 22 | 24 | 30 | 20 | 6 | 1 | - | - |
| White, both sexes | 15 | 28 | 30 | 41 | 47 | 63 | 65 | 32 | 9 | 3 | - | - |
| Male | 6 | 21 | 19 | 30 | 27 | 40 | 35 | 14 | 3 | 2 | - | - |
| Female | 9 | 7 | 11 | 11 | 20 | 23 | 30 | 18 | 6 | 1 | - | - |
| Black, both sexes | 3 | - | 1 | 4 | 3 | 3 | 4 | 3 | - | - | - | - |
| Male | - | - | - | 3 | 1 | 2 | 4 | 1 | - | - | - | - |
| Female | 3 | - | 1 | 1 | 2 | 1 | - | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 5 | 8 | 9 | 15 | 20 | 26 | 28 | 15 | 6 | 1 | - | - |
| Male | 2 | 5 | 3 | 8 | 14 | 16 | 15 | 10 | 2 | - | - | - |
| Female | 3 | 3 | 6 | 7 | 6 | 10 | 13 | 5 | 4 | 1 | - | - |
| White, both sexes | 4 | 6 | 9 | 15 | 20 | 26 | 26 | 15 | 6 | 1 | - | - |
| Male | 2 | 4 | 3 | 8 | 14 | 16 | 13 | 10 | 2 | - | - | - |
| Female | 2 | 2 | 6 | 7 | 6 | 10 | 13 | 5 | 4 | 1 | - | - |
| Black, both sexes | 1 | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 9 | 12 | 14 | 12 | 23 | 20 | 24 | 17 | 4 | 1 | - | - |
| Male | 3 | 6 | 9 | 8 | 14 | 12 | 16 | 7 | - | - | - | - |
| Female | 6 | 6 | 5 | 4 | 9 | 8 | 8 | 10 | 4 | 1 | - | - |
| White, both sexes | 9 | 11 | 14 | 12 | 21 | 19 | 24 | 17 | 4 | 1 | - | - |
| Male | 3 | 6 | 9 | 8 | 12 | 12 | 16 | 7 | - | - | - | - |
| Female | 6 | 5 | 5 | 4 | 9 | 7 | 8 | 10 | 4 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 2 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | 2 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 16 | 41 | 45 | 45 | 55 | 85 | 64 | 52 | 21 | 5 | - | - |
| Male | 7 | 26 | 26 | 26 | 32 | 46 | 38 | 26 | 6 | 1 | - | - |
| Female | 9 | 15 | 19 | 19 | 23 | 39 | 26 | 26 | 15 | 4 | - | - |
| White, both sexes | 13 | 38 | 44 | 43 | 50 | 82 | 62 | 52 | 18 | 5 | - | - |
| Male | 5 | 24 | 25 | 25 | 29 | 44 | 36 | 26 | 6 | 1 | - | - |
| Female | 8 | 14 | 19 | 18 | 21 | 38 | 26 | 26 | 12 | 4 | - | - |
| Black, both sexes | 3 | 3 | 1 | - | 5 | 3 | 2 | - | 3 | - | - | - |
| Male | 2 | 2 | 1 | - | 3 | 2 | 2 | - | - | - | - | - |
| Female | 1 | 1 | - | - | 2 | 1 | - | - | 3 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 5 | 2 | 3 | 9 | 4 | 4 | 4 | 1 | 3 | - | 1 | - |
| Male | 3 | 2 | 3 | 6 | - | 3 | 1 | - | - | - | 1 | - |
| Female | 2 | - | - | 3 | 4 | 1 | 3 | 1 | 3 | - | - | - |
| White, both sexes | 5 | 1 | 2 | 8 | 4 | 4 | 4 | 1 | 3 | - | 1 | - |
| Male | 3 | 1 | 2 | 5 | - | 3 | 1 | - | - | - | 1 | - |
| Female | 2 | - | - | 3 | 4 | 1 | 3 | 1 | 3 | - | - | - |
| Black, both sexes | - | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | - | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 7 | 7 | 6 | 15 | 24 | 26 | 11 | 7 | 4 | - | - | - |
| Male | 3 | 4 | 4 | 9 | 16 | 17 | 8 | 5 | 3 | - | - | - |
| Female | 4 | 3 | 2 | 6 | 8 | 9 | 3 | 2 | 1 | - | - | - |
| White, both sexes | 4 | 6 | 3 | 13 | 19 | 22 | 9 | 6 | 4 | - | - | - |
| Male | 1 | 3 | 1 | 8 | 12 | 14 | 6 | 4 | 3 | - | - | - |
| Female | 3 | 3 | 2 | 5 | 7 | 8 | 3 | 2 | 1 | - | - | - |
| Black, both sexes | 3 | 1 | 3 | 2 | 5 | 4 | 2 | 1 | - | - | - | - |
| Male | 2 | 1 | 3 | 1 | 4 | 3 | 2 | 1 | - | - | - | - |
| Female | 1 | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 1 | 2 | 3 | 7 | 2 | 3 | 1 | - | - | - |
| Male | 1 | 1 | 1 | 2 | 3 | 7 | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | 2 | 2 | 1 | - | - | - |
| White, both sexes | 1 | 1 | 1 | 1 | 2 | 6 | 2 | 3 | 1 | - | - | - |
| Male | 1 | 1 | 1 | 1 | 2 | 6 | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | 2 | 2 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 6 | 18 | 17 | 23 | 33 | 33 | 25 | 14 | 4 | 1 | - | - |
| Male | 5 | 9 | 7 | 10 | 22 | 21 | 15 | 7 | 2 | 1 | - | - |
| Female | 1 | 9 | 10 | 13 | 11 | 12 | 10 | 7 | 2 | - | - | - |
| White, both sexes | 4 | 15 | 15 | 23 | 30 | 31 | 22 | 14 | 4 | - | - | - |
| Male | 4 | 7 | 6 | 10 | 20 | 20 | 12 | 7 | 2 | - | - | - |
| Female | - | 8 | 9 | 13 | 10 | 11 | 10 | 7 | 2 | - | - | - |
| Black, both sexes | 2 | 3 | 2 | - | 3 | 1 | 3 | - | - | 1 | - | - |
| Male | 1 | 2 | 1 | - | 2 | - | 3 | - | - | 1 | - | - |
| Female | 1 | 1 | 1 | - | 1 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 30 | 43 | 56 | 61 | 82 | 105 | 73 | 57 | 19 | 3 | - | - |
| Male | 16 | 27 | 30 | 41 | 48 | 69 | 46 | 40 | 12 | 1 | - | - |
| Female | 14 | 16 | 26 | 20 | 34 | 36 | 27 | 17 | 7 | 2 | - | - |
| White, both sexes | 27 | 37 | 51 | 56 | 77 | 96 | 71 | 53 | 18 | 3 | - | - |
| Male | 14 | 23 | 28 | 38 | 47 | 64 | 45 | 38 | 12 | 1 | - | - |
| Female | 13 | 14 | 23 | 18 | 30 | 32 | 26 | 15 | 6 | 2 | - | - |
| Black, both sexes | 3 | 5 | 4 | 4 | 4 | 8 | 2 | 4 | 1 | - | - | - |
| Male | 2 | 4 | 1 | 3 | 1 | 4 | 1 | 2 | - | - | - | - |
| Female | 1 | 1 | 3 | 1 | 3 | 4 | 1 | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | 1 | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 7 | 6 | 6 | 9 | 13 | 4 | 1 | 1 | - | - |
| Male | 2 | 1 | 7 | 6 | 2 | 3 | 8 | 3 | - | 1 | - | - |
| Female | - | 1 | - | - | 4 | 6 | 5 | 1 | 1 | - | - | - |
| White, both sexes | 2 | 2 | 7 | 6 | 6 | 8 | 13 | 4 | 1 | 1 | - | - |
| Male | 2 | 1 | 7 | 6 | 2 | 2 | 8 | 3 | - | 1 | - | - |
| Female | - | 1 | - | - | 4 | 6 | 5 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 2 | 3 | 4 | 5 | 3 | 4 | 3 | - | - | - |
| Male | - | 1 | 1 | 3 | 2 | 4 | 2 | 2 | 1 | - | - | - |
| Female | 1 | - | 1 | - | 2 | 1 | 1 | 2 | 2 | - | - | - |
| White, both sexes | 1 | 1 | 2 | 3 | 3 | 5 | 3 | 4 | 3 | - | - | - |
| Male | - | 1 | 1 | 3 | 1 | 4 | 2 | 2 | 1 | - | - | - |
| Female | 1 | - | 1 | - | 2 | 1 | 1 | 2 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 18 | 12 | 16 | 27 | 30 | 21 | 29 | 17 | 7 | 5 | - | - |
| Male | 9 | 7 | 12 | 14 | 20 | 10 | 18 | 6 | 3 | - | - | - |
| Female | 9 | 5 | 4 | 13 | 10 | 11 | 11 | 11 | 4 | 5 | - | - |
| White, both sexes | 13 | 10 | 11 | 17 | 27 | 18 | 26 | 17 | 6 | 2 | - | - |
| Male | 8 | 7 | 10 | 8 | 19 | 9 | 17 | 6 | 2 | - | - | - |
| Female | 5 | 3 | 1 | 9 | 8 | 9 | 9 | 11 | 4 | 2 | - | - |
| Black, both sexes | 5 | 2 | 3 | 8 | 3 | 3 | 2 | - | 1 | 3 | - | - |
| Male | 1 | - | 1 | 5 | 1 | 1 | - | - | 1 | - | - | - |
| Female | 4 | 2 | 2 | 3 | 2 | 2 | 2 | - | - | 3 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 2 | 2 | - | - | 1 | - | - | - | - | - |
| Male | - | - | 1 | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 8 | 6 | 19 | 26 | 31 | 40 | 27 | 23 | 6 | 2 | 1 | - |
| Male | 7 | 4 | 11 | 16 | 20 | 21 | 15 | 10 | 2 | - | - | - |
| Female | 1 | 2 | 8 | 10 | 11 | 19 | 12 | 13 | 4 | 2 | 1 | - |
| White, both sexes | 7 | 6 | 19 | 25 | 29 | 38 | 27 | 22 | 6 | 2 | 1 | - |
| Male | 6 | 4 | 11 | 16 | 19 | 20 | 15 | 10 | 2 | - | - | - |
| Female | 1 | 2 | 8 | 9 | 10 | 18 | 12 | 12 | 4 | 2 | 1 | - |
| Black, both sexes | - | - | - | - | 1 | 2 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 6 | 9 | 5 | 6 | 7 | 15 | 13 | 10 | 6 | 1 | - | - |
| Male | 3 | 6 | 1 | 1 | 1 | 7 | 10 | 5 | 2 | 1 | - | - |
| Female | 3 | 3 | 4 | 5 | 6 | 8 | 3 | 5 | 4 | - | - | - |
| White, both sexes | 6 | 8 | 5 | 6 | 7 | 14 | 13 | 10 | 6 | 1 | - | - |
| Male | 3 | 5 | 1 | 1 | 1 | 7 | 10 | 5 | 2 | 1 | - | - |
| Female | 3 | 3 | 4 | 5 | 6 | 7 | 3 | 5 | 4 | - | - | - |
| Black, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Myeloid leukemia (C92) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 11 | 12 | 26 | 17 | 35 | 49 | 39 | 17 | 9 | 4 | - | - |
| Male | 7 | 7 | 17 | 11 | 27 | 39 | 19 | 9 | 4 | 2 | - | - |
| Female | 4 | 5 | 9 | 6 | 8 | 10 | 20 | 8 | 5 | 2 | - | - |
| White, both sexes | 11 | 12 | 25 | 17 | 34 | 48 | 39 | 17 | 9 | 4 | - | - |
| Male | 7 | 7 | 17 | 11 | 26 | 38 | 19 | 9 | 4 | 2 | - | - |
| Female | 4 | 5 | 8 | 6 | 8 | 10 | 20 | 8 | 5 | 2 | - | - |
| Black, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 3 | 1 | 1 | 4 | 2 | 2 | - | - | - | - |
| Male | - | 1 | 2 | 1 | 1 | 2 | 1 | 1 | - | - | - | - |
| Female | 1 | - | 1 | - | - | 2 | 1 | 1 | - | - | - | - |
| White, both sexes | 1 | 1 | 3 | 1 | 1 | 4 | 2 | 2 | - | - | - | - |
| Male | - | 1 | 2 | 1 | 1 | 2 | 1 | 1 | - | - | - | - |
| Female | 1 | - | 1 | - | - | 2 | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 131 | 1 | - | 2 | - | 3 | - | - | 3 | - | 1 | 5 |
| Male | 77 | 1 | - | - | - | 2 | - | - | 1 | - | 1 | 4 |
| Female | 54 | - | - | 2 | - | 1 | - | - | 2 | - | - | 1 |
| White, both sexes | 122 | 1 | - | 2 | - | 1 | - | - | 3 | - | 1 | 5 |
| Male | 72 | 1 | - | - | - | 1 | - | - | 1 | - | 1 | 4 |
| Female | 50 | - | - | 2 | - | - | - | - | 2 | - | - | 1 |
| Black, both sexes | 7 | - | - | - | - | 2 | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 3 | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | 1 | - | - | - | - | 1 | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | 1 | - | - | - | - | 1 | - | - | 1 |
| White, both sexes | 7 | - | - | 1 | - | - | - | - | 1 | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | 1 | - | - | - | - | 1 | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 2 | 7 | 6 | 6 | 14 | 20 | 26 | 26 | 7 | 2 | - | - |
| Male | 1 | 4 | 4 | 4 | 9 | 13 | 14 | 16 | 1 | 2 | - | - |
| Female | 1 | 3 | 2 | 2 | 5 | 7 | 12 | 10 | 6 | - | - | - |
| White, both sexes | - | 5 | 6 | 5 | 14 | 20 | 24 | 26 | 7 | 2 | - | - |
| Male | - | 2 | 4 | 4 | 9 | 13 | 13 | 16 | 1 | 2 | - | - |
| Female | - | 3 | 2 | 1 | 5 | 7 | 11 | 10 | 6 | - | - | - |
| Black, both sexes | - | 2 | - | 1 | - | - | 2 | - | - | - | - | - |
| Male | - | 2 | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | - | 3 | 1 | - | 3 | - | - | - | - |
| Male | - | 1 | 1 | - | 2 | - | - | 3 | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | 3 | 1 | - | 3 | - | - | - | - |
| Male | - | - | 1 | - | 2 | - | - | 3 | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 3 | 4 | 5 | 2 | - | - | - | - |
| Male | - | - | - | - | 2 | 3 | 4 | 2 | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | 3 | 4 | 5 | 2 | - | - | - | - |
| Male | - | - | - | - | 2 | 3 | 4 | 2 | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | 1 | 1 | - | 2 | 1 | - | - | - |
| Male | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 2 | 1 | - | - | - |
| White, both sexes | - | - | - | 1 | 1 | 1 | - | 2 | 1 | - | - | - |
| Male | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 2 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | 2 | 2 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | 2 | 1 | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | - | 2 | 2 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | 2 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | 3 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | 2 | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 1 | 1 | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | 3 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | 2 | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | 1 | - | 2 | - | - | - | - |
| Male | - | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | 1 | - | 2 | - | - | - | - |
| Male | - | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 1 | - | - | - | - | 3 | - | 1 | - | - |
| Male | - | 2 | - | - | - | - | - | 2 | - | 1 | - | - |
| Female | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | 1 | 1 | - | - | - | - | 3 | - | 1 | - | - |
| Male | - | 1 | - | - | - | - | - | 2 | - | 1 | - | - |
| Female | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | 1 | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | 1 | 1 | - | 1 | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | 1 | - | 1 | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | 1 | - | 1 | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | 1 | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | 1 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | 1 | - | 1 | - | 1 | - | - | - |
| Male | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| White, both sexes | - | - | 1 | - | 1 | - | 1 | - | 1 | - | - | - |
| Male | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 2 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | 2 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | - | - | 2 | 1 | 1 | 2 | - | - | 1 | - | - | - |
| Male | - | - | 1 | 1 | 1 | 1 | - | - | 1 | - | - | - |
| Female | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | 2 | 1 | 1 | 2 | - | - | 1 | - | - | - |
| Male | - | - | 1 | 1 | 1 | 1 | - | - | 1 | - | - | - |
| Female | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Monocytic leukemia (C93) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | 1 | 1 | 1 | 1 | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 1 | 1 | - | - | - |
| White, both sexes | - | 1 | - | - | - | 1 | 1 | 1 | 1 | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 5,251 | 13 | 20 | 25 | 20 | 42 | 45 | 41 | 49 | 61 | 64 | 93 |
| Male | 2,856 | 6 | 13 | 14 | 11 | 27 | 30 | 27 | 26 | 35 | 36 | 53 |
| Female | 2,395 | 7 | 7 | 11 | 9 | 15 | 15 | 14 | 23 | 26 | 28 | 40 |
| White, both sexes | 4,687 | 10 | 16 | 19 | 13 | 35 | 32 | 27 | 38 | 52 | 46 | 76 |
| Male | 2,557 | 5 | 10 | 11 | 7 | 23 | 22 | 19 | 22 | 29 | 24 | 45 |
| Female | 2,130 | 5 | 6 | 8 | 6 | 12 | 10 | 8 | 16 | 23 | 22 | 31 |
| Black, both sexes | 437 | 3 | 4 | 2 | 7 | 6 | 11 | 9 | 8 | 7 | 13 | 12 |
| Male | 229 | 1 | 3 | 1 | 4 | 4 | 7 | 6 | 4 | 5 | 7 | 4 |
| Female | 208 | 2 | 1 | 1 | 3 | 2 | 4 | 3 | 4 | 2 | 6 | 8 |
| American Indian 1/, both sexes | 14 | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 9 | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 113 | - | - | 4 | - | - | 2 | 4 | 3 | 2 | 5 | 5 |
| Male | 65 | - | - | 2 | - | - | 1 | 2 | - | 1 | 5 | 4 |
| Female | 48 | - | - | 2 | - | - | 1 | 2 | 3 | 1 | - | 1 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 113 | - | - | - | 1 | 2 | 2 | - | 4 | 1 | 1 | 4 |
| Male | 54 | - | - | - | - | 2 | 2 | - | 3 | 1 | 1 | 1 |
| Female | 59 | - | - | - | 1 | - | - | - | 1 | - | - | 3 |
| White, both sexes | 97 | - | - | - | 1 | 2 | 2 | - | 2 | - | 1 | 3 |
| Male | 46 | - | - | - | - | 2 | 2 | - | 2 | - | 1 | 1 |
| Female | 51 | - | - | - | 1 | - | - | - | - | - | - | 2 |
| Black, both sexes | 16 | - | - | - | - | - | - | - | 2 | 1 | - | 1 |
| Male | 8 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Female | 8 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 96 | - | - | - | 1 | - | - | 1 | - | 2 | 1 | 1 |
| Male | 51 | - | - | - | 1 | - | - | - | - | 1 | 1 | - |
| Female | 45 | - | - | - | - | - | - | 1 | - | 1 | - | 1 |
| White, both sexes | 92 | - | - | - | 1 | - | - | - | - | 2 | - | 1 |
| Male | 49 | - | - | - | 1 | - | - | - | - | 1 | - | - |
| Female | 43 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Black, both sexes | 2 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 97 | - | - | - | - | - | - | 1 | - | 2 | 1 | - |
| Male | 53 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 44 | - | - | - | - | - | - | 1 | - | 1 | 1 | - |
| White, both sexes | 89 | - | - | - | - | - | - | 1 | - | 2 | 1 | - |
| Male | 49 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 40 | - | - | - | - | - | - | 1 | - | 1 | 1 | - |
| Black, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 455 | 3 | 5 | 6 | 3 | 5 | 12 | 6 | 3 | 5 | 6 | 12 |
| Male | 247 | 1 | 4 | 2 | 1 | 1 | 9 | 5 | 2 | 4 | 4 | 7 |
| Female | 208 | 2 | 1 | 4 | 2 | 4 | 3 | 1 | 1 | 1 | 2 | 5 |
| White, both sexes | 382 | 2 | 5 | 5 | 1 | 4 | 10 | 4 | 3 | 4 | 4 | 10 |
| Male | 203 | 1 | 4 | 2 | - | 1 | 7 | 3 | 2 | 3 | 2 | 6 |
| Female | 179 | 1 | 1 | 3 | 1 | 3 | 3 | 1 | 1 | 1 | 2 | 4 |
| Black, both sexes | 30 | 1 | - | - | 2 | 1 | 1 | 2 | - | - | - | - |
| Male | 18 | - | - | - | 1 | - | 1 | 2 | - | - | - | - |
| Female | 12 | 1 | - | - | 1 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 43 | - | - | 1 | - | - | 1 | - | - | 1 | 2 | 2 |
| Male | 26 | - | - | - | - | - | 1 | - | - | 1 | 2 | 1 |
| Female | 17 | - | - | 1 | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 61 | 1 | - | - | 1 | - | - | - | 1 | - | 1 | 3 |
| Male | 34 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| Female | 27 | 1 | - | - | 1 | - | - | - | - | - | - | 1 |
| White, both sexes | 60 | 1 | - | - | 1 | - | - | - | 1 | - | 1 | 2 |
| Male | 33 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | 27 | 1 | - | - | 1 | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 61 | - | - | - | - | 2 | - | - | - | 1 | - | - |
| Male | 27 | - | - | - | - | 2 | - | - | - | - | - | - |
| Female | 34 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 60 | - | - | - | - | 2 | - | - | - | 1 | - | - |
| Male | 27 | - | - | - | - | 2 | - | - | - | - | - | - |
| Female | 33 | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 17 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 389 | 1 | - | 1 | 1 | 2 | 2 | 3 | 6 | 5 | 4 | 6 |
| Male | 206 | - | - | 1 | 1 | 1 | 1 | 3 | 1 | 4 | 3 | 5 |
| Female | 183 | 1 | - | - | - | 1 | 1 | - | 5 | 1 | 1 | 1 |
| White, both sexes | 359 | 1 | - | 1 | - | 2 | 1 | 3 | 4 | 4 | 2 | 5 |
| Male | 193 | - | - | 1 | - | 1 | 1 | 3 | 1 | 3 | 1 | 4 |
| Female | 166 | 1 | - | - | - | 1 | - | - | 3 | 1 | 1 | 1 |
| Black, both sexes | 28 | - | - | - | 1 | - | 1 | - | 1 | 1 | 2 | 1 |
| Male | 12 | - | - | - | 1 | - | - | - | - | 1 | 2 | 1 |
| Female | 16 | - | - | - | - | - | 1 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 137 | - | 1 | 1 | 1 | 1 | 2 | - | - | 2 | - | 4 |
| Male | 72 | - | 1 | 1 | - | 1 | 1 | - | - | 1 | - | 2 |
| Female | 65 | - | - | - | 1 | - | 1 | - | - | 1 | - | 2 |
| White, both sexes | 109 | - | - | 1 | - | - | - | - | - | 1 | - | 3 |
| Male | 60 | - | - | 1 | - | - | - | - | - | 1 | - | 1 |
| Female | 49 | - | - | - | - | - | - | - | - | - | - | 2 |
| Black, both sexes | 25 | - | 1 | - | 1 | 1 | 1 | - | - | 1 | - | - |
| Male | 11 | - | 1 | - | - | 1 | 1 | - | - | - | - | - |
| Female | 14 | - | - | - | 1 | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | 1 | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 23 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Male | 15 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 17 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 10 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 16 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Male | 11 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 16 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Male | 11 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 282 | - | - | 1 | 1 | 1 | 1 | 5 | 5 | - | 2 | 4 |
| Male | 153 | - | - | - | 1 | 1 | 1 | 3 | 1 | - | 1 | 2 |
| Female | 129 | - | - | 1 | - | - | - | 2 | 4 | - | 1 | 2 |
| White, both sexes | 247 | - | - | 1 | 1 | - | - | 2 | 4 | - | 2 | 3 |
| Male | 134 | - | - | - | 1 | - | - | 1 | 1 | - | 1 | 2 |
| Female | 113 | - | - | 1 | - | - | - | 1 | 3 | - | 1 | 1 |
| Black, both sexes | 27 | - | - | - | - | 1 | 1 | 2 | - | - | - | 1 |
| Male | 15 | - | - | - | - | 1 | 1 | 2 | - | - | - | - |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 134 | 1 | - | 1 | - | 1 | 1 | 2 | 1 | 1 | - | 1 |
| Male | 71 | 1 | - | 1 | - | 1 | - | 1 | 1 | 1 | - | 1 |
| Female | 63 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| White, both sexes | 129 | 1 | - | 1 | - | 1 | 1 | 2 | 1 | 1 | - | 1 |
| Male | 70 | 1 | - | 1 | - | 1 | - | 1 | 1 | 1 | - | 1 |
| Female | 59 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 34 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 34 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 40 | - | - | 2 | - | 1 | - | - | - | - | 1 | - |
| Male | 20 | - | - | 1 | - | - | - | - | - | - | 1 | - |
| Female | 20 | - | - | 1 | - | 1 | - | - | - | - | - | - |
| White, both sexes | 40 | - | - | 2 | - | 1 | - | - | - | - | 1 | - |
| Male | 20 | - | - | 1 | - | - | - | - | - | - | 1 | - |
| Female | 20 | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 87 | - | - | 1 | - | - | 1 | - | 1 | 2 | - | 1 |
| Male | 46 | - | - | 1 | - | - | - | - | 1 | 2 | - | 1 |
| Female | 41 | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | 85 | - | - | 1 | - | - | 1 | - | 1 | 1 | - | 1 |
| Male | 44 | - | - | 1 | - | - | - | - | 1 | 1 | - | 1 |
| Female | 41 | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 95 | - | - | 1 | 2 | 1 | - | - | - | 1 | 2 | 1 |
| Male | 52 | - | - | 1 | 1 | 1 | - | - | - | - | - | 1 |
| Female | 43 | - | - | - | 1 | - | - | - | - | 1 | 2 | - |
| White, both sexes | 69 | - | - | - | - | 1 | - | - | - | 1 | 1 | - |
| Male | 38 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 31 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Black, both sexes | 26 | - | - | 1 | 2 | - | - | - | - | - | 1 | 1 |
| Male | 14 | - | - | 1 | 1 | - | - | - | - | - | - | 1 |
| Female | 12 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 36 | - | - | - | 1 | - | - | - | - | - | - | 2 |
| Male | 20 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 36 | - | - | - | 1 | - | - | - | - | - | - | 2 |
| Male | 20 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 94 | - | 1 | - | 1 | 2 | - | 2 | - | 3 | 1 | 3 |
| Male | 53 | - | 1 | - | - | 2 | - | - | - | 3 | 1 | 2 |
| Female | 41 | - | - | - | 1 | - | - | 2 | - | - | - | 1 |
| White, both sexes | 69 | - | 1 | - | 1 | 2 | - | 1 | - | 3 | - | 1 |
| Male | 36 | - | 1 | - | - | 2 | - | - | - | 3 | - | 1 |
| Female | 33 | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Black, both sexes | 23 | - | - | - | - | - | - | 1 | - | - | 1 | 2 |
| Male | 15 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 8 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 147 | - | - | 1 | - | 1 | 2 | 3 | 1 | 6 | - | 3 |
| Male | 76 | - | - | - | - | - | 2 | 2 | - | 3 | - | 2 |
| Female | 71 | - | - | 1 | - | 1 | - | 1 | 1 | 3 | - | 1 |
| White, both sexes | 144 | - | - | - | - | 1 | 2 | 3 | 1 | 6 | - | 3 |
| Male | 75 | - | - | - | - | - | 2 | 2 | - | 3 | - | 2 |
| Female | 69 | - | - | - | - | 1 | - | 1 | 1 | 3 | - | 1 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 213 | 1 | - | 2 | - | 2 | - | 1 | 1 | 3 | - | 1 |
| Male | 121 | 1 | - | 1 | - | 2 | - | 1 | - | 1 | - | - |
| Female | 92 | - | - | 1 | - | - | - | - | 1 | 2 | - | 1 |
| White, both sexes | 184 | - | - | 1 | - | 1 | - | 1 | - | 3 | - | - |
| Male | 108 | - | - | - | - | 1 | - | 1 | - | 1 | - | - |
| Female | 76 | - | - | 1 | - | - | - | - | - | 2 | - | - |
| Black, both sexes | 27 | 1 | - | - | - | 1 | - | - | - | - | - | 1 |
| Male | 12 | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | 15 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | 1 | - | - | - | - | 1 | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 60 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 30 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 30 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 59 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 29 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 30 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 87 | - | 2 | - | - | - | 2 | - | 2 | - | 2 | 3 |
| Male | 42 | - | 1 | - | - | - | 1 | - | 2 | - | - | 1 |
| Female | 45 | - | 1 | - | - | - | 1 | - | - | - | 2 | 2 |
| White, both sexes | 58 | - | - | - | - | - | - | - | 1 | - | - | 2 |
| Male | 31 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | 27 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 29 | - | 2 | - | - | - | 2 | - | 1 | - | 2 | 1 |
| Male | 11 | - | 1 | - | - | - | 1 | - | 1 | - | - | - |
| Female | 18 | - | 1 | - | - | - | 1 | - | - | - | 2 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 91 | - | - | - | 1 | - | 2 | 1 | 1 | - | 2 | 2 |
| Male | 62 | - | - | - | 1 | - | 1 | 1 | 1 | - | - | 2 |
| Female | 29 | - | - | - | - | - | 1 | - | - | - | 2 | - |
| White, both sexes | 84 | - | - | - | 1 | - | 2 | 1 | 1 | - | 2 | 2 |
| Male | 57 | - | - | - | 1 | - | 1 | 1 | 1 | - | - | 2 |
| Female | 27 | - | - | - | - | - | 1 | - | - | - | 2 | - |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 37 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 23 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 14 | - | - | - | - | - | - | - | - | - | 2 | - |
| White, both sexes | 36 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 23 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 13 | - | - | - | - | - | - | - | - | - | 2 | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 45 | - | - | - | - | - | - | 1 | - | 1 | 1 | 1 |
| Male | 25 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 20 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| White, both sexes | 41 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Male | 22 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 19 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 26 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 15 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 11 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 26 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 15 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 11 | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 168 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 2 | 1 | 4 |
| Male | 93 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 2 |
| Female | 75 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| White, both sexes | 151 | 1 | 1 | 1 | - | 1 | - | - | - | 1 | 1 | 3 |
| Male | 83 | 1 | 1 | 1 | - | 1 | - | - | - | - | 1 | 2 |
| Female | 68 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Black, both sexes | 15 | - | - | - | 1 | - | 1 | - | - | 1 | - | 1 |
| Male | 9 | - | - | - | 1 | - | 1 | - | - | 1 | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 29 | 1 | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | 15 | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Female | 14 | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | 27 | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Male | 15 | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 363 | 1 | 3 | - | - | 1 | 2 | 3 | 3 | 4 | 7 | 9 |
| Male | 194 | 1 | 2 | - | - | - | 2 | 2 | 1 | 4 | 6 | 6 |
| Female | 169 | - | 1 | - | - | 1 | - | 1 | 2 | - | 1 | 3 |
| White, both sexes | 327 | 1 | 3 | - | - | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| Male | 175 | 1 | 2 | - | - | - | 1 | 2 | 1 | 4 | 4 | 6 |
| Female | 152 | - | 1 | - | - | 1 | - | - | 2 | - | - | 2 |
| Black, both sexes | 30 | - | - | - | - | - | 1 | 1 | - | - | 2 | 1 |
| Male | 14 | - | - | - | - | - | 1 | - | - | - | 1 | - |
| Female | 16 | - | - | - | - | - | - | 1 | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 134 | 1 | 1 | 1 | - | 2 | 2 | - | 1 | 1 | 1 | 2 |
| Male | 69 | - | - | - | - | 1 | 2 | - | - | 1 | 1 | 1 |
| Female | 65 | 1 | 1 | 1 | - | 1 | - | - | 1 | - | - | 1 |
| White, both sexes | 114 | 1 | 1 | - | - | 2 | 1 | - | 1 | 1 | 1 | 2 |
| Male | 61 | - | - | - | - | 1 | 1 | - | - | 1 | 1 | 1 |
| Female | 53 | 1 | 1 | - | - | 1 | - | - | 1 | - | - | 1 |
| Black, both sexes | 16 | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 10 | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 245 | - | 1 | - | - | 1 | - | - | 2 | 3 | 4 | 2 |
| Male | 131 | - | 1 | - | - | - | - | - | 2 | 1 | - | 1 |
| Female | 114 | - | - | - | - | 1 | - | - | - | 2 | 4 | 1 |
| White, both sexes | 225 | - | - | - | - | 1 | - | - | 2 | 3 | 3 | 2 |
| Male | 121 | - | - | - | - | - | - | - | 2 | 1 | - | 1 |
| Female | 104 | - | - | - | - | 1 | - | - | - | 2 | 3 | 1 |
| Black, both sexes | 19 | - | 1 | - | - | - | - | - | - | - | 1 | - |
| Male | 10 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 47 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 29 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 18 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 44 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 29 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 15 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 48 | - | 1 | - | - | 1 | - | - | 2 | - | 1 | - |
| Male | 24 | - | - | - | - | 1 | - | - | 2 | - | 1 | - |
| Female | 24 | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | 48 | - | 1 | - | - | 1 | - | - | 2 | - | 1 | - |
| Male | 24 | - | - | - | - | 1 | - | - | 2 | - | 1 | - |
| Female | 24 | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 318 | - | - | - | 2 | 1 | 1 | 3 | 4 | 3 | 1 | 5 |
| Male | 180 | - | - | - | 1 | - | 1 | 2 | 3 | 3 | 1 | 2 |
| Female | 138 | - | - | - | 1 | 1 | - | 1 | 1 | - | - | 3 |
| White, both sexes | 302 | - | - | - | 2 | 1 | 1 | 3 | 1 | 3 | 1 | 5 |
| Male | 169 | - | - | - | 1 | - | 1 | 2 | 1 | 3 | 1 | 2 |
| Female | 133 | - | - | - | 1 | 1 | - | 1 | - | - | - | 3 |
| Black, both sexes | 15 | - | - | - | - | - | - | - | 3 | - | - | - |
| Male | 11 | - | - | - | - | - | - | - | 2 | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 27 | - | - | - | 1 | 1 | 1 | - | - | 1 | - | - |
| Male | 12 | - | - | - | 1 | 1 | 1 | - | - | - | - | - |
| Female | 15 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 26 | - | - | - | 1 | 1 | 1 | - | - | 1 | - | - |
| Male | 11 | - | - | - | 1 | 1 | 1 | - | - | - | - | - |
| Female | 15 | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 77 | - | - | - | - | 1 | 1 | - | 2 | 1 | 3 | 1 |
| Male | 44 | - | - | - | - | 1 | - | - | - | - | 3 | 1 |
| Female | 33 | - | - | - | - | - | 1 | - | 2 | 1 | - | - |
| White, both sexes | 63 | - | - | - | - | 1 | - | - | 1 | - | 2 | 1 |
| Male | 38 | - | - | - | - | 1 | - | - | - | - | 2 | 1 |
| Female | 25 | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | 14 | - | - | - | - | - | 1 | - | 1 | 1 | 1 | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 8 | - | - | - | - | - | 1 | - | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 16 | - | - | - | - | - | 1 | 1 | 1 | 1 | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | 1 | 1 | 1 | 1 | - | - |
| White, both sexes | 14 | - | - | - | - | - | 1 | - | 1 | 1 | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 9 | - | - | - | - | - | 1 | - | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 91 | - | 1 | 1 | - | 2 | - | 1 | 2 | - | 1 | 3 |
| Male | 55 | - | 1 | 1 | - | 1 | - | 1 | 1 | - | 1 | 1 |
| Female | 36 | - | - | - | - | 1 | - | - | 1 | - | - | 2 |
| White, both sexes | 81 | - | 1 | - | - | 2 | - | - | 2 | - | 1 | 3 |
| Male | 49 | - | 1 | - | - | 1 | - | - | 1 | - | 1 | 1 |
| Female | 32 | - | - | - | - | 1 | - | - | 1 | - | - | 2 |
| Black, both sexes | 9 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 320 | 2 | 1 | 3 | - | 3 | 5 | 1 | 2 | 4 | 7 | 6 |
| Male | 188 | - | 1 | 1 | - | 3 | 3 | 1 | 1 | 1 | 2 | 3 |
| Female | 132 | 2 | - | 2 | - | - | 2 | - | 1 | 3 | 5 | 3 |
| White, both sexes | 281 | 1 | 1 | 3 | - | 2 | 4 | 1 | 2 | 2 | 6 | 4 |
| Male | 164 | - | 1 | 1 | - | 2 | 3 | 1 | 1 | - | 2 | 2 |
| Female | 117 | 1 | - | 2 | - | - | 1 | - | 1 | 2 | 4 | 2 |
| Black, both sexes | 32 | 1 | - | - | - | 1 | 1 | - | - | 1 | 1 | 2 |
| Male | 21 | - | - | - | - | 1 | - | - | - | 1 | - | 1 |
| Female | 11 | 1 | - | - | - | - | 1 | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | 1 | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 36 | - | - | - | - | 2 | - | - | - | 1 | 1 | - |
| Male | 21 | - | - | - | - | 1 | - | - | - | - | 1 | - |
| Female | 15 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| White, both sexes | 34 | - | - | - | - | 2 | - | - | - | 1 | 1 | - |
| Male | 20 | - | - | - | - | 1 | - | - | - | - | 1 | - |
| Female | 14 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 8 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 120 | - | 1 | 1 | - | 1 | 1 | 3 | 2 | 1 | 5 | 3 |
| Male | 69 | - | - | 1 | - | - | - | 2 | 2 | 1 | 3 | 1 |
| Female | 51 | - | 1 | - | - | 1 | 1 | 1 | - | - | 2 | 2 |
| White, both sexes | 96 | - | 1 | 1 | - | - | 1 | 1 | 2 | 1 | 3 | 3 |
| Male | 53 | - | - | 1 | - | - | - | 1 | 2 | 1 | 1 | 1 |
| Female | 43 | - | 1 | - | - | - | 1 | - | - | - | 2 | 2 |
| Black, both sexes | 17 | - | - | - | - | 1 | - | 1 | - | - | 1 | - |
| Male | 12 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Female | 5 | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 3 | - | - | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 58 | - | 1 | 1 | - | 1 | 1 | - | 1 | 1 | 1 | 1 |
| Male | 30 | - | - | 1 | - | 1 | - | - | 1 | - | - | - |
| Female | 28 | - | 1 | - | - | - | 1 | - | - | 1 | 1 | 1 |
| White, both sexes | 55 | - | 1 | 1 | - | 1 | 1 | - | 1 | 1 | 1 | 1 |
| Male | 27 | - | - | 1 | - | 1 | - | - | 1 | - | - | - |
| Female | 28 | - | 1 | - | - | - | 1 | - | - | 1 | 1 | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 33 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| Male | 16 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 17 | - | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | 33 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| Male | 16 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 17 | - | - | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 100 | - | - | - | 1 | - | - | - | 1 | 1 | 2 | 4 |
| Male | 60 | - | - | - | 1 | - | - | - | - | - | - | 4 |
| Female | 40 | - | - | - | - | - | - | - | 1 | 1 | 2 | - |
| White, both sexes | 99 | - | - | - | 1 | - | - | - | 1 | 1 | 2 | 4 |
| Male | 60 | - | - | - | 1 | - | - | - | - | - | - | 4 |
| Female | 39 | - | - | - | - | - | - | - | 1 | 1 | 2 | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 162 | 232 | 294 | 455 | 614 | 853 | 995 | 693 | 375 | 91 | 14 | - |
| Male | 80 | 143 | 167 | 271 | 384 | 503 | 525 | 320 | 149 | 30 | 6 | - |
| Female | 82 | 89 | 127 | 184 | 230 | 350 | 470 | 373 | 226 | 61 | 8 | - |
| White, both sexes | 138 | 197 | 255 | 407 | 545 | 773 | 921 | 644 | 353 | 83 | 7 | - |
| Male | 68 | 126 | 147 | 244 | 338 | 458 | 492 | 296 | 141 | 28 | 2 | - |
| Female | 70 | 71 | 108 | 163 | 207 | 315 | 429 | 348 | 212 | 55 | 5 | - |
| Black, both sexes | 18 | 28 | 31 | 37 | 50 | 62 | 59 | 39 | 17 | 8 | 6 | - |
| Male | 8 | 15 | 17 | 21 | 34 | 32 | 27 | 20 | 4 | 2 | 3 | - |
| Female | 10 | 13 | 14 | 16 | 16 | 30 | 32 | 19 | 13 | 6 | 3 | - |
| American Indian 1/, both sexes | - | 1 | 2 | 2 | 1 | 2 | 3 | 1 | - | - | - | - |
| Male | - | - | 1 | 1 | 1 | 2 | - | - | - | - | - | - |
| Female | - | 1 | 1 | 1 | - | - | 3 | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | 6 | 6 | 9 | 18 | 16 | 12 | 9 | 5 | - | 1 | - |
| Male | 4 | 2 | 2 | 5 | 11 | 11 | 6 | 4 | 4 | - | 1 | - |
| Female | 2 | 4 | 4 | 4 | 7 | 5 | 6 | 5 | 1 | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 1 | 6 | 8 | 10 | 14 | 21 | 19 | 12 | 5 | 1 | 1 | - |
| Male | 1 | 2 | 4 | 5 | 8 | 11 | 5 | 6 | 2 | - | - | - |
| Female | - | 4 | 4 | 5 | 6 | 10 | 14 | 6 | 3 | 1 | 1 | - |
| White, both sexes | 1 | 5 | 6 | 10 | 11 | 18 | 17 | 12 | 4 | 1 | 1 | - |
| Male | 1 | 2 | 4 | 5 | 5 | 9 | 5 | 6 | 1 | - | - | - |
| Female | - | 3 | 2 | 5 | 6 | 9 | 12 | 6 | 3 | 1 | 1 | - |
| Black, both sexes | - | 1 | 2 | - | 3 | 3 | 2 | - | 1 | - | - | - |
| Male | - | - | - | - | 3 | 2 | - | - | 1 | - | - | - |
| Female | - | 1 | 2 | - | - | 1 | 2 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | - | 1 | 1 | 1 | - | 1 | 1 | - | - | - |
| Male | 1 | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Female | 1 | 1 | - | 1 | 1 | - | - | 1 | - | - | - | - |
| White, both sexes | 2 | - | - | - | 1 | - | - | 1 | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 1 | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | 1 | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 8 | 11 | 10 | 17 | 26 | 9 | 5 | - | - | - |
| Male | 1 | - | 7 | 7 | 6 | 9 | 13 | 2 | 3 | - | - | - |
| Female | 1 | 2 | 1 | 4 | 4 | 8 | 13 | 7 | 2 | - | - | - |
| White, both sexes | 2 | 2 | 7 | 10 | 10 | 17 | 26 | 9 | 5 | - | - | - |
| Male | 1 | - | 7 | 6 | 6 | 9 | 13 | 2 | 3 | - | - | - |
| Female | 1 | 2 | - | 4 | 4 | 8 | 13 | 7 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 2 | 9 | 10 | 23 | 16 | 17 | 8 | 4 | - | - |
| Male | 1 | 2 | 2 | 4 | 7 | 12 | 9 | 10 | 4 | 1 | - | - |
| Female | 1 | - | - | 5 | 3 | 11 | 7 | 7 | 4 | 3 | - | - |
| White, both sexes | 2 | 2 | 2 | 8 | 9 | 22 | 14 | 15 | 7 | 4 | - | - |
| Male | 1 | 2 | 2 | 3 | 6 | 12 | 8 | 9 | 4 | 1 | - | - |
| Female | 1 | - | - | 5 | 3 | 10 | 6 | 6 | 3 | 3 | - | - |
| Black, both sexes | - | - | - | 1 | 1 | 1 | 2 | 2 | 1 | - | - | - |
| Male | - | - | - | 1 | 1 | - | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 13 | 23 | 25 | 31 | 46 | 61 | 89 | 58 | 32 | 9 | 2 | - |
| Male | 8 | 12 | 13 | 13 | 30 | 36 | 51 | 22 | 16 | 5 | 1 | - |
| Female | 5 | 11 | 12 | 18 | 16 | 25 | 38 | 36 | 16 | 4 | 1 | - |
| White, both sexes | 10 | 19 | 21 | 24 | 37 | 50 | 79 | 51 | 29 | 9 | 1 | - |
| Male | 6 | 9 | 11 | 12 | 22 | 27 | 45 | 20 | 15 | 5 | - | - |
| Female | 4 | 10 | 10 | 12 | 15 | 23 | 34 | 31 | 14 | 4 | 1 | - |
| Black, both sexes | 1 | 2 | 3 | 3 | 3 | 3 | 5 | 2 | 1 | - | - | - |
| Male | - | 2 | 2 | - | 3 | 3 | 4 | - | - | - | - | - |
| Female | 1 | - | 1 | 3 | - | - | 1 | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 2 | 1 | 4 | 6 | 8 | 5 | 5 | 2 | - | 1 | - |
| Male | 2 | 1 | - | 1 | 5 | 6 | 2 | 2 | 1 | - | 1 | - |
| Female | - | 1 | 1 | 3 | 1 | 2 | 3 | 3 | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 2 | 4 | - | 5 | 7 | 15 | 9 | 5 | 5 | 2 | - | - |
| Male | 1 | 1 | - | 1 | 4 | 12 | 5 | 3 | 2 | 1 | - | - |
| Female | 1 | 3 | - | 4 | 3 | 3 | 4 | 2 | 3 | 1 | - | - |
| White, both sexes | 2 | 4 | - | 5 | 7 | 15 | 9 | 5 | 5 | 2 | - | - |
| Male | 1 | 1 | - | 1 | 4 | 12 | 5 | 3 | 2 | 1 | - | - |
| Female | 1 | 3 | - | 4 | 3 | 3 | 4 | 2 | 3 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 4 | 11 | 14 | 13 | 8 | 7 | - | - | - |
| Male | - | 1 | - | 3 | 3 | 7 | 3 | 4 | 4 | - | - | - |
| Female | - | - | - | 1 | 8 | 7 | 10 | 4 | 3 | - | - | - |
| White, both sexes | - | 1 | - | 4 | 11 | 14 | 13 | 7 | 7 | - | - | - |
| Male | - | 1 | - | 3 | 3 | 7 | 3 | 4 | 4 | - | - | - |
| Female | - | - | - | 1 | 8 | 7 | 10 | 3 | 3 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 2 | 1 | 2 | 2 | 4 | 2 | - | 3 | - | - |
| Male | - | - | 2 | - | 1 | - | 2 | 1 | - | 1 | - | - |
| Female | - | 1 | - | 1 | 1 | 2 | 2 | 1 | - | 2 | - | - |
| White, both sexes | - | 1 | 1 | 1 | 2 | 2 | 4 | 2 | - | 3 | - | - |
| Male | - | - | 1 | - | 1 | - | 2 | 1 | - | 1 | - | - |
| Female | - | 1 | - | 1 | 1 | 2 | 2 | 1 | - | 2 | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | 2 | 1 | 1 | - | 2 | 1 | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | 1 | 1 | 1 | - | 2 | 1 | - | - |
| White, both sexes | - | - | - | - | 2 | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | 1 | - | 1 | 1 | - | 1 | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | 1 | 1 | - | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 8 | 12 | 16 | 42 | 33 | 67 | 75 | 63 | 35 | 7 | - | - |
| Male | 3 | 6 | 5 | 24 | 23 | 39 | 41 | 31 | 10 | 4 | - | - |
| Female | 5 | 6 | 11 | 18 | 10 | 28 | 34 | 32 | 25 | 3 | - | - |
| White, both sexes | 8 | 12 | 14 | 37 | 32 | 62 | 69 | 61 | 34 | 7 | - | - |
| Male | 3 | 6 | 5 | 23 | 22 | 36 | 39 | 30 | 10 | 4 | - | - |
| Female | 5 | 6 | 9 | 14 | 10 | 26 | 30 | 31 | 24 | 3 | - | - |
| Black, both sexes | - | - | 2 | 5 | 1 | 5 | 5 | 2 | 1 | - | - | - |
| Male | - | - | - | 1 | 1 | 3 | 1 | 1 | - | - | - | - |
| Female | - | - | 2 | 4 | - | 2 | 4 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 4 | 9 | 12 | 17 | 13 | 21 | 21 | 15 | 6 | 5 | 2 | - |
| Male | 3 | 7 | 8 | 9 | 8 | 12 | 6 | 9 | 2 | - | 1 | - |
| Female | 1 | 2 | 4 | 8 | 5 | 9 | 15 | 6 | 4 | 5 | 1 | - |
| White, both sexes | 4 | 7 | 9 | 17 | 11 | 18 | 16 | 14 | 5 | 3 | - | - |
| Male | 3 | 6 | 6 | 9 | 8 | 10 | 5 | 8 | 2 | - | - | - |
| Female | 1 | 1 | 3 | 8 | 3 | 8 | 11 | 6 | 3 | 3 | - | - |
| Black, both sexes | - | 2 | 3 | - | 1 | 3 | 5 | 1 | 1 | 2 | 2 | - |
| Male | - | 1 | 2 | - | - | 2 | 1 | 1 | - | - | 1 | - |
| Female | - | 1 | 1 | - | 1 | 1 | 4 | - | 1 | 2 | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 2 | 2 | 8 | 3 | 2 | 1 | 1 | - | - | - |
| Male | - | - | 2 | 2 | 6 | 2 | - | 1 | - | - | - | - |
| Female | - | 2 | - | - | 2 | 1 | 2 | - | 1 | - | - | - |
| White, both sexes | - | - | - | - | 2 | 1 | - | 1 | 1 | - | - | - |
| Male | - | - | - | - | 2 | 1 | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | 2 | 2 | 6 | 2 | 2 | - | - | - | - | - |
| Male | - | - | 2 | 2 | 4 | 1 | - | - | - | - | - | - |
| Female | - | 2 | - | - | 2 | 1 | 2 | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 1 | 3 | 3 | 1 | 1 | 4 | - | - | - |
| Male | - | - | 1 | 1 | 2 | 1 | 1 | 1 | 2 | - | - | - |
| Female | - | - | - | - | 1 | 2 | - | - | 2 | - | - | - |
| White, both sexes | - | - | 1 | 1 | 3 | 3 | 1 | 1 | 4 | - | - | - |
| Male | - | - | 1 | 1 | 2 | 1 | 1 | 1 | 2 | - | - | - |
| Female | - | - | - | - | 1 | 2 | - | - | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 8 | 8 | 16 | 18 | 36 | 40 | 65 | 41 | 26 | 4 | - | - |
| Male | 4 | 4 | 8 | 9 | 23 | 22 | 37 | 21 | 14 | 1 | - | - |
| Female | 4 | 4 | 8 | 9 | 13 | 18 | 28 | 20 | 12 | 3 | - | - |
| White, both sexes | 6 | 7 | 14 | 15 | 29 | 36 | 62 | 40 | 23 | 2 | - | - |
| Male | 3 | 4 | 6 | 6 | 18 | 21 | 36 | 21 | 12 | 1 | - | - |
| Female | 3 | 3 | 8 | 9 | 11 | 15 | 26 | 19 | 11 | 1 | - | - |
| Black, both sexes | 1 | 1 | 2 | 3 | 4 | 4 | 3 | 1 | 1 | 2 | - | - |
| Male | - | - | 2 | 3 | 4 | 1 | 1 | - | - | - | - | - |
| Female | 1 | 1 | - | - | - | 3 | 2 | 1 | 1 | 2 | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | 2 | - | - | - | 2 | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | 2 | - | - | - |
| Female | - | - | - | - | 2 | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 7 | 4 | 9 | 11 | 16 | 22 | 24 | 22 | 8 | 2 | - | - |
| Male | 3 | - | 8 | 8 | 10 | 9 | 13 | 10 | 3 | - | - | - |
| Female | 4 | 4 | 1 | 3 | 6 | 13 | 11 | 12 | 5 | 2 | - | - |
| White, both sexes | 6 | 3 | 9 | 11 | 16 | 21 | 23 | 21 | 8 | 2 | - | - |
| Male | 3 | - | 8 | 8 | 10 | 8 | 13 | 10 | 3 | - | - | - |
| Female | 3 | 3 | 1 | 3 | 6 | 13 | 10 | 11 | 5 | 2 | - | - |
| Black, both sexes | - | 1 | - | - | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 3 | 1 | 3 | 7 | 10 | 6 | 2 | - | 1 | - |
| Male | - | - | 3 | 1 | 1 | 3 | 7 | 1 | 1 | - | - | - |
| Female | 1 | - | - | - | 2 | 4 | 3 | 5 | 1 | - | 1 | - |
| White, both sexes | 1 | - | 3 | 1 | 3 | 7 | 10 | 6 | 2 | - | 1 | - |
| Male | - | - | 3 | 1 | 1 | 3 | 7 | 1 | 1 | - | - | - |
| Female | 1 | - | - | - | 2 | 4 | 3 | 5 | 1 | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | 2 | 3 | 11 | 10 | - | 8 | - | - | - |
| Male | 1 | - | - | 1 | 3 | 5 | 4 | - | 4 | - | - | - |
| Female | - | - | 1 | 1 | - | 6 | 6 | - | 4 | - | - | - |
| White, both sexes | 1 | - | 1 | 2 | 3 | 11 | 10 | - | 8 | - | - | - |
| Male | 1 | - | - | 1 | 3 | 5 | 4 | - | 4 | - | - | - |
| Female | - | - | 1 | 1 | - | 6 | 6 | - | 4 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 2 | 6 | 5 | 9 | 12 | 14 | 19 | 7 | 6 | 1 | - | - |
| Male | 1 | 4 | 1 | 5 | 6 | 7 | 10 | 2 | 4 | 1 | - | - |
| Female | 1 | 2 | 4 | 4 | 6 | 7 | 9 | 5 | 2 | - | - | - |
| White, both sexes | 2 | 6 | 5 | 9 | 12 | 14 | 18 | 7 | 6 | 1 | - | - |
| Male | 1 | 4 | 1 | 5 | 6 | 7 | 9 | 2 | 4 | 1 | - | - |
| Female | 1 | 2 | 4 | 4 | 6 | 7 | 9 | 5 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 4 | 7 | 6 | 6 | 14 | 16 | 15 | 9 | 8 | - | 2 | - |
| Male | 2 | 4 | 1 | 4 | 7 | 10 | 10 | 4 | 4 | - | 2 | - |
| Female | 2 | 3 | 5 | 2 | 7 | 6 | 5 | 5 | 4 | - | - | - |
| White, both sexes | 2 | 6 | 4 | 4 | 12 | 12 | 13 | 6 | 6 | - | 1 | - |
| Male | 1 | 3 | 1 | 4 | 5 | 8 | 9 | 2 | 3 | - | 1 | - |
| Female | 1 | 3 | 3 | - | 7 | 4 | 4 | 4 | 3 | - | - | - |
| Black, both sexes | 2 | 1 | 2 | 2 | 2 | 4 | 2 | 3 | 2 | - | 1 | - |
| Male | 1 | 1 | - | - | 2 | 2 | 1 | 2 | 1 | - | 1 | - |
| Female | 1 | - | 2 | 2 | - | 2 | 1 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | 2 | 5 | 3 | 5 | 8 | 6 | 4 | - | - | - |
| Male | - | - | - | 2 | 2 | 5 | 6 | 3 | - | - | - | - |
| Female | - | - | 2 | 3 | 1 | - | 2 | 3 | 4 | - | - | - |
| White, both sexes | - | - | 2 | 5 | 3 | 5 | 8 | 6 | 4 | - | - | - |
| Male | - | - | - | 2 | 2 | 5 | 6 | 3 | - | - | - | - |
| Female | - | - | 2 | 3 | 1 | - | 2 | 3 | 4 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 3 | 3 | 6 | 8 | 11 | 18 | 21 | 4 | 7 | - | - | - |
| Male | 1 | 3 | 2 | 4 | 6 | 13 | 12 | 1 | 2 | - | - | - |
| Female | 2 | - | 4 | 4 | 5 | 5 | 9 | 3 | 5 | - | - | - |
| White, both sexes | 2 | 3 | 3 | 7 | 6 | 13 | 18 | 4 | 4 | - | - | - |
| Male | 1 | 3 | - | 3 | 1 | 9 | 10 | 1 | 1 | - | - | - |
| Female | 1 | - | 3 | 4 | 5 | 4 | 8 | 3 | 3 | - | - | - |
| Black, both sexes | 1 | - | 3 | 1 | 5 | 3 | 3 | - | 3 | - | - | - |
| Male | - | - | 2 | 1 | 5 | 2 | 2 | - | 1 | - | - | - |
| Female | 1 | - | 1 | - | - | 1 | 1 | - | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 2 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 2 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 5 | 4 | 5 | 10 | 17 | 27 | 26 | 20 | 13 | 3 | - | - |
| Male | 1 | 3 | 2 | 7 | 9 | 16 | 13 | 11 | 3 | 2 | - | - |
| Female | 4 | 1 | 3 | 3 | 8 | 11 | 13 | 9 | 10 | 1 | - | - |
| White, both sexes | 5 | 3 | 5 | 10 | 17 | 27 | 25 | 20 | 13 | 3 | - | - |
| Male | 1 | 2 | 2 | 7 | 9 | 16 | 13 | 11 | 3 | 2 | - | - |
| Female | 4 | 1 | 3 | 3 | 8 | 11 | 12 | 9 | 10 | 1 | - | - |
| Black, both sexes | - | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 11 | 12 | 14 | 17 | 25 | 35 | 43 | 30 | 13 | 2 | - | - |
| Male | 6 | 8 | 10 | 11 | 15 | 20 | 27 | 13 | 4 | 1 | - | - |
| Female | 5 | 4 | 4 | 6 | 10 | 15 | 16 | 17 | 9 | 1 | - | - |
| White, both sexes | 7 | 10 | 14 | 14 | 22 | 31 | 40 | 28 | 12 | - | - | - |
| Male | 5 | 8 | 10 | 8 | 14 | 18 | 25 | 13 | 4 | - | - | - |
| Female | 2 | 2 | 4 | 6 | 8 | 13 | 15 | 15 | 8 | - | - | - |
| Black, both sexes | 4 | 2 | - | 3 | 3 | 4 | 3 | 2 | 1 | 2 | - | - |
| Male | 1 | - | - | 3 | 1 | 2 | 2 | - | - | 1 | - | - |
| Female | 3 | 2 | - | - | 2 | 2 | 1 | 2 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 2 | 6 | 5 | 14 | 15 | 9 | 4 | - | - | - |
| Male | - | 1 | 1 | 5 | 3 | 5 | 10 | 3 | 1 | - | - | - |
| Female | 2 | 1 | 1 | 1 | 2 | 9 | 5 | 6 | 3 | - | - | - |
| White, both sexes | 2 | 2 | 1 | 6 | 5 | 14 | 15 | 9 | 4 | - | - | - |
| Male | - | 1 | - | 5 | 3 | 5 | 10 | 3 | 1 | - | - | - |
| Female | 2 | 1 | 1 | 1 | 2 | 9 | 5 | 6 | 3 | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 3 | 3 | 3 | 13 | 10 | 10 | 20 | 8 | 3 | 1 | 2 | - |
| Male | 2 | 1 | 2 | 4 | 5 | 4 | 10 | 6 | 2 | - | 1 | - |
| Female | 1 | 2 | 1 | 9 | 5 | 6 | 10 | 2 | 1 | 1 | 1 | - |
| White, both sexes | 1 | 3 | 3 | 6 | 9 | 8 | 15 | 6 | 3 | 1 | - | - |
| Male | 1 | 1 | 2 | 2 | 5 | 3 | 8 | 5 | 2 | - | - | - |
| Female | - | 2 | 1 | 4 | 4 | 5 | 7 | 1 | 1 | 1 | - | - |
| Black, both sexes | 2 | - | - | 7 | 1 | 2 | 5 | 2 | - | - | 2 | - |
| Male | 1 | - | - | 2 | - | 1 | 2 | 1 | - | - | 1 | - |
| Female | 1 | - | - | 5 | 1 | 1 | 3 | 1 | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 1 | 4 | 1 | 15 | 9 | 10 | 17 | 14 | 9 | 2 | - | - |
| Male | - | 3 | 1 | 13 | 9 | 8 | 9 | 7 | 6 | - | - | - |
| Female | 1 | 1 | - | 2 | - | 2 | 8 | 7 | 3 | 2 | - | - |
| White, both sexes | 1 | 4 | 1 | 14 | 8 | 9 | 16 | 12 | 8 | 2 | - | - |
| Male | - | 3 | 1 | 12 | 8 | 7 | 9 | 6 | 5 | - | - | - |
| Female | 1 | 1 | - | 2 | - | 2 | 7 | 6 | 3 | 2 | - | - |
| Black, both sexes | - | - | - | 1 | 1 | 1 | 1 | 2 | 1 | - | - | - |
| Male | - | - | - | 1 | 1 | 1 | - | 1 | 1 | - | - | - |
| Female | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 2 | 2 | - | 2 | 4 | - | 1 | - | - | - |
| Male | - | - | 2 | - | - | 2 | 1 | - | 1 | - | - | - |
| Female | - | 1 | - | 2 | - | - | 3 | - | - | - | - | - |
| White, both sexes | - | 1 | 2 | 2 | - | 2 | 4 | - | 1 | - | - | - |
| Male | - | - | 2 | - | - | 2 | 1 | - | 1 | - | - | - |
| Female | - | 1 | - | 2 | - | - | 3 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 8 | 3 | 1 | - | - |
| Male | 1 | 2 | 2 | 1 | 1 | 5 | 4 | 5 | 2 | - | - | - |
| Female | - | - | - | 2 | 3 | - | 2 | 3 | 1 | 1 | - | - |
| White, both sexes | 1 | 2 | 2 | 3 | 3 | 5 | 6 | 8 | 3 | 1 | - | - |
| Male | 1 | 2 | 2 | 1 | 1 | 5 | 4 | 5 | 2 | - | - | - |
| Female | - | - | - | 2 | 2 | - | 2 | 3 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 2 | 6 | 5 | 9 | 7 | 7 | 1 | 1 | - | - |
| Male | 1 | 2 | - | 3 | 4 | 4 | 5 | 3 | - | 1 | - | - |
| Female | - | - | 2 | 3 | 1 | 5 | 2 | 4 | 1 | - | - | - |
| White, both sexes | 1 | 2 | 2 | 6 | 4 | 8 | 7 | 7 | 1 | 1 | - | - |
| Male | 1 | 2 | - | 3 | 3 | 4 | 5 | 3 | - | 1 | - | - |
| Female | - | - | 2 | 3 | 1 | 4 | 2 | 4 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | - | 2 | 2 | 8 | 3 | 4 | 3 | - | - | - |
| Male | - | 1 | - | 2 | 2 | 4 | 1 | 3 | 2 | - | - | - |
| Female | 2 | - | - | - | - | 4 | 2 | 1 | 1 | - | - | - |
| White, both sexes | 2 | 1 | - | 2 | 2 | 8 | 3 | 4 | 3 | - | - | - |
| Male | - | 1 | - | 2 | 2 | 4 | 1 | 3 | 2 | - | - | - |
| Female | 2 | - | - | - | - | 4 | 2 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 4 | 8 | 10 | 16 | 17 | 25 | 29 | 29 | 13 | 3 | - | - |
| Male | 4 | 5 | 5 | 11 | 13 | 12 | 18 | 8 | 5 | 1 | - | - |
| Female | - | 3 | 5 | 5 | 4 | 13 | 11 | 21 | 8 | 2 | - | - |
| White, both sexes | 2 | 7 | 10 | 15 | 16 | 23 | 27 | 27 | 12 | 3 | - | - |
| Male | 2 | 5 | 5 | 11 | 12 | 11 | 17 | 7 | 5 | 1 | - | - |
| Female | - | 2 | 5 | 4 | 4 | 12 | 10 | 20 | 7 | 2 | - | - |
| Black, both sexes | 2 | 1 | - | 1 | 1 | 1 | 2 | 2 | 1 | - | - | - |
| Male | 2 | - | - | - | 1 | 1 | 1 | 1 | - | - | - | - |
| Female | - | 1 | - | 1 | - | - | 1 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 2 | 4 | 7 | 3 | 2 | 2 | 3 | - | - | - |
| Male | - | - | 2 | 2 | 5 | 2 | - | 1 | 1 | - | - | - |
| Female | 2 | 1 | - | 2 | 2 | 1 | 2 | 1 | 2 | - | - | - |
| White, both sexes | 2 | 1 | 2 | 4 | 7 | 2 | 2 | 2 | 3 | - | - | - |
| Male | - | - | 2 | 2 | 5 | 2 | - | 1 | 1 | - | - | - |
| Female | 2 | 1 | - | 2 | 2 | - | 2 | 1 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 16 | 15 | 21 | 26 | 41 | 54 | 70 | 51 | 27 | 8 | 1 | - |
| Male | 8 | 10 | 11 | 16 | 27 | 32 | 33 | 22 | 8 | 2 | 1 | - |
| Female | 8 | 5 | 10 | 10 | 14 | 22 | 37 | 29 | 19 | 6 | - | - |
| White, both sexes | 16 | 10 | 21 | 23 | 37 | 49 | 63 | 47 | 26 | 7 | 1 | - |
| Male | 8 | 9 | 11 | 14 | 25 | 30 | 27 | 20 | 8 | 1 | 1 | - |
| Female | 8 | 1 | 10 | 9 | 12 | 19 | 36 | 27 | 18 | 6 | - | - |
| Black, both sexes | - | 5 | - | 2 | 3 | 5 | 4 | 4 | 1 | 1 | - | - |
| Male | - | 1 | - | 2 | 1 | 2 | 3 | 2 | - | 1 | - | - |
| Female | - | 4 | - | - | 2 | 3 | 1 | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | 1 | - | 3 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | 3 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 2 | 7 | 6 | 10 | 18 | 27 | 24 | 13 | 11 | 4 | - | - |
| Male | 1 | 5 | 3 | 6 | 11 | 17 | 8 | 7 | 5 | - | - | - |
| Female | 1 | 2 | 3 | 4 | 7 | 10 | 16 | 6 | 6 | 4 | - | - |
| White, both sexes | 2 | 5 | 5 | 9 | 15 | 25 | 19 | 11 | 9 | 4 | - | - |
| Male | 1 | 4 | 3 | 5 | 10 | 16 | 7 | 6 | 4 | - | - | - |
| Female | 1 | 1 | 2 | 4 | 5 | 9 | 12 | 5 | 5 | 4 | - | - |
| Black, both sexes | - | 2 | 1 | 1 | 3 | 1 | 4 | 1 | 1 | - | - | - |
| Male | - | 1 | - | 1 | 1 | - | 1 | 1 | - | - | - | - |
| Female | - | 1 | 1 | - | 2 | 1 | 3 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 2 | 1 | - | 1 | 2 | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Female | - | - | 1 | 1 | 1 | - | 1 | 1 | - | - | - | - |
| White, both sexes | - | - | 1 | 2 | 1 | - | 1 | 2 | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Female | - | - | 1 | 1 | 1 | - | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 7 | 14 | 15 | 26 | 29 | 35 | 51 | 36 | 13 | 5 | 1 | - |
| Male | 3 | 7 | 9 | 15 | 18 | 23 | 33 | 13 | 4 | 1 | - | - |
| Female | 4 | 7 | 6 | 11 | 11 | 12 | 18 | 23 | 9 | 4 | 1 | - |
| White, both sexes | 7 | 14 | 12 | 26 | 23 | 32 | 49 | 33 | 13 | 5 | - | - |
| Male | 3 | 7 | 7 | 15 | 16 | 21 | 31 | 12 | 4 | 1 | - | - |
| Female | 4 | 7 | 5 | 11 | 7 | 11 | 18 | 21 | 9 | 4 | - | - |
| Black, both sexes | - | - | 3 | - | 5 | 3 | 2 | 3 | - | - | 1 | - |
| Male | - | - | 2 | - | 2 | 2 | 2 | 1 | - | - | - | - |
| Female | - | - | 1 | - | 3 | 1 | - | 2 | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 4 | - | 4 | 5 | 7 | 9 | 9 | 4 | 3 | - | 1 | - |
| Male | 2 | - | 2 | 3 | 6 | 6 | 5 | 3 | 1 | - | - | - |
| Female | 2 | - | 2 | 2 | 1 | 3 | 4 | 1 | 2 | - | 1 | - |
| White, both sexes | 4 | - | 3 | 5 | 7 | 9 | 7 | 4 | 3 | - | 1 | - |
| Male | 2 | - | 2 | 3 | 6 | 6 | 5 | 3 | 1 | - | - | - |
| Female | 2 | - | 1 | 2 | 1 | 3 | 2 | 1 | 2 | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | 2 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 5 | 4 | 3 | 8 | 9 | 4 | 4 | 1 | - | - |
| Male | - | 3 | 3 | 3 | 3 | 5 | 2 | 1 | - | - | - | - |
| Female | 2 | - | 2 | 1 | - | 3 | 7 | 3 | 4 | 1 | - | - |
| White, both sexes | 2 | 3 | 5 | 4 | 3 | 8 | 9 | 4 | 4 | 1 | - | - |
| Male | - | 3 | 3 | 3 | 3 | 5 | 2 | 1 | - | - | - | - |
| Female | 2 | - | 2 | 1 | - | 3 | 7 | 3 | 4 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 11 | 12 | 12 | 21 | 43 | 55 | 75 | 37 | 29 | 3 | - | - |
| Male | 4 | 9 | 7 | 14 | 28 | 33 | 40 | 21 | 10 | 1 | - | - |
| Female | 7 | 3 | 5 | 7 | 15 | 22 | 35 | 16 | 19 | 2 | - | - |
| White, both sexes | 9 | 11 | 10 | 21 | 42 | 53 | 72 | 35 | 29 | 3 | - | - |
| Male | 3 | 8 | 7 | 14 | 27 | 31 | 38 | 19 | 10 | 1 | - | - |
| Female | 6 | 3 | 3 | 7 | 15 | 22 | 34 | 16 | 19 | 2 | - | - |
| Black, both sexes | 2 | 1 | 2 | - | 1 | 2 | 2 | 2 | - | - | - | - |
| Male | 1 | 1 | - | - | 1 | 2 | 2 | 2 | - | - | - | - |
| Female | 1 | - | 2 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | 3 | 2 | 1 | 3 | 1 | 7 | 5 | 1 | - | - | - |
| Male | - | 1 | 2 | - | - | - | 2 | 4 | - | - | - | - |
| Female | - | 2 | - | 1 | 3 | 1 | 5 | 1 | 1 | - | - | - |
| White, both sexes | - | 3 | 2 | 1 | 3 | 1 | 7 | 4 | 1 | - | - | - |
| Male | - | 1 | 2 | - | - | - | 2 | 3 | - | - | - | - |
| Female | - | 2 | - | 1 | 3 | 1 | 5 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 8 | 6 | 10 | 13 | 13 | 10 | 3 | 2 | - | - |
| Male | 2 | 1 | 5 | 4 | 5 | 8 | 7 | 5 | - | 2 | - | - |
| Female | - | - | 3 | 2 | 5 | 5 | 6 | 5 | 3 | - | - | - |
| White, both sexes | - | - | 8 | 5 | 7 | 11 | 13 | 9 | 3 | 2 | - | - |
| Male | - | - | 5 | 3 | 4 | 8 | 7 | 5 | - | 2 | - | - |
| Female | - | - | 3 | 2 | 3 | 3 | 6 | 4 | 3 | - | - | - |
| Black, both sexes | 2 | 1 | - | 1 | 3 | 2 | - | 1 | - | - | - | - |
| Male | 2 | 1 | - | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | 2 | 2 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | 1 | 4 | 1 | 4 | 1 | - | - | - |
| Male | - | - | 1 | - | 1 | 2 | - | 2 | - | - | - | - |
| Female | - | - | - | - | - | 2 | 1 | 2 | 1 | - | - | - |
| White, both sexes | - | - | - | - | 1 | 4 | 1 | 4 | 1 | - | - | - |
| Male | - | - | - | - | 1 | 2 | - | 2 | - | - | - | - |
| Female | - | - | - | - | - | 2 | 1 | 2 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | 5 | 6 | 5 | 12 | 17 | 14 | 12 | 7 | 2 | - | - |
| Male | - | 5 | 4 | 1 | 7 | 12 | 9 | 7 | 2 | 1 | - | - |
| Female | - | - | 2 | 4 | 5 | 5 | 5 | 5 | 5 | 1 | - | - |
| White, both sexes | - | 3 | 6 | 5 | 10 | 14 | 13 | 12 | 7 | 2 | - | - |
| Male | - | 3 | 4 | 1 | 6 | 11 | 9 | 7 | 2 | 1 | - | - |
| Female | - | - | 2 | 4 | 4 | 3 | 4 | 5 | 5 | 1 | - | - |
| Black, both sexes | - | 2 | - | - | 2 | 3 | 1 | - | - | - | - | - |
| Male | - | 2 | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | 2 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 13 | 19 | 21 | 28 | 46 | 54 | 41 | 44 | 14 | 6 | - | - |
| Male | 6 | 16 | 12 | 23 | 30 | 35 | 22 | 20 | 6 | 2 | - | - |
| Female | 7 | 3 | 9 | 5 | 16 | 19 | 19 | 24 | 8 | 4 | - | - |
| White, both sexes | 11 | 13 | 16 | 25 | 43 | 47 | 39 | 41 | 14 | 6 | - | - |
| Male | 6 | 11 | 9 | 20 | 27 | 31 | 21 | 18 | 6 | 2 | - | - |
| Female | 5 | 2 | 7 | 5 | 16 | 16 | 18 | 23 | 8 | 4 | - | - |
| Black, both sexes | 1 | 5 | 3 | 3 | 3 | 6 | 2 | 2 | - | - | - | - |
| Male | - | 4 | 3 | 3 | 3 | 3 | 1 | 1 | - | - | - | - |
| Female | 1 | 1 | - | - | - | 3 | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | 2 | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | 1 | - | - | - | - |
| Female | 1 | - | 2 | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 1 | 3 | 1 | 6 | 3 | 4 | 6 | 5 | 3 | - | - | - |
| Male | - | 3 | - | 5 | 2 | 3 | 2 | 3 | 1 | - | - | - |
| Female | 1 | - | 1 | 1 | 1 | 1 | 4 | 2 | 2 | - | - | - |
| White, both sexes | 1 | 3 | 1 | 5 | 3 | 4 | 6 | 4 | 3 | - | - | - |
| Male | - | 3 | - | 4 | 2 | 3 | 2 | 3 | 1 | - | - | - |
| Female | 1 | - | 1 | 1 | 1 | 1 | 4 | 1 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | 2 | - | 1 | - | 1 | 2 | 1 | - | - | - |
| Male | - | - | 2 | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 2 | 1 | - | - | - |
| White, both sexes | - | - | 2 | - | 1 | - | 1 | 2 | 1 | - | - | - |
| Male | - | - | 2 | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 2 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 6 | 3 | 8 | 11 | 17 | 18 | 19 | 13 | 2 | 4 | 1 | - |
| Male | 4 | 1 | 5 | 8 | 11 | 12 | 9 | 6 | 2 | 1 | - | - |
| Female | 2 | 2 | 3 | 3 | 6 | 6 | 10 | 7 | - | 3 | 1 | - |
| White, both sexes | 5 | 2 | 6 | 9 | 14 | 14 | 17 | 9 | 2 | 4 | 1 | - |
| Male | 3 | 1 | 3 | 6 | 9 | 10 | 8 | 3 | 2 | 1 | - | - |
| Female | 2 | 1 | 3 | 3 | 5 | 4 | 9 | 6 | - | 3 | 1 | - |
| Black, both sexes | - | - | 2 | 2 | 2 | 3 | 2 | 3 | - | - | - | - |
| Male | - | - | 2 | 2 | 1 | 1 | 1 | 3 | - | - | - | - |
| Female | - | - | - | - | 1 | 2 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 1 | 6 | 2 | 5 | 3 | 11 | 8 | 9 | 4 | 1 | - | - |
| Male | - | 3 | 1 | 3 | 2 | 7 | 5 | 5 | 1 | - | - | - |
| Female | 1 | 3 | 1 | 2 | 1 | 4 | 3 | 4 | 3 | 1 | - | - |
| White, both sexes | 1 | 6 | 2 | 4 | 3 | 11 | 8 | 7 | 4 | 1 | - | - |
| Male | - | 3 | 1 | 2 | 2 | 7 | 5 | 3 | 1 | - | - | - |
| Female | 1 | 3 | 1 | 2 | 1 | 4 | 3 | 4 | 3 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 6 | 1 | 5 | 3 | 7 | 6 | 2 | - | - | - |
| Male | 1 | - | 3 | 1 | 2 | 1 | 4 | 3 | - | - | - | - |
| Female | - | - | 3 | - | 3 | 2 | 3 | 3 | 2 | - | - | - |
| White, both sexes | 1 | - | 6 | 1 | 5 | 3 | 7 | 6 | 2 | - | - | - |
| Male | 1 | - | 3 | 1 | 2 | 1 | 4 | 3 | - | - | - | - |
| Female | - | - | 3 | - | 3 | 2 | 3 | 3 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Other and unspecified leukemia (C94-C95) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 4 | 10 | 6 | 8 | 12 | 10 | 19 | 16 | 4 | 2 | - | - |
| Male | 3 | 7 | 3 | 6 | 7 | 9 | 11 | 4 | 4 | 1 | - | - |
| Female | 1 | 3 | 3 | 2 | 5 | 1 | 8 | 12 | - | 1 | - | - |
| White, both sexes | 4 | 10 | 5 | 8 | 12 | 10 | 19 | 16 | 4 | 2 | - | - |
| Male | 3 | 7 | 3 | 6 | 7 | 9 | 11 | 4 | 4 | 1 | - | - |
| Female | 1 | 3 | 2 | 2 | 5 | 1 | 8 | 12 | - | 1 | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | - | 2 | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | 1 | - | 1 | - | - |
| White, both sexes | - | - | - | 1 | - | - | - | 2 | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | 1 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 15 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | - | - | 3 | 1 | 3 | 1 | 4 | 3 | - | 2 | - | - |
| Male | - | - | 2 | 1 | 3 | - | 2 | - | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | 2 | 3 | - | 2 | - | - |
| White, both sexes | - | - | 2 | 1 | 3 | 1 | 4 | 2 | - | 2 | - | - |
| Male | - | - | 1 | 1 | 3 | - | 2 | - | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | 2 | 2 | - | 2 | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | - | - | 1 | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| In situ neoplasms (D00-D09) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | 1 | 1 | - | 1 | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 1 | - | 1 | - | - |
| White, both sexes | - | - | - | - | 1 | - | 1 | 1 | - | 1 | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 1 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of breast and genitourinary system (D05-D07) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | - | - | 3 | 1 | 2 | 1 | 3 | 2 | - | 1 | - | - |
| Male | - | - | 2 | 1 | 2 | - | 2 | - | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | 1 | 2 | - | 1 | - | - |
| White, both sexes | - | - | 2 | 1 | 2 | 1 | 3 | 1 | - | 1 | - | - |
| Male | - | - | 1 | 1 | 2 | - | 2 | - | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | 1 | 1 | - | 1 | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Carcinoma in situ of other and unspecified sites (D00-D04,D09) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 1,380 | 10 | 1 | 2 | 3 | 7 | 6 | 10 | 17 | 29 | 43 | 47 |
| Male | 499 | 2 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 9 | 14 | 22 |
| Female | 881 | 8 | - | - | 1 | 4 | 3 | 6 | 12 | 20 | 29 | 25 |
| White, both sexes | 1,111 | 7 | 1 | 1 | 2 | 4 | 4 | 4 | 15 | 18 | 29 | 30 |
| Male | 417 | 1 | 1 | 1 | 2 | 3 | 3 | - | 4 | 9 | 10 | 15 |
| Female | 694 | 6 | - | - | - | 1 | 1 | 4 | 11 | 9 | 19 | 15 |
| Black, both sexes | 229 | 3 | - | 1 | 1 | 2 | 1 | 6 | 2 | 11 | 12 | 17 |
| Male | 67 | 1 | - | 1 | - | - | - | 4 | 1 | - | 3 | 7 |
| Female | 162 | 2 | - | - | 1 | 2 | 1 | 2 | 1 | 11 | 9 | 10 |
| American Indian 1/, both sexes | 6 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 34 | - | - | - | - | 1 | - | - | - | - | 2 | - |
| Male | 12 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 22 | - | - | - | - | 1 | - | - | - | - | 1 | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 19 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 12 | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 9 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 5 | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 16 | 1 | - | - | - | - | - | - | 1 | - | - | - |
| Male | 9 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | 14 | 1 | - | - | - | - | - | - | 1 | - | - | - |
| Male | 8 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 16 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 157 | 1 | - | - | 1 | 1 | - | 1 | 1 | 6 | 7 | 5 |
| Male | 56 | - | - | - | 1 | - | - | - | - | 1 | 3 | 2 |
| Female | 101 | 1 | - | - | - | 1 | - | 1 | 1 | 5 | 4 | 3 |
| White, both sexes | 123 | - | - | - | 1 | - | - | 1 | 1 | 4 | 6 | 4 |
| Male | 47 | - | - | - | 1 | - | - | - | - | 1 | 3 | 2 |
| Female | 76 | - | - | - | - | - | - | 1 | 1 | 3 | 3 | 2 |
| Black, both sexes | 20 | 1 | - | - | - | 1 | - | - | - | 2 | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 17 | 1 | - | - | - | 1 | - | - | - | 2 | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 14 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | 1 | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 16 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 11 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 15 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 23 | - | - | - | - | 1 | - | - | - | - | 1 | 2 |
| Male | 8 | - | - | - | - | 1 | - | - | - | - | 1 | 2 |
| Female | 15 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 21 | - | - | - | - | 1 | - | - | - | - | 1 | 2 |
| Male | 7 | - | - | - | - | 1 | - | - | - | - | 1 | 2 |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 61 | - | - | - | - | 1 | - | - | - | - | - | 5 |
| Male | 27 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 34 | - | - | - | - | 1 | - | - | - | - | - | 4 |
| White, both sexes | 52 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 24 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 28 | - | - | - | - | - | - | - | - | - | - | 2 |
| Black, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | 3 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 37 | - | - | - | - | 1 | - | 1 | - | - | 1 | 2 |
| Male | 12 | - | - | - | - | - | - | 1 | - | - | - | 2 |
| Female | 25 | - | - | - | - | 1 | - | - | - | - | 1 | - |
| White, both sexes | 16 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 21 | - | - | - | - | 1 | - | 1 | - | - | 1 | 1 |
| Male | 5 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | 16 | - | - | - | - | 1 | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 59 | 1 | - | - | - | - | - | 1 | - | - | 1 | 2 |
| Male | 21 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 38 | 1 | - | - | - | - | - | 1 | - | - | - | 2 |
| White, both sexes | 51 | 1 | - | - | - | - | - | - | - | - | - | 1 |
| Male | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 34 | 1 | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 8 | - | - | - | - | - | - | 1 | - | - | 1 | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 4 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 23 | - | 1 | - | - | - | - | 1 | 1 | - | - | 1 |
| Male | 7 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 16 | - | - | - | - | - | - | 1 | 1 | - | - | 1 |
| White, both sexes | 22 | - | 1 | - | - | - | - | 1 | 1 | - | - | 1 |
| Male | 7 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 15 | - | - | - | - | - | - | 1 | 1 | - | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 15 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 14 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 16 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 19 | - | - | - | - | - | 1 | - | - | 1 | - | 1 |
| Male | 7 | - | - | - | - | - | 1 | - | - | 1 | - | - |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 13 | - | - | - | - | - | 1 | - | - | 1 | - | - |
| Male | 5 | - | - | - | - | - | 1 | - | - | 1 | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 16 | 1 | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 9 | 1 | - | - | - | - | - | - | 1 | - | - | 1 |
| White, both sexes | 9 | 1 | - | - | - | - | - | - | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | 1 | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 7 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| White, both sexes | 7 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 30 | - | - | - | - | - | - | - | - | 1 | 2 | - |
| Male | 10 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | 20 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 22 | - | - | - | - | - | - | - | - | 1 | 2 | - |
| Male | 7 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | 15 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 23 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 23 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 63 | - | - | - | 1 | - | - | - | - | 5 | 3 | 2 |
| Male | 30 | - | - | - | 1 | - | - | - | - | 2 | - | 1 |
| Female | 33 | - | - | - | - | - | - | - | - | 3 | 3 | 1 |
| White, both sexes | 54 | - | - | - | 1 | - | - | - | - | 4 | 2 | 1 |
| Male | 26 | - | - | - | 1 | - | - | - | - | 2 | - | - |
| Female | 28 | - | - | - | - | - | - | - | - | 2 | 2 | 1 |
| Black, both sexes | 9 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 5 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 31 | - | - | - | - | - | - | - | 2 | 2 | - | 1 |
| Male | 15 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 16 | - | - | - | - | - | - | - | 2 | 1 | - | - |
| White, both sexes | 28 | - | - | - | - | - | - | - | 2 | 2 | - | 1 |
| Male | 13 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Female | 15 | - | - | - | - | - | - | - | 2 | 1 | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 31 | 1 | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 26 | 1 | - | - | - | - | - | - | 1 | - | - | 1 |
| White, both sexes | 24 | 1 | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 21 | 1 | - | - | - | - | - | - | 1 | - | - | 1 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 15 | - | - | - | - | - | - | 1 | 1 | - | - | 1 |
| Male | 7 | - | - | - | - | - | - | 1 | 1 | - | - | 1 |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 14 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 10 | - | - | - | - | - | 1 | - | 1 | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | 1 | - | 1 | - | 1 | - |
| White, both sexes | 9 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 37 | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 |
| Male | 10 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | 27 | - | - | - | - | - | - | - | 1 | 1 | 1 | - |
| White, both sexes | 30 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 23 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Black, both sexes | 6 | - | - | - | - | - | - | 1 | - | - | 1 | 1 |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 15 | - | - | - | - | - | - | - | 2 | - | 1 | - |
| Male | 8 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| White, both sexes | 15 | - | - | - | - | - | - | - | 2 | - | 1 | - |
| Male | 8 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 100 | 2 | - | - | - | - | 1 | - | - | 3 | 2 | 4 |
| Male | 36 | - | - | - | - | - | 1 | - | - | - | 1 | 2 |
| Female | 64 | 2 | - | - | - | - | - | - | - | 3 | 1 | 2 |
| White, both sexes | 77 | 2 | - | - | - | - | 1 | - | - | - | 2 | 2 |
| Male | 31 | - | - | - | - | - | 1 | - | - | - | 1 | 1 |
| Female | 46 | 2 | - | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | 20 | - | - | - | - | - | - | - | - | 3 | - | 2 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 16 | - | - | - | - | - | - | - | - | 3 | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 45 | - | - | - | - | - | - | - | 1 | - | 2 | 1 |
| Male | 12 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | 33 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 20 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 25 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Male | 5 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | 20 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 65 | 1 | - | - | - | - | - | 1 | 1 | 5 | 2 | 3 |
| Male | 22 | 1 | - | - | - | - | - | - | 1 | 2 | 1 | 1 |
| Female | 43 | - | - | - | - | - | - | 1 | - | 3 | 1 | 2 |
| White, both sexes | 52 | - | - | - | - | - | - | 1 | 1 | 2 | 1 | 3 |
| Male | 16 | - | - | - | - | - | - | - | 1 | 2 | - | 1 |
| Female | 36 | - | - | - | - | - | - | 1 | - | - | 1 | 2 |
| Black, both sexes | 13 | 1 | - | - | - | - | - | - | - | 3 | 1 | - |
| Male | 6 | 1 | - | - | - | - | - | - | - | - | 1 | - |
| Female | 7 | - | - | - | - | - | - | - | - | 3 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 29 | - | - | - | - | 1 | 1 | - | - | - | 1 | - |
| Male | 13 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | 16 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 24 | - | - | - | - | 1 | 1 | - | - | - | 1 | - |
| Male | 12 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | 12 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | 2 | - |
| White, both sexes | 16 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 73 | - | - | 1 | - | - | - | - | - | - | 4 | 2 |
| Male | 29 | - | - | 1 | - | - | - | - | - | - | 1 | 2 |
| Female | 44 | - | - | - | - | - | - | - | - | - | 3 | - |
| White, both sexes | 64 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 25 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 39 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 7 | - | - | 1 | - | - | - | - | - | - | 2 | - |
| Male | 3 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | 2 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | - | 1 | - | - | - | 2 |
| Male | 8 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 6 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 31 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| Male | 10 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 21 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| White, both sexes | 24 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 15 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 86 | 1 | - | - | 1 | 1 | 1 | 1 | 3 | 1 | 3 | 4 |
| Male | 26 | - | - | - | - | 1 | - | - | 1 | - | - | 2 |
| Female | 60 | 1 | - | - | 1 | - | 1 | 1 | 2 | 1 | 3 | 2 |
| White, both sexes | 70 | 1 | - | - | - | 1 | 1 | 1 | 3 | 1 | 2 | 2 |
| Male | 23 | - | - | - | - | 1 | - | - | 1 | - | - | 2 |
| Female | 47 | 1 | - | - | - | - | 1 | 1 | 2 | 1 | 2 | - |
| Black, both sexes | 15 | - | - | - | 1 | - | - | - | - | - | 1 | 2 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 12 | - | - | - | 1 | - | - | - | - | - | 1 | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 30 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 10 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 20 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 23 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 24 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 16 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| White, both sexes | 21 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 14 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 11 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 32 | 1 | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 15 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 17 | 1 | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 28 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 12 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 4 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 69 | 86 | 84 | 91 | 129 | 199 | 220 | 196 | 98 | 30 | 3 | - |
| Male | 30 | 29 | 31 | 41 | 51 | 79 | 73 | 58 | 33 | 6 | 1 | - |
| Female | 39 | 57 | 53 | 50 | 78 | 120 | 147 | 138 | 65 | 24 | 2 | - |
| White, both sexes | 55 | 64 | 54 | 74 | 105 | 162 | 198 | 176 | 84 | 23 | 1 | - |
| Male | 25 | 23 | 21 | 33 | 42 | 68 | 67 | 53 | 33 | 2 | 1 | - |
| Female | 30 | 41 | 33 | 41 | 63 | 94 | 131 | 123 | 51 | 21 | - | - |
| Black, both sexes | 11 | 18 | 26 | 15 | 22 | 30 | 16 | 15 | 11 | 7 | 2 | - |
| Male | 3 | 4 | 8 | 7 | 9 | 9 | 3 | 3 | - | 4 | - | - |
| Female | 8 | 14 | 18 | 8 | 13 | 21 | 13 | 12 | 11 | 3 | 2 | - |
| American Indian 1/, both sexes | 1 | - | 2 | - | - | - | 1 | - | 1 | - | - | - |
| Male | 1 | - | 2 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | 4 | 2 | 2 | 2 | 7 | 5 | 5 | 2 | - | - | - |
| Male | 1 | 2 | - | 1 | - | 2 | 3 | 2 | - | - | - | - |
| Female | 1 | 2 | 2 | 1 | 2 | 5 | 2 | 3 | 2 | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 3 | 2 | - | 2 | 1 | 3 | 1 | 1 | - | - |
| Male | 1 | 1 | 2 | 1 | - | 1 | - | - | - | - | - | - |
| Female | 1 | 1 | 1 | 1 | - | 1 | 1 | 3 | 1 | 1 | - | - |
| White, both sexes | 2 | - | 1 | 2 | - | 1 | 1 | 2 | - | 1 | - | - |
| Male | 1 | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | 1 | - | 1 | 1 | 2 | - | 1 | - | - |
| Black, both sexes | - | 2 | 2 | - | - | 1 | - | 1 | 1 | - | - | - |
| Male | - | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | - | - | - | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 1 | - | 3 | 3 | - | 3 | - | 1 | - | - |
| Male | 2 | - | 1 | - | 2 | 1 | - | 2 | - | - | - | - |
| Female | - | 1 | - | - | 1 | 2 | - | 1 | - | 1 | - | - |
| White, both sexes | 2 | 1 | - | - | 3 | 2 | - | 3 | - | 1 | - | - |
| Male | 2 | - | - | - | 2 | 1 | - | 2 | - | - | - | - |
| Female | - | 1 | - | - | 1 | 1 | - | 1 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | 1 | 3 | 2 | 4 | 2 | 1 | - | - | - |
| Male | - | - | - | 1 | 2 | 1 | 2 | 1 | - | - | - | - |
| Female | 1 | 1 | - | - | 1 | 1 | 2 | 1 | 1 | - | - | - |
| White, both sexes | 1 | 1 | - | 1 | 3 | 2 | 3 | 2 | - | - | - | - |
| Male | - | - | - | 1 | 2 | 1 | 1 | 1 | - | - | - | - |
| Female | 1 | 1 | - | - | 1 | 1 | 2 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 8 | 11 | 9 | 10 | 21 | 17 | 30 | 14 | 11 | 2 | 1 | - |
| Male | 3 | 4 | 5 | 4 | 5 | 8 | 10 | 5 | 5 | - | - | - |
| Female | 5 | 7 | 4 | 6 | 16 | 9 | 20 | 9 | 6 | 2 | 1 | - |
| White, both sexes | 6 | 8 | 6 | 9 | 16 | 13 | 25 | 12 | 9 | 2 | - | - |
| Male | 3 | 2 | 4 | 3 | 4 | 7 | 8 | 4 | 5 | - | - | - |
| Female | 3 | 6 | 2 | 6 | 12 | 6 | 17 | 8 | 4 | 2 | - | - |
| Black, both sexes | 2 | 2 | 3 | - | 3 | 1 | 2 | - | 1 | - | 1 | - |
| Male | - | 1 | 1 | - | 1 | - | - | - | - | - | - | - |
| Female | 2 | 1 | 2 | - | 2 | 1 | 2 | - | 1 | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | 1 | 2 | 3 | 3 | 2 | 1 | - | - | - |
| Male | - | 1 | - | 1 | - | 1 | 2 | 1 | - | - | - | - |
| Female | - | - | - | - | 2 | 2 | 1 | 1 | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 3 | 2 | 3 | 1 | 2 | 3 | 1 | - | - |
| Male | - | - | - | 2 | 1 | - | - | 1 | 1 | - | - | - |
| Female | - | - | - | 1 | 1 | 3 | 1 | 1 | 2 | 1 | - | - |
| White, both sexes | - | - | - | 3 | 2 | 3 | 1 | 2 | 3 | 1 | - | - |
| Male | - | - | - | 2 | 1 | - | - | 1 | 1 | - | - | - |
| Female | - | - | - | 1 | 1 | 3 | 1 | 1 | 2 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | 2 | 1 | 4 | 4 | 6 | - | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | 2 | - | - | - | - |
| Female | 1 | - | 1 | 1 | 1 | 4 | 3 | 4 | - | - | - | - |
| White, both sexes | 1 | - | 1 | 1 | 1 | 4 | 4 | 5 | - | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | 1 | - | - | - | - |
| Female | 1 | - | 1 | - | 1 | 4 | 3 | 4 | - | - | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | 2 | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 2 | 1 | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | 2 | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 2 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 3 | 5 | 4 | 2 | 4 | 11 | 9 | 12 | 4 | 1 | - | - |
| Male | 2 | 2 | 3 | 1 | 1 | 8 | 3 | 5 | 1 | - | - | - |
| Female | 1 | 3 | 1 | 1 | 3 | 3 | 6 | 7 | 3 | 1 | - | - |
| White, both sexes | 3 | 5 | 3 | 2 | 2 | 11 | 8 | 11 | 4 | 1 | - | - |
| Male | 2 | 2 | 2 | 1 | 1 | 8 | 2 | 5 | 1 | - | - | - |
| Female | 1 | 3 | 1 | 1 | 1 | 3 | 6 | 6 | 3 | 1 | - | - |
| Black, both sexes | - | - | 1 | - | 2 | - | 1 | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 2 | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 4 | 3 | 3 | 2 | 5 | 11 | 1 | 2 | 1 | - | - | - |
| Male | 1 | - | 1 | 1 | 3 | 2 | - | 1 | - | - | - | - |
| Female | 3 | 3 | 2 | 1 | 2 | 9 | 1 | 1 | 1 | - | - | - |
| White, both sexes | 2 | 1 | 2 | 2 | 2 | 4 | - | 1 | 1 | - | - | - |
| Male | 1 | - | 1 | 1 | 1 | 2 | - | - | - | - | - | - |
| Female | 1 | 1 | 1 | 1 | 1 | 2 | - | 1 | 1 | - | - | - |
| Black, both sexes | 2 | 2 | 1 | - | 3 | 7 | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | 2 | - | - | 1 | - | - | - | - |
| Female | 2 | 2 | 1 | - | 1 | 7 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | 1 | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | 1 | 2 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | 2 | - | 1 | - | - | - |
| White, both sexes | 1 | - | - | - | - | 1 | 2 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | 2 | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 1 | 3 | 2 | 7 | 9 | 12 | 8 | 9 | 3 | - | - | - |
| Male | 1 | 2 | - | 3 | 2 | 5 | 3 | 3 | 1 | - | - | - |
| Female | - | 1 | 2 | 4 | 7 | 7 | 5 | 6 | 2 | - | - | - |
| White, both sexes | 1 | 2 | 2 | 7 | 8 | 12 | 8 | 7 | 2 | - | - | - |
| Male | 1 | 1 | - | 3 | 1 | 5 | 3 | 2 | 1 | - | - | - |
| Female | - | 1 | 2 | 4 | 7 | 7 | 5 | 5 | 1 | - | - | - |
| Black, both sexes | - | 1 | - | - | 1 | - | - | 2 | 1 | - | - | - |
| Male | - | 1 | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 2 | - | 1 | 2 | 3 | 2 | 2 | 4 | 1 | 1 | 1 | - |
| Male | 1 | - | - | 1 | 2 | - | - | 1 | - | - | 1 | - |
| Female | 1 | - | 1 | 1 | 1 | 2 | 2 | 3 | 1 | 1 | - | - |
| White, both sexes | 2 | - | 1 | 2 | 3 | 1 | 2 | 4 | 1 | 1 | 1 | - |
| Male | 1 | - | - | 1 | 2 | - | - | 1 | - | - | 1 | - |
| Female | 1 | - | 1 | 1 | 1 | 1 | 2 | 3 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | - | 1 | 1 | 1 | 3 | - | 3 | 2 | - | - |
| Male | 2 | - | - | - | 1 | - | - | - | 2 | - | - | - |
| Female | - | 1 | - | 1 | - | 1 | 3 | - | 1 | 2 | - | - |
| White, both sexes | 2 | 1 | - | 1 | 1 | 1 | 3 | - | 3 | 1 | - | - |
| Male | 2 | - | - | - | 1 | - | - | - | 2 | - | - | - |
| Female | - | 1 | - | 1 | - | 1 | 3 | - | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 3 | - | 1 | 2 | 3 | 3 | 1 | 1 | - | - |
| Male | - | - | - | - | - | 1 | 2 | 3 | - | - | - | - |
| Female | 1 | 1 | 3 | - | 1 | 1 | 1 | - | 1 | 1 | - | - |
| White, both sexes | 1 | 1 | 1 | - | 1 | 2 | 2 | 3 | 1 | 1 | - | - |
| Male | - | - | - | - | - | 1 | 2 | 3 | - | - | - | - |
| Female | 1 | 1 | 1 | - | 1 | 1 | - | - | 1 | 1 | - | - |
| Black, both sexes | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 5 | - | - | 4 | 3 | - | 2 | - | - | - |
| Male | 1 | - | 1 | - | - | 2 | 1 | - | - | - | - | - |
| Female | - | 1 | 4 | - | - | 2 | 2 | - | 2 | - | - | - |
| White, both sexes | - | - | 4 | - | - | 3 | 3 | - | 1 | - | - | - |
| Male | - | - | 1 | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | 3 | - | - | 2 | 2 | - | 1 | - | - | - |
| Black, both sexes | 1 | - | 1 | - | - | 1 | - | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 2 | - | 1 | - | 2 | - | 4 | 1 | 1 | 2 | - | - |
| Male | - | - | 1 | - | - | - | 2 | 1 | 1 | 2 | - | - |
| Female | 2 | - | - | - | 2 | - | 2 | - | - | - | - | - |
| White, both sexes | - | - | - | - | 2 | - | 3 | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | - | 2 | 1 | 1 | - | - | - |
| Female | - | - | - | - | 2 | - | 1 | - | - | - | - | - |
| Black, both sexes | 2 | - | 1 | - | - | - | 1 | - | - | 2 | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | 2 | - | - |
| Female | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | 1 | 2 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | 1 | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | 1 | 2 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 2 | - | 2 | 3 | 2 | 5 | 6 | 7 | - | - | - | - |
| Male | - | - | - | 1 | 1 | 2 | 3 | 1 | - | - | - | - |
| Female | 2 | - | 2 | 2 | 1 | 3 | 3 | 6 | - | - | - | - |
| White, both sexes | 2 | - | 1 | 1 | 1 | 2 | 6 | 6 | - | - | - | - |
| Male | - | - | - | 1 | - | - | 3 | 1 | - | - | - | - |
| Female | 2 | - | 1 | - | 1 | 2 | 3 | 5 | - | - | - | - |
| Black, both sexes | - | - | 1 | 2 | 1 | 2 | - | 1 | - | - | - | - |
| Male | - | - | - | - | 1 | 2 | - | - | - | - | - | - |
| Female | - | - | 1 | 2 | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 2 | 1 | 2 | 9 | 5 | 2 | 1 | - | - |
| Male | - | - | 1 | 1 | - | - | 3 | 1 | - | - | - | - |
| Female | - | - | - | 1 | 1 | 2 | 6 | 4 | 2 | 1 | - | - |
| White, both sexes | - | - | 1 | 2 | 1 | 2 | 9 | 5 | 2 | 1 | - | - |
| Male | - | - | 1 | 1 | - | - | 3 | 1 | - | - | - | - |
| Female | - | - | - | 1 | 1 | 2 | 6 | 4 | 2 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 1 | 5 | 4 | 5 | 6 | 8 | 6 | 8 | 6 | 3 | - | - |
| Male | 1 | 2 | 1 | 3 | 5 | 5 | 2 | 2 | 4 | 1 | - | - |
| Female | - | 3 | 3 | 2 | 1 | 3 | 4 | 6 | 2 | 2 | - | - |
| White, both sexes | 1 | 4 | 4 | 4 | 5 | 8 | 6 | 7 | 6 | 1 | - | - |
| Male | 1 | 2 | 1 | 2 | 4 | 5 | 2 | 2 | 4 | - | - | - |
| Female | - | 2 | 3 | 2 | 1 | 3 | 4 | 5 | 2 | 1 | - | - |
| Black, both sexes | - | 1 | - | 1 | 1 | - | - | 1 | - | 2 | - | - |
| Male | - | - | - | 1 | 1 | - | - | - | - | 1 | - | - |
| Female | - | 1 | - | - | - | - | - | 1 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | - | 5 | 3 | 3 | 5 | 5 | 2 | - | - | - |
| Male | 1 | - | - | 4 | 3 | 2 | 2 | 1 | - | - | - | - |
| Female | - | 2 | - | 1 | - | 1 | 3 | 4 | 2 | - | - | - |
| White, both sexes | - | 2 | - | 4 | 3 | 3 | 4 | 5 | 2 | - | - | - |
| Male | - | - | - | 3 | 3 | 2 | 2 | 1 | - | - | - | - |
| Female | - | 2 | - | 1 | - | 1 | 2 | 4 | 2 | - | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 2 | - | - | 2 | - | 3 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Female | - | 1 | 1 | - | - | 2 | - | 2 | - | - | - | - |
| White, both sexes | - | 1 | 1 | - | - | 1 | - | 2 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | - | 1 | - | - | - | - |
| Black, both sexes | - | - | 1 | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 3 | 5 | 3 | 1 | 3 | 5 | 5 | - | 2 | 1 | - | - |
| Male | 1 | 2 | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | 2 | 3 | 3 | 1 | 3 | 4 | 4 | - | 2 | 1 | - | - |
| White, both sexes | 2 | 3 | 2 | 1 | 3 | 3 | 5 | - | 1 | 1 | - | - |
| Male | 1 | 1 | - | - | - | - | 1 | - | - | - | - | - |
| Female | 1 | 2 | 2 | 1 | 3 | 3 | 4 | - | 1 | 1 | - | - |
| Black, both sexes | - | 1 | 1 | - | - | 2 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | 2 | 1 | 1 | 1 | 1 | - | - | - |
| Male | - | - | - | 1 | 2 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | 1 | 1 | - | - | - |
| White, both sexes | - | - | - | 1 | 2 | 1 | 1 | 1 | 1 | - | - | - |
| Male | - | - | - | 1 | 2 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | 2 | - | - | - | 2 | 1 | 4 | 2 | 1 | - | - |
| Male | - | 1 | - | - | - | 1 | 1 | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | - | 3 | 2 | 1 | - | - |
| White, both sexes | - | 2 | - | - | - | 2 | 1 | 4 | 2 | 1 | - | - |
| Male | - | 1 | - | - | - | 1 | 1 | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | - | 3 | 2 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 2 | 2 | 2 | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | 2 | 1 | 1 | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | 2 | 2 | 2 | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | 2 | 1 | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | 1 | 2 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | 1 | - | - | - | 1 | 1 | 1 | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | 1 | 2 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | 1 | - | - | - | 1 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 2 | 3 | 2 | 6 | 5 | 7 | 2 | 1 | - | - |
| Male | 2 | 2 | - | - | - | 1 | 1 | 1 | 1 | - | - | - |
| Female | - | - | 2 | 3 | 2 | 5 | 4 | 6 | 1 | 1 | - | - |
| White, both sexes | 1 | 2 | - | 3 | 2 | 6 | 5 | 6 | 2 | 1 | - | - |
| Male | 1 | 2 | - | - | - | 1 | 1 | 1 | 1 | - | - | - |
| Female | - | - | - | 3 | 2 | 5 | 4 | 5 | 1 | 1 | - | - |
| Black, both sexes | - | - | 2 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 2 | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 1 | - | 1 | 3 | 2 | 2 | - | - | - | - |
| Male | - | 2 | 1 | - | - | 2 | 2 | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | 1 | - | 2 | - | - | - | - |
| White, both sexes | 1 | 2 | 1 | - | 1 | 3 | 2 | 2 | - | - | - | - |
| Male | - | 2 | 1 | - | - | 2 | 2 | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | 1 | - | 2 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 6 | 8 | 8 | 5 | 16 | 17 | 10 | 10 | 7 | 1 | - | - |
| Male | 4 | 1 | 1 | 2 | 5 | 8 | 3 | 4 | 4 | - | - | - |
| Female | 2 | 7 | 7 | 3 | 11 | 9 | 7 | 6 | 3 | 1 | - | - |
| White, both sexes | 3 | 5 | 6 | 3 | 13 | 16 | 8 | 9 | 6 | 1 | - | - |
| Male | 2 | 1 | - | 2 | 5 | 8 | 2 | 4 | 4 | - | - | - |
| Female | 1 | 4 | 6 | 1 | 8 | 8 | 6 | 5 | 2 | 1 | - | - |
| Black, both sexes | 3 | 3 | 2 | 1 | 3 | - | 1 | 1 | 1 | - | - | - |
| Male | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 1 | 3 | 1 | 1 | 3 | - | 1 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 4 | 4 | 6 | 8 | 3 | 4 | 6 | - | 1 | - |
| Male | - | - | - | 2 | 1 | 2 | 1 | 1 | 2 | - | - | - |
| Female | 2 | 3 | 4 | 2 | 5 | 6 | 2 | 3 | 4 | - | 1 | - |
| White, both sexes | 2 | - | 1 | - | 3 | 5 | 1 | 3 | 4 | - | - | - |
| Male | - | - | - | - | 1 | 2 | 1 | - | 2 | - | - | - |
| Female | 2 | - | 1 | - | 2 | 3 | - | 3 | 2 | - | - | - |
| Black, both sexes | - | 3 | 3 | 4 | 3 | 3 | 2 | 1 | 2 | - | 1 | - |
| Male | - | - | - | 2 | - | - | - | 1 | - | - | - | - |
| Female | - | 3 | 3 | 2 | 3 | 3 | 2 | - | 2 | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 2 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | 2 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | 2 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | 2 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 3 | 4 | 4 | 3 | 2 | 5 | 13 | 12 | 4 | 2 | - | - |
| Male | 2 | 1 | 3 | 1 | 1 | 2 | 4 | 2 | - | - | - | - |
| Female | 1 | 3 | 1 | 2 | 1 | 3 | 9 | 10 | 4 | 2 | - | - |
| White, both sexes | 3 | 4 | 2 | 2 | 2 | 3 | 11 | 12 | 3 | 2 | - | - |
| Male | 2 | 1 | 2 | - | 1 | - | 4 | 2 | - | - | - | - |
| Female | 1 | 3 | - | 2 | 1 | 3 | 7 | 10 | 3 | 2 | - | - |
| Black, both sexes | - | - | 2 | 1 | - | 2 | 2 | - | 1 | - | - | - |
| Male | - | - | 1 | 1 | - | 2 | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | 2 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 1 | 5 | 3 | 2 | 3 | 5 | - | 2 | - | - |
| Male | 1 | 2 | 1 | 1 | 2 | 1 | 2 | 1 | - | - | - | - |
| Female | 1 | 1 | - | 4 | 1 | 1 | 1 | 4 | - | 2 | - | - |
| White, both sexes | 2 | 3 | - | 4 | 3 | 2 | 2 | 4 | - | 1 | - | - |
| Male | 1 | 2 | - | 1 | 2 | 1 | 2 | 1 | - | - | - | - |
| Female | 1 | 1 | - | 3 | 1 | 1 | - | 3 | - | 1 | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | 1 | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | 1 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | 1 | 1 | 1 | 9 | 1 | - | - | - | - |
| Male | - | - | 1 | 1 | - | 1 | 4 | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | - | 5 | 1 | - | - | - | - |
| White, both sexes | 1 | - | 1 | 1 | 1 | 1 | 9 | 1 | - | - | - | - |
| Male | - | - | 1 | 1 | - | 1 | 4 | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | - | 5 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 3 | 1 | 1 | 3 | 5 | 11 | 19 | 12 | 10 | 1 | - | - |
| Male | 1 | - | 1 | 1 | 2 | 2 | 6 | 5 | 6 | 1 | - | - |
| Female | 2 | 1 | - | 2 | 3 | 9 | 13 | 7 | 4 | - | - | - |
| White, both sexes | 3 | - | 1 | 3 | 4 | 10 | 18 | 11 | 10 | 1 | - | - |
| Male | 1 | - | 1 | 1 | 1 | 1 | 6 | 5 | 6 | 1 | - | - |
| Female | 2 | - | - | 2 | 3 | 9 | 12 | 6 | 4 | - | - | - |
| Black, both sexes | - | 1 | - | - | 1 | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 2 | - | 1 | 5 | 3 | - | 1 | - | - | - |
| Male | - | 1 | - | - | 1 | 3 | 1 | - | - | - | - | - |
| Female | - | 1 | 2 | - | - | 2 | 2 | - | 1 | - | - | - |
| White, both sexes | - | 2 | 2 | - | - | 4 | 2 | - | - | - | - | - |
| Male | - | 1 | - | - | - | 3 | 1 | - | - | - | - | - |
| Female | - | 1 | 2 | - | - | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | 1 | 1 | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 4 | 1 | 3 | 4 | 7 | 2 | 6 | - | - | - |
| Male | - | - | 3 | - | 1 | - | 3 | - | 2 | - | - | - |
| Female | - | 1 | 1 | 1 | 2 | 4 | 4 | 2 | 4 | - | - | - |
| White, both sexes | - | 1 | 3 | 1 | 2 | 1 | 7 | 1 | 6 | - | - | - |
| Male | - | - | 2 | - | 1 | - | 3 | - | 2 | - | - | - |
| Female | - | 1 | 1 | 1 | 1 | 1 | 4 | 1 | 4 | - | - | - |
| Black, both sexes | - | - | 1 | - | 1 | 3 | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | 3 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 7 | 6 | 4 | 10 | 5 | 17 | 12 | 8 | 1 | - | - | - |
| Male | 2 | 1 | - | 5 | 3 | 8 | 2 | 1 | - | - | - | - |
| Female | 5 | 5 | 4 | 5 | 2 | 9 | 10 | 7 | 1 | - | - | - |
| White, both sexes | 6 | 6 | 2 | 7 | 4 | 13 | 12 | 7 | 1 | - | - | - |
| Male | 2 | 1 | - | 3 | 3 | 7 | 2 | 1 | - | - | - | - |
| Female | 4 | 5 | 2 | 4 | 1 | 6 | 10 | 6 | 1 | - | - | - |
| Black, both sexes | 1 | - | 2 | 3 | 1 | 3 | - | 1 | - | - | - | - |
| Male | - | - | - | 2 | - | 1 | - | - | - | - | - | - |
| Female | 1 | - | 2 | 1 | 1 | 2 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 1 | - | - | - | 1 | 2 | 1 | - | - | - |
| Male | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Female | - | 2 | - | - | - | - | 1 | 1 | 1 | - | - | - |
| White, both sexes | - | 2 | 1 | - | - | - | 1 | 2 | 1 | - | - | - |
| Male | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Female | - | 2 | - | - | - | - | 1 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | 5 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | 4 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | 5 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | 4 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 1 | 4 | 1 | 2 | 2 | 1 | 5 | 8 | 3 | 1 | - | - |
| Male | - | 2 | 1 | 1 | 1 | - | 1 | 2 | - | - | - | - |
| Female | 1 | 2 | - | 1 | 1 | 1 | 4 | 6 | 3 | 1 | - | - |
| White, both sexes | 1 | 2 | - | 2 | 2 | 1 | 4 | 7 | 2 | 1 | - | - |
| Male | - | 1 | - | 1 | 1 | - | 1 | 2 | - | - | - | - |
| Female | 1 | 1 | - | 1 | 1 | 1 | 3 | 5 | 2 | 1 | - | - |
| Black, both sexes | - | 2 | 1 | - | - | - | 1 | 1 | 1 | - | - | - |
| Male | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | 1 | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 1 | 1 | 3 | 3 | 2 | 6 | 3 | 1 | - | - |
| Male | - | 2 | - | - | 1 | 3 | - | 1 | - | 1 | - | - |
| Female | - | - | 1 | 1 | 2 | - | 2 | 5 | 3 | - | - | - |
| White, both sexes | - | 2 | 1 | 1 | 3 | 2 | 2 | 5 | 2 | 1 | - | - |
| Male | - | 2 | - | - | 1 | 2 | - | 1 | - | 1 | - | - |
| Female | - | - | 1 | 1 | 2 | - | 2 | 4 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | - | 1 | 1 | 2 | 3 | 1 | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | 1 | 1 | - | - | - |
| Female | 1 | - | - | - | 1 | - | 2 | 2 | - | - | - | - |
| White, both sexes | 1 | 1 | - | - | 1 | 1 | 2 | 3 | 1 | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | 1 | 1 | - | - | - |
| Female | 1 | - | - | - | 1 | - | 2 | 2 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Benign neoplasms (D10-D36) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | 2 | 3 | 7 | 4 | 6 | 3 | 2 | - | - |
| Male | 1 | - | - | 2 | 3 | 3 | 1 | 1 | 2 | 1 | - | - |
| Female | - | - | 1 | - | - | 4 | 3 | 5 | 1 | 1 | - | - |
| White, both sexes | 1 | - | 1 | 2 | 2 | 7 | 3 | 6 | 3 | 1 | - | - |
| Male | 1 | - | - | 2 | 2 | 3 | - | 1 | 2 | - | - | - |
| Female | - | - | 1 | - | - | 4 | 3 | 5 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | 1 | - | 1 | - | - | 1 | - | - |
| Male | - | - | - | - | 1 | - | 1 | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 41 | - | - | - | - | - | - | - | 1 | 6 | 8 | 6 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 41 | - | - | - | - | - | - | - | 1 | 6 | 8 | 6 |
| White, both sexes | 19 | - | - | - | - | - | - | - | 1 | - | 3 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 19 | - | - | - | - | - | - | - | 1 | - | 3 | 3 |
| Black, both sexes | 21 | - | - | - | - | - | - | - | - | 6 | 4 | 3 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 21 | - | - | - | - | - | - | - | - | 6 | 4 | 3 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | - | - | 1 | 3 | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 8 | - | - | - | - | - | - | - | - | 1 | 3 | 1 |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | 2 | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | 2 | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 6 | - | - | - | - | - | - | - | - | 2 | - | 1 |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | 2 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | 2 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 4 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 3 | 4 | 2 | 3 | - | 3 | 2 | 2 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 3 | 4 | 2 | 3 | - | 3 | 2 | 2 | 1 | - | - | - |
| White, both sexes | 2 | 2 | - | 2 | - | 2 | 1 | 2 | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 2 | 2 | - | 2 | - | 2 | 1 | 2 | 1 | - | - | - |
| Black, both sexes | 1 | 2 | 2 | 1 | - | 1 | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | 2 | 1 | - | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 2 | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | 1 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | 1 | 1 | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | - | 1 | 1 | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 2 | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of female genital organs (D25-D28) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 850 | - | - | 1 | 1 | 1 | - | 4 | 6 | 7 | 12 | 21 |
| Male | 283 | - | - | 1 | - | 1 | - | 1 | 2 | 3 | 6 | 12 |
| Female | 567 | - | - | - | 1 | - | - | 3 | 4 | 4 | 6 | 9 |
| White, both sexes | 702 | - | - | 1 | - | 1 | - | 3 | 4 | 6 | 10 | 14 |
| Male | 243 | - | - | 1 | - | 1 | - | - | 1 | 3 | 5 | 8 |
| Female | 459 | - | - | - | - | - | - | 3 | 3 | 3 | 5 | 6 |
| Black, both sexes | 124 | - | - | - | 1 | - | - | 1 | 2 | 1 | 2 | 7 |
| Male | 33 | - | - | - | - | - | - | 1 | 1 | - | 1 | 4 |
| Female | 91 | - | - | - | 1 | - | - | - | 1 | 1 | 1 | 3 |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 22 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 10 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | 9 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 91 | - | - | - | - | - | - | 1 | - | 3 | 1 | 3 |
| Male | 31 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 60 | - | - | - | - | - | - | 1 | - | 3 | - | 1 |
| White, both sexes | 75 | - | - | - | - | - | - | 1 | - | 3 | 1 | 3 |
| Male | 27 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 48 | - | - | - | - | - | - | 1 | - | 3 | - | 1 |
| Black, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 16 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 38 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 19 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 19 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 34 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 23 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 18 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 35 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 24 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 30 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 21 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 10 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 12 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 16 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 34 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 16 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 18 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| White, both sexes | 29 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 16 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 16 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 9 | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | 15 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 8 | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 18 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 10 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 19 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 19 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 16 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 57 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 23 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 34 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 48 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 21 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 27 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 36 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Male | 10 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | 26 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 16 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 20 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Female | 15 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 38 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 32 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| White, both sexes | 34 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 29 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 11 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 53 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 21 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 32 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 48 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 19 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 29 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 19 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 16 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 53 | - | - | - | 1 | 1 | - | 1 | 2 | - | 1 | 1 |
| Male | 17 | - | - | - | - | 1 | - | - | 1 | - | - | 1 |
| Female | 36 | - | - | - | 1 | - | - | 1 | 1 | - | 1 | - |
| White, both sexes | 43 | - | - | - | - | 1 | - | 1 | 2 | - | - | 1 |
| Male | 15 | - | - | - | - | 1 | - | - | 1 | - | - | 1 |
| Female | 28 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Black, both sexes | 10 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | 1 | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 20 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 15 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 16 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 13 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| White, both sexes | 14 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 11 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 26 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 13 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 23 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 10 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 38 | 43 | 43 | 54 | 95 | 132 | 155 | 138 | 75 | 22 | 2 | - |
| Male | 13 | 9 | 17 | 24 | 39 | 49 | 44 | 37 | 19 | 5 | 1 | - |
| Female | 25 | 34 | 26 | 30 | 56 | 83 | 111 | 101 | 56 | 17 | 1 | - |
| White, both sexes | 29 | 33 | 26 | 46 | 77 | 107 | 140 | 123 | 65 | 16 | 1 | - |
| Male | 12 | 8 | 14 | 20 | 32 | 42 | 41 | 33 | 19 | 2 | 1 | - |
| Female | 17 | 25 | 12 | 26 | 45 | 65 | 99 | 90 | 46 | 14 | - | - |
| Black, both sexes | 8 | 8 | 14 | 7 | 17 | 20 | 10 | 10 | 9 | 6 | 1 | - |
| Male | 1 | 1 | 2 | 4 | 7 | 5 | 1 | 2 | - | 3 | - | - |
| Female | 7 | 7 | 12 | 3 | 10 | 15 | 9 | 8 | 9 | 3 | 1 | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 2 | 2 | 1 | 1 | 5 | 4 | 5 | 1 | - | - | - |
| Male | - | - | - | - | - | 2 | 2 | 2 | - | - | - | - |
| Female | 1 | 2 | 2 | 1 | 1 | 3 | 2 | 3 | 1 | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | - | 2 | 2 | - | 2 | 1 | 2 | 1 | - | - | - |
| Male | - | - | 1 | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | 1 | - | 1 | 1 | 2 | 1 | - | - | - |
| White, both sexes | - | - | - | 2 | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | 1 | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | 2 | - | - | 1 | - | 1 | 1 | - | - | - |
| Male | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | - | 2 | 3 | - | 1 | - | 1 | - | - |
| Male | 1 | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Female | - | 1 | - | - | 1 | 2 | - | - | - | 1 | - | - |
| White, both sexes | 1 | 1 | - | - | 2 | 2 | - | 1 | - | 1 | - | - |
| Male | 1 | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Female | - | 1 | - | - | 1 | 1 | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | 2 | 2 | 2 | 1 | 1 | - | - | - |
| Male | - | - | - | 1 | 1 | 1 | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | 1 | - | 1 | - | - | - |
| White, both sexes | - | - | - | 1 | 2 | 2 | 2 | 1 | - | - | - | - |
| Male | - | - | - | 1 | 1 | 1 | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 4 | 2 | 7 | 7 | 15 | 10 | 22 | 10 | 5 | 1 | - | - |
| Male | 2 | - | 4 | 2 | 3 | 5 | 7 | 3 | 2 | - | - | - |
| Female | 2 | 2 | 3 | 5 | 12 | 5 | 15 | 7 | 3 | 1 | - | - |
| White, both sexes | 3 | 2 | 5 | 7 | 13 | 7 | 17 | 8 | 4 | 1 | - | - |
| Male | 2 | - | 4 | 2 | 3 | 4 | 5 | 2 | 2 | - | - | - |
| Female | 1 | 2 | 1 | 5 | 10 | 3 | 12 | 6 | 2 | 1 | - | - |
| Black, both sexes | 1 | - | 2 | - | 1 | 1 | 2 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | 2 | - | 1 | 1 | 2 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | 2 | 3 | 2 | - | - | - | - |
| Male | - | - | - | - | - | 1 | 2 | 1 | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | 1 | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 2 | 1 | 3 | 1 | 2 | 2 | 1 | - | - |
| Male | - | - | - | 1 | 1 | - | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | 3 | 1 | 1 | 2 | 1 | - | - |
| White, both sexes | - | - | - | 2 | 1 | 3 | 1 | 2 | 2 | 1 | - | - |
| Male | - | - | - | 1 | 1 | - | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | 3 | 1 | 1 | 2 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | 1 | 1 | 3 | 3 | 5 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | 1 | - | 1 | 1 | 1 | 3 | 2 | 4 | - | - | - | - |
| White, both sexes | 1 | - | 1 | - | 1 | 3 | 3 | 4 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 1 | - | 1 | - | 1 | 3 | 2 | 4 | - | - | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | 2 | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 2 | 1 | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | 2 | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 2 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 1 | 3 | 2 | 1 | 2 | 9 | 6 | 10 | 3 | - | - | - |
| Male | 1 | 1 | 2 | 1 | 1 | 6 | 2 | 4 | - | - | - | - |
| Female | - | 2 | - | - | 1 | 3 | 4 | 6 | 3 | - | - | - |
| White, both sexes | 1 | 3 | 1 | 1 | 1 | 9 | 6 | 9 | 3 | - | - | - |
| Male | 1 | 1 | 1 | 1 | 1 | 6 | 2 | 4 | - | - | - | - |
| Female | - | 2 | - | - | - | 3 | 4 | 5 | 3 | - | - | - |
| Black, both sexes | - | - | 1 | - | 1 | - | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 4 | 2 | - | 2 | 5 | 7 | 1 | 1 | 1 | - | - | - |
| Male | 1 | - | - | 1 | 3 | - | - | - | - | - | - | - |
| Female | 3 | 2 | - | 1 | 2 | 7 | 1 | 1 | 1 | - | - | - |
| White, both sexes | 2 | 1 | - | 2 | 2 | 1 | - | 1 | 1 | - | - | - |
| Male | 1 | - | - | 1 | 1 | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | 1 | 1 | 1 | - | 1 | 1 | - | - | - |
| Black, both sexes | 2 | 1 | - | - | 3 | 6 | 1 | - | - | - | - | - |
| Male | - | - | - | - | 2 | - | - | - | - | - | - | - |
| Female | 2 | 1 | - | - | 1 | 6 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | 2 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 2 | - | 1 | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | 2 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 2 | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | 4 | 8 | 7 | 4 | 6 | 3 | - | - | - |
| Male | 1 | - | - | 1 | 2 | 3 | - | 3 | 1 | - | - | - |
| Female | - | 1 | - | 3 | 6 | 4 | 4 | 3 | 2 | - | - | - |
| White, both sexes | 1 | 1 | - | 4 | 7 | 7 | 4 | 4 | 2 | - | - | - |
| Male | 1 | - | - | 1 | 1 | 3 | - | 2 | 1 | - | - | - |
| Female | - | 1 | - | 3 | 6 | 4 | 4 | 2 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | 2 | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | 1 | 3 | 1 | - | 2 | 1 | 1 | 1 | - |
| Male | 1 | - | - | 1 | 2 | - | - | 1 | - | - | 1 | - |
| Female | 1 | - | - | - | 1 | 1 | - | 1 | 1 | 1 | - | - |
| White, both sexes | 2 | - | - | 1 | 3 | - | - | 2 | 1 | 1 | 1 | - |
| Male | 1 | - | - | 1 | 2 | - | - | 1 | - | - | 1 | - |
| Female | 1 | - | - | - | 1 | - | - | 1 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | - | 1 | 1 | 1 | 1 | - | 1 | 2 | - | - |
| Male | 2 | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | - | 1 | 1 | - | 1 | 2 | - | - |
| White, both sexes | 2 | 1 | - | 1 | 1 | 1 | 1 | - | 1 | 1 | - | - |
| Male | 2 | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | - | 1 | 1 | - | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 2 | - | - | 2 | 1 | 2 | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | 2 | - | - | - | - |
| Female | 1 | - | 2 | - | - | 1 | - | - | 1 | - | - | - |
| White, both sexes | 1 | - | - | - | - | 2 | 1 | 2 | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | 2 | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 3 | - | - | 3 | 2 | - | 2 | - | - | - |
| Male | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | 2 | - | - | 2 | 2 | - | 2 | - | - | - |
| White, both sexes | - | - | 3 | - | - | 3 | 2 | - | 1 | - | - | - |
| Male | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | 2 | - | - | 2 | 2 | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | 2 | - | 1 | - | 1 | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Female | 2 | - | - | - | 2 | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | 2 | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | 2 | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | 1 | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | 2 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | 1 | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | 2 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | 2 | 3 | 6 | 3 | - | - | - | - |
| Male | - | - | - | - | 1 | - | 3 | - | - | - | - | - |
| Female | - | - | 1 | - | 1 | 3 | 3 | 3 | - | - | - | - |
| White, both sexes | - | - | - | - | 1 | 2 | 6 | 3 | - | - | - | - |
| Male | - | - | - | - | - | - | 3 | - | - | - | - | - |
| Female | - | - | - | - | 1 | 2 | 3 | 3 | - | - | - | - |
| Black, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 1 | 1 | 1 | 8 | 4 | 2 | - | - | - |
| Male | - | - | 1 | - | - | - | 3 | 1 | - | - | - | - |
| Female | - | - | - | 1 | 1 | 1 | 5 | 3 | 2 | - | - | - |
| White, both sexes | - | - | 1 | 1 | 1 | 1 | 8 | 4 | 2 | - | - | - |
| Male | - | - | 1 | - | - | - | 3 | 1 | - | - | - | - |
| Female | - | - | - | 1 | 1 | 1 | 5 | 3 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 1 | 2 | 5 | 4 | 3 | 8 | 3 | 3 | - | - |
| Male | 1 | 1 | 1 | 1 | 4 | 3 | - | 2 | 2 | 1 | - | - |
| Female | - | 1 | - | 1 | 1 | 1 | 3 | 6 | 1 | 2 | - | - |
| White, both sexes | 1 | 2 | 1 | 1 | 4 | 4 | 3 | 7 | 3 | 1 | - | - |
| Male | 1 | 1 | 1 | - | 3 | 3 | - | 2 | 2 | - | - | - |
| Female | - | 1 | - | 1 | 1 | 1 | 3 | 5 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | 1 | 1 | - | - | 1 | - | 2 | - | - |
| Male | - | - | - | 1 | 1 | - | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 2 | 1 | 2 | 3 | 3 | 2 | - | - | - |
| Male | - | - | - | 2 | 1 | 2 | 1 | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | 2 | 3 | 2 | - | - | - |
| White, both sexes | - | 1 | - | 2 | 1 | 2 | 2 | 3 | 2 | - | - | - |
| Male | - | - | - | 2 | 1 | 2 | 1 | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | 1 | 3 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | 1 | - | 2 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | - | 2 | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 1 | 3 | 2 | 1 | 1 | 3 | 5 | - | 1 | 1 | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | 1 | 3 | 2 | 1 | 1 | 2 | 4 | - | 1 | 1 | - | - |
| White, both sexes | - | 2 | 1 | 1 | 1 | 1 | 5 | - | 1 | 1 | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | 2 | 1 | 1 | 1 | 1 | 4 | - | 1 | 1 | - | - |
| Black, both sexes | - | 1 | 1 | - | - | 2 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 2 | 1 | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | 2 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | - | 1 | - | - | - |
| White, both sexes | - | - | - | - | 2 | 1 | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | 2 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | 1 | 1 | 3 | 2 | - | - | - |
| Male | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | - | 2 | 2 | - | - | - |
| White, both sexes | - | 1 | - | - | - | 1 | 1 | 3 | 2 | - | - | - |
| Male | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | - | 2 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 2 | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 2 | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | 2 | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 2 | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 1 | 1 | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 2 | 1 | 4 | 4 | 5 | 2 | 1 | - | - |
| Male | - | - | - | - | - | 1 | - | 1 | 1 | - | - | - |
| Female | - | - | - | 2 | 1 | 3 | 4 | 4 | 1 | 1 | - | - |
| White, both sexes | - | - | - | 2 | 1 | 4 | 4 | 5 | 2 | 1 | - | - |
| Male | - | - | - | - | - | 1 | - | 1 | 1 | - | - | - |
| Female | - | - | - | 2 | 1 | 3 | 4 | 4 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 1 | - | 1 | 1 | 2 | 1 | - | - | - | - |
| Male | - | 2 | 1 | - | - | 1 | 2 | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | - | - | 1 | - | - | - | - |
| White, both sexes | 1 | 2 | 1 | - | 1 | 1 | 2 | 1 | - | - | - | - |
| Male | - | 2 | 1 | - | - | 1 | 2 | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 3 | 4 | 11 | 11 | 7 | 7 | 5 | 1 | - | - |
| Male | 1 | - | - | 2 | 5 | 4 | 2 | 4 | 2 | - | - | - |
| Female | 1 | 3 | 3 | 2 | 6 | 7 | 5 | 3 | 3 | 1 | - | - |
| White, both sexes | - | 3 | 3 | 3 | 9 | 10 | 6 | 7 | 4 | 1 | - | - |
| Male | - | - | - | 2 | 5 | 4 | 2 | 4 | 2 | - | - | - |
| Female | - | 3 | 3 | 1 | 4 | 6 | 4 | 3 | 2 | 1 | - | - |
| Black, both sexes | 2 | - | - | - | 2 | - | 1 | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | 2 | - | 1 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 1 | 3 | 2 | 3 | 6 | 6 | 2 | 4 | 5 | - | 1 | - |
| Male | - | - | - | 2 | 1 | 1 | 1 | 1 | 1 | - | - | - |
| Female | 1 | 3 | 2 | 1 | 5 | 5 | 1 | 3 | 4 | - | 1 | - |
| White, both sexes | 1 | - | - | - | 3 | 4 | 1 | 3 | 3 | - | - | - |
| Male | - | - | - | - | 1 | 1 | 1 | - | 1 | - | - | - |
| Female | 1 | - | - | - | 2 | 3 | - | 3 | 2 | - | - | - |
| Black, both sexes | - | 3 | 2 | 3 | 3 | 2 | 1 | 1 | 2 | - | 1 | - |
| Male | - | - | - | 2 | - | - | - | 1 | - | - | - | - |
| Female | - | 3 | 2 | 1 | 3 | 2 | 1 | - | 2 | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 1 | 4 | 2 | 1 | - | 3 | 10 | 10 | 4 | 1 | - | - |
| Male | - | 1 | 1 | - | - | 1 | 3 | - | - | - | - | - |
| Female | 1 | 3 | 1 | 1 | - | 2 | 7 | 10 | 4 | 1 | - | - |
| White, both sexes | 1 | 4 | 1 | 1 | - | 2 | 9 | 10 | 3 | 1 | - | - |
| Male | - | 1 | 1 | - | - | - | 3 | - | - | - | - | - |
| Female | 1 | 3 | - | 1 | - | 2 | 6 | 10 | 3 | 1 | - | - |
| Black, both sexes | - | - | 1 | - | - | 1 | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | 1 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 3 | - | 2 | - | - |
| Male | - | - | 1 | 1 | 1 | 1 | 1 | 1 | - | - | - | - |
| Female | 1 | 1 | - | 1 | - | - | 1 | 2 | - | 2 | - | - |
| White, both sexes | 1 | 1 | - | 1 | 1 | 1 | 1 | 2 | - | 1 | - | - |
| Male | - | - | - | 1 | 1 | 1 | 1 | 1 | - | - | - | - |
| Female | 1 | 1 | - | - | - | - | - | 1 | - | 1 | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | 1 | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | 1 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | 1 | 1 | 1 | 5 | 1 | - | - | - | - |
| Male | - | - | 1 | 1 | - | 1 | 2 | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | - | 3 | 1 | - | - | - | - |
| White, both sexes | 1 | - | 1 | 1 | 1 | 1 | 5 | 1 | - | - | - | - |
| Male | - | - | 1 | 1 | - | 1 | 2 | - | - | - | - | - |
| Female | 1 | - | - | - | 1 | - | 3 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | - | 3 | 4 | 9 | 16 | 8 | 7 | 1 | - | - |
| Male | - | - | - | 1 | 2 | 2 | 6 | 3 | 5 | 1 | - | - |
| Female | 2 | 1 | - | 2 | 2 | 7 | 10 | 5 | 2 | - | - | - |
| White, both sexes | 2 | - | - | 3 | 3 | 8 | 15 | 7 | 7 | 1 | - | - |
| Male | - | - | - | 1 | 1 | 1 | 6 | 3 | 5 | 1 | - | - |
| Female | 2 | - | - | 2 | 2 | 7 | 9 | 4 | 2 | - | - | - |
| Black, both sexes | - | 1 | - | - | 1 | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | 4 | 2 | - | - | - | - | - |
| Male | - | 1 | - | - | - | 2 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 2 | 1 | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | - | 3 | 2 | - | - | - | - | - |
| Male | - | 1 | - | - | - | 2 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | - | 3 | - | 3 | 1 | 4 | 2 | 6 | - | - | - |
| Male | - | - | 2 | - | 1 | - | 1 | - | 2 | - | - | - |
| Female | - | - | 1 | - | 2 | 1 | 3 | 2 | 4 | - | - | - |
| White, both sexes | - | - | 3 | - | 2 | - | 4 | 1 | 6 | - | - | - |
| Male | - | - | 2 | - | 1 | - | 1 | - | 2 | - | - | - |
| Female | - | - | 1 | - | 1 | - | 3 | 1 | 4 | - | - | - |
| Black, both sexes | - | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 5 | 2 | 3 | 7 | 4 | 10 | 8 | 6 | 1 | - | - | - |
| Male | 2 | - | - | 4 | 2 | 4 | 1 | 1 | - | - | - | - |
| Female | 3 | 2 | 3 | 3 | 2 | 6 | 7 | 5 | 1 | - | - | - |
| White, both sexes | 4 | 2 | 1 | 6 | 3 | 8 | 8 | 5 | 1 | - | - | - |
| Male | 2 | - | - | 3 | 2 | 3 | 1 | 1 | - | - | - | - |
| Female | 2 | 2 | 1 | 3 | 1 | 5 | 7 | 4 | 1 | - | - | - |
| Black, both sexes | 1 | - | 2 | 1 | 1 | 2 | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | 1 | - | 2 | - | 1 | 1 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | 2 | - | - | - | - | 1 | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 2 | - | - | - | - | 1 | 1 | 1 | - | - | - |
| White, both sexes | - | 2 | - | - | - | - | 1 | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 2 | - | - | - | - | 1 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | 4 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 4 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | 4 | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 4 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 1 | 3 | - | - | 2 | 1 | 4 | 4 | 2 | 1 | - | - |
| Male | - | 1 | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | 1 | 2 | - | - | 1 | 1 | 4 | 3 | 2 | 1 | - | - |
| White, both sexes | 1 | 1 | - | - | 2 | 1 | 3 | 4 | 2 | 1 | - | - |
| Male | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | 1 | 1 | - | - | 1 | 1 | 3 | 3 | 2 | 1 | - | - |
| Black, both sexes | - | 2 | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | - | - | 1 | 2 | 6 | 3 | 1 | - | - |
| Male | - | 1 | - | - | - | 1 | - | 1 | - | 1 | - | - |
| Female | - | - | 1 | - | - | - | 2 | 5 | 3 | - | - | - |
| White, both sexes | - | 1 | 1 | - | - | - | 2 | 5 | 2 | 1 | - | - |
| Male | - | 1 | - | - | - | - | - | 1 | - | 1 | - | - |
| Female | - | - | 1 | - | - | - | 2 | 4 | 2 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | 1 | 1 | 2 | - | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | 2 | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | 1 | 1 | 2 | - | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | 2 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of eye, brain and other parts of central nervous system (D31-D33) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 1 | 3 | 7 | 3 | 4 | 3 | 2 | - | - |
| Male | - | - | - | 1 | 3 | 3 | 1 | 1 | 2 | 1 | - | - |
| Female | - | - | 1 | - | - | 4 | 2 | 3 | 1 | 1 | - | - |
| White, both sexes | - | - | 1 | 1 | 2 | 7 | 2 | 4 | 3 | 1 | - | - |
| Male | - | - | - | 1 | 2 | 3 | - | 1 | 2 | - | - | - |
| Female | - | - | 1 | - | - | 4 | 2 | 3 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | 1 | - | 1 | - | - | 1 | - | - |
| Male | - | - | - | - | 1 | - | 1 | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 489 | 10 | 1 | 1 | 2 | 6 | 6 | 6 | 10 | 16 | 23 | 20 |
| Male | 216 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 6 | 8 | 10 |
| Female | 273 | 8 | - | - | - | 4 | 3 | 3 | 7 | 10 | 15 | 10 |
| White, both sexes | 390 | 7 | 1 | - | 2 | 3 | 4 | 1 | 10 | 12 | 16 | 13 |
| Male | 174 | 1 | 1 | - | 2 | 2 | 3 | - | 3 | 6 | 5 | 7 |
| Female | 216 | 6 | - | - | - | 1 | 1 | 1 | 7 | 6 | 11 | 6 |
| Black, both sexes | 84 | 3 | - | 1 | - | 2 | 1 | 5 | - | 4 | 6 | 7 |
| Male | 34 | 1 | - | 1 | - | - | - | 3 | - | - | 2 | 3 |
| Female | 50 | 2 | - | - | - | 2 | 1 | 2 | - | 4 | 4 | 4 |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 11 | - | - | - | - | 1 | - | - | - | - | 1 | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 5 | - | - | - | - | 1 | - | - | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 6 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 58 | 1 | - | - | 1 | 1 | - | - | 1 | 2 | 3 | 1 |
| Male | 25 | - | - | - | 1 | - | - | - | - | 1 | 2 | - |
| Female | 33 | 1 | - | - | - | 1 | - | - | 1 | 1 | 1 | 1 |
| White, both sexes | 45 | - | - | - | 1 | - | - | - | 1 | 1 | 3 | 1 |
| Male | 20 | - | - | - | 1 | - | - | - | - | 1 | 2 | - |
| Female | 25 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Black, both sexes | 8 | 1 | - | - | - | 1 | - | - | - | 1 | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | 1 | - | - | - | 1 | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | 1 | - | - | - | - | 1 | 1 |
| Male | 5 | - | - | - | - | 1 | - | - | - | - | 1 | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | 1 | - | - | - | - | 1 | 1 |
| Male | 5 | - | - | - | - | 1 | - | - | - | - | 1 | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 20 | - | - | - | - | 1 | - | - | - | - | - | 3 |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 12 | - | - | - | - | 1 | - | - | - | - | - | 3 |
| White, both sexes | 15 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 14 | - | - | - | - | 1 | - | 1 | - | - | 1 | 2 |
| Male | 7 | - | - | - | - | - | - | 1 | - | - | - | 2 |
| Female | 7 | - | - | - | - | 1 | - | - | - | - | 1 | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 8 | - | - | - | - | 1 | - | 1 | - | - | 1 | 1 |
| Male | 3 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | 5 | - | - | - | - | 1 | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 23 | 1 | - | - | - | - | - | 1 | - | - | 1 | 1 |
| Male | 10 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 13 | 1 | - | - | - | - | - | 1 | - | - | - | 1 |
| White, both sexes | 20 | 1 | - | - | - | - | - | - | - | - | - | 1 |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 12 | 1 | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 3 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 7 | - | 1 | - | - | - | - | 1 | 1 | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| White, both sexes | 7 | - | 1 | - | - | - | - | 1 | 1 | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | 1 | - | - | 1 | - | - |
| Male | 5 | - | - | - | - | - | 1 | - | - | 1 | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | 1 | - | - | 1 | - | - |
| Male | 3 | - | - | - | - | - | 1 | - | - | 1 | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 7 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | 1 | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | 1 | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| White, both sexes | 3 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | 1 | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 13 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 26 | - | - | - | 1 | - | - | - | - | 4 | 1 | 1 |
| Male | 14 | - | - | - | 1 | - | - | - | - | 2 | - | 1 |
| Female | 12 | - | - | - | - | - | - | - | - | 2 | 1 | - |
| White, both sexes | 24 | - | - | - | 1 | - | - | - | - | 4 | 1 | - |
| Male | 13 | - | - | - | 1 | - | - | - | - | 2 | - | - |
| Female | 11 | - | - | - | - | - | - | - | - | 2 | 1 | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 15 | - | - | - | - | - | - | - | 1 | 1 | - | 1 |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 7 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| White, both sexes | 13 | - | - | - | - | - | - | - | 1 | 1 | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 7 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 13 | 1 | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | 1 | - | - | - | - | - | - | 1 | - | - | 1 |
| White, both sexes | 11 | 1 | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 9 | 1 | - | - | - | - | - | - | 1 | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | 1 | - | 1 | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | 1 | - | 1 | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 15 | - | - | - | - | - | - | 1 | - | 1 | - | 1 |
| Male | 7 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | 8 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 10 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | 4 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | 2 | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | 2 | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 37 | 2 | - | - | - | - | 1 | - | - | 1 | 1 | 1 |
| Male | 13 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 24 | 2 | - | - | - | - | - | - | - | 1 | 1 | 1 |
| White, both sexes | 27 | 2 | - | - | - | - | 1 | - | - | - | 1 | - |
| Male | 10 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 17 | 2 | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 9 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 26 | 1 | - | - | - | - | - | - | 1 | 4 | 2 | 2 |
| Male | 16 | 1 | - | - | - | - | - | - | 1 | 2 | 1 | 1 |
| Female | 10 | - | - | - | - | - | - | - | - | 2 | 1 | 1 |
| White, both sexes | 18 | - | - | - | - | - | - | - | 1 | 2 | 1 | 2 |
| Male | 11 | - | - | - | - | - | - | - | 1 | 2 | - | 1 |
| Female | 7 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | 8 | 1 | - | - | - | - | - | - | - | 2 | 1 | - |
| Male | 5 | 1 | - | - | - | - | - | - | - | - | 1 | - |
| Female | 3 | - | - | - | - | - | - | - | - | 2 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 15 | - | - | - | - | 1 | 1 | - | - | - | 1 | - |
| Male | 7 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 15 | - | - | - | - | 1 | 1 | - | - | - | 1 | - |
| Male | 7 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 6 | - | - | - | - | - | - | - | - | - | 2 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | 2 | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | 1 | - | - | - | - | - | - | 2 | 1 |
| Male | 8 | - | - | 1 | - | - | - | - | - | - | 1 | 1 |
| Female | 9 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 14 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | 1 | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 5 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 7 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 5 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 29 | 1 | - | - | - | - | 1 | - | 1 | 1 | 1 | 1 |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 20 | 1 | - | - | - | - | 1 | - | 1 | 1 | 1 | - |
| White, both sexes | 26 | 1 | - | - | - | - | 1 | - | 1 | 1 | 1 | 1 |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 18 | 1 | - | - | - | - | 1 | - | 1 | 1 | 1 | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 6 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | 1 | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 28 | 39 | 39 | 34 | 34 | 64 | 63 | 56 | 22 | 8 | 1 | - |
| Male | 17 | 20 | 14 | 17 | 12 | 30 | 29 | 21 | 14 | 1 | - | - |
| Female | 11 | 19 | 25 | 17 | 22 | 34 | 34 | 35 | 8 | 7 | 1 | - |
| White, both sexes | 24 | 29 | 28 | 26 | 28 | 53 | 57 | 51 | 18 | 7 | - | - |
| Male | 13 | 15 | 7 | 13 | 10 | 26 | 26 | 20 | 14 | - | - | - |
| Female | 11 | 14 | 21 | 13 | 18 | 27 | 31 | 31 | 4 | 7 | - | - |
| Black, both sexes | 2 | 8 | 10 | 7 | 5 | 9 | 5 | 5 | 2 | 1 | 1 | - |
| Male | 2 | 3 | 6 | 3 | 2 | 4 | 2 | 1 | - | 1 | - | - |
| Female | - | 5 | 4 | 4 | 3 | 5 | 3 | 4 | 2 | - | 1 | - |
| American Indian 1/, both sexes | 1 | - | 1 | - | - | - | - | - | 1 | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 2 | - | 1 | 1 | 2 | 1 | - | 1 | - | - | - |
| Male | 1 | 2 | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | 2 | - | - | 1 | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 1 | - | - | - | - | 1 | - | 1 | - | - |
| Male | 1 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | - | - | - | - | 1 | - | 1 | - | - |
| White, both sexes | 2 | - | 1 | - | - | - | - | 1 | - | 1 | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Black, both sexes | - | 2 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | - | 1 | - | - | 2 | - | - | - | - |
| Male | 1 | - | 1 | - | 1 | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | 1 | - | - | - | 1 | - | - | 2 | - | - | - | - |
| Male | 1 | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | - | 1 | - | 2 | 1 | - | - | - | - |
| Male | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Female | 1 | 1 | - | - | - | - | 1 | 1 | - | - | - | - |
| White, both sexes | 1 | 1 | - | - | 1 | - | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | - | - | - | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 3 | 7 | 2 | 3 | 6 | 7 | 8 | 4 | 6 | 1 | 1 | - |
| Male | 1 | 4 | 1 | 2 | 2 | 3 | 3 | 2 | 3 | - | - | - |
| Female | 2 | 3 | 1 | 1 | 4 | 4 | 5 | 2 | 3 | 1 | 1 | - |
| White, both sexes | 3 | 5 | 1 | 2 | 3 | 6 | 8 | 4 | 5 | 1 | - | - |
| Male | 1 | 2 | - | 1 | 1 | 3 | 3 | 2 | 3 | - | - | - |
| Female | 2 | 3 | 1 | 1 | 2 | 3 | 5 | 2 | 2 | 1 | - | - |
| Black, both sexes | - | 1 | 1 | - | 2 | - | - | - | - | - | 1 | - |
| Male | - | 1 | 1 | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | 1 | 1 | 1 | - | - | 1 | - | - | - |
| Male | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | - | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | 1 | - | - | - | 1 | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | 1 | - | - | - | 1 | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 2 | 1 | 2 | 2 | 3 | 1 | 1 | 1 | - | - |
| Male | 1 | 1 | 1 | - | - | 2 | 1 | 1 | 1 | - | - | - |
| Female | - | 1 | 1 | 1 | 2 | - | 2 | - | - | 1 | - | - |
| White, both sexes | 1 | 2 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | - | - |
| Male | 1 | 1 | 1 | - | - | 2 | - | 1 | 1 | - | - | - |
| Female | - | 1 | 1 | 1 | 1 | - | 2 | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 3 | - | - | 4 | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | 2 | - | 1 | - | - | - | - |
| Female | - | 1 | 2 | - | - | 2 | - | - | - | - | - | - |
| White, both sexes | - | - | 2 | - | - | 3 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | 2 | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | 1 | 1 | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 2 | 2 | 1 | 5 | 4 | 3 | - | - | - | - |
| Male | - | 2 | - | 2 | - | 2 | 3 | - | - | - | - | - |
| Female | - | - | 2 | - | 1 | 3 | 1 | 3 | - | - | - | - |
| White, both sexes | - | 1 | 2 | 2 | 1 | 5 | 4 | 3 | - | - | - | - |
| Male | - | 1 | - | 2 | - | 2 | 3 | - | - | - | - | - |
| Female | - | - | 2 | - | 1 | 3 | 1 | 3 | - | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | 1 | 1 | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 2 | - | 2 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 2 | - | - | - |
| Female | - | - | - | - | - | - | 2 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 2 | - | 2 | - | - | - |
| Male | - | - | - | - | - | - | - | - | 2 | - | - | - |
| Female | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | - | 1 | - | 1 | 1 | - | 1 | - | - |
| Male | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | - | 1 | 1 | - | 1 | - | - | - | - | 1 | - | - |
| White, both sexes | - | 1 | 1 | - | 1 | - | 1 | 1 | - | 1 | - | - |
| Male | - | - | - | - | - | - | 1 | 1 | - | - | - | - |
| Female | - | 1 | 1 | - | 1 | - | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 2 | - | - | 1 | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | 2 | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | 3 | 1 | - | 1 | - | - |
| Male | - | - | 1 | - | - | - | 2 | 1 | - | 1 | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 3 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | 2 | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | 3 | - | 2 | - | 4 | - | - | - | - |
| Male | - | - | - | 1 | - | 2 | - | 1 | - | - | - | - |
| Female | 1 | - | 1 | 2 | - | - | - | 3 | - | - | - | - |
| White, both sexes | 1 | - | 1 | 1 | - | - | - | 3 | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Female | 1 | - | 1 | - | - | - | - | 2 | - | - | - | - |
| Black, both sexes | - | - | - | 2 | - | 2 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 2 | - | - | - | - | - | - |
| Female | - | - | - | 2 | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | 1 | 1 | 1 | - | 1 | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | 1 | - | 1 | - | - |
| White, both sexes | - | - | - | 1 | - | 1 | 1 | 1 | - | 1 | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | 1 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | - | 3 | 3 | 3 | 1 | 3 | 3 | - | 3 | - | - | - |
| Male | - | 1 | - | 2 | 1 | 2 | 2 | - | 2 | - | - | - |
| Female | - | 2 | 3 | 1 | - | 1 | 1 | - | 1 | - | - | - |
| White, both sexes | - | 2 | 3 | 3 | 1 | 3 | 3 | - | 3 | - | - | - |
| Male | - | 1 | - | 2 | 1 | 2 | 2 | - | 2 | - | - | - |
| Female | - | 1 | 3 | 1 | - | 1 | 1 | - | 1 | - | - | - |
| Black, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 1 | 1 | - | 3 | 2 | 1 | 2 | 2 | - | - | - | - |
| Male | 1 | - | - | 2 | 2 | - | 1 | 1 | - | - | - | - |
| Female | - | 1 | - | 1 | - | 1 | 1 | 1 | - | - | - | - |
| White, both sexes | - | 1 | - | 2 | 2 | 1 | 2 | 2 | - | - | - | - |
| Male | - | - | - | 1 | 2 | - | 1 | 1 | - | - | - | - |
| Female | - | 1 | - | 1 | - | 1 | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | 1 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 1 | - | 2 | 2 | - | - | 1 | - | - | - |
| Male | 1 | 2 | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | 1 | - | 2 | 2 | - | - | 1 | - | - | - |
| White, both sexes | 2 | 1 | 1 | - | 2 | 2 | - | - | - | - | - | - |
| Male | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | 1 | - | 2 | 2 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | 1 | - | 1 | - | 1 | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | 1 | - | - |
| White, both sexes | - | 1 | - | - | - | 1 | - | 1 | - | 1 | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 2 | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | 2 | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | 1 | 1 | 1 | 2 | 1 | 2 | - | - | - | - |
| Male | 2 | 2 | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | 1 | 1 | 2 | - | 2 | - | - | - | - |
| White, both sexes | 1 | 2 | - | 1 | 1 | 2 | 1 | 1 | - | - | - | - |
| Male | 1 | 2 | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | 1 | 2 | - | 1 | - | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 2 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | 2 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 4 | 3 | 4 | 1 | 5 | 6 | 3 | 3 | 2 | - | - | - |
| Male | 3 | 1 | 1 | - | - | 4 | 1 | - | 2 | - | - | - |
| Female | 1 | 2 | 3 | 1 | 5 | 2 | 2 | 3 | - | - | - | - |
| White, both sexes | 3 | 1 | 3 | - | 4 | 6 | 2 | 2 | 2 | - | - | - |
| Male | 2 | 1 | - | - | - | 4 | - | - | 2 | - | - | - |
| Female | 1 | - | 3 | - | 4 | 2 | 2 | 2 | - | - | - | - |
| Black, both sexes | 1 | 2 | 1 | 1 | 1 | - | - | 1 | - | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | 2 | - | 1 | 1 | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 2 | 1 | - | 2 | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Female | 1 | - | 2 | 1 | - | 1 | 1 | - | - | - | - | - |
| White, both sexes | 1 | - | 1 | - | - | 1 | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Female | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | 1 | 1 | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | 1 | - | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 2 | - | 2 | 2 | 2 | 2 | 3 | 2 | - | 1 | - | - |
| Male | 2 | - | 2 | 1 | 1 | 1 | 1 | 2 | - | - | - | - |
| Female | - | - | - | 1 | 1 | 1 | 2 | - | - | 1 | - | - |
| White, both sexes | 2 | - | 1 | 1 | 2 | 1 | 2 | 2 | - | 1 | - | - |
| Male | 2 | - | 1 | - | 1 | - | 1 | 2 | - | - | - | - |
| Female | - | - | - | 1 | 1 | 1 | 1 | - | - | 1 | - | - |
| Black, both sexes | - | - | 1 | 1 | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | 1 | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | - | 3 | 2 | 1 | 1 | 2 | - | - | - | - |
| Male | 1 | 2 | - | - | 1 | - | 1 | - | - | - | - | - |
| Female | - | - | - | 3 | 1 | 1 | - | 2 | - | - | - | - |
| White, both sexes | 1 | 2 | - | 3 | 2 | 1 | 1 | 2 | - | - | - | - |
| Male | 1 | 2 | - | - | 1 | - | 1 | - | - | - | - | - |
| Female | - | - | - | 3 | 1 | 1 | - | 2 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 4 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Female | - | - | - | - | - | - | 2 | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 4 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Female | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | - | 1 | 1 | 3 | 4 | 2 | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | 2 | 1 | - | - | - |
| Female | - | - | - | - | 1 | 1 | 3 | 2 | 1 | - | - | - |
| White, both sexes | 1 | - | 1 | - | 1 | 1 | 3 | 4 | 2 | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | 2 | 1 | - | - | - |
| Female | - | - | - | - | 1 | 1 | 3 | 2 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 2 | - | 1 | 1 | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | 1 | 2 | - | - | - | 1 | - | 1 | - | - | - |
| White, both sexes | - | 1 | 2 | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | 2 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | 1 | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | 1 | - | 3 | 3 | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | 2 | - | - | - | - | - |
| Female | - | 1 | - | 1 | - | 3 | 1 | - | - | - | - | - |
| White, both sexes | - | 1 | - | 1 | - | 1 | 3 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Female | - | 1 | - | 1 | - | 1 | 1 | - | - | - | - | - |
| Black, both sexes | - | - | 1 | - | - | 2 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 2 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 2 | 4 | 1 | 2 | 1 | 7 | 4 | 2 | - | - | - | - |
| Male | - | 1 | - | 1 | 1 | 4 | 1 | - | - | - | - | - |
| Female | 2 | 3 | 1 | 1 | - | 3 | 3 | 2 | - | - | - | - |
| White, both sexes | 2 | 4 | 1 | 1 | 1 | 5 | 4 | 2 | - | - | - | - |
| Male | - | 1 | - | - | 1 | 4 | 1 | - | - | - | - | - |
| Female | 2 | 3 | 1 | 1 | - | 1 | 3 | 2 | - | - | - | - |
| Black, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | 2 | - | - | 1 | 4 | 1 | - | - | - |
| Male | - | 1 | 1 | 1 | - | - | 1 | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | 3 | 1 | - | - | - |
| White, both sexes | - | 1 | - | 2 | - | - | 1 | 3 | - | - | - | - |
| Male | - | 1 | - | 1 | - | - | 1 | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | 2 | - | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | 1 | 1 | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 1 | 3 | 2 | - | - | - | - | - | - |
| Male | - | 1 | - | - | 1 | 2 | - | - | - | - | - | - |
| Female | - | - | - | 1 | 2 | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | 1 | 3 | 2 | - | - | - | - | - | - |
| Male | - | 1 | - | - | 1 | 2 | - | - | - | - | - | - |
| Female | - | - | - | 1 | 2 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | 3 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Female | 1 | - | - | - | - | - | - | 2 | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | 3 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Female | 1 | - | - | - | - | - | - | 2 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Of other and unspecified sites (D10-D24,D29-D30,D34-D36) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | 1 | - | - | 1 | 2 | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 2 | - | - | - | - |
| White, both sexes | 1 | - | - | 1 | - | - | 1 | 2 | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 2 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 11,524 | 35 | 39 | 37 | 31 | 37 | 30 | 49 | 65 | 99 | 157 | 229 |
| Male | 5,970 | 13 | 23 | 16 | 13 | 21 | 20 | 27 | 37 | 55 | 87 | 128 |
| Female | 5,554 | 22 | 16 | 21 | 18 | 16 | 10 | 22 | 28 | 44 | 70 | 101 |
| White, both sexes | 10,432 | 23 | 30 | 28 | 24 | 28 | 27 | 40 | 52 | 79 | 125 | 179 |
| Male | 5,443 | 9 | 19 | 13 | 11 | 17 | 17 | 24 | 30 | 44 | 67 | 104 |
| Female | 4,989 | 14 | 11 | 15 | 13 | 11 | 10 | 16 | 22 | 35 | 58 | 75 |
| Black, both sexes | 841 | 10 | 5 | 6 | 5 | 6 | 2 | 6 | 11 | 19 | 27 | 42 |
| Male | 393 | 4 | 2 | 1 | 1 | 3 | 2 | 1 | 6 | 11 | 17 | 21 |
| Female | 448 | 6 | 3 | 5 | 4 | 3 | - | 5 | 5 | 8 | 10 | 21 |
| American Indian 1/, both sexes | 42 | - | - | - | - | - | 1 | 1 | - | - | 2 | 2 |
| Male | 19 | - | - | - | - | - | 1 | 1 | - | - | 1 | 1 |
| Female | 23 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Asian or Pacific Islander 2/, both sexes | 209 | 2 | 4 | 3 | 2 | 3 | - | 2 | 2 | 1 | 3 | 6 |
| Male | 115 | - | 2 | 2 | 1 | 1 | - | 1 | 1 | - | 2 | 2 |
| Female | 94 | 2 | 2 | 1 | 1 | 2 | - | 1 | 1 | 1 | 1 | 4 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 197 | - | - | - | 3 | - | - | - | 2 | 3 | 6 | 9 |
| Male | 110 | - | - | - | - | - | - | - | 2 | 1 | 5 | 3 |
| Female | 87 | - | - | - | 3 | - | - | - | - | 2 | 1 | 6 |
| White, both sexes | 174 | - | - | - | 3 | - | - | - | - | 3 | 3 | 7 |
| Male | 97 | - | - | - | - | - | - | - | - | 1 | 2 | 2 |
| Female | 77 | - | - | - | 3 | - | - | - | - | 2 | 1 | 5 |
| Black, both sexes | 22 | - | - | - | - | - | - | - | 2 | - | 3 | 2 |
| Male | 13 | - | - | - | - | - | - | - | 2 | - | 3 | 1 |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 19 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 15 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 371 | 2 | 1 | 1 | - | - | - | 2 | 2 | 3 | 5 | 12 |
| Male | 211 | 2 | 1 | 1 | - | - | - | 2 | 2 | 1 | 3 | 5 |
| Female | 160 | - | - | - | - | - | - | - | - | 2 | 2 | 7 |
| White, both sexes | 353 | 1 | - | 1 | - | - | - | 1 | 2 | 3 | 5 | 12 |
| Male | 202 | 1 | - | 1 | - | - | - | 1 | 2 | 1 | 3 | 5 |
| Female | 151 | - | - | - | - | - | - | - | - | 2 | 2 | 7 |
| Black, both sexes | 8 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 6 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 106 | - | - | - | 1 | - | 1 | 1 | 1 | 1 | - | 4 |
| Male | 57 | - | - | - | - | - | 1 | - | 1 | - | - | 2 |
| Female | 49 | - | - | - | 1 | - | - | 1 | - | 1 | - | 2 |
| White, both sexes | 100 | - | - | - | 1 | - | 1 | 1 | 1 | 1 | - | 4 |
| Male | 55 | - | - | - | - | - | 1 | - | 1 | - | - | 2 |
| Female | 45 | - | - | - | 1 | - | - | 1 | - | 1 | - | 2 |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 991 | 3 | 2 | 4 | 3 | 7 | 3 | 7 | 5 | 7 | 11 | 14 |
| Male | 536 | 1 | - | 3 | 1 | 3 | 1 | 4 | 3 | 5 | 5 | 7 |
| Female | 455 | 2 | 2 | 1 | 2 | 4 | 2 | 3 | 2 | 2 | 6 | 7 |
| White, both sexes | 852 | 2 | 2 | 2 | 2 | 5 | 3 | 5 | 5 | 6 | 7 | 11 |
| Male | 462 | 1 | - | 2 | 1 | 2 | 1 | 4 | 3 | 5 | 4 | 5 |
| Female | 390 | 1 | 2 | - | 1 | 3 | 2 | 1 | 2 | 1 | 3 | 6 |
| Black, both sexes | 44 | 1 | - | - | - | - | - | 1 | - | - | 2 | 1 |
| Male | 24 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 20 | 1 | - | - | - | - | - | 1 | - | - | 2 | - |
| American Indian 1/, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 91 | - | - | 2 | 1 | 2 | - | 1 | - | 1 | 2 | 2 |
| Male | 47 | - | - | 1 | - | 1 | - | - | - | - | 1 | 1 |
| Female | 44 | - | - | 1 | 1 | 1 | - | 1 | - | 1 | 1 | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 181 | - | - | - | - | - | - | - | - | - | 3 | 5 |
| Male | 82 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | 99 | - | - | - | - | - | - | - | - | - | 3 | 2 |
| White, both sexes | 174 | - | - | - | - | - | - | - | - | - | 3 | 5 |
| Male | 80 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | 94 | - | - | - | - | - | - | - | - | - | 3 | 2 |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 180 | - | - | - | 1 | 1 | - | 2 | 1 | 3 | 1 | 1 |
| Male | 83 | - | - | - | 1 | 1 | - | 1 | 1 | 2 | - | 1 |
| Female | 97 | - | - | - | - | - | - | 1 | - | 1 | 1 | - |
| White, both sexes | 173 | - | - | - | 1 | 1 | - | 2 | 1 | 3 | 1 | 1 |
| Male | 82 | - | - | - | 1 | 1 | - | 1 | 1 | 2 | - | 1 |
| Female | 91 | - | - | - | - | - | - | 1 | - | 1 | 1 | - |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 43 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Male | 28 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 15 | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | 38 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Male | 25 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 13 | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 14 | 1 | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 10 | 1 | - | - | - | - | - | - | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 5 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 8 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 893 | 2 | 3 | 1 | 1 | 1 | 2 | 3 | 4 | 6 | 5 | 22 |
| Male | 467 | 1 | 3 | 1 | - | - | 2 | 1 | 2 | 5 | 3 | 15 |
| Female | 426 | 1 | - | - | 1 | 1 | - | 2 | 2 | 1 | 2 | 7 |
| White, both sexes | 832 | 2 | 3 | - | 1 | - | 2 | 2 | 4 | 4 | 4 | 16 |
| Male | 443 | 1 | 3 | - | - | - | 2 | 1 | 2 | 4 | 3 | 12 |
| Female | 389 | 1 | - | - | 1 | - | - | 1 | 2 | - | 1 | 4 |
| Black, both sexes | 58 | - | - | 1 | - | 1 | - | 1 | - | 2 | 1 | 4 |
| Male | 23 | - | - | 1 | - | - | - | - | - | 1 | - | 2 |
| Female | 35 | - | - | - | - | 1 | - | 1 | - | 1 | 1 | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 273 | 1 | 1 | 3 | 2 | 1 | 1 | 2 | 2 | 6 | 2 | 7 |
| Male | 138 | 1 | 1 | 1 | 2 | - | 1 | - | - | 4 | 2 | 3 |
| Female | 135 | - | - | 2 | - | 1 | - | 2 | 2 | 2 | - | 4 |
| White, both sexes | 227 | 1 | - | 2 | 1 | - | 1 | 2 | 1 | 4 | - | 6 |
| Male | 118 | 1 | - | 1 | 1 | - | 1 | - | - | 3 | - | 3 |
| Female | 109 | - | - | 1 | - | - | - | 2 | 1 | 1 | - | 3 |
| Black, both sexes | 45 | - | 1 | 1 | 1 | 1 | - | - | 1 | 2 | 2 | 1 |
| Male | 20 | - | 1 | - | 1 | - | - | - | - | 1 | 2 | - |
| Female | 25 | - | - | 1 | - | 1 | - | - | 1 | 1 | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 41 | - | 1 | - | - | - | - | - | - | - | 1 | 1 |
| Male | 27 | - | 1 | - | - | - | - | - | - | - | 1 | - |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 28 | - | 1 | - | - | - | - | - | - | - | 1 | 1 |
| Male | 19 | - | 1 | - | - | - | - | - | - | - | 1 | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | 1 |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 46 | - | - | - | - | - | - | - | 1 | 1 | - | 1 |
| Male | 29 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 46 | - | - | - | - | - | - | - | 1 | 1 | - | 1 |
| Male | 29 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Female | 17 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 506 | 3 | 3 | - | 1 | 1 | - | 2 | 5 | 3 | 9 | 18 |
| Male | 242 | 1 | 1 | - | - | 1 | - | 2 | 3 | 2 | 4 | 12 |
| Female | 264 | 2 | 2 | - | 1 | - | - | - | 2 | 1 | 5 | 6 |
| White, both sexes | 456 | - | 2 | - | 1 | 1 | - | 1 | 5 | 3 | 9 | 14 |
| Male | 216 | - | 1 | - | - | 1 | - | 1 | 3 | 2 | 4 | 11 |
| Female | 240 | - | 1 | - | 1 | - | - | - | 2 | 1 | 5 | 3 |
| Black, both sexes | 44 | 3 | 1 | - | - | - | - | - | - | - | - | 4 |
| Male | 22 | 1 | - | - | - | - | - | - | - | - | - | 1 |
| Female | 22 | 2 | 1 | - | - | - | - | - | - | - | - | 3 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 288 | - | 2 | 1 | 2 | 1 | 1 | - | - | 3 | 3 | 8 |
| Male | 162 | - | 1 | - | - | - | - | - | - | 3 | 2 | 6 |
| Female | 126 | - | 1 | 1 | 2 | 1 | 1 | - | - | - | 1 | 2 |
| White, both sexes | 267 | - | 2 | - | - | 1 | 1 | - | - | 3 | 3 | 6 |
| Male | 150 | - | 1 | - | - | - | - | - | - | 3 | 2 | 4 |
| Female | 117 | - | 1 | - | - | 1 | 1 | - | - | - | 1 | 2 |
| Black, both sexes | 21 | - | - | 1 | 2 | - | - | - | - | - | - | 2 |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 9 | - | - | 1 | 2 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 134 | 2 | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 62 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 72 | 2 | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 133 | 2 | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 61 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 72 | 2 | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 106 | - | - | 3 | - | 1 | - | - | - | 1 | 2 | 1 |
| Male | 48 | - | - | 1 | - | - | - | - | - | - | 2 | 1 |
| Female | 58 | - | - | 2 | - | 1 | - | - | - | 1 | - | - |
| White, both sexes | 101 | - | - | 3 | - | 1 | - | - | - | 1 | 1 | 1 |
| Male | 45 | - | - | 1 | - | - | - | - | - | - | 1 | 1 |
| Female | 56 | - | - | 2 | - | 1 | - | - | - | 1 | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 160 | - | - | 1 | 1 | 1 | - | - | - | 1 | - | 4 |
| Male | 70 | - | - | - | - | - | - | - | - | - | - | 3 |
| Female | 90 | - | - | 1 | 1 | 1 | - | - | - | 1 | - | 1 |
| White, both sexes | 152 | - | - | 1 | 1 | 1 | - | - | - | 1 | - | 3 |
| Male | 66 | - | - | - | - | - | - | - | - | - | - | 2 |
| Female | 86 | - | - | 1 | 1 | 1 | - | - | - | 1 | - | 1 |
| Black, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 164 | 1 | 2 | - | 1 | - | 2 | - | 4 | 2 | 4 | 4 |
| Male | 90 | - | - | - | - | - | 2 | - | 2 | - | 2 | 3 |
| Female | 74 | 1 | 2 | - | 1 | - | - | - | 2 | 2 | 2 | 1 |
| White, both sexes | 125 | 1 | 1 | - | - | - | - | - | 3 | - | 3 | 2 |
| Male | 66 | - | - | - | - | - | - | - | 1 | - | 1 | 1 |
| Female | 59 | 1 | 1 | - | - | - | - | - | 2 | - | 2 | 1 |
| Black, both sexes | 37 | - | 1 | - | 1 | - | 2 | - | 1 | 2 | 1 | 2 |
| Male | 22 | - | - | - | - | - | 2 | - | 1 | - | 1 | 2 |
| Female | 15 | - | 1 | - | 1 | - | - | - | - | 2 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 100 | - | - | - | 1 | - | 2 | 1 | - | - | 1 | 1 |
| Male | 54 | - | - | - | 1 | - | 2 | 1 | - | - | - | - |
| Female | 46 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| White, both sexes | 98 | - | - | - | 1 | - | 2 | 1 | - | - | 1 | 1 |
| Male | 54 | - | - | - | 1 | - | 2 | 1 | - | - | - | - |
| Female | 44 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 243 | 1 | 1 | 1 | 2 | - | - | 1 | 2 | 2 | 2 | 6 |
| Male | 128 | 1 | - | - | 1 | - | - | - | 1 | 2 | 2 | 5 |
| Female | 115 | - | 1 | 1 | 1 | - | - | 1 | 1 | - | - | 1 |
| White, both sexes | 194 | - | 1 | - | 1 | - | - | 1 | 2 | 1 | 2 | 3 |
| Male | 100 | - | - | - | 1 | - | - | - | 1 | 1 | 2 | 2 |
| Female | 94 | - | 1 | - | - | - | - | 1 | 1 | - | - | 1 |
| Black, both sexes | 43 | 1 | - | 1 | 1 | - | - | - | - | 1 | - | 3 |
| Male | 24 | 1 | - | - | - | - | - | - | - | 1 | - | 3 |
| Female | 19 | - | - | 1 | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 305 | - | 2 | - | 1 | - | 2 | 2 | - | 2 | 2 | 4 |
| Male | 155 | - | 1 | - | 1 | - | 2 | 1 | - | 1 | 1 | 2 |
| Female | 150 | - | 1 | - | - | - | - | 1 | - | 1 | 1 | 2 |
| White, both sexes | 294 | - | 2 | - | 1 | - | 2 | 2 | - | 1 | 2 | 3 |
| Male | 151 | - | 1 | - | 1 | - | 2 | 1 | - | - | 1 | 2 |
| Female | 143 | - | 1 | - | - | - | - | 1 | - | 1 | 1 | 1 |
| Black, both sexes | 8 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 409 | 2 | 1 | - | - | 3 | 1 | 3 | 1 | 2 | 4 | 3 |
| Male | 224 | - | - | - | - | 2 | 1 | 1 | 1 | 2 | 4 | - |
| Female | 185 | 2 | 1 | - | - | 1 | - | 2 | - | - | - | 3 |
| White, both sexes | 364 | 1 | - | - | - | 3 | 1 | 1 | - | 1 | 3 | 2 |
| Male | 201 | - | - | - | - | 2 | 1 | 1 | - | 1 | 3 | - |
| Female | 163 | 1 | - | - | - | 1 | - | - | - | - | - | 2 |
| Black, both sexes | 41 | 1 | - | - | - | - | - | 2 | 1 | 1 | 1 | 1 |
| Male | 21 | - | - | - | - | - | - | - | 1 | 1 | 1 | - |
| Female | 20 | 1 | - | - | - | - | - | 2 | - | - | - | 1 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 242 | - | - | 1 | 1 | - | - | - | 2 | 1 | 3 | 2 |
| Male | 117 | - | - | - | 1 | - | - | - | 1 | - | 1 | - |
| Female | 125 | - | - | 1 | - | - | - | - | 1 | 1 | 2 | 2 |
| White, both sexes | 233 | - | - | 1 | 1 | - | - | - | 1 | 1 | 2 | 2 |
| Male | 115 | - | - | - | 1 | - | - | - | 1 | - | 1 | - |
| Female | 118 | - | - | 1 | - | - | - | - | - | 1 | 1 | 2 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | 1 | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 117 | - | - | 1 | - | - | - | 2 | - | 4 | 2 | 6 |
| Male | 59 | - | - | 1 | - | - | - | 1 | - | 2 | 1 | 3 |
| Female | 58 | - | - | - | - | - | - | 1 | - | 2 | 1 | 3 |
| White, both sexes | 91 | - | - | 1 | - | - | - | 2 | - | 3 | 1 | 3 |
| Male | 51 | - | - | 1 | - | - | - | 1 | - | 2 | - | 2 |
| Female | 40 | - | - | - | - | - | - | 1 | - | 1 | 1 | 1 |
| Black, both sexes | 25 | - | - | - | - | - | - | - | - | 1 | 1 | 3 |
| Male | 8 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 17 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 217 | - | 3 | 2 | - | - | 1 | - | - | 1 | 6 | 8 |
| Male | 105 | - | 2 | 1 | - | - | - | - | - | 1 | 4 | 5 |
| Female | 112 | - | 1 | 1 | - | - | 1 | - | - | - | 2 | 3 |
| White, both sexes | 202 | - | 3 | 2 | - | - | 1 | - | - | 1 | 6 | 6 |
| Male | 100 | - | 2 | 1 | - | - | - | - | - | 1 | 4 | 4 |
| Female | 102 | - | 1 | 1 | - | - | 1 | - | - | - | 2 | 2 |
| Black, both sexes | 13 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 61 | - | - | - | - | 1 | - | 1 | - | 2 | 1 | - |
| Male | 23 | - | - | - | - | 1 | - | - | - | - | 1 | - |
| Female | 38 | - | - | - | - | - | - | 1 | - | 2 | - | - |
| White, both sexes | 59 | - | - | - | - | 1 | - | 1 | - | 2 | - | - |
| Male | 22 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 37 | - | - | - | - | - | - | 1 | - | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 67 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 37 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 30 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 67 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 37 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 30 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 41 | - | - | - | 1 | - | - | - | - | 2 | - | - |
| Male | 30 | - | - | - | - | - | - | - | - | 2 | - | - |
| Female | 11 | - | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | 37 | - | - | - | 1 | - | - | - | - | 2 | - | - |
| Male | 28 | - | - | - | - | - | - | - | - | 2 | - | - |
| Female | 9 | - | - | - | 1 | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 61 | - | - | - | - | 1 | - | - | 1 | - | - | 2 |
| Male | 32 | - | - | - | - | 1 | - | - | 1 | - | - | 1 |
| Female | 29 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 61 | - | - | - | - | 1 | - | - | 1 | - | - | 2 |
| Male | 32 | - | - | - | - | 1 | - | - | 1 | - | - | 1 |
| Female | 29 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 407 | 3 | 2 | 1 | - | 2 | 1 | 1 | 3 | 2 | 9 | 4 |
| Male | 206 | 1 | 2 | - | - | 2 | 1 | 1 | 2 | 2 | 2 | 4 |
| Female | 201 | 2 | - | 1 | - | - | - | - | 1 | - | 7 | - |
| White, both sexes | 364 | 1 | 2 | 1 | - | 1 | 1 | 1 | 1 | 2 | 8 | 4 |
| Male | 186 | 1 | 2 | - | - | 1 | 1 | 1 | 1 | 2 | 2 | 4 |
| Female | 178 | - | - | 1 | - | - | - | - | - | - | 6 | - |
| Black, both sexes | 34 | 1 | - | - | - | 1 | - | - | 1 | - | 1 | - |
| Male | 15 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 19 | 1 | - | - | - | - | - | - | 1 | - | 1 | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | 1 | - | - | - | - | - | - | 1 | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | 1 | - | - | - |
| Female | 3 | 1 | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 78 | 1 | - | - | - | 2 | - | - | - | - | - | - |
| Male | 47 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 31 | - | - | - | - | 2 | - | - | - | - | - | - |
| White, both sexes | 75 | 1 | - | - | - | 2 | - | - | - | - | - | - |
| Male | 45 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | 30 | - | - | - | - | 2 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 649 | 1 | 1 | 3 | 3 | 7 | 3 | 4 | 5 | 5 | 10 | 10 |
| Male | 347 | 1 | 1 | 2 | 1 | 6 | 1 | 3 | 3 | 3 | 6 | 6 |
| Female | 302 | - | - | 1 | 2 | 1 | 2 | 1 | 2 | 2 | 4 | 4 |
| White, both sexes | 573 | - | 1 | 3 | 3 | 5 | 3 | 3 | 3 | 4 | 9 | 6 |
| Male | 308 | - | 1 | 2 | 1 | 5 | 1 | 2 | 2 | 2 | 6 | 5 |
| Female | 265 | - | - | 1 | 2 | - | 2 | 1 | 1 | 2 | 3 | 1 |
| Black, both sexes | 64 | 1 | - | - | - | 1 | - | 1 | 2 | 1 | 1 | 3 |
| Male | 30 | 1 | - | - | - | 1 | - | 1 | 1 | 1 | - | 1 |
| Female | 34 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 12 | - | - | - | - | 1 | - | - | - | - | - | 1 |
| Male | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | 1 | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 317 | 4 | 1 | - | - | - | 1 | 2 | 2 | 4 | 7 | 3 |
| Male | 154 | 1 | - | - | - | - | - | 2 | 1 | 3 | 2 | 1 |
| Female | 163 | 3 | 1 | - | - | - | 1 | - | 1 | 1 | 5 | 2 |
| White, both sexes | 262 | 3 | 1 | - | - | - | 1 | 2 | 2 | 1 | 4 | 2 |
| Male | 129 | 1 | - | - | - | - | - | 2 | 1 | 1 | 1 | - |
| Female | 133 | 2 | 1 | - | - | - | 1 | - | 1 | - | 3 | 2 |
| Black, both sexes | 51 | 1 | - | - | - | - | - | - | - | 3 | 2 | 1 |
| Male | 24 | - | - | - | - | - | - | - | - | 2 | 1 | 1 |
| Female | 27 | 1 | - | - | - | - | - | - | - | 1 | 1 | - |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | 1 | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 31 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 16 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 15 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 31 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 16 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 15 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 513 | 2 | 1 | - | - | - | 1 | - | 4 | 7 | 9 | 7 |
| Male | 274 | - | 1 | - | - | - | - | - | 1 | 5 | 3 | 5 |
| Female | 239 | 2 | - | - | - | - | 1 | - | 3 | 2 | 6 | 2 |
| White, both sexes | 479 | 2 | 1 | - | - | - | 1 | - | 4 | 5 | 7 | 6 |
| Male | 255 | - | 1 | - | - | - | - | - | 1 | 4 | 1 | 4 |
| Female | 224 | 2 | - | - | - | - | 1 | - | 3 | 1 | 6 | 2 |
| Black, both sexes | 33 | - | - | - | - | - | - | - | - | 2 | 2 | 1 |
| Male | 18 | - | - | - | - | - | - | - | - | 1 | 2 | 1 |
| Female | 15 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 134 | - | - | - | - | - | 1 | - | 1 | 1 | 2 | 3 |
| Male | 68 | - | - | - | - | - | 1 | - | 1 | 1 | - | 3 |
| Female | 66 | - | - | - | - | - | - | - | - | - | 2 | - |
| White, both sexes | 122 | - | - | - | - | - | - | - | 1 | 1 | 2 | 3 |
| Male | 63 | - | - | - | - | - | - | - | 1 | 1 | - | 3 |
| Female | 59 | - | - | - | - | - | - | - | - | - | 2 | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 9 | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 178 | - | - | 1 | - | 2 | - | - | 1 | 1 | - | 2 |
| Male | 92 | - | - | 1 | - | 2 | - | - | - | - | - | 2 |
| Female | 86 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| White, both sexes | 171 | - | - | 1 | - | 1 | - | - | 1 | 1 | - | 2 |
| Male | 89 | - | - | 1 | - | 1 | - | - | - | - | - | 2 |
| Female | 82 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Black, both sexes | 3 | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 626 | - | 1 | 2 | 1 | 2 | 1 | - | 3 | 2 | 10 | 9 |
| Male | 307 | - | 1 | - | - | - | - | - | 3 | 2 | 8 | 4 |
| Female | 319 | - | - | 2 | 1 | 2 | 1 | - | - | - | 2 | 5 |
| White, both sexes | 588 | - | 1 | 2 | 1 | 1 | 1 | - | 3 | 1 | 8 | 6 |
| Male | 292 | - | 1 | - | - | - | - | - | 3 | 1 | 8 | 2 |
| Female | 296 | - | - | 2 | 1 | 1 | 1 | - | - | - | - | 4 |
| Black, both sexes | 36 | - | - | - | - | 1 | - | - | - | 1 | 2 | 3 |
| Male | 13 | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Female | 23 | - | - | - | - | 1 | - | - | - | - | 2 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 49 | - | - | 1 | - | - | - | - | 1 | - | 3 | 1 |
| Male | 24 | - | - | 1 | - | - | - | - | - | - | 3 | - |
| Female | 25 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| White, both sexes | 47 | - | - | 1 | - | - | - | - | 1 | - | 3 | 1 |
| Male | 22 | - | - | 1 | - | - | - | - | - | - | 3 | - |
| Female | 25 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 175 | - | 1 | 4 | - | - | - | - | 4 | 2 | 5 | 3 |
| Male | 84 | - | 1 | 2 | - | - | - | - | 2 | - | 3 | 1 |
| Female | 91 | - | - | 2 | - | - | - | - | 2 | 2 | 2 | 2 |
| White, both sexes | 130 | - | 1 | 3 | - | - | - | - | 2 | 2 | 2 | 1 |
| Male | 63 | - | 1 | 1 | - | - | - | - | 1 | - | 1 | 1 |
| Female | 67 | - | - | 2 | - | - | - | - | 1 | 2 | 1 | - |
| Black, both sexes | 44 | - | - | - | - | - | - | - | 2 | - | 3 | 2 |
| Male | 20 | - | - | - | - | - | - | - | 1 | - | 2 | - |
| Female | 24 | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 59 | - | - | - | - | - | 1 | - | 1 | - | - | 1 |
| Male | 30 | - | - | - | - | - | 1 | - | 1 | - | - | 1 |
| Female | 29 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 58 | - | - | - | - | - | 1 | - | 1 | - | - | 1 |
| Male | 30 | - | - | - | - | - | 1 | - | 1 | - | - | 1 |
| Female | 28 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 182 | - | - | - | - | 1 | - | 3 | - | 4 | 2 | 3 |
| Male | 90 | - | - | - | - | 1 | - | 1 | - | 2 | 1 | 2 |
| Female | 92 | - | - | - | - | - | - | 2 | - | 2 | 1 | 1 |
| White, both sexes | 167 | - | - | - | - | 1 | - | 3 | - | 3 | 2 | 3 |
| Male | 81 | - | - | - | - | 1 | - | 1 | - | 1 | 1 | 2 |
| Female | 86 | - | - | - | - | - | - | 2 | - | 2 | 1 | 1 |
| Black, both sexes | 14 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 9 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 547 | 2 | 4 | 3 | - | 1 | 4 | 5 | 4 | 2 | 11 | 10 |
| Male | 293 | - | 3 | 1 | - | 1 | 4 | 2 | 1 | - | 4 | 4 |
| Female | 254 | 2 | 1 | 2 | - | - | - | 3 | 3 | 2 | 7 | 6 |
| White, both sexes | 500 | 2 | 4 | 2 | - | 1 | 4 | 4 | 3 | 2 | 10 | 8 |
| Male | 271 | - | 3 | 1 | - | 1 | 4 | 2 | 1 | - | 3 | 4 |
| Female | 229 | 2 | 1 | 1 | - | - | - | 2 | 2 | 2 | 7 | 4 |
| Black, both sexes | 46 | - | - | 1 | - | - | - | 1 | 1 | - | 1 | 2 |
| Male | 22 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 24 | - | - | 1 | - | - | - | 1 | 1 | - | - | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 77 | 1 | 1 | 1 | - | - | - | - | - | 3 | 2 | 4 |
| Male | 44 | - | 1 | - | - | - | - | - | - | 2 | 2 | 3 |
| Female | 33 | 1 | - | 1 | - | - | - | - | - | 1 | - | 1 |
| White, both sexes | 76 | 1 | 1 | 1 | - | - | - | - | - | 3 | 2 | 3 |
| Male | 43 | - | 1 | - | - | - | - | - | - | 2 | 2 | 2 |
| Female | 33 | 1 | - | 1 | - | - | - | - | - | 1 | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 34 | - | - | - | - | - | - | - | - | 2 | - | - |
| Male | 16 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 18 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 32 | - | - | - | - | - | - | - | - | 2 | - | - |
| Male | 14 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 18 | - | - | - | - | - | - | - | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 292 | 2 | 3 | 2 | - | 1 | 1 | 1 | - | 3 | 3 | 8 |
| Male | 139 | 1 | 1 | - | - | - | - | 1 | - | - | 2 | 3 |
| Female | 153 | 1 | 2 | 2 | - | 1 | 1 | - | - | 3 | 1 | 5 |
| White, both sexes | 242 | 1 | - | 1 | - | 1 | 1 | 1 | - | 3 | 2 | 6 |
| Male | 123 | 1 | - | - | - | - | - | 1 | - | - | 1 | 3 |
| Female | 119 | - | - | 1 | - | 1 | 1 | - | - | 3 | 1 | 3 |
| Black, both sexes | 46 | - | 2 | 1 | - | - | - | - | - | - | 1 | 2 |
| Male | 15 | - | 1 | - | - | - | - | - | - | - | 1 | - |
| Female | 31 | - | 1 | 1 | - | - | - | - | - | - | - | 2 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 4 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | 1 | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 181 | - | - | - | 3 | - | - | 1 | 2 | 1 | 3 | 4 |
| Male | 95 | - | - | - | 2 | - | - | 1 | 1 | - | 2 | 1 |
| Female | 86 | - | - | - | 1 | - | - | - | 1 | 1 | 1 | 3 |
| White, both sexes | 176 | - | - | - | 3 | - | - | 1 | 2 | 1 | 2 | 3 |
| Male | 93 | - | - | - | 2 | - | - | 1 | 1 | - | 1 | 1 |
| Female | 83 | - | - | - | 1 | - | - | - | 1 | 1 | 1 | 2 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 112 | - | 1 | - | 1 | - | - | - | - | - | 2 | 4 |
| Male | 58 | - | 1 | - | 1 | - | - | - | - | - | 2 | 1 |
| Female | 54 | - | - | - | - | - | - | - | - | - | - | 3 |
| White, both sexes | 110 | - | 1 | - | 1 | - | - | - | - | - | 2 | 4 |
| Male | 58 | - | 1 | - | 1 | - | - | - | - | - | 2 | 1 |
| Female | 52 | - | - | - | - | - | - | - | - | - | - | 3 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 288 | - | 1 | - | 1 | - | - | 3 | - | 3 | 3 | 4 |
| Male | 148 | - | - | - | 1 | - | - | 2 | - | - | 1 | 3 |
| Female | 140 | - | 1 | - | - | - | - | 1 | - | 3 | 2 | 1 |
| White, both sexes | 274 | - | 1 | - | - | - | - | 3 | - | 3 | 3 | 4 |
| Male | 141 | - | - | - | - | - | - | 2 | - | - | 1 | 3 |
| Female | 133 | - | 1 | - | - | - | - | 1 | - | 3 | 2 | 1 |
| Black, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | 3 | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 19 | 1 | - | - | - | - | - | - | - | - | 1 | - |
| Male | 13 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 6 | 1 | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 19 | 1 | - | - | - | - | - | - | - | - | 1 | - |
| Male | 13 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 6 | 1 | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 312 | 446 | 594 | 824 | 1,171 | 1,780 | 2,205 | 1,938 | 1,099 | 301 | 46 | - |
| Male | 192 | 254 | 377 | 503 | 684 | 1,007 | 1,166 | 884 | 376 | 77 | 10 | - |
| Female | 120 | 192 | 217 | 321 | 487 | 773 | 1,039 | 1,054 | 723 | 224 | 36 | - |
| White, both sexes | 259 | 384 | 516 | 723 | 1,047 | 1,637 | 2,054 | 1,820 | 1,037 | 276 | 44 | - |
| Male | 162 | 220 | 330 | 449 | 623 | 935 | 1,097 | 840 | 352 | 71 | 9 | - |
| Female | 97 | 164 | 186 | 274 | 424 | 702 | 957 | 980 | 685 | 205 | 35 | - |
| Black, both sexes | 42 | 50 | 59 | 77 | 96 | 105 | 113 | 94 | 46 | 19 | 1 | - |
| Male | 23 | 29 | 34 | 37 | 46 | 49 | 55 | 32 | 14 | 5 | - | - |
| Female | 19 | 21 | 25 | 40 | 50 | 56 | 58 | 62 | 32 | 14 | 1 | - |
| American Indian 1/, both sexes | 3 | 2 | 2 | 3 | 2 | 9 | 4 | 4 | 4 | 3 | - | - |
| Male | 2 | 1 | 1 | 1 | 1 | 5 | 1 | 1 | 2 | - | - | - |
| Female | 1 | 1 | 1 | 2 | 1 | 4 | 3 | 3 | 2 | 3 | - | - |
| Asian or Pacific Islander 2/, both sexes | 8 | 10 | 17 | 21 | 26 | 29 | 34 | 20 | 12 | 3 | 1 | - |
| Male | 5 | 4 | 12 | 16 | 14 | 18 | 13 | 11 | 8 | 1 | 1 | - |
| Female | 3 | 6 | 5 | 5 | 12 | 11 | 21 | 9 | 4 | 2 | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 6 | 6 | 15 | 17 | 23 | 29 | 36 | 24 | 13 | 5 | - | - |
| Male | 6 | 5 | 7 | 11 | 14 | 14 | 24 | 11 | 5 | 2 | - | - |
| Female | - | 1 | 8 | 6 | 9 | 15 | 12 | 13 | 8 | 3 | - | - |
| White, both sexes | 5 | 6 | 15 | 15 | 20 | 28 | 31 | 21 | 12 | 5 | - | - |
| Male | 5 | 5 | 7 | 10 | 13 | 14 | 21 | 10 | 5 | 2 | - | - |
| Female | - | 1 | 8 | 5 | 7 | 14 | 10 | 11 | 7 | 3 | - | - |
| Black, both sexes | 1 | - | - | 2 | 3 | 1 | 4 | 3 | 1 | - | - | - |
| Male | 1 | - | - | 1 | 1 | - | 3 | 1 | - | - | - | - |
| Female | - | - | - | 1 | 2 | 1 | 1 | 2 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 2 | - | 1 | 1 | 1 | 2 | 6 | 3 | 1 | - | - | - |
| Male | 1 | - | - | 1 | - | 1 | 3 | 2 | - | - | - | - |
| Female | 1 | - | 1 | - | 1 | 1 | 3 | 1 | 1 | - | - | - |
| White, both sexes | 2 | - | - | - | 1 | 1 | 5 | 3 | 1 | - | - | - |
| Male | 1 | - | - | - | - | 1 | 2 | 2 | - | - | - | - |
| Female | 1 | - | - | - | 1 | - | 3 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | 1 | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 19 | 21 | 33 | 38 | 49 | 59 | 57 | 41 | 20 | 4 | 2 | - |
| Male | 11 | 12 | 19 | 19 | 28 | 43 | 28 | 24 | 5 | 3 | 2 | - |
| Female | 8 | 9 | 14 | 19 | 21 | 16 | 29 | 17 | 15 | 1 | - | - |
| White, both sexes | 17 | 20 | 32 | 37 | 44 | 56 | 57 | 40 | 19 | 4 | 2 | - |
| Male | 10 | 12 | 18 | 19 | 27 | 42 | 28 | 23 | 4 | 3 | 2 | - |
| Female | 7 | 8 | 14 | 18 | 17 | 14 | 29 | 17 | 15 | 1 | - | - |
| Black, both sexes | - | - | 1 | 1 | 3 | 2 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | 3 | 2 | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | 1 | - | - | - | 1 | - | - | 1 | - | - | - |
| Male | 1 | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Female | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 2 | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 1 | 6 | 9 | 12 | 14 | 15 | 14 | 18 | 5 | 2 | 1 | - |
| Male | 1 | 2 | 4 | 10 | 9 | 8 | 8 | 7 | 3 | 1 | - | - |
| Female | - | 4 | 5 | 2 | 5 | 7 | 6 | 11 | 2 | 1 | 1 | - |
| White, both sexes | 1 | 6 | 7 | 12 | 13 | 13 | 14 | 17 | 5 | 2 | 1 | - |
| Male | 1 | 2 | 4 | 10 | 8 | 7 | 8 | 7 | 3 | 1 | - | - |
| Female | - | 4 | 3 | 2 | 5 | 6 | 6 | 10 | 2 | 1 | 1 | - |
| Black, both sexes | - | - | 2 | - | 1 | 2 | - | 1 | - | - | - | - |
| Male | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | 2 | - | - | 1 | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 28 | 26 | 60 | 87 | 94 | 154 | 169 | 169 | 105 | 29 | 4 | - |
| Male | 18 | 18 | 32 | 59 | 61 | 93 | 91 | 79 | 43 | 7 | 2 | - |
| Female | 10 | 8 | 28 | 28 | 33 | 61 | 78 | 90 | 62 | 22 | 2 | - |
| White, both sexes | 23 | 21 | 50 | 72 | 77 | 133 | 148 | 153 | 96 | 25 | 4 | - |
| Male | 16 | 15 | 27 | 48 | 51 | 81 | 81 | 69 | 38 | 6 | 2 | - |
| Female | 7 | 6 | 23 | 24 | 26 | 52 | 67 | 84 | 58 | 19 | 2 | - |
| Black, both sexes | 2 | 2 | 1 | 5 | 5 | 7 | 6 | 7 | 3 | 1 | - | - |
| Male | - | 2 | - | 3 | 3 | 4 | 4 | 6 | 1 | - | - | - |
| Female | 2 | - | 1 | 2 | 2 | 3 | 2 | 1 | 2 | 1 | - | - |
| American Indian 1/, both sexes | - | 1 | 1 | - | 1 | 1 | - | - | - | - | - | - |
| Male | - | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 3 | 2 | 8 | 10 | 11 | 13 | 15 | 9 | 6 | 3 | - | - |
| Male | 2 | - | 4 | 8 | 7 | 7 | 6 | 4 | 4 | 1 | - | - |
| Female | 1 | 2 | 4 | 2 | 4 | 6 | 9 | 5 | 2 | 2 | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 5 | 5 | 6 | 10 | 28 | 27 | 37 | 29 | 21 | 3 | 2 | - |
| Male | 3 | 2 | 3 | 4 | 14 | 17 | 16 | 13 | 6 | 1 | - | - |
| Female | 2 | 3 | 3 | 6 | 14 | 10 | 21 | 16 | 15 | 2 | 2 | - |
| White, both sexes | 5 | 5 | 5 | 9 | 27 | 26 | 37 | 27 | 21 | 3 | 1 | - |
| Male | 3 | 2 | 3 | 4 | 14 | 16 | 16 | 12 | 6 | 1 | - | - |
| Female | 2 | 3 | 2 | 5 | 13 | 10 | 21 | 15 | 15 | 2 | 1 | - |
| Black, both sexes | - | - | 1 | 1 | - | 1 | - | 2 | - | - | 1 | - |
| Male | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Female | - | - | 1 | 1 | - | - | - | 1 | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 1 | 8 | 7 | 6 | 16 | 27 | 42 | 39 | 18 | 5 | 1 | - |
| Male | - | 5 | 5 | 2 | 12 | 10 | 18 | 16 | 6 | 2 | - | - |
| Female | 1 | 3 | 2 | 4 | 4 | 17 | 24 | 23 | 12 | 3 | 1 | - |
| White, both sexes | 1 | 7 | 7 | 6 | 15 | 25 | 41 | 37 | 18 | 5 | 1 | - |
| Male | - | 4 | 5 | 2 | 12 | 10 | 18 | 16 | 6 | 2 | - | - |
| Female | 1 | 3 | 2 | 4 | 3 | 15 | 23 | 21 | 12 | 3 | 1 | - |
| Black, both sexes | - | 1 | - | - | 1 | 2 | - | 2 | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | 2 | - | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 4 | 5 | 4 | 4 | 9 | 8 | 2 | - | - | - |
| Male | 2 | 2 | 3 | 4 | 4 | 3 | 4 | 5 | - | - | - | - |
| Female | - | 1 | 1 | 1 | - | 1 | 5 | 3 | 2 | - | - | - |
| White, both sexes | 2 | 2 | 3 | 4 | 4 | 4 | 8 | 7 | 2 | - | - | - |
| Male | 2 | 1 | 2 | 3 | 4 | 3 | 4 | 5 | - | - | - | - |
| Female | - | 1 | 1 | 1 | - | 1 | 4 | 2 | 2 | - | - | - |
| Black, both sexes | - | 1 | 1 | 1 | - | - | 1 | - | - | - | - | - |
| Male | - | 1 | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 1 | 2 | 1 | 2 | 2 | 2 | - | - | - |
| Male | - | - | - | 1 | 2 | 1 | 1 | 2 | 1 | - | - | - |
| Female | - | - | 1 | - | - | - | 1 | - | 1 | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | - | 2 | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | - | 2 | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | 1 | 1 | 1 | 1 | 2 | - | - | - | - | - |
| Male | - | - | - | 1 | 1 | 1 | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 24 | 31 | 37 | 60 | 73 | 161 | 180 | 168 | 89 | 18 | 2 | - |
| Male | 13 | 16 | 21 | 38 | 41 | 94 | 90 | 76 | 39 | 6 | - | - |
| Female | 11 | 15 | 16 | 22 | 32 | 67 | 90 | 92 | 50 | 12 | 2 | - |
| White, both sexes | 20 | 21 | 34 | 57 | 68 | 152 | 178 | 163 | 84 | 15 | 2 | - |
| Male | 12 | 11 | 20 | 38 | 39 | 90 | 90 | 73 | 38 | 4 | - | - |
| Female | 8 | 10 | 14 | 19 | 29 | 62 | 88 | 90 | 46 | 11 | 2 | - |
| Black, both sexes | 4 | 10 | 3 | 3 | 4 | 9 | 2 | 5 | 5 | 3 | - | - |
| Male | 1 | 5 | 1 | - | 2 | 4 | - | 3 | 1 | 2 | - | - |
| Female | 3 | 5 | 2 | 3 | 2 | 5 | 2 | 2 | 4 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 9 | 15 | 21 | 24 | 22 | 47 | 49 | 35 | 15 | 8 | - | - |
| Male | 5 | 11 | 13 | 13 | 13 | 25 | 23 | 15 | 3 | 2 | - | - |
| Female | 4 | 4 | 8 | 11 | 9 | 22 | 26 | 20 | 12 | 6 | - | - |
| White, both sexes | 5 | 12 | 19 | 20 | 20 | 42 | 40 | 29 | 15 | 7 | - | - |
| Male | 4 | 10 | 12 | 11 | 12 | 23 | 18 | 13 | 3 | 2 | - | - |
| Female | 1 | 2 | 7 | 9 | 8 | 19 | 22 | 16 | 12 | 5 | - | - |
| Black, both sexes | 4 | 3 | 2 | 4 | 2 | 4 | 9 | 6 | - | 1 | - | - |
| Male | 1 | 1 | 1 | 2 | 1 | 2 | 5 | 2 | - | - | - | - |
| Female | 3 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 4 | 4 | 5 | 5 | 8 | 5 | 3 | 1 | - | - |
| Male | 2 | - | 3 | 2 | 3 | 4 | 5 | 3 | 3 | - | - | - |
| Female | - | 1 | 1 | 2 | 2 | 1 | 3 | 2 | - | 1 | - | - |
| White, both sexes | 1 | - | 3 | 2 | 2 | - | 2 | 2 | - | 1 | - | - |
| Male | 1 | - | 2 | 1 | 1 | - | 2 | 1 | - | - | - | - |
| Female | - | - | 1 | 1 | 1 | - | - | 1 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 1 | 1 | 2 | 3 | 5 | 6 | 3 | 3 | - | - | - |
| Male | 1 | - | 1 | 1 | 2 | 4 | 3 | 2 | 3 | - | - | - |
| Female | - | 1 | - | 1 | 1 | 1 | 3 | 1 | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 1 | 2 | 4 | 8 | 10 | 9 | 4 | 1 | 1 | - |
| Male | 1 | 1 | 1 | 2 | 4 | 5 | 6 | 6 | 1 | - | - | - |
| Female | - | 1 | - | - | - | 3 | 4 | 3 | 3 | 1 | 1 | - |
| White, both sexes | 1 | 2 | 1 | 2 | 4 | 8 | 10 | 9 | 4 | 1 | 1 | - |
| Male | 1 | 1 | 1 | 2 | 4 | 5 | 6 | 6 | 1 | - | - | - |
| Female | - | 1 | - | - | - | 3 | 4 | 3 | 3 | 1 | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 8 | 10 | 26 | 39 | 52 | 69 | 91 | 81 | 69 | 14 | 2 | - |
| Male | 3 | 5 | 19 | 23 | 30 | 37 | 42 | 34 | 20 | 3 | - | - |
| Female | 5 | 5 | 7 | 16 | 22 | 32 | 49 | 47 | 49 | 11 | 2 | - |
| White, both sexes | 5 | 10 | 19 | 33 | 46 | 64 | 86 | 76 | 66 | 13 | 2 | - |
| Male | 1 | 5 | 13 | 19 | 27 | 34 | 41 | 32 | 18 | 3 | - | - |
| Female | 4 | 5 | 6 | 14 | 19 | 30 | 45 | 44 | 48 | 10 | 2 | - |
| Black, both sexes | 3 | - | 6 | 5 | 4 | 5 | 4 | 5 | 3 | 1 | - | - |
| Male | 2 | - | 5 | 3 | 2 | 3 | 1 | 2 | 2 | - | - | - |
| Female | 1 | - | 1 | 2 | 2 | 2 | 3 | 3 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | 1 | 2 | - | 1 | - | - | - | - | - |
| Male | - | - | 1 | 1 | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 5 | 7 | 19 | 22 | 26 | 51 | 58 | 43 | 27 | 7 | 2 | - |
| Male | 4 | 6 | 13 | 15 | 17 | 31 | 29 | 19 | 13 | 2 | 1 | - |
| Female | 1 | 1 | 6 | 7 | 9 | 20 | 29 | 24 | 14 | 5 | 1 | - |
| White, both sexes | 4 | 6 | 18 | 20 | 25 | 45 | 57 | 41 | 26 | 7 | 2 | - |
| Male | 3 | 6 | 12 | 14 | 16 | 27 | 28 | 19 | 12 | 2 | 1 | - |
| Female | 1 | - | 6 | 6 | 9 | 18 | 29 | 22 | 14 | 5 | 1 | - |
| Black, both sexes | 1 | 1 | 1 | 2 | 1 | 6 | 1 | 2 | 1 | - | - | - |
| Male | 1 | - | 1 | 1 | 1 | 4 | 1 | - | 1 | - | - | - |
| Female | - | 1 | - | 1 | - | 2 | - | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 5 | 8 | 14 | 16 | 24 | 33 | 18 | 8 | - | - |
| Male | 1 | 1 | 4 | 5 | 5 | 9 | 14 | 13 | 6 | 2 | - | - |
| Female | 1 | - | 1 | 3 | 9 | 7 | 10 | 20 | 12 | 6 | - | - |
| White, both sexes | 2 | 1 | 5 | 8 | 14 | 15 | 24 | 33 | 18 | 8 | - | - |
| Male | 1 | 1 | 4 | 5 | 5 | 8 | 14 | 13 | 6 | 2 | - | - |
| Female | 1 | - | 1 | 3 | 9 | 7 | 10 | 20 | 12 | 6 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 3 | 7 | 7 | 21 | 23 | 15 | 15 | 4 | - | - |
| Male | 1 | 2 | 1 | 6 | 4 | 9 | 11 | 7 | 3 | - | - | - |
| Female | - | - | 2 | 1 | 3 | 12 | 12 | 8 | 12 | 4 | - | - |
| White, both sexes | 1 | 2 | 3 | 7 | 6 | 20 | 22 | 15 | 14 | 4 | - | - |
| Male | 1 | 2 | 1 | 6 | 3 | 8 | 11 | 7 | 3 | - | - | - |
| Female | - | - | 2 | 1 | 3 | 12 | 11 | 8 | 11 | 4 | - | - |
| Black, both sexes | - | - | - | - | 1 | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 3 | 12 | 5 | 11 | 13 | 28 | 37 | 20 | 14 | 7 | 2 | - |
| Male | 1 | 7 | 3 | 6 | 12 | 15 | 13 | 8 | 2 | - | - | - |
| Female | 2 | 5 | 2 | 5 | 1 | 13 | 24 | 12 | 12 | 7 | 2 | - |
| White, both sexes | 3 | 10 | 5 | 11 | 12 | 28 | 35 | 19 | 14 | 6 | 2 | - |
| Male | 1 | 6 | 3 | 6 | 11 | 15 | 13 | 7 | 2 | - | - | - |
| Female | 2 | 4 | 2 | 5 | 1 | 13 | 22 | 12 | 12 | 6 | 2 | - |
| Black, both sexes | - | 2 | - | - | 1 | - | 2 | 1 | - | 1 | - | - |
| Male | - | 1 | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | - | 2 | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 6 | 12 | 13 | 16 | 21 | 22 | 30 | 17 | 6 | 1 | - | - |
| Male | 3 | 4 | 11 | 10 | 10 | 12 | 19 | 7 | 4 | 1 | - | - |
| Female | 3 | 8 | 2 | 6 | 11 | 10 | 11 | 10 | 2 | - | - | - |
| White, both sexes | 3 | 9 | 9 | 12 | 17 | 18 | 25 | 16 | 5 | 1 | - | - |
| Male | 2 | 2 | 7 | 8 | 8 | 9 | 16 | 7 | 3 | 1 | - | - |
| Female | 1 | 7 | 2 | 4 | 9 | 9 | 9 | 9 | 2 | - | - | - |
| Black, both sexes | 3 | 3 | 3 | 3 | 4 | 4 | 5 | 1 | 1 | - | - | - |
| Male | 1 | 2 | 3 | 1 | 2 | 3 | 3 | - | 1 | - | - | - |
| Female | 2 | 1 | - | 2 | 2 | 1 | 2 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 1 | 4 | 4 | 7 | 9 | 12 | 18 | 25 | 9 | 4 | 1 | - |
| Male | 1 | 4 | 2 | 3 | 4 | 9 | 15 | 10 | 1 | 1 | - | - |
| Female | - | - | 2 | 4 | 5 | 3 | 3 | 15 | 8 | 3 | 1 | - |
| White, both sexes | 1 | 4 | 4 | 7 | 9 | 12 | 17 | 25 | 9 | 3 | 1 | - |
| Male | 1 | 4 | 2 | 3 | 4 | 9 | 15 | 10 | 1 | 1 | - | - |
| Female | - | - | 2 | 4 | 5 | 3 | 2 | 15 | 8 | 2 | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 8 | 6 | 14 | 20 | 19 | 37 | 47 | 45 | 25 | 3 | 1 | - |
| Male | 3 | 5 | 8 | 11 | 9 | 20 | 27 | 22 | 10 | 1 | - | - |
| Female | 5 | 1 | 6 | 9 | 10 | 17 | 20 | 23 | 15 | 2 | 1 | - |
| White, both sexes | 5 | 4 | 10 | 13 | 12 | 29 | 42 | 41 | 23 | 3 | 1 | - |
| Male | 2 | 3 | 5 | 8 | 6 | 17 | 23 | 19 | 9 | 1 | - | - |
| Female | 3 | 1 | 5 | 5 | 6 | 12 | 19 | 22 | 14 | 2 | 1 | - |
| Black, both sexes | 3 | 1 | 3 | 6 | 7 | 7 | 4 | 3 | 2 | - | - | - |
| Male | 1 | 1 | 2 | 3 | 3 | 2 | 4 | 2 | 1 | - | - | - |
| Female | 2 | - | 1 | 3 | 4 | 5 | - | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | 1 | 1 | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | 1 | 1 | - | - | 1 | - | 1 | - | - | - | - |
| Female | - | - | - | 1 | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 6 | 8 | 15 | 16 | 30 | 49 | 55 | 65 | 39 | 7 | - | - |
| Male | 5 | 5 | 10 | 7 | 16 | 23 | 33 | 28 | 17 | 2 | - | - |
| Female | 1 | 3 | 5 | 9 | 14 | 26 | 22 | 37 | 22 | 5 | - | - |
| White, both sexes | 6 | 7 | 15 | 14 | 27 | 49 | 55 | 62 | 39 | 7 | - | - |
| Male | 5 | 4 | 10 | 6 | 15 | 23 | 33 | 28 | 17 | 2 | - | - |
| Female | 1 | 3 | 5 | 8 | 12 | 26 | 22 | 34 | 22 | 5 | - | - |
| Black, both sexes | - | 1 | - | 1 | 2 | - | - | 2 | - | - | - | - |
| Male | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | 1 | - | - | 2 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | 1 | - | - | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 11 | 15 | 21 | 24 | 47 | 64 | 93 | 68 | 30 | 12 | 4 | - |
| Male | 6 | 9 | 16 | 17 | 27 | 32 | 49 | 37 | 17 | 3 | - | - |
| Female | 5 | 6 | 5 | 7 | 20 | 32 | 44 | 31 | 13 | 9 | 4 | - |
| White, both sexes | 9 | 12 | 16 | 23 | 42 | 60 | 85 | 62 | 27 | 12 | 4 | - |
| Male | 4 | 6 | 12 | 17 | 23 | 31 | 46 | 35 | 16 | 3 | - | - |
| Female | 5 | 6 | 4 | 6 | 19 | 29 | 39 | 27 | 11 | 9 | 4 | - |
| Black, both sexes | 2 | 2 | 5 | 1 | 5 | 2 | 8 | 6 | 3 | - | - | - |
| Male | 2 | 2 | 4 | - | 4 | - | 3 | 2 | 1 | - | - | - |
| Female | - | - | 1 | 1 | 1 | 2 | 5 | 4 | 2 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 6 | 10 | 6 | 12 | 24 | 40 | 49 | 39 | 33 | 11 | 2 | - |
| Male | 3 | 5 | 5 | 8 | 14 | 27 | 22 | 19 | 9 | 2 | - | - |
| Female | 3 | 5 | 1 | 4 | 10 | 13 | 27 | 20 | 24 | 9 | 2 | - |
| White, both sexes | 6 | 8 | 6 | 9 | 24 | 40 | 48 | 39 | 32 | 11 | 2 | - |
| Male | 3 | 5 | 5 | 6 | 14 | 27 | 22 | 19 | 9 | 2 | - | - |
| Female | 3 | 3 | 1 | 3 | 10 | 13 | 26 | 20 | 23 | 9 | 2 | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | - | 2 | - | - | 1 | - | 1 | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | 2 | - | 1 | - | - | 1 | - | 1 | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 5 | 9 | 7 | 9 | 7 | 16 | 25 | 18 | 5 | 1 | - | - |
| Male | 2 | 6 | 5 | 5 | 2 | 9 | 13 | 8 | 1 | - | - | - |
| Female | 3 | 3 | 2 | 4 | 5 | 7 | 12 | 10 | 4 | 1 | - | - |
| White, both sexes | 3 | 7 | 6 | 7 | 6 | 13 | 21 | 14 | 4 | - | - | - |
| Male | 2 | 5 | 4 | 5 | 2 | 8 | 11 | 7 | 1 | - | - | - |
| Female | 1 | 2 | 2 | 2 | 4 | 5 | 10 | 7 | 3 | - | - | - |
| Black, both sexes | 2 | 2 | 1 | 2 | 1 | 3 | 4 | 4 | 1 | - | - | - |
| Male | - | 1 | 1 | - | - | 1 | 2 | 1 | - | - | - | - |
| Female | 2 | 1 | - | 2 | 1 | 2 | 2 | 3 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 6 | 9 | 9 | 12 | 28 | 39 | 34 | 33 | 22 | 3 | 1 | - |
| Male | 4 | 4 | 5 | 8 | 11 | 23 | 16 | 15 | 5 | 1 | - | - |
| Female | 2 | 5 | 4 | 4 | 17 | 16 | 18 | 18 | 17 | 2 | 1 | - |
| White, both sexes | 4 | 7 | 9 | 10 | 25 | 37 | 33 | 32 | 22 | 3 | 1 | - |
| Male | 2 | 4 | 5 | 7 | 11 | 23 | 16 | 14 | 5 | 1 | - | - |
| Female | 2 | 3 | 4 | 3 | 14 | 14 | 17 | 18 | 17 | 2 | 1 | - |
| Black, both sexes | 2 | 1 | - | 2 | 3 | 1 | 1 | 1 | - | - | - | - |
| Male | 2 | - | - | 1 | - | - | - | 1 | - | - | - | - |
| Female | - | 1 | - | 1 | 3 | 1 | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 1 | 3 | - | 5 | 9 | 7 | 11 | 11 | 8 | 1 | - | - |
| Male | 1 | 2 | - | 1 | 2 | 3 | 5 | 5 | 2 | - | - | - |
| Female | - | 1 | - | 4 | 7 | 4 | 6 | 6 | 6 | 1 | - | - |
| White, both sexes | 1 | 3 | - | 5 | 8 | 7 | 11 | 11 | 8 | 1 | - | - |
| Male | 1 | 2 | - | 1 | 2 | 3 | 5 | 5 | 2 | - | - | - |
| Female | - | 1 | - | 4 | 6 | 4 | 6 | 6 | 6 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | - | 5 | 3 | 3 | 10 | 9 | 14 | 15 | 5 | 2 | - | - |
| Male | - | 4 | 3 | 3 | 7 | 4 | 7 | 5 | 2 | 1 | - | - |
| Female | - | 1 | - | - | 3 | 5 | 7 | 10 | 3 | 1 | - | - |
| White, both sexes | - | 5 | 3 | 3 | 10 | 9 | 14 | 15 | 5 | 2 | - | - |
| Male | - | 4 | 3 | 3 | 7 | 4 | 7 | 5 | 2 | 1 | - | - |
| Female | - | 1 | - | - | 3 | 5 | 7 | 10 | 3 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 3 | 4 | 2 | 8 | 5 | 6 | 5 | - | - | - |
| Male | 1 | 2 | 2 | 4 | 1 | 7 | 3 | 5 | 3 | - | - | - |
| Female | 1 | 1 | 1 | - | 1 | 1 | 2 | 1 | 2 | - | - | - |
| White, both sexes | 1 | 3 | 1 | 4 | 2 | 8 | 5 | 5 | 5 | - | - | - |
| Male | 1 | 2 | 1 | 4 | 1 | 7 | 3 | 4 | 3 | - | - | - |
| Female | - | 1 | - | - | 1 | 1 | 2 | 1 | 2 | - | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 1 | - | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 3 | 4 | 6 | 7 | 6 | 8 | 3 | 13 | 6 | 1 | - | - |
| Male | 1 | 2 | 4 | 5 | 3 | 4 | 1 | 8 | 1 | - | - | - |
| Female | 2 | 2 | 2 | 2 | 3 | 4 | 2 | 5 | 5 | 1 | - | - |
| White, both sexes | 3 | 4 | 6 | 7 | 6 | 8 | 3 | 13 | 6 | 1 | - | - |
| Male | 1 | 2 | 4 | 5 | 3 | 4 | 1 | 8 | 1 | - | - | - |
| Female | 2 | 2 | 2 | 2 | 3 | 4 | 2 | 5 | 5 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 13 | 16 | 25 | 30 | 44 | 62 | 77 | 58 | 40 | 13 | 1 | - |
| Male | 9 | 11 | 20 | 17 | 23 | 28 | 40 | 27 | 13 | 1 | - | - |
| Female | 4 | 5 | 5 | 13 | 21 | 34 | 37 | 31 | 27 | 12 | 1 | - |
| White, both sexes | 11 | 15 | 17 | 26 | 37 | 57 | 75 | 54 | 38 | 11 | 1 | - |
| Male | 7 | 10 | 14 | 15 | 21 | 27 | 40 | 24 | 12 | 1 | - | - |
| Female | 4 | 5 | 3 | 11 | 16 | 30 | 35 | 30 | 26 | 10 | 1 | - |
| Black, both sexes | 2 | 1 | 5 | 4 | 6 | 4 | 2 | 3 | 2 | 1 | - | - |
| Male | 2 | 1 | 3 | 2 | 2 | 1 | - | 2 | 1 | - | - | - |
| Female | - | - | 2 | 2 | 4 | 3 | 2 | 1 | 1 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 3 | - | 1 | 1 | - | 1 | - | - | - | - |
| Male | - | - | 3 | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 4 | 4 | 1 | 1 | 10 | 15 | 21 | 12 | 4 | 3 | - | - |
| Male | 4 | - | 1 | 1 | 8 | 9 | 14 | 7 | 2 | - | - | - |
| Female | - | 4 | - | - | 2 | 6 | 7 | 5 | 2 | 3 | - | - |
| White, both sexes | 3 | 4 | 1 | 1 | 10 | 14 | 20 | 12 | 4 | 3 | - | - |
| Male | 3 | - | 1 | 1 | 8 | 8 | 14 | 7 | 2 | - | - | - |
| Female | - | 4 | - | - | 2 | 6 | 6 | 5 | 2 | 3 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 21 | 31 | 26 | 37 | 61 | 99 | 130 | 108 | 62 | 20 | 2 | - |
| Male | 15 | 16 | 15 | 25 | 36 | 66 | 74 | 44 | 19 | 4 | - | - |
| Female | 6 | 15 | 11 | 12 | 25 | 33 | 56 | 64 | 43 | 16 | 2 | - |
| White, both sexes | 16 | 26 | 22 | 29 | 53 | 89 | 115 | 102 | 60 | 19 | 2 | - |
| Male | 13 | 14 | 12 | 20 | 30 | 59 | 66 | 44 | 19 | 4 | - | - |
| Female | 3 | 12 | 10 | 9 | 23 | 30 | 49 | 58 | 41 | 15 | 2 | - |
| Black, both sexes | 3 | 5 | 3 | 7 | 7 | 8 | 12 | 6 | 2 | 1 | - | - |
| Male | 1 | 2 | 2 | 4 | 5 | 5 | 5 | - | - | - | - | - |
| Female | 2 | 3 | 1 | 3 | 2 | 3 | 7 | 6 | 2 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | 1 | 1 | 1 | 2 | 3 | - | - | - | - | - |
| Male | 1 | - | 1 | 1 | 1 | 2 | 3 | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 14 | 9 | 13 | 29 | 36 | 48 | 63 | 53 | 18 | 9 | 1 | - |
| Male | 9 | 6 | 9 | 16 | 20 | 26 | 32 | 18 | 6 | 2 | - | - |
| Female | 5 | 3 | 4 | 13 | 16 | 22 | 31 | 35 | 12 | 7 | 1 | - |
| White, both sexes | 12 | 7 | 10 | 26 | 31 | 38 | 55 | 45 | 16 | 5 | 1 | - |
| Male | 7 | 4 | 7 | 16 | 17 | 20 | 29 | 16 | 5 | 2 | - | - |
| Female | 5 | 3 | 3 | 10 | 14 | 18 | 26 | 29 | 11 | 3 | 1 | - |
| Black, both sexes | 1 | 2 | 3 | 3 | 5 | 9 | 7 | 8 | 2 | 4 | - | - |
| Male | 1 | 2 | 2 | - | 3 | 6 | 3 | 2 | 1 | - | - | - |
| Female | - | - | 1 | 3 | 2 | 3 | 4 | 6 | 1 | 4 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 2 | - | 1 | 2 | 2 | 3 | 10 | 6 | 4 | - | 1 | - |
| Male | 1 | - | 1 | 1 | - | 1 | 7 | 3 | 1 | - | 1 | - |
| Female | 1 | - | - | 1 | 2 | 2 | 3 | 3 | 3 | - | - | - |
| White, both sexes | 2 | - | 1 | 2 | 2 | 3 | 10 | 6 | 4 | - | 1 | - |
| Male | 1 | - | 1 | 1 | - | 1 | 7 | 3 | 1 | - | 1 | - |
| Female | 1 | - | - | 1 | 2 | 2 | 3 | 3 | 3 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 16 | 23 | 27 | 38 | 66 | 93 | 93 | 78 | 39 | 9 | - | - |
| Male | 8 | 14 | 17 | 22 | 39 | 50 | 53 | 40 | 14 | 2 | - | - |
| Female | 8 | 9 | 10 | 16 | 27 | 43 | 40 | 38 | 25 | 7 | - | - |
| White, both sexes | 15 | 22 | 26 | 34 | 60 | 90 | 86 | 76 | 35 | 9 | - | - |
| Male | 7 | 13 | 17 | 19 | 36 | 49 | 50 | 38 | 13 | 2 | - | - |
| Female | 8 | 9 | 9 | 15 | 24 | 41 | 36 | 38 | 22 | 7 | - | - |
| Black, both sexes | 1 | 1 | 1 | 4 | 6 | 2 | 7 | 2 | 4 | - | - | - |
| Male | 1 | 1 | - | 3 | 3 | - | 3 | 2 | 1 | - | - | - |
| Female | - | - | 1 | 1 | 3 | 2 | 4 | - | 3 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 3 | 4 | 12 | 11 | 17 | 19 | 25 | 17 | 11 | 7 | - | - |
| Male | 1 | 2 | 7 | 5 | 13 | 9 | 10 | 11 | 1 | 3 | - | - |
| Female | 2 | 2 | 5 | 6 | 4 | 10 | 15 | 6 | 10 | 4 | - | - |
| White, both sexes | 3 | 3 | 11 | 9 | 17 | 18 | 24 | 14 | 9 | 7 | - | - |
| Male | 1 | 2 | 7 | 4 | 13 | 8 | 10 | 10 | - | 3 | - | - |
| Female | 2 | 1 | 4 | 5 | 4 | 10 | 14 | 4 | 9 | 4 | - | - |
| Black, both sexes | - | 1 | 1 | - | - | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | 2 | - | 1 | 1 | 3 | 1 | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | 1 | 1 | - | - | - |
| Female | - | - | - | 1 | - | - | 1 | 2 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 5 | 9 | 9 | 31 | 43 | 38 | 26 | 2 | 3 | - |
| Male | 2 | 2 | 5 | 4 | 8 | 15 | 22 | 21 | 7 | 1 | - | - |
| Female | - | 1 | - | 5 | 1 | 16 | 21 | 17 | 19 | 1 | 3 | - |
| White, both sexes | 2 | 3 | 5 | 8 | 8 | 29 | 43 | 38 | 24 | 2 | 3 | - |
| Male | 2 | 2 | 5 | 3 | 7 | 15 | 22 | 21 | 7 | 1 | - | - |
| Female | - | 1 | - | 5 | 1 | 14 | 21 | 17 | 17 | 1 | 3 | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 17 | 22 | 28 | 45 | 55 | 102 | 134 | 108 | 70 | 11 | 3 | - |
| Male | 10 | 13 | 17 | 23 | 32 | 50 | 83 | 43 | 18 | - | - | - |
| Female | 7 | 9 | 11 | 22 | 23 | 52 | 51 | 65 | 52 | 11 | 3 | - |
| White, both sexes | 15 | 19 | 25 | 42 | 52 | 95 | 131 | 104 | 67 | 11 | 3 | - |
| Male | 9 | 11 | 16 | 21 | 30 | 48 | 81 | 43 | 18 | - | - | - |
| Female | 6 | 8 | 9 | 21 | 22 | 47 | 50 | 61 | 49 | 11 | 3 | - |
| Black, both sexes | 2 | 2 | 3 | 3 | 2 | 7 | 3 | 4 | 3 | - | - | - |
| Male | 1 | 1 | 1 | 2 | 1 | 2 | 2 | - | - | - | - | - |
| Female | 1 | 1 | 2 | 1 | 1 | 5 | 1 | 4 | 3 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | 1 | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 2 | - | 1 | 3 | 5 | 7 | 6 | 12 | 5 | 1 | 1 | - |
| Male | 1 | - | 1 | 3 | 2 | 6 | - | 3 | 3 | - | 1 | - |
| Female | 1 | - | - | - | 3 | 1 | 6 | 9 | 2 | 1 | - | - |
| White, both sexes | 2 | - | 1 | 3 | 5 | 6 | 6 | 12 | 5 | 1 | - | - |
| Male | 1 | - | 1 | 3 | 2 | 5 | - | 3 | 3 | - | - | - |
| Female | 1 | - | - | - | 3 | 1 | 6 | 9 | 2 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | - | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 3 | 7 | 14 | 12 | 16 | 27 | 34 | 27 | 10 | 5 | 1 | - |
| Male | 1 | 1 | 6 | 7 | 8 | 16 | 23 | 10 | 1 | 2 | - | - |
| Female | 2 | 6 | 8 | 5 | 8 | 11 | 11 | 17 | 9 | 3 | 1 | - |
| White, both sexes | 2 | 5 | 9 | 9 | 10 | 22 | 27 | 23 | 8 | 3 | 1 | - |
| Male | 1 | - | 4 | 5 | 6 | 13 | 18 | 9 | 1 | 1 | - | - |
| Female | 1 | 5 | 5 | 4 | 4 | 9 | 9 | 14 | 7 | 2 | 1 | - |
| Black, both sexes | 1 | 2 | 5 | 3 | 6 | 5 | 7 | 4 | 2 | 2 | - | - |
| Male | - | 1 | 2 | 2 | 2 | 3 | 5 | 1 | - | 1 | - | - |
| Female | 1 | 1 | 3 | 1 | 4 | 2 | 2 | 3 | 2 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 1 | 3 | 9 | 7 | 15 | 6 | 8 | 4 | 2 | - |
| Male | 1 | - | - | 1 | 4 | 5 | 8 | 2 | 3 | 2 | 1 | - |
| Female | - | - | 1 | 2 | 5 | 2 | 7 | 4 | 5 | 2 | 1 | - |
| White, both sexes | 1 | - | 1 | 2 | 9 | 7 | 15 | 6 | 8 | 4 | 2 | - |
| Male | 1 | - | - | 1 | 4 | 5 | 8 | 2 | 3 | 2 | 1 | - |
| Female | - | - | 1 | 1 | 5 | 2 | 7 | 4 | 5 | 2 | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 7 | 8 | 11 | 6 | 21 | 27 | 34 | 34 | 11 | 10 | - | - |
| Male | 5 | 2 | 5 | 6 | 12 | 18 | 14 | 12 | 5 | 4 | - | - |
| Female | 2 | 6 | 6 | - | 9 | 9 | 20 | 22 | 6 | 6 | - | - |
| White, both sexes | 5 | 7 | 10 | 5 | 21 | 26 | 31 | 32 | 11 | 7 | - | - |
| Male | 3 | 1 | 5 | 5 | 12 | 17 | 13 | 12 | 5 | 2 | - | - |
| Female | 2 | 6 | 5 | - | 9 | 9 | 18 | 20 | 6 | 5 | - | - |
| Black, both sexes | 2 | 1 | 1 | 1 | - | 1 | 2 | 2 | - | 3 | - | - |
| Male | 2 | 1 | - | 1 | - | 1 | 1 | - | - | 2 | - | - |
| Female | - | - | 1 | - | - | - | 1 | 2 | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 11 | 20 | 30 | 39 | 58 | 66 | 112 | 88 | 60 | 15 | 2 | - |
| Male | 9 | 11 | 21 | 24 | 35 | 43 | 62 | 40 | 22 | 4 | 2 | - |
| Female | 2 | 9 | 9 | 15 | 23 | 23 | 50 | 48 | 38 | 11 | - | - |
| White, both sexes | 9 | 17 | 27 | 35 | 53 | 62 | 101 | 84 | 55 | 15 | 2 | - |
| Male | 7 | 9 | 19 | 22 | 33 | 40 | 57 | 39 | 20 | 4 | 2 | - |
| Female | 2 | 8 | 8 | 13 | 20 | 22 | 44 | 45 | 35 | 11 | - | - |
| Black, both sexes | 2 | 3 | 3 | 4 | 5 | 4 | 10 | 4 | 5 | - | - | - |
| Male | 2 | 2 | 2 | 2 | 2 | 3 | 5 | 1 | 2 | - | - | - |
| Female | - | 1 | 1 | 2 | 3 | 1 | 5 | 3 | 3 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 4 | 5 | 5 | 4 | 6 | 10 | 11 | 15 | 4 | 1 | - | - |
| Male | 1 | 4 | 4 | 2 | 5 | 3 | 9 | 7 | 1 | - | - | - |
| Female | 3 | 1 | 1 | 2 | 1 | 7 | 2 | 8 | 3 | 1 | - | - |
| White, both sexes | 4 | 5 | 5 | 4 | 6 | 10 | 11 | 15 | 4 | 1 | - | - |
| Male | 1 | 4 | 4 | 2 | 5 | 3 | 9 | 7 | 1 | - | - | - |
| Female | 3 | 1 | 1 | 2 | 1 | 7 | 2 | 8 | 3 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | 2 | 5 | 4 | 6 | 7 | 5 | 2 | - | - |
| Male | - | - | - | 1 | 3 | 2 | 3 | 3 | 2 | 1 | - | - |
| Female | 1 | - | - | 1 | 2 | 2 | 3 | 4 | 3 | 1 | - | - |
| White, both sexes | 1 | - | - | 2 | 4 | 4 | 6 | 7 | 4 | 2 | - | - |
| Male | - | - | - | 1 | 2 | 2 | 3 | 3 | 1 | 1 | - | - |
| Female | 1 | - | - | 1 | 2 | 2 | 3 | 4 | 3 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 9 | 16 | 11 | 34 | 34 | 39 | 42 | 53 | 27 | 3 | - | - |
| Male | 8 | 5 | 7 | 22 | 19 | 20 | 18 | 22 | 9 | 1 | - | - |
| Female | 1 | 11 | 4 | 12 | 15 | 19 | 24 | 31 | 18 | 2 | - | - |
| White, both sexes | 8 | 14 | 10 | 27 | 25 | 34 | 34 | 45 | 26 | 3 | - | - |
| Male | 7 | 5 | 7 | 19 | 16 | 19 | 15 | 20 | 8 | 1 | - | - |
| Female | 1 | 9 | 3 | 8 | 9 | 15 | 19 | 25 | 18 | 2 | - | - |
| Black, both sexes | 1 | 2 | 1 | 7 | 9 | 5 | 6 | 8 | 1 | - | - | - |
| Male | 1 | - | - | 3 | 3 | 1 | 2 | 2 | 1 | - | - | - |
| Female | - | 2 | 1 | 4 | 6 | 4 | 4 | 6 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 1 | 8 | 10 | 9 | 12 | 27 | 33 | 35 | 20 | 11 | 1 | - |
| Male | 1 | 6 | 8 | 5 | 7 | 15 | 13 | 22 | 8 | 3 | - | - |
| Female | - | 2 | 2 | 4 | 5 | 12 | 20 | 13 | 12 | 8 | 1 | - |
| White, both sexes | 1 | 8 | 10 | 9 | 12 | 26 | 33 | 33 | 20 | 11 | 1 | - |
| Male | 1 | 6 | 8 | 5 | 7 | 14 | 13 | 22 | 8 | 3 | - | - |
| Female | - | 2 | 2 | 4 | 5 | 12 | 20 | 11 | 12 | 8 | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 2 | 11 | 4 | 9 | 17 | 16 | 20 | 17 | 8 | - | - | - |
| Male | 1 | 4 | 2 | 6 | 11 | 11 | 12 | 5 | 1 | - | - | - |
| Female | 1 | 7 | 2 | 3 | 6 | 5 | 8 | 12 | 7 | - | - | - |
| White, both sexes | 2 | 11 | 4 | 9 | 17 | 16 | 20 | 16 | 7 | - | - | - |
| Male | 1 | 4 | 2 | 6 | 11 | 11 | 12 | 5 | 1 | - | - | - |
| Female | 1 | 7 | 2 | 3 | 6 | 5 | 8 | 11 | 6 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 5 | 13 | 11 | 11 | 28 | 41 | 55 | 65 | 31 | 13 | - | - |
| Male | 2 | 8 | 9 | 8 | 20 | 20 | 30 | 32 | 8 | 4 | - | - |
| Female | 3 | 5 | 2 | 3 | 8 | 21 | 25 | 33 | 23 | 9 | - | - |
| White, both sexes | 5 | 12 | 10 | 11 | 27 | 39 | 52 | 63 | 29 | 12 | - | - |
| Male | 2 | 7 | 8 | 8 | 19 | 20 | 28 | 31 | 8 | 4 | - | - |
| Female | 3 | 5 | 2 | 3 | 8 | 19 | 24 | 32 | 21 | 8 | - | - |
| Black, both sexes | - | - | 1 | - | 1 | 1 | 3 | 1 | 2 | 1 | - | - |
| Male | - | - | 1 | - | 1 | - | 2 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | 1 | 1 | 2 | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | 2 | - | 1 | 1 | 2 | 5 | 4 | 2 | - | - | - |
| Male | - | 2 | - | 1 | - | 2 | 3 | 3 | 1 | - | - | - |
| Female | - | - | - | - | 1 | - | 2 | 1 | 1 | - | - | - |
| White, both sexes | - | 2 | - | 1 | 1 | 2 | 5 | 4 | 2 | - | - | - |
| Male | - | 2 | - | 1 | - | 2 | 3 | 3 | 1 | - | - | - |
| Female | - | - | - | - | 1 | - | 2 | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 789 | 14 | 12 | 1 | 2 | 6 | 7 | 11 | 10 | 12 | 28 | 32 |
| Male | 343 | 7 | 7 | 1 | 2 | 4 | 3 | 7 | 6 | 6 | 15 | 15 |
| Female | 446 | 7 | 5 | - | - | 2 | 4 | 4 | 4 | 6 | 13 | 17 |
| White, both sexes | 691 | 12 | 11 | 1 | 1 | 6 | 7 | 9 | 9 | 11 | 20 | 22 |
| Male | 294 | 6 | 6 | 1 | 1 | 4 | 3 | 5 | 6 | 6 | 10 | 8 |
| Female | 397 | 6 | 5 | - | - | 2 | 4 | 4 | 3 | 5 | 10 | 14 |
| Black, both sexes | 79 | 2 | - | - | 1 | - | - | 1 | 1 | 1 | 7 | 8 |
| Male | 38 | 1 | - | - | 1 | - | - | 1 | - | - | 4 | 6 |
| Female | 41 | 1 | - | - | - | - | - | - | 1 | 1 | 3 | 2 |
| American Indian 1/, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 16 | - | 1 | - | - | - | - | 1 | - | - | 1 | 2 |
| Male | 10 | - | 1 | - | - | - | - | 1 | - | - | 1 | 1 |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | 1 |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | 13 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | 9 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 51 | - | - | - | - | 1 | 1 | - | 1 | 2 | 2 | 4 |
| Male | 16 | - | - | - | - | 1 | - | - | - | - | - | 2 |
| Female | 35 | - | - | - | - | - | 1 | - | 1 | 2 | 2 | 2 |
| White, both sexes | 48 | - | - | - | - | 1 | 1 | - | 1 | 2 | 2 | 4 |
| Male | 15 | - | - | - | - | 1 | - | - | - | - | - | 2 |
| Female | 33 | - | - | - | - | - | 1 | - | 1 | 2 | 2 | 2 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | 12 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | 1 | - | - |
| White, both sexes | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 56 | 3 | 1 | - | 1 | - | - | - | - | 1 | 2 | 4 |
| Male | 24 | 1 | 1 | - | 1 | - | - | - | - | 1 | 1 | 2 |
| Female | 32 | 2 | - | - | - | - | - | - | - | - | 1 | 2 |
| White, both sexes | 48 | 3 | 1 | - | 1 | - | - | - | - | 1 | 1 | 2 |
| Male | 19 | 1 | 1 | - | 1 | - | - | - | - | 1 | 1 | 1 |
| Female | 29 | 2 | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | 2 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| White, both sexes | 9 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | 21 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 14 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| White, both sexes | 21 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 14 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 49 | 1 | - | - | 1 | - | 2 | 2 | - | 1 | - | - |
| Male | 28 | 1 | - | - | 1 | - | 1 | 2 | - | 1 | - | - |
| Female | 21 | - | - | - | - | - | 1 | - | - | - | - | - |
| White, both sexes | 43 | 1 | - | - | - | - | 2 | 1 | - | 1 | - | - |
| Male | 23 | 1 | - | - | - | - | 1 | 1 | - | 1 | - | - |
| Female | 20 | - | - | - | - | - | 1 | - | - | - | - | - |
| Black, both sexes | 6 | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Male | 5 | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | 1 | - | - | 2 | - | - | - |
| Male | 8 | - | - | - | - | 1 | - | - | 2 | - | - | - |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 15 | - | - | - | - | 1 | - | - | 2 | - | - | - |
| Male | 7 | - | - | - | - | 1 | - | - | 2 | - | - | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 38 | 2 | - | - | - | 2 | 1 | - | - | - | 2 | 2 |
| Male | 16 | 1 | - | - | - | 1 | - | - | - | - | - | 2 |
| Female | 22 | 1 | - | - | - | 1 | 1 | - | - | - | 2 | - |
| White, both sexes | 33 | 2 | - | - | - | 2 | 1 | - | - | - | 1 | 1 |
| Male | 13 | 1 | - | - | - | 1 | - | - | - | - | - | 1 |
| Female | 20 | 1 | - | - | - | 1 | 1 | - | - | - | 1 | - |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 2 | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | 14 | - | - | - | - | - | - | - | - | 2 | 1 | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | 7 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| White, both sexes | 14 | - | - | - | - | - | - | - | - | 2 | 1 | 1 |
| Male | 7 | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Female | 7 | - | - | - | - | - | - | - | - | 1 | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | 15 | - | 1 | - | - | - | - | - | - | - | 1 | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 11 | - | 1 | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 13 | - | 1 | - | - | - | - | - | - | - | 1 | 1 |
| Male | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 9 | - | 1 | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 12 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | 1 | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 11 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | 1 | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 10 | 1 | - | - | - | - | - | - | 3 | - | 1 | - |
| Male | 7 | 1 | - | - | - | - | - | - | 2 | - | 1 | - |
| Female | 3 | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | 6 | - | - | - | - | - | - | - | 3 | - | 1 | - |
| Male | 3 | - | - | - | - | - | - | - | 2 | - | 1 | - |
| Female | 3 | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | 3 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | 3 | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | 17 | - | - | - | - | - | - | 1 | - | - | 1 | 1 |
| Male | 8 | - | - | - | - | - | - | 1 | - | - | 1 | 1 |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 16 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Male | 7 | - | - | - | - | - | - | 1 | - | - | - | 1 |
| Female | 9 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | 22 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 8 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 14 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 20 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 7 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 13 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | 12 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 12 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 8 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | 7 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 14 | 1 | - | - | - | - | - | 1 | - | - | 1 | - |
| Male | 8 | 1 | - | - | - | - | - | 1 | - | - | 1 | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 13 | 1 | - | - | - | - | - | 1 | - | - | 1 | - |
| Male | 7 | 1 | - | - | - | - | - | 1 | - | - | 1 | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 5 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 9 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | 8 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 39 | - | 1 | - | - | 1 | - | 1 | - | - | 1 | - |
| Male | 15 | - | 1 | - | - | 1 | - | 1 | - | - | 1 | - |
| Female | 24 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 32 | - | 1 | - | - | 1 | - | - | - | - | 1 | - |
| Male | 12 | - | 1 | - | - | 1 | - | - | - | - | 1 | - |
| Female | 20 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | 1 | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 44 | 2 | 1 | 1 | - | - | 2 | - | - | 1 | 1 | 2 |
| Male | 19 | 1 | 1 | 1 | - | - | 1 | - | - | 1 | - | - |
| Female | 25 | 1 | - | - | - | - | 1 | - | - | - | 1 | 2 |
| White, both sexes | 40 | 2 | - | 1 | - | - | 2 | - | - | 1 | 1 | 2 |
| Male | 17 | 1 | - | 1 | - | - | 1 | - | - | 1 | - | - |
| Female | 23 | 1 | - | - | - | - | 1 | - | - | - | 1 | 2 |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 19 | - | 1 | - | - | - | - | - | 1 | - | 1 | 2 |
| Male | 8 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 11 | - | 1 | - | - | - | - | - | 1 | - | 1 | 1 |
| White, both sexes | 15 | - | 1 | - | - | - | - | - | - | - | 1 | 1 |
| Male | 5 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 10 | - | 1 | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | 4 | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Male | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 39 | - | - | - | - | - | - | - | 1 | 1 | 4 | 2 |
| Male | 16 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 23 | - | - | - | - | - | - | - | 1 | 1 | 3 | 1 |
| White, both sexes | 31 | - | - | - | - | - | - | - | 1 | 1 | 2 | - |
| Male | 12 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 19 | - | - | - | - | - | - | - | 1 | 1 | 2 | - |
| Black, both sexes | 8 | - | - | - | - | - | - | - | - | - | 2 | 2 |
| Male | 4 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | 11 | 1 | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 6 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | 9 | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | 5 | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | 4 | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | 11 | - | - | - | - | - | - | 2 | - | - | 1 | - |
| Male | 5 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Female | 6 | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | 11 | - | - | - | - | - | - | 2 | - | - | 1 | - |
| Male | 5 | - | - | - | - | - | - | 1 | - | - | 1 | - |
| Female | 6 | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 39 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | 1 |
| Male | 14 | - | - | - | - | - | - | - | 1 | - | 2 | 1 |
| Female | 25 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| White, both sexes | 32 | - | - | - | - | - | - | 1 | 1 | 1 | 1 | - |
| Male | 11 | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Female | 21 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Male | 2 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | 5 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | 8 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 4 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 4 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 3 | - | - | - | - | - | - | - | - | 1 | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 51 | 1 | - | - | - | 1 | - | 1 | - | - | 2 | 3 |
| Male | 26 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 25 | 1 | - | - | - | 1 | - | 1 | - | - | 1 | 1 |
| White, both sexes | 44 | 1 | - | - | - | 1 | - | 1 | - | - | 1 | - |
| Male | 21 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 23 | 1 | - | - | - | 1 | - | 1 | - | - | 1 | - |
| Black, both sexes | 7 | - | - | - | - | - | - | - | - | - | 1 | 3 |
| Male | 5 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | 5 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Male | 4 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 5 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Male | 4 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| White, both sexes | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 3 | - | - | - | - | - | - | - | - | - | - | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 22 | 1 | - | - | - | - | - | - | - | - | 2 | - |
| Male | 10 | 1 | - | - | - | - | - | - | - | - | 2 | - |
| Female | 12 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 16 | 1 | - | - | - | - | - | - | - | - | 1 | - |
| Male | 6 | 1 | - | - | - | - | - | - | - | - | 1 | - |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 6 | - | - | - | - | - | - | - | - | - | 1 | - |
| Male | 4 | - | - | - | - | - | - | - | - | - | 1 | - |
| Female | 2 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | 11 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 7 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 10 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 4 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 6 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | 8 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 6 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| White, both sexes | 8 | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Male | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 6 | - | - | - | - | - | - | - | - | - | 1 | 1 |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 21 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 10 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 11 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 20 | - | - | - | - | - | - | - | - | - | - | 1 |
| Male | 10 | - | - | - | - | - | - | - | - | - | - | 1 |
| Female | 10 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | 3 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 3 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | 3 | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| United States | | | | | | | | | | | | |
| All races, both sexes | 40 | 47 | 58 | 50 | 81 | 88 | 97 | 94 | 65 | 30 | 4 | - |
| Male | 17 | 23 | 38 | 24 | 35 | 47 | 45 | 26 | 11 | 4 | - | - |
| Female | 23 | 24 | 20 | 26 | 46 | 41 | 52 | 68 | 54 | 26 | 4 | - |
| White, both sexes | 32 | 42 | 47 | 44 | 70 | 78 | 86 | 87 | 64 | 29 | 3 | - |
| Male | 12 | 20 | 29 | 22 | 33 | 42 | 40 | 25 | 11 | 4 | - | - |
| Female | 20 | 22 | 18 | 22 | 37 | 36 | 46 | 62 | 53 | 25 | 3 | - |
| Black, both sexes | 5 | 3 | 8 | 6 | 10 | 9 | 9 | 6 | 1 | - | 1 | - |
| Male | 3 | 2 | 7 | 2 | 2 | 5 | 3 | 1 | - | - | - | - |
| Female | 2 | 1 | 1 | 4 | 8 | 4 | 6 | 5 | 1 | - | 1 | - |
| American Indian 1/, both sexes | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | 2 | 3 | - | 1 | 1 | 2 | 1 | - | - | - | - |
| Male | 1 | 1 | 2 | - | - | - | 2 | - | - | - | - | - |
| Female | - | 1 | 1 | - | 1 | 1 | - | 1 | - | - | - | - |
| Alabama | | | | | | | | | | | | |
| All races, both sexes | - | 3 | - | 2 | 2 | 1 | 3 | 1 | - | - | - | - |
| Male | - | 3 | - | - | 2 | 1 | 1 | - | - | - | - | - |
| Female | - | - | - | 2 | - | - | 2 | 1 | - | - | - | - |
| White, both sexes | - | 2 | - | 1 | 2 | - | 2 | 1 | - | - | - | - |
| Male | - | 2 | - | - | 2 | - | 1 | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | 1 | 1 | - | - | - | - |
| Black, both sexes | - | 1 | - | 1 | - | 1 | 1 | - | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Alaska | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Arizona | | | | | | | | | | | | |
| All races, both sexes | 3 | 5 | 3 | 3 | 9 | 6 | 4 | 3 | 1 | 3 | - | - |
| Male | 2 | - | 1 | 1 | 4 | 3 | 2 | - | - | - | - | - |
| Female | 1 | 5 | 2 | 2 | 5 | 3 | 2 | 3 | 1 | 3 | - | - |
| White, both sexes | 2 | 5 | 3 | 3 | 9 | 6 | 4 | 2 | 1 | 2 | - | - |
| Male | 1 | - | 1 | 1 | 4 | 3 | 2 | - | - | - | - | - |
| Female | 1 | 5 | 2 | 2 | 5 | 3 | 2 | 2 | 1 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Arkansas | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | 2 | 1 | 3 | 3 | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | 2 | 2 | - | - | - | - |
| Female | - | - | 1 | - | 1 | 1 | 1 | 1 | 1 | - | - | - |
| White, both sexes | - | - | 1 | - | 2 | 1 | 2 | 3 | 1 | - | - | - |
| Male | - | - | - | - | 1 | - | 2 | 2 | - | - | - | - |
| Female | - | - | 1 | - | 1 | 1 | - | 1 | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| California | | | | | | | | | | | | |
| All races, both sexes | 2 | 4 | 5 | 1 | 3 | 7 | 11 | 7 | 2 | 1 | 1 | - |
| Male | 1 | 1 | 2 | - | 1 | 3 | 6 | 3 | - | - | - | - |
| Female | 1 | 3 | 3 | 1 | 2 | 4 | 5 | 4 | 2 | 1 | 1 | - |
| White, both sexes | 2 | 2 | 4 | 1 | 3 | 7 | 9 | 7 | 2 | 1 | 1 | - |
| Male | 1 | - | 1 | - | 1 | 3 | 4 | 3 | - | - | - | - |
| Female | 1 | 2 | 3 | 1 | 2 | 4 | 5 | 4 | 2 | 1 | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | 2 | 1 | - | - | - | 2 | - | - | - | - | - |
| Male | - | 1 | 1 | - | - | - | 2 | - | - | - | - | - |
| Female | - | 1 | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Colorado | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 1 | - | 1 | - | - | 2 | 1 | 1 | - |
| Male | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | 2 | 1 | 1 | - |
| White, both sexes | - | - | 1 | 1 | - | 1 | - | - | 2 | 1 | 1 | - |
| Male | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | 2 | 1 | 1 | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Connecticut | | | | | | | | | | | | |
| All races, both sexes | - | - | 2 | 1 | 2 | 2 | 1 | 3 | 6 | 1 | - | - |
| Male | - | - | 2 | - | 1 | 1 | 1 | 2 | - | - | - | - |
| Female | - | - | - | 1 | 1 | 1 | - | 1 | 6 | 1 | - | - |
| White, both sexes | - | - | 2 | 1 | 2 | 2 | 1 | 3 | 6 | 1 | - | - |
| Male | - | - | 2 | - | 1 | 1 | 1 | 2 | - | - | - | - |
| Female | - | - | - | 1 | 1 | 1 | - | 1 | 6 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Delaware | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Dist. of Columbia | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Florida | | | | | | | | | | | | |
| All races, both sexes | 1 | 3 | 4 | 4 | 5 | 8 | 6 | 3 | 6 | 2 | - | - |
| Male | 1 | 2 | 3 | 2 | 2 | 5 | 3 | 1 | 2 | 1 | - | - |
| Female | - | 1 | 1 | 2 | 3 | 3 | 3 | 2 | 4 | 1 | - | - |
| White, both sexes | 1 | 2 | 2 | 4 | 5 | 8 | 6 | 2 | 6 | 2 | - | - |
| Male | 1 | 1 | 1 | 2 | 2 | 5 | 3 | 1 | 2 | 1 | - | - |
| Female | - | 1 | 1 | 2 | 3 | 3 | 3 | 1 | 4 | 1 | - | - |
| Black, both sexes | - | 1 | 2 | - | - | - | - | 1 | - | - | - | - |
| Male | - | 1 | 2 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Georgia | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 2 | - | - | 1 | 4 | 2 | 1 | 1 | - | - |
| Male | 1 | - | 1 | - | - | 1 | 1 | 1 | - | - | - | - |
| Female | 1 | 1 | 1 | - | - | - | 3 | 1 | 1 | 1 | - | - |
| White, both sexes | 1 | 1 | 1 | - | - | 1 | 4 | 2 | 1 | 1 | - | - |
| Male | 1 | - | - | - | - | 1 | 1 | 1 | - | - | - | - |
| Female | - | 1 | 1 | - | - | - | 3 | 1 | 1 | 1 | - | - |
| Black, both sexes | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Hawaii | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Idaho | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Illinois | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 4 | 2 | 2 | 3 | 5 | 8 | 1 | 1 | - | - |
| Male | 1 | - | 2 | 1 | 1 | 1 | 4 | 2 | - | - | - | - |
| Female | 1 | 1 | 2 | 1 | 1 | 2 | 1 | 6 | 1 | 1 | - | - |
| White, both sexes | 2 | 1 | 3 | 2 | 2 | 3 | 4 | 7 | 1 | 1 | - | - |
| Male | 1 | - | 1 | 1 | 1 | 1 | 3 | 2 | - | - | - | - |
| Female | 1 | 1 | 2 | 1 | 1 | 2 | 1 | 5 | 1 | 1 | - | - |
| Black, both sexes | - | - | 1 | - | - | - | 1 | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Indiana | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | 1 | 1 | 2 | 1 | 2 | 1 | - | - | - |
| Male | - | 1 | 1 | - | - | 1 | - | 1 | 1 | - | - | - |
| Female | - | - | - | 1 | 1 | 1 | 1 | 1 | - | - | - | - |
| White, both sexes | - | 1 | 1 | 1 | 1 | 2 | 1 | 2 | 1 | - | - | - |
| Male | - | 1 | 1 | - | - | 1 | - | 1 | 1 | - | - | - |
| Female | - | - | - | 1 | 1 | 1 | 1 | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Iowa | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 1 | - | - | 3 | 1 | 3 | - | - | - |
| Male | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Female | - | - | 1 | 1 | - | - | 1 | 1 | 3 | - | - | - |
| White, both sexes | - | - | 1 | 1 | - | - | 3 | 1 | 3 | - | - | - |
| Male | - | - | - | - | - | - | 2 | - | - | - | - | - |
| Female | - | - | 1 | 1 | - | - | 1 | 1 | 3 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Kansas | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | - | 1 | 1 | 2 | 1 | 2 | - | - |
| Male | 1 | - | - | - | - | 1 | - | - | 1 | 1 | - | - |
| Female | 1 | - | - | - | - | - | 1 | 2 | - | 1 | - | - |
| White, both sexes | 2 | - | - | - | - | 1 | 1 | 2 | 1 | 2 | - | - |
| Male | 1 | - | - | - | - | 1 | - | - | 1 | 1 | - | - |
| Female | 1 | - | - | - | - | - | 1 | 2 | - | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Kentucky | | | | | | | | | | | | |
| All races, both sexes | - | 2 | 2 | - | 3 | 2 | - | 3 | - | - | - | - |
| Male | - | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | 3 | 1 | - | 3 | - | - | - | - |
| White, both sexes | - | 2 | 2 | - | 2 | 2 | - | 2 | - | - | - | - |
| Male | - | 1 | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | 1 | 1 | - | 2 | 1 | - | 2 | - | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Louisiana | | | | | | | | | | | | |
| All races, both sexes | 1 | - | 2 | - | 2 | 1 | 1 | 3 | - | 1 | - | - |
| Male | - | - | 1 | - | 2 | 1 | 1 | 2 | - | - | - | - |
| Female | 1 | - | 1 | - | - | - | - | 1 | - | 1 | - | - |
| White, both sexes | 1 | - | 1 | - | 2 | 1 | 1 | 3 | - | 1 | - | - |
| Male | - | - | 1 | - | 2 | 1 | 1 | 2 | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Black, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Maine | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| White, both sexes | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Maryland | | | | | | | | | | | | |
| All races, both sexes | 3 | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Male | 2 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Massachusetts | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | 1 | - | 3 | 3 | 2 | 2 | 2 | - | - |
| Male | - | - | 1 | 1 | - | 1 | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | - | 2 | 2 | 1 | 2 | 2 | - | - |
| White, both sexes | - | - | 1 | 1 | - | 3 | 3 | 2 | 2 | 2 | - | - |
| Male | - | - | 1 | 1 | - | 1 | 1 | 1 | - | - | - | - |
| Female | - | - | - | - | - | 2 | 2 | 1 | 2 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Michigan | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | 4 | - | 2 | 4 | 4 | 4 | - | 1 | - |
| Male | - | - | - | 2 | - | 2 | 1 | - | 2 | - | - | - |
| Female | - | 1 | 1 | 2 | - | - | 3 | 4 | 2 | - | 1 | - |
| White, both sexes | - | 1 | 1 | 3 | - | 2 | 4 | 4 | 4 | - | - | - |
| Male | - | - | - | 1 | - | 2 | 1 | - | 2 | - | - | - |
| Female | - | 1 | 1 | 2 | - | - | 3 | 4 | 2 | - | - | - |
| Black, both sexes | - | - | - | 1 | - | - | - | - | - | - | 1 | - |
| Male | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | 1 | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Minnesota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | 1 | 3 | 4 | 2 | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | 3 | 3 | 2 | - | - |
| White, both sexes | - | - | - | - | - | 1 | 1 | 3 | 4 | 2 | - | - |
| Male | - | - | - | - | - | 1 | 1 | - | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | 3 | 3 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Mississippi | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 1 | - | 1 | 3 | - | 1 | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | 2 | - | 1 | - | - | - |
| White, both sexes | - | 1 | - | 1 | - | 1 | 1 | - | - | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | 2 | - | 1 | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | 2 | - | 1 | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Missouri | | | | | | | | | | | | |
| All races, both sexes | 2 | 2 | - | - | 3 | 3 | - | 1 | - | - | - | - |
| Male | 1 | 1 | - | - | 1 | 2 | - | - | - | - | - | - |
| Female | 1 | 1 | - | - | 2 | 1 | - | 1 | - | - | - | - |
| White, both sexes | 2 | 2 | - | - | 3 | 2 | - | 1 | - | - | - | - |
| Male | 1 | 1 | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | 1 | 1 | - | - | 2 | 1 | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Montana | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | 2 | - | - | 1 | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| White, both sexes | - | - | - | 1 | - | 2 | - | - | 1 | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Nebraska | | | | | | | | | | | | |
| All races, both sexes | 1 | - | - | - | - | - | - | 2 | 1 | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | 2 | 1 | 1 | - | - |
| White, both sexes | - | - | - | - | - | - | - | 2 | 1 | 1 | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 2 | 1 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 1 | - | 1 | - | 1 | 1 | 1 | - | - | - |
| Male | 1 | 2 | - | - | 1 | - | 1 | - | 1 | - | - | - |
| Female | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | 1 | 2 | 1 | - | 1 | - | 1 | - | 1 | - | - | - |
| Male | 1 | 2 | - | - | 1 | - | 1 | - | 1 | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| New Hampshire | | | | | | | | | | | | |
| All races, both sexes | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| Male | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New Jersey | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 5 | 1 | 4 | 7 | 6 | 4 | 5 | - | - | - |
| Male | - | - | 4 | - | 1 | 4 | 1 | 1 | - | - | - | - |
| Female | 2 | 1 | 1 | 1 | 3 | 3 | 5 | 3 | 5 | - | - | - |
| White, both sexes | 2 | 1 | 4 | - | 2 | 5 | 6 | 4 | 5 | - | - | - |
| Male | - | - | 3 | - | 1 | 3 | 1 | 1 | - | - | - | - |
| Female | 2 | 1 | 1 | - | 1 | 2 | 5 | 3 | 5 | - | - | - |
| Black, both sexes | - | - | 1 | 1 | 1 | 2 | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| New Mexico | | | | | | | | | | | | |
| All races, both sexes | 2 | - | - | - | 1 | 3 | - | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | 3 | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| White, both sexes | 2 | - | - | - | 1 | 3 | - | - | 1 | - | - | - |
| Male | - | - | - | - | 1 | 3 | - | - | - | - | - | - |
| Female | 2 | - | - | - | - | - | - | - | 1 | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| New York | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 2 | 1 | 8 | 4 | 4 | 6 | 2 | 3 | 1 | - |
| Male | - | 2 | 1 | 1 | 3 | 3 | 3 | 1 | - | - | - | - |
| Female | 1 | - | 1 | - | 5 | 1 | 1 | 5 | 2 | 3 | 1 | - |
| White, both sexes | 1 | 2 | 1 | 1 | 7 | 3 | 4 | 6 | 2 | 3 | 1 | - |
| Male | - | 2 | - | 1 | 3 | 3 | 3 | 1 | - | - | - | - |
| Female | 1 | - | 1 | - | 4 | - | 1 | 5 | 2 | 3 | 1 | - |
| Black, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| North Carolina | | | | | | | | | | | | |
| All races, both sexes | 1 | 2 | 2 | - | 2 | 1 | 3 | 1 | 2 | - | - | - |
| Male | 1 | 1 | 2 | - | 2 | - | - | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | 3 | - | 2 | - | - | - |
| White, both sexes | - | 2 | 2 | - | 1 | 1 | 3 | 1 | 2 | - | - | - |
| Male | - | 1 | 2 | - | 1 | - | - | 1 | - | - | - | - |
| Female | - | 1 | - | - | - | 1 | 3 | - | 2 | - | - | - |
| Black, both sexes | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | 1 | - | - | - | 1 | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| North Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Ohio | | | | | | | | | | | | |
| All races, both sexes | 2 | 3 | 2 | 6 | 6 | 6 | 1 | 4 | 1 | - | - | - |
| Male | 1 | 1 | 2 | 3 | 3 | 4 | - | - | - | - | - | - |
| Female | 1 | 2 | - | 3 | 3 | 2 | 1 | 4 | 1 | - | - | - |
| White, both sexes | 2 | 3 | 2 | 5 | 4 | 5 | 1 | 4 | 1 | - | - | - |
| Male | 1 | 1 | 2 | 3 | 2 | 3 | - | - | - | - | - | - |
| Female | 1 | 2 | - | 2 | 2 | 2 | 1 | 4 | 1 | - | - | - |
| Black, both sexes | - | - | - | 1 | 2 | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Oklahoma | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | 2 | 1 | 1 | - | 1 | 1 | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | 1 | 1 | - | - | - |
| Female | - | 1 | 1 | 1 | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | 2 | 1 | 1 | - | 1 | 1 | - | - | - |
| Male | - | - | - | 1 | - | 1 | - | 1 | 1 | - | - | - |
| Female | - | 1 | - | 1 | 1 | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | 1 | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Oregon | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | 1 | 1 | 1 | 2 | 2 | 1 | - | - |
| Male | - | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 1 | 2 | 1 | - | - |
| White, both sexes | - | - | - | - | 1 | 1 | 1 | 2 | 2 | 1 | - | - |
| Male | - | - | - | - | 1 | 1 | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | 1 | 2 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Pennsylvania | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 4 | 1 | 6 | 5 | 5 | 5 | 2 | 2 | - | - |
| Male | - | 1 | 4 | 1 | 3 | - | - | - | 1 | - | - | - |
| Female | 2 | - | - | - | 3 | 5 | 5 | 5 | 1 | 2 | - | - |
| White, both sexes | 2 | 1 | 3 | 1 | 5 | 4 | 4 | 4 | 2 | 2 | - | - |
| Male | - | 1 | 3 | 1 | 3 | - | - | - | 1 | - | - | - |
| Female | 2 | - | - | - | 2 | 4 | 4 | 4 | 1 | 2 | - | - |
| Black, both sexes | - | - | - | - | 1 | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | 1 | 1 | 1 | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Rhode Island | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | 1 | - | - | 1 | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| South Carolina | | | | | | | | | | | | |
| All races, both sexes | - | 1 | 1 | 1 | 1 | - | - | 2 | 1 | - | - | - |
| Male | - | - | 1 | - | - | - | - | 1 | 1 | - | - | - |
| Female | - | 1 | - | 1 | 1 | - | - | 1 | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | - | 2 | 1 | - | - | - |
| Male | - | - | 1 | - | - | - | - | 1 | 1 | - | - | - |
| Female | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Black, both sexes | - | 1 | - | 1 | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | 1 | - | 1 | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| South Dakota | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Tennessee | | | | | | | | | | | | |
| All races, both sexes | - | - | 2 | - | 1 | - | - | 1 | - | - | - | - |
| Male | - | - | 2 | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| White, both sexes | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Texas | | | | | | | | | | | | |
| All races, both sexes | 4 | 3 | 4 | 6 | 8 | 2 | 6 | 5 | 4 | 1 | - | - |
| Male | 3 | 2 | 4 | 4 | 4 | 1 | 3 | 2 | - | - | - | - |
| Female | 1 | 1 | - | 2 | 4 | 1 | 3 | 3 | 4 | 1 | - | - |
| White, both sexes | 4 | 3 | 4 | 6 | 8 | 1 | 5 | 4 | 4 | 1 | - | - |
| Male | 3 | 2 | 4 | 4 | 4 | - | 3 | 1 | - | - | - | - |
| Female | 1 | 1 | - | 2 | 4 | 1 | 2 | 3 | 4 | 1 | - | - |
| Black, both sexes | - | - | - | - | - | 1 | 1 | 1 | - | - | - | - |
| Male | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Female | - | - | - | - | - | - | 1 | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Utah | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | 1 | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Vermont | | | | | | | | | | | | |
| All races, both sexes | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| White, both sexes | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Virginia | | | | | | | | | | | | |
| All races, both sexes | 3 | 2 | 1 | - | 1 | 2 | 6 | 1 | 1 | 2 | - | - |
| Male | 1 | 1 | - | - | - | - | 3 | 1 | - | 1 | - | - |
| Female | 2 | 1 | 1 | - | 1 | 2 | 3 | - | 1 | 1 | - | - |
| White, both sexes | 1 | 2 | 1 | - | 1 | 1 | 4 | 1 | 1 | 2 | - | - |
| Male | - | 1 | - | - | - | - | 1 | 1 | - | 1 | - | - |
| Female | 1 | 1 | 1 | - | 1 | 1 | 3 | - | 1 | 1 | - | - |
| Black, both sexes | 2 | - | - | - | - | 1 | 2 | - | - | - | - | - |
| Male | 1 | - | - | - | - | - | 2 | - | - | - | - | - |
| Female | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Washington | | | | | | | | | | | | |
| All races, both sexes | - | - | - | 1 | 1 | 2 | 4 | 2 | - | - | - | - |
| Male | - | - | - | 1 | - | - | 2 | - | - | - | - | - |
| Female | - | - | - | - | 1 | 2 | 2 | 2 | - | - | - | - |
| White, both sexes | - | - | - | 1 | - | 2 | 4 | 2 | - | - | - | - |
| Male | - | - | - | 1 | - | - | 2 | - | - | - | - | - |
| Female | - | - | - | - | - | 2 | 2 | 2 | - | - | - | - |
| Black, both sexes | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | 1 | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| West Virginia | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | 1 | 2 | - | - | 1 | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | 2 | - | - | 1 | - | - | - | - |
| White, both sexes | - | 1 | - | 1 | 2 | - | - | 1 | - | - | - | - |
| Male | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | 1 | 2 | - | - | 1 | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each state, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

| Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 years and over | Age not stated |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Neoplasm of uncertain or unknown behavior of unspecified sites (D48) | | | | | | | | | | | | |
| Wisconsin | | | | | | | | | | | | |
| All races, both sexes | 2 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | - | - |
| Male | - | 1 | 1 | 2 | 1 | 1 | 1 | 1 | - | 1 | - | - |
| Female | 2 | - | - | - | 1 | 1 | 1 | 1 | 3 | 2 | - | - |
| White, both sexes | 2 | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 3 | 3 | - | - |
| Male | - | 1 | 1 | 2 | 1 | 1 | 1 | 1 | - | 1 | - | - |
| Female | 2 | - | - | - | 1 | - | 1 | 1 | 3 | 2 | - | - |
| Black, both sexes | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | 1 | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Wyoming | | | | | | | | | | | | |
| All races, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| White, both sexes | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Male | - | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Black, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| American Indian 1/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian or Pacific Islander 2/, both sexes | - | - | - | - | - | - | - | - | - | - | - | - |
| Male | - | - | - | - | - | - | - | - | - | - | - | - |
| Female | - | - | - | - | - | - | - | - | - | - | - | - |