

Illinois, 2010

Primary and secondary syphilis

- **CASES:** Illinois reported 908 cases in 2010.
- **RATES:** Illinois ranked 6 among 52 areas (49 states; Washington, DC; and 2 territories) reporting at least one case of P&S syphilis with 7 cases per 100,000 population compared to the U.S. rate of 4.5 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In Illinois, the rate among males was 12.6 per 100,000 population compared to the U.S. male rate of 7.9 per 100,000.
- The rate among females was 1.6 per 100,000 compared to the U.S. female rate of 1.1 per 100,000.


Rates of primary and secondary syphilis, by race/ethnicity

- In Illinois, the race/ethnicity adjusted rates per 100,000 population were 2.6 among whites, 27.7 among blacks, 5.8 among Hispanics, 1.7 among Asian/Pacific Islanders, and 14.1 among American Indians/Alaska Natives.
- The rate among blacks was 10.7 times that of whites.
- The rate among Hispanics was 2.2 times that of whites.
- The rate among American Indians/Alaska Natives was 5.4 times that of whites.

Congenital syphilis

- **CASES:** Illinois reported 27 cases in 2010.
- **RATES:** Illinois ranked 7 among among 30 areas (28 states; Washington, DC; and 1 territory) reporting at least one case of congenital syphilis with a rate of 14.9 cases per 100,000 live births compared to the U.S. rate of 8.7 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, Illinois, 2001-2010



Total P&S Syphilis Rates by County, Illinois, 2010

