

ALABAMA FERTILITY SPECIALISTS BIRMINGHAM, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	11%	Other factor	2%
GIFT	0%	With ICSI	38%	Ovulatory dysfunction	4%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	7%	Female factors only	26%
		Used PGD	0%	Uterine factor	0%	Female & male factors	29%
		With eSET	0%	Male factor	16%		

2010 PREGNANCY SUCCESS RATES

Data verified by Michael P. Steinkampf, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	35	12	6	4	1
Percentage of embryos transferred resulting in implantation ^b	18.2	17.9	2 / 7	0 / 12	
Percentage of cycles resulting in pregnancies ^b	31.4	3 / 12	1 / 6	0 / 4	0 / 1
Percentage of cycles resulting in live births ^{b,c}	28.6	3 / 12	1 / 6	0 / 4	0 / 1
(Confidence Interval)	(14.6–46.3)				
Percentage of retrievals resulting in live births ^{b,c}	34.5	3 / 10	1 / 2	0 / 3	
Percentage of transfers resulting in live births ^{b,c}	38.5	3 / 10	1 / 2	0 / 3	
Percentage of transfers resulting in singleton live births ^b	30.8	2 / 10	1 / 2	0 / 3	
Percentage of cancellations ^b	17.1	2 / 12	4 / 6	1 / 4	1 / 1
Average number of embryos transferred	2.5	2.8	3.5	4.0	
Percentage of pregnancies with twins ^b	2 / 11	0 / 3	1 / 1		
Percentage of pregnancies with triplets or more ^b	0 / 11	1 / 3	0 / 1		
Percentage of live births having multiple infants ^{b,c}	2 / 10	1 / 3	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	17	2	0	0	0
Percentage of transfers resulting in live births ^{b,c}	5 / 17	0 / 2			
Average number of embryos transferred	2.2	2.0			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	3		6		
Percentage of transfers resulting in live births ^{b,c}	2 / 3		2 / 6		
Average number of embryos transferred	2.3		1.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Alabama Fertility Specialists

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ART FERTILITY PROGRAM OF ALABAMA BIRMINGHAM, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	1%	Other factor	3%
GIFT	0%	With ICSI	88%	Ovulatory dysfunction	1%	Unknown factor	1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	1%	Female factors only	11%
		Used PGD	1%	Uterine factor	0%	Female & male factors	71%
		With eSET	6%	Male factor	11%		

2010 PREGNANCY SUCCESS RATES

Data verified by Kathryn L. Honea, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	168	28	32	1	3
Percentage of embryos transferred resulting in implantation ^b	30.0	29.5	14.5		0 / 4
Percentage of cycles resulting in pregnancies ^b	36.9	46.4	21.9	0 / 1	0 / 3
Percentage of cycles resulting in live births ^{b,c}	32.7	39.3	12.5	0 / 1	0 / 3
(Confidence Interval)	(25.7–40.4)	(21.5–59.4)	(3.5–29.0)		
Percentage of retrievals resulting in live births ^{b,c}	36.4	44.0	14.3	0 / 1	0 / 1
Percentage of transfers resulting in live births ^{b,c}	39.0	50.0	15.4		0 / 1
Percentage of transfers resulting in singleton live births ^b	29.1	50.0	11.5		0 / 1
Percentage of cancellations ^b	10.1	10.7	12.5	0 / 1	2 / 3
Average number of embryos transferred	1.8	2.0	2.4		4.0
Percentage of pregnancies with twins ^b	29.0	1 / 13	0 / 7		
Percentage of pregnancies with triplets or more ^b	1.6	0 / 13	1 / 7		
Percentage of live births having multiple infants ^{b,c}	25.5	0 / 11	1 / 4		
Frozen Embryos from Nondonor Eggs					
Number of transfers	46	7	2	2	0
Percentage of transfers resulting in live births ^{b,c}	21.7	1 / 7	1 / 2	0 / 2	
Average number of embryos transferred	1.7	1.1	1.0	1.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	27		21		
Percentage of transfers resulting in live births ^{b,c}	44.4		33.3		
Average number of embryos transferred	1.7		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: ART Fertility Program of Alabama

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF ALABAMA AT BIRMINGHAM
BIRMINGHAM, ALABAMA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	25%	Other factor	0%
GIFT	0%	With ICSI	58%	Ovulatory dysfunction	8%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	23%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	2%	Female factors only	15%
		Used PGD	0%	Uterine factor	0%	Female & male factors	14%
		With eSET	7%	Male factor	14%		

2010 PREGNANCY SUCCESS RATES

Data verified by Gordon W. Bates, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	18	14	3	1	2
Percentage of embryos transferred resulting in implantation ^b	20.7	16.1	1 / 9	0 / 3	0 / 2
Percentage of cycles resulting in pregnancies ^b	5 / 18	5 / 14	1 / 3	0 / 1	0 / 2
Percentage of cycles resulting in live births ^{b,c} (Confidence Interval)	4 / 18	5 / 14	1 / 3	0 / 1	0 / 2
Percentage of retrievals resulting in live births ^{b,c}	4 / 16	5 / 13	1 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births ^{b,c}	4 / 15	5 / 13	1 / 3	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births ^b	4 / 15	5 / 13	1 / 3	0 / 1	0 / 1
Percentage of cancellations ^b	2 / 18	1 / 14	0 / 3	0 / 1	1 / 2
Average number of embryos transferred	1.9	2.4	3.0	3.0	2.0
Percentage of pregnancies with twins ^b	1 / 5	0 / 5	0 / 1		
Percentage of pregnancies with triplets or more ^b	0 / 5	0 / 5	0 / 1		
Percentage of live births having multiple infants ^{b,c}	0 / 4	0 / 5	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	6	3	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 6	0 / 3	1 / 1		
Average number of embryos transferred	1.8	2.0	3.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	1		2		
Percentage of transfers resulting in live births ^{b,c}	1 / 1		1 / 2		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Alabama at Birmingham

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

HUNTSVILLE REPRODUCTIVE MEDICINE, PC HUNTSVILLE, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	4%	Other factor	<1%
GIFT	0%	With ICSI	76%	Ovulatory dysfunction	<1%	Unknown factor	5%
ZIFT	0%	Unstimulated	3%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	4%	Endometriosis	6%	Female factors only	35%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	24%
		With eSET	2%	Male factor	11%		

2010 PREGNANCY SUCCESS RATES

Data verified by Andrew J. Harper, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	42	19	9	2	0
Percentage of embryos transferred resulting in implantation ^b	34.4	18.8	25.0	0 / 5	
Percentage of cycles resulting in pregnancies ^b	54.8	9 / 19	4 / 9	0 / 2	
Percentage of cycles resulting in live births ^{b,c}	45.2	8 / 19	3 / 9	0 / 2	
(Confidence Interval)	(29.8–61.3)				
Percentage of retrievals resulting in live births ^{b,c}	46.3	8 / 18	3 / 7	0 / 2	
Percentage of transfers resulting in live births ^{b,c}	46.3	8 / 18	3 / 7	0 / 2	
Percentage of transfers resulting in singleton live births ^b	29.3	8 / 18	3 / 7	0 / 2	
Percentage of cancellations ^b	2.4	1 / 19	2 / 9	0 / 2	
Average number of embryos transferred	2.2	2.7	2.9	2.5	
Percentage of pregnancies with twins ^b	34.8	0 / 9	0 / 4		
Percentage of pregnancies with triplets or more ^b	4.3	0 / 9	1 / 4		
Percentage of live births having multiple infants ^{b,c}	7 / 19	0 / 8	0 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	23	8	8	0	0
Percentage of transfers resulting in live births ^{b,c}	26.1	2 / 8	2 / 8		
Average number of embryos transferred	1.9	1.8	1.9		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	10		10		
Percentage of transfers resulting in live births ^{b,c}	8 / 10		3 / 10		
Average number of embryos transferred	2.1		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Huntsville Reproductive Medicine, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE MOBILE, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	15%	Other factor	9%
GIFT	0%	With ICSI	84%	Ovulatory dysfunction	3%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	12%	Female factors only	13%
		Used PGD	2%	Uterine factor	2%	Female & male factors	15%
		With eSET	1%	Male factor	29%		

2010 PREGNANCY SUCCESS RATES

Data verified by George T. Koulianos, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	95	39	23	16	3
Percentage of embryos transferred resulting in implantation ^b	41.1	25.3	19.2	9.4	0 / 6
Percentage of cycles resulting in pregnancies ^b	49.5	43.6	56.5	5 / 16	0 / 3
Percentage of cycles resulting in live births ^{b,c}	46.3	35.9	47.8	0 / 16	0 / 3
(Confidence Interval)	(36.0–56.8)	(21.2–52.8)	(26.8–69.4)		
Percentage of retrievals resulting in live births ^{b,c}	54.3	40.0	47.8	0 / 16	0 / 2
Percentage of transfers resulting in live births ^{b,c}	57.1	40.0	47.8	0 / 16	0 / 2
Percentage of transfers resulting in singleton live births ^b	36.4	34.3	43.5	0 / 16	0 / 2
Percentage of cancellations ^b	14.7	10.3	0.0	0 / 16	1 / 3
Average number of embryos transferred	2.1	2.1	3.2	3.3	3.0
Percentage of pregnancies with twins ^b	42.6	4 / 17	3 / 13	1 / 5	
Percentage of pregnancies with triplets or more ^b	0.0	0 / 17	0 / 13	0 / 5	
Percentage of live births having multiple infants ^{b,c}	36.4	2 / 14	1 / 11		
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	6	6	3	0
Percentage of transfers resulting in live births ^{b,c}	3 / 9	3 / 6	1 / 6	1 / 3	
Average number of embryos transferred	2.0	2.0	2.2	3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	22		0		
Percentage of transfers resulting in live births ^{b,c}	50.0				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH ALABAMA IVF AND ART PROGRAM MOBILE, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	9%	Other factor	0%
GIFT	0%	With ICSI	90%	Ovulatory dysfunction	9%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	53%
		Used PGD	0%	Uterine factor	0%	Female & male factors	24%
		With eSET	0%	Male factor	3%		

2010 PREGNANCY SUCCESS RATES

Data verified by Botros M. Rizk, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	16	7	3	5	0
Percentage of embryos transferred resulting in implantation ^b	31.6	7 / 15	2 / 6	1 / 10	
Percentage of cycles resulting in pregnancies ^b	8 / 16	3 / 7	2 / 3	1 / 5	
Percentage of cycles resulting in live births ^{b,c} (Confidence Interval)	8 / 16	2 / 7	1 / 3	0 / 5	
Percentage of retrievals resulting in live births ^{b,c}	8 / 16	2 / 7	1 / 3	0 / 5	
Percentage of transfers resulting in live births ^{b,c}	8 / 15	2 / 5	1 / 2	0 / 4	
Percentage of transfers resulting in singleton live births ^b	6 / 15	1 / 5	1 / 2	0 / 4	
Percentage of cancellations ^b	0 / 16	0 / 7	0 / 3	0 / 5	
Average number of embryos transferred	2.5	3.0	3.0	2.5	
Percentage of pregnancies with twins ^b	2 / 8	2 / 3	0 / 2	0 / 1	
Percentage of pregnancies with triplets or more ^b	1 / 8	1 / 3	0 / 2	0 / 1	
Percentage of live births having multiple infants ^{b,c}	2 / 8	1 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 3				
Average number of embryos transferred	2.0				
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of South Alabama IVF and ART Program

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PENINSULA MEDICAL CENTER
JOHN NELS ANDERSON, MD
SOLDOTNA, ALASKA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	17%	Other factor	18%
GIFT	0%	With ICSI	32%	Ovulatory dysfunction	10%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	1%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	12%	Female factors only	0%
		Used PGD	0%	Uterine factor	0%	Female & male factors	17%
		With eSET	0%	Male factor	21%		

2010 PREGNANCY SUCCESS RATES

Data verified by John N. Anderson, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	32	12	16	7	1
Percentage of embryos transferred resulting in implantation ^b	13.7	10.0	8.0	1 / 17	
Percentage of cycles resulting in pregnancies ^b	28.1	3 / 12	2 / 16	1 / 7	0 / 1
Percentage of cycles resulting in live births ^{b,c}	21.9	2 / 12	0 / 16	1 / 7	0 / 1
(Confidence Interval)	(9.3–40.0)				
Percentage of retrievals resulting in live births ^{b,c}	22.6	2 / 12	0 / 13	1 / 7	0 / 1
Percentage of transfers resulting in live births ^{b,c}	25.9	2 / 11	0 / 10	1 / 6	
Percentage of transfers resulting in singleton live births ^b	18.5	2 / 11	0 / 10	1 / 6	
Percentage of cancellations ^b	3.1	0 / 12	3 / 16	0 / 7	0 / 1
Average number of embryos transferred	2.7	2.7	2.5	2.8	
Percentage of pregnancies with twins ^b	3 / 9	0 / 3	1 / 2	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 9	0 / 3	0 / 2	0 / 1	
Percentage of live births having multiple infants ^{b,c}	2 / 7	0 / 2		0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	1	2	0	0
Percentage of transfers resulting in live births ^{b,c}	2 / 5	1 / 1	0 / 2		
Average number of embryos transferred	2.6	4.0	3.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	2		0		
Percentage of transfers resulting in live births ^{b,c}	0 / 2				
Average number of embryos transferred	3.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Peninsula Medical Center, John Nels Anderson, MD

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VALLEY FERTILITY CENTER GLENDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	4%	Other factor	1%
GIFT	0%	With ICSI	94%	Ovulatory dysfunction	3%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	6%
		Used PGD	3%	Uterine factor	2%	Female & male factors	34%
		With eSET	0%	Male factor	38%		

2010 PREGNANCY SUCCESS RATES

Data verified by Vladimir Troché, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	59	15	14	4	1
Percentage of embryos transferred resulting in implantation ^b	44.3	23.1	11.9	1 / 7	0 / 3
Percentage of cycles resulting in pregnancies ^b	61.0	5 / 15	4 / 14	1 / 4	0 / 1
Percentage of cycles resulting in live births ^{b,c}	52.5	4 / 15	4 / 14	0 / 4	0 / 1
(Confidence Interval)	(39.1–65.7)				
Percentage of retrievals resulting in live births ^{b,c}	54.4	4 / 14	4 / 13	0 / 2	0 / 1
Percentage of transfers resulting in live births ^{b,c}	57.4	4 / 14	4 / 13	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births ^b	33.3	3 / 14	3 / 13	0 / 2	0 / 1
Percentage of cancellations ^b	3.4	1 / 15	1 / 14	2 / 4	0 / 1
Average number of embryos transferred	2.3	2.8	3.2	3.5	3.0
Percentage of pregnancies with twins ^b	38.9	0 / 5	1 / 4	0 / 1	
Percentage of pregnancies with triplets or more ^b	8.3	1 / 5	0 / 4	0 / 1	
Percentage of live births having multiple infants ^{b,c}	41.9	1 / 4	1 / 4		
Frozen Embryos from Nondonor Eggs					
Number of transfers	20	5	5	3	1
Percentage of transfers resulting in live births ^{b,c}	55.0	2 / 5	0 / 5	1 / 3	1 / 1
Average number of embryos transferred	2.2	3.2	1.6	3.0	1.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	15		10		
Percentage of transfers resulting in live births ^{b,c}	7 / 15		3 / 10		
Average number of embryos transferred	2.1		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Troché Fertility Centers

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA REPRODUCTIVE MEDICINE SPECIALISTS PHOENIX, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	3%	Other factor	4%
GIFT	0%	With ICSI	54%	Ovulatory dysfunction	6%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	11%
		Used PGD	3%	Uterine factor	0%	Female & male factors	48%
		With eSET	2%	Male factor	12%		

2010 PREGNANCY SUCCESS RATES

Data verified by Drew V. Moffitt, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	92	51	47	18	3
Percentage of embryos transferred resulting in implantation ^b	25.5	22.0	14.3	1 / 19	0 / 8
Percentage of cycles resulting in pregnancies ^b	37.0	37.3	23.4	4 / 18	0 / 3
Percentage of cycles resulting in live births ^{b,c}	31.5	25.5	17.0	1 / 18	0 / 3
(Confidence Interval)	(22.2–42.0)	(14.3–39.6)	(7.6–30.8)		
Percentage of retrievals resulting in live births ^{b,c}	34.9	33.3	21.6	1 / 13	0 / 3
Percentage of transfers resulting in live births ^{b,c}	36.7	33.3	22.9	1 / 10	0 / 3
Percentage of transfers resulting in singleton live births ^b	25.3	28.2	14.3	1 / 10	0 / 3
Percentage of cancellations ^b	9.8	23.5	21.3	5 / 18	0 / 3
Average number of embryos transferred	2.1	2.3	2.4	1.9	2.7
Percentage of pregnancies with twins ^b	32.4	4 / 19	3 / 11	0 / 4	
Percentage of pregnancies with triplets or more ^b	0.0	0 / 19	0 / 11	0 / 4	
Percentage of live births having multiple infants ^{b,c}	31.0	2 / 13	3 / 8	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	67	14	22	9	1
Percentage of transfers resulting in live births ^{b,c}	37.3	4 / 14	27.3	4 / 9	0 / 1
Average number of embryos transferred	1.7	1.8	1.8	1.8	2.0
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		22		19	
Percentage of transfers resulting in live births ^{b,c}		54.5		10 / 19	
Average number of embryos transferred		2.0		1.7	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arizona Reproductive Medicine Specialists

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FERTILITY CENTER PHOENIX, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	6%	Other factor	2%
GIFT	0%	With ICSI	75%	Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	35%
		Used PGD	0%	Uterine factor	2%	Female & male factors	43%
		With eSET	3%	Male factor	5%		

2010 PREGNANCY SUCCESS RATES

Data verified by Sujatha Gunnala, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	27	14	7	0	0
Percentage of embryos transferred resulting in implantation ^b	26.7	15.4	4 / 17		
Percentage of cycles resulting in pregnancies ^b	33.3	4 / 14	3 / 7		
Percentage of cycles resulting in live births ^{b,c}	29.6	3 / 14	2 / 7		
(Confidence Interval)	(13.8–50.2)				
Percentage of retrievals resulting in live births ^{b,c}	29.6	3 / 12	2 / 6		
Percentage of transfers resulting in live births ^{b,c}	40.0	3 / 12	2 / 6		
Percentage of transfers resulting in singleton live births ^b	25.0	3 / 12	1 / 6		
Percentage of cancellations ^b	0.0	2 / 14	1 / 7		
Average number of embryos transferred	2.3	2.2	2.8		
Percentage of pregnancies with twins ^b	3 / 9	0 / 4	1 / 3		
Percentage of pregnancies with triplets or more ^b	0 / 9	0 / 4	0 / 3		
Percentage of live births having multiple infants ^{b,c}	3 / 8	0 / 3	1 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	15	7	4	0	1
Percentage of transfers resulting in live births ^{b,c}	7 / 15	2 / 7	2 / 4		0 / 1
Average number of embryos transferred	1.8	2.0	2.0		3.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	7		5		
Percentage of transfers resulting in live births ^{b,c}	2 / 7		1 / 5		
Average number of embryos transferred	2.4		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southwest Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CARE SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	<1%	Other factor	0%
GIFT	0%	With ICSI	57%	Ovulatory dysfunction	4%	Unknown factor	17%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	33%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	9%
		Used PGD	4%	Uterine factor	<1%	Female & male factors	21%
		With eSET	24%	Male factor	15%		

2010 PREGNANCY SUCCESS RATES

Data verified by Nathaniel Zoneraich, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	46	25	19	8	0
Percentage of embryos transferred resulting in implantation ^b	52.1	40.5	25.8	1 / 19	
Percentage of cycles resulting in pregnancies ^b	65.2	60.0	5 / 19	1 / 8	
Percentage of cycles resulting in live births ^{b,c}	52.2	52.0	3 / 19	1 / 8	
(Confidence Interval)	(36.9–67.1)	(31.3–72.2)			
Percentage of retrievals resulting in live births ^{b,c}	52.2	54.2	3 / 16	1 / 6	
Percentage of transfers resulting in live births ^{b,c}	54.5	56.5	3 / 13	1 / 6	
Percentage of transfers resulting in singleton live births ^b	36.4	47.8	2 / 13	1 / 6	
Percentage of cancellations ^b	0.0	4.0	3 / 19	2 / 8	
Average number of embryos transferred	1.7	1.6	2.4	3.2	
Percentage of pregnancies with twins ^b	30.0	2 / 15	0 / 5	0 / 1	
Percentage of pregnancies with triplets or more ^b	3.3	0 / 15	2 / 5	0 / 1	
Percentage of live births having multiple infants ^{b,c}	33.3	2 / 13	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	5	1	0	1
Percentage of transfers resulting in live births ^{b,c}	1 / 5	1 / 5	0 / 1		0 / 1
Average number of embryos transferred	2.0	1.8	2.0		2.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	21		11		
Percentage of transfers resulting in live births ^{b,c}	61.9		4 / 11		
Average number of embryos transferred	1.4		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA ASSOCIATES FOR REPRODUCTIVE HEALTH SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	<1%
GIFT	0%	With ICSI	79%	Ovulatory dysfunction	7%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	4%	Female factors only	7%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	30%
		With eSET	2%	Male factor	24%		

2010 PREGNANCY SUCCESS RATES

Data verified by Ketan S. Patel, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	79	32	33	13	1
Percentage of embryos transferred resulting in implantation ^b	42.3	28.8	22.4	15.4	0 / 4
Percentage of cycles resulting in pregnancies ^b	58.2	46.9	42.4	4 / 13	0 / 1
Percentage of cycles resulting in live births ^{b,c}	48.1	31.3	33.3	1 / 13	0 / 1
(Confidence Interval)	(36.7–59.6)	(16.1–50.0)	(18.0–51.8)		
Percentage of retrievals resulting in live births ^{b,c}	50.7	35.7	40.7	1 / 12	0 / 1
Percentage of transfers resulting in live births ^{b,c}	53.5	35.7	42.3	1 / 10	0 / 1
Percentage of transfers resulting in singleton live births ^b	33.8	32.1	42.3	0 / 10	0 / 1
Percentage of cancellations ^b	5.1	12.5	18.2	1 / 13	0 / 1
Average number of embryos transferred	2.1	2.1	2.2	2.6	4.0
Percentage of pregnancies with twins ^b	37.0	3 / 15	0 / 14	1 / 4	
Percentage of pregnancies with triplets or more ^b	0.0	0 / 15	0 / 14	0 / 4	
Percentage of live births having multiple infants ^{b,c}	36.8	1 / 10	0 / 11	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	19	9	7	0	1
Percentage of transfers resulting in live births ^{b,c}	5 / 19	2 / 9	3 / 7		1 / 1
Average number of embryos transferred	2.2	2.1	2.0		2.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	10		9		
Percentage of transfers resulting in live births ^{b,c}	5 / 10		4 / 9		
Average number of embryos transferred	2.0		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arizona Associates for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA CENTER FOR FERTILITY STUDIES SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	97%	Procedural Factors:	Tubal factor	4%	Other factor	25%	
GIFT	0%	With ICSI	83%	Ovulatory dysfunction	6%	Unknown factor	5%
ZIFT	3%	Unstimulated	0%	Diminished ovarian reserve	19%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	2%	Female factors only	3%
		Used PGD	34%	Uterine factor	9%	Female & male factors	12%
		With eSET	5%	Male factor	16%		

2010 PREGNANCY SUCCESS RATES

Data verified by Jay S. Nemiro, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	21	15	18	9	1
Percentage of embryos transferred resulting in implantation ^b	25.8	26.1	38.2	6 / 16	
Percentage of cycles resulting in pregnancies ^b	33.3	4 / 15	7 / 18	4 / 9	0 / 1
Percentage of cycles resulting in live births ^{b,c}	28.6	3 / 15	5 / 18	2 / 9	0 / 1
(Confidence Interval)	(11.3–52.2)				
Percentage of retrievals resulting in live births ^{b,c}	6 / 18	3 / 12	5 / 15	2 / 7	0 / 1
Percentage of transfers resulting in live births ^{b,c}	6 / 17	3 / 10	5 / 13	2 / 5	
Percentage of transfers resulting in singleton live births ^b	5 / 17	1 / 10	3 / 13	2 / 5	
Percentage of cancellations ^b	14.3	3 / 15	3 / 18	2 / 9	0 / 1
Average number of embryos transferred	1.8	2.3	2.6	3.2	
Percentage of pregnancies with twins ^b	1 / 7	2 / 4	4 / 7	0 / 4	
Percentage of pregnancies with triplets or more ^b	0 / 7	0 / 4	1 / 7	1 / 4	
Percentage of live births having multiple infants ^{b,c}	1 / 6	2 / 3	2 / 5	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	13	5	2	6	0
Percentage of transfers resulting in live births ^{b,c}	7 / 13	1 / 5	2 / 2	3 / 6	
Average number of embryos transferred	2.2	1.6	2.5	3.2	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	10		4		
Percentage of transfers resulting in live births ^{b,c}	7 / 10		1 / 4		
Average number of embryos transferred	2.0		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arizona Center for Fertility Studies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF PHOENIX SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	14%	Other factor	4%
GIFT	0%	With ICSI	65%	Ovulatory dysfunction	7%	Unknown factor	11%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	0%
		Used PGD	0%	Uterine factor	7%	Female & male factors	11%
		With eSET	6%	Male factor	43%		

2010 PREGNANCY SUCCESS RATES

Data verified by John L. Couvaras, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	11	4	2	6	0
Percentage of embryos transferred resulting in implantation ^b	6 / 18	4 / 9	1 / 6	1 / 6	
Percentage of cycles resulting in pregnancies ^b	5 / 11	2 / 4	1 / 2	1 / 6	
Percentage of cycles resulting in live births ^{b,c}	5 / 11	2 / 4	1 / 2	0 / 6	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	5 / 11	2 / 4	1 / 2	0 / 4	
Percentage of transfers resulting in live births ^{b,c}	5 / 9	2 / 4	1 / 2	0 / 3	
Percentage of transfers resulting in singleton live births ^b	4 / 9	0 / 4	1 / 2	0 / 3	
Percentage of cancellations ^b	0 / 11	0 / 4	0 / 2	2 / 6	
Average number of embryos transferred	2.0	2.3	3.0	2.0	
Percentage of pregnancies with twins ^b	1 / 5	2 / 2	0 / 1	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 5	0 / 2	0 / 1	0 / 1	
Percentage of live births having multiple infants ^{b,c}	1 / 5	2 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}	3 / 4				
Average number of embryos transferred	2.5				
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	1		0		
Percentage of transfers resulting in live births ^{b,c}	1 / 1				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Phoenix

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY TREATMENT CENTER TEMPE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	4%	Other factor	4%
GIFT	0%	With ICSI	71%	Ovulatory dysfunction	57%	Unknown factor	4%
ZIFT	0%	Unstimulated	5%	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	<1%
		Used PGD	4%	Uterine factor	0%	Female & male factors	4%
		With eSET	<1%	Male factor	7%		

2010 PREGNANCY SUCCESS RATES

Data verified by H. Randall Craig, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	69	48	44	26	10
Percentage of embryos transferred resulting in implantation ^b	36.4	37.5	14.7	6.5	0.0
Percentage of cycles resulting in pregnancies ^b	44.9	39.6	18.2	11.5	0 / 10
Percentage of cycles resulting in live births ^{b,c}	34.8	29.2	18.2	7.7	0 / 10
(Confidence Interval)	(23.7–47.2)	(17.0–44.1)	(8.2–32.7)	(0.9–25.1)	
Percentage of retrievals resulting in live births ^{b,c}	47.1	38.9	28.6	10.0	0 / 9
Percentage of transfers resulting in live births ^{b,c}	50.0	50.0	29.6	2 / 17	0 / 8
Percentage of transfers resulting in singleton live births ^b	31.3	28.6	22.2	1 / 17	0 / 8
Percentage of cancellations ^b	26.1	25.0	36.4	23.1	1 / 10
Average number of embryos transferred	2.5	2.6	2.5	2.7	2.9
Percentage of pregnancies with twins ^b	25.8	7 / 19	2 / 8	1 / 3	
Percentage of pregnancies with triplets or more ^b	9.7	1 / 19	0 / 8	0 / 3	
Percentage of live births having multiple infants ^{b,c}	37.5	6 / 14	2 / 8	1 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	35	15	27	10	3
Percentage of transfers resulting in live births ^{b,c}	51.4	9 / 15	37.0	3 / 10	0 / 3
Average number of embryos transferred	2.5	2.6	2.5	2.6	2.0
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		25		31	
Percentage of transfers resulting in live births ^{b,c}		60.0		51.6	
Average number of embryos transferred		2.2		2.7	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Treatment Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY TUCSON, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	11%	Other factor	4%
GIFT	0%	With ICSI	51%	Ovulatory dysfunction	8%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	28%	Female factors only	17%
		Used PGD	5%	Uterine factor	3%	Female & male factors	8%
		With eSET	0%	Male factor	13%		

2010 PREGNANCY SUCCESS RATES

Data verified by Timothy J. Gelety, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	103	38	36	12	7
Percentage of embryos transferred resulting in implantation ^b	31.8	22.4	14.1	12.5	0 / 17
Percentage of cycles resulting in pregnancies ^b	50.5	47.4	38.9	5 / 12	0 / 7
Percentage of cycles resulting in live births ^{b,c}	41.7	36.8	19.4	0 / 12	0 / 7
(Confidence Interval)	(32.1–51.9)	(21.8–54.0)	(8.2–36.0)		
Percentage of retrievals resulting in live births ^{b,c}	42.6	38.9	20.0	0 / 12	0 / 7
Percentage of transfers resulting in live births ^{b,c}	52.4	42.4	23.3	0 / 10	0 / 6
Percentage of transfers resulting in singleton live births ^b	40.2	24.2	23.3	0 / 10	0 / 6
Percentage of cancellations ^b	1.9	5.3	2.8	0 / 12	0 / 7
Average number of embryos transferred	2.4	3.2	3.1	3.2	2.8
Percentage of pregnancies with twins ^b	17.3	5 / 18	0 / 14	0 / 5	
Percentage of pregnancies with triplets or more ^b	1.9	1 / 18	0 / 14	0 / 5	
Percentage of live births having multiple infants ^{b,c}	23.3	6 / 14	0 / 7		
Frozen Embryos from Nondonor Eggs					
Number of transfers	68	27	17	4	4
Percentage of transfers resulting in live births ^{b,c}	26.5	14.8	3 / 17	0 / 4	1 / 4
Average number of embryos transferred	3.4	3.6	3.8	3.8	4.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	10		8		
Percentage of transfers resulting in live births ^{b,c}	5 / 10		3 / 8		
Average number of embryos transferred	2.5		3.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arizona Center for Reproductive Endocrinology and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH CENTER TUCSON, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	7%	Other factor	5%
GIFT	0%	With ICSI	96%	Ovulatory dysfunction	4%	Unknown factor	12%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	3%	Female factors only	12%
		Used PGD	5%	Uterine factor	3%	Female & male factors	24%
		With eSET	26%	Male factor	22%		

2010 PREGNANCY SUCCESS RATES

Data verified by Scot M. Hutchison, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	57	23	22	10	1
Percentage of embryos transferred resulting in implantation ^b	40.0	35.3	28.6	1 / 13	
Percentage of cycles resulting in pregnancies ^b	36.8	43.5	22.7	2 / 10	0 / 1
Percentage of cycles resulting in live births ^{b,c}	33.3	34.8	22.7	0 / 10	0 / 1
(Confidence Interval)	(21.4–47.1)	(16.4–57.3)	(7.8–45.4)		
Percentage of retrievals resulting in live births ^{b,c}	33.3	36.4	23.8	0 / 8	0 / 1
Percentage of transfers resulting in live births ^{b,c}	47.5	40.0	5 / 15	0 / 7	
Percentage of transfers resulting in singleton live births ^b	37.5	30.0	3 / 15	0 / 7	
Percentage of cancellations ^b	0.0	4.3	4.5	2 / 10	0 / 1
Average number of embryos transferred	1.5	1.7	1.9	1.9	
Percentage of pregnancies with twins ^b	19.0	3 / 10	3 / 5	0 / 2	
Percentage of pregnancies with triplets or more ^b	0.0	0 / 10	0 / 5	0 / 2	
Percentage of live births having multiple infants ^{b,c}	4 / 19	2 / 8	2 / 5		
Frozen Embryos from Nondonor Eggs					
Number of transfers	48	21	13	2	5
Percentage of transfers resulting in live births ^{b,c}	37.5	42.9	3 / 13	0 / 2	1 / 5
Average number of embryos transferred	1.2	1.4	1.5	1.5	1.4
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		21		16	
Percentage of transfers resulting in live births ^{b,c}		52.4		6 / 16	
Average number of embryos transferred		1.3		1.5	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARKANSAS FERTILITY CENTER LITTLE ROCK FERTILITY CENTER LITTLE ROCK, ARKANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	15%	Other factor	<1%
GIFT	0%	With ICSI	41%	Ovulatory dysfunction	17%	Unknown factor	24%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	5%
		Used PGD	<1%	Uterine factor	1%	Female & male factors	9%
		With eSET	13%	Male factor	11%		

2010 PREGNANCY SUCCESS RATES

Data verified by Dean M. Moutos, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	124	47	38	12	2
Percentage of embryos transferred resulting in implantation ^b	39.2	29.0	29.8	9.5	1 / 4
Percentage of cycles resulting in pregnancies ^b	52.4	31.9	36.8	2 / 12	1 / 2
Percentage of cycles resulting in live births ^{b,c}	44.4	23.4	28.9	1 / 12	1 / 2
(Confidence Interval)	(35.4–53.5)	(12.3–38.0)	(15.4–45.9)		
Percentage of retrievals resulting in live births ^{b,c}	48.7	28.2	35.5	1 / 11	1 / 2
Percentage of transfers resulting in live births ^{b,c}	51.4	32.4	44.0	1 / 8	1 / 2
Percentage of transfers resulting in singleton live births ^b	41.1	17.6	36.0	0 / 8	1 / 2
Percentage of cancellations ^b	8.9	17.0	18.4	1 / 12	0 / 2
Average number of embryos transferred	1.9	2.0	2.3	2.6	2.0
Percentage of pregnancies with twins ^b	24.6	6 / 15	3 / 14	1 / 2	0 / 1
Percentage of pregnancies with triplets or more ^b	0.0	0 / 15	0 / 14	0 / 2	0 / 1
Percentage of live births having multiple infants ^{b,c}	20.0	5 / 11	2 / 11	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	46	11	8	2	2
Percentage of transfers resulting in live births ^{b,c}	52.2	1 / 11	1 / 8	0 / 2	0 / 2
Average number of embryos transferred	1.9	1.5	1.5	1.5	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	11		9		
Percentage of transfers resulting in live births ^{b,c}	5 / 11		5 / 9		
Average number of embryos transferred	1.9		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arkansas Fertility Center, Little Rock Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIFESTART FERTILITY CENTER AGOURA HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	0%	Other factor	0%
GIFT	0%	With ICSI	73%	Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	5%
		Used PGD	7%	Uterine factor	0%	Female & male factors	50%
		With eSET	8%	Male factor	36%		

2010 PREGNANCY SUCCESS RATES

Data verified by Anita P. Singh, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	8	0	5	1	0
Percentage of embryos transferred resulting in implantation ^b	8 / 17		1 / 9	0 / 2	
Percentage of cycles resulting in pregnancies ^b	5 / 8		1 / 5	1 / 1	
Percentage of cycles resulting in live births ^{b,c}	5 / 8		1 / 5	0 / 1	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	5 / 8		1 / 5	0 / 1	
Percentage of transfers resulting in live births ^{b,c}	5 / 8		1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births ^b	3 / 8		1 / 4	0 / 1	
Percentage of cancellations ^b	0 / 8		0 / 5	0 / 1	
Average number of embryos transferred	2.1		2.3	2.0	
Percentage of pregnancies with twins ^b	3 / 5		0 / 1	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 5		0 / 1	0 / 1	
Percentage of live births having multiple infants ^{b,c}	2 / 5		0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	0	0	1	0
Percentage of transfers resulting in live births ^{b,c}	4 / 5			0 / 1	
Average number of embryos transferred	2.2			2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	1		0		
Percentage of transfers resulting in live births ^{b,c}	0 / 1				
Average number of embryos transferred	3.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: LifeStart Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

GARFIELD FERTILITY CENTER ALHAMBRA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	3%	Other factor	0%
GIFT	0%	With ICSI	50%	Ovulatory dysfunction	14%	Unknown factor	9%
ZIFT	0%	Unstimulated	4%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	9%
		Used PGD	7%	Uterine factor	0%	Female & male factors	29%
		With eSET	0%	Male factor	23%		

2010 PREGNANCY SUCCESS RATES

Data verified by Brian C. Su, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	9	5	8	4	2
Percentage of embryos transferred resulting in implantation ^b	60.0	1 / 8	28.0	1 / 6	0 / 2
Percentage of cycles resulting in pregnancies ^b	8 / 9	1 / 5	4 / 8	1 / 4	0 / 2
Percentage of cycles resulting in live births ^{b,c} (Confidence Interval)	7 / 9	1 / 5	4 / 8	1 / 4	0 / 2
Percentage of retrievals resulting in live births ^{b,c}	7 / 9	1 / 4	4 / 7	1 / 3	0 / 1
Percentage of transfers resulting in live births ^{b,c}	7 / 9	1 / 4	4 / 7	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births ^b	4 / 9	1 / 4	3 / 7	1 / 2	0 / 1
Percentage of cancellations ^b	0 / 9	1 / 5	1 / 8	1 / 4	1 / 2
Average number of embryos transferred	2.2	2.0	3.6	3.0	2.0
Percentage of pregnancies with twins ^b	3 / 8	0 / 1	1 / 4	0 / 1	
Percentage of pregnancies with triplets or more ^b	1 / 8	0 / 1	1 / 4	0 / 1	
Percentage of live births having multiple infants ^{b,c}	3 / 7	0 / 1	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 1	1 / 1			
Average number of embryos transferred	2.0	4.0			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	3		1		
Percentage of transfers resulting in live births ^{b,c}	3 / 3		0 / 1		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Garfield Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALTA BATES IN VITRO FERTILIZATION PROGRAM BERKELEY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	2%	Other factor	17%	
GIFT	0%	With ICSI	85%	Ovulatory dysfunction	9%	Unknown factor	<1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	37%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	9%	Endometriosis	<1%	Female factors only	8%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	17%
		With eSET	0%	Male factor	8%		

2010 PREGNANCY SUCCESS RATES

Data verified by Ryszard J. Chetkowski, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	11	12	17	2	4
Percentage of embryos transferred resulting in implantation ^b	27.3	24.0	10.3	1 / 7	0.0
Percentage of cycles resulting in pregnancies ^b	5 / 11	4 / 12	5 / 17	1 / 2	0 / 4
Percentage of cycles resulting in live births ^{b,c}	4 / 11	3 / 12	4 / 17	1 / 2	0 / 4
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	4 / 10	3 / 10	4 / 14	1 / 2	0 / 4
Percentage of transfers resulting in live births ^{b,c}	4 / 10	3 / 10	4 / 14	1 / 2	0 / 3
Percentage of transfers resulting in singleton live births ^b	3 / 10	2 / 10	4 / 14	1 / 2	0 / 3
Percentage of cancellations ^b	1 / 11	2 / 12	3 / 17	0 / 2	0 / 4
Average number of embryos transferred	2.2	2.5	2.8	3.5	7.3
Percentage of pregnancies with twins ^b	1 / 5	2 / 4	0 / 5	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 5	0 / 4	0 / 5	0 / 1	
Percentage of live births having multiple infants ^{b,c}	1 / 4	1 / 3	0 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	12	5	7	0	1
Percentage of transfers resulting in live births ^{b,c}	1 / 12	3 / 5	3 / 7		0 / 1
Average number of embryos transferred	2.1	2.2	2.6		6.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
	Number of transfers	17	29		
	Percentage of transfers resulting in live births ^{b,c}	7 / 17	24.1		
Average number of embryos transferred	2.0	1.8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Alta Bates In Vitro Fertilization Program

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CALIFORNIA CENTER FOR REPRODUCTIVE HEALTH
BEVERLY HILLS REPRODUCTIVE FERTILITY CENTER
BEVERLY HILLS, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	16%
GIFT	0%	With ICSI	94%	Ovulatory dysfunction	3%	Unknown factor	16%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	22%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	5%	Female factors only	8%
		Used PGD	7%	Uterine factor	2%	Female & male factors	8%
		With eSET	0%	Male factor	15%		

2010 PREGNANCY SUCCESS RATES

Data verified by Peyman Saadat, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	74	33	44	28	18
Percentage of embryos transferred resulting in implantation ^b	30.9	23.3	16.9	9.6	1.6
Percentage of cycles resulting in pregnancies ^b	59.5	60.6	47.7	35.7	3 / 18
Percentage of cycles resulting in live births ^{b,c}	50.0	33.3	31.8	14.3	1 / 18
(Confidence Interval)	(38.1–61.9)	(18.0–51.8)	(18.6–47.6)	(4.0–32.7)	
Percentage of retrievals resulting in live births ^{b,c}	51.4	33.3	33.3	14.8	1 / 17
Percentage of transfers resulting in live births ^{b,c}	52.1	33.3	34.1	15.4	1 / 16
Percentage of transfers resulting in singleton live births ^b	28.2	24.2	24.4	7.7	1 / 16
Percentage of cancellations ^b	2.7	0.0	4.5	3.6	1 / 18
Average number of embryos transferred	3.1	3.1	3.5	4.0	3.9
Percentage of pregnancies with twins ^b	25.0	10.0	19.0	2 / 10	0 / 3
Percentage of pregnancies with triplets or more ^b	15.9	10.0	4.8	1 / 10	0 / 3
Percentage of live births having multiple infants ^{b,c}	45.9	3 / 11	4 / 14	2 / 4	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	15	5	1	5	1
Percentage of transfers resulting in live births ^{b,c}	7 / 15	1 / 5	0 / 1	0 / 5	0 / 1
Average number of embryos transferred	3.0	3.8	3.0	3.4	5.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	16		5		
Percentage of transfers resulting in live births ^{b,c}	9 / 16		2 / 5		
Average number of embryos transferred	2.9		3.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: California Center for Reproductive Health, Beverly Hills Reproductive Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE HEALTH & GYNECOLOGY
(CRH&G)
BEVERLY HILLS, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	9%	
GIFT	0%	With ICSI	63%	Ovulatory dysfunction	2%	Unknown factor	<1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	2%	Female factors only	20%
		Used PGD	32%	Uterine factor	0%	Female & male factors	47%
		With eSET	3%	Male factor	4%		

2010 PREGNANCY SUCCESS RATES

Data verified by Sam Najmabadi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	21	15	35	13	17
Percentage of embryos transferred resulting in implantation ^b	42.5	43.3	34.4	25.0	3 / 19
Percentage of cycles resulting in pregnancies ^b	61.9	8 / 15	51.4	4 / 13	2 / 17
Percentage of cycles resulting in live births ^{b,c}	61.9	8 / 15	40.0	2 / 13	1 / 17
(Confidence Interval)	(38.4–81.9)		(23.9–57.9)		
Percentage of retrievals resulting in live births ^{b,c}	61.9	8 / 14	42.4	2 / 12	1 / 15
Percentage of transfers resulting in live births ^{b,c}	65.0	8 / 14	43.8	2 / 10	1 / 11
Percentage of transfers resulting in singleton live births ^b	45.0	3 / 14	31.3	1 / 10	1 / 11
Percentage of cancellations ^b	0.0	1 / 15	5.7	1 / 13	2 / 17
Average number of embryos transferred	2.0	2.1	2.0	2.0	1.7
Percentage of pregnancies with twins ^b	4 / 13	5 / 8	4 / 18	1 / 4	1 / 2
Percentage of pregnancies with triplets or more ^b	0 / 13	0 / 8	1 / 18	0 / 4	0 / 2
Percentage of live births having multiple infants ^{b,c}	4 / 13	5 / 8	4 / 14	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	8	0	0	1	1
Percentage of transfers resulting in live births ^{b,c}	5 / 8			0 / 1	0 / 1
Average number of embryos transferred	2.3			2.0	3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	8		5		
Percentage of transfers resulting in live births ^{b,c}	6 / 8		2 / 5		
Average number of embryos transferred	1.6		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Health & Gynecology, (CRH&G)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN CALIFORNIA REPRODUCTIVE CENTER BEVERLY HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	7%
GIFT	0%	With ICSI	50%	Ovulatory dysfunction	3%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	39%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	1%	Female factors only	12%
		Used PGD	25%	Uterine factor	2%	Female & male factors	14%
		With eSET	11%	Male factor	11%		

2010 PREGNANCY SUCCESS RATES

Data verified by Mark W. Surrey, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	102	82	140	69	31
Percentage of embryos transferred resulting in implantation ^b	41.9	37.3	28.3	13.1	11.6
Percentage of cycles resulting in pregnancies ^b	56.9	42.7	39.3	21.7	22.6
Percentage of cycles resulting in live births ^{b,c}	50.0	36.6	32.1	14.5	9.7
(Confidence Interval)	(39.9–60.1)	(26.2–48.0)	(24.5–40.6)	(7.2–25.0)	(2.0–25.8)
Percentage of retrievals resulting in live births ^{b,c}	50.5	36.6	32.4	14.9	9.7
Percentage of transfers resulting in live births ^{b,c}	54.8	46.2	40.2	18.9	11.5
Percentage of transfers resulting in singleton live births ^b	43.0	29.2	33.0	17.0	7.7
Percentage of cancellations ^b	1.0	0.0	0.7	2.9	0.0
Average number of embryos transferred	1.9	2.1	2.3	2.5	2.7
Percentage of pregnancies with twins ^b	29.3	37.1	23.6	2 / 15	1 / 7
Percentage of pregnancies with triplets or more ^b	1.7	2.9	5.5	0 / 15	0 / 7
Percentage of live births having multiple infants ^{b,c}	21.6	36.7	17.8	1 / 10	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of transfers	19	20	16	4	1
Percentage of transfers resulting in live births ^{b,c}	11 / 19	50.0	8 / 16	1 / 4	0 / 1
Average number of embryos transferred	2.1	1.8	1.9	2.3	3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	51		28		
Percentage of transfers resulting in live births ^{b,c}	68.6		28.6		
Average number of embryos transferred	1.6		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southern California Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**WEST COAST IVF CLINIC, INC.
BEVERLY HILLS, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	20%	
GIFT	0%	With ICSI	29%	Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	50%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	0%
		Used PGD	0%	Uterine factor	0%	Female & male factors	10%
		With eSET	0%	Male factor	10%		

2010 PREGNANCY SUCCESS RATES

Data verified by Michael M. Kamrava, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	0	3	1	2	1
Percentage of embryos transferred resulting in implantation ^b		0 / 3			
Percentage of cycles resulting in pregnancies ^b		0 / 3	0 / 1	0 / 2	0 / 1
Percentage of cycles resulting in live births ^{b,c}		0 / 3	0 / 1	0 / 2	0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}		0 / 2			
Percentage of transfers resulting in live births ^{b,c}		0 / 1			
Percentage of transfers resulting in singleton live births ^b		0 / 1			
Percentage of cancellations ^b		1 / 3	1 / 1	2 / 2	1 / 1
Average number of embryos transferred		3.0			
Percentage of pregnancies with twins ^b					
Percentage of pregnancies with triplets or more ^b					
Percentage of live births having multiple infants ^{b,c}					
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		2		
Percentage of transfers resulting in live births ^{b,c}			1 / 2		
Average number of embryos transferred			3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2010. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.
^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CARE OF ORANGE COUNTY BREA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	8%	Other factor	6%
GIFT	0%	With ICSI	82%	Ovulatory dysfunction	7%	Unknown factor	18%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	32%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	<1%	Female factors only	7%
		Used PGD	7%	Uterine factor	<1%	Female & male factors	7%
		With eSET	2%	Male factor	14%		

2010 PREGNANCY SUCCESS RATES

Data verified by C. Terence Lee, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	25	13	15	5	4
Percentage of embryos transferred resulting in implantation ^b	36.2	32.1	20.0	2 / 7	0 / 14
Percentage of cycles resulting in pregnancies ^b	48.0	6 / 13	6 / 15	1 / 5	1 / 4
Percentage of cycles resulting in live births ^{b,c}	44.0	6 / 13	5 / 15	1 / 5	0 / 4
(Confidence Interval)	(24.4–65.1)				
Percentage of retrievals resulting in live births ^{b,c}	55.0	6 / 11	5 / 14	1 / 2	0 / 4
Percentage of transfers resulting in live births ^{b,c}	11 / 19	6 / 11	5 / 12	1 / 2	0 / 3
Percentage of transfers resulting in singleton live births ^b	5 / 19	4 / 11	3 / 12	0 / 2	0 / 3
Percentage of cancellations ^b	20.0	2 / 13	1 / 15	3 / 5	0 / 4
Average number of embryos transferred	2.5	2.5	2.9	3.5	4.7
Percentage of pregnancies with twins ^b	6 / 12	3 / 6	2 / 6	1 / 1	0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 12	0 / 6	0 / 6	0 / 1	0 / 1
Percentage of live births having multiple infants ^{b,c}	6 / 11	2 / 6	2 / 5	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	13	7	1	1	0
Percentage of transfers resulting in live births ^{b,c}	4 / 13	3 / 7	1 / 1	0 / 1	
Average number of embryos transferred	2.0	2.7	1.0	4.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	5		13		
Percentage of transfers resulting in live births ^{b,c}	3 / 5		6 / 13		
Average number of embryos transferred	2.0		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Care of Orange County

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTRAL CALIFORNIA IVF PROGRAM WOMEN'S SPECIALTY AND FERTILITY CENTER CLOVIS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	16%	Other factor	<1%
GIFT	0%	With ICSI	73%	Ovulatory dysfunction	11%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	23%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	4%	Female factors only	7%
		Used PGD	0%	Uterine factor	0%	Female & male factors	18%
		With eSET	0%	Male factor	12%		

2010 PREGNANCY SUCCESS RATES

Data verified by H. Michael Synn, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	53	39	27	16	5
Percentage of embryos transferred resulting in implantation ^b	31.3	21.2	12.0	16.2	0 / 8
Percentage of cycles resulting in pregnancies ^b	41.5	38.5	18.5	4 / 16	0 / 5
Percentage of cycles resulting in live births ^{b,c}	30.2	28.2	18.5	4 / 16	0 / 5
(Confidence Interval)	(18.3–44.3)	(15.0–44.9)	(6.3–38.1)		
Percentage of retrievals resulting in live births ^{b,c}	32.7	32.4	22.7	4 / 14	0 / 3
Percentage of transfers resulting in live births ^{b,c}	37.2	34.4	5 / 19	4 / 14	0 / 2
Percentage of transfers resulting in singleton live births ^b	27.9	21.9	4 / 19	3 / 14	0 / 2
Percentage of cancellations ^b	7.5	12.8	18.5	2 / 16	2 / 5
Average number of embryos transferred	2.2	2.7	2.6	2.6	4.0
Percentage of pregnancies with twins ^b	27.3	5 / 15	1 / 5	2 / 4	
Percentage of pregnancies with triplets or more ^b	4.5	0 / 15	0 / 5	0 / 4	
Percentage of live births having multiple infants ^{b,c}	4 / 16	4 / 11	1 / 5	1 / 4	
Frozen Embryos from Nondonor Eggs					
Number of transfers	34	8	7	2	0
Percentage of transfers resulting in live births ^{b,c}	5.9	1 / 8	1 / 7	0 / 2	
Average number of embryos transferred	2.5	2.4	2.4	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	2		4		
Percentage of transfers resulting in live births ^{b,c}	1 / 2		0 / 4		
Average number of embryos transferred	2.0		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Central California IVF Program, Women's Specialty and Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CALIFORNIA IVF: DAVIS FERTILITY CENTER, INC.
DAVIS, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	6%	Other factor	10%
GIFT	0%	With ICSI	76%	Ovulatory dysfunction	4%	Unknown factor	9%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	4%	Female factors only	6%
		Used PGD	11%	Uterine factor	1%	Female & male factors	20%
		With eSET	2%	Male factor	34%		

2010 PREGNANCY SUCCESS RATES

Data verified by Ernest J. Zeringue, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	64	23	25	15	6
Percentage of embryos transferred resulting in implantation ^b	37.5	26.2	34.1	5.3	1 / 6
Percentage of cycles resulting in pregnancies ^b	42.2	30.4	36.0	2 / 15	1 / 6
Percentage of cycles resulting in live births ^{b,c}	32.8	26.1	32.0	1 / 15	0 / 6
(Confidence Interval)	(21.6–45.7)	(10.2–48.4)	(14.9–53.5)		
Percentage of retrievals resulting in live births ^{b,c}	34.4	26.1	34.8	1 / 14	0 / 5
Percentage of transfers resulting in live births ^{b,c}	36.8	6 / 19	8 / 17	1 / 12	0 / 3
Percentage of transfers resulting in singleton live births ^b	10.5	2 / 19	5 / 17	1 / 12	0 / 3
Percentage of cancellations ^b	4.7	0.0	8.0	1 / 15	1 / 6
Average number of embryos transferred	2.0	2.2	2.4	3.2	2.0
Percentage of pregnancies with twins ^b	63.0	4 / 7	5 / 9	0 / 2	0 / 1
Percentage of pregnancies with triplets or more ^b	0.0	0 / 7	0 / 9	0 / 2	0 / 1
Percentage of live births having multiple infants ^{b,c}	71.4	4 / 6	3 / 8	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	52	10	10	3	3
Percentage of transfers resulting in live births ^{b,c}	30.8	4 / 10	3 / 10	2 / 3	0 / 3
Average number of embryos transferred	2.0	1.9	2.0	1.7	1.7
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	23		11		
Percentage of transfers resulting in live births ^{b,c}	78.3		3 / 11		
Average number of embryos transferred	1.9		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: California IVF Fertility Center, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.
^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTES-LOS ANGELES, NEW YORK, GUADALAJARA ENCINO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	99%	Procedural Factors:	Tubal factor	14%	Other factor	47%
GIFT	0%	With ICSI	Ovulatory dysfunction	3%	Unknown factor	8%
ZIFT	<1%	Unstimulated	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	<1%	Used gestational carrier	Endometriosis	2%	Female factors only	8%
		Used PGD	Uterine factor	<1%	Female & male factors	10%
		With eSET	Male factor	2%		

2010 PREGNANCY SUCCESS RATES

Data verified by Jeffrey Steinberg, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	85	59	87	32	7
Percentage of embryos transferred resulting in implantation ^b	43.0	37.0	28.0	23.2	3 / 10
Percentage of cycles resulting in pregnancies ^b	61.2	50.8	48.3	37.5	3 / 7
Percentage of cycles resulting in live births ^{b,c}	58.8	47.5	47.1	28.1	1 / 7
(Confidence Interval)	(47.6–69.4)	(34.3–60.9)	(36.3–58.1)	(13.7–46.7)	
Percentage of retrievals resulting in live births ^{b,c}	61.0	50.0	48.2	37.5	1 / 6
Percentage of transfers resulting in live births ^{b,c}	64.1	52.8	53.9	37.5	1 / 5
Percentage of transfers resulting in singleton live births ^b	55.1	37.7	51.3	33.3	1 / 5
Percentage of cancellations ^b	3.5	5.1	2.3	25.0	1 / 7
Average number of embryos transferred	1.9	2.0	2.2	2.3	2.0
Percentage of pregnancies with twins ^b	17.3	33.3	9.5	1 / 12	0 / 3
Percentage of pregnancies with triplets or more ^b	1.9	0.0	0.0	0 / 12	0 / 3
Percentage of live births having multiple infants ^{b,c}	14.0	28.6	4.9	1 / 9	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	6	4	3	0
Percentage of transfers resulting in live births ^{b,c}	6 / 10	4 / 6	2 / 4	0 / 3	
Average number of embryos transferred	2.3	2.3	2.5	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	21		9		
Percentage of transfers resulting in live births ^{b,c}	61.9		3 / 9		
Average number of embryos transferred	2.0		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Institutes-Los Angeles, New York, Guadalajara

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-ENCINO ENCINO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	2%	Other factor	15%
GIFT	0%	With ICSI	69%	Ovulatory dysfunction	3%	Unknown factor	10%
ZIFT	0%	Unstimulated	1%	Diminished ovarian reserve	<1%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	1%	Female factors only	0%
		Used PGD	8%	Uterine factor	0%	Female & male factors	12%
		With eSET	4%	Male factor	59%		

2010 PREGNANCY SUCCESS RATES

Data verified by Michael A. Feinman, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	99	58	103	47	13
Percentage of embryos transferred resulting in implantation ^b	53.9	36.5	21.9	14.9	8.6
Percentage of cycles resulting in pregnancies ^b	58.6	65.5	45.6	27.7	3 / 13
Percentage of cycles resulting in live births ^{b,c}	57.6	51.7	33.0	12.8	2 / 13
(Confidence Interval)	(47.2–67.5)	(38.2–65.0)	(24.1–43.0)	(4.8–25.7)	
Percentage of retrievals resulting in live births ^{b,c}	71.3	58.8	41.0	21.4	2 / 10
Percentage of transfers resulting in live births ^{b,c}	71.3	58.8	41.0	21.4	2 / 10
Percentage of transfers resulting in singleton live births ^b	32.5	43.1	32.5	17.9	1 / 10
Percentage of cancellations ^b	19.2	12.1	19.4	40.4	3 / 13
Average number of embryos transferred	2.2	2.5	2.9	3.4	3.5
Percentage of pregnancies with twins ^b	44.8	26.3	19.1	0 / 13	1 / 3
Percentage of pregnancies with triplets or more ^b	10.3	2.6	4.3	2 / 13	0 / 3
Percentage of live births having multiple infants ^{b,c}	54.4	26.7	20.6	1 / 6	1 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	46	23	31	11	12
Percentage of transfers resulting in live births ^{b,c}	43.5	30.4	32.3	5 / 11	6 / 12
Average number of embryos transferred	2.3	2.5	2.9	3.4	2.9
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	59		1		
Percentage of transfers resulting in live births ^{b,c}	61.0		1 / 1		
Average number of embryos transferred	2.3		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: HRC Fertility-Encino

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ZOUVES FERTILITY CENTER FOSTER CITY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	6%
GIFT	0%	With ICSI	97%	Ovulatory dysfunction	14%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	22%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	5%	Endometriosis	6%	Female factors only	9%
		Used PGD	41%	Uterine factor	1%	Female & male factors	12%
		With eSET	2%	Male factor	16%		

2010 PREGNANCY SUCCESS RATES

Data verified by Christo Zouves, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	83	69	105	51	19
Percentage of embryos transferred resulting in implantation ^b	22.2	21.1	17.1	5.0	5.9
Percentage of cycles resulting in pregnancies ^b	41.0	42.0	33.3	13.7	2 / 19
Percentage of cycles resulting in live births ^{b,c}	32.5	31.9	22.9	7.8	2 / 19
(Confidence Interval)	(22.6–43.7)	(21.2–44.2)	(15.2–32.1)	(2.2–18.9)	
Percentage of retrievals resulting in live births ^{b,c}	32.5	32.4	23.1	7.8	2 / 17
Percentage of transfers resulting in live births ^{b,c}	32.5	32.8	25.0	8.7	2 / 15
Percentage of transfers resulting in singleton live births ^b	22.9	22.4	16.7	8.7	2 / 15
Percentage of cancellations ^b	0.0	1.4	1.0	0.0	2 / 19
Average number of embryos transferred	2.4	2.6	2.7	2.6	2.3
Percentage of pregnancies with twins ^b	23.5	17.2	28.6	1 / 7	0 / 2
Percentage of pregnancies with triplets or more ^b	5.9	10.3	0.0	0 / 7	0 / 2
Percentage of live births having multiple infants ^{b,c}	29.6	31.8	33.3	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	29	21	24	10	5
Percentage of transfers resulting in live births ^{b,c}	31.0	42.9	33.3	1 / 10	0 / 5
Average number of embryos transferred	2.2	2.0	2.0	1.8	2.2
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	75		49		
Percentage of transfers resulting in live births ^{b,c}	56.0		24.5		
Average number of embryos transferred	2.2		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Zouves Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST COAST FERTILITY CENTERS FOUNTAIN VALLEY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	17%	Other factor	4%
GIFT	0%	With ICSI	92%	Ovulatory dysfunction	10%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	24%
		Used PGD	23%	Uterine factor	0%	Female & male factors	17%
		With eSET	0%	Male factor	12%		

2010 PREGNANCY SUCCESS RATES

Data verified by David G. Diaz, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	41	37	19	2	1
Percentage of embryos transferred resulting in implantation ^b	32.9	21.3	24.3	0 / 1	
Percentage of cycles resulting in pregnancies ^b	48.8	35.1	7 / 19	0 / 2	0 / 1
Percentage of cycles resulting in live births ^{b,c}	46.3	27.0	4 / 19	0 / 2	0 / 1
(Confidence Interval)	(30.7–62.6)	(13.8–44.1)			
Percentage of retrievals resulting in live births ^{b,c}	46.3	27.8	4 / 19	0 / 1	
Percentage of transfers resulting in live births ^{b,c}	47.5	28.6	4 / 15	0 / 1	
Percentage of transfers resulting in singleton live births ^b	35.0	17.1	3 / 15	0 / 1	
Percentage of cancellations ^b	0.0	2.7	0 / 19	1 / 2	1 / 1
Average number of embryos transferred	2.0	2.1	2.5	1.0	
Percentage of pregnancies with twins ^b	35.0	3 / 13	0 / 7		
Percentage of pregnancies with triplets or more ^b	0.0	1 / 13	2 / 7		
Percentage of live births having multiple infants ^{b,c}	5 / 19	4 / 10	1 / 4		
Frozen Embryos from Nondonor Eggs					
Number of transfers	32	20	4	3	0
Percentage of transfers resulting in live births ^{b,c}	59.4	35.0	1 / 4	1 / 3	
Average number of embryos transferred	2.5	2.2	2.5	2.3	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	12		10		
Percentage of transfers resulting in live births ^{b,c}	5 / 12		4 / 10		
Average number of embryos transferred	2.3		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: West Coast Fertility Centers

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

XPRT FERTILITY CARE OF CALIFORNIA
MINH N. HO, MD, FACOG
FOUNTAIN VALLEY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	3%	Other factor	0%
GIFT	0%	With ICSI	72%	Ovulatory dysfunction	10%	Unknown factor	20%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	23%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	13%
		Used PGD	17%	Uterine factor	0%	Female & male factors	27%
		With eSET	0%	Male factor	3%		

2010 PREGNANCY SUCCESS RATES

Data verified by Minh N. Ho, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	7	5	3	1	1
Percentage of embryos transferred resulting in implantation ^b	19.0	5 / 17	4 / 8	0 / 2	0 / 4
Percentage of cycles resulting in pregnancies ^b	4 / 7	3 / 5	2 / 3	0 / 1	0 / 1
Percentage of cycles resulting in live births ^{b,c}	2 / 7	3 / 5	2 / 3	0 / 1	0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	2 / 7	3 / 5	2 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births ^{b,c}	2 / 7	3 / 5	2 / 3	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births ^b	2 / 7	2 / 5	1 / 3	0 / 1	0 / 1
Percentage of cancellations ^b	0 / 7	0 / 5	0 / 3	0 / 1	0 / 1
Average number of embryos transferred	3.0	3.4	2.7	2.0	4.0
Percentage of pregnancies with twins ^b	0 / 4	2 / 3	0 / 2		
Percentage of pregnancies with triplets or more ^b	0 / 4	0 / 3	1 / 2		
Percentage of live births having multiple infants ^{b,c}	0 / 2	1 / 3	1 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	1	1	0	0
Percentage of transfers resulting in live births ^{b,c}	3 / 4	0 / 1	0 / 1		
Average number of embryos transferred	3.0	3.0	4.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	5		1		
Percentage of transfers resulting in live births ^{b,c}	4 / 5		0 / 1		
Average number of embryos transferred	2.8		4.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Xpert Fertility Care of California, Minh N. Ho, MD, FACOG

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH FREMONT, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	6%	Other factor	3%
GIFT	0%	With ICSI	76%	Ovulatory dysfunction	6%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	28%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	9%
		Used PGD	<1%	Uterine factor	1%	Female & male factors	25%
		With eSET	5%	Male factor	14%		

2010 PREGNANCY SUCCESS RATES

Data verified by Lisa Farah-Eways, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	166	125	116	47	26
Percentage of embryos transferred resulting in implantation ^b	36.9	29.3	23.1	11.0	9.7
Percentage of cycles resulting in pregnancies ^b	48.2	44.8	37.9	29.8	23.1
Percentage of cycles resulting in live births ^{b,c}	40.4	39.2	28.4	19.1	19.2
(Confidence Interval)	(32.8–48.2)	(30.6–48.3)	(20.5–37.6)	(9.1–33.3)	(6.6–39.4)
Percentage of retrievals resulting in live births ^{b,c}	44.4	42.6	33.0	22.0	5 / 18
Percentage of transfers resulting in live births ^{b,c}	49.6	45.4	38.4	23.7	5 / 17
Percentage of transfers resulting in singleton live births ^b	28.9	31.5	25.6	21.1	4 / 17
Percentage of cancellations ^b	9.0	8.0	13.8	12.8	30.8
Average number of embryos transferred	2.2	2.4	2.9	4.1	4.2
Percentage of pregnancies with twins ^b	36.3	32.1	31.8	3 / 14	1 / 6
Percentage of pregnancies with triplets or more ^b	2.5	1.8	2.3	0 / 14	0 / 6
Percentage of live births having multiple infants ^{b,c}	41.8	30.6	33.3	1 / 9	1 / 5
Frozen Embryos from Nondonor Eggs					
Number of transfers	57	35	31	7	2
Percentage of transfers resulting in live births ^{b,c}	64.9	45.7	41.9	2 / 7	0 / 2
Average number of embryos transferred	2.1	1.7	2.4	2.0	1.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	36		25		
Percentage of transfers resulting in live births ^{b,c}	52.8		52.0		
Average number of embryos transferred	2.0		1.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Kaiser Permanente Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

KATHLEEN KORNAFEL, MD, PhD GLENDALE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	8%
GIFT	0%	With ICSI	32%	Ovulatory dysfunction	5%	Unknown factor	13%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	13%
		Used PGD	0%	Uterine factor	0%	Female & male factors	34%
		With eSET	0%	Male factor	8%		

2010 PREGNANCY SUCCESS RATES

Data verified by Kathleen Kornafel, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	5	4	6	1	4
Percentage of embryos transferred resulting in implantation ^b	2 / 8	1 / 7	2 / 12	0 / 4	1 / 7
Percentage of cycles resulting in pregnancies ^b	1 / 5	1 / 4	1 / 6	0 / 1	1 / 4
Percentage of cycles resulting in live births ^{b,c} (Confidence Interval)	1 / 5	1 / 4	1 / 6	0 / 1	0 / 4
Percentage of retrievals resulting in live births ^{b,c}	1 / 5	1 / 4	1 / 5	0 / 1	0 / 4
Percentage of transfers resulting in live births ^{b,c}	1 / 4	1 / 3	1 / 5	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births ^b	0 / 4	1 / 3	0 / 5	0 / 1	0 / 3
Percentage of cancellations ^b	0 / 5	0 / 4	1 / 6	0 / 1	0 / 4
Average number of embryos transferred	2.0	2.3	2.4	4.0	2.3
Percentage of pregnancies with twins ^b	1 / 1	0 / 1	1 / 1		0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 1	0 / 1	0 / 1		0 / 1
Percentage of live births having multiple infants ^{b,c}	1 / 1	0 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	2	2	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 1	0 / 2	0 / 2		
Average number of embryos transferred	2.0	2.0	1.5		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	5		5		
Percentage of transfers resulting in live births ^{b,c}	2 / 5		2 / 5		
Average number of embryos transferred	1.8		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Kathleen Kornafel, MD, PhD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

COASTAL FERTILITY MEDICAL CENTER, INC. IRVINE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	10%
GIFT	0%	With ICSI	94%	Ovulatory dysfunction	2%	Unknown factor	15%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	20%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	4%	Female factors only	12%
		Used PGD	13%	Uterine factor	2%	Female & male factors	14%
		With eSET	<1%	Male factor	16%		

2010 PREGNANCY SUCCESS RATES

Data verified by Lawrence B. Werlin, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	68	58	58	20	3
Percentage of embryos transferred resulting in implantation ^b	23.2	18.8	9.8	9.8	2 / 7
Percentage of cycles resulting in pregnancies ^b	35.3	34.5	19.0	15.0	2 / 3
Percentage of cycles resulting in live births ^{b,c}	32.4	24.1	6.9	15.0	2 / 3
(Confidence Interval)	(21.5–44.8)	(13.9–37.2)	(1.9–16.7)	(3.2–37.9)	
Percentage of retrievals resulting in live births ^{b,c}	34.4	25.0	7.0	3 / 18	2 / 3
Percentage of transfers resulting in live births ^{b,c}	35.5	25.5	8.3	3 / 15	2 / 2
Percentage of transfers resulting in singleton live births ^b	19.4	20.0	4.2	3 / 15	2 / 2
Percentage of cancellations ^b	5.9	3.4	1.7	10.0	0 / 3
Average number of embryos transferred	2.4	2.5	2.8	2.7	3.5
Percentage of pregnancies with twins ^b	37.5	5.0	3 / 11	1 / 3	0 / 2
Percentage of pregnancies with triplets or more ^b	4.2	15.0	0 / 11	0 / 3	0 / 2
Percentage of live births having multiple infants ^{b,c}	45.5	3 / 14	2 / 4	0 / 3	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	27	19	8	3	0
Percentage of transfers resulting in live births ^{b,c}	48.1	4 / 19	1 / 8	0 / 3	
Average number of embryos transferred	2.6	2.3	2.8	3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	20		28		
Percentage of transfers resulting in live births ^{b,c}	20.0		17.9		
Average number of embryos transferred	2.4		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Coastal Fertility Medical Center, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF SOUTHERN CALIFORNIA IRVINE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	34%
GIFT	0%	With ICSI	91%	Ovulatory dysfunction	7%	Unknown factor	17%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	5%	Female factors only	7%
		Used PGD	9%	Uterine factor	2%	Female & male factors	7%
		With eSET	1%	Male factor	12%		

2010 PREGNANCY SUCCESS RATES

Data verified by Ilene E. Hatch, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	21	16	27	25	7
Percentage of embryos transferred resulting in implantation ^b	46.7	27.9	12.9	8.6	10.7
Percentage of cycles resulting in pregnancies ^b	76.2	8 / 16	25.9	28.0	2 / 7
Percentage of cycles resulting in live births ^{b,c}	52.4	7 / 16	18.5	16.0	2 / 7
(Confidence Interval)	(29.8–74.3)		(6.3–38.1)	(4.5–36.1)	
Percentage of retrievals resulting in live births ^{b,c}	55.0	7 / 15	20.8	17.4	2 / 6
Percentage of transfers resulting in live births ^{b,c}	11 / 18	7 / 15	25.0	20.0	2 / 5
Percentage of transfers resulting in singleton live births ^b	7 / 18	4 / 15	25.0	20.0	2 / 5
Percentage of cancellations ^b	4.8	1 / 16	11.1	8.0	1 / 7
Average number of embryos transferred	2.5	2.9	3.1	3.5	5.6
Percentage of pregnancies with twins ^b	4 / 16	4 / 8	1 / 7	1 / 7	1 / 2
Percentage of pregnancies with triplets or more ^b	2 / 16	0 / 8	0 / 7	0 / 7	0 / 2
Percentage of live births having multiple infants ^{b,c}	4 / 11	3 / 7	0 / 5	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	13	10	5	3	1
Percentage of transfers resulting in live births ^{b,c}	8 / 13	5 / 10	3 / 5	0 / 3	0 / 1
Average number of embryos transferred	2.2	2.4	1.6	3.7	3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	8		10		
Percentage of transfers resulting in live births ^{b,c}	5 / 8		7 / 10		
Average number of embryos transferred	2.1		2.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Southern California

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE FERTILITY CENTER-OC IRVINE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	7%	Other factor	35%
GIFT	0%	With ICSI	94%	Ovulatory dysfunction	2%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	3%	Female factors only	9%
		Used PGD	21%	Uterine factor	1%	Female & male factors	9%
		With eSET	3%	Male factor	11%		

2010 PREGNANCY SUCCESS RATES

Data verified by James P. Lin, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	118	73	38	19	5
Percentage of embryos transferred resulting in implantation ^b	36.5	28.9	17.6	9.1	0 / 13
Percentage of cycles resulting in pregnancies ^b	56.8	54.8	39.5	3 / 19	0 / 5
Percentage of cycles resulting in live births ^{b,c}	48.3	42.5	26.3	2 / 19	0 / 5
(Confidence Interval)	(39.0–57.7)	(31.0–54.6)	(13.4–43.1)		
Percentage of retrievals resulting in live births ^{b,c}	49.1	43.7	26.3	2 / 17	0 / 5
Percentage of transfers resulting in live births ^{b,c}	49.1	47.0	27.0	2 / 15	0 / 4
Percentage of transfers resulting in singleton live births ^b	31.9	42.4	21.6	2 / 15	0 / 4
Percentage of cancellations ^b	1.7	2.7	0.0	2 / 19	0 / 5
Average number of embryos transferred	2.3	2.5	2.8	2.2	3.3
Percentage of pregnancies with twins ^b	37.3	20.0	3 / 15	0 / 3	
Percentage of pregnancies with triplets or more ^b	6.0	0.0	0 / 15	0 / 3	
Percentage of live births having multiple infants ^{b,c}	35.1	9.7	2 / 10	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	15	11	7	1	0
Percentage of transfers resulting in live births ^{b,c}	7 / 15	4 / 11	3 / 7	1 / 1	
Average number of embryos transferred	2.9	2.5	3.3	4.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	55		18		
Percentage of transfers resulting in live births ^{b,c}	70.9		3 / 18		
Average number of embryos transferred	2.1		2.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Fertility Center-OC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE PARTNERS-UCSD REGIONAL FERTILITY CENTER LA JOLLA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	4%	Other factor	16%
GIFT	0%	With ICSI	84%	Ovulatory dysfunction	7%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	23%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	5%	Female factors only	7%
		Used PGD	5%	Uterine factor	5%	Female & male factors	10%
		With eSET	11%	Male factor	17%		

2010 PREGNANCY SUCCESS RATES

Data verified by V. Gabriel Garzo, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	118	105	96	54	18
Percentage of embryos transferred resulting in implantation ^b	63.2	53.8	34.6	14.9	4.2
Percentage of cycles resulting in pregnancies ^b	64.4	58.1	46.9	18.5	1 / 18
Percentage of cycles resulting in live births ^{b,c}	55.9	49.5	31.3	13.0	1 / 18
(Confidence Interval)	(46.5–65.1)	(39.6–59.5)	(22.2–41.5)	(5.4–24.9)	
Percentage of retrievals resulting in live births ^{b,c}	61.1	59.1	36.6	17.5	1 / 12
Percentage of transfers resulting in live births ^{b,c}	68.8	61.2	39.0	20.0	1 / 9
Percentage of transfers resulting in singleton live births ^b	45.8	40.0	26.0	17.1	1 / 9
Percentage of cancellations ^b	8.5	16.2	14.6	25.9	6 / 18
Average number of embryos transferred	1.8	1.9	2.1	2.5	2.7
Percentage of pregnancies with twins ^b	34.2	32.8	22.2	3 / 10	0 / 1
Percentage of pregnancies with triplets or more ^b	5.3	6.6	4.4	0 / 10	0 / 1
Percentage of live births having multiple infants ^{b,c}	33.3	34.6	33.3	1 / 7	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	20	20	20	12	0
Percentage of transfers resulting in live births ^{b,c}	50.0	10.0	20.0	4 / 12	
Average number of embryos transferred	1.9	1.8	2.3	1.8	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	55		30		
Percentage of transfers resulting in live births ^{b,c}	70.9		16.7		
Average number of embryos transferred	1.7		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Partners-UCSD Regional Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCES CENTER LA JOLLA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	4%	Other factor	9%
GIFT	0%	With ICSI	85%	Ovulatory dysfunction	1%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	16%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	7%	Endometriosis	3%	Female factors only	13%
		Used PGD	27%	Uterine factor	3%	Female & male factors	34%
		With eSET	3%	Male factor	14%		

2010 PREGNANCY SUCCESS RATES

Data verified by Samuel H. Wood, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	18	7	13	2	0
Percentage of embryos transferred resulting in implantation ^b	29.0	3 / 17	4 / 19	1 / 8	
Percentage of cycles resulting in pregnancies ^b	6 / 18	3 / 7	2 / 13	1 / 2	
Percentage of cycles resulting in live births ^{b,c}	5 / 18	2 / 7	2 / 13	1 / 2	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	5 / 17	2 / 7	2 / 11	1 / 2	
Percentage of transfers resulting in live births ^{b,c}	5 / 15	2 / 6	2 / 8	1 / 2	
Percentage of transfers resulting in singleton live births ^b	4 / 15	2 / 6	2 / 8	1 / 2	
Percentage of cancellations ^b	1 / 18	0 / 7	2 / 13	0 / 2	
Average number of embryos transferred	2.1	2.8	2.4	4.0	
Percentage of pregnancies with twins ^b	3 / 6	0 / 3	0 / 2	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 6	0 / 3	1 / 2	0 / 1	
Percentage of live births having multiple infants ^{b,c}	1 / 5	0 / 2	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	8	4	3	1	1
Percentage of transfers resulting in live births ^{b,c}	4 / 8	4 / 4	0 / 3	0 / 1	1 / 1
Average number of embryos transferred	2.5	2.0	3.0	4.0	3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	26		13		
Percentage of transfers resulting in live births ^{b,c}	76.9		4 / 13		
Average number of embryos transferred	2.3		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Sciences Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-ORANGE COUNTY LAGUNA HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	4%	Other factor	45%
GIFT	0%	With ICSI	83%	Ovulatory dysfunction	4%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	2%	Female factors only	<1%
		Used PGD	22%	Uterine factor	<1%	Female & male factors	14%
		With eSET	10%	Male factor	19%		

2010 PREGNANCY SUCCESS RATES

Data verified by Daniel A. Potter, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	124	70	92	33	13
Percentage of embryos transferred resulting in implantation ^b	48.3	31.4	21.8	9.5	4.8
Percentage of cycles resulting in pregnancies ^b	60.5	48.6	33.7	21.2	2 / 13
Percentage of cycles resulting in live births ^{b,c}	56.5	44.3	25.0	15.2	1 / 13
(Confidence Interval)	(47.3–65.3)	(32.4–56.7)	(16.6–35.1)	(5.1–31.9)	
Percentage of retrievals resulting in live births ^{b,c}	65.4	50.8	29.9	20.8	1 / 11
Percentage of transfers resulting in live births ^{b,c}	65.4	50.8	29.9	20.8	1 / 11
Percentage of transfers resulting in singleton live births ^b	44.9	34.4	18.2	16.7	1 / 11
Percentage of cancellations ^b	13.7	12.9	16.3	27.3	2 / 13
Average number of embryos transferred	2.0	2.2	2.4	3.5	3.8
Percentage of pregnancies with twins ^b	30.7	29.4	25.8	2 / 7	0 / 2
Percentage of pregnancies with triplets or more ^b	5.3	0.0	6.5	0 / 7	0 / 2
Percentage of live births having multiple infants ^{b,c}	31.4	32.3	39.1	1 / 5	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	33	18	21	10	4
Percentage of transfers resulting in live births ^{b,c}	42.4	8 / 18	38.1	1 / 10	1 / 4
Average number of embryos transferred	2.2	2.5	2.1	2.7	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	36		4		
Percentage of transfers resulting in live births ^{b,c}	58.3		1 / 4		
Average number of embryos transferred	2.0		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: HRC Fertility-Orange County

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ACACIO FERTILITY CENTER LAGUNA NIGUEL, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	2%	Other factor	12%
GIFT	0%	With ICSI	87%	Ovulatory dysfunction	3%	Unknown factor	3%
ZIFT	0%	Unstimulated	5%	Diminished ovarian reserve	23%	Multiple Factors:	
Combination	0%	Used gestational carrier	7%	Endometriosis	3%	Female factors only	26%
		Used PGD	9%	Uterine factor	1%	Female & male factors	21%
		With eSET	1%	Male factor	7%		

2010 PREGNANCY SUCCESS RATES

Data verified by Brian D. Acacio, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	53	43	44	34	27
Percentage of embryos transferred resulting in implantation ^b	38.0	26.4	26.7	11.9	1.4
Percentage of cycles resulting in pregnancies ^b	47.2	48.8	47.7	26.5	14.8
Percentage of cycles resulting in live births ^{b,c}	34.0	39.5	36.4	14.7	3.7
(Confidence Interval)	(21.5–48.3)	(25.0–55.6)	(22.4–52.2)	(5.0–31.1)	(0.1–19.0)
Percentage of retrievals resulting in live births ^{b,c}	39.1	42.5	42.1	16.7	4.2
Percentage of transfers resulting in live births ^{b,c}	40.9	43.6	44.4	18.5	4.3
Percentage of transfers resulting in singleton live births ^b	18.2	23.1	33.3	14.8	4.3
Percentage of cancellations ^b	13.2	7.0	13.6	11.8	11.1
Average number of embryos transferred	2.3	2.8	3.3	3.1	3.2
Percentage of pregnancies with twins ^b	48.0	33.3	28.6	3 / 9	0 / 4
Percentage of pregnancies with triplets or more ^b	4.0	9.5	19.0	0 / 9	0 / 4
Percentage of live births having multiple infants ^{b,c}	10 / 18	8 / 17	4 / 16	1 / 5	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	24	9	9	2	3
Percentage of transfers resulting in live births ^{b,c}	37.5	5 / 9	4 / 9	0 / 2	0 / 3
Average number of embryos transferred	2.3	2.2	2.9	2.5	1.7
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	23		5		
Percentage of transfers resulting in live births ^{b,c}	65.2		2 / 5		
Average number of embryos transferred	2.3		2.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Acacio Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

LOMA LINDA UNIVERSITY CENTER FOR FERTILITY AND IVF LOMA LINDA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	8%	Other factor	2%
GIFT	0%	With ICSI	86%	Ovulatory dysfunction	4%	Unknown factor	7%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	18%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	32%
		With eSET	3%	Male factor	12%		

2010 PREGNANCY SUCCESS RATES

Data verified by John D. Jacobson, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	56	38	25	10	5
Percentage of embryos transferred resulting in implantation ^b	33.0	23.7	26.0	2 / 16	0 / 13
Percentage of cycles resulting in pregnancies ^b	42.9	42.1	40.0	2 / 10	0 / 5
Percentage of cycles resulting in live births ^{b,c}	39.3	31.6	32.0	1 / 10	0 / 5
(Confidence Interval)	(26.5–53.2)	(17.5–48.7)	(14.9–53.5)		
Percentage of retrievals resulting in live births ^{b,c}	43.1	35.3	8 / 19	1 / 7	0 / 4
Percentage of transfers resulting in live births ^{b,c}	45.8	40.0	8 / 18	1 / 6	0 / 4
Percentage of transfers resulting in singleton live births ^b	25.0	33.3	5 / 18	1 / 6	0 / 4
Percentage of cancellations ^b	8.9	10.5	24.0	3 / 10	1 / 5
Average number of embryos transferred	2.1	2.5	2.8	2.7	3.3
Percentage of pregnancies with twins ^b	37.5	3 / 16	3 / 10	0 / 2	
Percentage of pregnancies with triplets or more ^b	4.2	0 / 16	0 / 10	0 / 2	
Percentage of live births having multiple infants ^{b,c}	45.5	2 / 12	3 / 8	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	19	15	5	0	0
Percentage of transfers resulting in live births ^{b,c}	5 / 19	2 / 15	1 / 5		
Average number of embryos transferred	2.3	2.5	3.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	11		14		
Percentage of transfers resulting in live births ^{b,c}	8 / 11		4 / 14		
Average number of embryos transferred	2.1		2.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Loma Linda University Center for Fertility and IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA FERTILITY PARTNERS LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	>99%	Procedural Factors:		Tubal factor	6%	Other factor	11%
GIFT	<1%	With ICSI	72%	Ovulatory dysfunction	5%	Unknown factor	17%
ZIFT	<1%	Unstimulated	1%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	8%	Endometriosis	4%	Female factors only	10%
		Used PGD	4%	Uterine factor	4%	Female & male factors	13%
		With eSET	<1%	Male factor	18%		

2010 PREGNANCY SUCCESS RATES

Data verified by Richard P. Marrs, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	63	50	109	90	42
Percentage of embryos transferred resulting in implantation ^b	29.8	27.9	12.9	9.8	4.5
Percentage of cycles resulting in pregnancies ^b	47.6	34.0	25.7	20.0	16.7
Percentage of cycles resulting in live births ^{b,c}	42.9	28.0	16.5	14.4	4.8
(Confidence Interval)	(30.5–56.0)	(16.2–42.5)	(10.1–24.8)	(7.9–23.4)	(0.6–16.2)
Percentage of retrievals resulting in live births ^{b,c}	46.6	37.8	19.8	21.7	7.1
Percentage of transfers resulting in live births ^{b,c}	47.4	41.2	20.9	22.8	8.0
Percentage of transfers resulting in singleton live births ^b	38.6	23.5	14.0	19.3	8.0
Percentage of cancellations ^b	7.9	26.0	16.5	33.3	33.3
Average number of embryos transferred	2.2	2.5	3.3	3.8	3.5
Percentage of pregnancies with twins ^b	23.3	5 / 17	21.4	3 / 18	0 / 7
Percentage of pregnancies with triplets or more ^b	0.0	2 / 17	10.7	0 / 18	0 / 7
Percentage of live births having multiple infants ^{b,c}	18.5	6 / 14	6 / 18	2 / 13	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	17	9	15	6	3
Percentage of transfers resulting in live births ^{b,c}	7 / 17	3 / 9	6 / 15	2 / 6	0 / 3
Average number of embryos transferred	2.2	2.6	2.1	2.0	2.3
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	88		54		
Percentage of transfers resulting in live births ^{b,c}	56.8		38.9		
Average number of embryos transferred	1.9		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: California Fertility Partners

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CEDARS SINAI MEDICAL CENTER
CENTER FOR FERTILITY AND REPRODUCTIVE MEDICINE
LOS ANGELES, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	0%	Other factor	0%
GIFT	0%	With ICSI	51%	Ovulatory dysfunction	2%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	21%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	2%	Female factors only	34%
		Used PGD	0%	Uterine factor	0%	Female & male factors	22%
		With eSET	6%	Male factor	9%		

2010 PREGNANCY SUCCESS RATES

Data verified by Margareta D. Pisarska, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	15	21	16	13	4
Percentage of embryos transferred resulting in implantation ^b	18.5	32.4	16.2	26.1	0 / 4
Percentage of cycles resulting in pregnancies ^b	5 / 15	42.9	6 / 16	4 / 13	0 / 4
Percentage of cycles resulting in live births ^{b,c}	3 / 15	38.1	2 / 16	4 / 13	0 / 4
(Confidence Interval)		(18.1–61.6)			
Percentage of retrievals resulting in live births ^{b,c}	3 / 14	8 / 16	2 / 15	4 / 10	0 / 2
Percentage of transfers resulting in live births ^{b,c}	3 / 14	8 / 16	2 / 13	4 / 7	0 / 2
Percentage of transfers resulting in singleton live births ^b	2 / 14	7 / 16	0 / 13	4 / 7	0 / 2
Percentage of cancellations ^b	1 / 15	23.8	1 / 16	3 / 13	2 / 4
Average number of embryos transferred	1.9	2.1	2.8	3.3	2.0
Percentage of pregnancies with twins ^b	1 / 5	2 / 9	2 / 6	0 / 4	
Percentage of pregnancies with triplets or more ^b	0 / 5	0 / 9	0 / 6	1 / 4	
Percentage of live births having multiple infants ^{b,c}	1 / 3	1 / 8	2 / 2	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of transfers	6	2	3	3	0
Percentage of transfers resulting in live births ^{b,c}	3 / 6	1 / 2	0 / 3	1 / 3	
Average number of embryos transferred	2.0	2.5	2.0	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	4		1		
Percentage of transfers resulting in live births ^{b,c}	3 / 4		1 / 1		
Average number of embryos transferred	2.0		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cedars Sinai Medical Center, Center for Fertility and Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHA FERTILITY CENTER LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	11%
GIFT	0%	With ICSI	Ovulatory dysfunction	2%	Unknown factor	5%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	54%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	1%	Female factors only	3%
		Used PGD	Uterine factor	1%	Female & male factors	4%
		With eSET	Male factor	17%		

2010 PREGNANCY SUCCESS RATES

Data verified by Vicken P. Sepilian, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	61	21	23	3	5
Percentage of embryos transferred resulting in implantation ^b	31.5	18.5	13.8	1 / 14	1 / 13
Percentage of cycles resulting in pregnancies ^b	50.8	38.1	30.4	1 / 3	1 / 5
Percentage of cycles resulting in live births ^{b,c}	41.0	33.3	26.1	0 / 3	1 / 5
(Confidence Interval)	(28.6–54.3)	(14.6–57.0)	(10.2–48.4)		
Percentage of retrievals resulting in live births ^{b,c}	42.4	33.3	27.3	0 / 3	1 / 5
Percentage of transfers resulting in live births ^{b,c}	43.1	7 / 19	28.6	0 / 3	1 / 5
Percentage of transfers resulting in singleton live births ^b	22.4	5 / 19	23.8	0 / 3	1 / 5
Percentage of cancellations ^b	3.3	0.0	4.3	0 / 3	0 / 5
Average number of embryos transferred	2.5	2.8	2.8	4.7	2.6
Percentage of pregnancies with twins ^b	38.7	2 / 8	1 / 7	0 / 1	0 / 1
Percentage of pregnancies with triplets or more ^b	3.2	0 / 8	0 / 7	0 / 1	0 / 1
Percentage of live births having multiple infants ^{b,c}	48.0	2 / 7	1 / 6		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	18	13	2	1	1
Percentage of transfers resulting in live births ^{b,c}	10 / 18	6 / 13	0 / 2	1 / 1	0 / 1
Average number of embryos transferred	2.3	2.4	2.0	2.0	2.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Donor Eggs					
Number of transfers	86		73		
Percentage of transfers resulting in live births ^{b,c}	53.5		46.6		
Average number of embryos transferred	2.1		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: CHA Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC FERTILITY CENTER-LOS ANGELES LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	2%	Other factor	48%
GIFT	0%	With ICSI	96%	Ovulatory dysfunction	3%	Unknown factor	19%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	<1%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	0%
		Used PGD	4%	Uterine factor	0%	Female & male factors	<1%
		With eSET	0%	Male factor	24%		

2010 PREGNANCY SUCCESS RATES

Data verified by Vicken Sahakian, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	44	30	43	21	0
Percentage of embryos transferred resulting in implantation ^b	27.7	37.9	22.1	15.0	
Percentage of cycles resulting in pregnancies ^b	52.3	46.7	46.5	23.8	
Percentage of cycles resulting in live births ^{b,c}	45.5	43.3	34.9	9.5	
(Confidence Interval)	(30.4–61.2)	(25.5–62.6)	(21.0–50.9)	(1.2–30.4)	
Percentage of retrievals resulting in live births ^{b,c}	45.5	43.3	35.7	9.5	
Percentage of transfers resulting in live births ^{b,c}	45.5	43.3	35.7	2 / 18	
Percentage of transfers resulting in singleton live births ^b	29.5	20.0	26.2	1 / 18	
Percentage of cancellations ^b	0.0	0.0	2.3	0.0	
Average number of embryos transferred	2.5	1.9	2.5	2.2	
Percentage of pregnancies with twins ^b	30.4	8 / 14	20.0	1 / 5	
Percentage of pregnancies with triplets or more ^b	4.3	0 / 14	0.0	0 / 5	
Percentage of live births having multiple infants ^{b,c}	35.0	7 / 13	4 / 15	1 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	12	3	1	1
Percentage of transfers resulting in live births ^{b,c}	2 / 9	6 / 12	0 / 3	0 / 1	0 / 1
Average number of embryos transferred	1.8	2.4	2.7	1.0	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
	Number of transfers		70		36
	Percentage of transfers resulting in live births ^{b,c}		65.7		25.0
Average number of embryos transferred		2.1		2.0	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific Fertility Center-Los Angeles

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCLA FERTILITY CENTER LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	4%	Other factor	43%
GIFT	0%	With ICSI	53%	Ovulatory dysfunction	10%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	4%	Female factors only	5%
		Used PGD	5%	Uterine factor	0%	Female & male factors	14%
		With eSET	11%	Male factor	11%		

2010 PREGNANCY SUCCESS RATES

Data verified by T.C. Jackson Wu, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	28	13	24	14	14
Percentage of embryos transferred resulting in implantation ^b	40.4	20.0	23.0	10.0	2.1
Percentage of cycles resulting in pregnancies ^b	53.6	5 / 13	37.5	3 / 14	3 / 14
Percentage of cycles resulting in live births ^{b,c}	42.9	3 / 13	25.0	2 / 14	1 / 14
(Confidence Interval)	(24.5–62.8)		(9.8–46.7)		
Percentage of retrievals resulting in live births ^{b,c}	42.9	3 / 10	26.1	2 / 14	1 / 13
Percentage of transfers resulting in live births ^{b,c}	50.0	3 / 10	27.3	2 / 13	1 / 11
Percentage of transfers resulting in singleton live births ^b	33.3	2 / 10	18.2	1 / 13	1 / 11
Percentage of cancellations ^b	0.0	3 / 13	4.2	0 / 14	1 / 14
Average number of embryos transferred	2.0	2.0	2.8	3.1	4.4
Percentage of pregnancies with twins ^b	4 / 15	1 / 5	2 / 9	0 / 3	0 / 3
Percentage of pregnancies with triplets or more ^b	1 / 15	0 / 5	2 / 9	1 / 3	0 / 3
Percentage of live births having multiple infants ^{b,c}	4 / 12	1 / 3	2 / 6	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	14	2	1	3	2
Percentage of transfers resulting in live births ^{b,c}	5 / 14	1 / 2	0 / 1	2 / 3	0 / 2
Average number of embryos transferred	2.1	2.0	1.0	1.7	1.5
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	6		2		
Percentage of transfers resulting in live births ^{b,c}	3 / 6		1 / 2		
Average number of embryos transferred	1.8		1.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: UCLA Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

USC REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	96%	Procedural Factors:	Tubal factor	3%	Other factor	1%
GIFT	0%	With ICSI	Ovulatory dysfunction	3%	Unknown factor	4%
ZIFT	4%	Unstimulated	Diminished ovarian reserve	26%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	3%	Female factors only	13%
		Used PGD	Uterine factor	2%	Female & male factors	32%
		With eSET	Male factor	14%		

2010 PREGNANCY SUCCESS RATES

Data verified by Richard J. Paulson, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	32	32	54	35	23
Percentage of embryos transferred resulting in implantation ^b	33.3	22.9	16.1	7.9	1.1
Percentage of cycles resulting in pregnancies ^b	53.1	53.1	29.6	25.7	8.7
Percentage of cycles resulting in live births ^{b,c}	46.9	40.6	16.7	17.1	0.0
(Confidence Interval)	(29.1–65.3)	(23.7–59.4)	(7.9–29.3)	(6.6–33.6)	(0.0–14.8)
Percentage of retrievals resulting in live births ^{b,c}	48.4	40.6	20.9	20.7	0 / 19
Percentage of transfers resulting in live births ^{b,c}	50.0	43.3	20.9	22.2	0 / 18
Percentage of transfers resulting in singleton live births ^b	40.0	33.3	11.6	18.5	0 / 18
Percentage of cancellations ^b	3.1	0.0	20.4	17.1	17.4
Average number of embryos transferred	2.0	2.8	3.5	4.2	5.0
Percentage of pregnancies with twins ^b	4 / 17	4 / 17	3 / 16	1 / 9	0 / 2
Percentage of pregnancies with triplets or more ^b	0 / 17	0 / 17	2 / 16	0 / 9	0 / 2
Percentage of live births having multiple infants ^{b,c}	3 / 15	3 / 13	4 / 9	1 / 6	
Frozen Embryos from Nondonor Eggs					
Number of transfers	15	18	18	7	4
Percentage of transfers resulting in live births ^{b,c}	5 / 15	4 / 18	3 / 18	2 / 7	0 / 4
Average number of embryos transferred	2.5	2.7	3.0	3.9	5.3
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	22		23		
Percentage of transfers resulting in live births ^{b,c}	36.4		30.4		
Average number of embryos transferred	1.9		2.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: USC Reproductive Endocrinology and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE FERTILITY AND GYNECOLOGY CENTER
MONTEREY BAY IVF PROGRAM
MONTEREY, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	4%
GIFT	0%	With ICSI	Ovulatory dysfunction	8%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	28%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	0%	Female factors only	13%
		Used PGD	Uterine factor	1%	Female & male factors	26%
		With eSET	Male factor	15%		

2010 PREGNANCY SUCCESS RATES

Data verified by Edward J. Ramirez, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	20	17	15	4	6
Percentage of embryos transferred resulting in implantation ^b	35.1	25.0	22.2	2 / 9	1 / 10
Percentage of cycles resulting in pregnancies ^b	55.0	6 / 17	6 / 15	1 / 4	1 / 6
Percentage of cycles resulting in live births ^{b,c}	35.0	5 / 17	5 / 15	1 / 4	1 / 6
(Confidence Interval)	(15.4–59.2)				
Percentage of retrievals resulting in live births ^{b,c}	35.0	5 / 15	5 / 15	1 / 3	1 / 6
Percentage of transfers resulting in live births ^{b,c}	7 / 18	5 / 14	5 / 11	1 / 2	1 / 4
Percentage of transfers resulting in singleton live births ^b	6 / 18	3 / 14	3 / 11	1 / 2	1 / 4
Percentage of cancellations ^b	0.0	2 / 17	0 / 15	1 / 4	0 / 6
Average number of embryos transferred	2.1	2.9	3.3	4.5	2.5
Percentage of pregnancies with twins ^b	2 / 11	2 / 6	2 / 6	1 / 1	0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 11	1 / 6	0 / 6	0 / 1	0 / 1
Percentage of live births having multiple infants ^{b,c}	1 / 7	2 / 5	2 / 5	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	1	1	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 4	1 / 1	0 / 1		
Average number of embryos transferred	2.3	2.0	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	5		3		
Percentage of transfers resulting in live births ^{b,c}	2 / 5		1 / 3		
Average number of embryos transferred	2.2		2.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility and Gynecology Center, Monterey Bay IVF Program

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALTY MEDICAL CENTER NEWPORT BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	3%	Other factor	10%
GIFT	0%	With ICSI	43%	Ovulatory dysfunction	3%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	30%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	11%
		Used PGD	37%	Uterine factor	2%	Female & male factors	27%
		With eSET	6%	Male factor	5%		

2010 PREGNANCY SUCCESS RATES

Data verified by Beth A. Ary, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	17	5	7	0	0
Percentage of embryos transferred resulting in implantation ^b	26.7	5 / 8	0 / 10		
Percentage of cycles resulting in pregnancies ^b	4 / 17	2 / 5	0 / 7		
Percentage of cycles resulting in live births ^{b,c}	1 / 17	2 / 5	0 / 7		
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	1 / 16	2 / 4	0 / 4		
Percentage of transfers resulting in live births ^{b,c}	1 / 13	2 / 3	0 / 4		
Percentage of transfers resulting in singleton live births ^b	0 / 13	0 / 3	0 / 4		
Percentage of cancellations ^b	1 / 17	1 / 5	3 / 7		
Average number of embryos transferred	2.3	2.7	2.5		
Percentage of pregnancies with twins ^b	2 / 4	1 / 2			
Percentage of pregnancies with triplets or more ^b	1 / 4	1 / 2			
Percentage of live births having multiple infants ^{b,c}	1 / 1	2 / 2			
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	3	0	0	1
Percentage of transfers resulting in live births ^{b,c}	1 / 2	0 / 3			0 / 1
Average number of embryos transferred	1.0	2.0			1.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Donor Eggs					
Number of transfers	15		11		
Percentage of transfers resulting in live births ^{b,c}	9 / 15		2 / 11		
Average number of embryos transferred	2.4		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Specialty Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE NEWPORT BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	4%	Other factor	9%
GIFT	0%	With ICSI	89%	Ovulatory dysfunction	2%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	4%	Female factors only	31%
		Used PGD	23%	Uterine factor	1%	Female & male factors	16%
		With eSET	7%	Male factor	20%		

2010 PREGNANCY SUCCESS RATES

Data verified by Robert E. Anderson, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	100	54	86	47	23
Percentage of embryos transferred resulting in implantation ^b	40.7	35.1	18.7	7.4	3.7
Percentage of cycles resulting in pregnancies ^b	57.0	53.7	29.1	12.8	13.0
Percentage of cycles resulting in live births ^{b,c}	50.0	50.0	29.1	12.8	4.3
(Confidence Interval)	(39.8–60.2)	(36.1–63.9)	(19.8–39.9)	(4.8–25.7)	(0.1–21.9)
Percentage of retrievals resulting in live births ^{b,c}	50.5	52.9	32.9	15.4	4.8
Percentage of transfers resulting in live births ^{b,c}	53.2	55.1	36.8	20.7	1 / 17
Percentage of transfers resulting in singleton live births ^b	35.1	36.7	26.5	17.2	1 / 17
Percentage of cancellations ^b	1.0	5.6	11.6	17.0	8.7
Average number of embryos transferred	2.1	2.3	2.5	3.2	3.2
Percentage of pregnancies with twins ^b	35.1	31.0	28.0	1 / 6	0 / 3
Percentage of pregnancies with triplets or more ^b	1.8	3.4	0.0	0 / 6	0 / 3
Percentage of live births having multiple infants ^{b,c}	34.0	33.3	28.0	1 / 6	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	31	20	18	9	4
Percentage of transfers resulting in live births ^{b,c}	48.4	30.0	4 / 18	1 / 9	1 / 4
Average number of embryos transferred	2.0	2.0	2.0	2.6	2.3
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	33		29		
Percentage of transfers resulting in live births ^{b,c}	75.8		37.9		
Average number of embryos transferred	2.0		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southern California Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF-ORANGE SURGERY CENTER ORANGE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	38%	Other factor	43%
GIFT	0%	With ICSI	100%	Ovulatory dysfunction	0%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	9%	Endometriosis	0%	Female factors only	0%
		Used PGD	0%	Uterine factor	0%	Female & male factors	5%
		With eSET	0%	Male factor	5%		

2010 PREGNANCY SUCCESS RATES

Data verified by Darush Mohyi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	4	3	2	1	1
Percentage of embryos transferred resulting in implantation ^b	1 / 10	0 / 10	0 / 5	0 / 3	0 / 2
Percentage of cycles resulting in pregnancies ^b	1 / 4	0 / 3	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in live births ^{b,c} (Confidence Interval)	0 / 4	0 / 3	0 / 2	0 / 1	0 / 1
Percentage of retrievals resulting in live births ^{b,c}	0 / 4	0 / 3	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births ^{b,c}	0 / 4	0 / 3	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births ^b	0 / 4	0 / 3	0 / 2	0 / 1	0 / 1
Percentage of cancellations ^b	0 / 4	0 / 3	0 / 2	0 / 1	0 / 1
Average number of embryos transferred	2.5	3.3	2.5	3.0	2.0
Percentage of pregnancies with twins ^b	0 / 1				
Percentage of pregnancies with triplets or more ^b	0 / 1				
Percentage of live births having multiple infants ^{b,c}					
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	2	0	0	0
Percentage of transfers resulting in live births ^{b,c}		0 / 2			
Average number of embryos transferred		5.5			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	6		2		
Percentage of transfers resulting in live births ^{b,c}	2 / 6		0 / 2		
Average number of embryos transferred	3.3		5.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF-Orange Surgery Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NOVA IN VITRO FERTILIZATION PALO ALTO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	4%	Other factor	10%
GIFT	0%	With ICSI	45%	Ovulatory dysfunction	4%	Unknown factor	18%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	23%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	4%	Female factors only	11%
		Used PGD	10%	Uterine factor	1%	Female & male factors	5%
		With eSET	3%	Male factor	19%		

2010 PREGNANCY SUCCESS RATES

Data verified by Richard J. Schmidt, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	64	37	39	17	14
Percentage of embryos transferred resulting in implantation ^b	34.3	19.8	20.7	2.9	2.3
Percentage of cycles resulting in pregnancies ^b	57.8	37.8	43.6	2 / 17	2 / 14
Percentage of cycles resulting in live births ^{b,c}	51.6	29.7	35.9	1 / 17	1 / 14
(Confidence Interval)	(38.7–64.2)	(15.9–47.0)	(21.2–52.8)		
Percentage of retrievals resulting in live births ^{b,c}	52.4	30.6	40.0	1 / 12	1 / 13
Percentage of transfers resulting in live births ^{b,c}	52.4	30.6	40.0	1 / 10	1 / 12
Percentage of transfers resulting in singleton live births ^b	36.5	22.2	37.1	1 / 10	1 / 12
Percentage of cancellations ^b	1.6	2.7	10.3	5 / 17	1 / 14
Average number of embryos transferred	2.2	2.5	3.2	3.5	3.6
Percentage of pregnancies with twins ^b	27.0	4 / 14	4 / 17	0 / 2	0 / 2
Percentage of pregnancies with triplets or more ^b	2.7	0 / 14	1 / 17	0 / 2	0 / 2
Percentage of live births having multiple infants ^{b,c}	30.3	3 / 11	1 / 14	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	24	20	7	1	1
Percentage of transfers resulting in live births ^{b,c}	45.8	45.0	1 / 7	1 / 1	0 / 1
Average number of embryos transferred	2.5	3.0	3.0	3.0	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	15		7		
Percentage of transfers resulting in live births ^{b,c}	10 / 15		2 / 7		
Average number of embryos transferred	2.3		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Nova In Vitro Fertilization

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**STANFORD FERTILITY AND REPRODUCTIVE MEDICINE CENTER
STANFORD UNIVERSITY DEPARTMENT OF GYNECOLOGY AND OBSTETRICS
PALO ALTO, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE			
Type of ART ^a		Patient Diagnosis	
IVF	100%	Procedural Factors:	Tubal factor 4%
GIFT	0%	With ICSI 52%	Other factor 9%
ZIFT	0%	Unstimulated <1%	Ovulatory dysfunction 2%
Combination	0%	Used gestational carrier 2%	Unknown factor 15%
		Used PGD 7%	Diminished ovarian reserve 14%
		With eSET 7%	Endometriosis 4%
		Uterine factor <1%	<i>Multiple Factors:</i>
		Male factor 10%	Female factors only 3%
			Female & male factors 37%

2010 PREGNANCY SUCCESS RATES		Data verified by Valerie Baker, MD				
Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44 ^d	
Fresh Embryos from Nondonor Eggs						
Number of cycles	136	124	125	83	61	
Percentage of embryos transferred resulting in implantation ^b	25.9	15.4	9.5	4.8	2.9	
Percentage of cycles resulting in pregnancies ^b	33.8	26.6	18.4	20.5	8.2	
Percentage of cycles resulting in live births ^{b,c}	30.9	19.4	13.6	9.6	0.0	
(Confidence Interval)	(23.2–39.4)	(12.8–27.4)	(8.1–20.9)	(4.3–18.1)	(0.0–5.9)	
Percentage of retrievals resulting in live births ^{b,c}	32.1	20.0	14.8	11.4	0.0	
Percentage of transfers resulting in live births ^{b,c}	33.9	21.2	16.2	12.3	0.0	
Percentage of transfers resulting in singleton live births ^b	22.6	14.2	12.4	12.3	0.0	
Percentage of cancellations ^b	3.7	3.2	8.0	15.7	13.1	
Average number of embryos transferred	1.9	2.4	2.7	3.6	3.0	
Percentage of pregnancies with twins ^b	30.4	27.3	13.0	1 / 17	0 / 5	
Percentage of pregnancies with triplets or more ^b	0.0	6.1	8.7	0 / 17	0 / 5	
Percentage of live births having multiple infants ^{b,c}	33.3	33.3	4 / 17	0 / 8		
Frozen Embryos from Nondonor Eggs						
Number of transfers	84	60	24	22	6	
Percentage of transfers resulting in live births ^{b,c}	23.8	20.0	25.0	18.2	1 / 6	
Average number of embryos transferred	1.5	1.7	1.8	1.7	2.0	
All Ages Combined^e						
Donor Eggs	Fresh Embryos		Frozen Embryos			
Number of transfers	42		17			
Percentage of transfers resulting in live births ^{b,c}	35.7		7 / 17			
Average number of embryos transferred	2.0		1.4			

CURRENT CLINIC SERVICES AND PROFILE					
Current Name: Stanford Fertility and Reproductive Medicine Center, Stanford University Department of Gynecology and Obstetrics					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.
^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-PASADENA PASADENA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	3%	Other factor	43%
GIFT	0%	With ICSI	61%	Ovulatory dysfunction	3%	Unknown factor	6%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	3%	Female factors only	0%
		Used PGD	4%	Uterine factor	<1%	Female & male factors	10%
		With eSET	1%	Male factor	28%		

2010 PREGNANCY SUCCESS RATES

Data verified by Bradford A. Kolb, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	105	68	68	34	12
Percentage of embryos transferred resulting in implantation ^b	38.0	29.0	22.7	6.9	4.8
Percentage of cycles resulting in pregnancies ^b	58.1	47.1	42.6	26.5	1 / 12
Percentage of cycles resulting in live births ^{b,c}	50.5	42.6	27.9	20.6	1 / 12
(Confidence Interval)	(40.5–60.4)	(30.7–55.2)	(17.7–40.1)	(8.7–37.9)	
Percentage of retrievals resulting in live births ^{b,c}	58.9	54.7	39.6	28.0	1 / 6
Percentage of transfers resulting in live births ^{b,c}	58.9	54.7	39.6	28.0	1 / 6
Percentage of transfers resulting in singleton live births ^b	36.7	39.6	27.1	28.0	1 / 6
Percentage of cancellations ^b	14.3	22.1	29.4	26.5	6 / 12
Average number of embryos transferred	2.6	2.9	3.6	4.1	3.5
Percentage of pregnancies with twins ^b	32.8	28.1	24.1	0 / 9	0 / 1
Percentage of pregnancies with triplets or more ^b	8.2	9.4	10.3	0 / 9	0 / 1
Percentage of live births having multiple infants ^{b,c}	37.7	27.6	6 / 19	0 / 7	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	43	23	14	14	5
Percentage of transfers resulting in live births ^{b,c}	51.2	47.8	8 / 14	3 / 14	1 / 5
Average number of embryos transferred	2.6	3.2	3.0	2.9	3.2
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	63		3		
Percentage of transfers resulting in live births ^{b,c}	61.9		0 / 3		
Average number of embryos transferred	2.4		1.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: HRC-Pasadena

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PALO ALTO MEDICAL FOUNDATION
REPRODUCTIVE ENDOCRINOLOGY & FERTILITY
PORTOLA VALLEY, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	9%	Other factor	5%
GIFT	0%	With ICSI	59%	Ovulatory dysfunction	11%	Unknown factor	20%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	11%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	13%
		With eSET	15%	Male factor	13%		

2010 PREGNANCY SUCCESS RATES

Data verified by Lillian M. Swiersz, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	52	35	41	25	12
Percentage of embryos transferred resulting in implantation ^b	20.3	7.1	5.6	8.2	0.0
Percentage of cycles resulting in pregnancies ^b	25.0	8.6	7.3	20.0	0 / 12
Percentage of cycles resulting in live births ^{b,c}	21.2	8.6	4.9	8.0	0 / 12
(Confidence Interval)	(11.1–34.7)	(1.8–23.1)	(0.6–16.5)	(1.0–26.0)	
Percentage of retrievals resulting in live births ^{b,c}	23.9	9.4	6.3	2 / 19	0 / 7
Percentage of transfers resulting in live births ^{b,c}	27.5	11.1	6.7	2 / 17	0 / 7
Percentage of transfers resulting in singleton live births ^b	20.0	7.4	3.3	2 / 17	0 / 7
Percentage of cancellations ^b	11.5	8.6	22.0	24.0	5 / 12
Average number of embryos transferred	1.9	2.1	3.0	2.9	2.9
Percentage of pregnancies with twins ^b	3 / 13	1 / 3	2 / 3	0 / 5	
Percentage of pregnancies with triplets or more ^b	0 / 13	0 / 3	0 / 3	0 / 5	
Percentage of live births having multiple infants ^{b,c}	3 / 11	1 / 3	1 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	19	21	13	7	4
Percentage of transfers resulting in live births ^{b,c}	6 / 19	19.0	2 / 13	0 / 7	1 / 4
Average number of embryos transferred	1.9	1.7	2.1	2.0	1.8
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		2		
Percentage of transfers resulting in live births ^{b,c}			0 / 2		
Average number of embryos transferred			2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Palo Alto Medical Foundation, Reproductive Endocrinology & Fertility

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE PARTNERS-REDONDO BEACH REDONDO BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	7%	Other factor	24%
GIFT	0%	With ICSI	75%	Ovulatory dysfunction	4%	Unknown factor	18%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	16%	Multiple Factors:	
Combination	0%	Used gestational carrier	3%	Endometriosis	5%	Female factors only	7%
		Used PGD	1%	Uterine factor	1%	Female & male factors	7%
		With eSET	4%	Male factor	13%		

2010 PREGNANCY SUCCESS RATES

Data verified by Bill Yee, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	77	104	94	68	31
Percentage of embryos transferred resulting in implantation ^b	37.7	31.6	24.3	9.8	3.2
Percentage of cycles resulting in pregnancies ^b	55.8	45.2	37.2	23.5	9.7
Percentage of cycles resulting in live births ^{b,c}	45.5	39.4	21.3	14.7	0.0
(Confidence Interval)	(34.1–57.2)	(30.0–49.5)	(13.5–30.9)	(7.3–25.4)	(0.0–11.2)
Percentage of retrievals resulting in live births ^{b,c}	47.9	44.1	23.8	19.6	0.0
Percentage of transfers resulting in live births ^{b,c}	48.6	47.1	25.6	20.4	0.0
Percentage of transfers resulting in singleton live births ^b	30.6	33.3	17.9	16.3	0.0
Percentage of cancellations ^b	5.2	10.6	10.6	25.0	19.4
Average number of embryos transferred	2.0	2.2	2.4	3.1	3.0
Percentage of pregnancies with twins ^b	34.9	31.9	34.3	2 / 16	0 / 3
Percentage of pregnancies with triplets or more ^b	0.0	0.0	2.9	0 / 16	0 / 3
Percentage of live births having multiple infants ^{b,c}	37.1	29.3	30.0	2 / 10	
Frozen Embryos from Nondonor Eggs					
Number of transfers	37	16	16	9	6
Percentage of transfers resulting in live births ^{b,c}	32.4	7 / 16	4 / 16	1 / 9	1 / 6
Average number of embryos transferred	2.0	2.2	1.9	2.2	2.8
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	16		23		
Percentage of transfers resulting in live births ^{b,c}	11 / 16		8.7		
Average number of embryos transferred	1.9		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Partners-Redondo Beach

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHERN CALIFORNIA FERTILITY MEDICAL CENTER ROSEVILLE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	6%	Other factor	7%
GIFT	0%	With ICSI	58%	Ovulatory dysfunction	5%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	25%
		Used PGD	4%	Uterine factor	<1%	Female & male factors	32%
		With eSET	3%	Male factor	11%		

2010 PREGNANCY SUCCESS RATES

Data verified by Carlos E. Soto-Albors, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	150	83	68	43	21
Percentage of embryos transferred resulting in implantation ^b	33.6	19.4	17.7	13.3	5.4
Percentage of cycles resulting in pregnancies ^b	50.7	36.1	29.4	20.9	9.5
Percentage of cycles resulting in live births ^{b,c}	41.3	26.5	23.5	9.3	4.8
(Confidence Interval)	(33.4–49.7)	(17.4–37.3)	(14.1–35.4)	(2.6–22.1)	(0.1–23.8)
Percentage of retrievals resulting in live births ^{b,c}	43.4	28.9	26.7	11.8	1 / 19
Percentage of transfers resulting in live births ^{b,c}	44.6	30.1	28.6	13.8	1 / 16
Percentage of transfers resulting in singleton live births ^b	26.6	23.3	23.2	10.3	1 / 16
Percentage of cancellations ^b	4.7	8.4	11.8	20.9	9.5
Average number of embryos transferred	2.1	2.3	2.3	2.6	2.3
Percentage of pregnancies with twins ^b	35.5	16.7	15.0	2 / 9	0 / 2
Percentage of pregnancies with triplets or more ^b	1.3	3.3	5.0	0 / 9	0 / 2
Percentage of live births having multiple infants ^{b,c}	40.3	22.7	3 / 16	1 / 4	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	59	29	19	12	4
Percentage of transfers resulting in live births ^{b,c}	39.0	51.7	7 / 19	3 / 12	1 / 4
Average number of embryos transferred	2.3	2.1	2.1	2.2	1.8
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	48		40		
Percentage of transfers resulting in live births ^{b,c}	72.9		35.0		
Average number of embryos transferred	1.9		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Northern California Fertility Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH-SACRAMENTO SACRAMENTO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	11%	Other factor	<1%
GIFT	0%	With ICSI	64%	Ovulatory dysfunction	10%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	25%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	5%
		Used PGD	4%	Uterine factor	0%	Female & male factors	14%
		With eSET	10%	Male factor	25%		

2010 PREGNANCY SUCCESS RATES

Data verified by Kenneth Vu, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	79	42	25	18	3
Percentage of embryos transferred resulting in implantation ^b	46.6	41.6	20.6	11.1	0 / 7
Percentage of cycles resulting in pregnancies ^b	64.6	61.9	44.0	4 / 18	0 / 3
Percentage of cycles resulting in live births ^{b,c}	53.2	45.2	24.0	3 / 18	0 / 3
(Confidence Interval)	(41.6–64.5)	(29.8–61.3)	(9.4–45.1)		
Percentage of retrievals resulting in live births ^{b,c}	55.3	50.0	24.0	3 / 16	0 / 3
Percentage of transfers resulting in live births ^{b,c}	56.8	51.4	26.1	3 / 14	0 / 3
Percentage of transfers resulting in singleton live births ^b	32.4	35.1	21.7	3 / 14	0 / 3
Percentage of cancellations ^b	3.8	9.5	0.0	2 / 18	0 / 3
Average number of embryos transferred	2.0	2.4	2.7	2.6	2.3
Percentage of pregnancies with twins ^b	41.2	30.8	3 / 11	0 / 4	
Percentage of pregnancies with triplets or more ^b	0.0	7.7	0 / 11	0 / 4	
Percentage of live births having multiple infants ^{b,c}	42.9	6 / 19	1 / 6	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	24	18	3	2	1
Percentage of transfers resulting in live births ^{b,c}	62.5	6 / 18	0 / 3	1 / 2	1 / 1
Average number of embryos transferred	1.9	1.7	2.3	2.5	3.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	17		10		
Percentage of transfers resulting in live births ^{b,c}	11 / 17		4 / 10		
Average number of embryos transferred	1.9		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Kaiser Permanente Center for Reproductive Health-Sacramento

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS MEDICAL GROUP SAN DIEGO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	2%	Other factor	2%
GIFT	0%	With ICSI	82%	Ovulatory dysfunction	5%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	22%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	<1%	Female factors only	9%
		Used PGD	6%	Uterine factor	1%	Female & male factors	33%
		With eSET	28%	Male factor	25%		

2010 PREGNANCY SUCCESS RATES

Data verified by Arlene J. Morales, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	48	31	24	10	6
Percentage of embryos transferred resulting in implantation ^b	43.3	42.9	25.7	0 / 12	0 / 6
Percentage of cycles resulting in pregnancies ^b	47.9	38.7	33.3	0 / 10	0 / 6
Percentage of cycles resulting in live births ^{b,c}	43.8	35.5	20.8	0 / 10	0 / 6
(Confidence Interval)	(29.5–58.8)	(19.2–54.6)	(7.1–42.2)		
Percentage of retrievals resulting in live births ^{b,c}	48.8	50.0	25.0	0 / 10	0 / 4
Percentage of transfers resulting in live births ^{b,c}	50.0	11 / 19	5 / 19	0 / 6	0 / 3
Percentage of transfers resulting in singleton live births ^b	35.7	8 / 19	4 / 19	0 / 6	0 / 3
Percentage of cancellations ^b	10.4	29.0	16.7	0 / 10	2 / 6
Average number of embryos transferred	1.6	1.8	1.8	2.0	2.0
Percentage of pregnancies with twins ^b	26.1	3 / 12	1 / 8		
Percentage of pregnancies with triplets or more ^b	0.0	0 / 12	0 / 8		
Percentage of live births having multiple infants ^{b,c}	28.6	3 / 11	1 / 5		
Frozen Embryos from Nondonor Eggs					
Number of transfers	27	11	5	3	0
Percentage of transfers resulting in live births ^{b,c}	48.1	5 / 11	3 / 5	0 / 3	
Average number of embryos transferred	2.2	2.1	2.4	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	17		9		
Percentage of transfers resulting in live births ^{b,c}	11 / 17		1 / 9		
Average number of embryos transferred	1.6		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Specialists Medical Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NTC INFERTILITY CLINIC SAN DIEGO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	29%	Other factor	3%
GIFT	0%	With ICSI	83%	Ovulatory dysfunction	10%	Unknown factor	19%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	3%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	11%
		With eSET	12%	Male factor	21%		

2010 PREGNANCY SUCCESS RATES

Data verified by Larry Laufer, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	83	18	20	2	0
Percentage of embryos transferred resulting in implantation ^b	37.4	41.9	20.0	1 / 2	
Percentage of cycles resulting in pregnancies ^b	47.0	11 / 18	35.0	1 / 2	
Percentage of cycles resulting in live births ^{b,c}	37.3	9 / 18	20.0	1 / 2	
(Confidence Interval)	(27.0–48.7)		(5.7–43.7)		
Percentage of retrievals resulting in live births ^{b,c}	43.1	9 / 16	4 / 16	1 / 1	
Percentage of transfers resulting in live births ^{b,c}	47.0	9 / 15	4 / 16	1 / 1	
Percentage of transfers resulting in singleton live births ^b	30.3	5 / 15	4 / 16	1 / 1	
Percentage of cancellations ^b	13.3	2 / 18	20.0	1 / 2	
Average number of embryos transferred	1.9	2.1	2.5	2.0	
Percentage of pregnancies with twins ^b	33.3	4 / 11	0 / 7	0 / 1	
Percentage of pregnancies with triplets or more ^b	0.0	0 / 11	1 / 7	0 / 1	
Percentage of live births having multiple infants ^{b,c}	35.5	4 / 9	0 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	23	10	10	4	0
Percentage of transfers resulting in live births ^{b,c}	43.5	3 / 10	3 / 10	1 / 4	
Average number of embryos transferred	1.9	1.9	2.0	2.5	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	3		1		
Percentage of transfers resulting in live births ^{b,c}	2 / 3		1 / 1		
Average number of embryos transferred	1.7		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: NTC Infertility Clinic

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SAN DIEGO FERTILITY CENTER
(SDFC)
SAN DIEGO, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	>99%	Procedural Factors:		Tubal factor	3%	Other factor	3%
GIFT	0%	With ICSI	93%	Ovulatory dysfunction	3%	Unknown factor	4%
ZIFT	<1%	Unstimulated	0%	Diminished ovarian reserve	21%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	<1%	Female factors only	7%
		Used PGD	3%	Uterine factor	<1%	Female & male factors	37%
		With eSET	4%	Male factor	22%		

2010 PREGNANCY SUCCESS RATES

Data verified by William P. Hummel, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	75	47	50	20	18
Percentage of embryos transferred resulting in implantation ^b	28.2	19.4	16.8	6.1	0.0
Percentage of cycles resulting in pregnancies ^b	45.3	34.0	38.0	20.0	0 / 18
Percentage of cycles resulting in live births ^{b,c}	40.0	29.8	28.0	15.0	0 / 18
(Confidence Interval)	(28.9–52.0)	(17.3–44.9)	(16.2–42.5)	(3.2–37.9)	
Percentage of retrievals resulting in live births ^{b,c}	41.1	31.8	28.6	3 / 18	0 / 15
Percentage of transfers resulting in live births ^{b,c}	42.9	32.6	30.4	3 / 17	0 / 11
Percentage of transfers resulting in singleton live births ^b	34.3	23.3	23.9	3 / 17	0 / 11
Percentage of cancellations ^b	2.7	6.4	2.0	10.0	3 / 18
Average number of embryos transferred	2.2	2.3	2.7	2.9	3.2
Percentage of pregnancies with twins ^b	20.6	4 / 16	2 / 19	0 / 4	
Percentage of pregnancies with triplets or more ^b	2.9	0 / 16	2 / 19	0 / 4	
Percentage of live births having multiple infants ^{b,c}	20.0	4 / 14	3 / 14	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	25	14	22	4	1
Percentage of transfers resulting in live births ^{b,c}	52.0	9 / 14	45.5	2 / 4	0 / 1
Average number of embryos transferred	2.2	2.3	2.2	3.0	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	101		45		
Percentage of transfers resulting in live births ^{b,c}	77.2		53.3		
Average number of embryos transferred	2.0		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: San Diego Fertility Center, (SDFC)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**WILLIAMS OB/GYN
SAN DIMAS, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	0%	Other factor	0%
GIFT	0%	With ICSI	100%	Ovulatory dysfunction	63%	Unknown factor	13%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	13%
		Used PGD	14%	Uterine factor	0%	Female & male factors	0%
		With eSET	0%	Male factor	13%		

2010 PREGNANCY SUCCESS RATES

Data verified by Richard Williams, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	4	1	0	0	1
Percentage of embryos transferred resulting in implantation ^b	3 / 11				0 / 2
Percentage of cycles resulting in pregnancies ^b	3 / 4	0 / 1			0 / 1
Percentage of cycles resulting in live births ^{b,c} (Confidence Interval)	2 / 4	0 / 1			0 / 1
Percentage of retrievals resulting in live births ^{b,c}	2 / 4	0 / 1			0 / 1
Percentage of transfers resulting in live births ^{b,c}	2 / 4				0 / 1
Percentage of transfers resulting in singleton live births ^b	1 / 4				0 / 1
Percentage of cancellations ^b	0 / 4	0 / 1			0 / 1
Average number of embryos transferred	2.8				2.0
Percentage of pregnancies with twins ^b	1 / 3				
Percentage of pregnancies with triplets or more ^b	0 / 3				
Percentage of live births having multiple infants ^{b,c}	1 / 2				
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	0	1
Percentage of transfers resulting in live births ^{b,c}					0 / 1
Average number of embryos transferred					2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Williams OB/GYN

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

LAUREL FERTILITY CARE SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	10%	Other factor	8%
GIFT	0%	With ICSI	87%	Ovulatory dysfunction	6%	Unknown factor	15%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	24%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	3%	Female factors only	7%
		Used PGD	3%	Uterine factor	1%	Female & male factors	14%
		With eSET	2%	Male factor	13%		

2010 PREGNANCY SUCCESS RATES

Data verified by Collin B. Smikle, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	60	34	39	19	10
Percentage of embryos transferred resulting in implantation ^b	19.2	18.3	12.9	12.5	4.5
Percentage of cycles resulting in pregnancies ^b	30.0	35.3	30.8	3 / 19	1 / 10
Percentage of cycles resulting in live births ^{b,c}	20.0	35.3	15.4	1 / 19	1 / 10
(Confidence Interval)	(10.8–32.3)	(19.7–53.5)	(5.9–30.5)		
Percentage of retrievals resulting in live births ^{b,c}	21.1	40.0	18.2	1 / 16	1 / 8
Percentage of transfers resulting in live births ^{b,c}	22.2	40.0	18.2	1 / 13	1 / 8
Percentage of transfers resulting in singleton live births ^b	18.5	33.3	18.2	1 / 13	1 / 8
Percentage of cancellations ^b	5.0	11.8	15.4	3 / 19	2 / 10
Average number of embryos transferred	2.2	2.7	2.8	2.5	2.8
Percentage of pregnancies with twins ^b	4 / 18	3 / 12	1 / 12	1 / 3	0 / 1
Percentage of pregnancies with triplets or more ^b	1 / 18	0 / 12	0 / 12	0 / 3	0 / 1
Percentage of live births having multiple infants ^{b,c}	2 / 12	2 / 12	0 / 6	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	17	6	11	3	4
Percentage of transfers resulting in live births ^{b,c}	7 / 17	1 / 6	2 / 11	1 / 3	0 / 4
Average number of embryos transferred	2.2	2.2	2.9	2.0	2.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
	Number of transfers	14	4		
	Percentage of transfers resulting in live births ^{b,c}	9 / 14	1 / 4		
Average number of embryos transferred	2.4	3.3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Laurel Fertility Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC FERTILITY CENTER SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	3%	Other factor	13%
GIFT	0%	With ICSI	39%	Ovulatory dysfunction	5%	Unknown factor	12%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	29%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	3%	Female factors only	9%
		Used PGD	9%	Uterine factor	2%	Female & male factors	11%
		With eSET	16%	Male factor	14%		

2010 PREGNANCY SUCCESS RATES

Data verified by Philip E. Chenette, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	144	128	179	96	79
Percentage of embryos transferred resulting in implantation ^b	32.4	17.9	17.4	6.6	6.6
Percentage of cycles resulting in pregnancies ^b	36.8	23.4	29.1	14.6	17.7
Percentage of cycles resulting in live births ^{b,c}	34.7	18.8	19.6	11.5	6.3
(Confidence Interval)	(27.0–43.1)	(12.4–26.6)	(14.0–26.1)	(5.9–19.6)	(2.1–14.2)
Percentage of retrievals resulting in live births ^{b,c}	36.5	22.4	23.8	13.9	8.3
Percentage of transfers resulting in live births ^{b,c}	41.0	25.8	26.9	15.1	9.1
Percentage of transfers resulting in singleton live births ^b	30.3	20.4	18.5	11.0	7.3
Percentage of cancellations ^b	4.9	16.4	17.9	17.7	24.1
Average number of embryos transferred	1.7	2.2	2.8	3.3	3.6
Percentage of pregnancies with twins ^b	26.4	16.7	23.1	3 / 14	1 / 14
Percentage of pregnancies with triplets or more ^b	1.9	3.3	3.8	0 / 14	1 / 14
Percentage of live births having multiple infants ^{b,c}	26.0	20.8	31.4	3 / 11	1 / 5
Frozen Embryos from Nondonor Eggs					
Number of transfers	91	72	55	20	7
Percentage of transfers resulting in live births ^{b,c}	39.6	30.6	21.8	25.0	2 / 7
Average number of embryos transferred	1.6	1.6	1.9	2.1	2.9
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	155		180		
Percentage of transfers resulting in live births ^{b,c}	43.9		26.7		
Average number of embryos transferred	1.4		1.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCSF CENTER FOR REPRODUCTIVE HEALTH SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	4%	Other factor	5%
GIFT	0%	With ICSI	64%	Ovulatory dysfunction	2%	Unknown factor	29%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	22%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	1%	Female factors only	5%
		Used PGD	2%	Uterine factor	1%	Female & male factors	13%
		With eSET	10%	Male factor	18%		

2010 PREGNANCY SUCCESS RATES

Data verified by Marcelle I. Cedars, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	144	129	221	134	64
Percentage of embryos transferred resulting in implantation ^b	39.9	35.3	18.5	7.3	2.8
Percentage of cycles resulting in pregnancies ^b	45.1	43.4	36.2	22.4	15.6
Percentage of cycles resulting in live births ^{b,c}	36.1	36.4	25.3	11.9	6.3
(Confidence Interval)	(28.3–44.5)	(28.1–45.4)	(19.7–31.6)	(7.0–18.7)	(1.7–15.2)
Percentage of retrievals resulting in live births ^{b,c}	40.0	43.1	29.5	15.2	7.7
Percentage of transfers resulting in live births ^{b,c}	45.2	45.2	31.6	17.0	8.7
Percentage of transfers resulting in singleton live births ^b	36.5	29.8	23.7	17.0	8.7
Percentage of cancellations ^b	9.7	15.5	14.0	21.6	18.8
Average number of embryos transferred	1.7	2.0	2.7	3.8	4.7
Percentage of pregnancies with twins ^b	23.1	32.1	17.5	3.3	0 / 10
Percentage of pregnancies with triplets or more ^b	0.0	1.8	3.8	0.0	0 / 10
Percentage of live births having multiple infants ^{b,c}	19.2	34.0	25.0	0 / 16	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of transfers	68	72	72	33	11
Percentage of transfers resulting in live births ^{b,c}	36.8	26.4	26.4	21.2	2 / 11
Average number of embryos transferred	1.7	1.8	2.7	2.9	4.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	67		67		
Percentage of transfers resulting in live births ^{b,c}	47.8		19.4		
Average number of embryos transferred	1.5		1.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: UCSF Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY PHYSICIANS OF NORTHERN CALIFORNIA SAN JOSE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	3%	Other factor	3%
GIFT	0%	With ICSI	69%	Ovulatory dysfunction	3%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	16%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	13%
		Used PGD	4%	Uterine factor	<1%	Female & male factors	31%
		With eSET	8%	Male factor	21%		

2010 PREGNANCY SUCCESS RATES

Data verified by G. David Adamson, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	136	81	92	40	15
Percentage of embryos transferred resulting in implantation ^b	30.8	22.5	14.3	7.5	5.6
Percentage of cycles resulting in pregnancies ^b	47.1	32.1	32.6	25.0	3 / 15
Percentage of cycles resulting in live births ^{b,c}	39.0	25.9	23.9	12.5	1 / 15
(Confidence Interval)	(30.7–47.7)	(16.8–36.9)	(15.6–33.9)	(4.2–26.8)	
Percentage of retrievals resulting in live births ^{b,c}	41.4	26.9	26.2	14.3	1 / 14
Percentage of transfers resulting in live births ^{b,c}	41.7	28.0	27.5	16.1	1 / 11
Percentage of transfers resulting in singleton live births ^b	32.3	16.0	23.8	16.1	1 / 11
Percentage of cancellations ^b	5.9	3.7	8.7	12.5	1 / 15
Average number of embryos transferred	1.9	2.0	2.5	3.4	3.3
Percentage of pregnancies with twins ^b	21.9	34.6	6.7	0 / 10	0 / 3
Percentage of pregnancies with triplets or more ^b	0.0	0.0	3.3	0 / 10	0 / 3
Percentage of live births having multiple infants ^{b,c}	22.6	42.9	13.6	0 / 5	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	65	51	22	12	4
Percentage of transfers resulting in live births ^{b,c}	30.8	35.3	18.2	1 / 12	0 / 4
Average number of embryos transferred	1.8	1.9	2.3	2.6	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	30		38		
Percentage of transfers resulting in live births ^{b,c}	46.7		39.5		
Average number of embryos transferred	1.9		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Physicians of Northern California

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ALEX STEINLEITNER, MD, INC.
SAN LUIS OBISPO, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	8%	Other factor	3%
GIFT	0%	With ICSI	74%	Ovulatory dysfunction	1%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	8%
		Used PGD	5%	Uterine factor	0%	Female & male factors	38%
		With eSET	2%	Male factor	28%		

2010 PREGNANCY SUCCESS RATES

Data verified by Alex J. Steinleitner, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	25	10	15	7	4
Percentage of embryos transferred resulting in implantation ^b	50.0	8 / 12	20.0	0 / 7	0 / 6
Percentage of cycles resulting in pregnancies ^b	60.0	6 / 10	6 / 15	0 / 7	0 / 4
Percentage of cycles resulting in live births ^{b,c}	60.0	5 / 10	4 / 15	0 / 7	0 / 4
(Confidence Interval)	(38.7–78.9)				
Percentage of retrievals resulting in live births ^{b,c}	65.2	5 / 7	4 / 13	0 / 4	0 / 2
Percentage of transfers resulting in live births ^{b,c}	65.2	5 / 7	4 / 13	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births ^b	39.1	3 / 7	3 / 13	0 / 4	0 / 2
Percentage of cancellations ^b	8.0	3 / 10	2 / 15	3 / 7	2 / 4
Average number of embryos transferred	1.9	1.7	2.7	1.8	3.0
Percentage of pregnancies with twins ^b	7 / 15	3 / 6	2 / 6		
Percentage of pregnancies with triplets or more ^b	0 / 15	0 / 6	0 / 6		
Percentage of live births having multiple infants ^{b,c}	6 / 15	2 / 5	1 / 4		
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	0	2	1	0
Percentage of transfers resulting in live births ^{b,c}	2 / 5		0 / 2	1 / 1	
Average number of embryos transferred	1.8		2.0	3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
	Number of transfers	10	5		
	Percentage of transfers resulting in live births ^{b,c}	7 / 10	1 / 5		
Average number of embryos transferred	1.9	1.2			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Alex Steinleitner, MD, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE CENTER OF THE SAN FRANCISCO BAY AREA SAN RAMON, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	7%	Other factor	7%
GIFT	0%	With ICSI	61%	Ovulatory dysfunction	8%	Unknown factor	13%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	3%	Female factors only	13%
		Used PGD	1%	Uterine factor	2%	Female & male factors	17%
		With eSET	11%	Male factor	15%		

2010 PREGNANCY SUCCESS RATES

Data verified by Louis N. Weckstein, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	225	150	149	69	20
Percentage of embryos transferred resulting in implantation ^b	36.3	29.3	20.2	13.8	3.9
Percentage of cycles resulting in pregnancies ^b	45.8	42.0	32.9	27.5	25.0
Percentage of cycles resulting in live births ^{b,c}	38.2	31.3	24.2	18.8	5.0
(Confidence Interval)	(31.8–44.9)	(24.0–39.4)	(17.5–31.8)	(10.4–30.1)	(0.1–24.9)
Percentage of retrievals resulting in live births ^{b,c}	41.0	34.1	28.6	23.2	1 / 17
Percentage of transfers resulting in live births ^{b,c}	43.7	36.7	32.4	25.5	1 / 17
Percentage of transfers resulting in singleton live births ^b	31.0	24.2	22.5	13.7	1 / 17
Percentage of cancellations ^b	6.7	8.0	15.4	18.8	15.0
Average number of embryos transferred	1.9	2.2	2.5	3.1	4.5
Percentage of pregnancies with twins ^b	29.1	31.7	26.5	7 / 19	0 / 5
Percentage of pregnancies with triplets or more ^b	3.9	3.2	0.0	0 / 19	0 / 5
Percentage of live births having multiple infants ^{b,c}	29.1	34.0	30.6	6 / 13	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	98	70	64	17	5
Percentage of transfers resulting in live births ^{b,c}	55.1	45.7	31.3	3 / 17	1 / 5
Average number of embryos transferred	1.8	1.9	2.0	1.8	2.8
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Donor Eggs					
Number of transfers	95		67		
Percentage of transfers resulting in live births ^{b,c}	65.3		37.3		
Average number of embryos transferred	1.7		1.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Science Center of the San Francisco Bay Area

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA BARBARA FERTILITY CENTER SANTA BARBARA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	6%	Other factor	3%
GIFT	0%	With ICSI	82%	Ovulatory dysfunction	3%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	26%
		Used PGD	2%	Uterine factor	0%	Female & male factors	21%
		With eSET	0%	Male factor	18%		

2010 PREGNANCY SUCCESS RATES

Data verified by René B. Allen, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	7	9	7	28	0
Percentage of embryos transferred resulting in implantation ^b	5 / 16	8 / 19	18.2	4.0	
Percentage of cycles resulting in pregnancies ^b	4 / 7	7 / 9	5 / 7	10.7	
Percentage of cycles resulting in live births ^{b,c}	4 / 7	7 / 9	4 / 7	3.6	
(Confidence Interval)				(0.1–18.3)	
Percentage of retrievals resulting in live births ^{b,c}	4 / 7	7 / 8	4 / 7	4.3	
Percentage of transfers resulting in live births ^{b,c}	4 / 7	7 / 7	4 / 7	5.0	
Percentage of transfers resulting in singleton live births ^b	3 / 7	6 / 7	4 / 7	5.0	
Percentage of cancellations ^b	0 / 7	1 / 9	0 / 7	17.9	
Average number of embryos transferred	2.3	2.7	3.1	3.8	
Percentage of pregnancies with twins ^b	1 / 4	1 / 7	0 / 5	0 / 3	
Percentage of pregnancies with triplets or more ^b	0 / 4	0 / 7	0 / 5	0 / 3	
Percentage of live births having multiple infants ^{b,c}	1 / 4	1 / 7	0 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	1	0	2	0
Percentage of transfers resulting in live births ^{b,c}	3 / 3	0 / 1		0 / 2	
Average number of embryos transferred	3.0	3.0		4.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	5		2		
Percentage of transfers resulting in live births ^{b,c}	4 / 5		1 / 2		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Santa Barbara Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PARKER-ROSENMAN-RODI GYNECOLOGY AND INFERTILITY MEDICAL GROUP SANTA MONICA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	3%	Other factor	7%
GIFT	0%	With ICSI	67%	Ovulatory dysfunction	0%	Unknown factor	1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	24%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	15%
		Used PGD	20%	Uterine factor	1%	Female & male factors	41%
		With eSET	13%	Male factor	9%		

2010 PREGNANCY SUCCESS RATES

Data verified by Ingrid A. Rodi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	11	3	21	8	7
Percentage of embryos transferred resulting in implantation ^b	5 / 13	0 / 10	33.3	2 / 11	1 / 18
Percentage of cycles resulting in pregnancies ^b	4 / 11	0 / 3	28.6	4 / 8	1 / 7
Percentage of cycles resulting in live births ^{b,c}	3 / 11	0 / 3	19.0	2 / 8	1 / 7
(Confidence Interval)			(5.4–41.9)		
Percentage of retrievals resulting in live births ^{b,c}	3 / 11	0 / 3	4 / 15	2 / 6	1 / 6
Percentage of transfers resulting in live births ^{b,c}	3 / 9	0 / 3	4 / 12	2 / 6	1 / 5
Percentage of transfers resulting in singleton live births ^b	2 / 9	0 / 3	3 / 12	2 / 6	1 / 5
Percentage of cancellations ^b	0 / 11	0 / 3	28.6	2 / 8	1 / 7
Average number of embryos transferred	1.4	3.3	2.3	1.8	3.6
Percentage of pregnancies with twins ^b	1 / 4		1 / 6	0 / 4	0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 4		1 / 6	0 / 4	0 / 1
Percentage of live births having multiple infants ^{b,c}	1 / 3		1 / 4	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	1	6	3	0
Percentage of transfers resulting in live births ^{b,c}	1 / 2	0 / 1	1 / 6	0 / 3	
Average number of embryos transferred	2.0	1.0	2.0	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	1		9		
Percentage of transfers resulting in live births ^{b,c}	0 / 1		5 / 9		
Average number of embryos transferred	1.0		1.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Parker-Rosenman-Rodi Gynecology and Infertility Medical Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY ASSOCIATES MEDICAL GROUP, INC. SANTA ROSA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	13%	Other factor	5%
GIFT	0%	With ICSI	70%	Ovulatory dysfunction	5%	Unknown factor	25%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	<1%	Female factors only	15%
		Used PGD	<1%	Uterine factor	1%	Female & male factors	6%
		With eSET	0%	Male factor	20%		

2010 PREGNANCY SUCCESS RATES

Data verified by Jennifer V. Ratcliffe, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	39	30	25	9	15
Percentage of embryos transferred resulting in implantation ^b	31.3	25.0	15.8	16.7	0.0
Percentage of cycles resulting in pregnancies ^b	51.3	43.3	32.0	4 / 9	1 / 15
Percentage of cycles resulting in live births ^{b,c}	38.5	40.0	24.0	2 / 9	0 / 15
(Confidence Interval)	(23.4–55.4)	(22.7–59.4)	(9.4–45.1)		
Percentage of retrievals resulting in live births ^{b,c}	39.5	44.4	26.1	2 / 8	0 / 14
Percentage of transfers resulting in live births ^{b,c}	40.5	44.4	27.3	2 / 8	0 / 13
Percentage of transfers resulting in singleton live births ^b	29.7	22.2	9.1	0 / 8	0 / 13
Percentage of cancellations ^b	2.6	10.0	8.0	1 / 9	1 / 15
Average number of embryos transferred	2.2	2.8	3.5	3.8	4.5
Percentage of pregnancies with twins ^b	30.0	6 / 13	4 / 8	2 / 4	0 / 1
Percentage of pregnancies with triplets or more ^b	5.0	0 / 13	0 / 8	0 / 4	0 / 1
Percentage of live births having multiple infants ^{b,c}	4 / 15	6 / 12	4 / 6	2 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	26	18	11	4	4
Percentage of transfers resulting in live births ^{b,c}	30.8	10 / 18	3 / 11	2 / 4	1 / 4
Average number of embryos transferred	2.5	2.7	3.0	4.3	4.3
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	16		15		
Percentage of transfers resulting in live births ^{b,c}	7 / 16		6 / 15		
Average number of embryos transferred	2.0		3.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Associates Medical Group, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

VALLEY CENTER FOR REPRODUCTIVE HEALTH
TINA KOOPERSMITH, MD
SHERMAN OAKS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	2%
GIFT	0%	With ICSI	41%	Ovulatory dysfunction	9%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	2%	Female factors only	25%
		Used PGD	3%	Uterine factor	0%	Female & male factors	21%
		With eSET	4%	Male factor	25%		

2010 PREGNANCY SUCCESS RATES

Data verified by Tina B. Koopersmith, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	9	14	9	4	2
Percentage of embryos transferred resulting in implantation ^b	8 / 14	11.1	18.2	0 / 8	0 / 4
Percentage of cycles resulting in pregnancies ^b	5 / 9	3 / 14	3 / 9	0 / 4	0 / 2
Percentage of cycles resulting in live births ^{b,c} (Confidence Interval)	5 / 9	1 / 14	3 / 9	0 / 4	0 / 2
Percentage of retrievals resulting in live births ^{b,c}	5 / 8	1 / 13	3 / 8	0 / 3	0 / 1
Percentage of transfers resulting in live births ^{b,c}	5 / 8	1 / 11	3 / 7	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births ^b	3 / 8	0 / 11	2 / 7	0 / 3	0 / 1
Percentage of cancellations ^b	1 / 9	1 / 14	1 / 9	1 / 4	1 / 2
Average number of embryos transferred	1.8	2.5	3.1	2.7	4.0
Percentage of pregnancies with twins ^b	3 / 5	1 / 3	1 / 3		
Percentage of pregnancies with triplets or more ^b	0 / 5	0 / 3	0 / 3		
Percentage of live births having multiple infants ^{b,c}	2 / 5	1 / 1	1 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	4	4	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 1	0 / 4	1 / 4		
Average number of embryos transferred	2.0	2.3	2.8		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	2		5		
Percentage of transfers resulting in live births ^{b,c}	2 / 2		1 / 5		
Average number of embryos transferred	2.5		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Valley Center for Reproductive Health, Tina Koopersmith, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE CENTER FOR FERTILITY AND GYNECOLOGY
VERMESH CENTER FOR FERTILITY
TARZANA, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	>99%	Procedural Factors:	Tubal factor	7%	Other factor	15%
GIFT	0%	With ICSI	Ovulatory dysfunction	3%	Unknown factor	11%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	23%	Multiple Factors:	
Combination	<1%	Used gestational carrier	Endometriosis	1%	Female factors only	11%
		Used PGD	Uterine factor	2%	Female & male factors	10%
		With eSET	Male factor	16%		

2010 PREGNANCY SUCCESS RATES

Data verified by Michael Vermesh, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	42	26	64	39	18
Percentage of embryos transferred resulting in implantation ^b	39.2	25.7	11.9	9.4	2.0
Percentage of cycles resulting in pregnancies ^b	52.4	50.0	34.4	33.3	1 / 18
Percentage of cycles resulting in live births ^{b,c}	47.6	42.3	25.0	23.1	0 / 18
(Confidence Interval)	(32.0–63.6)	(23.4–63.1)	(15.0–37.4)	(11.1–39.3)	
Percentage of retrievals resulting in live births ^{b,c}	48.8	44.0	25.0	23.1	0 / 17
Percentage of transfers resulting in live births ^{b,c}	48.8	44.0	25.0	23.1	0 / 17
Percentage of transfers resulting in singleton live births ^b	26.8	32.0	21.9	17.9	0 / 17
Percentage of cancellations ^b	2.4	3.8	0.0	0.0	1 / 18
Average number of embryos transferred	1.9	2.8	3.3	3.6	2.9
Percentage of pregnancies with twins ^b	36.4	2 / 13	9.1	2 / 13	0 / 1
Percentage of pregnancies with triplets or more ^b	4.5	2 / 13	4.5	0 / 13	0 / 1
Percentage of live births having multiple infants ^{b,c}	45.0	3 / 11	2 / 16	2 / 9	
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	7	13	4	2
Percentage of transfers resulting in live births ^{b,c}	4 / 10	3 / 7	1 / 13	0 / 4	0 / 2
Average number of embryos transferred	2.9	2.6	2.8	3.0	1.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	26		11		
Percentage of transfers resulting in live births ^{b,c}	76.9		6 / 11		
Average number of embryos transferred	2.4		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Fertility and Gynecology, Vermesh Center for Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TREE OF LIFE CENTER FOR FERTILITY
SNUNIT BEN-OZER, MD
TARZANA, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	2%	Other factor	10%
GIFT	0%	With ICSI	48%	Ovulatory dysfunction	5%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	21%	Multiple Factors:	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	21%
		Used PGD	4%	Uterine factor	2%	Female & male factors	26%
		With eSET	9%	Male factor	5%		

2010 PREGNANCY SUCCESS RATES

Data verified by Snunit Ben-Ozer, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	7	6	7	5	2
Percentage of embryos transferred resulting in implantation ^b	5 / 10	5 / 13	4 / 16	0 / 15	0 / 4
Percentage of cycles resulting in pregnancies ^b	4 / 7	4 / 6	4 / 7	1 / 5	0 / 2
Percentage of cycles resulting in live births ^{b,c} (Confidence Interval)	4 / 7	3 / 6	2 / 7	0 / 5	0 / 2
Percentage of retrievals resulting in live births ^{b,c}	4 / 7	3 / 6	2 / 6	0 / 5	0 / 2
Percentage of transfers resulting in live births ^{b,c}	4 / 6	3 / 6	2 / 6	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births ^b	3 / 6	2 / 6	2 / 6	0 / 5	0 / 2
Percentage of cancellations ^b	0 / 7	0 / 6	1 / 7	0 / 5	0 / 2
Average number of embryos transferred	1.7	2.2	2.7	3.0	2.0
Percentage of pregnancies with twins ^b	1 / 4	1 / 4	0 / 4	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 4	0 / 4	0 / 4	0 / 1	
Percentage of live births having multiple infants ^{b,c}	1 / 4	1 / 3	0 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	0	3	0	1
Percentage of transfers resulting in live births ^{b,c}	2 / 4		1 / 3		1 / 1
Average number of embryos transferred	2.0		1.7		1.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	6		1		
Percentage of transfers resulting in live births ^{b,c}	5 / 6		0 / 1		
Average number of embryos transferred	2.3		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Tree of Life Center for Fertility, Snunit Ben-Ozer, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND SURGICAL ASSOCIATES OF CALIFORNIA THOUSAND OAKS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	9%
GIFT	0%	With ICSI	83%	Ovulatory dysfunction	4%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	32%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	6%	Endometriosis	2%	Female factors only	10%
		Used PGD	7%	Uterine factor	4%	Female & male factors	19%
		With eSET	7%	Male factor	14%		

2010 PREGNANCY SUCCESS RATES

Data verified by Gary Hubert, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	112	78	99	45	14
Percentage of embryos transferred resulting in implantation ^b	29.6	22.0	13.5	5.1	0.0
Percentage of cycles resulting in pregnancies ^b	45.5	47.4	36.4	24.4	0 / 14
Percentage of cycles resulting in live births ^{b,c}	41.1	39.7	23.2	11.1	0 / 14
(Confidence Interval)	(31.9–50.8)	(28.8–51.5)	(15.3–32.8)	(3.7–24.1)	
Percentage of retrievals resulting in live births ^{b,c}	41.4	40.8	24.0	11.4	0 / 14
Percentage of transfers resulting in live births ^{b,c}	41.4	40.8	24.2	11.4	0 / 14
Percentage of transfers resulting in singleton live births ^b	27.9	32.9	20.0	11.4	0 / 14
Percentage of cancellations ^b	0.9	2.6	3.0	2.2	0 / 14
Average number of embryos transferred	2.1	2.4	3.2	4.0	4.1
Percentage of pregnancies with twins ^b	29.4	10.8	16.7	1 / 11	
Percentage of pregnancies with triplets or more ^b	5.9	5.4	5.6	0 / 11	
Percentage of live births having multiple infants ^{b,c}	32.6	19.4	17.4	0 / 5	
Frozen Embryos from Nondonor Eggs					
Number of transfers	81	30	38	21	1
Percentage of transfers resulting in live births ^{b,c}	48.1	33.3	39.5	9.5	0 / 1
Average number of embryos transferred	2.2	2.0	3.0	3.0	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	88		80		
Percentage of transfers resulting in live births ^{b,c}	64.8		35.0		
Average number of embryos transferred	2.0		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Surgical Associates of California

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC REPRODUCTIVE CENTER TORRANCE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	16%
GIFT	0%	With ICSI	Ovulatory dysfunction	8%	Unknown factor	5%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	6%	Female factors only	5%
		Used PGD	Uterine factor	<1%	Female & male factors	11%
		With eSET	Male factor	27%		

2010 PREGNANCY SUCCESS RATES

Data verified by Rifaat Salem, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	164	83	50	31	20
Percentage of embryos transferred resulting in implantation ^b	43.4	31.9	13.1	12.0	3.6
Percentage of cycles resulting in pregnancies ^b	62.8	50.6	40.0	25.8	10.0
Percentage of cycles resulting in live births ^{b,c}	53.7	41.0	22.0	19.4	5.0
(Confidence Interval)	(45.7–61.5)	(30.3–52.3)	(11.5–36.0)	(7.5–37.5)	(0.1–24.9)
Percentage of retrievals resulting in live births ^{b,c}	54.0	41.5	22.0	20.0	1 / 19
Percentage of transfers resulting in live births ^{b,c}	54.7	43.6	22.4	20.0	1 / 17
Percentage of transfers resulting in singleton live births ^b	34.2	26.9	16.3	10.0	1 / 17
Percentage of cancellations ^b	0.6	1.2	0.0	3.2	5.0
Average number of embryos transferred	2.0	2.4	3.0	2.8	3.2
Percentage of pregnancies with twins ^b	37.9	35.7	10.0	3 / 8	0 / 2
Percentage of pregnancies with triplets or more ^b	0.0	7.1	5.0	0 / 8	0 / 2
Percentage of live births having multiple infants ^{b,c}	37.5	38.2	3 / 11	3 / 6	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	19	9	11	6	1
Percentage of transfers resulting in live births ^{b,c}	5 / 19	4 / 9	3 / 11	2 / 6	0 / 1
Average number of embryos transferred	2.3	2.7	2.7	2.8	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	26		6		
Percentage of transfers resulting in live births ^{b,c}	42.3		3 / 6		
Average number of embryos transferred	1.9		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CENTER TORRANCE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	31%	Other factor	15%
GIFT	0%	With ICSI	68%	Ovulatory dysfunction	6%	Unknown factor	21%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	5%
		Used PGD	6%	Uterine factor	0%	Female & male factors	3%
		With eSET	<1%	Male factor	16%		

2010 PREGNANCY SUCCESS RATES

Data verified by Omid A. Khorram, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	60	25	42	11	4
Percentage of embryos transferred resulting in implantation ^b	29.9	16.9	17.4	2.4	0 / 15
Percentage of cycles resulting in pregnancies ^b	46.7	44.0	42.9	1 / 11	0 / 4
Percentage of cycles resulting in live births ^{b,c}	28.3	32.0	19.0	1 / 11	0 / 4
(Confidence Interval)	(17.5–41.4)	(14.9–53.5)	(8.6–34.1)		
Percentage of retrievals resulting in live births ^{b,c}	29.8	33.3	19.0	1 / 10	0 / 4
Percentage of transfers resulting in live births ^{b,c}	32.7	38.1	20.5	1 / 10	0 / 3
Percentage of transfers resulting in singleton live births ^b	13.5	28.6	12.8	1 / 10	0 / 3
Percentage of cancellations ^b	5.0	4.0	0.0	1 / 11	0 / 4
Average number of embryos transferred	2.6	2.8	3.1	4.1	5.0
Percentage of pregnancies with twins ^b	46.4	2 / 11	4 / 18	0 / 1	
Percentage of pregnancies with triplets or more ^b	3.6	0 / 11	1 / 18	0 / 1	
Percentage of live births having multiple infants ^{b,c}	10 / 17	2 / 8	3 / 8	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	20	10	4	1	1
Percentage of transfers resulting in live births ^{b,c}	20.0	1 / 10	0 / 4	0 / 1	0 / 1
Average number of embryos transferred	3.4	2.6	4.0	4.0	4.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	5		3		
Percentage of transfers resulting in live births ^{b,c}	1 / 5		0 / 3		
Average number of embryos transferred	2.4		2.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE PARTNERS-WESTMINSTER WESTMINSTER, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	6%	Other factor	24%
GIFT	0%	With ICSI	62%	Ovulatory dysfunction	5%	Unknown factor	14%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	Multiple Factors:	
Combination	0%	Used gestational carrier	3%	Endometriosis	6%	Female factors only	10%
		Used PGD	<1%	Uterine factor	3%	Female & male factors	4%
		With eSET	7%	Male factor	16%		

2010 PREGNANCY SUCCESS RATES

Data verified by Bill Yee, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	42	41	35	18	7
Percentage of embryos transferred resulting in implantation ^b	51.4	28.0	21.2	15.6	10.0
Percentage of cycles resulting in pregnancies ^b	61.9	43.9	45.7	6 / 18	2 / 7
Percentage of cycles resulting in live births ^{b,c}	54.8	39.0	37.1	5 / 18	1 / 7
(Confidence Interval)	(38.7–70.2)	(24.2–55.5)	(21.5–55.1)		
Percentage of retrievals resulting in live births ^{b,c}	60.5	42.1	39.4	5 / 15	1 / 6
Percentage of transfers resulting in live births ^{b,c}	60.5	43.2	41.9	5 / 14	1 / 6
Percentage of transfers resulting in singleton live births ^b	34.2	29.7	38.7	4 / 14	1 / 6
Percentage of cancellations ^b	9.5	7.3	5.7	3 / 18	1 / 7
Average number of embryos transferred	1.8	2.0	2.7	3.2	3.3
Percentage of pregnancies with twins ^b	38.5	5 / 18	2 / 16	1 / 6	0 / 2
Percentage of pregnancies with triplets or more ^b	3.8	0 / 18	0 / 16	0 / 6	0 / 2
Percentage of live births having multiple infants ^{b,c}	43.5	5 / 16	1 / 13	1 / 5	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	18	16	13	0	0
Percentage of transfers resulting in live births ^{b,c}	4 / 18	6 / 16	0 / 13		
Average number of embryos transferred	1.7	2.1	1.9		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Donor Eggs					
Number of transfers	11		8		
Percentage of transfers resulting in live births ^{b,c}	7 / 11		1 / 8		
Average number of embryos transferred	1.8		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Partners-Westminster

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ADVANCED REPRODUCTIVE MEDICINE
UNIVERSITY OF COLORADO
AURORA, COLORADO**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	7%
GIFT	0%	With ICSI	60%	Ovulatory dysfunction	<1%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	28%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	5%	Female factors only	8%
		Used PGD	6%	Uterine factor	<1%	Female & male factors	22%
		With eSET	5%	Male factor	15%		

2010 PREGNANCY SUCCESS RATES

Data verified by Ruben J. Alvero, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	36	17	12	3	0
Percentage of embryos transferred resulting in implantation ^b	31.9	14.7	19.2	0 / 10	
Percentage of cycles resulting in pregnancies ^b	50.0	6 / 17	3 / 12	0 / 3	
Percentage of cycles resulting in live births ^{b,c}	44.4	4 / 17	3 / 12	0 / 3	
(Confidence Interval)	(27.9–61.9)				
Percentage of retrievals resulting in live births ^{b,c}	48.5	4 / 15	3 / 10	0 / 3	
Percentage of transfers resulting in live births ^{b,c}	48.5	4 / 15	3 / 10	0 / 3	
Percentage of transfers resulting in singleton live births ^b	36.4	3 / 15	1 / 10	0 / 3	
Percentage of cancellations ^b	8.3	2 / 17	2 / 12	0 / 3	
Average number of embryos transferred	2.1	2.3	2.6	3.3	
Percentage of pregnancies with twins ^b	4 / 18	1 / 6	2 / 3		
Percentage of pregnancies with triplets or more ^b	0 / 18	0 / 6	0 / 3		
Percentage of live births having multiple infants ^{b,c}	4 / 16	1 / 4	2 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	18	8	8	5	1
Percentage of transfers resulting in live births ^{b,c}	6 / 18	1 / 8	1 / 8	1 / 5	0 / 1
Average number of embryos transferred	1.8	2.3	2.4	2.0	3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	14		8		
Percentage of transfers resulting in live births ^{b,c}	8 / 14		4 / 8		
Average number of embryos transferred	1.8		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Medicine, University of Colorado

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & FERTILITY CENTER COLORADO SPRINGS, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	3%	
GIFT	0%	With ICSI	98%	Ovulatory dysfunction	2%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	15%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	4%	Endometriosis	0%	Female factors only	2%
		Used PGD	4%	Uterine factor	1%	Female & male factors	38%
		With eSET	0%	Male factor	32%		

2010 PREGNANCY SUCCESS RATES

Data verified by Paul C. Magarelli, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	46	24	14	5	3
Percentage of embryos transferred resulting in implantation ^b	31.3	26.4	7.1	2 / 12	0 / 3
Percentage of cycles resulting in pregnancies ^b	39.1	41.7	1 / 14	2 / 5	0 / 3
Percentage of cycles resulting in live births ^{b,c}	28.3	25.0	1 / 14	2 / 5	0 / 3
(Confidence Interval)	(16.0–43.5)	(9.8–46.7)			
Percentage of retrievals resulting in live births ^{b,c}	28.3	25.0	1 / 13	2 / 5	0 / 2
Percentage of transfers resulting in live births ^{b,c}	39.4	6 / 19	1 / 10	2 / 5	0 / 2
Percentage of transfers resulting in singleton live births ^b	21.2	3 / 19	0 / 10	2 / 5	0 / 2
Percentage of cancellations ^b	0.0	0.0	1 / 14	0 / 5	1 / 3
Average number of embryos transferred	2.4	2.8	2.8	2.4	1.5
Percentage of pregnancies with twins ^b	7 / 18	3 / 10	1 / 1	0 / 2	
Percentage of pregnancies with triplets or more ^b	1 / 18	1 / 10	0 / 1	0 / 2	
Percentage of live births having multiple infants ^{b,c}	6 / 13	3 / 6	1 / 1	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	16	3	4	1	0
Percentage of transfers resulting in live births ^{b,c}	6 / 16	0 / 3	0 / 4	0 / 1	
Average number of embryos transferred	2.3	2.7	3.5	1.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	11		22		
Percentage of transfers resulting in live births ^{b,c}	5 / 11		22.7		
Average number of embryos transferred	2.1		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine & Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ERIC H. SILVERSTEIN, MD, PROFESSIONAL LLC DBA
THE FERTILITY CENTER OF COLORADO
COLORADO SPRINGS, COLORADO**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	15%	Other factor	3%
GIFT	0%	With ICSI	72%	Ovulatory dysfunction	15%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	15%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	15%
		Used PGD	0%	Uterine factor	2%	Female & male factors	18%
		With eSET	9%	Male factor	13%		

2010 PREGNANCY SUCCESS RATES

Data verified by Eric H. Silverstein, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	13	14	6	3	0
Percentage of embryos transferred resulting in implantation ^b	40.0	5 / 18	3 / 6	1 / 10	
Percentage of cycles resulting in pregnancies ^b	6 / 13	3 / 14	2 / 6	2 / 3	
Percentage of cycles resulting in live births ^{b,c}	6 / 13	3 / 14	2 / 6	1 / 3	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	6 / 12	3 / 11	2 / 4	1 / 3	
Percentage of transfers resulting in live births ^{b,c}	6 / 11	3 / 9	2 / 4	1 / 3	
Percentage of transfers resulting in singleton live births ^b	4 / 11	2 / 9	1 / 4	1 / 3	
Percentage of cancellations ^b	1 / 13	3 / 14	2 / 6	0 / 3	
Average number of embryos transferred	1.8	2.0	1.5	3.3	
Percentage of pregnancies with twins ^b	2 / 6	2 / 3	1 / 2	0 / 2	
Percentage of pregnancies with triplets or more ^b	0 / 6	0 / 3	0 / 2	0 / 2	
Percentage of live births having multiple infants ^{b,c}	2 / 6	1 / 3	1 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	13	5	2	0	0
Percentage of transfers resulting in live births ^{b,c}	5 / 13	1 / 5	0 / 2		
Average number of embryos transferred	1.9	1.6	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	4		0		
Percentage of transfers resulting in live births ^{b,c}	2 / 4				
Average number of embryos transferred	1.8				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Eric H. Silverstein, MD, Professional LLC dba, The Fertility Center of Colorado

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLORADO REPRODUCTIVE ENDOCRINOLOGY DENVER, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	15%	Other factor	1%
GIFT	0%	With ICSI	Ovulatory dysfunction	13%	Unknown factor	12%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	23%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	3%	Female factors only	10%
		Used PGD	Uterine factor	2%	Female & male factors	8%
		With eSET	Male factor	13%		

2010 PREGNANCY SUCCESS RATES

Data verified by Susan W. Trout, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	38	18	15	7	5
Percentage of embryos transferred resulting in implantation ^b	20.8	13.8	23.5	0 / 5	0 / 13
Percentage of cycles resulting in pregnancies ^b	23.7	8 / 18	7 / 15	0 / 7	0 / 5
Percentage of cycles resulting in live births ^{b,c}	23.7	4 / 18	5 / 15	0 / 7	0 / 5
(Confidence Interval)	(11.4–40.2)				
Percentage of retrievals resulting in live births ^{b,c}	29.0	4 / 17	5 / 14	0 / 4	0 / 5
Percentage of transfers resulting in live births ^{b,c}	33.3	4 / 15	5 / 13	0 / 2	0 / 5
Percentage of transfers resulting in singleton live births ^b	25.9	4 / 15	4 / 13	0 / 2	0 / 5
Percentage of cancellations ^b	18.4	1 / 18	1 / 15	3 / 7	0 / 5
Average number of embryos transferred	2.0	1.9	2.6	2.5	2.6
Percentage of pregnancies with twins ^b	2 / 9	0 / 8	0 / 7		
Percentage of pregnancies with triplets or more ^b	0 / 9	0 / 8	1 / 7		
Percentage of live births having multiple infants ^{b,c}	2 / 9	0 / 4	1 / 5		
Frozen Embryos from Nondonor Eggs					
Number of transfers	15	12	5	0	0
Percentage of transfers resulting in live births ^{b,c}	3 / 15	4 / 12	3 / 5		
Average number of embryos transferred	1.7	2.0	2.4		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	9		11		
Percentage of transfers resulting in live births ^{b,c}	3 / 9		3 / 11		
Average number of embryos transferred	2.0		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Colorado Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCKY MOUNTAIN CENTER FOR REPRODUCTIVE MEDICINE FORT COLLINS, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	4%	Other factor	0%
GIFT	0%	With ICSI	95%	Ovulatory dysfunction	11%	Unknown factor	18%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	8%	Female factors only	8%
		Used PGD	0%	Uterine factor	0%	Female & male factors	18%
		With eSET	0%	Male factor	19%		

2010 PREGNANCY SUCCESS RATES

Data verified by Kevin E. Bachus, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	30	6	5	0	1
Percentage of embryos transferred resulting in implantation ^b	47.4	5 / 14	1 / 12		0 / 3
Percentage of cycles resulting in pregnancies ^b	66.7	3 / 6	1 / 5		0 / 1
Percentage of cycles resulting in live births ^{b,c}	43.3	2 / 6	1 / 5		0 / 1
(Confidence Interval)	(25.5–62.6)				
Percentage of retrievals resulting in live births ^{b,c}	44.8	2 / 6	1 / 4		0 / 1
Percentage of transfers resulting in live births ^{b,c}	46.4	2 / 6	1 / 4		0 / 1
Percentage of transfers resulting in singleton live births ^b	21.4	1 / 6	1 / 4		0 / 1
Percentage of cancellations ^b	3.3	0 / 6	1 / 5		0 / 1
Average number of embryos transferred	2.0	2.3	3.0		3.0
Percentage of pregnancies with twins ^b	40.0	2 / 3	0 / 1		
Percentage of pregnancies with triplets or more ^b	0.0	0 / 3	0 / 1		
Percentage of live births having multiple infants ^{b,c}	7 / 13	1 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	7	1	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 10	0 / 7	0 / 1		
Average number of embryos transferred	1.8	1.7	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	8		4		
Percentage of transfers resulting in live births ^{b,c}	6 / 8		2 / 4		
Average number of embryos transferred	2.3		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Rocky Mountain Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONCEPTIONS REPRODUCTIVE ASSOCIATES LITTLETON, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	6%
GIFT	0%	With ICSI	Ovulatory dysfunction	7%	Unknown factor	9%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	<1%	Female factors only	9%
		Used PGD	Uterine factor	<1%	Female & male factors	30%
		With eSET	Male factor	17%		

2010 PREGNANCY SUCCESS RATES

Data verified by Mark R. Bush, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	121	50	47	17	2
Percentage of embryos transferred resulting in implantation ^b	55.3	45.7	23.4	26.9	0 / 4
Percentage of cycles resulting in pregnancies ^b	64.5	58.0	36.2	8 / 17	0 / 2
Percentage of cycles resulting in live births ^{b,c}	54.5	52.0	25.5	5 / 17	0 / 2
(Confidence Interval)	(45.2–63.6)	(37.4–66.3)	(13.9–40.3)		
Percentage of retrievals resulting in live births ^{b,c}	55.5	52.0	27.3	5 / 17	0 / 2
Percentage of transfers resulting in live births ^{b,c}	63.5	61.9	32.4	5 / 12	0 / 2
Percentage of transfers resulting in singleton live births ^b	32.7	45.2	24.3	4 / 12	0 / 2
Percentage of cancellations ^b	1.7	0.0	6.4	0 / 17	0 / 2
Average number of embryos transferred	1.9	1.9	2.1	2.2	2.0
Percentage of pregnancies with twins ^b	46.2	27.6	3 / 17	1 / 8	
Percentage of pregnancies with triplets or more ^b	1.3	0.0	0 / 17	0 / 8	
Percentage of live births having multiple infants ^{b,c}	48.5	26.9	3 / 12	1 / 5	
Frozen Embryos from Nondonor Eggs					
Number of transfers	48	16	27	4	1
Percentage of transfers resulting in live births ^{b,c}	43.8	4 / 16	37.0	1 / 4	0 / 1
Average number of embryos transferred	2.0	1.9	1.9	1.8	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	50		17		
Percentage of transfers resulting in live births ^{b,c}	68.0		5 / 17		
Average number of embryos transferred	1.8		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Conceptions Reproductive Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLORADO CENTER FOR REPRODUCTIVE MEDICINE LONE TREE, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	2%	Other factor	8%
GIFT	0%	With ICSI	89%	Ovulatory dysfunction	3%	Unknown factor	19%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	29%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	3%	Female factors only	12%
		Used PGD	2%	Uterine factor	3%	Female & male factors	10%
		With eSET	4%	Male factor	11%		

2010 PREGNANCY SUCCESS RATES

Data verified by William B. Schoolcraft, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	171	109	105	48	35
Percentage of embryos transferred resulting in implantation ^b	55.3	45.5	29.3	13.0	7.4
Percentage of cycles resulting in pregnancies ^b	74.9	73.4	64.8	39.6	28.6
Percentage of cycles resulting in live births ^{b,c}	68.4	65.1	49.5	22.9	14.3
(Confidence Interval)	(60.9–75.3)	(55.4–74.0)	(39.6–59.5)	(12.0–37.3)	(4.8–30.3)
Percentage of retrievals resulting in live births ^{b,c}	69.2	66.4	51.0	24.4	14.7
Percentage of transfers resulting in live births ^{b,c}	69.2	67.0	52.0	24.4	14.7
Percentage of transfers resulting in singleton live births ^b	38.5	48.1	39.0	17.8	8.8
Percentage of cancellations ^b	1.2	1.8	2.9	6.3	2.9
Average number of embryos transferred	2.0	2.2	2.7	3.1	4.4
Percentage of pregnancies with twins ^b	41.4	33.8	23.5	4 / 19	2 / 10
Percentage of pregnancies with triplets or more ^b	3.9	1.3	4.4	0 / 19	0 / 10
Percentage of live births having multiple infants ^{b,c}	44.4	28.2	25.0	3 / 11	2 / 5
Frozen Embryos from Nondonor Eggs					
Number of transfers	162	136	152	72	37
Percentage of transfers resulting in live births ^{b,c}	66.0	64.7	56.6	43.1	21.6
Average number of embryos transferred	2.0	1.9	1.8	2.0	2.3
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	157		120		
Percentage of transfers resulting in live births ^{b,c}	76.4		53.3		
Average number of embryos transferred	1.9		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Colorado Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCKY MOUNTAIN FERTILITY CENTER, PC PARKER, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	14%	Other factor	1%
GIFT	0%	With ICSI	77%	Ovulatory dysfunction	0%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	22%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	7%	Female factors only	18%
		Used PGD	0%	Uterine factor	1%	Female & male factors	20%
		With eSET	0%	Male factor	10%		

2010 PREGNANCY SUCCESS RATES

Data verified by Deborah L. Smith, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	38	12	5	1	0
Percentage of embryos transferred resulting in implantation ^b	35.5	38.7	5 / 14	1 / 5	
Percentage of cycles resulting in pregnancies ^b	50.0	6 / 12	4 / 5	1 / 1	
Percentage of cycles resulting in live births ^{b,c}	44.7	4 / 12	4 / 5	1 / 1	
(Confidence Interval)	(28.6–61.7)				
Percentage of retrievals resulting in live births ^{b,c}	51.5	4 / 12	4 / 5	1 / 1	
Percentage of transfers resulting in live births ^{b,c}	53.1	4 / 12	4 / 5	1 / 1	
Percentage of transfers resulting in singleton live births ^b	28.1	1 / 12	3 / 5	1 / 1	
Percentage of cancellations ^b	13.2	0 / 12	0 / 5	0 / 1	
Average number of embryos transferred	2.4	2.6	2.8	5.0	
Percentage of pregnancies with twins ^b	9 / 19	2 / 6	1 / 4	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 19	2 / 6	0 / 4	0 / 1	
Percentage of live births having multiple infants ^{b,c}	8 / 17	3 / 4	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	7	1	1	0	0
Percentage of transfers resulting in live births ^{b,c}	2 / 7	0 / 1	0 / 1		
Average number of embryos transferred	2.6	3.0	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	4		2		
Percentage of transfers resulting in live births ^{b,c}	2 / 4		0 / 2		
Average number of embryos transferred	2.0		1.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Rocky Mountain Fertility Center, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONNECTICUT FERTILITY ASSOCIATES BRIDGEPORT, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	38%
GIFT	0%	With ICSI	44%	Ovulatory dysfunction	3%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	24%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	5%	Endometriosis	4%	Female factors only	6%
		Used PGD	10%	Uterine factor	2%	Female & male factors	2%
		With eSET	6%	Male factor	9%		

2010 PREGNANCY SUCCESS RATES

Data verified by Michael B. Doyle, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	47	43	38	9	8
Percentage of embryos transferred resulting in implantation ^b	19.1	15.8	5.2	0.0	4.8
Percentage of cycles resulting in pregnancies ^b	40.4	27.9	13.2	0 / 9	1 / 8
Percentage of cycles resulting in live births ^{b,c}	34.0	25.6	7.9	0 / 9	1 / 8
(Confidence Interval)	(20.9–49.3)	(13.5–41.2)	(1.7–21.4)		
Percentage of retrievals resulting in live births ^{b,c}	37.2	26.2	8.6	0 / 7	1 / 8
Percentage of transfers resulting in live births ^{b,c}	37.2	27.5	9.4	0 / 6	1 / 7
Percentage of transfers resulting in singleton live births ^b	25.6	15.0	6.3	0 / 6	1 / 7
Percentage of cancellations ^b	8.5	2.3	7.9	2 / 9	0 / 8
Average number of embryos transferred	2.6	2.5	3.0	4.3	3.0
Percentage of pregnancies with twins ^b	5 / 19	5 / 12	1 / 5		0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 19	0 / 12	0 / 5		0 / 1
Percentage of live births having multiple infants ^{b,c}	5 / 16	5 / 11	1 / 3		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	15	12	14	8	1
Percentage of transfers resulting in live births ^{b,c}	9 / 15	4 / 12	2 / 14	3 / 8	1 / 1
Average number of embryos transferred	2.8	2.3	2.6	2.3	2.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	96		78		
Percentage of transfers resulting in live births ^{b,c}	66.7		29.5		
Average number of embryos transferred	2.1		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Connecticut Fertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE CENTER FOR ADVANCED REPRODUCTIVE SERVICES
AT THE UNIVERSITY OF CONNECTICUT HEALTH CENTER
FARMINGTON, CONNECTICUT**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	7%	Other factor	13%
GIFT	0%	With ICSI	74%	Ovulatory dysfunction	6%	Unknown factor	15%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	5%	Female factors only	17%
		Used PGD	3%	Uterine factor	1%	Female & male factors	17%
		With eSET	10%	Male factor	15%		

2010 PREGNANCY SUCCESS RATES

Data verified by John C. Nulsen, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	405	219	213	102	57
Percentage of embryos transferred resulting in implantation ^b	42.8	35.0	21.7	15.7	7.6
Percentage of cycles resulting in pregnancies ^b	51.4	42.5	35.7	30.4	12.3
Percentage of cycles resulting in live births ^{b,c}	45.9	35.6	26.3	22.5	7.0
(Confidence Interval)	(41.0–50.9)	(29.3–42.3)	(20.5–32.7)	(14.9–31.9)	(1.9–17.0)
Percentage of retrievals resulting in live births ^{b,c}	50.0	40.8	32.4	27.7	11.1
Percentage of transfers resulting in live births ^{b,c}	53.1	44.8	35.4	29.9	13.3
Percentage of transfers resulting in singleton live births ^b	37.4	31.0	28.5	19.5	6.7
Percentage of cancellations ^b	8.1	12.8	18.8	18.6	36.8
Average number of embryos transferred	1.8	2.0	2.7	3.3	4.0
Percentage of pregnancies with twins ^b	29.8	28.0	27.6	25.8	2 / 7
Percentage of pregnancies with triplets or more ^b	1.0	3.2	3.9	3.2	0 / 7
Percentage of live births having multiple infants ^{b,c}	29.6	30.8	19.6	34.8	2 / 4
Frozen Embryos from Nondonor Eggs					
Number of transfers	80	57	52	6	2
Percentage of transfers resulting in live births ^{b,c}	47.5	40.4	44.2	2 / 6	1 / 2
Average number of embryos transferred	1.8	1.6	2.1	1.3	2.5
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	30		33		
Percentage of transfers resulting in live births ^{b,c}	60.0		39.4		
Average number of embryos transferred	1.9		1.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Advanced Reproductive Services at the University of Connecticut Health Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREENWICH FERTILITY AND IVF CENTER, PC GREENWICH, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	7%	Other factor	6%
GIFT	0%	With ICSI	34%	Ovulatory dysfunction	5%	Unknown factor	30%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	21%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	4%
		Used PGD	3%	Uterine factor	2%	Female & male factors	8%
		With eSET	5%	Male factor	16%		

2010 PREGNANCY SUCCESS RATES

Data verified by Barry R. Witt, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	41	18	35	9	10
Percentage of embryos transferred resulting in implantation ^b	50.0	42.4	21.3	0.0	13.6
Percentage of cycles resulting in pregnancies ^b	73.2	9 / 18	40.0	1 / 9	2 / 10
Percentage of cycles resulting in live births ^{b,c}	68.3	8 / 18	37.1	0 / 9	2 / 10
(Confidence Interval)	(51.9–81.9)		(21.5–55.1)		
Percentage of retrievals resulting in live births ^{b,c}	68.3	8 / 15	43.3	0 / 8	2 / 6
Percentage of transfers resulting in live births ^{b,c}	70.0	8 / 15	43.3	0 / 7	2 / 6
Percentage of transfers resulting in singleton live births ^b	50.0	4 / 15	33.3	0 / 7	1 / 6
Percentage of cancellations ^b	0.0	3 / 18	14.3	1 / 9	4 / 10
Average number of embryos transferred	1.9	2.2	2.5	2.9	3.7
Percentage of pregnancies with twins ^b	33.3	5 / 9	3 / 14	0 / 1	1 / 2
Percentage of pregnancies with triplets or more ^b	0.0	0 / 9	0 / 14	0 / 1	0 / 2
Percentage of live births having multiple infants ^{b,c}	28.6	4 / 8	3 / 13		1 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	1	2	0	1
Percentage of transfers resulting in live births ^{b,c}	2 / 5	1 / 1	0 / 2		0 / 1
Average number of embryos transferred	1.8	2.0	2.5		5.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Greenwich Fertility and IVF Center, PC

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

YALE FERTILITY CENTER NEW HAVEN, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	10%	Other factor	27%
GIFT	0%	With ICSI	57%	Ovulatory dysfunction	3%	Unknown factor	13%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	6%	Female factors only	8%
		Used PGD	4%	Uterine factor	2%	Female & male factors	10%
		With eSET	2%	Male factor	14%		

2010 PREGNANCY SUCCESS RATES

Data verified by Pasquale Patrizio, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	176	114	105	49	24
Percentage of embryos transferred resulting in implantation ^b	36.7	24.8	10.1	11.8	4.5
Percentage of cycles resulting in pregnancies ^b	49.4	39.5	15.2	18.4	8.3
Percentage of cycles resulting in live births ^{b,c}	44.3	31.6	11.4	14.3	0.0
(Confidence Interval)	(36.8–52.0)	(23.2–40.9)	(6.0–19.1)	(5.9–27.2)	(0.0–14.2)
Percentage of retrievals resulting in live births ^{b,c}	47.0	36.0	15.2	25.0	0 / 11
Percentage of transfers resulting in live births ^{b,c}	50.0	38.3	17.6	28.0	0 / 10
Percentage of transfers resulting in singleton live births ^b	27.6	28.7	14.7	28.0	0 / 10
Percentage of cancellations ^b	5.7	12.3	24.8	42.9	54.2
Average number of embryos transferred	2.3	2.3	2.5	2.7	2.2
Percentage of pregnancies with twins ^b	39.1	17.8	1 / 16	0 / 9	0 / 2
Percentage of pregnancies with triplets or more ^b	8.0	2.2	1 / 16	0 / 9	0 / 2
Percentage of live births having multiple infants ^{b,c}	44.9	25.0	2 / 12	0 / 7	
Frozen Embryos from Nondonor Eggs					
Number of transfers	27	9	8	2	0
Percentage of transfers resulting in live births ^{b,c}	22.2	1 / 9	3 / 8	0 / 2	
Average number of embryos transferred	2.1	2.2	2.1	2.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Donor Eggs					
Number of transfers	42		11		
Percentage of transfers resulting in live births ^{b,c}	54.8		5 / 11		
Average number of embryos transferred	2.1		2.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Yale Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF CONNECTICUT NORWALK, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	9%
GIFT	0%	With ICSI	66%	Ovulatory dysfunction	14%	Unknown factor	22%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	2%	Female factors only	9%
		Used PGD	5%	Uterine factor	3%	Female & male factors	12%
		With eSET	6%	Male factor	13%		

2010 PREGNANCY SUCCESS RATES

Data verified by Mark P. Leondires, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	197	131	150	51	25
Percentage of embryos transferred resulting in implantation ^b	46.6	29.6	15.2	9.0	2.0
Percentage of cycles resulting in pregnancies ^b	58.9	42.0	29.3	13.7	4.0
Percentage of cycles resulting in live births ^{b,c}	53.3	34.4	19.3	11.8	0.0
(Confidence Interval)	(46.1–60.4)	(26.3–43.1)	(13.3–26.6)	(4.4–23.9)	(0.0–13.7)
Percentage of retrievals resulting in live births ^{b,c}	57.4	39.5	25.4	19.4	0 / 17
Percentage of transfers resulting in live births ^{b,c}	58.0	40.9	28.4	20.7	0 / 14
Percentage of transfers resulting in singleton live births ^b	39.8	26.4	25.5	20.7	0 / 14
Percentage of cancellations ^b	7.1	13.0	24.0	39.2	32.0
Average number of embryos transferred	1.9	2.4	3.0	4.2	3.5
Percentage of pregnancies with twins ^b	37.9	34.5	4.5	4 / 7	0 / 1
Percentage of pregnancies with triplets or more ^b	3.4	5.5	6.8	0 / 7	0 / 1
Percentage of live births having multiple infants ^{b,c}	31.4	35.6	10.3	0 / 6	
Frozen Embryos from Nondonor Eggs					
Number of transfers	36	18	16	2	2
Percentage of transfers resulting in live births ^{b,c}	61.1	10 / 18	5 / 16	0 / 2	1 / 2
Average number of embryos transferred	2.1	2.3	2.6	3.5	1.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	34		24		
Percentage of transfers resulting in live births ^{b,c}	64.7		33.3		
Average number of embryos transferred	1.9		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Connecticut

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW ENGLAND FERTILITY INSTITUTE STAMFORD, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	4%	Other factor	18%
GIFT	0%	With ICSI	80%	Ovulatory dysfunction	3%	Unknown factor	18%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	29%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	6%	Endometriosis	<1%	Female factors only	3%
		Used PGD	6%	Uterine factor	2%	Female & male factors	5%
		With eSET	5%	Male factor	18%		

2010 PREGNANCY SUCCESS RATES

Data verified by Gad Lavy, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	62	31	50	29	15
Percentage of embryos transferred resulting in implantation ^b	31.3	19.7	16.3	12.9	5.1
Percentage of cycles resulting in pregnancies ^b	53.2	35.5	36.0	24.1	1 / 15
Percentage of cycles resulting in live births ^{b,c}	40.3	35.5	18.0	20.7	1 / 15
(Confidence Interval)	(28.1–53.6)	(19.2–54.6)	(8.6–31.4)	(8.0–39.7)	
Percentage of retrievals resulting in live births ^{b,c}	41.0	35.5	19.6	24.0	1 / 14
Percentage of transfers resulting in live births ^{b,c}	43.1	36.7	20.9	24.0	1 / 14
Percentage of transfers resulting in singleton live births ^b	31.0	33.3	18.6	20.0	1 / 14
Percentage of cancellations ^b	1.6	0.0	8.0	13.8	1 / 15
Average number of embryos transferred	2.2	2.4	2.9	2.8	2.8
Percentage of pregnancies with twins ^b	21.2	1 / 11	2 / 18	2 / 7	1 / 1
Percentage of pregnancies with triplets or more ^b	9.1	1 / 11	0 / 18	0 / 7	0 / 1
Percentage of live births having multiple infants ^{b,c}	28.0	1 / 11	1 / 9	1 / 6	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	33	13	18	8	3
Percentage of transfers resulting in live births ^{b,c}	27.3	4 / 13	2 / 18	0 / 8	0 / 3
Average number of embryos transferred	2.2	2.5	2.7	3.1	2.7
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Donor Eggs					
Number of transfers	56		57		
Percentage of transfers resulting in live births ^{b,c}	46.4		31.6		
Average number of embryos transferred	2.0		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New England Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE STAMFORD HOSPITAL STAMFORD, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	22%	Other factor	4%
GIFT	0%	With ICSI	32%	Ovulatory dysfunction	19%	Unknown factor	19%
ZIFT	0%	Unstimulated	5%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	15%
		Used PGD	0%	Uterine factor	4%	Female & male factors	7%
		With eSET	0%	Male factor	7%		

2010 PREGNANCY SUCCESS RATES

Data verified by Frances W. Ginsburg, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	11	5	4	1	1
Percentage of embryos transferred resulting in implantation ^b	1 / 13	0 / 5	0 / 11		
Percentage of cycles resulting in pregnancies ^b	2 / 11	0 / 5	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in live births ^{b,c}	1 / 11	0 / 5	0 / 4	0 / 1	0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	1 / 8	0 / 3	0 / 4		
Percentage of transfers resulting in live births ^{b,c}	1 / 6	0 / 2	0 / 4		
Percentage of transfers resulting in singleton live births ^b	1 / 6	0 / 2	0 / 4		
Percentage of cancellations ^b	3 / 11	2 / 5	0 / 4	1 / 1	1 / 1
Average number of embryos transferred	2.2	2.5	2.8		
Percentage of pregnancies with twins ^b	0 / 2				
Percentage of pregnancies with triplets or more ^b	0 / 2				
Percentage of live births having multiple infants ^{b,c}	0 / 1				
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	4	1	0	0
Percentage of transfers resulting in live births ^{b,c}		1 / 4	0 / 1		
Average number of embryos transferred		2.0	3.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Stamford Hospital

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**WOMEN'S FERTILITY CENTER
DR. NORA R. MILLER
STAMFORD, CONNECTICUT**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	17%	Other factor	4%
GIFT	0%	With ICSI	86%	Ovulatory dysfunction	2%	Unknown factor	13%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	2%
		Used PGD	0%	Uterine factor	0%	Female & male factors	17%
		With eSET	0%	Male factor	28%		

2010 PREGNANCY SUCCESS RATES

Data verified by Nora Miller, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	8	13	10	3	2
Percentage of embryos transferred resulting in implantation ^b	4 / 17	20.8	20.0	1 / 10	0 / 3
Percentage of cycles resulting in pregnancies ^b	2 / 8	4 / 13	3 / 10	1 / 3	0 / 2
Percentage of cycles resulting in live births ^{b,c} (Confidence Interval)	2 / 8	4 / 13	1 / 10	1 / 3	0 / 2
Percentage of retrievals resulting in live births ^{b,c}	2 / 8	4 / 12	1 / 8	1 / 3	0 / 2
Percentage of transfers resulting in live births ^{b,c}	2 / 8	4 / 11	1 / 8	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births ^b	0 / 8	3 / 11	1 / 8	1 / 3	0 / 1
Percentage of cancellations ^b	0 / 8	1 / 13	2 / 10	0 / 3	0 / 2
Average number of embryos transferred	2.1	2.2	2.5	3.3	3.0
Percentage of pregnancies with twins ^b	2 / 2	1 / 4	1 / 3	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 2	0 / 4	0 / 3	0 / 1	
Percentage of live births having multiple infants ^{b,c}	2 / 2	1 / 4	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	4	2	1	0
Percentage of transfers resulting in live births ^{b,c}	0 / 2	0 / 4	1 / 2	1 / 1	
Average number of embryos transferred	2.0	1.0	2.0	2.0	
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		0		2	
Percentage of transfers resulting in live births ^{b,c}				0 / 2	
Average number of embryos transferred				1.5	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Fertility Center, Dr. Nora R. Miller

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PARK AVENUE FERTILITY AND REPRODUCTIVE MEDICINE TRUMBULL, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	4%	Other factor	5%
GIFT	0%	With ICSI	92%	Ovulatory dysfunction	5%	Unknown factor	42%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	7%
		Used PGD	7%	Uterine factor	<1%	Female & male factors	7%
		With eSET	5%	Male factor	17%		

2010 PREGNANCY SUCCESS RATES

Data verified by Andrew J. Levi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	53	30	31	30	9
Percentage of embryos transferred resulting in implantation ^b	35.0	23.2	22.0	4.7	2 / 18
Percentage of cycles resulting in pregnancies ^b	52.8	36.7	25.8	10.0	2 / 9
Percentage of cycles resulting in live births ^{b,c}	47.2	16.7	16.1	3.3	2 / 9
(Confidence Interval)	(33.3–61.4)	(5.6–34.7)	(5.5–33.7)	(0.1–17.2)	
Percentage of retrievals resulting in live births ^{b,c}	47.2	16.7	17.2	3.6	2 / 7
Percentage of transfers resulting in live births ^{b,c}	49.0	17.2	20.8	4.0	2 / 6
Percentage of transfers resulting in singleton live births ^b	33.3	10.3	8.3	4.0	2 / 6
Percentage of cancellations ^b	0.0	0.0	6.5	6.7	2 / 9
Average number of embryos transferred	2.0	1.9	2.1	2.6	3.0
Percentage of pregnancies with twins ^b	28.6	3 / 11	3 / 8	0 / 3	0 / 2
Percentage of pregnancies with triplets or more ^b	0.0	0 / 11	0 / 8	0 / 3	0 / 2
Percentage of live births having multiple infants ^{b,c}	32.0	2 / 5	3 / 5	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	8	5	6	1	0
Percentage of transfers resulting in live births ^{b,c}	2 / 8	3 / 5	2 / 6	1 / 1	
Average number of embryos transferred	2.6	2.2	2.5	3.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	8		6		
Percentage of transfers resulting in live births ^{b,c}	4 / 8		2 / 6		
Average number of embryos transferred	1.9		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Park Avenue Fertility and Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE INSTITUTE FOR REPRODUCTIVE MEDICINE, PA NEWARK, DELAWARE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	20%	Other factor	3%
GIFT	0%	With ICSI	90%	Ovulatory dysfunction	8%	Unknown factor	4%
ZIFT	0%	Unstimulated	5%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	11%	Female factors only	27%
		Used PGD	3%	Uterine factor	<1%	Female & male factors	3%
		With eSET	2%	Male factor	13%		

2010 PREGNANCY SUCCESS RATES

Data verified by Jeffrey B. Russell, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	113	35	31	7	5
Percentage of embryos transferred resulting in implantation ^b	17.2	4.4	12.1	1 / 12	0 / 13
Percentage of cycles resulting in pregnancies ^b	27.4	11.4	19.4	1 / 7	0 / 5
Percentage of cycles resulting in live births ^{b,c}	18.6	5.7	12.9	1 / 7	0 / 5
(Confidence Interval)	(11.9–27.0)	(0.7–19.2)	(3.6–29.8)		
Percentage of retrievals resulting in live births ^{b,c}	19.4	6.1	14.3	1 / 7	0 / 5
Percentage of transfers resulting in live births ^{b,c}	24.4	8.0	17.4	1 / 5	0 / 4
Percentage of transfers resulting in singleton live births ^b	16.3	8.0	13.0	1 / 5	0 / 4
Percentage of cancellations ^b	4.4	5.7	9.7	0 / 7	0 / 5
Average number of embryos transferred	2.5	2.7	2.5	2.4	3.3
Percentage of pregnancies with twins ^b	29.0	0 / 4	1 / 6	0 / 1	
Percentage of pregnancies with triplets or more ^b	0.0	0 / 4	0 / 6	0 / 1	
Percentage of live births having multiple infants ^{b,c}	33.3	0 / 2	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	16	4	6	3	2
Percentage of transfers resulting in live births ^{b,c}	6 / 16	3 / 4	2 / 6	0 / 3	0 / 2
Average number of embryos transferred	2.3	2.0	3.0	2.0	2.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	4		3		
Percentage of transfers resulting in live births ^{b,c}	2 / 4		0 / 3		
Average number of embryos transferred	2.0		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Delaware Institute for Reproductive Medicine, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ASSOCIATES OF DELAWARE NEWARK, DELAWARE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	2%
GIFT	0%	With ICSI	83%	Ovulatory dysfunction	3%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	13%	Female factors only	36%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	32%
		With eSET	74%	Male factor	6%		

2010 PREGNANCY SUCCESS RATES

Data verified by Ronald F. Feinberg, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	135	43	35	16	4
Percentage of embryos transferred resulting in implantation ^b	60.2	44.2	26.3	2 / 16	0 / 3
Percentage of cycles resulting in pregnancies ^b	48.9	44.2	34.3	3 / 16	0 / 4
Percentage of cycles resulting in live births ^{b,c}	45.2	37.2	14.3	1 / 16	0 / 4
(Confidence Interval)	(36.6–54.0)	(23.0–53.3)	(4.8–30.3)		
Percentage of retrievals resulting in live births ^{b,c}	52.6	42.1	17.9	1 / 10	0 / 2
Percentage of transfers resulting in live births ^{b,c}	56.5	44.4	19.2	1 / 9	0 / 2
Percentage of transfers resulting in singleton live births ^b	52.8	38.9	19.2	1 / 9	0 / 2
Percentage of cancellations ^b	14.1	11.6	20.0	6 / 16	2 / 4
Average number of embryos transferred	1.1	1.2	1.5	1.8	1.5
Percentage of pregnancies with twins ^b	9.1	2 / 19	0 / 12	0 / 3	
Percentage of pregnancies with triplets or more ^b	1.5	0 / 19	0 / 12	0 / 3	
Percentage of live births having multiple infants ^{b,c}	6.6	2 / 16	0 / 5	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	61	49	30	10	3
Percentage of transfers resulting in live births ^{b,c}	44.3	34.7	40.0	0 / 10	0 / 3
Average number of embryos transferred	1.2	1.3	1.5	1.5	1.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	7		27		
Percentage of transfers resulting in live births ^{b,c}	3 / 7		51.9		
Average number of embryos transferred	1.0		1.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Associates of Delaware

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE A.R.T. INSTITUTE OF WASHINGTON, INC.
WALTER REED ARMY MEDICAL CENTER
WASHINGTON, DISTRICT OF COLUMBIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	16%	Other factor	6%
GIFT	0%	With ICSI	75%	Ovulatory dysfunction	5%	Unknown factor	17%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	4%
		Used PGD	<1%	Uterine factor	<1%	Female & male factors	13%
		With eSET	14%	Male factor	29%		

2010 PREGNANCY SUCCESS RATES

Data verified by James Segars, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	160	83	56	24	0
Percentage of embryos transferred resulting in implantation ^b	41.5	28.2	17.0	13.0	
Percentage of cycles resulting in pregnancies ^b	50.6	44.6	26.8	29.2	
Percentage of cycles resulting in live births ^{b,c}	41.9	28.9	19.6	16.7	
(Confidence Interval)	(34.1–49.9)	(19.5–39.9)	(10.2–32.4)	(4.7–37.4)	
Percentage of retrievals resulting in live births ^{b,c}	45.3	30.8	22.0	17.4	
Percentage of transfers resulting in live births ^{b,c}	46.9	31.2	23.9	19.0	
Percentage of transfers resulting in singleton live births ^b	35.0	26.0	19.6	14.3	
Percentage of cancellations ^b	7.5	6.0	10.7	4.2	
Average number of embryos transferred	1.7	1.8	2.4	2.6	
Percentage of pregnancies with twins ^b	28.4	21.6	4 / 15	1 / 7	
Percentage of pregnancies with triplets or more ^b	1.2	0.0	1 / 15	0 / 7	
Percentage of live births having multiple infants ^{b,c}	25.4	16.7	2 / 11	1 / 4	
Frozen Embryos from Nondonor Eggs					
Number of transfers	22	11	8	2	0
Percentage of transfers resulting in live births ^{b,c}	22.7	6 / 11	2 / 8	1 / 2	
Average number of embryos transferred	1.5	1.5	2.0	2.5	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The A.R.T. Institute of Washington, Inc., Walter Reed National Military Medical Center

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA FERTILITY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	3%	Other factor	14%
GIFT	0%	With ICSI	64%	Ovulatory dysfunction	8%	Unknown factor	11%
ZIFT	0%	Unstimulated	2%	Diminished ovarian reserve	18%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	<1%	Female factors only	9%
		Used PGD	2%	Uterine factor	2%	Female & male factors	18%
		With eSET	5%	Male factor	17%		

2010 PREGNANCY SUCCESS RATES

Data verified by Safa Rifka, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	115	89	143	111	49
Percentage of embryos transferred resulting in implantation ^b	47.1	23.8	22.1	9.0	4.7
Percentage of cycles resulting in pregnancies ^b	58.3	29.2	34.3	17.1	10.2
Percentage of cycles resulting in live births ^{b,c}	48.7	25.8	26.6	12.6	4.1
(Confidence Interval)	(39.3–58.2)	(17.1–36.2)	(19.5–34.6)	(7.1–20.3)	(0.5–14.0)
Percentage of retrievals resulting in live births ^{b,c}	53.3	28.8	29.9	14.4	5.0
Percentage of transfers resulting in live births ^{b,c}	57.7	31.5	33.0	16.3	5.6
Percentage of transfers resulting in singleton live births ^b	33.0	21.9	27.0	15.1	5.6
Percentage of cancellations ^b	8.7	10.1	11.2	12.6	18.4
Average number of embryos transferred	2.1	2.0	2.3	2.5	2.9
Percentage of pregnancies with twins ^b	38.8	26.9	14.3	1 / 19	0 / 5
Percentage of pregnancies with triplets or more ^b	4.5	3.8	4.1	0 / 19	0 / 5
Percentage of live births having multiple infants ^{b,c}	42.9	30.4	18.4	1 / 14	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	20	24	12	6	5
Percentage of transfers resulting in live births ^{b,c}	10.0	25.0	1 / 12	3 / 6	1 / 5
Average number of embryos transferred	1.6	1.9	1.5	2.3	2.2
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Donor Eggs					
Number of transfers	34		24		
Percentage of transfers resulting in live births ^{b,c}	41.2		33.3		
Average number of embryos transferred	2.0		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Columbia Fertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE GEORGE WASHINGTON UNIVERSITY MEDICAL FACULTY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	9%
GIFT	0%	With ICSI	84%	Ovulatory dysfunction	0%	Unknown factor	37%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	<1%
		Used PGD	8%	Uterine factor	<1%	Female & male factors	3%
		With eSET	11%	Male factor	41%		

2010 PREGNANCY SUCCESS RATES

Data verified by Paul R. Gindoff, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	59	62	82	44	23
Percentage of embryos transferred resulting in implantation ^b	32.9	19.6	8.2	8.9	5.5
Percentage of cycles resulting in pregnancies ^b	33.9	25.8	11.0	9.1	13.0
Percentage of cycles resulting in live births ^{b,c}	27.1	21.0	11.0	6.8	13.0
(Confidence Interval)	(16.4–40.3)	(11.7–33.2)	(5.1–19.8)	(1.4–18.7)	(2.8–33.6)
Percentage of retrievals resulting in live births ^{b,c}	29.1	22.0	12.7	7.9	15.0
Percentage of transfers resulting in live births ^{b,c}	32.7	25.0	14.8	9.4	3 / 18
Percentage of transfers resulting in singleton live births ^b	16.3	15.4	11.5	3.1	3 / 18
Percentage of cancellations ^b	6.8	4.8	13.4	13.6	13.0
Average number of embryos transferred	1.7	2.2	2.4	2.5	3.1
Percentage of pregnancies with twins ^b	40.0	7 / 16	1 / 9	3 / 4	0 / 3
Percentage of pregnancies with triplets or more ^b	0.0	0 / 16	1 / 9	0 / 4	0 / 3
Percentage of live births having multiple infants ^{b,c}	8 / 16	5 / 13	2 / 9	2 / 3	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of transfers	11	14	7	5	3
Percentage of transfers resulting in live births ^{b,c}	3 / 11	4 / 14	2 / 7	0 / 5	0 / 3
Average number of embryos transferred	1.7	2.4	2.6	4.0	2.7
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	6		11		
Percentage of transfers resulting in live births ^{b,c}	1 / 6		1 / 11		
Average number of embryos transferred	1.7		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The George Washington University Medical Faculty Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

JAMES A. SIMON, MD, PC WASHINGTON, DISTRICT OF COLUMBIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	0%	Other factor	0%
GIFT	0%	With ICSI	67%	Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	0%
		Used PGD	0%	Uterine factor	0%	Female & male factors	50%
		With eSET	0%	Male factor	50%		

2010 PREGNANCY SUCCESS RATES

Data verified by James A. Simon, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	0	1	2	3	0
Percentage of embryos transferred resulting in implantation ^b		1 / 1	0 / 4	1 / 8	
Percentage of cycles resulting in pregnancies ^b		1 / 1	0 / 2	1 / 3	
Percentage of cycles resulting in live births ^{b,c}		1 / 1	0 / 2	1 / 3	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}		1 / 1	0 / 2	1 / 3	
Percentage of transfers resulting in live births ^{b,c}		1 / 1	0 / 2	1 / 3	
Percentage of transfers resulting in singleton live births ^b		1 / 1	0 / 2	1 / 3	
Percentage of cancellations ^b		0 / 1	0 / 2	0 / 3	
Average number of embryos transferred		1.0	2.0	2.7	
Percentage of pregnancies with twins ^b		0 / 1		0 / 1	
Percentage of pregnancies with triplets or more ^b		0 / 1		0 / 1	
Percentage of live births having multiple infants ^{b,c}		0 / 1		0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	2	0
Percentage of transfers resulting in live births ^{b,c}				0 / 2	
Average number of embryos transferred				1.0	
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		0		0	
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: James A. Simon, MD, PC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOCAFERTILITY BOCA RATON, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	10%
GIFT	0%	With ICSI	Ovulatory dysfunction	5%	Unknown factor	7%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	31%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	4%	Female factors only	11%
		Used PGD	Uterine factor	<1%	Female & male factors	13%
		With eSET	Male factor	14%		

2010 PREGNANCY SUCCESS RATES

Data verified by Maurice (Moshe) R. Peress, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	32	18	26	12	1
Percentage of embryos transferred resulting in implantation ^b	41.8	50.0	20.0	2 / 19	0 / 5
Percentage of cycles resulting in pregnancies ^b	46.9	10 / 18	26.9	2 / 12	0 / 1
Percentage of cycles resulting in live births ^{b,c}	40.6	9 / 18	23.1	1 / 12	0 / 1
(Confidence Interval)	(23.7–59.4)		(9.0–43.6)		
Percentage of retrievals resulting in live births ^{b,c}	48.1	9 / 15	28.6	1 / 10	0 / 1
Percentage of transfers resulting in live births ^{b,c}	50.0	9 / 12	6 / 19	1 / 9	0 / 1
Percentage of transfers resulting in singleton live births ^b	26.9	5 / 12	3 / 19	1 / 9	0 / 1
Percentage of cancellations ^b	15.6	3 / 18	19.2	2 / 12	0 / 1
Average number of embryos transferred	2.1	2.3	2.6	2.1	5.0
Percentage of pregnancies with twins ^b	8 / 15	3 / 10	3 / 7	0 / 2	
Percentage of pregnancies with triplets or more ^b	0 / 15	1 / 10	0 / 7	0 / 2	
Percentage of live births having multiple infants ^{b,c}	6 / 13	4 / 9	3 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	2	0	1	1
Percentage of transfers resulting in live births ^{b,c}	0 / 1	1 / 2		1 / 1	0 / 1
Average number of embryos transferred	1.0	2.0		2.0	1.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	14		1		
Percentage of transfers resulting in live births ^{b,c}	8 / 14		0 / 1		
Average number of embryos transferred	1.9		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: BocaFertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PALM BEACH FERTILITY CENTER BOCA RATON, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	0%	Other factor	3%
GIFT	0%	With ICSI	86%	Ovulatory dysfunction	3%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	19%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	4%	Endometriosis	0%	Female factors only	5%
		Used PGD	14%	Uterine factor	0%	Female & male factors	63%
		With eSET	2%	Male factor	7%		

2010 PREGNANCY SUCCESS RATES

Data verified by Mark S. Denker, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	26	16	19	7	3
Percentage of embryos transferred resulting in implantation ^b	47.2	11.4	21.1	2 / 7	0 / 6
Percentage of cycles resulting in pregnancies ^b	46.2	4 / 16	5 / 19	2 / 7	0 / 3
Percentage of cycles resulting in live births ^{b,c}	46.2	4 / 16	4 / 19	2 / 7	0 / 3
(Confidence Interval)	(26.6–66.6)				
Percentage of retrievals resulting in live births ^{b,c}	52.2	4 / 15	4 / 18	2 / 4	0 / 2
Percentage of transfers resulting in live births ^{b,c}	12 / 19	4 / 14	4 / 15	2 / 3	0 / 2
Percentage of transfers resulting in singleton live births ^b	7 / 19	4 / 14	2 / 15	2 / 3	0 / 2
Percentage of cancellations ^b	11.5	1 / 16	1 / 19	3 / 7	1 / 3
Average number of embryos transferred	1.9	2.5	2.5	2.3	3.0
Percentage of pregnancies with twins ^b	5 / 12	0 / 4	1 / 5	0 / 2	
Percentage of pregnancies with triplets or more ^b	0 / 12	0 / 4	1 / 5	0 / 2	
Percentage of live births having multiple infants ^{b,c}	5 / 12	0 / 4	2 / 4	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	1	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 3	1 / 1	1 / 1		
Average number of embryos transferred	1.7	2.0	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	19		6		
Percentage of transfers resulting in live births ^{b,c}	8 / 19		1 / 6		
Average number of embryos transferred	1.8		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Palm Beach Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CARE CENTER BOYNTON BEACH, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	0%	Other factor	7%
GIFT	0%	With ICSI	71%	Ovulatory dysfunction	7%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	14%
		Used PGD	0%	Uterine factor	0%	Female & male factors	39%
		With eSET	0%	Male factor	14%		

2010 PREGNANCY SUCCESS RATES

Data verified by Tibor E. Polcz, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	2	6	7	1	1
Percentage of embryos transferred resulting in implantation ^b	1 / 5	6 / 12	20.0	0 / 4	1 / 4
Percentage of cycles resulting in pregnancies ^b	1 / 2	4 / 6	3 / 7	0 / 1	1 / 1
Percentage of cycles resulting in live births ^{b,c} (Confidence Interval)	1 / 2	3 / 6	1 / 7	0 / 1	1 / 1
Percentage of retrievals resulting in live births ^{b,c}	1 / 2	3 / 6	1 / 7	0 / 1	1 / 1
Percentage of transfers resulting in live births ^{b,c}	1 / 2	3 / 6	1 / 6	0 / 1	1 / 1
Percentage of transfers resulting in singleton live births ^b	1 / 2	2 / 6	1 / 6	0 / 1	1 / 1
Percentage of cancellations ^b	0 / 2	0 / 6	0 / 7	0 / 1	0 / 1
Average number of embryos transferred	2.5	2.0	3.3	4.0	4.0
Percentage of pregnancies with twins ^b	0 / 1	2 / 4	1 / 3		0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 1	0 / 4	0 / 3		0 / 1
Percentage of live births having multiple infants ^{b,c}	0 / 1	1 / 3	0 / 1		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	1	3	0	1
Percentage of transfers resulting in live births ^{b,c}	0 / 4	0 / 1	1 / 3		0 / 1
Average number of embryos transferred	1.8	2.0	2.7		3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	2		0		
Percentage of transfers resulting in live births ^{b,c}	2 / 2				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Care Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY AND REPRODUCTIVE MEDICINE OF SOUTH BROWARD COOPER CITY, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	6%	Other factor	1%
GIFT	0%	With ICSI	81%	Ovulatory dysfunction	10%	Unknown factor	1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	17%
		Used PGD	3%	Uterine factor	1%	Female & male factors	25%
		With eSET	0%	Male factor	20%		

2010 PREGNANCY SUCCESS RATES

Data verified by Kenneth Gelman, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	30	16	6	6	8
Percentage of embryos transferred resulting in implantation ^b	51.1	33.3	3 / 9	1 / 5	0 / 7
Percentage of cycles resulting in pregnancies ^b	43.3	8 / 16	3 / 6	1 / 6	0 / 8
Percentage of cycles resulting in live births ^{b,c}	40.0	7 / 16	1 / 6	1 / 6	0 / 8
(Confidence Interval)	(22.7–59.4)				
Percentage of retrievals resulting in live births ^{b,c}	46.2	7 / 15	1 / 4	1 / 5	0 / 6
Percentage of transfers resulting in live births ^{b,c}	54.5	7 / 14	1 / 4	1 / 2	0 / 3
Percentage of transfers resulting in singleton live births ^b	18.2	5 / 14	1 / 4	1 / 2	0 / 3
Percentage of cancellations ^b	13.3	1 / 16	2 / 6	1 / 6	2 / 8
Average number of embryos transferred	2.1	2.1	2.3	2.5	2.3
Percentage of pregnancies with twins ^b	7 / 13	2 / 8	0 / 3	0 / 1	
Percentage of pregnancies with triplets or more ^b	2 / 13	0 / 8	0 / 3	0 / 1	
Percentage of live births having multiple infants ^{b,c}	8 / 12	2 / 7	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	0	2	0	0
Percentage of transfers resulting in live births ^{b,c}	2 / 9		2 / 2		
Average number of embryos transferred	2.6		2.5		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility and Reproductive Medicine of South Broward

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FLORIDA FERTILITY CENTER, PA FORT MYERS, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	0%
GIFT	0%	With ICSI	Ovulatory dysfunction	7%	Unknown factor	48%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	3%	Female factors only	0%
		Used PGD	Uterine factor	2%	Female & male factors	5%
		With eSET	Male factor	16%		

2010 PREGNANCY SUCCESS RATES

Data verified by Jacob L. Glock, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	26	10	7	5	3
Percentage of embryos transferred resulting in implantation ^b	18.8	21.7	1 / 14	0 / 11	0 / 3
Percentage of cycles resulting in pregnancies ^b	30.8	2 / 10	2 / 7	0 / 5	0 / 3
Percentage of cycles resulting in live births ^{b,c}	30.8	2 / 10	1 / 7	0 / 5	0 / 3
(Confidence Interval)	(14.3–51.8)				
Percentage of retrievals resulting in live births ^{b,c}	32.0	2 / 9	1 / 6	0 / 5	0 / 3
Percentage of transfers resulting in live births ^{b,c}	33.3	2 / 9	1 / 5	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births ^b	20.8	0 / 9	1 / 5	0 / 4	0 / 1
Percentage of cancellations ^b	3.8	1 / 10	1 / 7	0 / 5	0 / 3
Average number of embryos transferred	2.9	2.6	2.8	2.8	3.0
Percentage of pregnancies with twins ^b	1 / 8	1 / 2	0 / 2		
Percentage of pregnancies with triplets or more ^b	2 / 8	1 / 2	0 / 2		
Percentage of live births having multiple infants ^{b,c}	3 / 8	2 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	0	0	1	0
Percentage of transfers resulting in live births ^{b,c}	0 / 1			0 / 1	
Average number of embryos transferred	2.0			4.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	5		3		
Percentage of transfers resulting in live births ^{b,c}	4 / 5		1 / 3		
Average number of embryos transferred	3.0		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southwest Florida Fertility Center, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SPECIALISTS IN REPRODUCTIVE MEDICINE AND SURGERY, PA FORT MYERS, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	14%	Other factor	7%
GIFT	0%	With ICSI	73%	Ovulatory dysfunction	3%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	41%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	<1%
		Used PGD	12%	Uterine factor	0%	Female & male factors	2%
		With eSET	8%	Male factor	27%		

2010 PREGNANCY SUCCESS RATES

Data verified by Craig R. Sweet, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	23	19	13	2	2
Percentage of embryos transferred resulting in implantation ^b	19.6	39.4	28.0	4 / 7	0 / 5
Percentage of cycles resulting in pregnancies ^b	26.1	9 / 19	4 / 13	1 / 2	0 / 2
Percentage of cycles resulting in live births ^{b,c}	26.1	8 / 19	3 / 13	1 / 2	0 / 2
(Confidence Interval)	(10.2–48.4)				
Percentage of retrievals resulting in live births ^{b,c}	28.6	8 / 16	3 / 12	1 / 2	0 / 2
Percentage of transfers resulting in live births ^{b,c}	28.6	8 / 15	3 / 12	1 / 2	0 / 2
Percentage of transfers resulting in singleton live births ^b	14.3	6 / 15	2 / 12	0 / 2	0 / 2
Percentage of cancellations ^b	8.7	3 / 19	1 / 13	0 / 2	0 / 2
Average number of embryos transferred	2.2	2.2	2.1	3.5	2.5
Percentage of pregnancies with twins ^b	3 / 6	2 / 9	1 / 4	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 6	1 / 9	1 / 4	1 / 1	
Percentage of live births having multiple infants ^{b,c}	3 / 6	2 / 8	1 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	6	0	3	0	0
Percentage of transfers resulting in live births ^{b,c}	2 / 6		0 / 3		
Average number of embryos transferred	2.3		2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	13		20		
Percentage of transfers resulting in live births ^{b,c}	4 / 13		15.0		
Average number of embryos transferred	2.1		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Specialists in Reproductive Medicine and Surgery, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF FLORIDA WOMEN'S HEALTH AT MAGNOLIA PARKE GAINESVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	3%	Other factor	11%
GIFT	0%	With ICSI	52%	Ovulatory dysfunction	3%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	12%	Female factors only	25%
		Used PGD	1%	Uterine factor	0%	Female & male factors	26%
		With eSET	0%	Male factor	9%		

2010 PREGNANCY SUCCESS RATES

Data verified by R. Stan Williams, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	39	15	12	5	2
Percentage of embryos transferred resulting in implantation ^b	26.7	26.7	19.2	2 / 9	0 / 2
Percentage of cycles resulting in pregnancies ^b	35.9	6 / 15	3 / 12	2 / 5	1 / 2
Percentage of cycles resulting in live births ^{b,c}	33.3	5 / 15	3 / 12	1 / 5	0 / 2
(Confidence Interval)	(19.1–50.2)				
Percentage of retrievals resulting in live births ^{b,c}	34.2	5 / 13	3 / 11	1 / 4	0 / 1
Percentage of transfers resulting in live births ^{b,c}	37.1	5 / 13	3 / 10	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births ^b	22.9	3 / 13	2 / 10	1 / 4	0 / 1
Percentage of cancellations ^b	2.6	2 / 15	1 / 12	1 / 5	1 / 2
Average number of embryos transferred	2.1	2.3	2.6	2.3	2.0
Percentage of pregnancies with twins ^b	6 / 14	2 / 6	2 / 3	0 / 2	0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 14	0 / 6	0 / 3	0 / 2	0 / 1
Percentage of live births having multiple infants ^{b,c}	5 / 13	2 / 5	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	7	0	1	2	0
Percentage of transfers resulting in live births ^{b,c}	3 / 7		1 / 1	0 / 2	
Average number of embryos transferred	2.0		2.0	1.5	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	15		0		
Percentage of transfers resulting in live births ^{b,c}	12 / 15				
Average number of embryos transferred	1.9				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Florida Women's Health at Magnolia Parke

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ASSISTED FERTILITY PROGRAM OF NORTH FLORIDA JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	19%	Other factor	4%
GIFT	0%	With ICSI	53%	Ovulatory dysfunction	9%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	20%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	4%	Female factors only	11%
		Used PGD	0%	Uterine factor	0%	Female & male factors	9%
		With eSET	2%	Male factor	15%		

2010 PREGNANCY SUCCESS RATES

Data verified by Marwan M. Shaykh, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	36	17	12	3	5
Percentage of embryos transferred resulting in implantation ^b	21.0	7.0	5.9		0 / 14
Percentage of cycles resulting in pregnancies ^b	30.6	2 / 17	1 / 12	0 / 3	1 / 5
Percentage of cycles resulting in live births ^{b,c}	27.8	1 / 17	1 / 12	0 / 3	0 / 5
(Confidence Interval)	(14.2–45.2)				
Percentage of retrievals resulting in live births ^{b,c}	28.6	1 / 15	1 / 10	0 / 1	0 / 4
Percentage of transfers resulting in live births ^{b,c}	29.4	1 / 14	1 / 9		0 / 4
Percentage of transfers resulting in singleton live births ^b	20.6	1 / 14	0 / 9		0 / 4
Percentage of cancellations ^b	2.8	2 / 17	2 / 12	2 / 3	1 / 5
Average number of embryos transferred	2.4	3.1	3.8		3.5
Percentage of pregnancies with twins ^b	2 / 11	1 / 2	1 / 1		0 / 1
Percentage of pregnancies with triplets or more ^b	2 / 11	0 / 2	0 / 1		0 / 1
Percentage of live births having multiple infants ^{b,c}	3 / 10	0 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	3	3	1	0
Percentage of transfers resulting in live births ^{b,c}	0 / 3	0 / 3	0 / 3	0 / 1	
Average number of embryos transferred	2.3	2.3	1.7	4.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	10		4		
Percentage of transfers resulting in live births ^{b,c}	3 / 10		1 / 4		
Average number of embryos transferred	2.2		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Assisted Fertility Program of North Florida

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

BROWN FERTILITY ASSOCIATES JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	13%
GIFT	0%	With ICSI	Ovulatory dysfunction	9%	Unknown factor	9%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	16%	Female factors only	10%
		Used PGD	Uterine factor	0%	Female & male factors	26%
		With eSET	Male factor	7%		

2010 PREGNANCY SUCCESS RATES

Data verified by Samuel E. Brown, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	29	7	7	6	1
Percentage of embryos transferred resulting in implantation ^b	18.2	4 / 16	1 / 18	2 / 14	0 / 2
Percentage of cycles resulting in pregnancies ^b	48.3	4 / 7	2 / 7	1 / 6	0 / 1
Percentage of cycles resulting in live births ^{b,c}	37.9	3 / 7	1 / 7	0 / 6	0 / 1
(Confidence Interval)	(20.7–57.7)				
Percentage of retrievals resulting in live births ^{b,c}	37.9	3 / 7	1 / 6	0 / 5	0 / 1
Percentage of transfers resulting in live births ^{b,c}	37.9	3 / 7	1 / 6	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births ^b	34.5	3 / 7	1 / 6	0 / 5	0 / 1
Percentage of cancellations ^b	0.0	0 / 7	1 / 7	1 / 6	0 / 1
Average number of embryos transferred	2.7	2.3	3.0	2.8	2.0
Percentage of pregnancies with twins ^b	1 / 14	1 / 4	0 / 2	1 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 14	0 / 4	0 / 2	0 / 1	
Percentage of live births having multiple infants ^{b,c}	1 / 11	0 / 3	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	0	0	1	0
Percentage of transfers resulting in live births ^{b,c}	1 / 3			1 / 1	
Average number of embryos transferred	3.0			1.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	12		2		
Percentage of transfers resulting in live births ^{b,c}	6 / 12		2 / 2		
Average number of embryos transferred	3.1		3.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Brown Fertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	6%	Other factor	2%
GIFT	0%	With ICSI	82%	Ovulatory dysfunction	4%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	3%	Female factors only	9%
		Used PGD	<1%	Uterine factor	<1%	Female & male factors	43%
		With eSET	2%	Male factor	25%		

2010 PREGNANCY SUCCESS RATES

Data verified by Kevin L. Winslow, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	220	67	67	26	5
Percentage of embryos transferred resulting in implantation ^b	38.9	19.6	16.3	7.2	2 / 17
Percentage of cycles resulting in pregnancies ^b	52.7	32.8	26.9	15.4	2 / 5
Percentage of cycles resulting in live births ^{b,c}	45.9	28.4	22.4	7.7	0 / 5
(Confidence Interval)	(39.2–52.7)	(18.0–40.7)	(13.1–34.2)	(0.9–25.1)	
Percentage of retrievals resulting in live births ^{b,c}	49.5	30.2	25.4	8.3	0 / 5
Percentage of transfers resulting in live births ^{b,c}	51.8	32.2	27.3	8.7	0 / 5
Percentage of transfers resulting in singleton live births ^b	31.8	22.0	16.4	4.3	0 / 5
Percentage of cancellations ^b	7.3	6.0	11.9	7.7	0 / 5
Average number of embryos transferred	2.1	2.5	2.8	3.0	3.4
Percentage of pregnancies with twins ^b	35.3	31.8	6 / 18	1 / 4	0 / 2
Percentage of pregnancies with triplets or more ^b	2.6	0.0	1 / 18	0 / 4	0 / 2
Percentage of live births having multiple infants ^{b,c}	38.6	6 / 19	6 / 15	1 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	107	35	34	16	5
Percentage of transfers resulting in live births ^{b,c}	30.8	40.0	20.6	3 / 16	0 / 5
Average number of embryos transferred	2.0	2.1	2.1	2.3	2.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	60		64		
Percentage of transfers resulting in live births ^{b,c}	53.3		29.7		
Average number of embryos transferred	2.1		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Florida Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

JACKSONVILLE CENTER FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	6%	Other factor	9%
GIFT	0%	With ICSI	23%	Ovulatory dysfunction	11%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	22%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	22%	Female factors only	14%
		Used PGD	<1%	Uterine factor	<1%	Female & male factors	12%
		With eSET	4%	Male factor	3%		

2010 PREGNANCY SUCCESS RATES

Data verified by Michael D. Fox, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	114	37	30	14	5
Percentage of embryos transferred resulting in implantation ^b	27.6	30.2	9.3	22.2	1 / 13
Percentage of cycles resulting in pregnancies ^b	37.7	32.4	16.7	5 / 14	1 / 5
Percentage of cycles resulting in live births ^{b,c}	28.9	29.7	13.3	3 / 14	1 / 5
(Confidence Interval)	(20.8–38.2)	(15.9–47.0)	(3.8–30.7)		
Percentage of retrievals resulting in live births ^{b,c}	31.1	30.6	16.0	3 / 11	1 / 5
Percentage of transfers resulting in live births ^{b,c}	32.7	37.9	4 / 19	3 / 10	1 / 5
Percentage of transfers resulting in singleton live births ^b	21.8	24.1	4 / 19	2 / 10	1 / 5
Percentage of cancellations ^b	7.0	2.7	16.7	3 / 14	0 / 5
Average number of embryos transferred	2.1	2.2	2.3	2.7	2.6
Percentage of pregnancies with twins ^b	37.2	5 / 12	0 / 5	1 / 5	0 / 1
Percentage of pregnancies with triplets or more ^b	2.3	1 / 12	0 / 5	0 / 5	0 / 1
Percentage of live births having multiple infants ^{b,c}	33.3	4 / 11	0 / 4	1 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	26	12	6	1	2
Percentage of transfers resulting in live births ^{b,c}	23.1	1 / 12	1 / 6	0 / 1	0 / 2
Average number of embryos transferred	1.7	1.4	1.8	2.0	1.5
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	18		13		
Percentage of transfers resulting in live births ^{b,c}	8 / 18		3 / 13		
Average number of embryos transferred	1.9		1.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jacksonville Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE LUTZ, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	0%	Other factor	17%
GIFT	0%	With ICSI	Ovulatory dysfunction	9%	Unknown factor	9%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	4%	Female factors only	8%
		Used PGD	Uterine factor	0%	Female & male factors	19%
		With eSET	Male factor	21%		

2010 PREGNANCY SUCCESS RATES

Data verified by Stephen W. Welden, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	12	8	3	3	1
Percentage of embryos transferred resulting in implantation ^b	6.9	1 / 18	0 / 8	0 / 11	0 / 3
Percentage of cycles resulting in pregnancies ^b	2 / 12	2 / 8	0 / 3	0 / 3	0 / 1
Percentage of cycles resulting in live births ^{b,c}	2 / 12	1 / 8	0 / 3	0 / 3	0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	2 / 12	1 / 8	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in live births ^{b,c}	2 / 12	1 / 8	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births ^b	2 / 12	1 / 8	0 / 3	0 / 3	0 / 1
Percentage of cancellations ^b	0 / 12	0 / 8	0 / 3	0 / 3	0 / 1
Average number of embryos transferred	2.4	2.3	2.7	3.7	3.0
Percentage of pregnancies with twins ^b	0 / 2	0 / 2			
Percentage of pregnancies with triplets or more ^b	0 / 2	0 / 2			
Percentage of live births having multiple infants ^{b,c}	0 / 2	0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of transfers	6	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 6	0 / 1			
Average number of embryos transferred	2.8	3.0			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	14		5		
Percentage of transfers resulting in live births ^{b,c}	6 / 14		0 / 5		
Average number of embryos transferred	2.1		3.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF FLORIDA MARGATE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	10%	Other factor	5%
GIFT	0%	With ICSI	65%	Ovulatory dysfunction	6%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	21%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	8%	Female factors only	7%
		Used PGD	<1%	Uterine factor	1%	Female & male factors	12%
		With eSET	11%	Male factor	21%		

2010 PREGNANCY SUCCESS RATES

Data verified by David I. Hoffman, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	234	112	150	82	28
Percentage of embryos transferred resulting in implantation ^b	38.9	24.4	15.0	10.1	1.5
Percentage of cycles resulting in pregnancies ^b	44.9	32.1	30.0	24.4	3.6
Percentage of cycles resulting in live births ^{b,c}	36.3	25.0	22.0	14.6	0.0
(Confidence Interval)	(30.2–42.8)	(17.3–34.1)	(15.7–29.5)	(7.8–24.2)	(0.0–12.3)
Percentage of retrievals resulting in live births ^{b,c}	40.3	28.0	26.4	17.4	0.0
Percentage of transfers resulting in live births ^{b,c}	43.1	30.8	28.2	20.3	0.0
Percentage of transfers resulting in singleton live births ^b	27.4	18.7	23.1	18.6	0.0
Percentage of cancellations ^b	9.8	10.7	16.7	15.9	28.6
Average number of embryos transferred	1.8	2.2	2.7	3.4	3.4
Percentage of pregnancies with twins ^b	36.2	38.9	20.0	5.0	0 / 1
Percentage of pregnancies with triplets or more ^b	1.0	0.0	0.0	5.0	0 / 1
Percentage of live births having multiple infants ^{b,c}	36.5	39.3	18.2	1 / 12	
Frozen Embryos from Nondonor Eggs					
Number of transfers	64	37	24	5	2
Percentage of transfers resulting in live births ^{b,c}	46.9	43.2	37.5	1 / 5	0 / 2
Average number of embryos transferred	1.8	1.8	1.9	2.2	2.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	53		36		
Percentage of transfers resulting in live births ^{b,c}	47.2		27.8		
Average number of embryos transferred	1.8		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Florida

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**VIERA FERTILITY CENTER
FERTILITY AND REPRODUCTIVE MEDICINE CENTER FOR WOMEN
MELBOURNE, FLORIDA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	4%
GIFT	0%	With ICSI	33%	Ovulatory dysfunction	5%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	4%	Endometriosis	0%	Female factors only	19%
		Used PGD	0%	Uterine factor	5%	Female & male factors	25%
		With eSET	0%	Male factor	16%		

2010 PREGNANCY SUCCESS RATES

Data verified by Diran Chamoun, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	23	8	7	8	2
Percentage of embryos transferred resulting in implantation ^b	23.9	2 / 11	2 / 6	1 / 19	0 / 2
Percentage of cycles resulting in pregnancies ^b	39.1	2 / 8	2 / 7	1 / 8	0 / 2
Percentage of cycles resulting in live births ^{b,c}	30.4	2 / 8	2 / 7	1 / 8	0 / 2
(Confidence Interval)	(13.2–52.9)				
Percentage of retrievals resulting in live births ^{b,c}	30.4	2 / 7	2 / 4	1 / 7	0 / 2
Percentage of transfers resulting in live births ^{b,c}	30.4	2 / 5	2 / 3	1 / 7	0 / 2
Percentage of transfers resulting in singleton live births ^b	17.4	2 / 5	2 / 3	1 / 7	0 / 2
Percentage of cancellations ^b	0.0	1 / 8	3 / 7	1 / 8	0 / 2
Average number of embryos transferred	2.0	2.2	2.0	2.7	1.0
Percentage of pregnancies with twins ^b	3 / 9	0 / 2	0 / 2	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 9	0 / 2	0 / 2	0 / 1	
Percentage of live births having multiple infants ^{b,c}	3 / 7	0 / 2	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 1				
Average number of embryos transferred	3.0				
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	7		0		
Percentage of transfers resulting in live births ^{b,c}	1 / 7				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Viera Fertility Center, Fertility and Reproductive Medicine Center for Women

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & IVF CENTER OF MIAMI, INC. MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	7%
GIFT	0%	With ICSI	88%	Ovulatory dysfunction	2%	Unknown factor	<1%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	2%	Female factors only	16%
		Used PGD	5%	Uterine factor	<1%	Female & male factors	43%
		With eSET	<1%	Male factor	16%		

2010 PREGNANCY SUCCESS RATES

Data verified by Michael H. Jacobs, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	120	95	78	41	13
Percentage of embryos transferred resulting in implantation ^b	24.2	20.9	19.3	4.9	2 / 16
Percentage of cycles resulting in pregnancies ^b	35.8	32.6	33.3	9.8	1 / 13
Percentage of cycles resulting in live births ^{b,c}	29.2	27.4	25.6	7.3	0 / 13
(Confidence Interval)	(21.2–38.2)	(18.7–37.5)	(16.4–36.8)	(1.5–19.9)	
Percentage of retrievals resulting in live births ^{b,c}	30.2	32.1	28.6	8.1	0 / 9
Percentage of transfers resulting in live births ^{b,c}	32.7	34.2	30.3	9.1	0 / 8
Percentage of transfers resulting in singleton live births ^b	23.4	27.6	25.8	9.1	0 / 8
Percentage of cancellations ^b	3.3	14.7	10.3	9.8	4 / 13
Average number of embryos transferred	2.2	2.4	2.4	2.5	2.0
Percentage of pregnancies with twins ^b	23.3	22.6	19.2	0 / 4	1 / 1
Percentage of pregnancies with triplets or more ^b	4.7	0.0	0.0	0 / 4	0 / 1
Percentage of live births having multiple infants ^{b,c}	28.6	19.2	15.0	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	37	25	12	8	4
Percentage of transfers resulting in live births ^{b,c}	37.8	52.0	4 / 12	2 / 8	2 / 4
Average number of embryos transferred	2.0	1.9	1.9	2.1	2.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	37		4		
Percentage of transfers resulting in live births ^{b,c}	43.2		0 / 4		
Average number of embryos transferred	2.1		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility & IVF Center of Miami, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MIAMI INFERTILITY CENTER MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	19%	Other factor	15%
GIFT	0%	With ICSI	50%	Ovulatory dysfunction	8%	Unknown factor	11%
ZIFT	0%	Unstimulated	1%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	2%
		Used PGD	0%	Uterine factor	0%	Female & male factors	15%
		With eSET	0%	Male factor	23%		

2010 PREGNANCY SUCCESS RATES

Data verified by George R. Attia, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	37	15	25	9	2
Percentage of embryos transferred resulting in implantation ^b	23.7	8.8	22.6	0 / 8	0 / 5
Percentage of cycles resulting in pregnancies ^b	29.7	3 / 15	16.0	0 / 9	0 / 2
Percentage of cycles resulting in live births ^{b,c}	29.7	2 / 15	16.0	0 / 9	0 / 2
(Confidence Interval)	(15.9–47.0)		(4.5–36.1)		
Percentage of retrievals resulting in live births ^{b,c}	31.4	2 / 14	4 / 18	0 / 3	0 / 2
Percentage of transfers resulting in live births ^{b,c}	32.4	2 / 14	4 / 14	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births ^b	14.7	2 / 14	2 / 14	0 / 3	0 / 2
Percentage of cancellations ^b	5.4	1 / 15	28.0	6 / 9	0 / 2
Average number of embryos transferred	2.2	2.4	2.2	2.7	2.5
Percentage of pregnancies with twins ^b	7 / 11	0 / 3	1 / 4		
Percentage of pregnancies with triplets or more ^b	0 / 11	0 / 3	1 / 4		
Percentage of live births having multiple infants ^{b,c}	6 / 11	0 / 2	2 / 4		
Frozen Embryos from Nondonor Eggs					
Number of transfers	13	5	9	3	0
Percentage of transfers resulting in live births ^{b,c}	2 / 13	3 / 5	2 / 9	0 / 3	
Average number of embryos transferred	1.9	2.2	2.1	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	4		2		
Percentage of transfers resulting in live births ^{b,c}	3 / 4		1 / 2		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Miami Infertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PALMETTO FERTILITY CENTER OF SOUTH FLORIDA MIAMI LAKES, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	>99%	Procedural Factors:		Tubal factor	3%	Other factor	6%
GIFT	0%	With ICSI	94%	Ovulatory dysfunction	3%	Unknown factor	2%
ZIFT	<1%	Unstimulated	11%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	7%
		Used PGD	2%	Uterine factor	1%	Female & male factors	50%
		With eSET	2%	Male factor	16%		

2010 PREGNANCY SUCCESS RATES

Data verified by Michael D. Graubert, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	56	33	30	9	1
Percentage of embryos transferred resulting in implantation ^b	37.9	23.2	12.9	6.9	0 / 3
Percentage of cycles resulting in pregnancies ^b	48.2	30.3	20.0	2 / 9	0 / 1
Percentage of cycles resulting in live births ^{b,c}	42.9	27.3	13.3	1 / 9	0 / 1
(Confidence Interval)	(29.7–56.8)	(13.3–45.5)	(3.8–30.7)		
Percentage of retrievals resulting in live births ^{b,c}	43.6	31.0	14.3	1 / 8	0 / 1
Percentage of transfers resulting in live births ^{b,c}	46.2	32.1	15.4	1 / 8	0 / 1
Percentage of transfers resulting in singleton live births ^b	23.1	17.9	11.5	1 / 8	0 / 1
Percentage of cancellations ^b	1.8	12.1	6.7	1 / 9	0 / 1
Average number of embryos transferred	2.2	2.5	2.7	3.6	3.0
Percentage of pregnancies with twins ^b	48.1	4 / 10	0 / 6	0 / 2	
Percentage of pregnancies with triplets or more ^b	7.4	1 / 10	1 / 6	0 / 2	
Percentage of live births having multiple infants ^{b,c}	50.0	4 / 9	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	15	2	1	1	1
Percentage of transfers resulting in live births ^{b,c}	8 / 15	0 / 2	0 / 1	0 / 1	0 / 1
Average number of embryos transferred	1.9	1.5	3.0	2.0	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	31		5		
Percentage of transfers resulting in live births ^{b,c}	71.0		1 / 5		
Average number of embryos transferred	1.8		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Palmetto Fertility Center of South Florida

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE, PA ORLANDO, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	10%	Other factor	7%
GIFT	0%	With ICSI	55%	Ovulatory dysfunction	24%	Unknown factor	4%
ZIFT	0%	Unstimulated	1%	Diminished ovarian reserve	15%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	8%	Female factors only	11%
		Used PGD	<1%	Uterine factor	2%	Female & male factors	10%
		With eSET	13%	Male factor	10%		

2010 PREGNANCY SUCCESS RATES

Data verified by Randall A. Loy, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	186	63	81	37	13
Percentage of embryos transferred resulting in implantation ^b	41.6	36.8	16.1	8.8	0.0
Percentage of cycles resulting in pregnancies ^b	52.2	49.2	24.7	16.2	0 / 13
Percentage of cycles resulting in live births ^{b,c}	46.2	46.0	18.5	8.1	0 / 13
(Confidence Interval)	(38.9–53.7)	(33.4–59.1)	(10.8–28.7)	(1.7–21.9)	
Percentage of retrievals resulting in live births ^{b,c}	50.6	48.3	22.1	11.1	0 / 13
Percentage of transfers resulting in live births ^{b,c}	53.1	52.7	24.6	12.0	0 / 13
Percentage of transfers resulting in singleton live births ^b	38.9	38.2	18.0	12.0	0 / 13
Percentage of cancellations ^b	8.6	4.8	16.0	27.0	0 / 13
Average number of embryos transferred	1.8	2.1	2.2	2.3	2.8
Percentage of pregnancies with twins ^b	29.9	35.5	20.0	0 / 6	
Percentage of pregnancies with triplets or more ^b	1.0	0.0	0.0	0 / 6	
Percentage of live births having multiple infants ^{b,c}	26.7	27.6	4 / 15	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	38	22	8	9	1
Percentage of transfers resulting in live births ^{b,c}	42.1	36.4	3 / 8	2 / 9	1 / 1
Average number of embryos transferred	1.9	1.6	1.9	1.6	1.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	26		16		
Percentage of transfers resulting in live births ^{b,c}	42.3		3 / 16		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FRANK C. RIGGALL, MD, PA ORLANDO, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	0%	Other factor	0%	
GIFT	0%	With ICSI	29%	Ovulatory dysfunction	0%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	32%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	14%
		Used PGD	0%	Uterine factor	0%	Female & male factors	32%
		With eSET	0%	Male factor	14%		

2010 PREGNANCY SUCCESS RATES

Data verified by Frank C. Riggall, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	7	3	6	1	0
Percentage of embryos transferred resulting in implantation ^b	6 / 8	4 / 7	1 / 11	1 / 3	
Percentage of cycles resulting in pregnancies ^b	3 / 7	2 / 3	1 / 6	1 / 1	
Percentage of cycles resulting in live births ^{b,c} (Confidence Interval)	2 / 7	2 / 3	1 / 6	1 / 1	
Percentage of retrievals resulting in live births ^{b,c}	2 / 4	2 / 3	1 / 4	1 / 1	
Percentage of transfers resulting in live births ^{b,c}	2 / 4	2 / 3	1 / 4	1 / 1	
Percentage of transfers resulting in singleton live births ^b	0 / 4	0 / 3	1 / 4	1 / 1	
Percentage of cancellations ^b	3 / 7	0 / 3	2 / 6	0 / 1	
Average number of embryos transferred	2.0	2.3	2.8	3.0	
Percentage of pregnancies with twins ^b	1 / 3	2 / 2	0 / 1	0 / 1	
Percentage of pregnancies with triplets or more ^b	1 / 3	0 / 2	0 / 1	0 / 1	
Percentage of live births having multiple infants ^{b,c}	2 / 2	2 / 2	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	1	3	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 2	0 / 1	1 / 3		
Average number of embryos transferred	2.0	2.0	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	1		2		
Percentage of transfers resulting in live births ^{b,c}	0 / 1		1 / 2		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2010. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW LEADERS IN INFERTILITY & ENDOCRINOLOGY, LLC PENSACOLA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	13%	Other factor	0%
GIFT	0%	With ICSI	87%	Ovulatory dysfunction	<1%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	22%
		Used PGD	5%	Uterine factor	0%	Female & male factors	21%
		With eSET	3%	Male factor	24%		

2010 PREGNANCY SUCCESS RATES

Data verified by Barry A. Ripps, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	78	30	31	5	3
Percentage of embryos transferred resulting in implantation ^b	39.4	29.4	18.9	2 / 5	0 / 4
Percentage of cycles resulting in pregnancies ^b	48.7	30.0	16.1	2 / 5	0 / 3
Percentage of cycles resulting in live births ^{b,c}	42.3	26.7	9.7	1 / 5	0 / 3
(Confidence Interval)	(31.2–54.0)	(12.3–45.9)	(2.0–25.8)		
Percentage of retrievals resulting in live births ^{b,c}	44.6	33.3	9.7	1 / 4	0 / 3
Percentage of transfers resulting in live births ^{b,c}	56.9	8 / 17	3 / 18	1 / 2	0 / 2
Percentage of transfers resulting in singleton live births ^b	44.8	8 / 17	3 / 18	1 / 2	0 / 2
Percentage of cancellations ^b	5.1	20.0	0.0	1 / 5	0 / 3
Average number of embryos transferred	1.9	2.0	2.1	2.5	2.0
Percentage of pregnancies with twins ^b	15.8	2 / 9	2 / 5	0 / 2	
Percentage of pregnancies with triplets or more ^b	2.6	0 / 9	0 / 5	0 / 2	
Percentage of live births having multiple infants ^{b,c}	21.2	0 / 8	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	1	0	0	1
Percentage of transfers resulting in live births ^{b,c}	3 / 10	0 / 1			0 / 1
Average number of embryos transferred	2.1	1.0			1.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New Leaders in Infertility & Endocrinology, LLC

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & GENETICS PLANTATION, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	99%	Procedural Factors:	Tubal factor	3%	Other factor	3%	
GIFT	1%	With ICSI	71%	Ovulatory dysfunction	3%	Unknown factor	<1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	20%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	8%
		Used PGD	1%	Uterine factor	<1%	Female & male factors	33%
		With eSET	2%	Male factor	24%		

2010 PREGNANCY SUCCESS RATES

Data verified by Mick Abaé, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	34	15	16	12	4
Percentage of embryos transferred resulting in implantation ^b	41.2	32.3	21.1	2 / 19	0 / 19
Percentage of cycles resulting in pregnancies ^b	58.8	8 / 15	6 / 16	2 / 12	0 / 4
Percentage of cycles resulting in live births ^{b,c}	47.1	5 / 15	5 / 16	1 / 12	0 / 4
(Confidence Interval)	(29.8–64.9)				
Percentage of retrievals resulting in live births ^{b,c}	48.5	5 / 15	5 / 16	1 / 11	0 / 4
Percentage of transfers resulting in live births ^{b,c}	51.6	5 / 14	5 / 13	1 / 9	0 / 4
Percentage of transfers resulting in singleton live births ^b	29.0	3 / 14	4 / 13	1 / 9	0 / 4
Percentage of cancellations ^b	2.9	0 / 15	0 / 16	1 / 12	0 / 4
Average number of embryos transferred	2.2	2.2	2.9	2.1	4.8
Percentage of pregnancies with twins ^b	30.0	3 / 8	0 / 6	0 / 2	
Percentage of pregnancies with triplets or more ^b	5.0	0 / 8	1 / 6	0 / 2	
Percentage of live births having multiple infants ^{b,c}	7 / 16	2 / 5	1 / 5	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	7	1	4	1	3
Percentage of transfers resulting in live births ^{b,c}	1 / 7	0 / 1	2 / 4	0 / 1	1 / 3
Average number of embryos transferred	2.0	2.0	3.3	2.0	3.3
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	7		3		
Percentage of transfers resulting in live births ^{b,c}	5 / 7		3 / 3		
Average number of embryos transferred	1.9		1.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility & Genetics

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER AND APPLIED GENETICS OF FLORIDA, INC. SARASOTA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	3%	Other factor	15%
GIFT	0%	With ICSI	57%	Ovulatory dysfunction	0%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	26%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	3%	Female factors only	3%
		Used PGD	10%	Uterine factor	3%	Female & male factors	18%
		With eSET	4%	Male factor	22%		

2010 PREGNANCY SUCCESS RATES

Data verified by Julio E. Pabon, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	23	19	15	3	0
Percentage of embryos transferred resulting in implantation ^b	34.8	29.4	14.0	1 / 6	
Percentage of cycles resulting in pregnancies ^b	47.8	7 / 19	6 / 15	1 / 3	
Percentage of cycles resulting in live births ^{b,c}	43.5	7 / 19	5 / 15	1 / 3	
(Confidence Interval)	(23.2–65.5)				
Percentage of retrievals resulting in live births ^{b,c}	45.5	7 / 16	5 / 14	1 / 2	
Percentage of transfers resulting in live births ^{b,c}	45.5	7 / 15	5 / 14	1 / 2	
Percentage of transfers resulting in singleton live births ^b	31.8	5 / 15	5 / 14	1 / 2	
Percentage of cancellations ^b	4.3	3 / 19	1 / 15	1 / 3	
Average number of embryos transferred	2.1	2.3	3.1	3.0	
Percentage of pregnancies with twins ^b	6 / 11	1 / 7	1 / 6	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 11	1 / 7	0 / 6	0 / 1	
Percentage of live births having multiple infants ^{b,c}	3 / 10	2 / 7	0 / 5	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	11	5	5	1	0
Percentage of transfers resulting in live births ^{b,c}	4 / 11	1 / 5	4 / 5	0 / 1	
Average number of embryos transferred	2.3	2.2	3.6	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	7		4		
Percentage of transfers resulting in live births ^{b,c}	6 / 7		2 / 4		
Average number of embryos transferred	1.9		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center and Applied Genetics of Florida, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE SOUTH MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	7%	Other factor	12%
GIFT	0%	With ICSI	75%	Ovulatory dysfunction	<1%	Unknown factor	1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	9%
		Used PGD	5%	Uterine factor	<1%	Female & male factors	42%
		With eSET	5%	Male factor	23%		

2010 PREGNANCY SUCCESS RATES

Data verified by Juergen Eisermann, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	172	121	134	61	13
Percentage of embryos transferred resulting in implantation ^b	46.5	38.8	28.7	26.1	0 / 9
Percentage of cycles resulting in pregnancies ^b	51.2	43.0	31.3	21.3	0 / 13
Percentage of cycles resulting in live births ^{b,c}	48.8	41.3	23.1	18.0	0 / 13
(Confidence Interval)	(41.2–56.6)	(32.4–50.6)	(16.3–31.2)	(9.4–30.0)	
Percentage of retrievals resulting in live births ^{b,c}	53.2	46.7	27.9	25.0	0 / 9
Percentage of transfers resulting in live births ^{b,c}	56.8	53.2	33.7	32.4	0 / 4
Percentage of transfers resulting in singleton live births ^b	33.1	37.2	27.2	20.6	0 / 4
Percentage of cancellations ^b	8.1	11.6	17.2	27.9	4 / 13
Average number of embryos transferred	1.8	1.9	1.9	2.0	2.3
Percentage of pregnancies with twins ^b	39.8	32.7	19.0	3 / 13	
Percentage of pregnancies with triplets or more ^b	2.3	1.9	0.0	1 / 13	
Percentage of live births having multiple infants ^{b,c}	41.7	30.0	19.4	4 / 11	
Frozen Embryos from Nondonor Eggs					
Number of transfers	32	15	13	2	1
Percentage of transfers resulting in live births ^{b,c}	37.5	6 / 15	2 / 13	0 / 2	0 / 1
Average number of embryos transferred	1.9	1.9	1.7	2.0	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	38		15		
Percentage of transfers resulting in live births ^{b,c}	63.2		7 / 15		
Average number of embryos transferred	1.9		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: South Florida Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH ASSOCIATES, PA TAMPA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	4%	Other factor	8%
GIFT	0%	With ICSI	68%	Ovulatory dysfunction	2%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	4%
		Used PGD	0%	Uterine factor	0%	Female & male factors	50%
		With eSET	0%	Male factor	28%		

2010 PREGNANCY SUCCESS RATES

Data verified by Catherine L. Cowart, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	22	11	5	3	0
Percentage of embryos transferred resulting in implantation ^b	11.1	20.0	0 / 16	0 / 11	
Percentage of cycles resulting in pregnancies ^b	13.6	3 / 11	1 / 5	0 / 3	
Percentage of cycles resulting in live births ^{b,c}	9.1	3 / 11	0 / 5	0 / 3	
(Confidence Interval)	(1.1–29.2)				
Percentage of retrievals resulting in live births ^{b,c}	2 / 17	3 / 9	0 / 5	0 / 3	
Percentage of transfers resulting in live births ^{b,c}	2 / 17	3 / 9	0 / 5	0 / 3	
Percentage of transfers resulting in singleton live births ^b	1 / 17	2 / 9	0 / 5	0 / 3	
Percentage of cancellations ^b	22.7	2 / 11	0 / 5	0 / 3	
Average number of embryos transferred	2.1	2.2	3.2	3.7	
Percentage of pregnancies with twins ^b	1 / 3	1 / 3	0 / 1		
Percentage of pregnancies with triplets or more ^b	0 / 3	0 / 3	0 / 1		
Percentage of live births having multiple infants ^{b,c}	1 / 2	1 / 3			
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 2	0 / 1			
Average number of embryos transferred	2.0	3.0			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	6		0		
Percentage of transfers resulting in live births ^{b,c}	1 / 6				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Associates, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE REPRODUCTIVE MEDICINE GROUP TAMPA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	11%	Other factor	3%
GIFT	0%	With ICSI	45%	Ovulatory dysfunction	4%	Unknown factor	19%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	7%	Female factors only	6%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	12%
		With eSET	4%	Male factor	29%		

2010 PREGNANCY SUCCESS RATES

Data verified by Marc Bernhisel, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	208	128	102	36	5
Percentage of embryos transferred resulting in implantation ^b	40.4	31.4	19.4	13.6	1 / 12
Percentage of cycles resulting in pregnancies ^b	48.1	41.4	21.6	30.6	1 / 5
Percentage of cycles resulting in live births ^{b,c}	45.7	35.9	17.6	22.2	0 / 5
(Confidence Interval)	(38.8–52.7)	(27.7–44.9)	(10.8–26.4)	(10.1–39.2)	
Percentage of retrievals resulting in live births ^{b,c}	49.2	38.7	20.7	24.2	0 / 5
Percentage of transfers resulting in live births ^{b,c}	51.9	41.8	22.8	24.2	0 / 5
Percentage of transfers resulting in singleton live births ^b	34.4	30.0	13.9	18.2	0 / 5
Percentage of cancellations ^b	7.2	7.0	14.7	8.3	0 / 5
Average number of embryos transferred	1.9	2.0	2.7	2.7	2.4
Percentage of pregnancies with twins ^b	39.0	32.1	31.8	3 / 11	0 / 1
Percentage of pregnancies with triplets or more ^b	0.0	0.0	27.3	0 / 11	0 / 1
Percentage of live births having multiple infants ^{b,c}	33.7	28.3	7 / 18	2 / 8	
Frozen Embryos from Nondonor Eggs					
Number of transfers	28	9	8	0	0
Percentage of transfers resulting in live births ^{b,c}	32.1	4 / 9	1 / 8		
Average number of embryos transferred	2.1	1.7	1.9		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	54		19		
Percentage of transfers resulting in live births ^{b,c}	40.7		7 / 19		
Average number of embryos transferred	1.9		1.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Reproductive Medicine Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH FLORIDA IVF TAMPA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	12%	Other factor	6%
GIFT	0%	With ICSI	47%	Ovulatory dysfunction	4%	Unknown factor	13%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	19%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	4%	Female factors only	7%
		Used PGD	3%	Uterine factor	2%	Female & male factors	15%
		With eSET	4%	Male factor	19%		

2010 PREGNANCY SUCCESS RATES

Data verified by Shayne Plosker, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	56	38	38	13	3
Percentage of embryos transferred resulting in implantation ^b	19.4	25.0	21.3	5.7	0 / 8
Percentage of cycles resulting in pregnancies ^b	32.1	42.1	28.9	2 / 13	0 / 3
Percentage of cycles resulting in live births ^{b,c}	25.0	34.2	26.3	1 / 13	0 / 3
(Confidence Interval)	(14.4–38.4)	(19.6–51.4)	(13.4–43.1)		
Percentage of retrievals resulting in live births ^{b,c}	26.4	38.2	31.3	1 / 12	0 / 3
Percentage of transfers resulting in live births ^{b,c}	28.6	38.2	35.7	1 / 11	0 / 2
Percentage of transfers resulting in singleton live births ^b	20.4	20.6	25.0	1 / 11	0 / 2
Percentage of cancellations ^b	5.4	10.5	15.8	1 / 13	0 / 3
Average number of embryos transferred	2.2	2.6	2.7	3.2	4.0
Percentage of pregnancies with twins ^b	5 / 18	5 / 16	5 / 11	0 / 2	
Percentage of pregnancies with triplets or more ^b	0 / 18	1 / 16	0 / 11	0 / 2	
Percentage of live births having multiple infants ^{b,c}	4 / 14	6 / 13	3 / 10	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	13	5	7	1	0
Percentage of transfers resulting in live births ^{b,c}	4 / 13	3 / 5	2 / 7	0 / 1	
Average number of embryos transferred	1.8	2.0	2.1	3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	28		9		
Percentage of transfers resulting in live births ^{b,c}	60.7		2 / 9		
Average number of embryos transferred	2.0		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of South Florida IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

F.I.R.S.T.
FLORIDA INSTITUTE FOR REPRODUCTIVE SCIENCES AND TECHNOLOGIES
WESTON, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	90%	Procedural Factors:	Tubal factor	0%	Other factor	0%	
GIFT	10%	With ICSI	67%	Ovulatory dysfunction	6%	Unknown factor	1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	45%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	0%	Female factors only	25%
		Used PGD	0%	Uterine factor	0%	Female & male factors	20%
		With eSET	0%	Male factor	3%		

2010 PREGNANCY SUCCESS RATES

Data verified by Minna R. Selub, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	9	7	13	1	0
Percentage of embryos transferred resulting in implantation ^b	5 / 15	1 / 11	12.0	0 / 4	
Percentage of cycles resulting in pregnancies ^b	3 / 9	1 / 7	2 / 13	0 / 1	
Percentage of cycles resulting in live births ^{b,c} (Confidence Interval)	2 / 9	1 / 7	0 / 13	0 / 1	
Percentage of retrievals resulting in live births ^{b,c}	2 / 9	1 / 7	0 / 12	0 / 1	
Percentage of transfers resulting in live births ^{b,c}	2 / 7	1 / 7	0 / 11	0 / 1	
Percentage of transfers resulting in singleton live births ^b	1 / 7	1 / 7	0 / 11	0 / 1	
Percentage of cancellations ^b	0 / 9	0 / 7	1 / 13	0 / 1	
Average number of embryos transferred	2.1	1.6	2.3	4.0	
Percentage of pregnancies with twins ^b	0 / 3	0 / 1	1 / 2		
Percentage of pregnancies with triplets or more ^b	1 / 3	0 / 1	0 / 2		
Percentage of live births having multiple infants ^{b,c}	1 / 2	0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	33		2		
Percentage of transfers resulting in live births ^{b,c}	21.2		0 / 2		
Average number of embryos transferred	2.5		3.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: F.I.R.S.T., Florida Institute for Reproductive Sciences and Technologies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF ASSISTED REPRODUCTION & ENDOCRINOLOGY WINTER PARK, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	2%	Other factor	4%
GIFT	0%	With ICSI	73%	Ovulatory dysfunction	13%	Unknown factor	2%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	27%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	2%	Female factors only	17%
		Used PGD	<1%	Uterine factor	2%	Female & male factors	20%
		With eSET	8%	Male factor	11%		

2010 PREGNANCY SUCCESS RATES

Data verified by Mark P. Trolice, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	69	24	11	9	1
Percentage of embryos transferred resulting in implantation ^b	27.8	17.1	26.1	8.3	
Percentage of cycles resulting in pregnancies ^b	33.3	20.8	4 / 11	2 / 9	0 / 1
Percentage of cycles resulting in live births ^{b,c}	31.9	16.7	4 / 11	1 / 9	0 / 1
(Confidence Interval)	(21.2–44.2)	(4.7–37.4)			
Percentage of retrievals resulting in live births ^{b,c}	33.8	17.4	4 / 11	1 / 9	0 / 1
Percentage of transfers resulting in live births ^{b,c}	35.5	4 / 18	4 / 10	1 / 9	
Percentage of transfers resulting in singleton live births ^b	25.8	2 / 18	2 / 10	0 / 9	
Percentage of cancellations ^b	5.8	4.2	0 / 11	0 / 9	0 / 1
Average number of embryos transferred	1.9	1.9	2.3	2.7	
Percentage of pregnancies with twins ^b	30.4	2 / 5	2 / 4	1 / 2	
Percentage of pregnancies with triplets or more ^b	4.3	0 / 5	0 / 4	0 / 2	
Percentage of live births having multiple infants ^{b,c}	27.3	2 / 4	2 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	3	5	1	0
Percentage of transfers resulting in live births ^{b,c}	0 / 4	0 / 3	0 / 5	0 / 1	
Average number of embryos transferred	1.5	1.7	1.6	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	23		4		
Percentage of transfers resulting in live births ^{b,c}	56.5		0 / 4		
Average number of embryos transferred	1.9		1.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Assisted Reproduction & Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ATLANTA CENTER FOR REPRODUCTIVE MEDICINE ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	11%	Other factor	4%
GIFT	0%	With ICSI	73%	Ovulatory dysfunction	10%	Unknown factor	19%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	20%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	12%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	9%
		With eSET	4%	Male factor	9%		

2010 PREGNANCY SUCCESS RATES

Data verified by James P. Toner, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	245	126	85	38	8
Percentage of embryos transferred resulting in implantation ^b	32.3	24.7	17.1	16.5	1 / 19
Percentage of cycles resulting in pregnancies ^b	38.4	31.7	36.5	44.7	1 / 8
Percentage of cycles resulting in live births ^{b,c}	35.9	27.8	31.8	34.2	1 / 8
(Confidence Interval)	(29.9–42.3)	(20.2–36.5)	(22.1–42.8)	(19.6–51.4)	
Percentage of retrievals resulting in live births ^{b,c}	38.9	30.4	33.8	34.2	1 / 6
Percentage of transfers resulting in live births ^{b,c}	42.9	32.1	36.5	35.1	1 / 5
Percentage of transfers resulting in singleton live births ^b	25.9	21.1	27.0	27.0	1 / 5
Percentage of cancellations ^b	7.8	8.7	5.9	0.0	2 / 8
Average number of embryos transferred	2.1	2.4	3.2	3.4	3.8
Percentage of pregnancies with twins ^b	41.5	40.0	29.0	3 / 17	0 / 1
Percentage of pregnancies with triplets or more ^b	2.1	10.0	3.2	1 / 17	0 / 1
Percentage of live births having multiple infants ^{b,c}	39.8	34.3	25.9	3 / 13	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	55	22	9	1	1
Percentage of transfers resulting in live births ^{b,c}	40.0	31.8	1 / 9	0 / 1	0 / 1
Average number of embryos transferred	1.6	1.6	2.0	1.0	2.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	47		41		
Percentage of transfers resulting in live births ^{b,c}	51.1		31.7		
Average number of embryos transferred	2.0		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Atlanta Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

EMORY REPRODUCTIVE CENTER ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	7%	Other factor	<1%
GIFT	0%	With ICSI	83%	Ovulatory dysfunction	8%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	29%
		Used PGD	0%	Uterine factor	3%	Female & male factors	28%
		With eSET	5%	Male factor	14%		

2010 PREGNANCY SUCCESS RATES

Data verified by Donna Session, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	55	35	39	12	9
Percentage of embryos transferred resulting in implantation ^b	48.1	40.0	15.2	17.1	10.3
Percentage of cycles resulting in pregnancies ^b	70.9	60.0	33.3	5 / 12	3 / 9
Percentage of cycles resulting in live births ^{b,c}	70.9	54.3	25.6	4 / 12	1 / 9
(Confidence Interval)	(57.1–82.4)	(36.6–71.2)	(13.0–42.1)		
Percentage of retrievals resulting in live births ^{b,c}	70.9	55.9	28.6	4 / 10	1 / 8
Percentage of transfers resulting in live births ^{b,c}	70.9	57.6	29.4	4 / 10	1 / 8
Percentage of transfers resulting in singleton live births ^b	52.7	45.5	17.6	3 / 10	1 / 8
Percentage of cancellations ^b	0.0	2.9	10.3	2 / 12	1 / 9
Average number of embryos transferred	2.0	2.1	3.1	4.1	3.6
Percentage of pregnancies with twins ^b	28.2	23.8	4 / 13	0 / 5	0 / 3
Percentage of pregnancies with triplets or more ^b	2.6	4.8	1 / 13	1 / 5	0 / 3
Percentage of live births having multiple infants ^{b,c}	25.6	4 / 19	4 / 10	1 / 4	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	20	14	13	3	3
Percentage of transfers resulting in live births ^{b,c}	30.0	4 / 14	6 / 13	1 / 3	1 / 3
Average number of embryos transferred	2.0	2.4	2.5	2.3	3.3
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		7		7	
Percentage of transfers resulting in live births ^{b,c}		2 / 7		2 / 7	
Average number of embryos transferred		2.0		2.3	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Emory Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEORGIA REPRODUCTIVE SPECIALISTS, LLC ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	13%	Other factor	11%
GIFT	0%	With ICSI	63%	Ovulatory dysfunction	5%	Unknown factor	19%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	4%	Female factors only	12%
		Used PGD	7%	Uterine factor	0%	Female & male factors	13%
		With eSET	2%	Male factor	13%		

2010 PREGNANCY SUCCESS RATES

Data verified by Mark Perloe, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	113	65	80	24	3
Percentage of embryos transferred resulting in implantation ^b	44.3	22.5	12.4	7.3	0 / 1
Percentage of cycles resulting in pregnancies ^b	58.4	38.5	26.3	20.8	0 / 3
Percentage of cycles resulting in live births ^{b,c}	50.4	32.3	16.3	4.2	0 / 3
(Confidence Interval)	(40.9–60.0)	(21.2–45.1)	(8.9–26.2)	(0.1–21.1)	
Percentage of retrievals resulting in live births ^{b,c}	53.3	34.4	18.1	4.2	0 / 1
Percentage of transfers resulting in live births ^{b,c}	54.3	35.0	19.4	1 / 19	0 / 1
Percentage of transfers resulting in singleton live births ^b	24.8	25.0	13.4	1 / 19	0 / 1
Percentage of cancellations ^b	5.3	6.2	10.0	0.0	2 / 3
Average number of embryos transferred	2.2	2.4	2.8	2.9	1.0
Percentage of pregnancies with twins ^b	43.9	32.0	23.8	0 / 5	
Percentage of pregnancies with triplets or more ^b	6.1	0.0	4.8	1 / 5	
Percentage of live births having multiple infants ^{b,c}	54.4	28.6	4 / 13	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	74	39	32	5	2
Percentage of transfers resulting in live births ^{b,c}	20.3	28.2	9.4	0 / 5	1 / 2
Average number of embryos transferred	1.9	1.8	2.1	2.0	1.5
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		22		32	
Percentage of transfers resulting in live births ^{b,c}		22.7		21.9	
Average number of embryos transferred		2.1		1.7	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Georgia Reproductive Specialists, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE BIOLOGY ASSOCIATES ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	6%
GIFT	0%	With ICSI	86%	Ovulatory dysfunction	10%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	24%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	4%	Female factors only	18%
		Used PGD	10%	Uterine factor	1%	Female & male factors	17%
		With eSET	20%	Male factor	11%		

2010 PREGNANCY SUCCESS RATES

Data verified by Andrew Toledo, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	232	131	161	61	15
Percentage of embryos transferred resulting in implantation ^b	36.5	24.7	12.9	8.5	7.1
Percentage of cycles resulting in pregnancies ^b	47.0	38.2	29.8	18.0	1 / 15
Percentage of cycles resulting in live births ^{b,c}	40.5	31.3	21.7	14.8	1 / 15
(Confidence Interval)	(34.1–47.1)	(23.5–40.0)	(15.6–28.9)	(7.0–26.2)	
Percentage of retrievals resulting in live births ^{b,c}	42.9	35.0	25.7	20.0	1 / 9
Percentage of transfers resulting in live births ^{b,c}	45.0	35.7	26.9	20.9	1 / 9
Percentage of transfers resulting in singleton live births ^b	34.0	26.1	20.0	16.3	0 / 9
Percentage of cancellations ^b	5.6	10.7	15.5	26.2	6 / 15
Average number of embryos transferred	1.7	2.1	3.3	3.0	3.1
Percentage of pregnancies with twins ^b	22.9	18.0	20.8	2 / 11	1 / 1
Percentage of pregnancies with triplets or more ^b	0.0	4.0	0.0	0 / 11	0 / 1
Percentage of live births having multiple infants ^{b,c}	24.5	26.8	25.7	2 / 9	1 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	158	78	73	16	10
Percentage of transfers resulting in live births ^{b,c}	51.3	44.9	41.1	5 / 16	4 / 10
Average number of embryos transferred	1.8	1.9	2.1	2.1	3.8
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	18		75		
Percentage of transfers resulting in live births ^{b,c}	11 / 18		37.3		
Average number of embryos transferred	1.7		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Biology Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND INFERTILITY ASSOCIATES AUGUSTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	3%	Other factor	0%
GIFT	0%	With ICSI	76%	Ovulatory dysfunction	28%	Unknown factor	25%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	5%
		Used PGD	0%	Uterine factor	0%	Female & male factors	5%
		With eSET	16%	Male factor	18%		

2010 PREGNANCY SUCCESS RATES

Data verified by Adelina M. Emmi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	12	4	4	0	1
Percentage of embryos transferred resulting in implantation ^b	47.6	1 / 8	2 / 9		0 / 2
Percentage of cycles resulting in pregnancies ^b	8 / 12	1 / 4	2 / 4		0 / 1
Percentage of cycles resulting in live births ^{b,c}	7 / 12	1 / 4	2 / 4		0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	7 / 11	1 / 3	2 / 4		0 / 1
Percentage of transfers resulting in live births ^{b,c}	7 / 11	1 / 3	2 / 4		0 / 1
Percentage of transfers resulting in singleton live births ^b	7 / 11	1 / 3	2 / 4		0 / 1
Percentage of cancellations ^b	1 / 12	1 / 4	0 / 4		0 / 1
Average number of embryos transferred	1.9	2.7	2.3		2.0
Percentage of pregnancies with twins ^b	2 / 8	0 / 1	0 / 2		
Percentage of pregnancies with triplets or more ^b	0 / 8	0 / 1	0 / 2		
Percentage of live births having multiple infants ^{b,c}	0 / 7	0 / 1	0 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	7	4	0	1	0
Percentage of transfers resulting in live births ^{b,c}	4 / 7	1 / 4		0 / 1	
Average number of embryos transferred	2.1	2.0		2.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	1		0		
Percentage of transfers resulting in live births ^{b,c}	1 / 1				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine and Infertility Associates

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SERVY INSTITUTE FOR REPRODUCTIVE ENDOCRINOLOGY AUGUSTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	3%
GIFT	0%	With ICSI	71%	Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	19%
		Used PGD	0%	Uterine factor	0%	Female & male factors	32%
		With eSET	0%	Male factor	30%		

2010 PREGNANCY SUCCESS RATES

Data verified by Edouard Servy, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	14	2	5	2	1
Percentage of embryos transferred resulting in implantation ^b	38.5		3 / 12	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies ^b	8 / 14	0 / 2	2 / 5	0 / 2	0 / 1
Percentage of cycles resulting in live births ^{b,c} (Confidence Interval)	6 / 14	0 / 2	2 / 5	0 / 2	0 / 1
Percentage of retrievals resulting in live births ^{b,c}	6 / 14		2 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births ^{b,c}	6 / 13		2 / 5	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births ^b	5 / 13		1 / 5	0 / 1	0 / 1
Percentage of cancellations ^b	0 / 14	2 / 2	0 / 5	1 / 2	0 / 1
Average number of embryos transferred	2.0		2.4	3.0	1.0
Percentage of pregnancies with twins ^b	2 / 8		1 / 2		
Percentage of pregnancies with triplets or more ^b	0 / 8		0 / 2		
Percentage of live births having multiple infants ^{b,c}	1 / 6		1 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	6	2	0	0	0
Percentage of transfers resulting in live births ^{b,c}	4 / 6	0 / 2			
Average number of embryos transferred	2.0	2.0			
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		3		1	
Percentage of transfers resulting in live births ^{b,c}		1 / 3		1 / 1	
Average number of embryos transferred		2.0		2.0	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Servy Institute for Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBUS CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY, LLC COLUMBUS, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	13%	Other factor	0%
GIFT	0%	With ICSI	84%	Ovulatory dysfunction	13%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	31%
		Used PGD	0%	Uterine factor	0%	Female & male factors	31%
		With eSET	0%	Male factor	6%		

2010 PREGNANCY SUCCESS RATES

Data verified by Prakash J. Thirupathi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	23	11	11	2	2
Percentage of embryos transferred resulting in implantation ^b	29.2	36.4	13.3		1 / 5
Percentage of cycles resulting in pregnancies ^b	43.5	5 / 11	3 / 11	0 / 2	1 / 2
Percentage of cycles resulting in live births ^{b,c}	43.5	3 / 11	2 / 11	0 / 2	0 / 2
(Confidence Interval)	(23.2–65.5)				
Percentage of retrievals resulting in live births ^{b,c}	45.5	3 / 9	2 / 11	0 / 1	0 / 2
Percentage of transfers resulting in live births ^{b,c}	47.6	3 / 9	2 / 11		0 / 2
Percentage of transfers resulting in singleton live births ^b	33.3	0 / 9	2 / 11		0 / 2
Percentage of cancellations ^b	4.3	2 / 11	0 / 11	1 / 2	0 / 2
Average number of embryos transferred	2.3	2.4	2.7		2.5
Percentage of pregnancies with twins ^b	2 / 10	2 / 5	1 / 3		0 / 1
Percentage of pregnancies with triplets or more ^b	1 / 10	1 / 5	0 / 3		0 / 1
Percentage of live births having multiple infants ^{b,c}	3 / 10	3 / 3	0 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	6	3	1	0	1
Percentage of transfers resulting in live births ^{b,c}	3 / 6	1 / 3	0 / 1		0 / 1
Average number of embryos transferred	2.5	2.7	2.0		2.0
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		4		2	
Percentage of transfers resulting in live births ^{b,c}		3 / 4		1 / 2	
Average number of embryos transferred		2.0		2.0	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Columbus Center for Reproductive Endocrinology and Infertility, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTRAL GEORGIA FERTILITY INSTITUTE MACON, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	10%	Other factor	0%
GIFT	0%	With ICSI	55%	Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	25%	Female factors only	0%
		Used PGD	0%	Uterine factor	0%	Female & male factors	40%
		With eSET	0%	Male factor	25%		

2010 PREGNANCY SUCCESS RATES

Data verified by William J. Butler, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	11	7	2	0	0
Percentage of embryos transferred resulting in implantation ^b	10.0	0 / 11	0 / 5		
Percentage of cycles resulting in pregnancies ^b	2 / 11	0 / 7	0 / 2		
Percentage of cycles resulting in live births ^{b,c}	2 / 11	0 / 7	0 / 2		
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	2 / 10	0 / 6	0 / 2		
Percentage of transfers resulting in live births ^{b,c}	2 / 10	0 / 5	0 / 2		
Percentage of transfers resulting in singleton live births ^b	2 / 10	0 / 5	0 / 2		
Percentage of cancellations ^b	1 / 11	1 / 7	0 / 2		
Average number of embryos transferred	2.0	2.2	2.5		
Percentage of pregnancies with twins ^b	0 / 2				
Percentage of pregnancies with triplets or more ^b	0 / 2				
Percentage of live births having multiple infants ^{b,c}	0 / 2				
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Central Georgia Fertility Institute

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE GEORGIA CENTER FOR REPRODUCTIVE MEDICINE SAVANNAH, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	11%	Other factor	2%
GIFT	0%	With ICSI	67%	Ovulatory dysfunction	9%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	7%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	35%
		With eSET	0%	Male factor	21%		

2010 PREGNANCY SUCCESS RATES

Data verified by Patrick L. Blohm, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	42	33	15	1	0
Percentage of embryos transferred resulting in implantation ^b	62.7	26.3	25.8	1 / 3	
Percentage of cycles resulting in pregnancies ^b	81.0	36.4	6 / 15	1 / 1	
Percentage of cycles resulting in live births ^{b,c}	69.0	30.3	4 / 15	1 / 1	
(Confidence Interval)	(52.9–82.4)	(15.6–48.7)			
Percentage of retrievals resulting in live births ^{b,c}	70.7	34.5	4 / 14	1 / 1	
Percentage of transfers resulting in live births ^{b,c}	70.7	37.0	4 / 13	1 / 1	
Percentage of transfers resulting in singleton live births ^b	34.1	22.2	3 / 13	1 / 1	
Percentage of cancellations ^b	2.4	12.1	1 / 15	0 / 1	
Average number of embryos transferred	2.0	2.1	2.4	3.0	
Percentage of pregnancies with twins ^b	44.1	3 / 12	3 / 6	0 / 1	
Percentage of pregnancies with triplets or more ^b	5.9	1 / 12	0 / 6	0 / 1	
Percentage of live births having multiple infants ^{b,c}	51.7	4 / 10	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	17	10	7	2	1
Percentage of transfers resulting in live births ^{b,c}	5 / 17	3 / 10	2 / 7	2 / 2	1 / 1
Average number of embryos transferred	2.2	1.9	2.7	2.5	2.0
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		8		3	
Percentage of transfers resulting in live births ^{b,c}		6 / 8		0 / 3	
Average number of embryos transferred		2.0		2.0	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Georgia Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CENTER OF HAWAII HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	1%
GIFT	0%	With ICSI	74%	Ovulatory dysfunction	<1%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	0%	Female factors only	7%
		Used PGD	0%	Uterine factor	0%	Female & male factors	55%
		With eSET	1%	Male factor	24%		

2010 PREGNANCY SUCCESS RATES

Data verified by Christopher T. Huang, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44 ^d	
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	28	39	20	6	
Percentage of embryos transferred resulting in implantation ^b	35.6	25.5	7.6	8.6	1 / 14	
Percentage of cycles resulting in pregnancies ^b	58.1	32.1	17.9	15.0	1 / 6	
Percentage of cycles resulting in live births ^{b,c}	45.2	32.1	12.8	15.0	1 / 6	
(Confidence Interval)	(27.3–64.0)	(15.9–52.4)	(4.3–27.4)	(3.2–37.9)		
Percentage of retrievals resulting in live births ^{b,c}	48.3	39.1	15.2	3 / 18	1 / 5	
Percentage of transfers resulting in live births ^{b,c}	48.3	42.9	16.1	3 / 18	1 / 5	
Percentage of transfers resulting in singleton live births ^b	37.9	28.6	12.9	2 / 18	1 / 5	
Percentage of cancellations ^b	6.5	17.9	15.4	10.0	1 / 6	
Average number of embryos transferred	2.0	2.4	3.4	3.2	2.8	
Percentage of pregnancies with twins ^b	2 / 18	2 / 9	2 / 7	0 / 3	0 / 1	
Percentage of pregnancies with triplets or more ^b	1 / 18	1 / 9	0 / 7	1 / 3	0 / 1	
Percentage of live births having multiple infants ^{b,c}	3 / 14	3 / 9	1 / 5	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of transfers	4	2	2	0	0	
Percentage of transfers resulting in live births ^{b,c}	2 / 4	0 / 2	1 / 2			
Average number of embryos transferred	2.5	2.0	2.5			
All Ages Combined^e						
Donor Eggs	Fresh Embryos		Frozen Embryos			
	Number of transfers		6	8		
	Percentage of transfers resulting in live births ^{b,c}		5 / 6	3 / 8		
Average number of embryos transferred		2.2	2.3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Center of Hawaii

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE & GYNECOLOGY OF HAWAII, INC. HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	2%	Other factor	2%
GIFT	0%	With ICSI	92%	Ovulatory dysfunction	2%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	6%
		Used PGD	0%	Uterine factor	0%	Female & male factors	49%
		With eSET	2%	Male factor	37%		

2010 PREGNANCY SUCCESS RATES

Data verified by John L. Frattarelli, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	19	19	9	8	6
Percentage of embryos transferred resulting in implantation ^b	47.7	29.5	21.7	3 / 15	12.0
Percentage of cycles resulting in pregnancies ^b	14 / 19	11 / 19	4 / 9	2 / 8	3 / 6
Percentage of cycles resulting in live births ^{b,c}	11 / 19	10 / 19	2 / 9	2 / 8	2 / 6
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	11 / 19	10 / 19	2 / 8	2 / 8	2 / 6
Percentage of transfers resulting in live births ^{b,c}	11 / 18	10 / 19	2 / 8	2 / 7	2 / 6
Percentage of transfers resulting in singleton live births ^b	6 / 18	9 / 19	1 / 8	1 / 7	2 / 6
Percentage of cancellations ^b	0 / 19	0 / 19	1 / 9	0 / 8	0 / 6
Average number of embryos transferred	2.4	2.3	2.9	2.1	4.2
Percentage of pregnancies with twins ^b	5 / 14	2 / 11	1 / 4	1 / 2	0 / 3
Percentage of pregnancies with triplets or more ^b	1 / 14	0 / 11	0 / 4	0 / 2	0 / 3
Percentage of live births having multiple infants ^{b,c}	5 / 11	1 / 10	1 / 2	1 / 2	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	2	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 1	0 / 2	0 / 1		
Average number of embryos transferred	3.0	2.5	2.0		
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		2		0	
Percentage of transfers resulting in live births ^{b,c}		2 / 2			
Average number of embryos transferred		2.0			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Medicine & Gynecology of Hawaii, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF HAWAII HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	1%	Other factor	1%	
GIFT	0%	With ICSI	83%	Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	47%
		Used PGD	0%	Uterine factor	0%	Female & male factors	45%
		With eSET	2%	Male factor	4%		

2010 PREGNANCY SUCCESS RATES

Data verified by Benton HH Chun, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	18	18	30	16	5
Percentage of embryos transferred resulting in implantation ^b	46.9	26.8	12.7	8.6	0 / 10
Percentage of cycles resulting in pregnancies ^b	12 / 18	8 / 18	30.0	3 / 16	0 / 5
Percentage of cycles resulting in live births ^{b,c}	11 / 18	4 / 18	13.3	3 / 16	0 / 5
(Confidence Interval)			(3.8–30.7)		
Percentage of retrievals resulting in live births ^{b,c}	11 / 17	4 / 16	18.2	3 / 13	0 / 4
Percentage of transfers resulting in live births ^{b,c}	11 / 16	4 / 16	18.2	3 / 12	0 / 4
Percentage of transfers resulting in singleton live births ^b	8 / 16	1 / 16	13.6	3 / 12	0 / 4
Percentage of cancellations ^b	1 / 18	2 / 18	26.7	3 / 16	1 / 5
Average number of embryos transferred	2.0	2.6	3.2	2.9	2.5
Percentage of pregnancies with twins ^b	3 / 12	3 / 8	0 / 9	0 / 3	
Percentage of pregnancies with triplets or more ^b	0 / 12	0 / 8	1 / 9	0 / 3	
Percentage of live births having multiple infants ^{b,c}	3 / 11	3 / 4	1 / 4	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	0	3	1	0
Percentage of transfers resulting in live births ^{b,c}	1 / 2		0 / 3	0 / 1	
Average number of embryos transferred	2.0		3.0	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	2		2		
Percentage of transfers resulting in live births ^{b,c}	2 / 2		0 / 2		
Average number of embryos transferred	2.0		1.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Hawaii

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC IN VITRO FERTILIZATION INSTITUTE HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	<1%
GIFT	0%	With ICSI	62%	Ovulatory dysfunction	<1%	Unknown factor	<1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	13%	Female factors only	11%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	36%
		With eSET	3%	Male factor	15%		

2010 PREGNANCY SUCCESS RATES

Data verified by Thomas S. Kosasa, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	79	51	47	25	18
Percentage of embryos transferred resulting in implantation ^b	29.9	25.0	9.8	6.8	5.6
Percentage of cycles resulting in pregnancies ^b	35.4	37.3	21.3	12.0	2 / 18
Percentage of cycles resulting in live births ^{b,c}	26.6	27.5	14.9	4.0	2 / 18
(Confidence Interval)	(17.3–37.7)	(15.9–41.7)	(6.2–28.3)	(0.1–20.4)	
Percentage of retrievals resulting in live births ^{b,c}	30.4	31.8	16.3	1 / 19	2 / 10
Percentage of transfers resulting in live births ^{b,c}	34.4	35.0	18.4	1 / 19	2 / 10
Percentage of transfers resulting in singleton live births ^b	16.4	27.5	15.8	1 / 19	2 / 10
Percentage of cancellations ^b	12.7	13.7	8.5	24.0	8 / 18
Average number of embryos transferred	2.4	2.4	3.5	3.1	3.6
Percentage of pregnancies with twins ^b	42.9	5 / 19	3 / 10	1 / 3	0 / 2
Percentage of pregnancies with triplets or more ^b	7.1	0 / 19	0 / 10	0 / 3	0 / 2
Percentage of live births having multiple infants ^{b,c}	52.4	3 / 14	1 / 7	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	25	19	22	1	3
Percentage of transfers resulting in live births ^{b,c}	32.0	10 / 19	22.7	1 / 1	0 / 3
Average number of embryos transferred	2.2	2.1	2.8	3.0	1.3
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	41		39		
Percentage of transfers resulting in live births ^{b,c}	68.3		17.9		
Average number of embryos transferred	2.1		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific In Vitro Fertilization Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

TRIPLER ARMY MEDICAL CENTER IVF INSTITUTE TRIPLER AMC, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

2010 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	16%	Other factor	0%
GIFT	0%	With ICSI	74%	Ovulatory dysfunction	4%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	12%
		Used PGD	0%	Uterine factor	4%	Female & male factors	20%
		With eSET	0%	Male factor	32%		

2010 PREGNANCY SUCCESS RATES

Data verified by Nia Middleton, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	7	2	8	1	1
Percentage of embryos transferred resulting in implantation ^b	3 / 14	3 / 5	4 / 19	0 / 4	0 / 3
Percentage of cycles resulting in pregnancies ^b	2 / 7	2 / 2	2 / 8	0 / 1	0 / 1
Percentage of cycles resulting in live births ^{b,c}	2 / 7	2 / 2	2 / 8	0 / 1	0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	2 / 7	2 / 2	2 / 6	0 / 1	0 / 1
Percentage of transfers resulting in live births ^{b,c}	2 / 7	2 / 2	2 / 6	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births ^b	1 / 7	1 / 2	1 / 6	0 / 1	0 / 1
Percentage of cancellations ^b	0 / 7	0 / 2	2 / 8	0 / 1	0 / 1
Average number of embryos transferred	2.0	2.5	3.2	4.0	3.0
Percentage of pregnancies with twins ^b	1 / 2	1 / 2	2 / 2		
Percentage of pregnancies with triplets or more ^b	0 / 2	0 / 2	0 / 2		
Percentage of live births having multiple infants ^{b,c}	1 / 2	1 / 2	1 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	2	1	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 2	2 / 2	0 / 1		
Average number of embryos transferred	2.0	2.5	1.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Tripler Army Medical Center IVF Institute

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.