

# IDAHO CENTER FOR REPRODUCTIVE MEDICINE BOISE, IDAHO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>			Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>	Tubal factor	6%	Other factor	8%
GIFT	0%	With ICSI	Ovulatory dysfunction	5%	Unknown factor	3%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	15%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	3%	Female factors only	16%
		Used PGD	Uterine factor	<1%	Female & male factors	29%
		With eSET	Male factor	14%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Cristin C. Slater, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	110	43	43	10	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	25.0	20.2	7.1	1 / 18	0 / 2
Percentage of cycles resulting in pregnancies <sup>b</sup>	36.4	30.2	16.3	1 / 10	0 / 1
Percentage of cycles resulting in live births <sup>b,c</sup>	34.5	23.3	11.6	1 / 10	0 / 1
(Confidence Interval)	(25.7–44.2)	(11.8–38.6)	(3.9–25.1)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	35.5	23.3	12.2	1 / 10	0 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	37.6	24.4	13.9	1 / 8	0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	22.8	9.8	8.3	1 / 8	0 / 1
Percentage of cancellations <sup>b</sup>	2.7	0.0	4.7	0 / 10	0 / 1
Average number of embryos transferred	2.3	2.5	2.8	2.3	2.0
Percentage of pregnancies with twins <sup>b</sup>	32.5	4 / 13	2 / 7	0 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	7.5	2 / 13	0 / 7	0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	39.5	6 / 10	2 / 5	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	62	18	13	6	1
Percentage of transfers resulting in live births <sup>b,c</sup>	43.5	8 / 18	3 / 13	1 / 6	0 / 1
Average number of embryos transferred	2.7	3.0	2.6	2.8	2.0
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
<b>Donor Eggs</b>					
Number of transfers	41		45		
Percentage of transfers resulting in live births <sup>b,c</sup>	51.2		46.7		
Average number of embryos transferred	2.1		2.4		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Idaho Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## RUSH-COPLEY CENTER FOR REPRODUCTIVE HEALTH AURORA, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	8%	Other factor	24%
GIFT	0%	With ICSI	83%	Ovulatory dysfunction	6%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	13%	Female factors only	6%
		Used PGD	0%	Uterine factor	4%	Female & male factors	5%
		With eSET	0%	Male factor	21%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Zvi Binor, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	49	33	21	11	9
Percentage of embryos transferred resulting in implantation <sup>b</sup>	22.0	22.4	10.8	0 / 9	0 / 11
Percentage of cycles resulting in pregnancies <sup>b</sup>	30.6	30.3	19.0	0 / 11	0 / 9
Percentage of cycles resulting in live births <sup>b,c</sup>	26.5	24.2	19.0	0 / 11	0 / 9
(Confidence Interval)	(14.9–41.1)	(11.1–42.3)	(5.4–41.9)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	28.9	27.6	4 / 17	0 / 6	0 / 6
Percentage of transfers resulting in live births <sup>b,c</sup>	31.7	28.6	4 / 17	0 / 4	0 / 5
Percentage of transfers resulting in singleton live births <sup>b</sup>	29.3	21.4	4 / 17	0 / 4	0 / 5
Percentage of cancellations <sup>b</sup>	8.2	12.1	19.0	5 / 11	3 / 9
Average number of embryos transferred	2.0	2.1	2.2	2.3	2.2
Percentage of pregnancies with twins <sup>b</sup>	2 / 15	3 / 10	0 / 4		
Percentage of pregnancies with triplets or more <sup>b</sup>	1 / 15	0 / 10	0 / 4		
Percentage of live births having multiple infants <sup>b,c</sup>	1 / 13	2 / 8	0 / 4		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	9	1	3	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 9	0 / 1	1 / 3		
Average number of embryos transferred	2.2	2.0	2.3		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	3		0		
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 3				
Average number of embryos transferred	2.0				

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Rush-Copley Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**LIFE WOMEN'S HEALTH CENTER  
DANIEL A. ROSTEIN, MD, FACOG  
BERWYN, ILLINOIS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>			Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>	Tubal factor	11%	Other factor	0%
GIFT	0%	With ICSI	Ovulatory dysfunction	22%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	22%	Female factors only	11%
		Used PGD	Uterine factor	11%	Female & male factors	22%
		With eSET	Male factor	0%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Daniel A. Rostein, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	1	1	0	1	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>		0 / 3		0 / 2	
Percentage of cycles resulting in pregnancies <sup>b</sup>	0 / 1	0 / 1		0 / 1	
Percentage of cycles resulting in live births <sup>b,c</sup> (Confidence Interval)	0 / 1	0 / 1		0 / 1	
Percentage of retrievals resulting in live births <sup>b,c</sup>	0 / 1	0 / 1		0 / 1	
Percentage of transfers resulting in live births <sup>b,c</sup>		0 / 1		0 / 1	
Percentage of transfers resulting in singleton live births <sup>b</sup>		0 / 1		0 / 1	
Percentage of cancellations <sup>b</sup>	0 / 1	0 / 1		0 / 1	
Average number of embryos transferred		3.0		2.0	
Percentage of pregnancies with twins <sup>b</sup>					
Percentage of pregnancies with triplets or more <sup>b</sup>					
Percentage of live births having multiple infants <sup>b,c</sup>					
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	2	0	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 2		0 / 1		
Average number of embryos transferred	3.5		2.0		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	1		2		
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 1		0 / 2		
Average number of embryos transferred	2.0		2.5		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** This clinic has closed or reorganized since 2010. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.  
<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.  
<sup>c</sup> A multiple-infant birth is counted as one live birth.  
<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.  
<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**MARTIN S. BALIN, MD, PhD**  
**CHICAGO, ILLINOIS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	3%	Other factor	0%
GIFT	0%	With ICSI	96%	Ovulatory dysfunction	7%	Unknown factor	47%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	27%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	0%
		Used PGD	0%	Uterine factor	0%	Female & male factors	7%
		With eSET	0%	Male factor	10%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Martin S. Balin, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	5	4	8	5	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	4 / 12	0 / 6	4 / 18	0 / 9	0 / 2
Percentage of cycles resulting in pregnancies <sup>b</sup>	2 / 5	0 / 4	5 / 8	0 / 5	0 / 1
Percentage of cycles resulting in live births <sup>b,c</sup>	2 / 5	0 / 4	3 / 8	0 / 5	0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births <sup>b,c</sup>	2 / 5	0 / 4	3 / 8	0 / 5	0 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 5	0 / 2	3 / 7	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	1 / 5	0 / 2	2 / 7	0 / 4	0 / 1
Percentage of cancellations <sup>b</sup>	0 / 5	0 / 4	0 / 8	0 / 5	0 / 1
Average number of embryos transferred	2.4	3.0	2.6	2.3	2.0
Percentage of pregnancies with twins <sup>b</sup>	2 / 2		1 / 5		
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 2		0 / 5		
Percentage of live births having multiple infants <sup>b,c</sup>	1 / 2		1 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	1	2	3	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 1	0 / 2	0 / 3		
Average number of embryos transferred	2.0	2.5	2.0		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	0		0		
Percentage of transfers resulting in live births <sup>b,c</sup>					
Average number of embryos transferred					

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Martin S. Balin, MD, PhD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE MEDICINE & FERTILITY  
THE UNIVERSITY OF CHICAGO MEDICAL CENTER  
CHICAGO, ILLINOIS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	8%	Other factor	6%
GIFT	0%	With ICSI	46%	Ovulatory dysfunction	9%	Unknown factor	18%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	16%
		Used PGD	1%	Uterine factor	2%	Female & male factors	12%
		With eSET	0%	Male factor	10%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Helen Kim, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	95	43	54	13	12
Percentage of embryos transferred resulting in implantation <sup>b</sup>	26.5	19.4	12.8	16.0	0.0
Percentage of cycles resulting in pregnancies <sup>b</sup>	28.4	25.6	14.8	3 / 13	0 / 12
Percentage of cycles resulting in live births <sup>b,c</sup>	25.3	18.6	7.4	2 / 13	0 / 12
(Confidence Interval)	(16.9–35.2)	(8.4–33.4)	(2.1–17.9)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.8	25.0	14.3	2 / 10	0 / 6
Percentage of transfers resulting in live births <sup>b,c</sup>	37.5	29.6	14.8	2 / 8	0 / 6
Percentage of transfers resulting in singleton live births <sup>b</sup>	21.9	25.9	11.1	2 / 8	0 / 6
Percentage of cancellations <sup>b</sup>	17.9	25.6	48.1	3 / 13	6 / 12
Average number of embryos transferred	2.1	2.3	2.9	3.1	3.3
Percentage of pregnancies with twins <sup>b</sup>	40.7	2 / 11	4 / 8	1 / 3	
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	0 / 11	0 / 8	0 / 3	
Percentage of live births having multiple infants <sup>b,c</sup>	41.7	1 / 8	1 / 4	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	37	16	8	2	4
Percentage of transfers resulting in live births <sup>b,c</sup>	35.1	3 / 16	0 / 8	0 / 2	0 / 4
Average number of embryos transferred	2.5	2.8	3.5	3.5	3.8
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	17		15		
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 17		6 / 15		
Average number of embryos transferred	2.0		2.3		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Center for Reproductive Medicine & Fertility, The University of Chicago Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# INSTITUTE FOR HUMAN REPRODUCTION (IHR) CHICAGO, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	98%	<b>Procedural Factors:</b>		Tubal factor	8%	Other factor	9%
GIFT	2%	With ICSI	73%	Ovulatory dysfunction	7%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	0%	Female factors only	14%
		Used PGD	20%	Uterine factor	3%	Female & male factors	35%
		With eSET	9%	Male factor	10%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Ilan Tur-Kaspa, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	76	36	29	20	11
Percentage of embryos transferred resulting in implantation <sup>b</sup>	33.6	28.1	21.2	8.8	0 / 7
Percentage of cycles resulting in pregnancies <sup>b</sup>	40.8	41.7	24.1	15.0	0 / 11
Percentage of cycles resulting in live births <sup>b,c</sup>	36.8	36.1	17.2	10.0	0 / 11
(Confidence Interval)	(26.1–48.7)	(20.8–53.8)	(5.8–35.8)	(1.2–31.7)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	38.4	39.4	18.5	2 / 17	0 / 8
Percentage of transfers resulting in live births <sup>b,c</sup>	42.4	40.6	22.7	2 / 16	0 / 4
Percentage of transfers resulting in singleton live births <sup>b</sup>	33.3	31.3	13.6	2 / 16	0 / 4
Percentage of cancellations <sup>b</sup>	3.9	8.3	6.9	15.0	3 / 11
Average number of embryos transferred	1.9	2.0	2.4	2.1	1.8
Percentage of pregnancies with twins <sup>b</sup>	35.5	4 / 15	2 / 7	1 / 3	
Percentage of pregnancies with triplets or more <sup>b</sup>	3.2	0 / 15	1 / 7	0 / 3	
Percentage of live births having multiple infants <sup>b,c</sup>	21.4	3 / 13	2 / 5	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	30	9	17	3	0
Percentage of transfers resulting in live births <sup>b,c</sup>	33.3	1 / 9	6 / 17	0 / 3	
Average number of embryos transferred	1.7	1.9	1.6	1.7	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	20		12		
Percentage of transfers resulting in live births <sup>b,c</sup>	55.0		4 / 12		
Average number of embryos transferred	2.0		2.1		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Institute for Human Reproduction (IHR)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NORTHWESTERN UNIVERSITY CHICAGO, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	4%	Other factor	2%
GIFT	0%	With ICSI	83%	Ovulatory dysfunction	5%	Unknown factor	30%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	21%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	2%	Female factors only	3%
		Used PGD	0%	Uterine factor	1%	Female & male factors	8%
		With eSET	3%	Male factor	23%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Edmond Confino, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	166	137	142	45	26
Percentage of embryos transferred resulting in implantation <sup>b</sup>	28.6	22.5	11.7	8.6	4.4
Percentage of cycles resulting in pregnancies <sup>b</sup>	40.4	35.8	21.1	20.0	11.5
Percentage of cycles resulting in live births <sup>b,c</sup>	31.9	30.7	12.7	13.3	0.0
(Confidence Interval)	(24.9–39.6)	(23.1–39.1)	(7.7–19.3)	(5.1–26.8)	(0.0–13.2)
Percentage of retrievals resulting in live births <sup>b,c</sup>	34.4	32.8	14.5	15.4	0 / 17
Percentage of transfers resulting in live births <sup>b,c</sup>	35.6	35.6	16.1	16.7	0 / 14
Percentage of transfers resulting in singleton live births <sup>b</sup>	26.8	29.7	15.2	16.7	0 / 14
Percentage of cancellations <sup>b</sup>	7.2	6.6	12.7	13.3	34.6
Average number of embryos transferred	2.0	2.1	2.5	2.6	3.2
Percentage of pregnancies with twins <sup>b</sup>	23.9	14.3	13.3	0 / 9	0 / 3
Percentage of pregnancies with triplets or more <sup>b</sup>	3.0	2.0	0.0	0 / 9	0 / 3
Percentage of live births having multiple infants <sup>b,c</sup>	24.5	16.7	1 / 18	0 / 6	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	30	32	21	11	4
Percentage of transfers resulting in live births <sup>b,c</sup>	20.0	15.6	28.6	0 / 11	0 / 4
Average number of embryos transferred	2.0	2.2	1.9	2.0	1.8
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of transfers		34		17	
Percentage of transfers resulting in live births <sup>b,c</sup>		50.0		4 / 17	
Average number of embryos transferred		1.9		2.1	

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Northwestern University

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## RIVER NORTH IVF-FERTILITY CENTERS OF ILLINOIS CHICAGO, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	5%	Other factor	9%
GIFT	0%	With ICSI	81%	Ovulatory dysfunction	15%	Unknown factor	20%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	4%	Female factors only	9%
		Used PGD	2%	Uterine factor	2%	Female & male factors	9%
		With eSET	16%	Male factor	15%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Angeline Beltsos, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	573	287	324	148	76
Percentage of embryos transferred resulting in implantation <sup>b</sup>	37.1	22.0	19.7	8.5	4.9
Percentage of cycles resulting in pregnancies <sup>b</sup>	43.1	29.6	24.7	11.5	2.6
Percentage of cycles resulting in live births <sup>b,c</sup>	37.3	21.6	19.1	6.1	1.3
(Confidence Interval)	(33.4–41.5)	(17.0–26.8)	(15.0–23.8)	(2.8–11.2)	(0.0–7.1)
Percentage of retrievals resulting in live births <sup>b,c</sup>	41.6	25.3	24.3	8.1	2.2
Percentage of transfers resulting in live births <sup>b,c</sup>	45.7	28.7	29.8	9.8	2.9
Percentage of transfers resulting in singleton live births <sup>b</sup>	34.0	21.8	24.5	9.8	0.0
Percentage of cancellations <sup>b</sup>	10.1	14.6	21.3	25.0	39.5
Average number of embryos transferred	1.8	2.0	2.3	2.4	2.9
Percentage of pregnancies with twins <sup>b</sup>	23.9	23.5	22.5	3 / 17	0 / 2
Percentage of pregnancies with triplets or more <sup>b</sup>	2.4	0.0	0.0	0 / 17	1 / 2
Percentage of live births having multiple infants <sup>b,c</sup>	25.7	24.2	17.7	0 / 9	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	242	97	73	23	12
Percentage of transfers resulting in live births <sup>b,c</sup>	37.2	32.0	21.9	30.4	1 / 12
Average number of embryos transferred	1.7	1.7	1.9	2.0	1.7
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	80		45		
Percentage of transfers resulting in live births <sup>b,c</sup>	40.0		35.6		
Average number of embryos transferred	1.8		1.8		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** River North IVF-Fertility Centers of Illinois

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY OF ILLINOIS AT CHICAGO IVF PROGRAM CHICAGO, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	11%	Other factor	10%
GIFT	0%	With ICSI	40%	Ovulatory dysfunction	5%	Unknown factor	17%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	17%
		Used PGD	0%	Uterine factor	0%	Female & male factors	14%
		With eSET	22%	Male factor	18%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Humberto Scoccia, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	28	25	31	11	5
Percentage of embryos transferred resulting in implantation <sup>b</sup>	32.3	37.0	28.3	2 / 18	0 / 17
Percentage of cycles resulting in pregnancies <sup>b</sup>	42.9	32.0	38.7	1 / 11	0 / 5
Percentage of cycles resulting in live births <sup>b,c</sup>	25.0	32.0	25.8	1 / 11	0 / 5
(Confidence Interval)	(10.7–44.9)	(14.9–53.5)	(11.9–44.6)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	26.9	38.1	33.3	1 / 5	0 / 4
Percentage of transfers resulting in live births <sup>b,c</sup>	7 / 19	8 / 15	38.1	1 / 5	0 / 4
Percentage of transfers resulting in singleton live births <sup>b</sup>	5 / 19	6 / 15	28.6	0 / 5	0 / 4
Percentage of cancellations <sup>b</sup>	7.1	16.0	22.6	6 / 11	1 / 5
Average number of embryos transferred	1.6	1.8	2.5	3.6	4.3
Percentage of pregnancies with twins <sup>b</sup>	2 / 12	2 / 8	2 / 12	1 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 12	0 / 8	1 / 12	0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	2 / 7	2 / 8	2 / 8	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	12	5	3	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 12	2 / 5	1 / 3		0 / 1
Average number of embryos transferred	1.9	1.8	1.7		3.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	4		0		
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 4				
Average number of embryos transferred	1.0				

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** University of Illinois at Chicago IVF Program

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## WOMEN'S HEALTH CONSULTANTS CHICAGO, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	98%	<b>Procedural Factors:</b>	Tubal factor	4%	Other factor	3%	
GIFT	0%	With ICSI	82%	Ovulatory dysfunction	7%	Unknown factor	<1%
ZIFT	2%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	0%	Female factors only	49%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	26%
		With eSET	3%	Male factor	4%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Mary W. Molo, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	37	18	19	22	9
Percentage of embryos transferred resulting in implantation <sup>b</sup>	34.4	20.0	19.2	10.5	1 / 11
Percentage of cycles resulting in pregnancies <sup>b</sup>	48.6	5 / 18	3 / 19	13.6	1 / 9
Percentage of cycles resulting in live births <sup>b,c</sup>	43.2	4 / 18	3 / 19	9.1	1 / 9
(Confidence Interval)	(27.1–60.5)			(1.1–29.2)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	48.5	4 / 16	3 / 15	2 / 19	1 / 6
Percentage of transfers resulting in live births <sup>b,c</sup>	51.6	4 / 15	3 / 12	2 / 13	1 / 3
Percentage of transfers resulting in singleton live births <sup>b</sup>	41.9	2 / 15	1 / 12	1 / 13	1 / 3
Percentage of cancellations <sup>b</sup>	10.8	2 / 18	4 / 19	13.6	3 / 9
Average number of embryos transferred	2.1	2.0	2.2	2.9	3.7
Percentage of pregnancies with twins <sup>b</sup>	4 / 18	2 / 5	2 / 3	1 / 3	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 18	0 / 5	0 / 3	0 / 3	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	3 / 16	2 / 4	2 / 3	1 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	12	8	3	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 12	3 / 8	2 / 3	0 / 1	
Average number of embryos transferred	2.7	2.4	3.7	5.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	5		1		
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 5		0 / 1		
Average number of embryos transferred	2.6		3.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Women's Health Consultants

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CENTER FOR REPRODUCTIVE HEALTH/JOLIET IVF CREST HILL, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	12%	Other factor	0%
GIFT	0%	With ICSI	82%	Ovulatory dysfunction	14%	Unknown factor	23%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	19%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	3%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	12%
		With eSET	0%	Male factor	15%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by R. Scott Springer, DO

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	88	18	11	0	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	22.9	19.5	8.3		
Percentage of cycles resulting in pregnancies <sup>b</sup>	35.2	5 / 18	1 / 11		
Percentage of cycles resulting in live births <sup>b,c</sup>	28.4	5 / 18	0 / 11		
(Confidence Interval)	(19.3–39.0)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	32.1	5 / 17	0 / 10		
Percentage of transfers resulting in live births <sup>b,c</sup>	33.8	5 / 15	0 / 9		
Percentage of transfers resulting in singleton live births <sup>b</sup>	25.7	2 / 15	0 / 9		
Percentage of cancellations <sup>b</sup>	11.4	1 / 18	1 / 11		
Average number of embryos transferred	2.3	2.7	2.7		
Percentage of pregnancies with twins <sup>b</sup>	32.3	3 / 5	1 / 1		
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	0 / 5	0 / 1		
Percentage of live births having multiple infants <sup>b,c</sup>	24.0	3 / 5			
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	16	4	2	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 16	0 / 4	0 / 2	0 / 1	
Average number of embryos transferred	2.4	2.3	2.5	3.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of transfers		7		0	
Percentage of transfers resulting in live births <sup>b,c</sup>		6 / 7			
Average number of embryos transferred		2.3			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Center for Reproductive Health/Joliet IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## MIDWEST FERTILITY CENTER DOWNERS GROVE, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	>99%	<b>Procedural Factors:</b>		Tubal factor	7%	Other factor	8%
GIFT	<1%	With ICSI	39%	Ovulatory dysfunction	10%	Unknown factor	5%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	20%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	8%	Female factors only	17%
		Used PGD	3%	Uterine factor	<1%	Female & male factors	13%
		With eSET	0%	Male factor	12%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Amos E. Madanes, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	58	19	18	9	5
Percentage of embryos transferred resulting in implantation <sup>b</sup>	36.9	26.2	25.7	3 / 19	1 / 18
Percentage of cycles resulting in pregnancies <sup>b</sup>	53.4	7 / 19	6 / 18	3 / 9	1 / 5
Percentage of cycles resulting in live births <sup>b,c</sup>	46.6	5 / 19	6 / 18	3 / 9	0 / 5
(Confidence Interval)	(33.3–60.1)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	48.2	5 / 19	6 / 17	3 / 9	0 / 5
Percentage of transfers resulting in live births <sup>b,c</sup>	50.9	5 / 19	6 / 15	3 / 7	0 / 5
Percentage of transfers resulting in singleton live births <sup>b</sup>	30.2	2 / 19	5 / 15	3 / 7	0 / 5
Percentage of cancellations <sup>b</sup>	3.4	0 / 19	1 / 18	0 / 9	0 / 5
Average number of embryos transferred	2.3	2.2	2.3	2.7	3.6
Percentage of pregnancies with twins <sup>b</sup>	32.3	2 / 7	1 / 6	0 / 3	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	6.5	1 / 7	1 / 6	0 / 3	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	40.7	3 / 5	1 / 6	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	13	4	5	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 13	2 / 4	0 / 5	0 / 1	0 / 1
Average number of embryos transferred	2.1	2.5	2.2	1.0	2.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	9		4		
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 9		0 / 4		
Average number of embryos transferred	2.4		2.3		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Midwest Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## THE RINEHART CENTER FOR REPRODUCTIVE MEDICINE EVANSTON, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	3%	Other factor	6%
GIFT	0%	With ICSI	81%	Ovulatory dysfunction	18%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	21%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	12%
		Used PGD	<1%	Uterine factor	<1%	Female & male factors	22%
		With eSET	<1%	Male factor	11%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by John S. Rinehart, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	126	61	55	24	4
Percentage of embryos transferred resulting in implantation <sup>b</sup>	33.0	21.6	13.5	6.5	1 / 4
Percentage of cycles resulting in pregnancies <sup>b</sup>	33.3	27.9	14.5	12.5	1 / 4
Percentage of cycles resulting in live births <sup>b,c</sup>	28.6	18.0	10.9	8.3	0 / 4
(Confidence Interval)	(20.9–37.3)	(9.4–30.0)	(4.1–22.2)	(1.0–27.0)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	32.4	22.9	11.8	10.0	0 / 2
Percentage of transfers resulting in live births <sup>b,c</sup>	40.4	28.9	19.4	2 / 12	0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	25.8	18.4	9.7	2 / 12	0 / 1
Percentage of cancellations <sup>b</sup>	11.9	21.3	7.3	16.7	2 / 4
Average number of embryos transferred	2.0	2.3	2.4	2.6	4.0
Percentage of pregnancies with twins <sup>b</sup>	33.3	3 / 17	3 / 8	0 / 3	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	7.1	1 / 17	0 / 8	0 / 3	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	36.1	4 / 11	3 / 6	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	43	12	9	6	2
Percentage of transfers resulting in live births <sup>b,c</sup>	37.2	3 / 12	1 / 9	1 / 6	0 / 2
Average number of embryos transferred	2.3	2.2	2.1	3.2	2.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	20		19		
Percentage of transfers resulting in live births <sup>b,c</sup>	20.0		4 / 19		
Average number of embryos transferred	2.1		2.2		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** This clinic has closed or reorganized since 2010. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## THE RINEHART-COULAM CENTER EVANSTON, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	100%	<b>Procedural Factors:</b>	Tubal factor	3%	Other factor	18%
GIFT	0%	With ICSI	Ovulatory dysfunction	11%	Unknown factor	5%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	2%	Female factors only	21%
		Used PGD	Uterine factor	8%	Female & male factors	10%
		With eSET	Male factor	10%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Carolyn B. Coulam, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	14	15	13	1	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	16.1	19.5	7.1		
Percentage of cycles resulting in pregnancies <sup>b</sup>	4 / 14	7 / 15	3 / 13	0 / 1	0 / 1
Percentage of cycles resulting in live births <sup>b,c</sup>	4 / 14	4 / 15	2 / 13	0 / 1	0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births <sup>b,c</sup>	4 / 14	4 / 14	2 / 13	0 / 1	0 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 14	4 / 14	2 / 10		
Percentage of transfers resulting in singleton live births <sup>b</sup>	3 / 14	2 / 14	2 / 10		
Percentage of cancellations <sup>b</sup>	0 / 14	1 / 15	0 / 13	0 / 1	0 / 1
Average number of embryos transferred	2.2	2.9	2.8		
Percentage of pregnancies with twins <sup>b</sup>	1 / 4	1 / 7	0 / 3		
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 4	1 / 7	0 / 3		
Percentage of live births having multiple infants <sup>b,c</sup>	1 / 4	2 / 4	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	6	4	3	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 6	1 / 4	0 / 3		
Average number of embryos transferred	2.2	2.5	2.7		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	3		0		
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 3				
Average number of embryos transferred	1.7				

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** This clinic has closed or reorganized since 2010. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ADVANCED FERTILITY CENTER OF CHICAGO GURNEE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	5%	Other factor	2%
GIFT	0%	With ICSI	67%	Ovulatory dysfunction	6%	Unknown factor	16%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	26%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	8%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	10%
		With eSET	3%	Male factor	23%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Richard P. Sherbahn, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	213	76	48	15	8
Percentage of embryos transferred resulting in implantation <sup>b</sup>	49.6	30.9	36.3	7.1	5.0
Percentage of cycles resulting in pregnancies <sup>b</sup>	62.0	52.6	58.3	3 / 15	1 / 8
Percentage of cycles resulting in live births <sup>b,c</sup>	57.7	38.2	43.8	2 / 15	0 / 8
(Confidence Interval)	(50.8–64.5)	(27.2–50.0)	(29.5–58.8)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	60.3	41.4	50.0	2 / 13	0 / 7
Percentage of transfers resulting in live births <sup>b,c</sup>	61.8	41.4	50.0	2 / 11	0 / 7
Percentage of transfers resulting in singleton live births <sup>b</sup>	36.2	24.3	28.6	2 / 11	0 / 7
Percentage of cancellations <sup>b</sup>	4.2	7.9	12.5	2 / 15	1 / 8
Average number of embryos transferred	2.0	2.2	2.4	2.5	2.9
Percentage of pregnancies with twins <sup>b</sup>	43.9	27.5	32.1	0 / 3	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	3.8	2.5	3.6	0 / 3	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	41.5	41.4	42.9	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	25	20	9	4	1
Percentage of transfers resulting in live births <sup>b,c</sup>	52.0	40.0	2 / 9	1 / 4	1 / 1
Average number of embryos transferred	1.7	1.8	1.7	1.5	1.0
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	76		10		
Percentage of transfers resulting in live births <sup>b,c</sup>	81.6		7 / 10		
Average number of embryos transferred	1.9		1.6		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Advanced Fertility Center of Chicago

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CHICAGO INFERTILITY ASSOCIATES, LTD. HANOVER PARK, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	8%	Other factor	8%
GIFT	0%	With ICSI	100%	Ovulatory dysfunction	17%	Unknown factor	42%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	8%	Female factors only	8%
		Used PGD	30%	Uterine factor	0%	Female & male factors	8%
		With eSET	0%	Male factor	0%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Ketan N. Jobanputra, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	7	2	0	0	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	2 / 10	0 / 3			0 / 5
Percentage of cycles resulting in pregnancies <sup>b</sup>	1 / 7	0 / 2			0 / 1
Percentage of cycles resulting in live births <sup>b,c</sup> (Confidence Interval)	1 / 7	0 / 2			0 / 1
Percentage of retrievals resulting in live births <sup>b,c</sup>	1 / 7	0 / 2			0 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 5	0 / 2			0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	0 / 5	0 / 2			0 / 1
Percentage of cancellations <sup>b</sup>	0 / 7	0 / 2			0 / 1
Average number of embryos transferred	2.0	1.5			5.0
Percentage of pregnancies with twins <sup>b</sup>	1 / 1				
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 1				
Percentage of live births having multiple infants <sup>b,c</sup>	1 / 1				
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	1	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 1				
Average number of embryos transferred	3.0				
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	0		1		
Percentage of transfers resulting in live births <sup>b,c</sup>			0 / 1		
Average number of embryos transferred			5.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Chicago Infertility Associates, Ltd.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## HIGHLAND PARK IVF CENTER HIGHLAND PARK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	3%	Other factor	10%
GIFT	0%	With ICSI	84%	Ovulatory dysfunction	9%	Unknown factor	19%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	1%	Female factors only	30%
		Used PGD	11%	Uterine factor	1%	Female & male factors	10%
		With eSET	7%	Male factor	9%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Edward L. Marut, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	483	309	351	182	98
Percentage of embryos transferred resulting in implantation <sup>b</sup>	36.6	24.7	20.0	12.4	3.4
Percentage of cycles resulting in pregnancies <sup>b</sup>	43.1	32.0	23.9	17.0	7.1
Percentage of cycles resulting in live births <sup>b,c</sup>	38.1	25.6	18.8	11.5	3.1
(Confidence Interval)	(33.7–42.6)	(20.8–30.8)	(14.9–23.3)	(7.3–17.1)	(0.6–8.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	41.7	29.2	22.7	14.8	3.8
Percentage of transfers resulting in live births <sup>b,c</sup>	47.8	34.8	30.4	19.8	5.3
Percentage of transfers resulting in singleton live births <sup>b</sup>	29.9	24.2	24.0	14.2	5.3
Percentage of cancellations <sup>b</sup>	8.7	12.3	17.1	22.0	20.4
Average number of embryos transferred	2.0	2.2	2.4	3.0	2.6
Percentage of pregnancies with twins <sup>b</sup>	39.9	25.3	15.5	12.9	0 / 7
Percentage of pregnancies with triplets or more <sup>b</sup>	1.0	3.0	8.3	9.7	0 / 7
Percentage of live births having multiple infants <sup>b,c</sup>	37.5	30.4	21.2	28.6	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	164	101	75	32	16
Percentage of transfers resulting in live births <sup>b,c</sup>	43.9	41.6	34.7	46.9	3 / 16
Average number of embryos transferred	1.8	1.7	1.7	2.2	2.0
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	141		114		
Percentage of transfers resulting in live births <sup>b,c</sup>	48.2		43.0		
Average number of embryos transferred	1.9		1.8		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Highland Park IVF Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## HINSDALE CENTER FOR REPRODUCTION HINSDALE, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	4%	Other factor	20%
GIFT	0%	With ICSI	96%	Ovulatory dysfunction	3%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	1%
		Used PGD	4%	Uterine factor	4%	Female & male factors	13%
		With eSET	0%	Male factor	39%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Michael J. Hickey, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	24	12	6	2	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	37.1	6.7	2 / 17	0 / 4	
Percentage of cycles resulting in pregnancies <sup>b</sup>	37.5	2 / 12	1 / 6	0 / 2	
Percentage of cycles resulting in live births <sup>b,c</sup>	37.5	2 / 12	1 / 6	0 / 2	
(Confidence Interval)	(18.8–59.4)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	37.5	2 / 12	1 / 6	0 / 2	
Percentage of transfers resulting in live births <sup>b,c</sup>	9 / 16	2 / 11	1 / 5	0 / 2	
Percentage of transfers resulting in singleton live births <sup>b</sup>	6 / 16	2 / 11	0 / 5	0 / 2	
Percentage of cancellations <sup>b</sup>	0.0	0 / 12	0 / 6	0 / 2	
Average number of embryos transferred	2.2	2.7	3.4	2.0	
Percentage of pregnancies with twins <sup>b</sup>	2 / 9	0 / 2	1 / 1		
Percentage of pregnancies with triplets or more <sup>b</sup>	1 / 9	0 / 2	0 / 1		
Percentage of live births having multiple infants <sup>b,c</sup>	3 / 9	0 / 2	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	19	8	2	3	3
Percentage of transfers resulting in live births <sup>b,c</sup>	8 / 19	5 / 8	0 / 2	0 / 3	0 / 3
Average number of embryos transferred	2.1	2.5	2.0	3.0	2.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	2		2		
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 2		1 / 2		
Average number of embryos transferred	2.0		3.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Hinsdale Center for Reproduction

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REENA JABAMONI, MD, SC HOFFMAN ESTATES, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>			Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>	Tubal factor	13%	Other factor	7%
GIFT	0%	With ICSI	Ovulatory dysfunction	40%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	18%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	6%	Female factors only	2%
		Used PGD	Uterine factor	0%	Female & male factors	4%
		With eSET	Male factor	11%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Reena Jabamoni, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	22	9	8	0	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	50.0	6 / 13	5 / 17		0 / 3
Percentage of cycles resulting in pregnancies <sup>b</sup>	40.9	5 / 9	5 / 8		0 / 1
Percentage of cycles resulting in live births <sup>b,c</sup>	27.3	5 / 9	3 / 8		0 / 1
(Confidence Interval)	(10.7–50.2)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	6 / 19	5 / 8	3 / 8		0 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	6 / 15	5 / 7	3 / 6		0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	3 / 15	4 / 7	2 / 6		0 / 1
Percentage of cancellations <sup>b</sup>	13.6	1 / 9	0 / 8		0 / 1
Average number of embryos transferred	1.9	1.9	2.8		3.0
Percentage of pregnancies with twins <sup>b</sup>	3 / 9	1 / 5	1 / 5		
Percentage of pregnancies with triplets or more <sup>b</sup>	1 / 9	0 / 5	0 / 5		
Percentage of live births having multiple infants <sup>b,c</sup>	3 / 6	1 / 5	1 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	6	1	0	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 6	0 / 1		0 / 1	
Average number of embryos transferred	2.5	2.0		1.0	
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	2		2		
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 2		0 / 2		
Average number of embryos transferred	2.0		2.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reena Jabamoni, MD, SC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**KARANDE AND ASSOCIATES, SC DBA  
InVIA FERTILITY SPECIALISTS  
HOFFMAN ESTATES, ILLINOIS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	3%	Other factor	5%
GIFT	0%	With ICSI	63%	Ovulatory dysfunction	7%	Unknown factor	33%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	25%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	<1%
		Used PGD	3%	Uterine factor	<1%	Female & male factors	5%
		With eSET	4%	Male factor	20%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Vishvanath C. Karande, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	181	71	72	43	8
Percentage of embryos transferred resulting in implantation <sup>b</sup>	38.4	29.5	18.6	2.8	0 / 13
Percentage of cycles resulting in pregnancies <sup>b</sup>	49.7	35.2	29.2	7.0	0 / 8
Percentage of cycles resulting in live births <sup>b,c</sup>	48.1	32.4	23.6	4.7	0 / 8
(Confidence Interval)	(40.6–55.6)	(21.8–44.5)	(14.4–35.1)	(0.6–15.8)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	49.4	34.3	24.3	5.0	0 / 8
Percentage of transfers resulting in live births <sup>b,c</sup>	52.1	39.0	28.3	5.6	0 / 5
Percentage of transfers resulting in singleton live births <sup>b</sup>	35.3	23.7	21.7	5.6	0 / 5
Percentage of cancellations <sup>b</sup>	2.8	5.6	2.8	7.0	0 / 8
Average number of embryos transferred	1.9	2.1	2.3	2.9	2.6
Percentage of pregnancies with twins <sup>b</sup>	28.9	36.0	14.3	0 / 3	
Percentage of pregnancies with triplets or more <sup>b</sup>	3.3	4.0	4.8	0 / 3	
Percentage of live births having multiple infants <sup>b,c</sup>	32.2	39.1	4 / 17	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	33	21	10	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	24.2	23.8	0 / 10	0 / 1	0 / 1
Average number of embryos transferred	1.8	2.0	1.9	2.0	1.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	26		23		
Percentage of transfers resulting in live births <sup>b,c</sup>	65.4		39.1		
Average number of embryos transferred	1.8		1.7		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Karande and Associates, SC dba, InVia Fertility Specialists

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE HEALTH SPECIALISTS, LTD. JOLIET, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	3%	Other factor	2%
GIFT	0%	With ICSI	79%	Ovulatory dysfunction	10%	Unknown factor	22%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	10%	Female factors only	5%
		Used PGD	2%	Uterine factor	2%	Female & male factors	22%
		With eSET	0%	Male factor	20%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Marek W. Piekos, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	24	12	15	1	4
Percentage of embryos transferred resulting in implantation <sup>b</sup>	28.3	14.8	4.9	0 / 2	0 / 10
Percentage of cycles resulting in pregnancies <sup>b</sup>	50.0	5 / 12	2 / 15	0 / 1	0 / 4
Percentage of cycles resulting in live births <sup>b,c</sup>	41.7	3 / 12	2 / 15	0 / 1	0 / 4
(Confidence Interval)	(22.1–63.4)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	41.7	3 / 12	2 / 14	0 / 1	0 / 4
Percentage of transfers resulting in live births <sup>b,c</sup>	43.5	3 / 11	2 / 14	0 / 1	0 / 4
Percentage of transfers resulting in singleton live births <sup>b</sup>	34.8	3 / 11	2 / 14	0 / 1	0 / 4
Percentage of cancellations <sup>b</sup>	0.0	0 / 12	1 / 15	0 / 1	0 / 4
Average number of embryos transferred	2.3	2.5	2.9	2.0	2.5
Percentage of pregnancies with twins <sup>b</sup>	3 / 12	0 / 5	0 / 2		
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 12	0 / 5	0 / 2		
Percentage of live births having multiple infants <sup>b,c</sup>	2 / 10	0 / 3	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	1	0	2	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 1		0 / 2		
Average number of embryos transferred	2.0		4.0		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	1		0		
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 1				
Average number of embryos transferred	2.0				

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Health Specialists, Ltd.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE ADVANCED IVF INSTITUTE  
CHARLES E. MILLER, MD & ASSOCIATES  
NAPERVILLE, ILLINOIS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	3%	Other factor	4%
GIFT	0%	With ICSI	78%	Ovulatory dysfunction	2%	Unknown factor	20%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	22%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	9%
		Used PGD	2%	Uterine factor	3%	Female & male factors	19%
		With eSET	0%	Male factor	17%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Charles E. Miller, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	119	83	85	37	13
Percentage of embryos transferred resulting in implantation <sup>b</sup>	38.9	32.1	15.9	11.0	4.0
Percentage of cycles resulting in pregnancies <sup>b</sup>	48.7	43.4	25.9	21.6	1 / 13
Percentage of cycles resulting in live births <sup>b,c</sup>	42.9	32.5	21.2	13.5	1 / 13
(Confidence Interval)	(33.8–52.3)	(22.6–43.7)	(13.1–31.4)	(4.5–28.8)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	45.9	39.1	26.1	18.5	1 / 9
Percentage of transfers resulting in live births <sup>b,c</sup>	59.3	47.4	31.0	20.0	1 / 7
Percentage of transfers resulting in singleton live births <sup>b</sup>	39.5	35.1	25.9	8.0	1 / 7
Percentage of cancellations <sup>b</sup>	6.7	16.9	18.8	27.0	4 / 13
Average number of embryos transferred	2.4	2.8	3.0	3.6	3.6
Percentage of pregnancies with twins <sup>b</sup>	36.2	44.4	9.1	3 / 8	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	0.0	9.1	0 / 8	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	33.3	25.9	3 / 18	3 / 5	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	51	23	21	1	2
Percentage of transfers resulting in live births <sup>b,c</sup>	47.1	39.1	33.3	0 / 1	1 / 2
Average number of embryos transferred	2.0	2.1	2.1	2.0	3.0
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	24		14		
Percentage of transfers resulting in live births <sup>b,c</sup>	50.0		4 / 14		
Average number of embryos transferred	2.2		2.0		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** The Advanced IVF Institute, Charles E. Miller, MD, SC & Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## IVF1 NAPERVILLE, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	6%	Other factor	11%
GIFT	0%	With ICSI	80%	Ovulatory dysfunction	2%	Unknown factor	17%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	18%	<b>Multiple Factors:</b>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	8%
		Used PGD	9%	Uterine factor	2%	Female & male factors	13%
		With eSET	<1%	Male factor	21%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Randy S. Morris, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	147	60	56	37	8
Percentage of embryos transferred resulting in implantation <sup>b</sup>	28.5	23.8	18.0	6.4	1 / 10
Percentage of cycles resulting in pregnancies <sup>b</sup>	37.4	31.7	25.0	8.1	1 / 8
Percentage of cycles resulting in live births <sup>b,c</sup>	32.0	26.7	25.0	2.7	1 / 8
(Confidence Interval)	(24.5–40.2)	(16.1–39.7)	(14.4–38.4)	(0.1–14.2)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	36.2	31.4	33.3	3.3	1 / 4
Percentage of transfers resulting in live births <sup>b,c</sup>	37.3	32.0	34.1	4.0	1 / 3
Percentage of transfers resulting in singleton live births <sup>b</sup>	23.8	26.0	22.0	4.0	1 / 3
Percentage of cancellations <sup>b</sup>	11.6	15.0	25.0	18.9	4 / 8
Average number of embryos transferred	2.0	2.0	2.7	3.1	3.3
Percentage of pregnancies with twins <sup>b</sup>	30.9	3 / 19	6 / 14	0 / 3	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	1.8	1 / 19	0 / 14	1 / 3	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	36.2	3 / 16	5 / 14	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	71	29	20	7	6
Percentage of transfers resulting in live births <sup>b,c</sup>	26.8	27.6	20.0	3 / 7	0 / 6
Average number of embryos transferred	1.8	1.7	2.0	2.0	3.5
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	24		24		
Percentage of transfers resulting in live births <sup>b,c</sup>	75.0		20.8		
Average number of embryos transferred	1.8		1.7		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** IVF1

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## OAK BROOK FERTILITY CENTER OAK BROOK, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	>99%	<b>Procedural Factors:</b>		Tubal factor	4%	Other factor	8%
GIFT	<1%	With ICSI	84%	Ovulatory dysfunction	15%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	22%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	9%	Female factors only	7%
		Used PGD	8%	Uterine factor	1%	Female & male factors	15%
		With eSET	12%	Male factor	17%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by W. Paul Dmowski, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	60	37	34	13	4
Percentage of embryos transferred resulting in implantation <sup>b</sup>	40.4	30.6	25.5	3 / 19	0 / 7
Percentage of cycles resulting in pregnancies <sup>b</sup>	58.3	37.8	32.4	2 / 13	0 / 4
Percentage of cycles resulting in live births <sup>b,c</sup>	45.0	27.0	29.4	2 / 13	0 / 4
(Confidence Interval)	(32.1–58.4)	(13.8–44.1)	(15.1–47.5)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	45.8	28.6	33.3	2 / 12	0 / 4
Percentage of transfers resulting in live births <sup>b,c</sup>	46.6	31.3	37.0	2 / 8	0 / 3
Percentage of transfers resulting in singleton live births <sup>b</sup>	29.3	15.6	29.6	1 / 8	0 / 3
Percentage of cancellations <sup>b</sup>	1.7	5.4	11.8	1 / 13	0 / 4
Average number of embryos transferred	1.8	1.9	2.0	2.4	2.3
Percentage of pregnancies with twins <sup>b</sup>	28.6	6 / 14	1 / 11	1 / 2	
Percentage of pregnancies with triplets or more <sup>b</sup>	2.9	0 / 14	1 / 11	0 / 2	
Percentage of live births having multiple infants <sup>b,c</sup>	37.0	5 / 10	2 / 10	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	38	19	11	3	0
Percentage of transfers resulting in live births <sup>b,c</sup>	44.7	8 / 19	5 / 11	1 / 3	
Average number of embryos transferred	1.9	1.7	2.4	2.3	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	6		15		
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 6		11 / 15		
Average number of embryos transferred	1.8		2.1		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** This clinic has closed or reorganized since 2010. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE HEALTH AND FERTILITY CENTER ROCKFORD, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	94%	<b>Procedural Factors:</b>		Tubal factor	6%	Other factor	4%
GIFT	6%	With ICSI	89%	Ovulatory dysfunction	9%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	5%	Female factors only	29%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	28%
		With eSET	5%	Male factor	14%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Chiravudh Sawetawan, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	86	12	11	3	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	18.9	18.2	28.6	0 / 5	
Percentage of cycles resulting in pregnancies <sup>b</sup>	25.6	3 / 12	3 / 11	0 / 3	0 / 1
Percentage of cycles resulting in live births <sup>b,c</sup>	23.3	2 / 12	2 / 11	0 / 3	0 / 1
(Confidence Interval)	(14.8–33.6)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	23.3	2 / 10	2 / 10	0 / 3	
Percentage of transfers resulting in live births <sup>b,c</sup>	26.3	2 / 9	2 / 7	0 / 2	
Percentage of transfers resulting in singleton live births <sup>b</sup>	15.8	1 / 9	1 / 7	0 / 2	
Percentage of cancellations <sup>b</sup>	0.0	2 / 12	1 / 11	0 / 3	1 / 1
Average number of embryos transferred	2.4	2.4	3.0	2.5	
Percentage of pregnancies with twins <sup>b</sup>	50.0	1 / 3	1 / 3		
Percentage of pregnancies with triplets or more <sup>b</sup>	4.5	0 / 3	1 / 3		
Percentage of live births having multiple infants <sup>b,c</sup>	40.0	1 / 2	1 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	62	13	1	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	22.6	1 / 13	0 / 1	0 / 1	
Average number of embryos transferred	2.4	2.2	2.0	3.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	9		17		
Percentage of transfers resulting in live births <sup>b,c</sup>	5 / 9		6 / 17		
Average number of embryos transferred	2.2		2.2		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Health and Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## NORTH SHORE FERTILITY, SC SKOKIE, ILLINOIS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	1%	Other factor	6%
GIFT	0%	With ICSI	66%	Ovulatory dysfunction	14%	Unknown factor	11%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	39%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	3%
		Used PGD	<1%	Uterine factor	<1%	Female & male factors	9%
		With eSET	0%	Male factor	15%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Susan Davies, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	111	52	67	36	12
Percentage of embryos transferred resulting in implantation <sup>b</sup>	14.8	20.3	4.0	5.9	0 / 12
Percentage of cycles resulting in pregnancies <sup>b</sup>	29.7	34.6	10.4	5.6	0 / 12
Percentage of cycles resulting in live births <sup>b,c</sup>	18.0	25.0	3.0	5.6	0 / 12
(Confidence Interval)	(11.4–26.4)	(14.0–38.9)	(0.4–10.4)	(0.7–18.7)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	20.6	28.9	4.0	8.0	0 / 7
Percentage of transfers resulting in live births <sup>b,c</sup>	24.4	29.5	4.8	2 / 17	0 / 5
Percentage of transfers resulting in singleton live births <sup>b</sup>	15.9	18.2	2.4	1 / 17	0 / 5
Percentage of cancellations <sup>b</sup>	12.6	13.5	25.4	30.6	5 / 12
Average number of embryos transferred	2.7	2.8	3.0	3.0	2.4
Percentage of pregnancies with twins <sup>b</sup>	15.2	2 / 18	1 / 7	1 / 2	
Percentage of pregnancies with triplets or more <sup>b</sup>	6.1	3 / 18	1 / 7	0 / 2	
Percentage of live births having multiple infants <sup>b,c</sup>	35.0	5 / 13	1 / 2	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	18	5	4	3	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 18	1 / 5	2 / 4	0 / 3	
Average number of embryos transferred	2.8	2.6	1.8	1.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	14		8		
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 14		1 / 8		
Average number of embryos transferred	2.6		2.1		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** North Shore Fertility, SC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE ENDOCRINOLOGY ASSOCIATES, SC SPRINGFIELD, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	10%	Other factor	7%
GIFT	0%	With ICSI	72%	Ovulatory dysfunction	0%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	20%
		Used PGD	0%	Uterine factor	4%	Female & male factors	19%
		With eSET	0%	Male factor	26%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Mary Ann McRae, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	48	8	11	14	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	17.4	1 / 7	11.5	2 / 19	
Percentage of cycles resulting in pregnancies <sup>b</sup>	25.0	1 / 8	4 / 11	2 / 14	0 / 1
Percentage of cycles resulting in live births <sup>b,c</sup>	25.0	1 / 8	3 / 11	2 / 14	0 / 1
(Confidence Interval)	(13.6–39.6)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	31.6	1 / 4	3 / 8	2 / 9	0 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	32.4	1 / 3	3 / 8	2 / 9	
Percentage of transfers resulting in singleton live births <sup>b</sup>	24.3	1 / 3	3 / 8	2 / 9	
Percentage of cancellations <sup>b</sup>	20.8	4 / 8	3 / 11	5 / 14	0 / 1
Average number of embryos transferred	2.9	2.3	3.3	2.1	
Percentage of pregnancies with twins <sup>b</sup>	5 / 12	0 / 1	0 / 4	0 / 2	
Percentage of pregnancies with triplets or more <sup>b</sup>	1 / 12	0 / 1	0 / 4	0 / 2	
Percentage of live births having multiple infants <sup>b,c</sup>	3 / 12	0 / 1	0 / 3	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	4	1	2	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 4	1 / 1	0 / 2		
Average number of embryos transferred	2.3	3.0	3.5		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	0		0		
Percentage of transfers resulting in live births <sup>b,c</sup>					
Average number of embryos transferred					

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Endocrinology Associates, SC

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SOUTHERN ILLINOIS UNIVERSITY SCHOOL  
OF MEDICINE FERTILITY AND IVF CENTER  
SPRINGFIELD, ILLINOIS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	11%	Other factor	4%
GIFT	0%	With ICSI	44%	Ovulatory dysfunction	5%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	5%	Female factors only	22%
		Used PGD	0%	Uterine factor	11%	Female & male factors	27%
		With eSET	9%	Male factor	8%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by J. Ricardo Loret de Mola, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	51	11	9	9	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	49.5	39.1	40.9	3 / 13	
Percentage of cycles resulting in pregnancies <sup>b</sup>	74.5	6 / 11	4 / 9	1 / 9	0 / 1
Percentage of cycles resulting in live births <sup>b,c</sup>	70.6	5 / 11	3 / 9	0 / 9	0 / 1
(Confidence Interval)	(56.2–82.5)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	72.0	5 / 10	3 / 8	0 / 5	
Percentage of transfers resulting in live births <sup>b,c</sup>	72.0	5 / 10	3 / 8	0 / 5	
Percentage of transfers resulting in singleton live births <sup>b</sup>	60.0	4 / 10	0 / 8	0 / 5	
Percentage of cancellations <sup>b</sup>	2.0	1 / 11	1 / 9	4 / 9	1 / 1
Average number of embryos transferred	1.8	2.3	2.8	2.6	
Percentage of pregnancies with twins <sup>b</sup>	21.1	3 / 6	2 / 4	0 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	0 / 6	1 / 4	1 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	16.7	1 / 5	3 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	0	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>					
Average number of embryos transferred					
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	2		0		
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 2				
Average number of embryos transferred	2.0				

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Southern Illinois University School of Medicine Fertility and IVF Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SETH LEVRANT, MD, PC**  
**PARTNERS IN REPRODUCTIVE HEALTH**  
**TINLEY PARK, ILLINOIS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>			Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>	Tubal factor	8%	Other factor	6%
GIFT	0%	With ICSI	Ovulatory dysfunction	11%	Unknown factor	13%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	8%	Female factors only	11%
		Used PGD	Uterine factor	5%	Female & male factors	10%
		With eSET	Male factor	21%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Seth G. Levrant, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	53	10	22	4	4
Percentage of embryos transferred resulting in implantation <sup>b</sup>	36.5	3 / 14	25.0	0 / 7	1 / 10
Percentage of cycles resulting in pregnancies <sup>b</sup>	49.1	3 / 10	45.5	0 / 4	1 / 4
Percentage of cycles resulting in live births <sup>b,c</sup>	43.4	2 / 10	13.6	0 / 4	1 / 4
(Confidence Interval)	(29.8–57.7)		(2.9–34.9)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	46.9	2 / 7	15.0	0 / 3	1 / 4
Percentage of transfers resulting in live births <sup>b,c</sup>	46.9	2 / 7	3 / 17	0 / 3	1 / 4
Percentage of transfers resulting in singleton live births <sup>b</sup>	34.7	2 / 7	2 / 17	0 / 3	1 / 4
Percentage of cancellations <sup>b</sup>	7.5	3 / 10	9.1	1 / 4	0 / 4
Average number of embryos transferred	2.0	2.0	2.6	2.3	2.5
Percentage of pregnancies with twins <sup>b</sup>	30.8	0 / 3	2 / 10		0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	3.8	0 / 3	0 / 10		0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	26.1	0 / 2	1 / 3		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	4	2	1	0	2
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 4	0 / 2	0 / 1		1 / 2
Average number of embryos transferred	1.8	2.0	2.0		2.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	1		1		
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 1		0 / 1		
Average number of embryos transferred	2.0		2.0		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Seth Levrant, MD, PC, Partners in Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## BONAVENTURA REPRODUCTIVE MEDICINE CARMEL, INDIANA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	8%	Other factor	16%
GIFT	0%	With ICSI	87%	Ovulatory dysfunction	13%	Unknown factor	13%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	19%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	9%	Female factors only	7%
		Used PGD	22%	Uterine factor	3%	Female & male factors	2%
		With eSET	7%	Male factor	10%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Leo M. Bonaventura, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	42	12	21	1	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	44.8	3 / 12	41.7		
Percentage of cycles resulting in pregnancies <sup>b</sup>	52.4	3 / 12	23.8	0 / 1	
Percentage of cycles resulting in live births <sup>b,c</sup>	45.2	3 / 12	23.8	0 / 1	
(Confidence Interval)	(29.8–61.3)		(8.2–47.2)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	47.5	3 / 11	5 / 15	0 / 1	
Percentage of transfers resulting in live births <sup>b,c</sup>	59.4	3 / 7	5 / 11		
Percentage of transfers resulting in singleton live births <sup>b</sup>	50.0	3 / 7	3 / 11		
Percentage of cancellations <sup>b</sup>	4.8	1 / 12	28.6	0 / 1	
Average number of embryos transferred	1.8	1.7	2.2		
Percentage of pregnancies with twins <sup>b</sup>	27.3	0 / 3	1 / 5		
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	0 / 3	2 / 5		
Percentage of live births having multiple infants <sup>b,c</sup>	3 / 19	0 / 3	2 / 5		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	9	1	3	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 9	0 / 1	0 / 3		
Average number of embryos transferred	2.0	2.0	2.0		
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	5		2		
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 5		1 / 2		
Average number of embryos transferred	1.8		2.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** American Health Network Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## JARRETT FERTILITY GROUP CARMEL, INDIANA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	99%	<b>Procedural Factors:</b>		Tubal factor	5%	Other factor	17%
GIFT	<1%	With ICSI	68%	Ovulatory dysfunction	9%	Unknown factor	16%
ZIFT	1%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	7%	Female factors only	13%
		Used PGD	3%	Uterine factor	2%	Female & male factors	11%
		With eSET	4%	Male factor	11%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by John C. Jarrett, II, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	201	64	62	14	3
Percentage of embryos transferred resulting in implantation <sup>b</sup>	49.8	33.7	28.7	11.5	0 / 3
Percentage of cycles resulting in pregnancies <sup>b</sup>	56.2	37.5	38.7	3 / 14	0 / 3
Percentage of cycles resulting in live births <sup>b,c</sup>	51.2	31.3	35.5	3 / 14	0 / 3
(Confidence Interval)	(44.1–58.3)	(20.2–44.1)	(23.7–48.7)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	60.2	40.0	45.8	3 / 10	0 / 2
Percentage of transfers resulting in live births <sup>b,c</sup>	63.6	44.4	52.4	3 / 8	0 / 2
Percentage of transfers resulting in singleton live births <sup>b</sup>	37.0	26.7	38.1	3 / 8	0 / 2
Percentage of cancellations <sup>b</sup>	14.9	21.9	22.6	4 / 14	1 / 3
Average number of embryos transferred	2.0	2.1	2.6	3.3	1.5
Percentage of pregnancies with twins <sup>b</sup>	40.7	37.5	25.0	0 / 3	
Percentage of pregnancies with triplets or more <sup>b</sup>	1.8	0.0	4.2	0 / 3	
Percentage of live births having multiple infants <sup>b,c</sup>	41.7	40.0	27.3	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	34	16	6	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	26.5	5 / 16	3 / 6		
Average number of embryos transferred	1.9	1.7	2.8		
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	48		20		
Percentage of transfers resulting in live births <sup>b,c</sup>	60.4		15.0		
Average number of embryos transferred	2.0		2.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Jarrett Fertility Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## MIDWEST FERTILITY SPECIALISTS CARMEL, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	5%	Other factor	11%
GIFT	0%	With ICSI	81%	Ovulatory dysfunction	9%	Unknown factor	16%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	6%	Female factors only	5%
		Used PGD	<1%	Uterine factor	<1%	Female & male factors	14%
		With eSET	2%	Male factor	20%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Laura M. Reuter, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	233	77	41	9	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	31.9	20.2	5.5	0 / 14	
Percentage of cycles resulting in pregnancies <sup>b</sup>	39.1	27.3	12.2	0 / 9	
Percentage of cycles resulting in live births <sup>b,c</sup>	36.5	22.1	4.9	0 / 9	
(Confidence Interval)	(30.3–43.0)	(13.4–33.0)	(0.6–16.5)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	41.3	27.9	5.4	0 / 6	
Percentage of transfers resulting in live births <sup>b,c</sup>	43.6	29.3	5.6	0 / 6	
Percentage of transfers resulting in singleton live births <sup>b</sup>	27.7	22.4	2.8	0 / 6	
Percentage of cancellations <sup>b</sup>	11.6	20.8	9.8	3 / 9	
Average number of embryos transferred	2.0	2.2	2.5	2.3	
Percentage of pregnancies with twins <sup>b</sup>	30.8	33.3	1 / 5		
Percentage of pregnancies with triplets or more <sup>b</sup>	4.4	0.0	0 / 5		
Percentage of live births having multiple infants <sup>b,c</sup>	36.5	4 / 17	1 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	63	29	8	6	0
Percentage of transfers resulting in live births <sup>b,c</sup>	30.2	27.6	0 / 8	1 / 6	
Average number of embryos transferred	2.2	2.4	2.8	2.7	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	60		33		
Percentage of transfers resulting in live births <sup>b,c</sup>	41.7		30.3		
Average number of embryos transferred	2.0		2.5		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Midwest Fertility Specialists

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ADVANCED REPRODUCTION INSTITUTE, LLC**  
**ADVANCED FERTILITY GROUP**  
**EVANSVILLE, INDIANA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	12%	Other factor	1%
GIFT	0%	With ICSI	52%	Ovulatory dysfunction	25%	Unknown factor	<1%
ZIFT	0%	Unstimulated	1%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	8%	Female factors only	15%
		Used PGD	0%	Uterine factor	0%	Female & male factors	27%
		With eSET	2%	Male factor	9%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by William L. Gentry, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	89	32	16	11	2
Percentage of embryos transferred resulting in implantation <sup>b</sup>	30.0	15.6	3.6	0 / 16	0 / 1
Percentage of cycles resulting in pregnancies <sup>b</sup>	38.2	18.8	1 / 16	0 / 11	0 / 2
Percentage of cycles resulting in live births <sup>b,c</sup>	34.8	18.8	0 / 16	0 / 11	0 / 2
(Confidence Interval)	(25.0–45.7)	(7.2–36.4)			
Percentage of retrievals resulting in live births <sup>b,c</sup>	41.3	25.0	0 / 12	0 / 7	0 / 2
Percentage of transfers resulting in live births <sup>b,c</sup>	42.5	30.0	0 / 11	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	28.8	25.0	0 / 11	0 / 6	0 / 1
Percentage of cancellations <sup>b</sup>	15.7	25.0	4 / 16	4 / 11	0 / 2
Average number of embryos transferred	2.1	2.3	2.5	2.7	1.0
Percentage of pregnancies with twins <sup>b</sup>	23.5	1 / 6	0 / 1		
Percentage of pregnancies with triplets or more <sup>b</sup>	5.9	0 / 6	0 / 1		
Percentage of live births having multiple infants <sup>b,c</sup>	32.3	1 / 6			
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	27	7	4	0	2
Percentage of transfers resulting in live births <sup>b,c</sup>	29.6	2 / 7	1 / 4		0 / 2
Average number of embryos transferred	1.9	1.9	2.5		2.5
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	11		13		
Percentage of transfers resulting in live births <sup>b,c</sup>	5 / 11		2 / 13		
Average number of embryos transferred	2.2		2.3		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Advanced Reproduction Institute, LLC, Advanced Fertility Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ADVANCED FERTILITY GROUP INDIANAPOLIS, INDIANA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	8%	Other factor	<1%
GIFT	0%	With ICSI	52%	Ovulatory dysfunction	25%	Unknown factor	0%
ZIFT	0%	Unstimulated	1%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	10%	Female factors only	10%
		Used PGD	4%	Uterine factor	<1%	Female & male factors	43%
		With eSET	6%	Male factor	3%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by William L. Gentry, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	46	13	13	1	2
Percentage of embryos transferred resulting in implantation <sup>b</sup>	29.9	6 / 15	40.9	0 / 2	0 / 6
Percentage of cycles resulting in pregnancies <sup>b</sup>	34.8	5 / 13	6 / 13	0 / 1	0 / 2
Percentage of cycles resulting in live births <sup>b,c</sup>	30.4	4 / 13	5 / 13	0 / 1	0 / 2
(Confidence Interval)	(17.7–45.8)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	38.9	4 / 9	5 / 11	0 / 1	0 / 2
Percentage of transfers resulting in live births <sup>b,c</sup>	38.9	4 / 9	5 / 9	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births <sup>b</sup>	22.2	4 / 9	2 / 9	0 / 1	0 / 2
Percentage of cancellations <sup>b</sup>	21.7	4 / 13	2 / 13	0 / 1	0 / 2
Average number of embryos transferred	2.1	1.7	2.4	2.0	3.0
Percentage of pregnancies with twins <sup>b</sup>	7 / 16	1 / 5	3 / 6		
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 16	0 / 5	0 / 6		
Percentage of live births having multiple infants <sup>b,c</sup>	6 / 14	0 / 4	3 / 5		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	13	4	5	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	6 / 13	1 / 4	1 / 5		
Average number of embryos transferred	2.0	1.8	2.4		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	0		0		
Percentage of transfers resulting in live births <sup>b,c</sup>					
Average number of embryos transferred					

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Advanced Fertility Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## COMMUNITY REPRODUCTIVE ENDOCRINOLOGY INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	10%	Other factor	2%
GIFT	0%	With ICSI	84%	Ovulatory dysfunction	2%	Unknown factor	17%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	14%
		Used PGD	0%	Uterine factor	0%	Female & male factors	39%
		With eSET	4%	Male factor	12%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by David E. Carnovale, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	20	8	7	3	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	58.3	2 / 9	5 / 13	0 / 4	
Percentage of cycles resulting in pregnancies <sup>b</sup>	75.0	2 / 8	3 / 7	0 / 3	
Percentage of cycles resulting in live births <sup>b,c</sup>	70.0	2 / 8	2 / 7	0 / 3	
(Confidence Interval)	(45.7–88.1)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	14 / 19	2 / 7	2 / 6	0 / 2	
Percentage of transfers resulting in live births <sup>b,c</sup>	14 / 19	2 / 5	2 / 6	0 / 2	
Percentage of transfers resulting in singleton live births <sup>b</sup>	8 / 19	2 / 5	1 / 6	0 / 2	
Percentage of cancellations <sup>b</sup>	5.0	1 / 8	1 / 7	1 / 3	
Average number of embryos transferred	1.9	1.8	2.2	2.0	
Percentage of pregnancies with twins <sup>b</sup>	6 / 15	0 / 2	2 / 3		
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 15	0 / 2	0 / 3		
Percentage of live births having multiple infants <sup>b,c</sup>	6 / 14	0 / 2	1 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	4	3	2	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 4	1 / 3	0 / 2		
Average number of embryos transferred	1.8	2.0	2.0		
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	0		3		
Percentage of transfers resulting in live births <sup>b,c</sup>			2 / 3		
Average number of embryos transferred			1.7		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Community Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## FAMILY BEGINNINGS, PC INDIANAPOLIS, INDIANA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	20%	Other factor	0%
GIFT	0%	With ICSI	70%	Ovulatory dysfunction	8%	Unknown factor	21%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	12%	Female factors only	3%
		Used PGD	0%	Uterine factor	0%	Female & male factors	7%
		With eSET	0%	Male factor	25%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by James G. Donahue, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	65	34	20	9	2
Percentage of embryos transferred resulting in implantation <sup>b</sup>	21.6	30.9	16.3	0.0	1 / 3
Percentage of cycles resulting in pregnancies <sup>b</sup>	27.7	35.3	25.0	0 / 9	1 / 2
Percentage of cycles resulting in live births <sup>b,c</sup>	21.5	32.4	20.0	0 / 9	1 / 2
(Confidence Interval)	(12.3–33.5)	(17.4–50.5)	(5.7–43.7)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	28.0	37.9	4 / 18	0 / 7	1 / 2
Percentage of transfers resulting in live births <sup>b,c</sup>	29.8	50.0	4 / 17	0 / 7	1 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	19.1	40.9	4 / 17	0 / 7	1 / 1
Percentage of cancellations <sup>b</sup>	23.1	14.7	10.0	2 / 9	0 / 2
Average number of embryos transferred	2.4	2.5	2.5	3.1	3.0
Percentage of pregnancies with twins <sup>b</sup>	3 / 18	3 / 12	0 / 5		0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	2 / 18	1 / 12	1 / 5		0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	5 / 14	2 / 11	0 / 4		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	5	1	0	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 5	1 / 1		0 / 1	
Average number of embryos transferred	2.0	1.0		2.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of transfers		2		0	
Percentage of transfers resulting in live births <sup>b,c</sup>		0 / 2			
Average number of embryos transferred		2.0			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Family Beginnings, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## INDIANA UNIVERSITY HOSPITAL INDIANAPOLIS, INDIANA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>			Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>	Tubal factor	10%	Other factor	7%
GIFT	0%	With ICSI	Ovulatory dysfunction	10%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	21%	Female factors only	14%
		Used PGD	Uterine factor	0%	Female & male factors	28%
		With eSET	Male factor	0%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Marguerite K. Shepard, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	9	3	6	0	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	5 / 11	1 / 2	2 / 7		
Percentage of cycles resulting in pregnancies <sup>b</sup>	3 / 9	1 / 3	1 / 6		
Percentage of cycles resulting in live births <sup>b,c</sup>	3 / 9	1 / 3	0 / 6		
(Confidence Interval)					
Percentage of retrievals resulting in live births <sup>b,c</sup>	3 / 8	1 / 1	0 / 4		
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 6	1 / 1	0 / 4		
Percentage of transfers resulting in singleton live births <sup>b</sup>	1 / 6	1 / 1	0 / 4		
Percentage of cancellations <sup>b</sup>	1 / 9	2 / 3	2 / 6		
Average number of embryos transferred	1.8	2.0	1.8		
Percentage of pregnancies with twins <sup>b</sup>	2 / 3	0 / 1	1 / 1		
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 3	0 / 1	0 / 1		
Percentage of live births having multiple infants <sup>b,c</sup>	2 / 3	0 / 1			
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	3	1	1	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 3	0 / 1	0 / 1	0 / 1	
Average number of embryos transferred	1.7	2.0	1.0	1.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	0		0		
Percentage of transfers resulting in live births <sup>b,c</sup>					
Average number of embryos transferred					

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Indiana University Hospital

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE CARE OF INDIANA INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	0%	Other factor	0%
GIFT	0%	With ICSI	54%	Ovulatory dysfunction	0%	Unknown factor	100%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	0%	Female factors only	0%
		Used PGD	3%	Uterine factor	0%	Female & male factors	0%
		With eSET	2%	Male factor	0%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Michael A. Henry, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	53	10	4	0	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	63.3	16.7	7 / 9		
Percentage of cycles resulting in pregnancies <sup>b</sup>	58.5	4 / 10	3 / 4		
Percentage of cycles resulting in live births <sup>b,c</sup>	50.9	3 / 10	3 / 4		
(Confidence Interval)	(36.8–64.9)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	65.9	3 / 10	3 / 4		
Percentage of transfers resulting in live births <sup>b,c</sup>	73.0	3 / 10	3 / 4		
Percentage of transfers resulting in singleton live births <sup>b</sup>	48.6	3 / 10	3 / 4		
Percentage of cancellations <sup>b</sup>	22.6	0 / 10	0 / 4		
Average number of embryos transferred	2.1	2.4	2.3		
Percentage of pregnancies with twins <sup>b</sup>	48.4	0 / 4	0 / 3		
Percentage of pregnancies with triplets or more <sup>b</sup>	6.5	0 / 4	2 / 3		
Percentage of live births having multiple infants <sup>b,c</sup>	33.3	0 / 3	0 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	14	5	2	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 14	3 / 5	0 / 2		
Average number of embryos transferred	2.3	2.6	3.0		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	4		2		
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 4		1 / 2		
Average number of embryos transferred	2.3		2.5		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Care of Indiana

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## WOMEN'S SPECIALTY HEALTH CENTERS, PC NOBLESVILLE, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>			Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>	Tubal factor	0%	Other factor	3%
GIFT	0%	With ICSI	Ovulatory dysfunction	7%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	3%	Female factors only	24%
		Used PGD	Uterine factor	0%	Female & male factors	59%
		With eSET	Male factor	0%		0%

### 2010 PREGNANCY SUCCESS RATES

Data verified by David S. McLaughlin, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	12	3	3	1	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	50.0	4 / 9	1 / 9	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies <sup>b</sup>	8 / 12	2 / 3	1 / 3	0 / 1	0 / 1
Percentage of cycles resulting in live births <sup>b,c</sup>	7 / 12	2 / 3	0 / 3	0 / 1	0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births <sup>b,c</sup>	7 / 12	2 / 3	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	7 / 10	2 / 3	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	5 / 10	1 / 3	0 / 3	0 / 1	0 / 1
Percentage of cancellations <sup>b</sup>	0 / 12	0 / 3	0 / 3	0 / 1	0 / 1
Average number of embryos transferred	2.0	3.0	3.0	3.0	1.0
Percentage of pregnancies with twins <sup>b</sup>	2 / 8	0 / 2	0 / 1		
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 8	1 / 2	0 / 1		
Percentage of live births having multiple infants <sup>b,c</sup>	2 / 7	1 / 2			
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	4	0	1	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 4		0 / 1	0 / 1	
Average number of embryos transferred	1.5		1.0	2.0	
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	0		1		
Percentage of transfers resulting in live births <sup>b,c</sup>			1 / 1		
Average number of embryos transferred			2.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Women's Specialty Health Centers, PC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## MID-IOWA FERTILITY, PC CLIVE, IOWA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	9%	Other factor	8%
GIFT	0%	With ICSI	83%	Ovulatory dysfunction	19%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	7%	Female factors only	1%
		Used PGD	4%	Uterine factor	2%	Female & male factors	<1%
		With eSET	4%	Male factor	29%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Donald C. Young, DO

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	217	55	30	12	5
Percentage of embryos transferred resulting in implantation <sup>b</sup>	50.7	39.5	30.6	3 / 19	0 / 4
Percentage of cycles resulting in pregnancies <sup>b</sup>	54.8	40.0	26.7	2 / 12	0 / 5
Percentage of cycles resulting in live births <sup>b,c</sup>	50.7	34.5	13.3	2 / 12	0 / 5
(Confidence Interval)	(43.8–57.5)	(22.2–48.6)	(3.8–30.7)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	56.1	43.2	19.0	2 / 10	0 / 3
Percentage of transfers resulting in live births <sup>b,c</sup>	62.9	47.5	4 / 19	2 / 9	0 / 2
Percentage of transfers resulting in singleton live births <sup>b</sup>	38.9	37.5	3 / 19	2 / 9	0 / 2
Percentage of cancellations <sup>b</sup>	9.7	20.0	30.0	2 / 12	2 / 5
Average number of embryos transferred	1.9	1.9	1.9	2.1	2.0
Percentage of pregnancies with twins <sup>b</sup>	43.7	36.4	2 / 8	1 / 2	
Percentage of pregnancies with triplets or more <sup>b</sup>	0.8	0.0	1 / 8	0 / 2	
Percentage of live births having multiple infants <sup>b,c</sup>	38.2	4 / 19	1 / 4	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	60	16	10	3	0
Percentage of transfers resulting in live births <sup>b,c</sup>	31.7	5 / 16	5 / 10	0 / 3	
Average number of embryos transferred	2.0	2.1	2.3	2.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	20		19		
Percentage of transfers resulting in live births <sup>b,c</sup>	55.0		9 / 19		
Average number of embryos transferred	2.1		2.1		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Mid-Iowa Fertility, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF IOWA HOSPITALS AND CLINICS  
CENTER FOR ADVANCED REPRODUCTIVE CARE  
IOWA CITY, IOWA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	6%	Other factor	7%
GIFT	0%	With ICSI	47%	Ovulatory dysfunction	7%	Unknown factor	11%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	<1%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	22%
		Used PGD	1%	Uterine factor	2%	Female & male factors	30%
		With eSET	38%	Male factor	10%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Bradley J. Van Voorhis, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	205	52	44	19	7
Percentage of embryos transferred resulting in implantation <sup>b</sup>	47.1	40.0	27.7	13.3	2 / 12
Percentage of cycles resulting in pregnancies <sup>b</sup>	52.2	50.0	40.9	6 / 19	3 / 7
Percentage of cycles resulting in live births <sup>b,c</sup>	47.3	44.2	36.4	5 / 19	1 / 7
(Confidence Interval)	(40.3–54.4)	(30.5–58.7)	(22.4–52.2)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	51.6	46.0	42.1	5 / 16	1 / 5
Percentage of transfers resulting in live births <sup>b,c</sup>	55.4	50.0	44.4	5 / 16	1 / 5
Percentage of transfers resulting in singleton live births <sup>b</sup>	46.9	43.5	38.9	4 / 16	1 / 5
Percentage of cancellations <sup>b</sup>	8.3	3.8	13.6	3 / 19	2 / 7
Average number of embryos transferred	1.5	1.6	2.3	2.8	2.4
Percentage of pregnancies with twins <sup>b</sup>	14.0	7.7	4 / 18	1 / 6	0 / 3
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	3.8	1 / 18	0 / 6	0 / 3
Percentage of live births having multiple infants <sup>b,c</sup>	15.5	13.0	2 / 16	1 / 5	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	90	22	15	5	3
Percentage of transfers resulting in live births <sup>b,c</sup>	52.2	27.3	6 / 15	0 / 5	1 / 3
Average number of embryos transferred	1.6	1.3	1.5	2.0	1.3
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	13		34		
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 13		44.1		
Average number of embryos transferred	1.1		1.8		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** University of Iowa Hospitals and Clinics, Center for Advanced Reproductive Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## MIDWEST REPRODUCTIVE CENTER, PA OLATHE, KANSAS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	10%	Other factor	6%
GIFT	0%	With ICSI	83%	Ovulatory dysfunction	12%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	6%	Female factors only	12%
		Used PGD	0%	Uterine factor	0%	Female & male factors	26%
		With eSET	0%	Male factor	19%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Dan L. Gehlbach, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	70	18	13	3	4
Percentage of embryos transferred resulting in implantation <sup>b</sup>	39.8	39.5	27.6	0 / 9	1 / 10
Percentage of cycles resulting in pregnancies <sup>b</sup>	48.6	11 / 18	4 / 13	0 / 3	1 / 4
Percentage of cycles resulting in live births <sup>b,c</sup>	45.7	7 / 18	4 / 13	0 / 3	1 / 4
(Confidence Interval)	(33.7–58.1)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	49.2	7 / 18	4 / 13	0 / 2	1 / 2
Percentage of transfers resulting in live births <sup>b,c</sup>	50.0	7 / 16	4 / 12	0 / 2	1 / 2
Percentage of transfers resulting in singleton live births <sup>b</sup>	25.0	3 / 16	2 / 12	0 / 2	1 / 2
Percentage of cancellations <sup>b</sup>	7.1	0 / 18	0 / 13	1 / 3	2 / 4
Average number of embryos transferred	2.1	2.7	2.4	4.5	5.0
Percentage of pregnancies with twins <sup>b</sup>	44.1	4 / 11	0 / 4		0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	5.9	1 / 11	2 / 4		0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	50.0	4 / 7	2 / 4		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	25	4	6	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	48.0	2 / 4	2 / 6		
Average number of embryos transferred	2.6	2.5	2.5		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	8		1		
Percentage of transfers resulting in live births <sup>b,c</sup>	7 / 8		1 / 1		
Average number of embryos transferred	2.0		2.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Midwest Reproductive Center, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CENTER FOR ADVANCED REPRODUCTIVE MEDICINE OVERLAND PARK, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>			Patient Diagnosis				
IVF	100%	<b>Procedural Factors:</b>	Tubal factor	15%	Other factor	4%	
GIFT	0%	With ICSI	82%	Ovulatory dysfunction	14%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	10%
		Used PGD	0%	Uterine factor	1%	Female & male factors	16%
		With eSET	2%	Male factor	28%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by S. Samuel Kim, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	30	10	15	5	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	23.9	5 / 15	8.8	1 / 12	
Percentage of cycles resulting in pregnancies <sup>b</sup>	30.0	4 / 10	2 / 15	1 / 5	
Percentage of cycles resulting in live births <sup>b,c</sup>	30.0	2 / 10	1 / 15	1 / 5	
(Confidence Interval)	(14.7–49.4)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	36.0	2 / 8	1 / 11	1 / 5	
Percentage of transfers resulting in live births <sup>b,c</sup>	42.9	2 / 7	1 / 11	1 / 5	
Percentage of transfers resulting in singleton live births <sup>b</sup>	33.3	2 / 7	1 / 11	1 / 5	
Percentage of cancellations <sup>b</sup>	16.7	2 / 10	4 / 15	0 / 5	
Average number of embryos transferred	2.2	2.1	3.1	2.4	
Percentage of pregnancies with twins <sup>b</sup>	2 / 9	1 / 4	1 / 2	0 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 9	0 / 4	0 / 2	0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	2 / 9	0 / 2	0 / 1	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	9	2	2	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 9	0 / 2	0 / 2	0 / 1	
Average number of embryos transferred	2.2	2.0	2.5	1.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	4		0		
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 4				
Average number of embryos transferred	2.5				

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Center for Advanced Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE RESOURCE CENTER OF GREATER KANSAS CITY OVERLAND PARK, KANSAS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	4%	Other factor	3%
GIFT	0%	With ICSI	83%	Ovulatory dysfunction	10%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	18%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	11%
		Used PGD	8%	Uterine factor	<1%	Female & male factors	37%
		With eSET	7%	Male factor	11%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Celeste Brabec, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	171	66	34	2	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	38.5	25.6	17.5	0 / 4	
Percentage of cycles resulting in pregnancies <sup>b</sup>	45.6	27.3	14.7	0 / 2	
Percentage of cycles resulting in live births <sup>b,c</sup>	40.4	21.2	11.8	0 / 2	
(Confidence Interval)	(32.9–48.1)	(12.1–33.0)	(3.3–27.5)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	45.1	26.4	16.0	0 / 2	
Percentage of transfers resulting in live births <sup>b,c</sup>	47.6	29.2	20.0	0 / 2	
Percentage of transfers resulting in singleton live births <sup>b</sup>	31.0	20.8	15.0	0 / 2	
Percentage of cancellations <sup>b</sup>	10.5	19.7	26.5	0 / 2	
Average number of embryos transferred	1.8	1.8	2.0	2.0	
Percentage of pregnancies with twins <sup>b</sup>	32.1	6 / 18	0 / 5		
Percentage of pregnancies with triplets or more <sup>b</sup>	2.6	0 / 18	1 / 5		
Percentage of live births having multiple infants <sup>b,c</sup>	34.8	4 / 14	1 / 4		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	42	23	2	0	2
Percentage of transfers resulting in live births <sup>b,c</sup>	47.6	39.1	1 / 2		0 / 2
Average number of embryos transferred	1.7	1.7	2.0		2.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	37		18		
Percentage of transfers resulting in live births <sup>b,c</sup>	56.8		9 / 18		
Average number of embryos transferred	1.9		1.7		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Resource Center of Greater Kansas City

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REPRODUCTIVE MEDICINE & INFERTILITY  
SHAWNEE MISSION MEDICAL CENTER  
SHAWNEE MISSION, KANSAS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	11%	Other factor	1%
GIFT	0%	With ICSI	42%	Ovulatory dysfunction	7%	Unknown factor	19%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	7%	Female factors only	7%
		Used PGD	0%	Uterine factor	1%	Female & male factors	7%
		With eSET	0%	Male factor	30%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Dan L. Stewart, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	58	35	12	5	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	31.9	5.9	0 / 15	2 / 7	
Percentage of cycles resulting in pregnancies <sup>b</sup>	37.9	5.7	0 / 12	1 / 5	
Percentage of cycles resulting in live births <sup>b,c</sup>	31.0	5.7	0 / 12	1 / 5	
(Confidence Interval)	(19.5–44.5)	(0.7–19.2)			
Percentage of retrievals resulting in live births <sup>b,c</sup>	34.6	9.5	0 / 6	1 / 2	
Percentage of transfers resulting in live births <sup>b,c</sup>	39.1	2 / 15	0 / 6	1 / 2	
Percentage of transfers resulting in singleton live births <sup>b</sup>	19.6	2 / 15	0 / 6	0 / 2	
Percentage of cancellations <sup>b</sup>	10.3	40.0	6 / 12	3 / 5	
Average number of embryos transferred	2.0	2.3	2.5	3.5	
Percentage of pregnancies with twins <sup>b</sup>	40.9	0 / 2		1 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	0 / 2		0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	9 / 18	0 / 2		1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	18	10	2	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	10 / 18	5 / 10	0 / 2	0 / 1	
Average number of embryos transferred	1.7	1.4	1.5	2.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	2		5		
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 2		3 / 5		
Average number of embryos transferred	2.0		1.8		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Reproductive Medicine & Infertility, Shawnee Mission Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## THE CENTER FOR REPRODUCTIVE MEDICINE WICHITA, KANSAS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	>99%	<b>Procedural Factors:</b>		Tubal factor	10%	Other factor	3%
GIFT	<1%	With ICSI	65%	Ovulatory dysfunction	8%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	9%	Female factors only	17%
		Used PGD	0%	Uterine factor	2%	Female & male factors	27%
		With eSET	17%	Male factor	17%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Bruce L. Tjaden, DO

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	62	22	24	6	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	30.1	45.2	36.4	1 / 15	0 / 4
Percentage of cycles resulting in pregnancies <sup>b</sup>	48.4	59.1	45.8	1 / 6	0 / 1
Percentage of cycles resulting in live births <sup>b,c</sup>	38.7	54.5	41.7	1 / 6	0 / 1
(Confidence Interval)	(26.6–51.9)	(32.2–75.6)	(22.1–63.4)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	40.0	57.1	50.0	1 / 6	0 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	40.0	12 / 19	10 / 19	1 / 6	0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	33.3	6 / 19	6 / 19	1 / 6	0 / 1
Percentage of cancellations <sup>b</sup>	3.2	4.5	16.7	0 / 6	0 / 1
Average number of embryos transferred	1.7	2.2	2.3	2.5	4.0
Percentage of pregnancies with twins <sup>b</sup>	13.3	7 / 13	3 / 11	0 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	0 / 13	1 / 11	0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	16.7	6 / 12	4 / 10	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	24	8	4	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	58.3	3 / 8	2 / 4	0 / 1	
Average number of embryos transferred	1.7	1.8	2.3	1.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	3		4		
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 3		0 / 4		
Average number of embryos transferred	1.7		1.5		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** The Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## BLUEGRASS FERTILITY CENTER LEXINGTON, KENTUCKY

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	14%	Other factor	<1%
GIFT	0%	With ICSI	78%	Ovulatory dysfunction	5%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	20%	Female factors only	12%
		Used PGD	<1%	Uterine factor	1%	Female & male factors	9%
		With eSET	3%	Male factor	25%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by James W. Akin, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	95	19	10	9	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	22.5	33.3	20.0	1 / 19	1 / 4
Percentage of cycles resulting in pregnancies <sup>b</sup>	43.2	10 / 19	4 / 10	2 / 9	1 / 1
Percentage of cycles resulting in live births <sup>b,c</sup>	37.9	8 / 19	4 / 10	1 / 9	1 / 1
(Confidence Interval)	(28.1–48.4)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	39.1	8 / 15	4 / 9	1 / 9	1 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	40.0	8 / 15	4 / 9	1 / 9	1 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	30.0	5 / 15	2 / 9	1 / 9	1 / 1
Percentage of cancellations <sup>b</sup>	3.2	4 / 19	1 / 10	0 / 9	0 / 1
Average number of embryos transferred	2.4	2.6	3.3	2.1	4.0
Percentage of pregnancies with twins <sup>b</sup>	19.5	3 / 10	2 / 4	0 / 2	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	2.4	0 / 10	0 / 4	0 / 2	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	25.0	3 / 8	2 / 4	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	21	2	4	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	19.0	0 / 2	0 / 4	0 / 2	
Average number of embryos transferred	2.0	1.0	1.5	1.5	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	5		3		
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 5		2 / 3		
Average number of embryos transferred	2.4		2.7		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Bluegrass Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY OF KENTUCKY LEXINGTON, KENTUCKY

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	8%	Other factor	25%
GIFT	0%	With ICSI	25%	Ovulatory dysfunction	0%	Unknown factor	42%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	25%	Female factors only	0%
		Used PGD	0%	Uterine factor	0%	Female & male factors	0%
		With eSET	0%	Male factor	0%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Kenneth N. Muse, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	6	0	0	2	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	1 / 7				
Percentage of cycles resulting in pregnancies <sup>b</sup>	1 / 6			0 / 2	
Percentage of cycles resulting in live births <sup>b,c</sup> (Confidence Interval)	0 / 6			0 / 2	
Percentage of retrievals resulting in live births <sup>b,c</sup>	0 / 4				
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 4				
Percentage of transfers resulting in singleton live births <sup>b</sup>	0 / 4				
Percentage of cancellations <sup>b</sup>	2 / 6			2 / 2	
Average number of embryos transferred	1.8				
Percentage of pregnancies with twins <sup>b</sup>	0 / 1				
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 1				
Percentage of live births having multiple infants <sup>b,c</sup>					
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	1	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 1				
Average number of embryos transferred	1.0				
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	1		2		
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 1		0 / 2		
Average number of embryos transferred	2.0		2.0		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** University of Kentucky

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FERTILITY AND ENDOCRINE ASSOCIATES  
LOUISVILLE REPRODUCTIVE CENTER  
LOUISVILLE, KENTUCKY**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	4%	Other factor	0%
GIFT	0%	With ICSI	88%	Ovulatory dysfunction	6%	Unknown factor	<1%
ZIFT	0%	Unstimulated	3%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	3%	Female factors only	22%
		Used PGD	0%	Uterine factor	2%	Female & male factors	47%
		With eSET	5%	Male factor	7%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Robert J. Homm, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	39	18	11	6	2
Percentage of embryos transferred resulting in implantation <sup>b</sup>	32.5	25.7	17.4	1 / 15	
Percentage of cycles resulting in pregnancies <sup>b</sup>	46.2	5 / 18	2 / 11	1 / 6	0 / 2
Percentage of cycles resulting in live births <sup>b,c</sup>	41.0	5 / 18	1 / 11	1 / 6	0 / 2
(Confidence Interval)	(25.6–57.9)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	43.2	5 / 18	1 / 9	1 / 6	
Percentage of transfers resulting in live births <sup>b,c</sup>	43.2	5 / 16	1 / 8	1 / 6	
Percentage of transfers resulting in singleton live births <sup>b</sup>	27.0	3 / 16	1 / 8	1 / 6	
Percentage of cancellations <sup>b</sup>	5.1	0 / 18	2 / 11	0 / 6	2 / 2
Average number of embryos transferred	2.1	2.2	2.9	2.5	
Percentage of pregnancies with twins <sup>b</sup>	8 / 18	1 / 5	2 / 2	0 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 18	1 / 5	0 / 2	0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	6 / 16	2 / 5	0 / 1	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	19	18	8	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	6 / 19	3 / 18	2 / 8	0 / 1	
Average number of embryos transferred	2.1	1.8	2.0	2.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	5		8		
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 5		6 / 8		
Average number of embryos transferred	2.0		2.0		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Fertility and Endocrine Associates, Louisville Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## UNIVERSITY OB/GYN ASSOCIATES FERTILITY CENTER LOUISVILLE, KENTUCKY

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	2%	Other factor	5%
GIFT	0%	With ICSI	50%	Ovulatory dysfunction	6%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	5%	Female factors only	17%
		Used PGD	3%	Uterine factor	2%	Female & male factors	34%
		With eSET	5%	Male factor	19%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Henry C. Bohler, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	89	25	17	7	3
Percentage of embryos transferred resulting in implantation <sup>b</sup>	39.9	22.2	27.9	3 / 19	0 / 5
Percentage of cycles resulting in pregnancies <sup>b</sup>	55.1	32.0	8 / 17	1 / 7	0 / 3
Percentage of cycles resulting in live births <sup>b,c</sup>	51.7	28.0	7 / 17	1 / 7	0 / 3
(Confidence Interval)	(40.8–62.4)	(12.1–49.4)			
Percentage of retrievals resulting in live births <sup>b,c</sup>	56.1	7 / 19	7 / 14	1 / 7	0 / 2
Percentage of transfers resulting in live births <sup>b,c</sup>	59.7	7 / 18	7 / 14	1 / 6	0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	36.4	5 / 18	4 / 14	0 / 6	0 / 1
Percentage of cancellations <sup>b</sup>	7.9	24.0	3 / 17	0 / 7	1 / 3
Average number of embryos transferred	2.2	2.5	3.1	3.2	5.0
Percentage of pregnancies with twins <sup>b</sup>	36.7	1 / 8	4 / 8	0 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	2.0	1 / 8	0 / 8	1 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	39.1	2 / 7	3 / 7	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	32	17	2	4	0
Percentage of transfers resulting in live births <sup>b,c</sup>	40.6	5 / 17	1 / 2	0 / 4	
Average number of embryos transferred	2.2	2.1	1.5	2.3	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	16		6		
Percentage of transfers resulting in live births <sup>b,c</sup>	8 / 16		3 / 6		
Average number of embryos transferred	2.0		1.7		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** University Women's HealthCare Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## A WOMAN'S CENTER FOR REPRODUCTIVE MEDICINE BATON ROUGE, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	4%	Other factor	0%
GIFT	0%	With ICSI	79%	Ovulatory dysfunction	3%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	12%	Female factors only	12%
		Used PGD	4%	Uterine factor	2%	Female & male factors	29%
		With eSET	0%	Male factor	25%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Bobby W. Webster, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	44	17	16	5	3
Percentage of embryos transferred resulting in implantation <sup>b</sup>	36.5	26.7	19.4	0 / 6	
Percentage of cycles resulting in pregnancies <sup>b</sup>	40.9	7 / 17	4 / 16	0 / 5	0 / 3
Percentage of cycles resulting in live births <sup>b,c</sup>	40.9	6 / 17	3 / 16	0 / 5	0 / 3
(Confidence Interval)	(26.3–56.8)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	46.2	6 / 15	3 / 13	0 / 2	
Percentage of transfers resulting in live births <sup>b,c</sup>	48.6	6 / 15	3 / 13	0 / 2	
Percentage of transfers resulting in singleton live births <sup>b</sup>	29.7	6 / 15	1 / 13	0 / 2	
Percentage of cancellations <sup>b</sup>	11.4	2 / 17	3 / 16	3 / 5	3 / 3
Average number of embryos transferred	2.0	2.0	2.4	3.0	
Percentage of pregnancies with twins <sup>b</sup>	7 / 18	1 / 7	2 / 4		
Percentage of pregnancies with triplets or more <sup>b</sup>	1 / 18	0 / 7	0 / 4		
Percentage of live births having multiple infants <sup>b,c</sup>	7 / 18	0 / 6	2 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	11	1	0	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 11	1 / 1		0 / 1	
Average number of embryos transferred	1.7	2.0		4.0	
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	2		1		
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 2		0 / 1		
Average number of embryos transferred	2.0		2.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** A Woman's Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## FERTILITY AND WOMEN'S HEALTH CENTER OF LOUISIANA LAFAYETTE, LOUISIANA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	26%	Other factor	0%
GIFT	0%	With ICSI	73%	Ovulatory dysfunction	7%	Unknown factor	19%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	8%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	8%
		With eSET	1%	Male factor	25%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by John Storment, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	65	23	14	6	4
Percentage of embryos transferred resulting in implantation <sup>b</sup>	35.4	21.6	12.5	0 / 16	1 / 9
Percentage of cycles resulting in pregnancies <sup>b</sup>	50.8	30.4	3 / 14	0 / 6	1 / 4
Percentage of cycles resulting in live births <sup>b,c</sup>	43.1	26.1	1 / 14	0 / 6	1 / 4
(Confidence Interval)	(30.8–56.0)	(10.2–48.4)			
Percentage of retrievals resulting in live births <sup>b,c</sup>	45.9	6 / 16	1 / 13	0 / 6	1 / 4
Percentage of transfers resulting in live births <sup>b,c</sup>	45.9	6 / 15	1 / 11	0 / 6	1 / 4
Percentage of transfers resulting in singleton live births <sup>b</sup>	27.9	5 / 15	1 / 11	0 / 6	1 / 4
Percentage of cancellations <sup>b</sup>	6.2	30.4	1 / 14	0 / 6	0 / 4
Average number of embryos transferred	2.1	2.5	2.9	2.7	2.3
Percentage of pregnancies with twins <sup>b</sup>	45.5	1 / 7	1 / 3		0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	0 / 7	0 / 3		0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	39.3	1 / 6	0 / 1		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	12	4	0	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	5 / 12	2 / 4		1 / 1	
Average number of embryos transferred	2.6	2.0		4.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	3		1		
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 3		0 / 1		
Average number of embryos transferred	2.0		2.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Fertility and Women's Health Center of Louisiana

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE FERTILITY INSTITUTE OF NEW ORLEANS METAIRIE, LOUISIANA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	16%	Other factor	14%
GIFT	0%	With ICSI	54%	Ovulatory dysfunction	22%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	9%	Female factors only	3%
		Used PGD	5%	Uterine factor	0%	Female & male factors	9%
		With eSET	<1%	Male factor	19%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Richard P. Dickey, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	166	50	62	26	14
Percentage of embryos transferred resulting in implantation <sup>b</sup>	46.9	35.1	22.2	10.0	0 / 17
Percentage of cycles resulting in pregnancies <sup>b</sup>	56.0	40.0	30.6	19.2	0 / 14
Percentage of cycles resulting in live births <sup>b,c</sup>	48.2	34.0	24.2	15.4	0 / 14
(Confidence Interval)	(40.4–56.1)	(21.2–48.8)	(14.2–36.7)	(4.4–34.9)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	54.4	39.5	31.3	18.2	0 / 11
Percentage of transfers resulting in live births <sup>b,c</sup>	55.9	42.5	33.3	4 / 18	0 / 8
Percentage of transfers resulting in singleton live births <sup>b</sup>	27.3	25.0	22.2	4 / 18	0 / 8
Percentage of cancellations <sup>b</sup>	11.4	14.0	22.6	15.4	3 / 14
Average number of embryos transferred	2.1	2.4	2.6	2.2	2.1
Percentage of pregnancies with twins <sup>b</sup>	46.2	45.0	4 / 19	0 / 5	
Percentage of pregnancies with triplets or more <sup>b</sup>	4.3	10.0	2 / 19	0 / 5	
Percentage of live births having multiple infants <sup>b,c</sup>	51.3	7 / 17	5 / 15	0 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	39	14	14	4	3
Percentage of transfers resulting in live births <sup>b,c</sup>	48.7	5 / 14	3 / 14	0 / 4	1 / 3
Average number of embryos transferred	2.4	2.2	1.9	1.8	1.7
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	14		14		
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 14		3 / 14		
Average number of embryos transferred	2.4		1.8		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** The Fertility Institute of New Orleans

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CENTER FOR FERTILITY AND REPRODUCTIVE HEALTH SHREVEPORT, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	20%	Other factor	<1%
GIFT	0%	With ICSI	72%	Ovulatory dysfunction	10%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	9%	Female factors only	13%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	14%
		With eSET	4%	Male factor	18%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by David T. Vandermolen, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	66	17	8	6	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	35.8	22.5	2 / 16	17.4	
Percentage of cycles resulting in pregnancies <sup>b</sup>	50.0	6 / 17	2 / 8	3 / 6	
Percentage of cycles resulting in live births <sup>b,c</sup>	48.5	6 / 17	1 / 8	3 / 6	
(Confidence Interval)	(36.0–61.1)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	56.1	6 / 15	1 / 7	3 / 6	
Percentage of transfers resulting in live births <sup>b,c</sup>	57.1	6 / 15	1 / 7	3 / 6	
Percentage of transfers resulting in singleton live births <sup>b</sup>	33.9	4 / 15	1 / 7	2 / 6	
Percentage of cancellations <sup>b</sup>	13.6	2 / 17	1 / 8	0 / 6	
Average number of embryos transferred	2.4	2.7	2.3	3.8	
Percentage of pregnancies with twins <sup>b</sup>	33.3	1 / 6	0 / 2	1 / 3	
Percentage of pregnancies with triplets or more <sup>b</sup>	6.1	1 / 6	0 / 2	0 / 3	
Percentage of live births having multiple infants <sup>b,c</sup>	40.6	2 / 6	0 / 1	1 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	10	5	4	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	5 / 10	1 / 5	1 / 4		
Average number of embryos transferred	2.0	2.2	2.5		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	3		1		
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 3		0 / 1		
Average number of embryos transferred	2.0		1.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Center for Fertility and Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CENTER FOR ART AT UNION MEMORIAL HOSPITAL BALTIMORE, MARYLAND

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	10%	Other factor	1%
GIFT	0%	With ICSI	76%	Ovulatory dysfunction	9%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	28%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	15%
		Used PGD	0%	Uterine factor	0%	Female & male factors	22%
		With eSET	0%	Male factor	9%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Nathan G. Berger, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	28	9	9	11	3
Percentage of embryos transferred resulting in implantation <sup>b</sup>	18.2	33.3	0 / 17	0 / 11	0 / 9
Percentage of cycles resulting in pregnancies <sup>b</sup>	21.4	4 / 9	0 / 9	0 / 11	0 / 3
Percentage of cycles resulting in live births <sup>b,c</sup>	17.9	3 / 9	0 / 9	0 / 11	0 / 3
(Confidence Interval)	(6.1–36.9)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	19.2	3 / 9	0 / 9	0 / 6	0 / 3
Percentage of transfers resulting in live births <sup>b,c</sup>	20.0	3 / 9	0 / 6	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births <sup>b</sup>	8.0	1 / 9	0 / 6	0 / 4	0 / 3
Percentage of cancellations <sup>b</sup>	7.1	0 / 9	0 / 9	5 / 11	0 / 3
Average number of embryos transferred	2.2	2.3	2.8	2.8	3.0
Percentage of pregnancies with twins <sup>b</sup>	4 / 6	3 / 4			
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 6	0 / 4			
Percentage of live births having multiple infants <sup>b,c</sup>	3 / 5	2 / 3			
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	3	4	3	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 3	1 / 4	0 / 3		0 / 1
Average number of embryos transferred	1.3	2.0	1.7		2.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	5		4		
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 5		0 / 4		
Average number of embryos transferred	2.4		2.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Center for ART at Union Memorial Hospital

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## SHADY GROVE FERTILITY RSC AT GBMC BALTIMORE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	14%	Other factor	4%
GIFT	0%	With ICSI	51%	Ovulatory dysfunction	9%	Unknown factor	19%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	5%	Female factors only	8%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	11%
		With eSET	12%	Male factor	27%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Eugene Katz, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	233	106	106	40	11
Percentage of embryos transferred resulting in implantation <sup>b</sup>	44.1	34.8	21.8	11.2	0.0
Percentage of cycles resulting in pregnancies <sup>b</sup>	57.9	42.5	34.0	25.0	1 / 11
Percentage of cycles resulting in live births <sup>b,c</sup>	51.5	40.6	27.4	12.5	0 / 11
(Confidence Interval)	(44.9–58.1)	(31.1–50.5)	(19.1–36.9)	(4.2–26.8)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	53.3	47.3	31.5	14.3	0 / 11
Percentage of transfers resulting in live births <sup>b,c</sup>	54.8	47.8	32.6	15.6	0 / 10
Percentage of transfers resulting in singleton live births <sup>b</sup>	40.6	31.1	18.0	15.6	0 / 10
Percentage of cancellations <sup>b</sup>	3.4	14.2	13.2	12.5	0 / 11
Average number of embryos transferred	1.8	2.0	2.6	3.6	2.8
Percentage of pregnancies with twins <sup>b</sup>	26.7	37.8	33.3	3 / 10	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	2.2	2.2	8.3	0 / 10	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	25.8	34.9	44.8	0 / 5	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	42	22	13	8	3
Percentage of transfers resulting in live births <sup>b,c</sup>	31.0	36.4	4 / 13	1 / 8	0 / 3
Average number of embryos transferred	1.9	2.0	2.1	2.9	4.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	0		2		
Percentage of transfers resulting in live births <sup>b,c</sup>			1 / 2		
Average number of embryos transferred			2.5		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Shady Grove Fertility RSC at GBMC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ENDRIKA HINTON, MD LUTHERVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>			Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>	Tubal factor	3%	Other factor	0%
GIFT	0%	With ICSI	Ovulatory dysfunction	7%	Unknown factor	7%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	13%	Female factors only	33%
		Used PGD	Uterine factor	3%	Female & male factors	33%
		With eSET	Male factor	0%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Endrika L. Hinton, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	13	9	3	2	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	20.8	7 / 16	3 / 8	0 / 3	
Percentage of cycles resulting in pregnancies <sup>b</sup>	4 / 13	5 / 9	2 / 3	0 / 2	0 / 1
Percentage of cycles resulting in live births <sup>b,c</sup> (Confidence Interval)	2 / 13	5 / 9	2 / 3	0 / 2	0 / 1
Percentage of retrievals resulting in live births <sup>b,c</sup>	2 / 13	5 / 8	2 / 3	0 / 2	
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 11	5 / 7	2 / 3	0 / 1	
Percentage of transfers resulting in singleton live births <sup>b</sup>	1 / 11	3 / 7	1 / 3	0 / 1	
Percentage of cancellations <sup>b</sup>	0 / 13	1 / 9	0 / 3	0 / 2	1 / 1
Average number of embryos transferred	2.2	2.3	2.7	3.0	
Percentage of pregnancies with twins <sup>b</sup>	2 / 4	2 / 5	1 / 2		
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 4	0 / 5	0 / 2		
Percentage of live births having multiple infants <sup>b,c</sup>	1 / 2	2 / 5	1 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	1	1	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 1	0 / 1			
Average number of embryos transferred	2.0	3.0			
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	0		0		
Percentage of transfers resulting in live births <sup>b,c</sup>					
Average number of embryos transferred					

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Endrika Hinton, MD

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	No	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## JOHNS HOPKINS FERTILITY CENTER LUTHERVILLE, MARYLAND

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	9%	Other factor	8%
GIFT	0%	With ICSI	38%	Ovulatory dysfunction	6%	Unknown factor	5%
ZIFT	0%	Unstimulated	1%	Diminished ovarian reserve	28%	<b>Multiple Factors:</b>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	7%	Female factors only	17%
		Used PGD	0%	Uterine factor	2%	Female & male factors	10%
		With eSET	3%	Male factor	9%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Jairo E. Garcia, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	46	41	59	38	20
Percentage of embryos transferred resulting in implantation <sup>b</sup>	33.3	31.6	14.3	1.9	3.7
Percentage of cycles resulting in pregnancies <sup>b</sup>	43.5	31.7	20.3	10.5	5.0
Percentage of cycles resulting in live births <sup>b,c</sup>	32.6	24.4	10.2	2.6	5.0
(Confidence Interval)	(19.5–48.0)	(12.4–40.3)	(3.8–20.8)	(0.1–13.8)	(0.1–24.9)
Percentage of retrievals resulting in live births <sup>b,c</sup>	39.5	30.3	11.8	3.6	1 / 17
Percentage of transfers resulting in live births <sup>b,c</sup>	40.5	38.5	15.8	4.8	1 / 10
Percentage of transfers resulting in singleton live births <sup>b</sup>	24.3	30.8	13.2	4.8	1 / 10
Percentage of cancellations <sup>b</sup>	17.4	19.5	13.6	26.3	15.0
Average number of embryos transferred	2.1	2.2	2.4	2.5	2.7
Percentage of pregnancies with twins <sup>b</sup>	25.0	3 / 13	2 / 12	0 / 4	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	5.0	1 / 13	0 / 12	0 / 4	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	6 / 15	2 / 10	1 / 6	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	9	7	9	0	3
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 9	3 / 7	2 / 9		2 / 3
Average number of embryos transferred	1.8	2.6	2.1		2.7
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	5		9		
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 5		4 / 9		
Average number of embryos transferred	1.8		2.2		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Johns Hopkins Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## SHADY GROVE FERTILITY REPRODUCTIVE SCIENCE CENTER ROCKVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	6%	Other factor	8%
GIFT	0%	With ICSI	55%	Ovulatory dysfunction	8%	Unknown factor	22%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	18%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	3%	Female factors only	6%
		Used PGD	3%	Uterine factor	3%	Female & male factors	8%
		With eSET	19%	Male factor	18%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Michael J. Levy, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	1453	863	884	379	166
Percentage of embryos transferred resulting in implantation <sup>b</sup>	44.3	34.3	22.2	12.2	4.2
Percentage of cycles resulting in pregnancies <sup>b</sup>	54.0	43.5	35.4	23.5	12.0
Percentage of cycles resulting in live births <sup>b,c</sup>	47.1	36.2	25.1	16.1	5.4
(Confidence Interval)	(44.5–49.7)	(32.9–39.5)	(22.3–28.1)	(12.5–20.2)	(2.5–10.0)
Percentage of retrievals resulting in live births <sup>b,c</sup>	49.9	40.4	28.6	20.0	6.9
Percentage of transfers resulting in live births <sup>b,c</sup>	52.4	43.5	30.5	21.8	7.8
Percentage of transfers resulting in singleton live births <sup>b</sup>	39.6	33.8	22.1	17.1	6.9
Percentage of cancellations <sup>b</sup>	5.6	10.4	12.3	19.5	21.1
Average number of embryos transferred	1.6	1.8	2.3	3.0	3.3
Percentage of pregnancies with twins <sup>b</sup>	22.7	22.7	25.6	22.5	5.0
Percentage of pregnancies with triplets or more <sup>b</sup>	1.7	1.6	2.2	2.2	0.0
Percentage of live births having multiple infants <sup>b,c</sup>	24.4	22.1	27.5	21.3	1 / 9
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	320	192	149	50	11
Percentage of transfers resulting in live births <sup>b,c</sup>	40.6	44.3	25.5	16.0	3 / 11
Average number of embryos transferred	1.6	1.6	1.7	1.8	1.7
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	651		260		
Percentage of transfers resulting in live births <sup>b,c</sup>	54.2		37.7		
Average number of embryos transferred	1.6		1.6		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Shady Grove Fertility Reproductive Science Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## FERTILITY CENTER OF MARYLAND TOWSON, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	4%	Other factor	7%
GIFT	0%	With ICSI	29%	Ovulatory dysfunction	11%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	23%
		Used PGD	0%	Uterine factor	3%	Female & male factors	22%
		With eSET	3%	Male factor	14%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Santiago L. Padilla, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	96	46	42	26	8
Percentage of embryos transferred resulting in implantation <sup>b</sup>	35.8	26.4	9.2	13.5	2 / 14
Percentage of cycles resulting in pregnancies <sup>b</sup>	46.9	30.4	11.9	23.1	1 / 8
Percentage of cycles resulting in live births <sup>b,c</sup>	39.6	23.9	9.5	15.4	1 / 8
(Confidence Interval)	(29.7–50.1)	(12.6–38.8)	(2.7–22.6)	(4.4–34.9)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	41.8	28.9	13.8	4 / 17	1 / 4
Percentage of transfers resulting in live births <sup>b,c</sup>	42.2	30.6	16.0	4 / 15	1 / 4
Percentage of transfers resulting in singleton live births <sup>b</sup>	25.6	25.0	16.0	3 / 15	0 / 4
Percentage of cancellations <sup>b</sup>	5.2	17.4	31.0	34.6	4 / 8
Average number of embryos transferred	2.0	2.0	2.6	3.5	3.5
Percentage of pregnancies with twins <sup>b</sup>	42.2	5 / 14	1 / 5	0 / 6	1 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	0 / 14	0 / 5	1 / 6	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	39.5	2 / 11	0 / 4	1 / 4	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	32	12	8	4	1
Percentage of transfers resulting in live births <sup>b,c</sup>	34.4	1 / 12	1 / 8	1 / 4	0 / 1
Average number of embryos transferred	1.9	1.8	2.0	2.3	2.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	11		10		
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 11		3 / 10		
Average number of embryos transferred	2.1		2.1		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Fertility Center of Maryland

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## BRIGHAM AND WOMEN'S HOSPITAL CENTER FOR ASSISTED REPRODUCTIVE TECHNOLOGY BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>			Patient Diagnosis				
IVF	>99%	<b>Procedural Factors:</b>	Tubal factor	5%	Other factor	11%	
GIFT	<1%	With ICSI	36%	Ovulatory dysfunction	5%	Unknown factor	29%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	5%	Female factors only	5%
		Used PGD	4%	Uterine factor	2%	Female & male factors	10%
		With eSET	7%	Male factor	17%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Elizabeth S. Ginsburg, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	439	329	380	180	40
Percentage of embryos transferred resulting in implantation <sup>b</sup>	34.0	28.4	16.6	11.3	5.6
Percentage of cycles resulting in pregnancies <sup>b</sup>	44.4	41.9	31.3	31.1	15.0
Percentage of cycles resulting in live births <sup>b,c</sup>	38.3	35.3	23.9	18.3	5.0
(Confidence Interval)	(33.7–43.0)	(30.1–40.7)	(19.7–28.6)	(13.0–24.8)	(0.6–16.9)
Percentage of retrievals resulting in live births <sup>b,c</sup>	39.3	37.1	25.6	19.4	6.1
Percentage of transfers resulting in live births <sup>b,c</sup>	41.9	38.9	26.4	20.5	6.5
Percentage of transfers resulting in singleton live births <sup>b</sup>	29.7	28.5	19.7	13.7	3.2
Percentage of cancellations <sup>b</sup>	2.5	4.9	6.3	5.6	17.5
Average number of embryos transferred	1.8	2.2	2.7	4.4	4.6
Percentage of pregnancies with twins <sup>b</sup>	25.6	29.0	27.7	26.8	2 / 6
Percentage of pregnancies with triplets or more <sup>b</sup>	2.1	4.3	1.7	7.1	0 / 6
Percentage of live births having multiple infants <sup>b,c</sup>	29.2	26.7	25.3	33.3	1 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	104	69	51	20	4
Percentage of transfers resulting in live births <sup>b,c</sup>	37.5	31.9	31.4	20.0	0 / 4
Average number of embryos transferred	1.8	2.1	2.5	3.4	3.0
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	58		59		
Percentage of transfers resulting in live births <sup>b,c</sup>	60.3		37.3		
Average number of embryos transferred	2.0		2.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Brigham and Women's Hospital Center for Assisted Reproductive Technology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MASSACHUSETTS GENERAL HOSPITAL FERTILITY CENTER BOSTON, MASSACHUSETTS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	6%	Other factor	3%
GIFT	0%	With ICSI	44%	Ovulatory dysfunction	6%	Unknown factor	25%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	6%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	18%
		With eSET	4%	Male factor	22%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Thomas L. Toth, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	273	196	153	62	18
Percentage of embryos transferred resulting in implantation <sup>b</sup>	41.7	30.3	17.5	11.7	4.3
Percentage of cycles resulting in pregnancies <sup>b</sup>	53.1	39.3	36.6	40.3	3 / 18
Percentage of cycles resulting in live births <sup>b,c</sup>	43.6	30.1	28.8	24.2	2 / 18
(Confidence Interval)	(37.6–49.7)	(23.8–37.0)	(21.7–36.6)	(14.2–36.7)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	46.3	32.2	30.3	26.8	2 / 18
Percentage of transfers resulting in live births <sup>b,c</sup>	49.2	35.8	31.9	27.8	2 / 18
Percentage of transfers resulting in singleton live births <sup>b</sup>	33.5	24.2	26.1	22.2	2 / 18
Percentage of cancellations <sup>b</sup>	5.9	6.6	5.2	9.7	0 / 18
Average number of embryos transferred	1.9	2.0	2.6	3.8	3.9
Percentage of pregnancies with twins <sup>b</sup>	35.2	28.6	19.6	12.0	0 / 3
Percentage of pregnancies with triplets or more <sup>b</sup>	2.1	5.2	0.0	4.0	0 / 3
Percentage of live births having multiple infants <sup>b,c</sup>	31.9	32.2	18.2	3 / 15	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	26	23	13	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	50.0	52.2	7 / 13	0 / 1	0 / 1
Average number of embryos transferred	1.7	1.7	1.8	3.0	2.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	26		4		
Percentage of transfers resulting in live births <sup>b,c</sup>	61.5		2 / 4		
Average number of embryos transferred	1.8		1.5		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Massachusetts General Hospital Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REI DIVISION AT TUFTS MEDICAL CENTER BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	19%	Other factor	2%
GIFT	0%	With ICSI	35%	Ovulatory dysfunction	7%	Unknown factor	36%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	3%
		Used PGD	0%	Uterine factor	0%	Female & male factors	5%
		With eSET	3%	Male factor	24%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Sandra A. Carson, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	34	33	29	10	6
Percentage of embryos transferred resulting in implantation <sup>b</sup>	28.2	20.8	11.6	4.9	3 / 16
Percentage of cycles resulting in pregnancies <sup>b</sup>	41.2	30.3	20.7	1 / 10	2 / 6
Percentage of cycles resulting in live births <sup>b,c</sup>	41.2	24.2	13.8	1 / 10	1 / 6
(Confidence Interval)	(24.6–59.3)	(11.1–42.3)	(3.9–31.7)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	42.4	26.7	13.8	1 / 9	1 / 5
Percentage of transfers resulting in live births <sup>b,c</sup>	42.4	27.6	16.0	1 / 9	1 / 5
Percentage of transfers resulting in singleton live births <sup>b</sup>	27.3	17.2	12.0	0 / 9	0 / 5
Percentage of cancellations <sup>b</sup>	2.9	9.1	0.0	1 / 10	1 / 6
Average number of embryos transferred	2.2	2.5	2.8	4.6	3.2
Percentage of pregnancies with twins <sup>b</sup>	6 / 14	5 / 10	2 / 6	1 / 1	1 / 2
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 14	0 / 10	0 / 6	0 / 1	0 / 2
Percentage of live births having multiple infants <sup>b,c</sup>	5 / 14	3 / 8	1 / 4	1 / 1	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	3	2	6	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 3	0 / 2	0 / 6		
Average number of embryos transferred	1.7	2.0	1.7		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	0		0		
Percentage of transfers resulting in live births <sup>b,c</sup>					
Average number of embryos transferred					

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** REI Division at Tufts Medical Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE SCIENCE CENTER LEXINGTON, MASSACHUSETTS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	8%	Other factor	4%
GIFT	0%	With ICSI	40%	Ovulatory dysfunction	7%	Unknown factor	21%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	7%
		Used PGD	<1%	Uterine factor	1%	Female & male factors	17%
		With eSET	17%	Male factor	23%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Samuel C. Pang, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	945	508	546	242	38
Percentage of embryos transferred resulting in implantation <sup>b</sup>	39.9	26.6	16.7	8.5	5.3
Percentage of cycles resulting in pregnancies <sup>b</sup>	45.8	34.8	27.5	18.6	13.2
Percentage of cycles resulting in live births <sup>b,c</sup>	40.7	29.9	19.0	10.7	5.3
(Confidence Interval)	(37.6–44.0)	(26.0–34.1)	(15.8–22.6)	(7.1–15.3)	(0.6–17.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	42.5	31.5	21.6	12.0	6.5
Percentage of transfers resulting in live births <sup>b,c</sup>	47.4	35.3	24.1	14.1	6.7
Percentage of transfers resulting in singleton live births <sup>b</sup>	37.4	28.1	20.6	10.8	6.7
Percentage of cancellations <sup>b</sup>	4.1	5.1	11.9	10.3	18.4
Average number of embryos transferred	1.6	1.8	2.3	3.0	3.1
Percentage of pregnancies with twins <sup>b</sup>	19.6	22.6	17.3	15.6	1 / 5
Percentage of pregnancies with triplets or more <sup>b</sup>	0.9	0.6	0.7	2.2	0 / 5
Percentage of live births having multiple infants <sup>b,c</sup>	21.0	20.4	14.4	23.1	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	150	85	72	18	5
Percentage of transfers resulting in live births <sup>b,c</sup>	28.0	22.4	18.1	3 / 18	2 / 5
Average number of embryos transferred	1.4	1.4	1.6	2.4	2.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	81		39		
Percentage of transfers resulting in live births <sup>b,c</sup>	56.8		30.8		
Average number of embryos transferred	1.5		1.3		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Science Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FERTILITY CENTERS OF NEW ENGLAND, INC.**  
**NEW ENGLAND CLINICS OF REPRODUCTIVE MEDICINE, INC.**  
**READING, MASSACHUSETTS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>			Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>	Tubal factor	7%	Other factor	13%
GIFT	0%	With ICSI	Ovulatory dysfunction	6%	Unknown factor	13%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	4%	Female factors only	15%
		Used PGD	Uterine factor	2%	Female & male factors	19%
		With eSET	Male factor	15%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by R. Ian Hardy, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	331	151	171	71	13
Percentage of embryos transferred resulting in implantation <sup>b</sup>	36.8	29.9	18.1	10.4	0 / 11
Percentage of cycles resulting in pregnancies <sup>b</sup>	48.3	32.5	25.1	22.5	1 / 13
Percentage of cycles resulting in live births <sup>b,c</sup>	40.2	25.8	15.8	11.3	0 / 13
(Confidence Interval)	(34.9–45.7)	(19.1–33.6)	(10.7–22.1)	(5.0–21.0)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	41.7	29.3	17.6	12.3	0 / 9
Percentage of transfers resulting in live births <sup>b,c</sup>	46.2	33.6	20.1	13.8	0 / 5
Percentage of transfers resulting in singleton live births <sup>b</sup>	34.0	25.9	16.4	13.8	0 / 5
Percentage of cancellations <sup>b</sup>	3.6	11.9	10.5	8.5	4 / 13
Average number of embryos transferred	1.7	1.8	1.8	2.2	2.2
Percentage of pregnancies with twins <sup>b</sup>	23.1	28.6	18.6	0 / 16	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	0.6	0.0	0.0	0 / 16	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	26.3	23.1	18.5	0 / 8	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	78	22	26	13	3
Percentage of transfers resulting in live births <sup>b,c</sup>	29.5	27.3	15.4	3 / 13	0 / 3
Average number of embryos transferred	1.7	1.7	1.8	1.6	1.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	29		18		
Percentage of transfers resulting in live births <sup>b,c</sup>	72.4		3 / 18		
Average number of embryos transferred	1.9		1.7		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Fertility Centers of New England, Inc., New England Clinics of Reproductive Medicine, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## BAYSTATE REPRODUCTIVE MEDICINE SPRINGFIELD, MASSACHUSETTS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	8%	Other factor	2%
GIFT	0%	With ICSI	47%	Ovulatory dysfunction	12%	Unknown factor	22%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	7%	Female factors only	7%
		Used PGD	0%	Uterine factor	1%	Female & male factors	12%
		With eSET	26%	Male factor	25%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Kelly Lynch, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	178	85	59	43	8
Percentage of embryos transferred resulting in implantation <sup>b</sup>	49.1	36.7	19.3	9.8	0 / 18
Percentage of cycles resulting in pregnancies <sup>b</sup>	52.2	45.9	39.0	30.2	0 / 8
Percentage of cycles resulting in live births <sup>b,c</sup>	44.4	40.0	27.1	16.3	0 / 8
(Confidence Interval)	(37.0–52.0)	(29.5–51.2)	(16.4–40.3)	(6.8–30.7)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	48.2	44.7	28.1	17.1	0 / 6
Percentage of transfers resulting in live births <sup>b,c</sup>	51.0	44.7	30.8	19.4	0 / 5
Percentage of transfers resulting in singleton live births <sup>b</sup>	38.7	35.5	26.9	16.7	0 / 5
Percentage of cancellations <sup>b</sup>	7.9	10.6	3.4	4.7	2 / 8
Average number of embryos transferred	1.5	1.8	2.7	3.7	3.6
Percentage of pregnancies with twins <sup>b</sup>	24.7	25.6	17.4	2 / 13	
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	2.6	4.3	1 / 13	
Percentage of live births having multiple infants <sup>b,c</sup>	24.1	20.6	2 / 16	1 / 7	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	49	25	10	6	2
Percentage of transfers resulting in live births <sup>b,c</sup>	40.8	32.0	2 / 10	1 / 6	1 / 2
Average number of embryos transferred	1.6	1.5	1.7	2.2	2.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	21		18		
Percentage of transfers resulting in live births <sup>b,c</sup>	42.9		4 / 18		
Average number of embryos transferred	1.9		1.6		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Baystate Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CARDONE REPRODUCTIVE MEDICINE AND INFERTILITY STONEHAM, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	6%	Other factor	9%
GIFT	0%	With ICSI	46%	Ovulatory dysfunction	5%	Unknown factor	6%
ZIFT	0%	Unstimulated	1%	Diminished ovarian reserve	32%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	6%	Endometriosis	1%	Female factors only	10%
		Used PGD	<1%	Uterine factor	4%	Female & male factors	12%
		With eSET	4%	Male factor	15%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Vito R. Cardone, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	47	33	25	20	21
Percentage of embryos transferred resulting in implantation <sup>b</sup>	28.0	9.6	17.9	11.5	15.4
Percentage of cycles resulting in pregnancies <sup>b</sup>	34.0	12.1	28.0	25.0	23.8
Percentage of cycles resulting in live births <sup>b,c</sup>	29.8	12.1	24.0	20.0	4.8
(Confidence Interval)	(17.3–44.9)	(3.4–28.2)	(9.4–45.1)	(5.7–43.7)	(0.1–23.8)
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.4	13.3	27.3	20.0	5.0
Percentage of transfers resulting in live births <sup>b,c</sup>	35.9	15.4	6 / 17	4 / 17	1 / 12
Percentage of transfers resulting in singleton live births <sup>b</sup>	25.6	11.5	5 / 17	3 / 17	1 / 12
Percentage of cancellations <sup>b</sup>	2.1	9.1	12.0	0.0	4.8
Average number of embryos transferred	1.9	2.0	2.3	3.1	2.2
Percentage of pregnancies with twins <sup>b</sup>	5 / 16	1 / 4	1 / 7	1 / 5	1 / 5
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 16	0 / 4	0 / 7	0 / 5	0 / 5
Percentage of live births having multiple infants <sup>b,c</sup>	4 / 14	1 / 4	1 / 6	1 / 4	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	20	7	2	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	40.0	4 / 7	2 / 2		0 / 1
Average number of embryos transferred	2.1	2.6	3.0		2.0
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	24		16		
Percentage of transfers resulting in live births <sup>b,c</sup>	41.7		6 / 16		
Average number of embryos transferred	2.2		2.6		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Cardone Reproductive Medicine and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## BOSTON IVF WALTHAM, MASSACHUSETTS

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis					
IVF	>99%	<b>Procedural Factors:</b>	Tubal factor	6%	Other factor	6%	
GIFT	<1%	With ICSI	38%	Ovulatory dysfunction	8%	Unknown factor	36%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	3%
		Used PGD	4%	Uterine factor	2%	Female & male factors	7%
		With eSET	7%	Male factor	18%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Michael M. Alper, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	908	536	572	311	126
Percentage of embryos transferred resulting in implantation <sup>b</sup>	27.8	19.8	13.7	8.2	3.4
Percentage of cycles resulting in pregnancies <sup>b</sup>	37.3	28.0	22.4	20.9	10.3
Percentage of cycles resulting in live births <sup>b,c</sup>	32.3	22.9	16.6	14.8	5.6
(Confidence Interval)	(29.2–35.4)	(19.5–26.7)	(13.7–19.9)	(11.0–19.2)	(2.3–11.1)
Percentage of retrievals resulting in live births <sup>b,c</sup>	33.2	24.9	18.1	16.4	6.4
Percentage of transfers resulting in live births <sup>b,c</sup>	35.6	27.5	19.5	17.6	7.4
Percentage of transfers resulting in singleton live births <sup>b</sup>	25.7	22.1	15.0	14.6	6.3
Percentage of cancellations <sup>b</sup>	2.9	7.8	8.0	10.0	12.7
Average number of embryos transferred	1.9	2.1	2.6	3.4	3.7
Percentage of pregnancies with twins <sup>b</sup>	28.0	20.7	22.7	20.0	2 / 13
Percentage of pregnancies with triplets or more <sup>b</sup>	3.2	3.3	8.6	1.5	0 / 13
Percentage of live births having multiple infants <sup>b,c</sup>	27.6	19.5	23.2	17.4	1 / 7
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	192	112	89	31	8
Percentage of transfers resulting in live births <sup>b,c</sup>	22.4	24.1	20.2	12.9	2 / 8
Average number of embryos transferred	1.8	2.1	2.1	2.3	2.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	145		86		
Percentage of transfers resulting in live births <sup>b,c</sup>	46.9		31.4		
Average number of embryos transferred	1.9		1.9		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Boston IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE MEDICINE**  
**UNIVERSITY OF MICHIGAN REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY**  
**ANN ARBOR, MICHIGAN**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	6%	Other factor	<1%
GIFT	0%	With ICSI	63%	Ovulatory dysfunction	4%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	<1%	Female factors only	7%
		Used PGD	1%	Uterine factor	0%	Female & male factors	47%
		With eSET	4%	Male factor	23%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Senait Fisseha, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	41	14	16	9	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	37.7	9 / 19	20.8	3 / 17	
Percentage of cycles resulting in pregnancies <sup>b</sup>	39.0	7 / 14	4 / 16	3 / 9	
Percentage of cycles resulting in live births <sup>b,c</sup>	31.7	6 / 14	4 / 16	2 / 9	
(Confidence Interval)	(18.1–48.1)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	39.4	6 / 10	4 / 13	2 / 8	
Percentage of transfers resulting in live births <sup>b,c</sup>	41.9	6 / 10	4 / 12	2 / 8	
Percentage of transfers resulting in singleton live births <sup>b</sup>	22.6	4 / 10	3 / 12	2 / 8	
Percentage of cancellations <sup>b</sup>	19.5	4 / 14	3 / 16	1 / 9	
Average number of embryos transferred	2.0	1.9	2.0	2.1	
Percentage of pregnancies with twins <sup>b</sup>	8 / 16	2 / 7	1 / 4	0 / 3	
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 16	0 / 7	0 / 4	0 / 3	
Percentage of live births having multiple infants <sup>b,c</sup>	6 / 13	2 / 6	1 / 4	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	27	8	6	5	1
Percentage of transfers resulting in live births <sup>b,c</sup>	22.2	3 / 8	2 / 6	0 / 5	0 / 1
Average number of embryos transferred	1.8	1.6	1.7	1.8	2.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	2		0		
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 2				
Average number of embryos transferred	1.5				

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Center for Reproductive Medicine, University of Michigan Reproductive Endocrinology and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CENTER FOR REPRODUCTIVE MEDICINE AND SURGERY, PC BIRMINGHAM, MICHIGAN

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	6%	Other factor	2%
GIFT	0%	With ICSI	96%	Ovulatory dysfunction	5%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	34%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	<1%	Female factors only	12%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	23%
		With eSET	10%	Male factor	15%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Michael S. Mersol-Barg, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	45	29	20	6	5
Percentage of embryos transferred resulting in implantation <sup>b</sup>	24.7	23.2	20.6	2 / 8	0 / 9
Percentage of cycles resulting in pregnancies <sup>b</sup>	37.8	34.5	25.0	1 / 6	0 / 5
Percentage of cycles resulting in live births <sup>b,c</sup>	26.7	31.0	25.0	1 / 6	0 / 5
(Confidence Interval)	(14.6–41.9)	(15.3–50.8)	(8.7–49.1)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	26.7	31.0	25.0	1 / 5	0 / 5
Percentage of transfers resulting in live births <sup>b,c</sup>	28.6	31.0	5 / 18	1 / 5	0 / 4
Percentage of transfers resulting in singleton live births <sup>b</sup>	21.4	24.1	3 / 18	0 / 5	0 / 4
Percentage of cancellations <sup>b</sup>	0.0	0.0	0.0	1 / 6	0 / 5
Average number of embryos transferred	1.7	1.9	1.9	1.6	2.3
Percentage of pregnancies with twins <sup>b</sup>	2 / 17	3 / 10	2 / 5	1 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	1 / 17	0 / 10	0 / 5	0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	3 / 12	2 / 9	2 / 5	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	12	7	6	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	5 / 12	2 / 7	0 / 6	0 / 1	
Average number of embryos transferred	1.3	1.4	1.5	1.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	11		8		
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 11		6 / 8		
Average number of embryos transferred	1.8		1.9		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Center for Reproductive Medicine and Surgery, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ADVANCED REPRODUCTIVE MEDICINE AND SURGERY, PC BLOOMFIELD HILLS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	3%	Other factor	6%
GIFT	0%	With ICSI	82%	Ovulatory dysfunction	7%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	8%	Female factors only	18%
		Used PGD	8%	Uterine factor	0%	Female & male factors	18%
		With eSET	4%	Male factor	22%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Carole L. Kowalczyk, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	21	17	15	7	5
Percentage of embryos transferred resulting in implantation <sup>b</sup>	43.6	31.0	23.5	25.0	0 / 2
Percentage of cycles resulting in pregnancies <sup>b</sup>	52.4	8 / 17	4 / 15	4 / 7	0 / 5
Percentage of cycles resulting in live births <sup>b,c</sup>	47.6	7 / 17	3 / 15	2 / 7	0 / 5
(Confidence Interval)	(25.7–70.2)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	10 / 18	7 / 14	3 / 14	2 / 7	0 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	10 / 17	7 / 13	3 / 13	2 / 7	0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	6 / 17	6 / 13	1 / 13	1 / 7	0 / 1
Percentage of cancellations <sup>b</sup>	14.3	3 / 17	1 / 15	0 / 7	4 / 5
Average number of embryos transferred	2.3	2.2	2.6	2.9	2.0
Percentage of pregnancies with twins <sup>b</sup>	4 / 11	2 / 8	2 / 4	0 / 4	
Percentage of pregnancies with triplets or more <sup>b</sup>	1 / 11	0 / 8	1 / 4	1 / 4	
Percentage of live births having multiple infants <sup>b,c</sup>	4 / 10	1 / 7	2 / 3	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	7	2	2	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 7	0 / 2	0 / 2	0 / 1	
Average number of embryos transferred	1.4	2.0	1.5	1.0	
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	6		1		
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 6		0 / 1		
Average number of embryos transferred	2.0		2.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Advanced Reproductive Medicine and Surgery, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## GAGO IVF BRIGHTON, MICHIGAN

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	3%	Other factor	3%
GIFT	0%	With ICSI	83%	Ovulatory dysfunction	5%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	<1%	Female factors only	29%
		Used PGD	13%	Uterine factor	0%	Female & male factors	30%
		With eSET	2%	Male factor	11%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Laura A. Gago, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	32	14	11	4	2
Percentage of embryos transferred resulting in implantation <sup>b</sup>	29.9	34.5	2 / 17	1 / 14	0 / 9
Percentage of cycles resulting in pregnancies <sup>b</sup>	43.8	9 / 14	2 / 11	2 / 4	0 / 2
Percentage of cycles resulting in live births <sup>b,c</sup>	37.5	7 / 14	2 / 11	1 / 4	0 / 2
(Confidence Interval)	(21.1–56.3)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	41.4	7 / 13	2 / 8	1 / 4	0 / 2
Percentage of transfers resulting in live births <sup>b,c</sup>	41.4	7 / 12	2 / 7	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births <sup>b</sup>	20.7	6 / 12	2 / 7	1 / 4	0 / 2
Percentage of cancellations <sup>b</sup>	9.4	1 / 14	3 / 11	0 / 4	0 / 2
Average number of embryos transferred	2.3	2.4	2.4	3.5	4.5
Percentage of pregnancies with twins <sup>b</sup>	7 / 14	2 / 9	0 / 2	0 / 2	
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 14	0 / 9	0 / 2	0 / 2	
Percentage of live births having multiple infants <sup>b,c</sup>	6 / 12	1 / 7	0 / 2	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	16	6	0	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 16	3 / 6			0 / 1
Average number of embryos transferred	1.9	1.7			1.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	9		7		
Percentage of transfers resulting in live births <sup>b,c</sup>	8 / 9		0 / 7		
Average number of embryos transferred	2.0		2.3		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Gago IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## MICHIGAN COMPREHENSIVE FERTILITY CENTER DEARBORN, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	3%	Other factor	1%
GIFT	0%	With ICSI	67%	Ovulatory dysfunction	9%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	11%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	40%
		With eSET	0%	Male factor	21%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by David M. Magyar, DO

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	57	26	13	8	6
Percentage of embryos transferred resulting in implantation <sup>b</sup>	18.2	33.3	0.0	0 / 14	0 / 3
Percentage of cycles resulting in pregnancies <sup>b</sup>	26.3	50.0	0 / 13	0 / 8	0 / 6
Percentage of cycles resulting in live births <sup>b,c</sup>	21.1	42.3	0 / 13	0 / 8	0 / 6
(Confidence Interval)	(11.4–33.9)	(23.4–63.1)			
Percentage of retrievals resulting in live births <sup>b,c</sup>	26.7	47.8	0 / 10	0 / 4	0 / 2
Percentage of transfers resulting in live births <sup>b,c</sup>	27.9	47.8	0 / 8	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	18.6	26.1	0 / 8	0 / 3	0 / 1
Percentage of cancellations <sup>b</sup>	21.1	11.5	3 / 13	4 / 8	4 / 6
Average number of embryos transferred	2.3	2.9	2.9	4.7	3.0
Percentage of pregnancies with twins <sup>b</sup>	5 / 15	2 / 13			
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 15	3 / 13			
Percentage of live births having multiple infants <sup>b,c</sup>	4 / 12	5 / 11			
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	29	7	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	6.9	1 / 7	0 / 1		
Average number of embryos transferred	2.6	2.6	4.0		
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	11		15		
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 11		1 / 15		
Average number of embryos transferred	2.1		2.3		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Michigan Comprehensive Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## GRAND RAPIDS FERTILITY & IVF, PC GRAND RAPIDS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	8%	Other factor	9%
GIFT	0%	With ICSI	84%	Ovulatory dysfunction	2%	Unknown factor	15%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	4%	Endometriosis	0%	Female factors only	5%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	18%
		With eSET	0%	Male factor	37%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Douglas C. Daly, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	35	13	4	3	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	29.3	4 / 18	1 / 5	0 / 10	
Percentage of cycles resulting in pregnancies <sup>b</sup>	31.4	3 / 13	1 / 4	0 / 3	
Percentage of cycles resulting in live births <sup>b,c</sup>	28.6	3 / 13	1 / 4	0 / 3	
(Confidence Interval)	(14.6–46.3)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	32.3	3 / 9	1 / 3	0 / 3	
Percentage of transfers resulting in live births <sup>b,c</sup>	40.0	3 / 7	1 / 3	0 / 3	
Percentage of transfers resulting in singleton live births <sup>b</sup>	16.0	2 / 7	1 / 3	0 / 3	
Percentage of cancellations <sup>b</sup>	11.4	4 / 13	1 / 4	0 / 3	
Average number of embryos transferred	2.3	2.6	1.7	3.3	
Percentage of pregnancies with twins <sup>b</sup>	6 / 11	1 / 3	0 / 1		
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 11	0 / 3	0 / 1		
Percentage of live births having multiple infants <sup>b,c</sup>	6 / 10	1 / 3	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	33	3	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	36.4	1 / 3			
Average number of embryos transferred	2.3	2.0			
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	3		21		
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 3		14.3		
Average number of embryos transferred	2.0		2.2		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Grand Rapids Fertility & IVF, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## MICHIGAN REPRODUCTIVE & IVF CENTER, PC GRAND RAPIDS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	>99%	<b>Procedural Factors:</b>		Tubal factor	6%	Other factor	<1%
GIFT	0%	With ICSI	84%	Ovulatory dysfunction	3%	Unknown factor	2%
ZIFT	<1%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	7%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	38%
		With eSET	<1%	Male factor	37%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by William G. Dodds, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	308	79	78	20	7
Percentage of embryos transferred resulting in implantation <sup>b</sup>	32.1	22.7	11.4	8.6	0.0
Percentage of cycles resulting in pregnancies <sup>b</sup>	42.9	34.2	15.4	15.0	0 / 7
Percentage of cycles resulting in live births <sup>b,c</sup>	37.0	27.8	14.1	5.0	0 / 7
(Confidence Interval)	(31.6–42.7)	(18.3–39.1)	(7.3–23.8)	(0.1–24.9)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	41.9	31.4	18.3	1 / 14	0 / 5
Percentage of transfers resulting in live births <sup>b,c</sup>	43.8	32.8	20.8	1 / 13	0 / 5
Percentage of transfers resulting in singleton live births <sup>b</sup>	29.6	25.4	15.1	1 / 13	0 / 5
Percentage of cancellations <sup>b</sup>	11.7	11.4	23.1	30.0	2 / 7
Average number of embryos transferred	2.1	2.6	2.8	2.7	4.4
Percentage of pregnancies with twins <sup>b</sup>	34.1	25.9	5 / 12	0 / 3	
Percentage of pregnancies with triplets or more <sup>b</sup>	1.5	7.4	0 / 12	0 / 3	
Percentage of live births having multiple infants <sup>b,c</sup>	32.5	22.7	3 / 11	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	152	50	36	6	1
Percentage of transfers resulting in live births <sup>b,c</sup>	40.8	26.0	30.6	2 / 6	0 / 1
Average number of embryos transferred	2.4	2.5	3.0	3.7	1.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	23		65		
Percentage of transfers resulting in live births <sup>b,c</sup>	43.5		24.6		
Average number of embryos transferred	2.0		2.5		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Michigan Reproductive & IVF Center, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## IVF MICHIGAN ROCHESTER HILLS, MICHIGAN

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	>99%	<b>Procedural Factors:</b>		Tubal factor	6%	Other factor	5%
GIFT	0%	With ICSI	90%	Ovulatory dysfunction	12%	Unknown factor	3%
ZIFT	<1%	Unstimulated	<1%	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	<1%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	14%
		Used PGD	7%	Uterine factor	1%	Female & male factors	27%
		With eSET	3%	Male factor	16%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Mostafa I. Abuzeid, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	347	140	163	48	22
Percentage of embryos transferred resulting in implantation <sup>b</sup>	36.5	29.8	21.0	10.8	8.3
Percentage of cycles resulting in pregnancies <sup>b</sup>	51.9	47.1	33.1	16.7	18.2
Percentage of cycles resulting in live births <sup>b,c</sup>	42.1	42.1	28.2	10.4	9.1
(Confidence Interval)	(36.8–47.5)	(33.9–50.8)	(21.5–35.8)	(3.5–22.7)	(1.1–29.2)
Percentage of retrievals resulting in live births <sup>b,c</sup>	44.5	44.7	33.3	11.9	10.0
Percentage of transfers resulting in live births <sup>b,c</sup>	47.4	48.0	36.8	13.5	2 / 14
Percentage of transfers resulting in singleton live births <sup>b</sup>	28.6	35.0	29.6	5.4	1 / 14
Percentage of cancellations <sup>b</sup>	5.5	5.7	15.3	12.5	9.1
Average number of embryos transferred	2.1	2.4	2.5	2.5	3.4
Percentage of pregnancies with twins <sup>b</sup>	32.8	22.7	16.7	3 / 8	1 / 4
Percentage of pregnancies with triplets or more <sup>b</sup>	3.9	6.1	3.7	0 / 8	0 / 4
Percentage of live births having multiple infants <sup>b,c</sup>	39.7	27.1	19.6	3 / 5	1 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	106	42	31	7	3
Percentage of transfers resulting in live births <sup>b,c</sup>	47.2	47.6	22.6	1 / 7	1 / 3
Average number of embryos transferred	1.9	2.0	2.0	2.1	2.7
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	63		34		
Percentage of transfers resulting in live births <sup>b,c</sup>	55.6		32.4		
Average number of embryos transferred	2.1		2.1		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** IVF Michigan

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## WAYNE STATE UNIVERSITY PHYSICIAN GROUP SOUTHFIELD, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	15%	Other factor	11%
GIFT	0%	With ICSI	98%	Ovulatory dysfunction	11%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	2%	Female factors only	12%
		Used PGD	2%	Uterine factor	1%	Female & male factors	18%
		With eSET	0%	Male factor	17%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Elizabeth E. Puscheck, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	21	17	13	5	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	33.3	26.5	15.4	3 / 12	
Percentage of cycles resulting in pregnancies <sup>b</sup>	57.1	9 / 17	5 / 13	2 / 5	
Percentage of cycles resulting in live births <sup>b,c</sup>	42.9	6 / 17	4 / 13	2 / 5	
(Confidence Interval)	(21.8–66.0)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	42.9	6 / 16	4 / 13	2 / 5	
Percentage of transfers resulting in live births <sup>b,c</sup>	42.9	6 / 16	4 / 13	2 / 4	
Percentage of transfers resulting in singleton live births <sup>b</sup>	19.0	3 / 16	3 / 13	2 / 4	
Percentage of cancellations <sup>b</sup>	0.0	1 / 17	0 / 13	0 / 5	
Average number of embryos transferred	2.4	3.1	3.0	3.0	
Percentage of pregnancies with twins <sup>b</sup>	5 / 12	4 / 9	1 / 5	1 / 2	
Percentage of pregnancies with triplets or more <sup>b</sup>	1 / 12	0 / 9	0 / 5	0 / 2	
Percentage of live births having multiple infants <sup>b,c</sup>	5 / 9	3 / 6	1 / 4	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	11	7	9	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 11	1 / 7	1 / 9	1 / 1	
Average number of embryos transferred	3.0	3.3	3.1	4.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	2		4		
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 2		1 / 4		
Average number of embryos transferred	2.0		2.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Wayne State University Physician Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## HENRY FORD REPRODUCTIVE MEDICINE TROY, MICHIGAN

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	12%	Other factor	5%
GIFT	0%	With ICSI	30%	Ovulatory dysfunction	3%	Unknown factor	12%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	8%	Endometriosis	8%	Female factors only	10%
		Used PGD	0%	Uterine factor	0%	Female & male factors	18%
		With eSET	0%	Male factor	30%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Kenneth Ginsburg, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	21	6	5	4	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	11.4	0 / 9	1 / 8	1 / 12	0 / 3
Percentage of cycles resulting in pregnancies <sup>b</sup>	19.0	0 / 6	1 / 5	1 / 4	0 / 1
Percentage of cycles resulting in live births <sup>b,c</sup>	19.0	0 / 6	1 / 5	0 / 4	0 / 1
(Confidence Interval)	(5.4–41.9)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	4 / 18	0 / 3	1 / 3	0 / 4	0 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 15	0 / 3	1 / 3	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	4 / 15	0 / 3	1 / 3	0 / 4	0 / 1
Percentage of cancellations <sup>b</sup>	14.3	3 / 6	2 / 5	0 / 4	0 / 1
Average number of embryos transferred	2.3	3.0	2.7	3.0	3.0
Percentage of pregnancies with twins <sup>b</sup>	0 / 4		0 / 1	0 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 4		0 / 1	0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	0 / 4		0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	18	1	3	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	5 / 18	0 / 1	1 / 3		
Average number of embryos transferred	2.3	2.0	2.0		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	0		1		
Percentage of transfers resulting in live births <sup>b,c</sup>			1 / 1		
Average number of embryos transferred			2.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Henry Ford Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE MEDICINE ASSOCIATES OF MICHIGAN TROY, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	8%	Other factor	8%
GIFT	0%	With ICSI	57%	Ovulatory dysfunction	6%	Unknown factor	13%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	12%
		Used PGD	4%	Uterine factor	<1%	Female & male factors	19%
		With eSET	3%	Male factor	20%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Brad T. Miller, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	119	40	54	14	12
Percentage of embryos transferred resulting in implantation <sup>b</sup>	34.5	26.0	20.7	3.8	6.9
Percentage of cycles resulting in pregnancies <sup>b</sup>	54.6	45.0	35.2	2 / 14	2 / 12
Percentage of cycles resulting in live births <sup>b,c</sup>	45.4	27.5	25.9	0 / 14	1 / 12
(Confidence Interval)	(36.2–54.8)	(14.6–43.9)	(15.0–39.7)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	47.0	30.6	29.8	0 / 10	1 / 10
Percentage of transfers resulting in live births <sup>b,c</sup>	49.1	33.3	32.6	0 / 9	1 / 9
Percentage of transfers resulting in singleton live births <sup>b</sup>	27.3	30.3	25.6	0 / 9	1 / 9
Percentage of cancellations <sup>b</sup>	3.4	10.0	13.0	4 / 14	2 / 12
Average number of embryos transferred	2.3	2.3	2.7	2.9	3.2
Percentage of pregnancies with twins <sup>b</sup>	40.0	1 / 18	4 / 19	0 / 2	0 / 2
Percentage of pregnancies with triplets or more <sup>b</sup>	1.5	1 / 18	1 / 19	0 / 2	0 / 2
Percentage of live births having multiple infants <sup>b,c</sup>	44.4	1 / 11	3 / 14		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	21	11	10	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	38.1	3 / 11	3 / 10	0 / 1	1 / 1
Average number of embryos transferred	2.0	1.6	2.0	2.0	1.0
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	24		13		
Percentage of transfers resulting in live births <sup>b,c</sup>	54.2		2 / 13		
Average number of embryos transferred	2.1		2.4		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Medicine Associates of Michigan

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MICHIGAN CENTER FOR FERTILITY AND WOMEN'S HEALTH, PLC WARREN, MICHIGAN

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	5%	Other factor	7%
GIFT	0%	With ICSI	92%	Ovulatory dysfunction	3%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	22%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	7%	Female factors only	3%
		Used PGD	3%	Uterine factor	3%	Female & male factors	22%
		With eSET	2%	Male factor	24%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Carole L. Kowalczyk, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	37	13	17	5	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	37.5	30.3	22.6	5 / 15	0 / 3
Percentage of cycles resulting in pregnancies <sup>b</sup>	51.4	7 / 13	6 / 17	3 / 5	0 / 1
Percentage of cycles resulting in live births <sup>b,c</sup>	43.2	7 / 13	5 / 17	3 / 5	0 / 1
(Confidence Interval)	(27.1–60.5)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	43.2	7 / 13	5 / 13	3 / 5	0 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	47.1	7 / 13	5 / 13	3 / 5	0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	32.4	5 / 13	5 / 13	1 / 5	0 / 1
Percentage of cancellations <sup>b</sup>	0.0	0 / 13	4 / 17	0 / 5	0 / 1
Average number of embryos transferred	2.1	2.5	2.4	3.0	3.0
Percentage of pregnancies with twins <sup>b</sup>	6 / 19	3 / 7	1 / 6	2 / 3	
Percentage of pregnancies with triplets or more <sup>b</sup>	1 / 19	0 / 7	0 / 6	0 / 3	
Percentage of live births having multiple infants <sup>b,c</sup>	5 / 16	2 / 7	0 / 5	2 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	9	5	5	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 9	2 / 5	1 / 5		
Average number of embryos transferred	1.9	1.8	2.4		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
	Number of transfers	11	2		
	Percentage of transfers resulting in live births <sup>b,c</sup>	8 / 11	1 / 2		
Average number of embryos transferred	2.2	2.0			

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Michigan Center for Fertility and Women's Health, PLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## THE MIDWEST CENTER FOR REPRODUCTIVE HEALTH, PA MAPLE GROVE, MINNESOTA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	7%	Other factor	1%
GIFT	0%	With ICSI	31%	Ovulatory dysfunction	17%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	3%	Female factors only	6%
		Used PGD	<1%	Uterine factor	<1%	Female & male factors	36%
		With eSET	5%	Male factor	19%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Randle S. Corfman, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	90	20	26	8	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	51.6	31.3	25.0	1 / 16	
Percentage of cycles resulting in pregnancies <sup>b</sup>	60.0	45.0	34.6	2 / 8	
Percentage of cycles resulting in live births <sup>b,c</sup>	55.6	35.0	23.1	0 / 8	
(Confidence Interval)	(44.7–66.0)	(15.4–59.2)	(9.0–43.6)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	59.5	7 / 16	27.3	0 / 8	
Percentage of transfers resulting in live births <sup>b,c</sup>	62.5	7 / 16	30.0	0 / 8	
Percentage of transfers resulting in singleton live births <sup>b</sup>	37.5	6 / 16	25.0	0 / 8	
Percentage of cancellations <sup>b</sup>	6.7	20.0	15.4	0 / 8	
Average number of embryos transferred	1.9	2.0	2.0	2.0	
Percentage of pregnancies with twins <sup>b</sup>	42.6	2 / 9	2 / 9	0 / 2	
Percentage of pregnancies with triplets or more <sup>b</sup>	1.9	0 / 9	0 / 9	0 / 2	
Percentage of live births having multiple infants <sup>b,c</sup>	40.0	1 / 7	1 / 6		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	34	7	11	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	32.4	3 / 7	2 / 11	0 / 2	
Average number of embryos transferred	1.6	1.9	1.7	1.0	
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	20		17		
Percentage of transfers resulting in live births <sup>b,c</sup>	80.0		5 / 17		
Average number of embryos transferred	1.9		1.8		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** The Midwest Center for Reproductive Health, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE MEDICINE  
ADVANCED REPRODUCTIVE TECHNOLOGIES  
MINNEAPOLIS, MINNESOTA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	7%	Other factor	3%
GIFT	0%	With ICSI	58%	Ovulatory dysfunction	10%	Unknown factor	13%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	19%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	7%	Female factors only	5%
		Used PGD	3%	Uterine factor	2%	Female & male factors	14%
		With eSET	6%	Male factor	21%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Bruce F. Campbell, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	330	147	126	44	7
Percentage of embryos transferred resulting in implantation <sup>b</sup>	53.3	45.5	25.1	14.5	3 / 17
Percentage of cycles resulting in pregnancies <sup>b</sup>	64.2	55.1	38.1	20.5	2 / 7
Percentage of cycles resulting in live births <sup>b,c</sup>	56.7	46.3	30.2	11.4	2 / 7
(Confidence Interval)	(51.1–62.1)	(38.0–54.7)	(22.3–39.0)	(3.8–24.6)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	60.5	51.1	33.9	13.9	2 / 6
Percentage of transfers resulting in live births <sup>b,c</sup>	63.4	55.7	35.2	15.2	2 / 6
Percentage of transfers resulting in singleton live births <sup>b</sup>	41.0	40.2	30.6	9.1	2 / 6
Percentage of cancellations <sup>b</sup>	6.4	9.5	11.1	18.2	1 / 7
Average number of embryos transferred	1.8	1.8	2.0	2.5	2.8
Percentage of pregnancies with twins <sup>b</sup>	35.4	30.9	18.8	3 / 9	1 / 2
Percentage of pregnancies with triplets or more <sup>b</sup>	0.9	0.0	2.1	0 / 9	0 / 2
Percentage of live births having multiple infants <sup>b,c</sup>	35.3	27.9	13.2	2 / 5	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	51	31	14	4	1
Percentage of transfers resulting in live births <sup>b,c</sup>	41.2	32.3	6 / 14	3 / 4	0 / 1
Average number of embryos transferred	1.8	1.6	1.7	1.5	2.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	82		27		
Percentage of transfers resulting in live births <sup>b,c</sup>	69.5		51.9		
Average number of embryos transferred	1.7		1.8		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Center for Reproductive Medicine, Advanced Reproductive Technologies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE MEDICINE CENTER MINNEAPOLIS, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	7%	Other factor	4%
GIFT	0%	With ICSI	81%	Ovulatory dysfunction	6%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	8%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	29%
		With eSET	4%	Male factor	29%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by William R. Phipps, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	171	62	59	19	4
Percentage of embryos transferred resulting in implantation <sup>b</sup>	41.3	26.5	20.5	15.2	0 / 4
Percentage of cycles resulting in pregnancies <sup>b</sup>	55.6	35.5	37.3	4 / 19	0 / 4
Percentage of cycles resulting in live births <sup>b,c</sup>	49.1	25.8	27.1	3 / 19	0 / 4
(Confidence Interval)	(41.4–56.9)	(15.5–38.5)	(16.4–40.3)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	51.5	28.1	30.2	3 / 13	0 / 3
Percentage of transfers resulting in live births <sup>b,c</sup>	53.8	30.2	31.4	3 / 12	0 / 2
Percentage of transfers resulting in singleton live births <sup>b</sup>	38.5	24.5	25.5	2 / 12	0 / 2
Percentage of cancellations <sup>b</sup>	4.7	8.1	10.2	6 / 19	1 / 4
Average number of embryos transferred	1.9	1.9	2.5	2.8	2.0
Percentage of pregnancies with twins <sup>b</sup>	32.6	27.3	18.2	0 / 4	
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	0.0	4.5	1 / 4	
Percentage of live births having multiple infants <sup>b,c</sup>	28.6	3 / 16	3 / 16	1 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	17	5	3	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	8 / 17	2 / 5	0 / 3	0 / 1	
Average number of embryos transferred	2.0	1.6	2.0	3.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of transfers		7		2	
Percentage of transfers resulting in live births <sup>b,c</sup>		6 / 7		1 / 2	
Average number of embryos transferred		2.0		2.5	

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Medicine Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## MAYO CLINIC ASSISTED REPRODUCTIVE TECHNOLOGIES ROCHESTER, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	3%	Other factor	3%
GIFT	0%	With ICSI	64%	Ovulatory dysfunction	6%	Unknown factor	13%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	10%
		Used PGD	5%	Uterine factor	<1%	Female & male factors	31%
		With eSET	2%	Male factor	23%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Charles C. Coddington, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	92	32	24	12	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	28.1	13.8	10.8	13.2	
Percentage of cycles resulting in pregnancies <sup>b</sup>	38.0	21.9	16.7	5 / 12	
Percentage of cycles resulting in live births <sup>b,c</sup>	35.9	18.8	16.7	4 / 12	
(Confidence Interval)	(26.1–46.5)	(7.2–36.4)	(4.7–37.4)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	39.3	24.0	20.0	4 / 11	
Percentage of transfers resulting in live births <sup>b,c</sup>	40.7	25.0	20.0	4 / 11	
Percentage of transfers resulting in singleton live births <sup>b</sup>	28.4	20.8	10.0	4 / 11	
Percentage of cancellations <sup>b</sup>	8.7	21.9	16.7	1 / 12	
Average number of embryos transferred	2.0	2.4	3.3	3.5	
Percentage of pregnancies with twins <sup>b</sup>	31.4	1 / 7	1 / 4	0 / 5	
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	0 / 7	1 / 4	0 / 5	
Percentage of live births having multiple infants <sup>b,c</sup>	30.3	1 / 6	2 / 4	0 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	66	17	9	2	1
Percentage of transfers resulting in live births <sup>b,c</sup>	37.9	3 / 17	1 / 9	0 / 2	0 / 1
Average number of embryos transferred	2.2	2.6	2.4	2.5	1.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	2		32		
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 2		21.9		
Average number of embryos transferred	2.0		2.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Mayo Clinic Assisted Reproductive Technologies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE MEDICINE & INFERTILITY ASSOCIATES WOODBURY, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	3%	Other factor	10%
GIFT	0%	With ICSI	94%	Ovulatory dysfunction	3%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	1%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	3%	Female factors only	11%
		Used PGD	3%	Uterine factor	<1%	Female & male factors	41%
		With eSET	13%	Male factor	25%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Jacques P. Stassart, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	194	55	64	14	3
Percentage of embryos transferred resulting in implantation <sup>b</sup>	38.7	31.3	17.9	7.1	0 / 8
Percentage of cycles resulting in pregnancies <sup>b</sup>	51.0	40.0	34.4	4 / 14	0 / 3
Percentage of cycles resulting in live births <sup>b,c</sup>	44.3	34.5	28.1	2 / 14	0 / 3
(Confidence Interval)	(37.2–51.6)	(22.2–48.6)	(17.6–40.8)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	45.0	36.5	31.6	2 / 14	0 / 3
Percentage of transfers resulting in live births <sup>b,c</sup>	46.7	41.3	31.6	2 / 13	0 / 3
Percentage of transfers resulting in singleton live births <sup>b</sup>	31.0	28.3	22.8	2 / 13	0 / 3
Percentage of cancellations <sup>b</sup>	1.5	5.5	10.9	0 / 14	0 / 3
Average number of embryos transferred	1.8	2.1	2.7	3.2	2.7
Percentage of pregnancies with twins <sup>b</sup>	32.3	36.4	22.7	0 / 4	
Percentage of pregnancies with triplets or more <sup>b</sup>	2.0	4.5	4.5	0 / 4	
Percentage of live births having multiple infants <sup>b,c</sup>	33.7	6 / 19	5 / 18	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	78	33	17	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	28.2	36.4	5 / 17	0 / 2	
Average number of embryos transferred	1.6	1.8	1.6	1.5	
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	55		25		
Percentage of transfers resulting in live births <sup>b,c</sup>	34.5		36.0		
Average number of embryos transferred	1.8		1.5		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Medicine & Infertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## MISSISSIPPI FERTILITY INSTITUTE JACKSON, MISSISSIPPI

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	15%	Other factor	2%
GIFT	0%	With ICSI	74%	Ovulatory dysfunction	0%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	8%	Female factors only	14%
		Used PGD	2%	Uterine factor	3%	Female & male factors	12%
		With eSET	0%	Male factor	25%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by John D. Isaacs, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	74	19	12	7	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	25.4	14.3	17.9	0 / 12	0 / 2
Percentage of cycles resulting in pregnancies <sup>b</sup>	32.4	2 / 19	5 / 12	0 / 7	0 / 1
Percentage of cycles resulting in live births <sup>b,c</sup>	28.4	1 / 19	3 / 12	0 / 7	0 / 1
(Confidence Interval)	(18.5–40.1)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	32.3	1 / 16	3 / 12	0 / 6	0 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	35.6	1 / 15	3 / 12	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	27.1	0 / 15	3 / 12	0 / 5	0 / 1
Percentage of cancellations <sup>b</sup>	12.2	3 / 19	0 / 12	1 / 7	0 / 1
Average number of embryos transferred	2.1	1.9	2.3	2.4	2.0
Percentage of pregnancies with twins <sup>b</sup>	25.0	2 / 2	0 / 5		
Percentage of pregnancies with triplets or more <sup>b</sup>	4.2	0 / 2	0 / 5		
Percentage of live births having multiple infants <sup>b,c</sup>	23.8	1 / 1	0 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	17	7	6	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	6 / 17	1 / 7	1 / 6	0 / 1	
Average number of embryos transferred	1.6	1.7	1.8	3.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
	Number of transfers		5		13
	Percentage of transfers resulting in live births <sup>b,c</sup>		5 / 5		4 / 13
Average number of embryos transferred		2.0		2.2	

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Mississippi Fertility Institute

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## UNIVERSITY OF MISSISSIPPI MEDICAL CENTER JACKSON, MISSISSIPPI

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	25%	Other factor	11%
GIFT	0%	With ICSI	93%	Ovulatory dysfunction	3%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	11%	Female factors only	25%
		Used PGD	0%	Uterine factor	3%	Female & male factors	8%
		With eSET	0%	Male factor	3%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Randall S. Hines, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	11	9	4	1	2
Percentage of embryos transferred resulting in implantation <sup>b</sup>	18.2	18.2	1 / 10	1 / 4	0 / 4
Percentage of cycles resulting in pregnancies <sup>b</sup>	3 / 11	4 / 9	1 / 4	1 / 1	0 / 2
Percentage of cycles resulting in live births <sup>b,c</sup>	3 / 11	4 / 9	1 / 4	0 / 1	0 / 2
(Confidence Interval)					
Percentage of retrievals resulting in live births <sup>b,c</sup>	3 / 10	4 / 9	1 / 3	0 / 1	0 / 2
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 9	4 / 8	1 / 3	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births <sup>b</sup>	2 / 9	4 / 8	1 / 3	0 / 1	0 / 2
Percentage of cancellations <sup>b</sup>	1 / 11	0 / 9	1 / 4	0 / 1	0 / 2
Average number of embryos transferred	2.4	2.8	3.3	4.0	2.0
Percentage of pregnancies with twins <sup>b</sup>	1 / 3	0 / 4	0 / 1	0 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 3	0 / 4	0 / 1	0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	1 / 3	0 / 4	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	1	1	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 1	0 / 1	0 / 1		
Average number of embryos transferred	1.0	3.0	1.0		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	3		2		
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 3		0 / 2		
Average number of embryos transferred	2.3		3.5		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** This clinic has closed or reorganized since 2010. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INFERTILITY CENTER OF ST. LOUIS**  
**SHERMAN J. SILBER, MD**  
**CHESTERFIELD, MISSOURI**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>			Patient Diagnosis			
IVF	>99%	<b>Procedural Factors:</b>	Tubal factor	5%	Other factor	5%
GIFT	0%	With ICSI	Ovulatory dysfunction	14%	Unknown factor	9%
ZIFT	<1%	Unstimulated	Diminished ovarian reserve	24%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	<1%	Female factors only	7%
		Used PGD	Uterine factor	2%	Female & male factors	10%
		With eSET	Male factor	25%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Sherman J. Silber, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	79	32	16	6	4
Percentage of embryos transferred resulting in implantation <sup>b</sup>	30.8	20.0	27.9	1 / 10	0 / 6
Percentage of cycles resulting in pregnancies <sup>b</sup>	44.3	31.3	7 / 16	1 / 6	0 / 4
Percentage of cycles resulting in live births <sup>b,c</sup>	39.2	28.1	6 / 16	1 / 6	0 / 4
(Confidence Interval)	(28.4–50.9)	(13.7–46.7)			
Percentage of retrievals resulting in live births <sup>b,c</sup>	40.3	29.0	6 / 15	1 / 6	0 / 4
Percentage of transfers resulting in live births <sup>b,c</sup>	42.5	31.0	6 / 14	1 / 4	0 / 3
Percentage of transfers resulting in singleton live births <sup>b</sup>	24.7	24.1	3 / 14	1 / 4	0 / 3
Percentage of cancellations <sup>b</sup>	2.5	3.1	1 / 16	0 / 6	0 / 4
Average number of embryos transferred	2.2	2.2	3.1	2.5	2.0
Percentage of pregnancies with twins <sup>b</sup>	40.0	1 / 10	1 / 7	0 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	2.9	1 / 10	2 / 7	0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	41.9	2 / 9	3 / 6	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	106	35	29	11	10
Percentage of transfers resulting in live births <sup>b,c</sup>	33.0	22.9	20.7	1 / 11	3 / 10
Average number of embryos transferred	2.1	2.2	2.2	2.1	3.1
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	18		27		
Percentage of transfers resulting in live births <sup>b,c</sup>	6 / 18		37.0		
Average number of embryos transferred	2.2		2.0		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Infertility Center of St. Louis, Sherman J. Silber, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MID-MISSOURI REPRODUCTIVE MEDICINE AND SURGERY, INC. COLUMBIA, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	6%	Other factor	2%
GIFT	0%	With ICSI	63%	Ovulatory dysfunction	5%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	12%
		Used PGD	1%	Uterine factor	0%	Female & male factors	56%
		With eSET	8%	Male factor	15%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Steven A. Brody, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	49	4	14	3	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	48.9	3 / 7	20.7	0 / 5	
Percentage of cycles resulting in pregnancies <sup>b</sup>	57.1	2 / 4	5 / 14	0 / 3	
Percentage of cycles resulting in live births <sup>b,c</sup>	55.1	2 / 4	3 / 14	0 / 3	
(Confidence Interval)	(40.2–69.3)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	60.0	2 / 4	3 / 13	0 / 2	
Percentage of transfers resulting in live births <sup>b,c</sup>	61.4	2 / 4	3 / 13	0 / 2	
Percentage of transfers resulting in singleton live births <sup>b</sup>	34.1	1 / 4	2 / 13	0 / 2	
Percentage of cancellations <sup>b</sup>	8.2	0 / 4	1 / 14	1 / 3	
Average number of embryos transferred	2.0	1.8	2.2	2.5	
Percentage of pregnancies with twins <sup>b</sup>	46.4	1 / 2	1 / 5		
Percentage of pregnancies with triplets or more <sup>b</sup>	3.6	0 / 2	0 / 5		
Percentage of live births having multiple infants <sup>b,c</sup>	44.4	1 / 2	1 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	14	9	1	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 14	3 / 9	0 / 1	0 / 1	
Average number of embryos transferred	2.1	2.0	2.0	2.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	7		4		
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 7		0 / 4		
Average number of embryos transferred	1.7		2.3		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Mid-Missouri Reproductive Medicine and Surgery, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**MISSOURI CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY  
UNIVERSITY OF MISSOURI  
COLUMBIA, MISSOURI**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	16%	Other factor	0%
GIFT	0%	With ICSI	35%	Ovulatory dysfunction	0%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	12%	Female factors only	20%
		Used PGD	0%	Uterine factor	0%	Female & male factors	28%
		With eSET	0%	Male factor	16%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Mira Aubuchon, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	15	3	2	0	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	2 / 14	0 / 1	1 / 2		
Percentage of cycles resulting in pregnancies <sup>b</sup>	1 / 15	0 / 3	1 / 2		
Percentage of cycles resulting in live births <sup>b,c</sup>	1 / 15	0 / 3	1 / 2		
(Confidence Interval)					
Percentage of retrievals resulting in live births <sup>b,c</sup>	1 / 14	0 / 2	1 / 2		
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 9	0 / 1	1 / 1		
Percentage of transfers resulting in singleton live births <sup>b</sup>	0 / 9	0 / 1	1 / 1		
Percentage of cancellations <sup>b</sup>	1 / 15	1 / 3	0 / 2		
Average number of embryos transferred	1.6	1.0	2.0		
Percentage of pregnancies with twins <sup>b</sup>	1 / 1		0 / 1		
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 1		0 / 1		
Percentage of live births having multiple infants <sup>b,c</sup>	1 / 1		0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	2	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 2				
Average number of embryos transferred	1.5				
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	1		0		
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 1				
Average number of embryos transferred	2.0				

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Missouri Center for Reproductive Medicine and Fertility, University of Missouri

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## MIDWEST WOMEN'S HEALTHCARE SPECIALISTS KANSAS CITY, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	5%	Other factor	2%
GIFT	0%	With ICSI	75%	Ovulatory dysfunction	4%	Unknown factor	1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	13%	Female factors only	33%
		Used PGD	0%	Uterine factor	0%	Female & male factors	32%
		With eSET	0%	Male factor	5%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Gregory C. Starks, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	39	27	14	1	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	42.2	41.2	4 / 18	0 / 1	
Percentage of cycles resulting in pregnancies <sup>b</sup>	53.8	37.0	5 / 14	0 / 1	
Percentage of cycles resulting in live births <sup>b,c</sup>	48.7	33.3	4 / 14	0 / 1	
(Confidence Interval)	(32.4–65.2)	(16.5–54.0)			
Percentage of retrievals resulting in live births <sup>b,c</sup>	59.4	9 / 18	4 / 11	0 / 1	
Percentage of transfers resulting in live births <sup>b,c</sup>	59.4	9 / 17	4 / 10	0 / 1	
Percentage of transfers resulting in singleton live births <sup>b</sup>	37.5	4 / 17	4 / 10	0 / 1	
Percentage of cancellations <sup>b</sup>	17.9	33.3	3 / 14	0 / 1	
Average number of embryos transferred	2.0	2.0	1.8	1.0	
Percentage of pregnancies with twins <sup>b</sup>	33.3	5 / 10	0 / 5		
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	0 / 10	0 / 5		
Percentage of live births having multiple infants <sup>b,c</sup>	7 / 19	5 / 9	0 / 4		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	6	3	1	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 6	0 / 3	1 / 1	0 / 1	
Average number of embryos transferred	1.8	1.7	2.0	2.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	0		0		
Percentage of transfers resulting in live births <sup>b,c</sup>					
Average number of embryos transferred					

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** This clinic has closed or reorganized since 2010. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## FERTILITY PARTNERSHIP SAINT PETERS, MISSOURI

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	6%	Other factor	4%
GIFT	0%	With ICSI	91%	Ovulatory dysfunction	28%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	28%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	6%
		Used PGD	0%	Uterine factor	0%	Female & male factors	9%
		With eSET	0%	Male factor	13%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by David E. Simckes, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	28	14	8	4	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	43.2	3 / 17	4 / 16	1 / 6	
Percentage of cycles resulting in pregnancies <sup>b</sup>	46.4	3 / 14	4 / 8	1 / 4	
Percentage of cycles resulting in live births <sup>b,c</sup>	35.7	3 / 14	3 / 8	1 / 4	
(Confidence Interval)	(18.6–55.9)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	37.0	3 / 13	3 / 7	1 / 3	
Percentage of transfers resulting in live births <sup>b,c</sup>	45.5	3 / 10	3 / 7	1 / 3	
Percentage of transfers resulting in singleton live births <sup>b</sup>	18.2	3 / 10	3 / 7	1 / 3	
Percentage of cancellations <sup>b</sup>	3.6	1 / 14	1 / 8	1 / 4	
Average number of embryos transferred	2.0	1.7	2.3	2.0	
Percentage of pregnancies with twins <sup>b</sup>	6 / 13	0 / 3	0 / 4	0 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 13	0 / 3	0 / 4	0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	6 / 10	0 / 3	0 / 3	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	6	2	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 6	0 / 2	0 / 1		
Average number of embryos transferred	2.0	2.0	3.0		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	4		4		
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 4		1 / 4		
Average number of embryos transferred	2.0		1.8		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Fertility Partnership

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CENTER AT MISSOURI BAPTIST MEDICAL CENTER ST. LOUIS, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	0%	Other factor	2%
GIFT	0%	With ICSI	80%	Ovulatory dysfunction	6%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	20%
		Used PGD	1%	Uterine factor	0%	Female & male factors	54%
		With eSET	0%	Male factor	7%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Anthony C. Pearlstone, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	45	20	11	3	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	51.3	41.9	4 / 14	1 / 7	
Percentage of cycles resulting in pregnancies <sup>b</sup>	53.3	35.0	3 / 11	1 / 3	
Percentage of cycles resulting in live births <sup>b,c</sup>	48.9	30.0	3 / 11	1 / 3	
(Confidence Interval)	(33.7–64.2)	(11.9–54.3)			
Percentage of retrievals resulting in live births <sup>b,c</sup>	55.0	6 / 16	3 / 7	1 / 3	
Percentage of transfers resulting in live births <sup>b,c</sup>	55.0	6 / 15	3 / 6	1 / 3	
Percentage of transfers resulting in singleton live births <sup>b</sup>	27.5	2 / 15	2 / 6	1 / 3	
Percentage of cancellations <sup>b</sup>	11.1	20.0	4 / 11	0 / 3	
Average number of embryos transferred	1.9	2.1	2.3	2.3	
Percentage of pregnancies with twins <sup>b</sup>	54.2	2 / 7	1 / 3	0 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	4.2	2 / 7	0 / 3	0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	50.0	4 / 6	1 / 3	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	11	2	1	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 11	0 / 2	0 / 1		0 / 1
Average number of embryos transferred	2.0	1.0	2.0		2.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	6		1		
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 6		0 / 1		
Average number of embryos transferred	2.2		2.0		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Fertility Center at Missouri Baptist Medical Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE INFERTILITY AND REPRODUCTIVE MEDICINE CENTER AT WASHINGTON UNIVERSITY SCHOOL OF MEDICINE AND BARNES-JEWISH HOSPITAL ST. LOUIS, MISSOURI

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	10%	Other factor	4%
GIFT	0%	With ICSI	61%	Ovulatory dysfunction	9%	Unknown factor	13%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	21%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	9%	Female factors only	8%
		Used PGD	4%	Uterine factor	<1%	Female & male factors	8%
		With eSET	2%	Male factor	17%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Randall R. Odem, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	198	100	48	23	4
Percentage of embryos transferred resulting in implantation <sup>b</sup>	38.8	25.8	17.3	6.9	1 / 15
Percentage of cycles resulting in pregnancies <sup>b</sup>	49.0	43.0	29.2	17.4	1 / 4
Percentage of cycles resulting in live births <sup>b,c</sup>	43.9	35.0	27.1	13.0	1 / 4
(Confidence Interval)	(36.9–51.2)	(25.7–45.2)	(15.3–41.8)	(2.8–33.6)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	49.7	39.8	33.3	15.0	1 / 4
Percentage of transfers resulting in live births <sup>b,c</sup>	51.8	41.7	34.2	3 / 18	1 / 4
Percentage of transfers resulting in singleton live births <sup>b</sup>	33.3	28.6	26.3	3 / 18	1 / 4
Percentage of cancellations <sup>b</sup>	11.6	12.0	18.8	13.0	0 / 4
Average number of embryos transferred	2.0	2.5	2.9	3.2	3.8
Percentage of pregnancies with twins <sup>b</sup>	39.2	23.3	5 / 14	0 / 4	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	1.0	7.0	0 / 14	0 / 4	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	35.6	31.4	3 / 13	0 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	27	14	11	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	33.3	8 / 14	3 / 11	0 / 1	
Average number of embryos transferred	1.9	2.1	2.5	3.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	25		7		
Percentage of transfers resulting in live births <sup>b,c</sup>	60.0		3 / 7		
Average number of embryos transferred	2.0		1.7		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** The Infertility and Reproductive Medicine Center at Washington University School of Medicine and Barnes-Jewish Hospital

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HEARTLAND CENTER FOR REPRODUCTIVE MEDICINE, PC OMAHA, NEBRASKA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	4%	Other factor	2%
GIFT	0%	With ICSI	50%	Ovulatory dysfunction	4%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	18%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	5%	Female factors only	12%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	25%
		With eSET	4%	Male factor	25%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Victoria M. Maclin, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	74	33	23	14	2
Percentage of embryos transferred resulting in implantation <sup>b</sup>	44.6	22.9	27.6	1 / 13	1 / 2
Percentage of cycles resulting in pregnancies <sup>b</sup>	48.6	24.2	30.4	2 / 14	1 / 2
Percentage of cycles resulting in live births <sup>b,c</sup>	45.9	15.2	21.7	0 / 14	1 / 2
(Confidence Interval)	(34.3–57.9)	(5.1–31.9)	(7.5–43.7)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	47.2	17.9	22.7	0 / 11	1 / 2
Percentage of transfers resulting in live births <sup>b,c</sup>	54.8	5 / 18	5 / 14	0 / 9	1 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	38.7	4 / 18	5 / 14	0 / 9	1 / 1
Percentage of cancellations <sup>b</sup>	2.7	15.2	4.3	3 / 14	0 / 2
Average number of embryos transferred	1.8	1.9	2.1	1.4	2.0
Percentage of pregnancies with twins <sup>b</sup>	36.1	1 / 8	1 / 7	0 / 2	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	2.8	0 / 8	0 / 7	0 / 2	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	29.4	1 / 5	0 / 5		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	19	3	3	3	0
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 19	0 / 3	2 / 3	0 / 3	
Average number of embryos transferred	1.7	2.0	2.0	1.3	
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	18		14		
Percentage of transfers resulting in live births <sup>b,c</sup>	7 / 18		1 / 14		
Average number of embryos transferred	1.9		2.0		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Heartland Center for Reproductive Medicine, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## NEBRASKA METHODIST HOSPITAL REI OMAHA, NEBRASKA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	>99%	<b>Procedural Factors:</b>		Tubal factor	11%	Other factor	10%
GIFT	<1%	With ICSI	87%	Ovulatory dysfunction	7%	Unknown factor	8%
ZIFT	<1%	Unstimulated	<1%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	8%	Female factors only	14%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	20%
		With eSET	4%	Male factor	20%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Carolyn M. Doherty, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	148	56	25	7	2
Percentage of embryos transferred resulting in implantation <sup>b</sup>	33.3	25.5	9.3	3.6	
Percentage of cycles resulting in pregnancies <sup>b</sup>	47.3	39.3	24.0	1 / 7	0 / 2
Percentage of cycles resulting in live births <sup>b,c</sup>	43.9	32.1	16.0	1 / 7	0 / 2
(Confidence Interval)	(35.8–52.3)	(20.3–46.0)	(4.5–36.1)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	46.1	41.9	4 / 18	1 / 6	
Percentage of transfers resulting in live births <sup>b,c</sup>	47.1	41.9	4 / 18	1 / 6	
Percentage of transfers resulting in singleton live births <sup>b</sup>	32.6	32.6	4 / 18	1 / 6	
Percentage of cancellations <sup>b</sup>	4.7	23.2	28.0	1 / 7	2 / 2
Average number of embryos transferred	2.2	2.4	3.0	4.7	
Percentage of pregnancies with twins <sup>b</sup>	30.0	13.6	1 / 6	0 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	5.7	9.1	0 / 6	0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	30.8	4 / 18	0 / 4	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	54	13	8	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	24.1	3 / 13	2 / 8	0 / 2	
Average number of embryos transferred	1.9	1.7	1.9	2.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	23		6		
Percentage of transfers resulting in live births <sup>b,c</sup>	30.4		2 / 6		
Average number of embryos transferred	2.1		1.3		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Nebraska Methodist Hospital REI

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## FERTILITY CENTER OF LAS VEGAS LAS VEGAS, NEVADA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	7%	Other factor	7%
GIFT	0%	With ICSI	93%	Ovulatory dysfunction	2%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	22%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	<1%	Female factors only	8%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	26%
		With eSET	11%	Male factor	23%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Bruce S. Shapiro, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	132	50	65	23	10
Percentage of embryos transferred resulting in implantation <sup>b</sup>	50.0	18.6	37.3	20.8	0 / 5
Percentage of cycles resulting in pregnancies <sup>b</sup>	43.9	22.0	32.3	21.7	0 / 10
Percentage of cycles resulting in live births <sup>b,c</sup>	37.9	18.0	21.5	13.0	0 / 10
(Confidence Interval)	(29.6–46.7)	(8.6–31.4)	(12.3–33.5)	(2.8–33.6)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	39.7	18.8	24.1	15.0	0 / 9
Percentage of transfers resulting in live births <sup>b,c</sup>	54.9	25.7	35.9	3 / 14	0 / 4
Percentage of transfers resulting in singleton live births <sup>b</sup>	30.8	20.0	28.2	3 / 14	0 / 4
Percentage of cancellations <sup>b</sup>	4.5	4.0	10.8	13.0	1 / 10
Average number of embryos transferred	1.7	1.7	1.7	1.7	1.3
Percentage of pregnancies with twins <sup>b</sup>	32.8	2 / 11	23.8	0 / 5	
Percentage of pregnancies with triplets or more <sup>b</sup>	5.2	0 / 11	0.0	0 / 5	
Percentage of live births having multiple infants <sup>b,c</sup>	44.0	2 / 9	3 / 14	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	147	53	39	13	7
Percentage of transfers resulting in live births <sup>b,c</sup>	70.1	47.2	53.8	5 / 13	2 / 7
Average number of embryos transferred	1.7	1.7	1.7	1.7	1.6
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	27		24		
Percentage of transfers resulting in live births <sup>b,c</sup>	81.5		75.0		
Average number of embryos transferred	1.8		1.8		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Fertility Center of Las Vegas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## NEVADA FERTILITY C.A.R.E.S. LAS VEGAS, NEVADA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	16%	Other factor	<1%
GIFT	0%	With ICSI	40%	Ovulatory dysfunction	17%	Unknown factor	16%
ZIFT	0%	Unstimulated	3%	Diminished ovarian reserve	22%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	1%	Female factors only	3%
		Used PGD	10%	Uterine factor	1%	Female & male factors	12%
		With eSET	0%	Male factor	12%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Rachel A. McConnell, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	71	33	35	10	9
Percentage of embryos transferred resulting in implantation <sup>b</sup>	38.3	21.6	14.5	0 / 9	1 / 13
Percentage of cycles resulting in pregnancies <sup>b</sup>	45.1	27.3	22.9	0 / 10	1 / 9
Percentage of cycles resulting in live births <sup>b,c</sup>	42.3	27.3	17.1	0 / 10	1 / 9
(Confidence Interval)	(30.6–54.6)	(13.3–45.5)	(6.6–33.6)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	44.8	30.0	19.4	0 / 8	1 / 8
Percentage of transfers resulting in live births <sup>b,c</sup>	51.7	37.5	23.1	0 / 6	1 / 6
Percentage of transfers resulting in singleton live births <sup>b</sup>	36.2	33.3	23.1	0 / 6	1 / 6
Percentage of cancellations <sup>b</sup>	5.6	9.1	11.4	2 / 10	1 / 9
Average number of embryos transferred	2.1	2.1	2.1	1.5	2.2
Percentage of pregnancies with twins <sup>b</sup>	37.5	0 / 9	0 / 8		0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	3.1	1 / 9	0 / 8		0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	30.0	1 / 9	0 / 6		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	9	3	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 9	1 / 3			
Average number of embryos transferred	2.0	1.7			
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	6		2		
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 6		1 / 2		
Average number of embryos transferred	2.3		2.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Nevada Fertility C.A.R.E.S.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## RED ROCK FERTILITY CENTER LAS VEGAS, NEVADA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>		Patient Diagnosis				
IVF	100%	<b>Procedural Factors:</b>	Tubal factor	12%	Other factor	6%
GIFT	0%	With ICSI	Ovulatory dysfunction	8%	Unknown factor	24%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	20%	<b>Multiple Factors:</b>	
Combination	0%	Used gestational carrier	Endometriosis	4%	Female factors only	4%
		Used PGD	Uterine factor	<1%	Female & male factors	1%
		With eSET	Male factor	21%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Eva D. Littman, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	42	25	42	4	3
Percentage of embryos transferred resulting in implantation <sup>b</sup>	27.2	16.0	12.0	1 / 11	1 / 9
Percentage of cycles resulting in pregnancies <sup>b</sup>	47.6	40.0	26.2	1 / 4	1 / 3
Percentage of cycles resulting in live births <sup>b,c</sup>	47.6	36.0	23.8	0 / 4	1 / 3
(Confidence Interval)	(32.0–63.6)	(18.0–57.5)	(12.1–39.5)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	47.6	36.0	23.8	0 / 4	1 / 3
Percentage of transfers resulting in live births <sup>b,c</sup>	47.6	36.0	25.6	0 / 3	1 / 3
Percentage of transfers resulting in singleton live births <sup>b</sup>	28.6	24.0	23.1	0 / 3	1 / 3
Percentage of cancellations <sup>b</sup>	0.0	0.0	0.0	0 / 4	0 / 3
Average number of embryos transferred	2.5	3.0	2.8	3.7	3.0
Percentage of pregnancies with twins <sup>b</sup>	40.0	3 / 10	2 / 11	0 / 1	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	0 / 10	0 / 11	0 / 1	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	40.0	3 / 9	1 / 10		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	17	9	9	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	7 / 17	2 / 9	2 / 9	0 / 1	0 / 1
Average number of embryos transferred	2.2	2.0	2.0	2.0	3.0
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	11		8		
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 11		5 / 8		
Average number of embryos transferred	2.1		2.1		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Red Rock Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## THE NEVADA CENTER FOR REPRODUCTIVE MEDICINE RENO, NEVADA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	7%	Other factor	6%
GIFT	0%	With ICSI	61%	Ovulatory dysfunction	1%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	1%	Female factors only	37%
		Used PGD	11%	Uterine factor	2%	Female & male factors	20%
		With eSET	2%	Male factor	7%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Russell A. Foulk, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	63	19	35	4	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	31.3	28.9	19.2	0 / 6	1 / 4
Percentage of cycles resulting in pregnancies <sup>b</sup>	49.2	11 / 19	25.7	0 / 4	1 / 1
Percentage of cycles resulting in live births <sup>b,c</sup>	39.7	10 / 19	20.0	0 / 4	1 / 1
(Confidence Interval)	(27.6–52.8)		(8.4–36.9)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	41.7	10 / 19	21.2	0 / 4	1 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	42.4	10 / 18	24.1	0 / 3	1 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	28.8	9 / 18	13.8	0 / 3	1 / 1
Percentage of cancellations <sup>b</sup>	4.8	0 / 19	5.7	0 / 4	0 / 1
Average number of embryos transferred	2.2	2.5	2.7	2.0	4.0
Percentage of pregnancies with twins <sup>b</sup>	22.6	2 / 11	1 / 9		0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	6.5	0 / 11	3 / 9		0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	32.0	1 / 10	3 / 7		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	25	14	11	2	1
Percentage of transfers resulting in live births <sup>b,c</sup>	32.0	5 / 14	2 / 11	1 / 2	0 / 1
Average number of embryos transferred	2.3	2.5	1.9	3.0	3.0
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	30		60		
Percentage of transfers resulting in live births <sup>b,c</sup>	50.0		33.3		
Average number of embryos transferred	2.1		2.3		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** The Nevada Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## DARTMOUTH-HITCHCOCK MEDICAL CENTER LEBANON, NEW HAMPSHIRE

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	7%	Other factor	5%
GIFT	0%	With ICSI	44%	Ovulatory dysfunction	9%	Unknown factor	24%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	4%
		Used PGD	<1%	Uterine factor	3%	Female & male factors	6%
		With eSET	8%	Male factor	28%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Misty B. Porter, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	61	40	39	15	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	44.0	27.3	15.7	4.2	0 / 2
Percentage of cycles resulting in pregnancies <sup>b</sup>	47.5	37.5	33.3	1 / 15	0 / 1
Percentage of cycles resulting in live births <sup>b,c</sup>	45.9	27.5	25.6	1 / 15	0 / 1
(Confidence Interval)	(33.1–59.2)	(14.6–43.9)	(13.0–42.1)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	50.9	30.6	29.4	1 / 9	0 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	54.9	31.4	32.3	1 / 8	0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	33.3	17.1	29.0	1 / 8	0 / 1
Percentage of cancellations <sup>b</sup>	9.8	10.0	12.8	6 / 15	0 / 1
Average number of embryos transferred	1.8	1.9	2.7	3.0	2.0
Percentage of pregnancies with twins <sup>b</sup>	37.9	6 / 15	1 / 13	0 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	0 / 15	0 / 13	0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	39.3	5 / 11	1 / 10	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	18	2	6	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	6 / 18	1 / 2	2 / 6	0 / 1	
Average number of embryos transferred	1.8	2.0	2.3	1.0	
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	5		7		
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 5		1 / 7		
Average number of embryos transferred	1.8		1.6		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Dartmouth-Hitchcock Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-NEW JERSEY BEDMINSTER, NEW JERSEY

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	4%	Other factor	14%
GIFT	0%	With ICSI	87%	Ovulatory dysfunction	11%	Unknown factor	21%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	31%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	2%	Female factors only	5%
		Used PGD	16%	Uterine factor	1%	Female & male factors	6%
		With eSET	5%	Male factor	6%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Albert J. Peters, DO

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	67	62	46	21	11
Percentage of embryos transferred resulting in implantation <sup>b</sup>	52.4	18.0	29.4	4.0	1 / 6
Percentage of cycles resulting in pregnancies <sup>b</sup>	52.2	33.9	32.6	4.8	1 / 11
Percentage of cycles resulting in live births <sup>b,c</sup>	44.8	24.2	28.3	4.8	0 / 11
(Confidence Interval)	(32.6–57.4)	(14.2–36.7)	(16.0–43.5)	(0.1–23.8)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	47.6	25.9	31.7	1 / 17	0 / 8
Percentage of transfers resulting in live births <sup>b,c</sup>	54.5	28.8	40.6	1 / 10	0 / 3
Percentage of transfers resulting in singleton live births <sup>b</sup>	32.7	26.9	31.3	1 / 10	0 / 3
Percentage of cancellations <sup>b</sup>	6.0	6.5	10.9	19.0	3 / 11
Average number of embryos transferred	1.9	2.1	2.1	2.5	2.0
Percentage of pregnancies with twins <sup>b</sup>	40.0	9.5	1 / 15	0 / 1	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	8.6	0.0	2 / 15	0 / 1	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	40.0	1 / 15	3 / 13	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	12	12	9	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 12	1 / 12	0 / 9	1 / 1	0 / 1
Average number of embryos transferred	1.9	1.8	1.6	2.0	2.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
	Number of transfers	13	5		
	Percentage of transfers resulting in live births <sup>b,c</sup>	7 / 13	3 / 5		
Average number of embryos transferred	1.8	2.2			

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Sher Institute for Reproductive Medicine-New Jersey

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CENTER FOR ADVANCED REPRODUCTIVE MEDICINE & FERTILITY EDISON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	15%	Other factor	<1%
GIFT	0%	With ICSI	66%	Ovulatory dysfunction	11%	Unknown factor	13%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	3%
		Used PGD	4%	Uterine factor	<1%	Female & male factors	13%
		With eSET	3%	Male factor	25%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Gregory H. Corsan, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	143	27	37	14	9
Percentage of embryos transferred resulting in implantation <sup>b</sup>	30.1	20.0	16.7	2.9	0.0
Percentage of cycles resulting in pregnancies <sup>b</sup>	39.2	40.7	29.7	2 / 14	0 / 9
Percentage of cycles resulting in live births <sup>b,c</sup>	34.3	29.6	16.2	0 / 14	0 / 9
(Confidence Interval)	(26.5–42.7)	(13.8–50.2)	(6.2–32.0)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	35.3	33.3	18.2	0 / 11	0 / 9
Percentage of transfers resulting in live births <sup>b,c</sup>	38.9	36.4	20.7	0 / 10	0 / 9
Percentage of transfers resulting in singleton live births <sup>b</sup>	22.2	22.7	10.3	0 / 10	0 / 9
Percentage of cancellations <sup>b</sup>	2.8	11.1	10.8	3 / 14	0 / 9
Average number of embryos transferred	2.1	3.0	2.9	3.4	3.3
Percentage of pregnancies with twins <sup>b</sup>	35.7	2 / 11	4 / 11	0 / 2	
Percentage of pregnancies with triplets or more <sup>b</sup>	3.6	1 / 11	0 / 11	0 / 2	
Percentage of live births having multiple infants <sup>b,c</sup>	42.9	3 / 8	3 / 6		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	37	9	7	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	16.2	4 / 9	1 / 7		0 / 1
Average number of embryos transferred	2.0	2.2	2.3		2.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	11		6		
Percentage of transfers resulting in live births <sup>b,c</sup>	9 / 11		2 / 6		
Average number of embryos transferred	2.1		2.3		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Center for Advanced Reproductive Medicine & Fertility

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## WOMEN'S FERTILITY CENTER ENGLEWOOD, NEW JERSEY

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	17%	Other factor	2%
GIFT	0%	With ICSI	93%	Ovulatory dysfunction	12%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	43%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	3%
		Used PGD	2%	Uterine factor	0%	Female & male factors	7%
		With eSET	3%	Male factor	12%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Philip R. Lesorgen, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	19	8	12	6	7
Percentage of embryos transferred resulting in implantation <sup>b</sup>	18.2	0 / 13	4 / 14	0 / 6	1 / 16
Percentage of cycles resulting in pregnancies <sup>b</sup>	5 / 19	1 / 8	2 / 12	0 / 6	1 / 7
Percentage of cycles resulting in live births <sup>b,c</sup>	3 / 19	0 / 8	2 / 12	0 / 6	1 / 7
(Confidence Interval)					
Percentage of retrievals resulting in live births <sup>b,c</sup>	3 / 19	0 / 8	2 / 11	0 / 6	1 / 7
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 15	0 / 7	2 / 6	0 / 3	1 / 6
Percentage of transfers resulting in singleton live births <sup>b</sup>	3 / 15	0 / 7	1 / 6	0 / 3	1 / 6
Percentage of cancellations <sup>b</sup>	0 / 19	0 / 8	1 / 12	0 / 6	0 / 7
Average number of embryos transferred	2.2	1.9	2.3	2.0	2.7
Percentage of pregnancies with twins <sup>b</sup>	1 / 5	0 / 1	0 / 2		0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 5	0 / 1	1 / 2		0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	0 / 3		1 / 2		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	4	1	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 4	0 / 1			
Average number of embryos transferred	2.3	3.0			
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	0		0		
Percentage of transfers resulting in live births <sup>b,c</sup>					
Average number of embryos transferred					

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Dr. Philip Lesorgen, Women's Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTH HUDSON I.V.F.  
CENTER FOR FERTILITY AND GYNECOLOGY  
ENGLEWOOD CLIFFS, NEW JERSEY**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	8%	Other factor	6%
GIFT	0%	With ICSI	94%	Ovulatory dysfunction	12%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	39%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	17%
		Used PGD	0%	Uterine factor	0%	Female & male factors	10%
		With eSET	0%	Male factor	10%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Jane E. Miller, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	7	3	4	3	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	7 / 13	4 / 6	0 / 6	0 / 6	0 / 3
Percentage of cycles resulting in pregnancies <sup>b</sup>	4 / 7	2 / 3	0 / 4	0 / 3	0 / 1
Percentage of cycles resulting in live births <sup>b,c</sup> (Confidence Interval)	4 / 7	2 / 3	0 / 4	0 / 3	0 / 1
Percentage of retrievals resulting in live births <sup>b,c</sup>	4 / 7	2 / 2	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 6	2 / 2	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	1 / 6	0 / 2	0 / 2	0 / 2	0 / 1
Percentage of cancellations <sup>b</sup>	0 / 7	1 / 3	0 / 4	0 / 3	0 / 1
Average number of embryos transferred	2.2	3.0	3.0	3.0	3.0
Percentage of pregnancies with twins <sup>b</sup>	3 / 4	2 / 2			
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 4	0 / 2			
Percentage of live births having multiple infants <sup>b,c</sup>	3 / 4	2 / 2			
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	3	4	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 3	1 / 4			
Average number of embryos transferred	2.3	2.0			
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
<b>Donor Eggs</b>					
Number of transfers	14		4		
Percentage of transfers resulting in live births <sup>b,c</sup>	9 / 14		1 / 4		
Average number of embryos transferred	2.4		2.5		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** North Hudson I.V.F., Center for Fertility and Gynecology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DOUGLAS S. RABIN, MD**  
**FAIR LAWN, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	3%	Other factor	3%
GIFT	0%	With ICSI	100%	Ovulatory dysfunction	16%	Unknown factor	23%
ZIFT	0%	Unstimulated	3%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	12%	Female factors only	13%
		Used PGD	3%	Uterine factor	0%	Female & male factors	10%
		With eSET	23%	Male factor	18%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Douglas S. Rabin, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	12	6	11	3	3
Percentage of embryos transferred resulting in implantation <sup>b</sup>	2 / 18	2 / 10	8.7	2 / 10	0 / 4
Percentage of cycles resulting in pregnancies <sup>b</sup>	2 / 12	1 / 6	2 / 11	2 / 3	0 / 3
Percentage of cycles resulting in live births <sup>b,c</sup>	2 / 12	1 / 6	2 / 11	2 / 3	0 / 3
(Confidence Interval)					
Percentage of retrievals resulting in live births <sup>b,c</sup>	2 / 12	1 / 6	2 / 11	2 / 3	0 / 3
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 12	1 / 5	2 / 9	2 / 3	0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	2 / 12	0 / 5	2 / 9	2 / 3	0 / 1
Percentage of cancellations <sup>b</sup>	0 / 12	0 / 6	0 / 11	0 / 3	0 / 3
Average number of embryos transferred	1.5	2.0	2.6	3.3	4.0
Percentage of pregnancies with twins <sup>b</sup>	0 / 2	1 / 1	0 / 2	0 / 2	
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 2	0 / 1	0 / 2	0 / 2	
Percentage of live births having multiple infants <sup>b,c</sup>	0 / 2	1 / 1	0 / 2	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	12	5	6	0	2
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 12	2 / 5	0 / 6		0 / 2
Average number of embryos transferred	2.3	2.2	3.0		4.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	0		0		
Percentage of transfers resulting in live births <sup>b,c</sup>					
Average number of embryos transferred					

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Douglas S. Rabin, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## UNIVERSITY REPRODUCTIVE ASSOCIATES, PC HASBROUCK HEIGHTS, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	<1%	Other factor	2%
GIFT	0%	With ICSI	93%	Ovulatory dysfunction	2%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<b>Multiple Factors:</b>	
Combination	0%	Used gestational carrier	0%	Endometriosis	<1%	Female factors only	3%
		Used PGD	3%	Uterine factor	<1%	Female & male factors	47%
		With eSET	<1%	Male factor	33%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Peter G. McGovern, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	111	61	55	20	7
Percentage of embryos transferred resulting in implantation <sup>b</sup>	28.4	28.5	16.9	8.2	0 / 14
Percentage of cycles resulting in pregnancies <sup>b</sup>	43.2	39.3	36.4	20.0	0 / 7
Percentage of cycles resulting in live births <sup>b,c</sup>	36.0	36.1	34.5	5.0	0 / 7
(Confidence Interval)	(27.1–45.7)	(24.2–49.4)	(22.2–48.6)	(0.1–24.9)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	36.0	39.3	36.5	1 / 18	0 / 6
Percentage of transfers resulting in live births <sup>b,c</sup>	37.0	41.5	38.0	1 / 17	0 / 5
Percentage of transfers resulting in singleton live births <sup>b</sup>	25.9	28.3	32.0	1 / 17	0 / 5
Percentage of cancellations <sup>b</sup>	0.0	8.2	5.5	10.0	1 / 7
Average number of embryos transferred	2.1	2.3	2.7	2.9	2.8
Percentage of pregnancies with twins <sup>b</sup>	25.0	37.5	20.0	0 / 4	
Percentage of pregnancies with triplets or more <sup>b</sup>	4.2	4.2	0.0	0 / 4	
Percentage of live births having multiple infants <sup>b,c</sup>	30.0	31.8	3 / 19	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	12	10	4	2	1
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 12	2 / 10	1 / 4	1 / 2	0 / 1
Average number of embryos transferred	2.8	2.9	2.3	1.5	1.0
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
<b>Donor Eggs</b>					
Number of transfers	11		5		
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 11		0 / 5		
Average number of embryos transferred	2.1		2.4		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** University Reproductive Associates, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## SHORE INSTITUTE FOR REPRODUCTIVE MEDICINE LAKEWOOD, NEW JERSEY

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	15%	Other factor	3%
GIFT	0%	With ICSI	22%	Ovulatory dysfunction	10%	Unknown factor	28%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	<1%	Female factors only	0%
		Used PGD	3%	Uterine factor	0%	Female & male factors	11%
		With eSET	2%	Male factor	26%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Allen Morgan, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	49	18	18	3	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	38.2	27.9	27.8	1 / 10	
Percentage of cycles resulting in pregnancies <sup>b</sup>	46.9	8 / 18	8 / 18	1 / 3	
Percentage of cycles resulting in live births <sup>b,c</sup>	32.7	7 / 18	6 / 18	1 / 3	
(Confidence Interval)	(19.9–47.5)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	38.1	7 / 16	6 / 14	1 / 2	
Percentage of transfers resulting in live births <sup>b,c</sup>	45.7	7 / 16	6 / 12	1 / 2	
Percentage of transfers resulting in singleton live births <sup>b</sup>	28.6	5 / 16	5 / 12	1 / 2	
Percentage of cancellations <sup>b</sup>	14.3	2 / 18	4 / 18	1 / 3	
Average number of embryos transferred	2.5	2.7	3.0	5.0	
Percentage of pregnancies with twins <sup>b</sup>	13.0	2 / 8	3 / 8	0 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	21.7	1 / 8	0 / 8	0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	6 / 16	2 / 7	1 / 6	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	6	1	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 6	1 / 1			
Average number of embryos transferred	2.2	3.0			
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	4		2		
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 4		0 / 2		
Average number of embryos transferred	2.5		1.5		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Shore Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DELAWARE VALLEY OBGYN AND INFERTILITY GROUP**  
**PRINCETON IVF**  
**LAWRENCEVILLE, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	9%	Other factor	6%
GIFT	0%	With ICSI	53%	Ovulatory dysfunction	9%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	<1%	Female factors only	21%
		Used PGD	4%	Uterine factor	1%	Female & male factors	29%
		With eSET	0%	Male factor	9%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Seth G. Derman, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	52	26	23	17	8
Percentage of embryos transferred resulting in implantation <sup>b</sup>	35.4	31.6	15.4	15.2	2 / 16
Percentage of cycles resulting in pregnancies <sup>b</sup>	50.0	50.0	26.1	4 / 17	1 / 8
Percentage of cycles resulting in live births <sup>b,c</sup>	40.4	34.6	21.7	4 / 17	1 / 8
(Confidence Interval)	(27.0–54.9)	(17.2–55.7)	(7.5–43.7)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	40.4	34.6	22.7	4 / 17	1 / 7
Percentage of transfers resulting in live births <sup>b,c</sup>	41.2	37.5	23.8	4 / 15	1 / 7
Percentage of transfers resulting in singleton live births <sup>b</sup>	19.6	20.8	14.3	4 / 15	0 / 7
Percentage of cancellations <sup>b</sup>	0.0	0.0	4.3	0 / 17	1 / 8
Average number of embryos transferred	2.2	2.4	3.1	3.1	2.3
Percentage of pregnancies with twins <sup>b</sup>	38.5	5 / 13	2 / 6	1 / 4	1 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	7.7	0 / 13	1 / 6	1 / 4	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	52.4	4 / 9	2 / 5	0 / 4	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	9	2	2	1	6
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 9	2 / 2	0 / 2	0 / 1	1 / 6
Average number of embryos transferred	2.1	2.5	3.0	1.0	2.3
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
<b>Donor Eggs</b>					
Number of transfers	8		3		
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 8		0 / 3		
Average number of embryos transferred	2.1		2.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Delaware Valley OBGYN and Infertility Group, Princeton IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PRINCETON CENTER FOR INFERTILITY & REPRODUCTIVE MEDICINE LAWRENCEVILLE, NEW JERSEY

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	12%	Other factor	0%
GIFT	0%	With ICSI	42%	Ovulatory dysfunction	10%	Unknown factor	18%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	22%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	2%
		Used PGD	0%	Uterine factor	0%	Female & male factors	24%
		With eSET	4%	Male factor	12%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Althea M. O'Shaughnessy, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	13	12	6	2	3
Percentage of embryos transferred resulting in implantation <sup>b</sup>	52.4	11 / 19	2 / 16	0 / 1	0 / 7
Percentage of cycles resulting in pregnancies <sup>b</sup>	6 / 13	6 / 12	2 / 6	0 / 2	0 / 3
Percentage of cycles resulting in live births <sup>b,c</sup> (Confidence Interval)	6 / 13	6 / 12	0 / 6	0 / 2	0 / 3
Percentage of retrievals resulting in live births <sup>b,c</sup>	6 / 12	6 / 8	0 / 6	0 / 1	0 / 2
Percentage of transfers resulting in live births <sup>b,c</sup>	6 / 11	6 / 7	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births <sup>b</sup>	2 / 11	2 / 7	0 / 5	0 / 1	0 / 2
Percentage of cancellations <sup>b</sup>	1 / 13	4 / 12	0 / 6	1 / 2	1 / 3
Average number of embryos transferred	1.9	2.7	3.2	1.0	3.5
Percentage of pregnancies with twins <sup>b</sup>	3 / 6	5 / 6	0 / 2		
Percentage of pregnancies with triplets or more <sup>b</sup>	1 / 6	0 / 6	0 / 2		
Percentage of live births having multiple infants <sup>b,c</sup>	4 / 6	4 / 6			
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	4	1	3	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 4	0 / 1	0 / 3		
Average number of embryos transferred	2.0	1.0	3.0		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	3		0		
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 3				
Average number of embryos transferred	2.0				

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Princeton Center for Infertility & Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## EAST COAST INFERTILITY AND IVF LITTLE SILVER, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>			Patient Diagnosis				
IVF	100%	<b>Procedural Factors:</b>	Tubal factor	2%	Other factor	8%	
GIFT	0%	With ICSI	63%	Ovulatory dysfunction	2%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	12%	Female factors only	14%
		Used PGD	6%	Uterine factor	<1%	Female & male factors	30%
		With eSET	<1%	Male factor	17%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Miguel Damien, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	46	38	44	24	11
Percentage of embryos transferred resulting in implantation <sup>b</sup>	33.7	20.5	13.2	11.1	0.0
Percentage of cycles resulting in pregnancies <sup>b</sup>	43.5	34.2	25.0	20.8	0 / 11
Percentage of cycles resulting in live births <sup>b,c</sup>	34.8	31.6	22.7	20.8	0 / 11
(Confidence Interval)	(21.4–50.2)	(17.5–48.7)	(11.5–37.8)	(7.1–42.2)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	37.2	33.3	23.8	21.7	0 / 11
Percentage of transfers resulting in live births <sup>b,c</sup>	39.0	38.7	27.0	25.0	0 / 9
Percentage of transfers resulting in singleton live births <sup>b</sup>	22.0	25.8	21.6	25.0	0 / 9
Percentage of cancellations <sup>b</sup>	6.5	5.3	4.5	4.2	0 / 11
Average number of embryos transferred	2.2	2.5	3.1	2.7	3.6
Percentage of pregnancies with twins <sup>b</sup>	45.0	4 / 13	3 / 11	1 / 5	
Percentage of pregnancies with triplets or more <sup>b</sup>	5.0	0 / 13	1 / 11	0 / 5	
Percentage of live births having multiple infants <sup>b,c</sup>	7 / 16	4 / 12	2 / 10	0 / 5	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	3	7	7	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 3	3 / 7	2 / 7		
Average number of embryos transferred	2.0	2.0	2.6		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
	Number of transfers	14	9		
	Percentage of transfers resulting in live births <sup>b,c</sup>	8 / 14	5 / 9		
Average number of embryos transferred	2.2	1.8			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** East Coast Infertility and IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INSTITUTE FOR REPRODUCTIVE MEDICINE AND SCIENCE  
SAINT BARNABAS MEDICAL CENTER  
LIVINGSTON, NEW JERSEY**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	6%	Other factor	5%
GIFT	0%	With ICSI	56%	Ovulatory dysfunction	6%	Unknown factor	14%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	36%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	13%
		Used PGD	13%	Uterine factor	1%	Female & male factors	12%
		With eSET	0%	Male factor	6%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Margaret G. Garrisi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	224	132	171	92	34
Percentage of embryos transferred resulting in implantation <sup>b</sup>	33.8	26.4	17.8	9.6	2.9
Percentage of cycles resulting in pregnancies <sup>b</sup>	44.2	39.4	28.7	16.3	5.9
Percentage of cycles resulting in live births <sup>b,c</sup>	34.8	32.6	25.1	8.7	5.9
(Confidence Interval)	(28.6–41.5)	(24.7–41.3)	(18.8–32.3)	(3.8–16.4)	(0.7–19.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	38.8	36.4	28.9	11.8	7.4
Percentage of transfers resulting in live births <sup>b,c</sup>	45.1	41.0	31.4	14.3	9.5
Percentage of transfers resulting in singleton live births <sup>b</sup>	27.7	29.5	23.4	10.7	9.5
Percentage of cancellations <sup>b</sup>	10.3	10.6	12.9	26.1	20.6
Average number of embryos transferred	2.3	2.4	2.8	3.2	3.2
Percentage of pregnancies with twins <sup>b</sup>	37.4	23.1	20.4	3 / 15	0 / 2
Percentage of pregnancies with triplets or more <sup>b</sup>	2.0	3.8	8.2	1 / 15	0 / 2
Percentage of live births having multiple infants <sup>b,c</sup>	38.5	27.9	25.6	2 / 8	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	37	15	17	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	45.9	8 / 15	9 / 17	0 / 2	
Average number of embryos transferred	2.1	1.9	2.0	2.5	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	47		13		
Percentage of transfers resulting in live births <sup>b,c</sup>	46.8		8 / 13		
Average number of embryos transferred	2.1		2.2		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Institute for Reproductive Medicine and Science, Saint Barnabas Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# COOPER INSTITUTE FOR REPRODUCTIVE HORMONAL DISORDERS MARLTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	8%	Other factor	3%
GIFT	0%	With ICSI	39%	Ovulatory dysfunction	5%	Unknown factor	9%
ZIFT	0%	Unstimulated	2%	Diminished ovarian reserve	33%	<b>Multiple Factors:</b>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	14%
		Used PGD	<1%	Uterine factor	<1%	Female & male factors	13%
		With eSET	3%	Male factor	13%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Jerome H. Check, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	210	118	179	157	99
Percentage of embryos transferred resulting in implantation <sup>b</sup>	35.1	27.9	15.9	8.8	7.4
Percentage of cycles resulting in pregnancies <sup>b</sup>	31.9	25.4	16.8	7.0	7.1
Percentage of cycles resulting in live births <sup>b,c</sup>	29.5	16.1	10.6	5.1	2.0
(Confidence Interval)	(23.4–36.2)	(10.0–24.0)	(6.5–16.1)	(2.2–9.8)	(0.2–7.1)
Percentage of retrievals resulting in live births <sup>b,c</sup>	33.7	22.1	15.2	7.5	3.0
Percentage of transfers resulting in live births <sup>b,c</sup>	45.3	29.7	19.4	12.3	5.3
Percentage of transfers resulting in singleton live births <sup>b</sup>	27.7	21.9	16.3	10.8	2.6
Percentage of cancellations <sup>b</sup>	12.4	27.1	30.2	32.5	33.3
Average number of embryos transferred	1.9	2.2	2.3	2.1	2.5
Percentage of pregnancies with twins <sup>b</sup>	32.8	16.7	16.7	0 / 11	2 / 7
Percentage of pregnancies with triplets or more <sup>b</sup>	4.5	6.7	3.3	1 / 11	0 / 7
Percentage of live births having multiple infants <sup>b,c</sup>	38.7	5 / 19	3 / 19	1 / 8	1 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	90	41	19	16	2
Percentage of transfers resulting in live births <sup>b,c</sup>	31.1	39.0	2 / 19	4 / 16	0 / 2
Average number of embryos transferred	2.0	2.2	2.3	3.3	2.5
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	68		91		
Percentage of transfers resulting in live births <sup>b,c</sup>	39.7		31.9		
Average number of embryos transferred	2.0		2.1		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Cooper Institute for Reproductive Hormonal Disorders

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# DELAWARE VALLEY INSTITUTE OF FERTILITY AND GENETICS MARLTON, NEW JERSEY

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	3%	Other factor	<1%
GIFT	0%	With ICSI	65%	Ovulatory dysfunction	4%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	<1%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	4%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	79%
		With eSET	2%	Male factor	6%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by George S. Taliadouros, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	62	50	34	5	7
Percentage of embryos transferred resulting in implantation <sup>b</sup>	37.8	26.0	27.0	0 / 10	4.5
Percentage of cycles resulting in pregnancies <sup>b</sup>	50.0	42.0	38.2	1 / 5	2 / 7
Percentage of cycles resulting in live births <sup>b,c</sup>	38.7	36.0	29.4	0 / 5	1 / 7
(Confidence Interval)	(26.6–51.9)	(22.9–50.8)	(15.1–47.5)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	40.0	39.1	32.3	0 / 4	1 / 6
Percentage of transfers resulting in live births <sup>b,c</sup>	42.9	40.0	35.7	0 / 4	1 / 6
Percentage of transfers resulting in singleton live births <sup>b</sup>	26.8	31.1	25.0	0 / 4	1 / 6
Percentage of cancellations <sup>b</sup>	3.2	8.0	8.8	1 / 5	1 / 7
Average number of embryos transferred	2.0	2.3	2.6	2.5	3.7
Percentage of pregnancies with twins <sup>b</sup>	45.2	23.8	5 / 13	0 / 1	0 / 2
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	4.8	1 / 13	0 / 1	0 / 2
Percentage of live births having multiple infants <sup>b,c</sup>	37.5	4 / 18	3 / 10		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	7	3	0	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 7	1 / 3		0 / 2	
Average number of embryos transferred	1.3	2.3		1.5	
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	4		4		
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 4		1 / 4		
Average number of embryos transferred	2.0		1.8		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Delaware Valley Institute of Fertility and Genetics

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## SOUTH JERSEY FERTILITY CENTER MARLTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	5%	Other factor	6%
GIFT	0%	With ICSI	59%	Ovulatory dysfunction	8%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	1%	Female factors only	24%
		Used PGD	1%	Uterine factor	<1%	Female & male factors	26%
		With eSET	5%	Male factor	17%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Robert A. Skaf, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	181	83	57	34	14
Percentage of embryos transferred resulting in implantation <sup>b</sup>	28.8	18.5	10.3	5.2	4.3
Percentage of cycles resulting in pregnancies <sup>b</sup>	39.2	25.3	21.1	17.6	2 / 14
Percentage of cycles resulting in live births <sup>b,c</sup>	35.4	22.9	17.5	8.8	1 / 14
(Confidence Interval)	(28.4–42.8)	(14.4–33.4)	(8.7–29.9)	(1.9–23.7)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	37.0	26.8	18.9	11.1	1 / 13
Percentage of transfers resulting in live births <sup>b,c</sup>	39.0	29.2	19.6	11.5	1 / 13
Percentage of transfers resulting in singleton live births <sup>b</sup>	27.4	20.0	17.6	11.5	1 / 13
Percentage of cancellations <sup>b</sup>	4.4	14.5	7.0	20.6	1 / 14
Average number of embryos transferred	1.9	2.4	2.8	3.7	3.6
Percentage of pregnancies with twins <sup>b</sup>	28.2	38.1	3 / 12	0 / 6	0 / 2
Percentage of pregnancies with triplets or more <sup>b</sup>	2.8	0.0	0 / 12	0 / 6	0 / 2
Percentage of live births having multiple infants <sup>b,c</sup>	29.7	6 / 19	1 / 10	0 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	41	29	11	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	29.3	27.6	0 / 11	0 / 2	
Average number of embryos transferred	2.2	2.1	2.2	2.0	
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
<b>Donor Eggs</b>					
Number of transfers	22		15		
Percentage of transfers resulting in live births <sup>b,c</sup>	45.5		8 / 15		
Average number of embryos transferred	2.0		2.4		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** South Jersey Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# DIAMOND INSTITUTE FOR INFERTILITY MILLBURN, NEW JERSEY

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	12%	Other factor	<1%
GIFT	0%	With ICSI	70%	Ovulatory dysfunction	11%	Unknown factor	14%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	45%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	6%
		Used PGD	6%	Uterine factor	<1%	Female & male factors	7%
		With eSET	4%	Male factor	2%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Arie Birkenfeld, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	85	53	55	39	13
Percentage of embryos transferred resulting in implantation <sup>b</sup>	30.6	14.9	7.9	9.2	3.4
Percentage of cycles resulting in pregnancies <sup>b</sup>	42.4	26.4	18.2	30.8	2 / 13
Percentage of cycles resulting in live births <sup>b,c</sup>	35.3	18.9	12.7	12.8	1 / 13
(Confidence Interval)	(25.2–46.4)	(9.4–32.0)	(5.3–24.5)	(4.3–27.4)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	36.6	23.3	14.9	15.6	1 / 12
Percentage of transfers resulting in live births <sup>b,c</sup>	37.5	23.3	15.6	16.7	1 / 12
Percentage of transfers resulting in singleton live births <sup>b</sup>	23.8	18.6	13.3	16.7	1 / 12
Percentage of cancellations <sup>b</sup>	3.5	18.9	14.5	17.9	1 / 13
Average number of embryos transferred	2.0	2.2	2.5	3.3	2.4
Percentage of pregnancies with twins <sup>b</sup>	36.1	2 / 14	2 / 10	1 / 12	0 / 2
Percentage of pregnancies with triplets or more <sup>b</sup>	2.8	0 / 14	0 / 10	0 / 12	0 / 2
Percentage of live births having multiple infants <sup>b,c</sup>	36.7	2 / 10	1 / 7	0 / 5	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	53	24	13	7	1
Percentage of transfers resulting in live births <sup>b,c</sup>	43.4	50.0	2 / 13	1 / 7	0 / 1
Average number of embryos transferred	1.8	2.0	1.8	1.9	5.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	18		13		
Percentage of transfers resulting in live births <sup>b,c</sup>	8 / 18		3 / 13		
Average number of embryos transferred	2.0		1.8		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Diamond Institute for Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE MEDICINE ASSOCIATES OF NEW JERSEY MORRISTOWN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	3%	Other factor	16%
GIFT	0%	With ICSI	85%	Ovulatory dysfunction	8%	Unknown factor	<1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	<1%	Female factors only	15%
		Used PGD	7%	Uterine factor	<1%	Female & male factors	34%
		With eSET	5%	Male factor	18%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Michael R. Drews, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	545	264	241	118	73
Percentage of embryos transferred resulting in implantation <sup>b</sup>	52.4	39.9	26.9	14.3	4.6
Percentage of cycles resulting in pregnancies <sup>b</sup>	68.3	56.8	46.5	32.2	20.5
Percentage of cycles resulting in live births <sup>b,c</sup>	60.9	50.4	35.7	21.2	6.8
(Confidence Interval)	(56.7–65.0)	(44.2–56.6)	(29.6–42.1)	(14.2–29.7)	(2.3–15.3)
Percentage of retrievals resulting in live births <sup>b,c</sup>	60.9	50.6	37.7	23.6	7.9
Percentage of transfers resulting in live births <sup>b,c</sup>	65.4	53.2	40.8	26.6	8.9
Percentage of transfers resulting in singleton live births <sup>b</sup>	40.2	36.4	29.4	23.4	8.9
Percentage of cancellations <sup>b</sup>	0.0	0.4	5.4	10.2	13.7
Average number of embryos transferred	1.9	2.0	2.5	2.8	3.1
Percentage of pregnancies with twins <sup>b</sup>	39.5	35.3	26.8	10.5	0 / 15
Percentage of pregnancies with triplets or more <sup>b</sup>	1.6	0.0	4.5	2.6	0 / 15
Percentage of live births having multiple infants <sup>b,c</sup>	38.6	31.6	27.9	12.0	0 / 5
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	190	144	110	29	9
Percentage of transfers resulting in live births <sup>b,c</sup>	62.6	58.3	40.9	31.0	5 / 9
Average number of embryos transferred	1.7	1.7	1.6	1.4	1.8
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	112		133		
Percentage of transfers resulting in live births <sup>b,c</sup>	68.8		55.6		
Average number of embryos transferred	1.9		1.8		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Medicine Associates of New Jersey

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## VALLEY HOSPITAL FERTILITY CENTER PARAMUS, NEW JERSEY

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	6%	Other factor	3%
GIFT	0%	With ICSI	33%	Ovulatory dysfunction	12%	Unknown factor	11%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	23%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	4%	Female factors only	14%
		Used PGD	6%	Uterine factor	2%	Female & male factors	15%
		With eSET	4%	Male factor	9%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Ali Nasser, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	92	51	64	48	9
Percentage of embryos transferred resulting in implantation <sup>b</sup>	43.6	35.6	18.3	11.8	0 / 11
Percentage of cycles resulting in pregnancies <sup>b</sup>	56.5	47.1	29.7	18.8	0 / 9
Percentage of cycles resulting in live births <sup>b,c</sup>	46.7	43.1	20.3	8.3	0 / 9
(Confidence Interval)	(36.3–57.4)	(29.3–57.8)	(11.3–32.2)	(2.3–20.0)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	48.3	46.8	22.8	9.8	0 / 5
Percentage of transfers resulting in live births <sup>b,c</sup>	51.2	46.8	24.1	10.0	0 / 4
Percentage of transfers resulting in singleton live births <sup>b</sup>	36.9	36.2	16.7	10.0	0 / 4
Percentage of cancellations <sup>b</sup>	3.3	7.8	10.9	14.6	4 / 9
Average number of embryos transferred	1.9	1.9	2.1	2.3	2.8
Percentage of pregnancies with twins <sup>b</sup>	30.8	25.0	6 / 19	2 / 9	
Percentage of pregnancies with triplets or more <sup>b</sup>	1.9	4.2	0 / 19	0 / 9	
Percentage of live births having multiple infants <sup>b,c</sup>	27.9	22.7	4 / 13	0 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	24	13	7	4	1
Percentage of transfers resulting in live births <sup>b,c</sup>	25.0	2 / 13	1 / 7	1 / 4	1 / 1
Average number of embryos transferred	2.0	1.8	2.0	2.3	3.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
	Number of transfers	11	3		
	Percentage of transfers resulting in live births <sup>b,c</sup>	8 / 11	0 / 3		
Average number of embryos transferred	1.9	1.7			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Valley Hospital Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## IVF NEW JERSEY SOMERSET, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	5%	Other factor	7%
GIFT	0%	With ICSI	34%	Ovulatory dysfunction	6%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<b>Multiple Factors:</b>	
Combination	0%	Used gestational carrier	2%	Endometriosis	1%	Female factors only	16%
		Used PGD	2%	Uterine factor	1%	Female & male factors	25%
		With eSET	<1%	Male factor	17%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Michael C. Darder, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	250	113	108	32	15
Percentage of embryos transferred resulting in implantation <sup>b</sup>	36.6	31.6	22.9	9.8	7.5
Percentage of cycles resulting in pregnancies <sup>b</sup>	52.0	47.8	41.7	34.4	3 / 15
Percentage of cycles resulting in live births <sup>b,c</sup>	44.0	38.1	33.3	15.6	2 / 15
(Confidence Interval)	(37.8–50.4)	(29.1–47.7)	(24.6–43.1)	(5.3–32.8)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	46.4	41.0	36.4	17.9	2 / 14
Percentage of transfers resulting in live births <sup>b,c</sup>	49.3	45.3	37.5	17.9	2 / 10
Percentage of transfers resulting in singleton live births <sup>b</sup>	30.9	28.4	28.1	14.3	2 / 10
Percentage of cancellations <sup>b</sup>	5.2	7.1	8.3	12.5	1 / 15
Average number of embryos transferred	2.3	2.5	2.6	3.3	4.0
Percentage of pregnancies with twins <sup>b</sup>	36.9	27.8	28.9	1 / 11	0 / 3
Percentage of pregnancies with triplets or more <sup>b</sup>	4.6	7.4	4.4	0 / 11	0 / 3
Percentage of live births having multiple infants <sup>b,c</sup>	37.3	37.2	25.0	1 / 5	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	22	13	4	3	0
Percentage of transfers resulting in live births <sup>b,c</sup>	45.5	6 / 13	2 / 4	0 / 3	
Average number of embryos transferred	1.7	2.1	1.8	2.3	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	99		36		
Percentage of transfers resulting in live births <sup>b,c</sup>	67.7		50.0		
Average number of embryos transferred	2.0		1.9		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** IVF New Jersey

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE SCIENCE CENTER OF NEW JERSEY TINTON FALLS, NEW JERSEY

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	7%	Other factor	2%
GIFT	0%	With ICSI	45%	Ovulatory dysfunction	6%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	21%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	18%
		Used PGD	5%	Uterine factor	0%	Female & male factors	18%
		With eSET	<1%	Male factor	20%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by William Ziegler, DO

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	101	45	40	11	2
Percentage of embryos transferred resulting in implantation <sup>b</sup>	35.4	31.3	12.0	14.7	0 / 5
Percentage of cycles resulting in pregnancies <sup>b</sup>	47.5	51.1	25.0	4 / 11	0 / 2
Percentage of cycles resulting in live births <sup>b,c</sup>	42.6	33.3	15.0	3 / 11	0 / 2
(Confidence Interval)	(32.8–52.8)	(20.0–49.0)	(5.7–29.8)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	43.9	35.7	17.6	3 / 11	0 / 2
Percentage of transfers resulting in live births <sup>b,c</sup>	44.3	36.6	21.4	3 / 10	0 / 2
Percentage of transfers resulting in singleton live births <sup>b</sup>	26.8	26.8	17.9	2 / 10	0 / 2
Percentage of cancellations <sup>b</sup>	3.0	6.7	15.0	0 / 11	0 / 2
Average number of embryos transferred	2.1	2.3	2.7	3.4	2.5
Percentage of pregnancies with twins <sup>b</sup>	37.5	26.1	2 / 10	1 / 4	
Percentage of pregnancies with triplets or more <sup>b</sup>	8.3	4.3	0 / 10	0 / 4	
Percentage of live births having multiple infants <sup>b,c</sup>	39.5	4 / 15	1 / 6	1 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	20	5	5	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	35.0	2 / 5	2 / 5	0 / 1	
Average number of embryos transferred	1.8	2.2	2.4	4.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	20		7		
Percentage of transfers resulting in live births <sup>b,c</sup>	40.0		3 / 7		
Average number of embryos transferred	1.9		2.3		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Science Center of New Jersey

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## DR. LOUIS R. MANARA VOORHEES, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	7%	Other factor	5%
GIFT	0%	With ICSI	39%	Ovulatory dysfunction	12%	Unknown factor	22%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	3%	Female factors only	10%
		Used PGD	<1%	Uterine factor	<1%	Female & male factors	14%
		With eSET	4%	Male factor	14%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Louis R. Manara, DO

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	47	28	25	4	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	29.3	23.9	20.0	2 / 12	0 / 5
Percentage of cycles resulting in pregnancies <sup>b</sup>	36.2	25.0	20.0	1 / 4	0 / 1
Percentage of cycles resulting in live births <sup>b,c</sup>	34.0	17.9	20.0	0 / 4	0 / 1
(Confidence Interval)	(20.9–49.3)	(6.1–36.9)	(6.8–40.7)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	39.0	20.8	25.0	0 / 4	0 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	40.0	22.7	5 / 17	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	22.5	4.5	3 / 17	0 / 4	0 / 1
Percentage of cancellations <sup>b</sup>	12.8	14.3	20.0	0 / 4	0 / 1
Average number of embryos transferred	2.1	2.1	2.9	3.0	5.0
Percentage of pregnancies with twins <sup>b</sup>	7 / 17	4 / 7	3 / 5	1 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 17	0 / 7	1 / 5	0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	7 / 16	4 / 5	2 / 5		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	10	4	3	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 10	1 / 4	0 / 3	0 / 2	
Average number of embryos transferred	1.9	1.5	2.0	2.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	10		2		
Percentage of transfers resulting in live births <sup>b,c</sup>	8 / 10		1 / 2		
Average number of embryos transferred	1.9		1.5		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Dr. Louis R. Manara

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NORTH JERSEY FERTILITY ASSOCIATES, LLC WAYNE, NEW JERSEY

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	17%	Other factor	11%
GIFT	0%	With ICSI	74%	Ovulatory dysfunction	3%	Unknown factor	12%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	20%
		Used PGD	0%	Uterine factor	2%	Female & male factors	13%
		With eSET	0%	Male factor	13%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Mark X. Ransom, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	46	20	16	17	3
Percentage of embryos transferred resulting in implantation <sup>b</sup>	35.4	20.5	17.9	0.0	0 / 3
Percentage of cycles resulting in pregnancies <sup>b</sup>	43.5	30.0	6 / 16	1 / 17	0 / 3
Percentage of cycles resulting in live births <sup>b,c</sup>	39.1	25.0	4 / 16	0 / 17	0 / 3
(Confidence Interval)	(25.1–54.6)	(8.7–49.1)			
Percentage of retrievals resulting in live births <sup>b,c</sup>	41.9	25.0	4 / 14	0 / 17	0 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	46.2	5 / 19	4 / 12	0 / 13	0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	23.1	3 / 19	4 / 12	0 / 13	0 / 1
Percentage of cancellations <sup>b</sup>	6.5	0.0	2 / 16	0 / 17	2 / 3
Average number of embryos transferred	2.0	2.1	2.3	2.1	3.0
Percentage of pregnancies with twins <sup>b</sup>	45.0	2 / 6	0 / 6	0 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	0 / 6	0 / 6	0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	9 / 18	2 / 5	0 / 4		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	5	1	2	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 5	0 / 1	0 / 2		
Average number of embryos transferred	2.2	1.0	2.0		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	5		0		
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 5				
Average number of embryos transferred	2.0				

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** North Jersey Fertility Associates, LLC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY INSTITUTE OF NEW JERSEY AND NEW YORK WESTWOOD, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	1%	Other factor	5%
GIFT	0%	With ICSI	94%	Ovulatory dysfunction	3%	Unknown factor	<1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<b>Multiple Factors:</b>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	<1%	Female factors only	38%
		Used PGD	6%	Uterine factor	0%	Female & male factors	44%
		With eSET	1%	Male factor	5%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Daniel Navot, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	87	28	31	27	8
Percentage of embryos transferred resulting in implantation <sup>b</sup>	18.0	22.1	8.6	2.0	0.0
Percentage of cycles resulting in pregnancies <sup>b</sup>	29.9	35.7	19.4	3.7	0 / 8
Percentage of cycles resulting in live births <sup>b,c</sup>	25.3	35.7	9.7	3.7	0 / 8
(Confidence Interval)	(16.6–35.7)	(18.6–55.9)	(2.0–25.8)	(0.1–19.0)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	25.9	37.0	10.0	4.5	0 / 7
Percentage of transfers resulting in live births <sup>b,c</sup>	26.8	41.7	10.7	1 / 18	0 / 6
Percentage of transfers resulting in singleton live births <sup>b</sup>	19.5	29.2	7.1	1 / 18	0 / 6
Percentage of cancellations <sup>b</sup>	2.3	3.6	3.2	18.5	1 / 8
Average number of embryos transferred	2.3	2.8	2.9	2.8	3.5
Percentage of pregnancies with twins <sup>b</sup>	30.8	3 / 10	1 / 6	0 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	1 / 10	0 / 6	0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	27.3	3 / 10	1 / 3	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	24	8	7	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	20.8	2 / 8	1 / 7	0 / 2	
Average number of embryos transferred	2.6	2.3	2.6	2.5	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	19		17		
Percentage of transfers resulting in live births <sup>b,c</sup>	7 / 19		4 / 17		
Average number of embryos transferred	2.3		2.4		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Fertility Institute of New Jersey and New York

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CENTER FOR REPRODUCTIVE MEDICINE OF NEW MEXICO ALBUQUERQUE, NEW MEXICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	3%	Other factor	6%
GIFT	0%	With ICSI	87%	Ovulatory dysfunction	2%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	<1%	Female factors only	12%
		Used PGD	6%	Uterine factor	<1%	Female & male factors	57%
		With eSET	7%	Male factor	12%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Douglas J. Thompson, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	78	32	31	10	7
Percentage of embryos transferred resulting in implantation <sup>b</sup>	60.6	40.7	22.1	2.9	0 / 13
Percentage of cycles resulting in pregnancies <sup>b</sup>	69.2	56.3	38.7	3 / 10	0 / 7
Percentage of cycles resulting in live births <sup>b,c</sup>	66.7	43.8	22.6	1 / 10	0 / 7
(Confidence Interval)	(55.1–76.9)	(26.4–62.3)	(9.6–41.1)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	73.2	48.3	24.1	1 / 9	0 / 5
Percentage of transfers resulting in live births <sup>b,c</sup>	75.4	50.0	25.0	1 / 9	0 / 4
Percentage of transfers resulting in singleton live births <sup>b</sup>	39.1	28.6	3.6	1 / 9	0 / 4
Percentage of cancellations <sup>b</sup>	9.0	9.4	6.5	1 / 10	2 / 7
Average number of embryos transferred	2.0	2.1	3.1	3.8	3.3
Percentage of pregnancies with twins <sup>b</sup>	51.9	7 / 18	5 / 12	0 / 3	
Percentage of pregnancies with triplets or more <sup>b</sup>	1.9	0 / 18	2 / 12	0 / 3	
Percentage of live births having multiple infants <sup>b,c</sup>	48.1	6 / 14	6 / 7	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	21	13	8	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	42.9	3 / 13	3 / 8	0 / 2	
Average number of embryos transferred	2.2	2.4	2.0	2.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	20		25		
Percentage of transfers resulting in live births <sup>b,c</sup>	85.0		32.0		
Average number of embryos transferred	2.0		2.5		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Center for Reproductive Medicine of New Mexico

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ALBANY IVF FERTILITY ALBANY, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	5%	Other factor	<1%
GIFT	0%	With ICSI	75%	Ovulatory dysfunction	9%	Unknown factor	7%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	26%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	18%
		Used PGD	0%	Uterine factor	0%	Female & male factors	25%
		With eSET	9%	Male factor	8%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Peter M. Horvath, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	75	36	33	8	4
Percentage of embryos transferred resulting in implantation <sup>b</sup>	41.9	33.8	11.6	0 / 18	1 / 6
Percentage of cycles resulting in pregnancies <sup>b</sup>	53.3	38.9	24.2	0 / 8	1 / 4
Percentage of cycles resulting in live births <sup>b,c</sup>	46.7	36.1	18.2	0 / 8	1 / 4
(Confidence Interval)	(35.1–58.6)	(20.8–53.8)	(7.0–35.5)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	52.2	41.9	23.1	0 / 5	1 / 2
Percentage of transfers resulting in live births <sup>b,c</sup>	57.4	44.8	26.1	0 / 5	1 / 2
Percentage of transfers resulting in singleton live births <sup>b</sup>	39.3	17.2	21.7	0 / 5	1 / 2
Percentage of cancellations <sup>b</sup>	10.7	13.9	21.2	3 / 8	2 / 4
Average number of embryos transferred	2.1	2.4	3.0	3.6	3.0
Percentage of pregnancies with twins <sup>b</sup>	27.5	8 / 14	1 / 8		0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	7.5	1 / 14	0 / 8		0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	31.4	8 / 13	1 / 6		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	11	2	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 11	0 / 2	0 / 1		
Average number of embryos transferred	2.9	3.5	3.0		
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	10		3		
Percentage of transfers resulting in live births <sup>b,c</sup>	6 / 10		1 / 3		
Average number of embryos transferred	2.0		1.7		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Albany IVF Fertility

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE FERTILITY INSTITUTE AT NEW YORK METHODIST HOSPITAL BROOKLYN, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	12%	Other factor	<1%
GIFT	0%	With ICSI	74%	Ovulatory dysfunction	2%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	9%	Female factors only	42%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	16%
		With eSET	8%	Male factor	5%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by George D. Kofinas, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	48	40	49	46	29
Percentage of embryos transferred resulting in implantation <sup>b</sup>	25.3	19.1	13.2	1.0	0.0
Percentage of cycles resulting in pregnancies <sup>b</sup>	39.6	27.5	20.4	2.2	0.0
Percentage of cycles resulting in live births <sup>b,c</sup>	27.1	27.5	16.3	0.0	0.0
(Confidence Interval)	(15.3–41.8)	(14.6–43.9)	(7.3–29.7)	(0.0–7.7)	(0.0–11.9)
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.2	30.6	23.5	0.0	0.0
Percentage of transfers resulting in live births <sup>b,c</sup>	31.0	30.6	25.8	0.0	0 / 18
Percentage of transfers resulting in singleton live births <sup>b</sup>	19.0	16.7	16.1	0.0	0 / 18
Percentage of cancellations <sup>b</sup>	10.4	10.0	30.6	26.1	31.0
Average number of embryos transferred	2.3	2.6	2.9	3.1	3.2
Percentage of pregnancies with twins <sup>b</sup>	4 / 19	5 / 11	3 / 10	0 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	1 / 19	1 / 11	0 / 10	0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	5 / 13	5 / 11	3 / 8		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	22	12	3	2	3
Percentage of transfers resulting in live births <sup>b,c</sup>	36.4	5 / 12	2 / 3	0 / 2	1 / 3
Average number of embryos transferred	2.7	2.6	3.0	2.5	4.3
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	21		28		
Percentage of transfers resulting in live births <sup>b,c</sup>	47.6		28.6		
Average number of embryos transferred	2.0		2.5		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** The Fertility Institute at New York Methodist Hospital

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## GENESIS FERTILITY & REPRODUCTIVE MEDICINE BROOKLYN, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	7%	Other factor	9%
GIFT	0%	With ICSI	52%	Ovulatory dysfunction	5%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	5%
		Used PGD	6%	Uterine factor	0%	Female & male factors	23%
		With eSET	4%	Male factor	28%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Richard V. Grazi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	169	64	73	34	20
Percentage of embryos transferred resulting in implantation <sup>b</sup>	49.2	20.8	18.1	9.0	17.1
Percentage of cycles resulting in pregnancies <sup>b</sup>	49.1	29.7	28.8	14.7	15.0
Percentage of cycles resulting in live births <sup>b,c</sup>	43.2	17.2	20.5	8.8	15.0
(Confidence Interval)	(35.6–51.0)	(8.9–28.7)	(12.0–31.6)	(1.9–23.7)	(3.2–37.9)
Percentage of retrievals resulting in live births <sup>b,c</sup>	49.3	20.8	26.8	13.0	3 / 10
Percentage of transfers resulting in live births <sup>b,c</sup>	55.7	23.4	30.0	13.6	3 / 10
Percentage of transfers resulting in singleton live births <sup>b</sup>	34.4	12.8	16.0	9.1	2 / 10
Percentage of cancellations <sup>b</sup>	12.4	17.2	23.3	32.4	50.0
Average number of embryos transferred	2.0	2.6	2.9	3.5	3.5
Percentage of pregnancies with twins <sup>b</sup>	43.4	7 / 19	28.6	2 / 5	1 / 3
Percentage of pregnancies with triplets or more <sup>b</sup>	4.8	0 / 19	4.8	0 / 5	1 / 3
Percentage of live births having multiple infants <sup>b,c</sup>	38.4	5 / 11	7 / 15	1 / 3	1 / 3
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	44	16	9	3	2
Percentage of transfers resulting in live births <sup>b,c</sup>	11.4	4 / 16	0 / 9	0 / 3	0 / 2
Average number of embryos transferred	2.2	2.7	2.8	2.7	4.0
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
<b>Donor Eggs</b>					
Number of transfers	25		10		
Percentage of transfers resulting in live births <sup>b,c</sup>	52.0		5 / 10		
Average number of embryos transferred	2.2		1.9		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Genesis Fertility & Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# INFERTILITY & IVF MEDICAL ASSOCIATES OF WESTERN NEW YORK BUFFALO, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	19%	Other factor	0%
GIFT	0%	With ICSI	66%	Ovulatory dysfunction	6%	Unknown factor	14%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	9%	Female factors only	3%
		Used PGD	0%	Uterine factor	0%	Female & male factors	9%
		With eSET	0%	Male factor	30%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Michael W. Sullivan, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	129	55	44	18	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	31.4	14.0	11.3	8.5	1 / 4
Percentage of cycles resulting in pregnancies <sup>b</sup>	39.5	25.5	15.9	3 / 18	1 / 1
Percentage of cycles resulting in live births <sup>b,c</sup>	36.4	20.0	11.4	3 / 18	1 / 1
(Confidence Interval)	(28.1–45.4)	(10.4–33.0)	(3.8–24.6)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	41.2	22.0	15.6	3 / 16	1 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	43.1	22.4	18.5	3 / 15	1 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	21.1	14.3	14.8	3 / 15	1 / 1
Percentage of cancellations <sup>b</sup>	11.6	9.1	27.3	2 / 18	0 / 1
Average number of embryos transferred	2.2	2.5	2.6	3.1	4.0
Percentage of pregnancies with twins <sup>b</sup>	51.0	3 / 14	1 / 7	1 / 3	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	1 / 14	0 / 7	0 / 3	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	51.1	4 / 11	1 / 5	0 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	27	11	4	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>	29.6	3 / 11	1 / 4		
Average number of embryos transferred	2.3	2.0	2.3		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	5		3		
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 5		1 / 3		
Average number of embryos transferred	2.2		2.0		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Infertility & IVF Medical Associates of Western New York

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## HUDSON VALLEY FERTILITY, PLLC FISHKILL, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	1%	Other factor	4%
GIFT	0%	With ICSI	89%	Ovulatory dysfunction	21%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	17%
		Used PGD	2%	Uterine factor	4%	Female & male factors	30%
		With eSET	1%	Male factor	8%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Daniel W. Levine, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	50	28	32	16	14
Percentage of embryos transferred resulting in implantation <sup>b</sup>	21.1	16.7	14.9	4.0	1 / 13
Percentage of cycles resulting in pregnancies <sup>b</sup>	26.0	21.4	15.6	1 / 16	1 / 14
Percentage of cycles resulting in live births <sup>b,c</sup>	18.0	21.4	9.4	0 / 16	1 / 14
(Confidence Interval)	(8.6–31.4)	(8.3–41.0)	(2.0–25.0)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	18.4	21.4	10.7	0 / 15	1 / 7
Percentage of transfers resulting in live births <sup>b,c</sup>	22.5	28.6	3 / 18	0 / 9	1 / 5
Percentage of transfers resulting in singleton live births <sup>b</sup>	10.0	14.3	3 / 18	0 / 9	1 / 5
Percentage of cancellations <sup>b</sup>	2.0	0.0	12.5	1 / 16	7 / 14
Average number of embryos transferred	2.4	2.6	2.6	2.8	2.6
Percentage of pregnancies with twins <sup>b</sup>	5 / 13	3 / 6	2 / 5	0 / 1	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	1 / 13	0 / 6	0 / 5	0 / 1	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	5 / 9	3 / 6	0 / 3		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	9	6	8	6	0
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 9	2 / 6	2 / 8	1 / 6	
Average number of embryos transferred	2.3	2.2	2.8	2.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	0		0		
Percentage of transfers resulting in live births <sup>b,c</sup>					
Average number of embryos transferred					

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Hudson Valley Fertility, PLLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## THE NEW YORK FERTILITY CENTER FLUSHING, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	16%	Other factor	12%
GIFT	0%	With ICSI	79%	Ovulatory dysfunction	11%	Unknown factor	12%
ZIFT	0%	Unstimulated	2%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	7%	Female factors only	7%
		Used PGD	4%	Uterine factor	12%	Female & male factors	5%
		With eSET	2%	Male factor	12%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Tony Tsai, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	53	31	41	22	21
Percentage of embryos transferred resulting in implantation <sup>b</sup>	11.7	11.3	4.9	6.1	0.0
Percentage of cycles resulting in pregnancies <sup>b</sup>	24.5	22.6	14.6	13.6	0.0
Percentage of cycles resulting in live births <sup>b,c</sup>	15.1	19.4	4.9	9.1	0.0
(Confidence Interval)	(6.7–27.6)	(7.5–37.5)	(0.6–16.5)	(1.1–29.2)	(0.0–16.1)
Percentage of retrievals resulting in live births <sup>b,c</sup>	16.0	22.2	6.3	9.5	0 / 17
Percentage of transfers resulting in live births <sup>b,c</sup>	17.8	27.3	6.7	2 / 14	0 / 15
Percentage of transfers resulting in singleton live births <sup>b</sup>	8.9	27.3	3.3	2 / 14	0 / 15
Percentage of cancellations <sup>b</sup>	5.7	12.9	22.0	4.5	19.0
Average number of embryos transferred	2.8	2.8	2.7	2.4	2.2
Percentage of pregnancies with twins <sup>b</sup>	3 / 13	0 / 7	1 / 6	0 / 3	
Percentage of pregnancies with triplets or more <sup>b</sup>	1 / 13	0 / 7	0 / 6	0 / 3	
Percentage of live births having multiple infants <sup>b,c</sup>	4 / 8	0 / 6	1 / 2	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	13	4	2	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 13	0 / 4	1 / 2	1 / 2	
Average number of embryos transferred	3.6	3.0	3.0	2.5	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of transfers		0		1	
Percentage of transfers resulting in live births <sup>b,c</sup>				0 / 1	
Average number of embryos transferred				3.0	

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** The New York Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MONTEFIORE'S INSTITUTE FOR REPRODUCTIVE MEDICINE AND HEALTH HARTSDALE, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	15%	Other factor	3%
GIFT	0%	With ICSI	65%	Ovulatory dysfunction	4%	Unknown factor	10%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	16%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	17%
		Used PGD	4%	Uterine factor	<1%	Female & male factors	20%
		With eSET	6%	Male factor	15%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Harry J. Lieman, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	57	23	44	15	20
Percentage of embryos transferred resulting in implantation <sup>b</sup>	27.0	29.1	20.7	7.1	2.8
Percentage of cycles resulting in pregnancies <sup>b</sup>	36.8	47.8	27.3	3 / 15	10.0
Percentage of cycles resulting in live births <sup>b,c</sup>	29.8	39.1	18.2	1 / 15	0.0
(Confidence Interval)	(18.4–43.4)	(19.7–61.5)	(8.2–32.7)		(0.0–16.8)
Percentage of retrievals resulting in live births <sup>b,c</sup>	32.7	40.9	22.2	1 / 11	0 / 15
Percentage of transfers resulting in live births <sup>b,c</sup>	35.4	40.9	25.0	1 / 10	0 / 14
Percentage of transfers resulting in singleton live births <sup>b</sup>	22.9	31.8	18.8	0 / 10	0 / 14
Percentage of cancellations <sup>b</sup>	8.8	4.3	18.2	4 / 15	25.0
Average number of embryos transferred	2.1	2.5	2.6	2.8	2.6
Percentage of pregnancies with twins <sup>b</sup>	38.1	1 / 11	5 / 12	1 / 3	0 / 2
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	2 / 11	0 / 12	0 / 3	0 / 2
Percentage of live births having multiple infants <sup>b,c</sup>	6 / 17	2 / 9	2 / 8	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	16	5	7	2	2
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 16	3 / 5	2 / 7	0 / 2	0 / 2
Average number of embryos transferred	2.1	1.8	2.3	2.0	2.5
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	10		4		
Percentage of transfers resulting in live births <sup>b,c</sup>	6 / 10		1 / 4		
Average number of embryos transferred	2.0		2.5		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Montefiore's Institute for Reproductive Medicine and Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTH SHORE UNIVERSITY HOSPITAL  
CENTER FOR HUMAN REPRODUCTION  
MANHASSET, NEW YORK**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	13%	Other factor	5%
GIFT	0%	With ICSI	90%	Ovulatory dysfunction	8%	Unknown factor	20%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	16%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	3%
		Used PGD	5%	Uterine factor	<1%	Female & male factors	10%
		With eSET	<1%	Male factor	22%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Avner Hershlag, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	181	96	87	55	19
Percentage of embryos transferred resulting in implantation <sup>b</sup>	30.3	20.2	14.2	6.8	2.6
Percentage of cycles resulting in pregnancies <sup>b</sup>	41.4	34.4	29.9	12.7	1 / 19
Percentage of cycles resulting in live births <sup>b,c</sup>	38.1	27.1	21.8	7.3	0 / 19
(Confidence Interval)	(31.0–45.6)	(18.5–37.1)	(13.7–32.0)	(2.0–17.6)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	40.4	29.2	24.4	8.7	0 / 14
Percentage of transfers resulting in live births <sup>b,c</sup>	42.6	31.3	25.3	9.3	0 / 13
Percentage of transfers resulting in singleton live births <sup>b</sup>	26.5	24.1	16.0	7.0	0 / 13
Percentage of cancellations <sup>b</sup>	5.5	7.3	10.3	16.4	5 / 19
Average number of embryos transferred	2.1	2.5	3.1	3.4	3.0
Percentage of pregnancies with twins <sup>b</sup>	33.3	15.2	26.9	1 / 7	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	4.0	9.1	7.7	1 / 7	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	37.7	23.1	7 / 19	1 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	94	42	49	5	7
Percentage of transfers resulting in live births <sup>b,c</sup>	29.8	31.0	26.5	1 / 5	2 / 7
Average number of embryos transferred	2.4	2.5	2.7	3.6	2.4
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	36		28		
Percentage of transfers resulting in live births <sup>b,c</sup>	50.0		35.7		
Average number of embryos transferred	2.0		2.6		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** North Shore University Hospital, Center for Human Reproduction

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## LONG ISLAND IVF MELVILLE, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	7%	Other factor	6%
GIFT	0%	With ICSI	82%	Ovulatory dysfunction	4%	Unknown factor	22%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	4%	Female factors only	8%
		Used PGD	3%	Uterine factor	3%	Female & male factors	10%
		With eSET	1%	Male factor	24%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Daniel Kenigsberg, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	99	85	108	41	23
Percentage of embryos transferred resulting in implantation <sup>b</sup>	35.0	25.4	15.9	12.0	1.9
Percentage of cycles resulting in pregnancies <sup>b</sup>	52.5	41.2	33.3	24.4	8.7
Percentage of cycles resulting in live births <sup>b,c</sup>	48.5	32.9	20.4	14.6	0.0
(Confidence Interval)	(38.3–58.7)	(23.1–44.0)	(13.2–29.2)	(5.6–29.2)	(0.0–14.8)
Percentage of retrievals resulting in live births <sup>b,c</sup>	50.0	33.7	21.2	16.7	0.0
Percentage of transfers resulting in live births <sup>b,c</sup>	50.5	35.4	23.4	20.0	0.0
Percentage of transfers resulting in singleton live births <sup>b</sup>	37.9	29.1	20.2	16.7	0.0
Percentage of cancellations <sup>b</sup>	3.0	2.4	3.7	12.2	8.7
Average number of embryos transferred	2.1	2.1	2.5	3.1	2.6
Percentage of pregnancies with twins <sup>b</sup>	34.6	20.0	16.7	1 / 10	0 / 2
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	2.9	0.0	1 / 10	0 / 2
Percentage of live births having multiple infants <sup>b,c</sup>	25.0	17.9	13.6	1 / 6	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	52	39	38	7	7
Percentage of transfers resulting in live births <sup>b,c</sup>	38.5	33.3	18.4	1 / 7	0 / 7
Average number of embryos transferred	2.2	2.2	2.2	3.0	2.3
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	48		45		
Percentage of transfers resulting in live births <sup>b,c</sup>	62.5		37.8		
Average number of embryos transferred	2.0		2.1		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Long Island IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE SPECIALISTS OF NEW YORK MINEOLA, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	8%	Other factor	5%
GIFT	0%	With ICSI	73%	Ovulatory dysfunction	9%	Unknown factor	17%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	8%
		Used PGD	4%	Uterine factor	1%	Female & male factors	19%
		With eSET	11%	Male factor	24%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Gabriel A. San Roman, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	287	178	241	164	74
Percentage of embryos transferred resulting in implantation <sup>b</sup>	28.3	18.8	12.7	9.1	1.8
Percentage of cycles resulting in pregnancies <sup>b</sup>	40.4	29.2	24.5	17.1	10.8
Percentage of cycles resulting in live births <sup>b,c</sup>	33.8	19.7	15.8	9.8	2.7
(Confidence Interval)	(28.3–39.6)	(14.1–26.3)	(11.4–21.0)	(5.7–15.4)	(0.3–9.4)
Percentage of retrievals resulting in live births <sup>b,c</sup>	35.0	21.2	16.5	11.0	3.2
Percentage of transfers resulting in live births <sup>b,c</sup>	36.2	21.9	17.8	12.2	3.6
Percentage of transfers resulting in singleton live births <sup>b</sup>	29.9	17.5	15.5	9.9	3.6
Percentage of cancellations <sup>b</sup>	3.5	7.3	4.6	11.0	16.2
Average number of embryos transferred	1.8	2.0	2.3	2.8	3.0
Percentage of pregnancies with twins <sup>b</sup>	17.2	15.4	15.3	7.1	0 / 8
Percentage of pregnancies with triplets or more <sup>b</sup>	1.7	5.8	1.7	7.1	0 / 8
Percentage of live births having multiple infants <sup>b,c</sup>	17.5	20.0	13.2	3 / 16	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	110	55	45	7	4
Percentage of transfers resulting in live births <sup>b,c</sup>	25.5	21.8	22.2	3 / 7	1 / 4
Average number of embryos transferred	1.6	1.7	1.7	1.7	1.5
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	21		16		
Percentage of transfers resulting in live births <sup>b,c</sup>	42.9		7 / 16		
Average number of embryos transferred	1.7		1.6		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Specialists of New York

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## WESTCHESTER REPRODUCTIVE MEDICINE MT. KISCO, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	9%	Other factor	0%
GIFT	0%	With ICSI	74%	Ovulatory dysfunction	2%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	34%
		Used PGD	5%	Uterine factor	0%	Female & male factors	30%
		With eSET	7%	Male factor	16%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Rachel A. Bennett, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	14	8	5	7	4
Percentage of embryos transferred resulting in implantation <sup>b</sup>	32.0	3 / 19	2 / 11	1 / 16	0 / 16
Percentage of cycles resulting in pregnancies <sup>b</sup>	7 / 14	2 / 8	1 / 5	1 / 7	0 / 4
Percentage of cycles resulting in live births <sup>b,c</sup>	6 / 14	2 / 8	1 / 5	0 / 7	0 / 4
(Confidence Interval)					
Percentage of retrievals resulting in live births <sup>b,c</sup>	6 / 12	2 / 8	1 / 4	0 / 6	0 / 4
Percentage of transfers resulting in live births <sup>b,c</sup>	6 / 12	2 / 7	1 / 3	0 / 6	0 / 4
Percentage of transfers resulting in singleton live births <sup>b</sup>	5 / 12	2 / 7	1 / 3	0 / 6	0 / 4
Percentage of cancellations <sup>b</sup>	2 / 14	0 / 8	1 / 5	1 / 7	0 / 4
Average number of embryos transferred	2.1	2.7	3.7	2.7	4.0
Percentage of pregnancies with twins <sup>b</sup>	1 / 7	1 / 2	1 / 1	0 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 7	0 / 2	0 / 1	0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	1 / 6	0 / 2	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	0	4	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>		1 / 4			
Average number of embryos transferred		2.0			
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	1		0		
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 1				
Average number of embryos transferred	3.0				

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Westchester Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ADVANCED FERTILITY SERVICES NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	16%	Other factor	13%
GIFT	0%	With ICSI	85%	Ovulatory dysfunction	9%	Unknown factor	15%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	19%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	3%
		Used PGD	<1%	Uterine factor	2%	Female & male factors	5%
		With eSET	<1%	Male factor	16%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Hugh D. Melnick, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	81	59	80	51	34
Percentage of embryos transferred resulting in implantation <sup>b</sup>	24.0	17.7	8.6	2.1	4.2
Percentage of cycles resulting in pregnancies <sup>b</sup>	30.9	25.4	18.8	3.9	8.8
Percentage of cycles resulting in live births <sup>b,c</sup>	23.5	22.0	12.5	2.0	0.0
(Confidence Interval)	(14.8–34.2)	(12.3–34.7)	(6.2–21.8)	(0.0–10.4)	(0.0–10.3)
Percentage of retrievals resulting in live births <sup>b,c</sup>	26.4	25.5	13.7	2.3	0.0
Percentage of transfers resulting in live births <sup>b,c</sup>	28.8	27.7	16.1	2.6	0.0
Percentage of transfers resulting in singleton live births <sup>b</sup>	12.1	17.0	14.5	2.6	0.0
Percentage of cancellations <sup>b</sup>	11.1	13.6	8.8	13.7	11.8
Average number of embryos transferred	2.7	3.0	3.4	2.6	2.8
Percentage of pregnancies with twins <sup>b</sup>	36.0	5 / 15	4 / 15	0 / 2	0 / 3
Percentage of pregnancies with triplets or more <sup>b</sup>	20.0	2 / 15	0 / 15	0 / 2	0 / 3
Percentage of live births having multiple infants <sup>b,c</sup>	11 / 19	5 / 13	1 / 10	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	7	15	4	3	1
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 7	3 / 15	1 / 4	0 / 3	0 / 1
Average number of embryos transferred	2.4	2.7	2.5	4.3	3.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	20		27		
Percentage of transfers resulting in live births <sup>b,c</sup>	15.0		7.4		
Average number of embryos transferred	2.4		2.4		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Advanced Fertility Services

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## AMERICAN FERTILITY SERVICES, PC NEW YORK, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>			Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>	Tubal factor	9%	Other factor	12%
GIFT	0%	With ICSI	Ovulatory dysfunction	6%	Unknown factor	28%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	24%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	2%	Female factors only	13%
		Used PGD	Uterine factor	0%	Female & male factors	5%
		With eSET	Male factor	2%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Andrew Loucopoulos, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	101	63	78	67	30
Percentage of embryos transferred resulting in implantation <sup>b</sup>	26.0	14.0	14.9	8.4	0.0
Percentage of cycles resulting in pregnancies <sup>b</sup>	34.7	22.2	15.4	13.4	0.0
Percentage of cycles resulting in live births <sup>b,c</sup>	27.7	14.3	11.5	7.5	0.0
(Confidence Interval)	(19.3–37.5)	(6.7–25.4)	(5.4–20.8)	(2.5–16.6)	(0.0–11.6)
Percentage of retrievals resulting in live births <sup>b,c</sup>	30.8	16.1	13.8	9.6	0.0
Percentage of transfers resulting in live births <sup>b,c</sup>	32.6	20.5	20.9	11.4	0 / 16
Percentage of transfers resulting in singleton live births <sup>b</sup>	20.9	15.9	18.6	11.4	0 / 16
Percentage of cancellations <sup>b</sup>	9.9	11.1	16.7	22.4	33.3
Average number of embryos transferred	2.1	2.3	2.0	2.2	2.3
Percentage of pregnancies with twins <sup>b</sup>	28.6	2 / 14	2 / 12	0 / 9	
Percentage of pregnancies with triplets or more <sup>b</sup>	5.7	0 / 14	0 / 12	0 / 9	
Percentage of live births having multiple infants <sup>b,c</sup>	35.7	2 / 9	1 / 9	0 / 5	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	28	12	5	1	2
Percentage of transfers resulting in live births <sup>b,c</sup>	25.0	1 / 12	0 / 5	0 / 1	0 / 2
Average number of embryos transferred	2.0	2.2	2.6	1.0	3.0
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	17		6		
Percentage of transfers resulting in live births <sup>b,c</sup>	5 / 17		1 / 6		
Average number of embryos transferred	2.1		2.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** This clinic has closed or reorganized since 2010. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## BATZOFIN FERTILITY SERVICES NEW YORK, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	1%	Other factor	22%
GIFT	0%	With ICSI	84%	Ovulatory dysfunction	3%	Unknown factor	28%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	16%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	9%	Endometriosis	5%	Female factors only	6%
		Used PGD	5%	Uterine factor	8%	Female & male factors	4%
		With eSET	0%	Male factor	8%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Joel H. Batzofin, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	28	13	36	14	9
Percentage of embryos transferred resulting in implantation <sup>b</sup>	19.6	32.0	4.8	2 / 18	1 / 17
Percentage of cycles resulting in pregnancies <sup>b</sup>	28.6	5 / 13	8.3	2 / 14	1 / 9
Percentage of cycles resulting in live births <sup>b,c</sup>	25.0	2 / 13	5.6	1 / 14	0 / 9
(Confidence Interval)	(10.7–44.9)		(0.7–18.7)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	25.9	2 / 12	5.9	1 / 13	0 / 9
Percentage of transfers resulting in live births <sup>b,c</sup>	29.2	2 / 11	7.4	1 / 10	0 / 6
Percentage of transfers resulting in singleton live births <sup>b</sup>	20.8	2 / 11	7.4	1 / 10	0 / 6
Percentage of cancellations <sup>b</sup>	3.6	1 / 13	5.6	1 / 14	0 / 9
Average number of embryos transferred	2.1	2.3	2.3	1.8	2.8
Percentage of pregnancies with twins <sup>b</sup>	2 / 8	2 / 5	0 / 3	0 / 2	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 8	0 / 5	0 / 3	0 / 2	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	2 / 7	0 / 2	0 / 2	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	1	2	3	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 1	0 / 2	0 / 3	0 / 1	
Average number of embryos transferred	4.0	2.0	1.7	3.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	32		11		
Percentage of transfers resulting in live births <sup>b,c</sup>	25.0		0 / 11		
Average number of embryos transferred	2.0		2.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Batzofin Fertility Services

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## BETH ISRAEL CENTER FOR INFERTILITY & REPRODUCTIVE HEALTH NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	4%	Other factor	0%
GIFT	0%	With ICSI	77%	Ovulatory dysfunction	0%	Unknown factor	7%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	6%
		Used PGD	0%	Uterine factor	2%	Female & male factors	44%
		With eSET	1%	Male factor	27%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Peter Chang, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	55	15	24	10	8
Percentage of embryos transferred resulting in implantation <sup>b</sup>	16.0	15.2	13.7	6.1	0.0
Percentage of cycles resulting in pregnancies <sup>b</sup>	18.2	4 / 15	33.3	2 / 10	0 / 8
Percentage of cycles resulting in live births <sup>b,c</sup>	16.4	4 / 15	29.2	2 / 10	0 / 8
(Confidence Interval)	(7.8–28.8)		(12.6–51.1)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	20.0	4 / 14	33.3	2 / 8	0 / 6
Percentage of transfers resulting in live births <sup>b,c</sup>	25.7	4 / 13	7 / 19	2 / 8	0 / 6
Percentage of transfers resulting in singleton live births <sup>b</sup>	17.1	3 / 13	5 / 19	2 / 8	0 / 6
Percentage of cancellations <sup>b</sup>	18.2	1 / 15	12.5	2 / 10	2 / 8
Average number of embryos transferred	2.3	2.5	3.8	4.1	3.3
Percentage of pregnancies with twins <sup>b</sup>	3 / 10	1 / 4	3 / 8	0 / 2	
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 10	0 / 4	0 / 8	0 / 2	
Percentage of live births having multiple infants <sup>b,c</sup>	3 / 9	1 / 4	2 / 7	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	20	3	7	2	1
Percentage of transfers resulting in live births <sup>b,c</sup>	45.0	1 / 3	3 / 7	0 / 2	1 / 1
Average number of embryos transferred	2.9	3.7	4.7	4.0	3.0
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	3		2		
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 3		0 / 2		
Average number of embryos transferred	2.3		3.5		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Beth Israel Center for Infertility & Reproductive Health

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**BROOKLYN/WESTSIDE FERTILITY CENTER  
BROOKLYN FERTILITY CENTER  
NEW YORK, NEW YORK**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	4%	Other factor	0%
GIFT	0%	With ICSI	100%	Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	27%
		Used PGD	0%	Uterine factor	4%	Female & male factors	65%
		With eSET	0%	Male factor	0%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Dov B. Goldstein, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	7	1	2	1	2
Percentage of embryos transferred resulting in implantation <sup>b</sup>	4 / 14	0 / 2	0 / 3	0 / 3	0 / 2
Percentage of cycles resulting in pregnancies <sup>b</sup>	3 / 7	0 / 1	1 / 2	0 / 1	0 / 2
Percentage of cycles resulting in live births <sup>b,c</sup> (Confidence Interval)	2 / 7	0 / 1	0 / 2	0 / 1	0 / 2
Percentage of retrievals resulting in live births <sup>b,c</sup>	2 / 7	0 / 1	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 7	0 / 1	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	1 / 7	0 / 1	0 / 2	0 / 1	0 / 1
Percentage of cancellations <sup>b</sup>	0 / 7	0 / 1	0 / 2	0 / 1	0 / 2
Average number of embryos transferred	2.0	2.0	1.5	3.0	2.0
Percentage of pregnancies with twins <sup>b</sup>	0 / 3		0 / 1		
Percentage of pregnancies with triplets or more <sup>b</sup>	1 / 3		0 / 1		
Percentage of live births having multiple infants <sup>b,c</sup>	1 / 2				
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	2	2	1	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 2	0 / 2	0 / 1	0 / 2	
Average number of embryos transferred	1.5	2.5	2.0	2.5	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	3		0		
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 3				
Average number of embryos transferred	2.0				

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Brooklyn/Westside Fertility Center, Brooklyn Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# COLUMBIA UNIVERSITY CENTER FOR WOMEN'S REPRODUCTIVE CARE NEW YORK, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	4%	Other factor	6%
GIFT	0%	With ICSI	56%	Ovulatory dysfunction	5%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	35%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	4%
		Used PGD	<1%	Uterine factor	<1%	Female & male factors	13%
		With eSET	1%	Male factor	22%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Michael M. Guarnaccia, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	423	283	351	216	151
Percentage of embryos transferred resulting in implantation <sup>b</sup>	35.5	25.6	16.2	6.0	1.8
Percentage of cycles resulting in pregnancies <sup>b</sup>	40.9	37.1	23.6	13.9	3.3
Percentage of cycles resulting in live births <sup>b,c</sup>	36.6	28.3	16.8	7.4	2.6
(Confidence Interval)	(32.0–41.4)	(23.1–33.9)	(13.0–21.1)	(4.3–11.8)	(0.7–6.6)
Percentage of retrievals resulting in live births <sup>b,c</sup>	41.4	31.7	20.3	9.3	4.0
Percentage of transfers resulting in live births <sup>b,c</sup>	48.3	37.6	24.5	11.9	5.5
Percentage of transfers resulting in singleton live births <sup>b</sup>	31.5	25.8	17.4	11.1	5.5
Percentage of cancellations <sup>b</sup>	11.6	11.0	17.1	20.4	33.8
Average number of embryos transferred	2.0	2.3	2.5	3.1	3.0
Percentage of pregnancies with twins <sup>b</sup>	33.5	25.7	25.3	6.7	0 / 5
Percentage of pregnancies with triplets or more <sup>b</sup>	3.5	2.9	2.4	3.3	0 / 5
Percentage of live births having multiple infants <sup>b,c</sup>	34.8	31.3	28.8	1 / 16	0 / 4
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	58	39	27	9	3
Percentage of transfers resulting in live births <sup>b,c</sup>	43.1	56.4	22.2	4 / 9	0 / 3
Average number of embryos transferred	1.9	2.0	2.1	1.8	1.7
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	116		39		
Percentage of transfers resulting in live births <sup>b,c</sup>	56.9		25.6		
Average number of embryos transferred	2.1		1.8		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Columbia University Center for Women's Reproductive Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CONTINUUM REPRODUCTIVE CENTER OF ST. LUKE'S-ROOSEVELT HOSPITAL NEW YORK, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	3%	Other factor	5%
GIFT	0%	With ICSI	90%	Ovulatory dysfunction	3%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	10%
		Used PGD	6%	Uterine factor	2%	Female & male factors	43%
		With eSET	3%	Male factor	11%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Martin Keltz, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	119	75	92	45	24
Percentage of embryos transferred resulting in implantation <sup>b</sup>	34.3	25.5	15.7	4.2	1.3
Percentage of cycles resulting in pregnancies <sup>b</sup>	59.7	48.0	38.0	22.2	16.7
Percentage of cycles resulting in live births <sup>b,c</sup>	38.7	24.0	14.1	4.4	0.0
(Confidence Interval)	(29.9–48.0)	(14.9–35.3)	(7.7–23.0)	(0.5–15.1)	(0.0–14.2)
Percentage of retrievals resulting in live births <sup>b,c</sup>	40.0	24.0	14.9	4.7	0.0
Percentage of transfers resulting in live births <sup>b,c</sup>	41.4	25.7	16.5	5.4	0.0
Percentage of transfers resulting in singleton live births <sup>b</sup>	36.0	17.1	13.9	5.4	0.0
Percentage of cancellations <sup>b</sup>	3.4	0.0	5.4	4.4	0.0
Average number of embryos transferred	2.1	2.6	3.0	3.2	3.6
Percentage of pregnancies with twins <sup>b</sup>	19.7	16.7	17.1	0 / 10	0 / 4
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	8.3	2.9	0 / 10	0 / 4
Percentage of live births having multiple infants <sup>b,c</sup>	13.0	6 / 18	2 / 13	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	17	11	7	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 17	3 / 11	1 / 7	1 / 1	0 / 1
Average number of embryos transferred	2.6	2.7	2.9	3.0	3.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of transfers		19		6	
Percentage of transfers resulting in live births <sup>b,c</sup>		10 / 19		0 / 6	
Average number of embryos transferred		2.2		3.0	

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Continuum Reproductive Center of St. Luke's-Roosevelt Hospital

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## IVF NEW YORK NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>			Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>	Tubal factor	30%	Other factor	0%
GIFT	0%	With ICSI	Ovulatory dysfunction	20%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	40%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	0%	Female factors only	0%
		Used PGD	Uterine factor	0%	Female & male factors	0%
		With eSET	Male factor	10%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Satwant K. Dhamoon, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	3	0	1	0	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	0 / 5				0 / 1
Percentage of cycles resulting in pregnancies <sup>b</sup>	0 / 3		0 / 1		0 / 1
Percentage of cycles resulting in live births <sup>b,c</sup>	0 / 3		0 / 1		0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births <sup>b,c</sup>	0 / 3		0 / 1		0 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	0 / 2				0 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	0 / 2				0 / 1
Percentage of cancellations <sup>b</sup>	0 / 3		0 / 1		0 / 1
Average number of embryos transferred	2.5				1.0
Percentage of pregnancies with twins <sup>b</sup>					
Percentage of pregnancies with triplets or more <sup>b</sup>					
Percentage of live births having multiple infants <sup>b,c</sup>					
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	0	1	1	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>		0 / 1	0 / 1		
Average number of embryos transferred		2.0	0.0		
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of transfers		1		1	
Percentage of transfers resulting in live births <sup>b,c</sup>		1 / 1		0 / 1	
Average number of embryos transferred		3.0		2.0	

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** IVF New York

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## MANHATTAN REPRODUCTIVE MEDICINE NEW YORK, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	1%	Other factor	0%
GIFT	0%	With ICSI	98%	Ovulatory dysfunction	6%	Unknown factor	1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	15%
		Used PGD	4%	Uterine factor	0%	Female & male factors	68%
		With eSET	0%	Male factor	1%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Hanna Jesionowska, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	29	12	6	1	1
Percentage of embryos transferred resulting in implantation <sup>b</sup>	26.4	12.5	1 / 17	1 / 5	1 / 4
Percentage of cycles resulting in pregnancies <sup>b</sup>	48.3	3 / 12	1 / 6	1 / 1	1 / 1
Percentage of cycles resulting in live births <sup>b,c</sup>	34.5	2 / 12	1 / 6	1 / 1	1 / 1
(Confidence Interval)	(17.9–54.3)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	34.5	2 / 12	1 / 6	1 / 1	1 / 1
Percentage of transfers resulting in live births <sup>b,c</sup>	34.5	2 / 10	1 / 5	1 / 1	1 / 1
Percentage of transfers resulting in singleton live births <sup>b</sup>	17.2	1 / 10	1 / 5	1 / 1	1 / 1
Percentage of cancellations <sup>b</sup>	0.0	0 / 12	0 / 6	0 / 1	0 / 1
Average number of embryos transferred	3.0	3.2	3.4	5.0	4.0
Percentage of pregnancies with twins <sup>b</sup>	5 / 14	1 / 3	0 / 1	0 / 1	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	2 / 14	0 / 3	0 / 1	0 / 1	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	5 / 10	1 / 2	0 / 1	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	4	1	0	0	1
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 4	0 / 1			0 / 1
Average number of embryos transferred	3.5	2.0			3.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	16		1		
Percentage of transfers resulting in live births <sup>b,c</sup>	6 / 16		0 / 1		
Average number of embryos transferred	3.8		3.0		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Manhattan Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**MEDICAL OFFICES FOR HUMAN REPRODUCTION  
CENTER FOR HUMAN REPRODUCTION (CHR)  
NEW YORK, NEW YORK**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	5%	Other factor	17%
GIFT	0%	With ICSI	81%	Ovulatory dysfunction	4%	Unknown factor	1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	26%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	<1%	Female factors only	21%
		Used PGD	9%	Uterine factor	2%	Female & male factors	20%
		With eSET	3%	Male factor	4%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Norbert Gleicher, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	64	48	70	57	44
Percentage of embryos transferred resulting in implantation <sup>b</sup>	24.1	16.1	14.4	6.7	3.8
Percentage of cycles resulting in pregnancies <sup>b</sup>	29.7	20.8	21.4	10.5	4.5
Percentage of cycles resulting in live births <sup>b,c</sup>	28.1	18.8	14.3	5.3	2.3
(Confidence Interval)	(17.6–40.8)	(8.9–32.6)	(7.1–24.7)	(1.1–14.6)	(0.1–12.0)
Percentage of retrievals resulting in live births <sup>b,c</sup>	28.1	19.1	15.2	5.7	2.4
Percentage of transfers resulting in live births <sup>b,c</sup>	34.0	23.7	20.0	7.9	4.0
Percentage of transfers resulting in singleton live births <sup>b</sup>	24.5	13.2	18.0	2.6	4.0
Percentage of cancellations <sup>b</sup>	0.0	2.1	5.7	7.0	6.8
Average number of embryos transferred	2.1	2.4	2.4	2.7	2.1
Percentage of pregnancies with twins <sup>b</sup>	4 / 19	5 / 10	3 / 15	2 / 6	0 / 2
Percentage of pregnancies with triplets or more <sup>b</sup>	2 / 19	0 / 10	0 / 15	0 / 6	0 / 2
Percentage of live births having multiple infants <sup>b,c</sup>	5 / 18	4 / 9	1 / 10	2 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	15	7	11	2	1
Percentage of transfers resulting in live births <sup>b,c</sup>	5 / 15	2 / 7	2 / 11	0 / 2	0 / 1
Average number of embryos transferred	2.3	2.1	2.7	3.0	4.0
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	39		25		
Percentage of transfers resulting in live births <sup>b,c</sup>	43.6		24.0		
Average number of embryos transferred	2.0		2.8		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Medical Offices for Human Reproduction, Center for Human Reproduction (CHR)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## METROPOLITAN REPRODUCTIVE MEDICINE, PC NEW YORK, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	11%	Other factor	26%
GIFT	0%	With ICSI	64%	Ovulatory dysfunction	0%	Unknown factor	11%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	0%
		Used PGD	0%	Uterine factor	0%	Female & male factors	37%
		With eSET	0%	Male factor	5%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Susan Lobel, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	4	2	2	1	2
Percentage of embryos transferred resulting in implantation <sup>b</sup>	3 / 10	4 / 6	0 / 6	1 / 5	0 / 12
Percentage of cycles resulting in pregnancies <sup>b</sup>	2 / 4	1 / 2	0 / 2	1 / 1	0 / 2
Percentage of cycles resulting in live births <sup>b,c</sup>	2 / 4	1 / 2	0 / 2	1 / 1	0 / 2
(Confidence Interval)					
Percentage of retrievals resulting in live births <sup>b,c</sup>	2 / 4	1 / 2	0 / 2	1 / 1	0 / 2
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 4	1 / 2	0 / 2	1 / 1	0 / 2
Percentage of transfers resulting in singleton live births <sup>b</sup>	1 / 4	0 / 2	0 / 2	1 / 1	0 / 2
Percentage of cancellations <sup>b</sup>	0 / 4	0 / 2	0 / 2	0 / 1	0 / 2
Average number of embryos transferred	2.5	3.0	3.0	5.0	6.0
Percentage of pregnancies with twins <sup>b</sup>	1 / 2	0 / 1		0 / 1	
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 2	1 / 1		0 / 1	
Percentage of live births having multiple infants <sup>b,c</sup>	1 / 2	1 / 1		0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	0	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>					
Average number of embryos transferred					
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	5		2		
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 5		1 / 2		
Average number of embryos transferred	2.2		2.5		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Metropolitan Reproductive Medicine, PC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## NEW HOPE FERTILITY CENTER NEW YORK, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	13%	Other factor	6%
GIFT	0%	With ICSI	95%	Ovulatory dysfunction	2%	Unknown factor	6%
ZIFT	0%	Unstimulated	40%	Diminished ovarian reserve	41%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	11%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	10%
		With eSET	53%	Male factor	9%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by John J. Zhang, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	119	75	91	51	54
Percentage of embryos transferred resulting in implantation <sup>b</sup>	39.4	38.5	20.4	15.6	6.8
Percentage of cycles resulting in pregnancies <sup>b</sup>	47.1	45.3	22.0	19.6	7.4
Percentage of cycles resulting in live births <sup>b,c</sup>	37.0	34.7	18.7	5.9	3.7
(Confidence Interval)	(28.3–46.3)	(24.0–46.5)	(11.3–28.2)	(1.2–16.2)	(0.5–12.7)
Percentage of retrievals resulting in live births <sup>b,c</sup>	37.6	35.1	18.7	6.0	3.8
Percentage of transfers resulting in live births <sup>b,c</sup>	37.6	35.1	18.7	6.1	3.8
Percentage of transfers resulting in singleton live births <sup>b</sup>	34.2	32.4	17.6	6.1	3.8
Percentage of cancellations <sup>b</sup>	1.7	1.3	0.0	2.0	3.7
Average number of embryos transferred	1.2	1.2	1.1	1.3	1.1
Percentage of pregnancies with twins <sup>b</sup>	8.9	11.8	10.0	1 / 10	0 / 4
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	0.0	0.0	0 / 10	0 / 4
Percentage of live births having multiple infants <sup>b,c</sup>	9.1	7.7	1 / 17	0 / 3	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	253	151	165	90	117
Percentage of transfers resulting in live births <sup>b,c</sup>	44.3	33.1	24.8	11.1	7.7
Average number of embryos transferred	1.1	1.1	1.1	1.1	1.1
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	8		53		
Percentage of transfers resulting in live births <sup>b,c</sup>	5 / 8		64.2		
Average number of embryos transferred	1.4		1.2		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** New Hope Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## NEW YORK FERTILITY INSTITUTE NEW YORK, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	0%	Other factor	3%
GIFT	0%	With ICSI	98%	Ovulatory dysfunction	27%	Unknown factor	39%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	17%	Female factors only	2%
		Used PGD	52%	Uterine factor	0%	Female & male factors	1%
		With eSET	5%	Male factor	11%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Majid Fateh, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	27	14	13	5	5
Percentage of embryos transferred resulting in implantation <sup>b</sup>	12.2	9.2	17.1	1 / 17	1 / 13
Percentage of cycles resulting in pregnancies <sup>b</sup>	48.1	6 / 14	6 / 13	1 / 5	1 / 5
Percentage of cycles resulting in live births <sup>b,c</sup>	44.4	6 / 14	3 / 13	0 / 5	0 / 5
(Confidence Interval)	(25.5–64.7)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	44.4	6 / 14	3 / 12	0 / 5	0 / 5
Percentage of transfers resulting in live births <sup>b,c</sup>	44.4	6 / 14	3 / 12	0 / 5	0 / 5
Percentage of transfers resulting in singleton live births <sup>b</sup>	44.4	6 / 14	3 / 12	0 / 5	0 / 5
Percentage of cancellations <sup>b</sup>	0.0	0 / 14	1 / 13	0 / 5	0 / 5
Average number of embryos transferred	4.3	4.6	3.4	3.4	2.6
Percentage of pregnancies with twins <sup>b</sup>	2 / 13	0 / 6	1 / 6	0 / 1	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 13	0 / 6	0 / 6	0 / 1	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	0 / 12	0 / 6	0 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	3	0	1	1	1
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 3		0 / 1	0 / 1	1 / 1
Average number of embryos transferred	1.7		2.0	2.0	5.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	8		11		
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 8		8 / 11		
Average number of embryos transferred	3.6		3.4		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** New York Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NYU FERTILITY CENTER  
NEW YORK UNIVERSITY SCHOOL OF MEDICINE  
NEW YORK, NEW YORK**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	3%	Other factor	18%
GIFT	0%	With ICSI	26%	Ovulatory dysfunction	3%	Unknown factor	18%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	16%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	17%
		Used PGD	11%	Uterine factor	4%	Female & male factors	9%
		With eSET	5%	Male factor	9%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by James A. Grifo, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	196	203	286	153	155
Percentage of embryos transferred resulting in implantation <sup>b</sup>	43.7	31.1	25.0	12.6	3.8
Percentage of cycles resulting in pregnancies <sup>b</sup>	53.6	46.8	35.0	28.1	11.6
Percentage of cycles resulting in live births <sup>b,c</sup>	43.9	36.0	27.6	15.7	5.2
(Confidence Interval)	(36.8–51.1)	(29.4–43.0)	(22.5–33.2)	(10.3–22.4)	(2.3–9.9)
Percentage of retrievals resulting in live births <sup>b,c</sup>	47.8	39.0	33.2	18.0	6.3
Percentage of transfers resulting in live births <sup>b,c</sup>	49.4	41.0	35.9	19.2	7.0
Percentage of transfers resulting in singleton live births <sup>b</sup>	29.9	36.0	28.2	16.0	7.0
Percentage of cancellations <sup>b</sup>	8.2	7.9	16.8	13.1	18.1
Average number of embryos transferred	1.9	2.0	2.2	2.9	3.2
Percentage of pregnancies with twins <sup>b</sup>	41.0	20.0	22.0	20.9	2 / 18
Percentage of pregnancies with triplets or more <sup>b</sup>	1.0	2.1	1.0	2.3	0 / 18
Percentage of live births having multiple infants <sup>b,c</sup>	39.5	12.3	21.5	16.7	0 / 8
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	63	41	46	5	7
Percentage of transfers resulting in live births <sup>b,c</sup>	36.5	31.7	28.3	1 / 5	0 / 7
Average number of embryos transferred	1.8	2.0	1.9	2.8	2.4
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	116		33		
Percentage of transfers resulting in live births <sup>b,c</sup>	66.4		30.3		
Average number of embryos transferred	2.0		1.8		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** NYU Fertility Center, New York University School of Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## OFFICES FOR FERTILITY AND REPRODUCTIVE MEDICINE NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	0%	Other factor	8%
GIFT	0%	With ICSI	94%	Ovulatory dysfunction	2%	Unknown factor	0%
ZIFT	0%	Unstimulated	6%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	<1%	Female factors only	16%
		Used PGD	22%	Uterine factor	0%	Female & male factors	65%
		With eSET	12%	Male factor	2%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Cecilia Schmidt-Sarosi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	17	7	19	7	3
Percentage of embryos transferred resulting in implantation <sup>b</sup>	56.0	2 / 10	21.1	1 / 14	0 / 7
Percentage of cycles resulting in pregnancies <sup>b</sup>	9 / 17	2 / 7	6 / 19	2 / 7	0 / 3
Percentage of cycles resulting in live births <sup>b,c</sup>	9 / 17	2 / 7	5 / 19	1 / 7	0 / 3
(Confidence Interval)					
Percentage of retrievals resulting in live births <sup>b,c</sup>	9 / 15	2 / 7	5 / 19	1 / 7	0 / 3
Percentage of transfers resulting in live births <sup>b,c</sup>	9 / 14	2 / 6	5 / 18	1 / 6	0 / 3
Percentage of transfers resulting in singleton live births <sup>b</sup>	5 / 14	2 / 6	4 / 18	1 / 6	0 / 3
Percentage of cancellations <sup>b</sup>	2 / 17	0 / 7	0 / 19	0 / 7	0 / 3
Average number of embryos transferred	1.8	1.7	2.1	2.3	2.3
Percentage of pregnancies with twins <sup>b</sup>	3 / 9	0 / 2	0 / 6	0 / 2	
Percentage of pregnancies with triplets or more <sup>b</sup>	1 / 9	0 / 2	1 / 6	0 / 2	
Percentage of live births having multiple infants <sup>b,c</sup>	4 / 9	0 / 2	1 / 5	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	11	3	4	2	1
Percentage of transfers resulting in live births <sup>b,c</sup>	5 / 11	2 / 3	1 / 4	1 / 2	0 / 1
Average number of embryos transferred	1.8	1.7	2.5	3.5	2.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	16		10		
Percentage of transfers resulting in live births <sup>b,c</sup>	6 / 16		1 / 10		
Average number of embryos transferred	2.1		1.9		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Offices for Fertility and Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE MEDICINE ASSOCIATES OF NEW YORK, LLP

## NEW YORK, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	12%	Other factor	11%
GIFT	0%	With ICSI	55%	Ovulatory dysfunction	9%	Unknown factor	16%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	25%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	0%
		Used PGD	5%	Uterine factor	3%	Female & male factors	0%
		With eSET	1%	Male factor	19%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Lawrence Grunfeld, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	503	297	391	207	101
Percentage of embryos transferred resulting in implantation <sup>b</sup>	37.6	28.7	17.1	11.3	5.1
Percentage of cycles resulting in pregnancies <sup>b</sup>	54.7	47.5	33.5	27.1	15.8
Percentage of cycles resulting in live births <sup>b,c</sup>	47.9	41.4	26.1	18.4	8.9
(Confidence Interval)	(43.5–52.4)	(35.8–47.2)	(21.8–30.7)	(13.3–24.3)	(4.2–16.2)
Percentage of retrievals resulting in live births <sup>b,c</sup>	49.8	45.6	29.7	21.3	12.0
Percentage of transfers resulting in live births <sup>b,c</sup>	52.3	48.2	31.6	22.9	13.2
Percentage of transfers resulting in singleton live births <sup>b</sup>	32.3	34.5	23.8	15.1	11.8
Percentage of cancellations <sup>b</sup>	3.8	9.1	12.0	14.0	25.7
Average number of embryos transferred	2.2	2.4	2.9	3.6	3.7
Percentage of pregnancies with twins <sup>b</sup>	34.2	29.1	15.3	19.6	1 / 16
Percentage of pregnancies with triplets or more <sup>b</sup>	3.6	2.1	6.9	5.4	0 / 16
Percentage of live births having multiple infants <sup>b,c</sup>	38.2	28.5	24.5	34.2	1 / 9
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	91	46	31	9	3
Percentage of transfers resulting in live births <sup>b,c</sup>	22.0	32.6	25.8	2 / 9	0 / 3
Average number of embryos transferred	2.2	1.9	2.6	2.6	3.3
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	152		62		
Percentage of transfers resulting in live births <sup>b,c</sup>	48.7		22.6		
Average number of embryos transferred	2.3		1.7		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Medicine Associates of New York, LLP

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GEOFFREY SHER, MD, PC**  
**NEW YORK, NEW YORK**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	4%	Other factor	6%
GIFT	0%	With ICSI	82%	Ovulatory dysfunction	4%	Unknown factor	21%
ZIFT	0%	Unstimulated	2%	Diminished ovarian reserve	54%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	<1%	Female factors only	5%
		Used PGD	11%	Uterine factor	<1%	Female & male factors	2%
		With eSET	4%	Male factor	5%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Drew V. Tortoriello, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	81	53	58	54	18
Percentage of embryos transferred resulting in implantation <sup>b</sup>	36.0	25.0	19.0	12.0	10.0
Percentage of cycles resulting in pregnancies <sup>b</sup>	46.9	30.2	27.6	13.0	4 / 18
Percentage of cycles resulting in live births <sup>b,c</sup>	43.2	28.3	17.2	11.1	3 / 18
(Confidence Interval)	(32.2–54.7)	(16.8–42.3)	(8.6–29.4)	(4.2–22.6)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	46.7	31.9	19.6	15.8	3 / 12
Percentage of transfers resulting in live births <sup>b,c</sup>	50.7	34.9	27.8	22.2	3 / 9
Percentage of transfers resulting in singleton live births <sup>b</sup>	30.4	23.3	27.8	18.5	3 / 9
Percentage of cancellations <sup>b</sup>	7.4	11.3	12.1	29.6	6 / 18
Average number of embryos transferred	2.2	2.1	2.3	2.8	3.3
Percentage of pregnancies with twins <sup>b</sup>	42.1	5 / 16	1 / 16	2 / 7	0 / 4
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	1 / 16	0 / 16	0 / 7	0 / 4
Percentage of live births having multiple infants <sup>b,c</sup>	40.0	5 / 15	0 / 10	1 / 6	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	24	13	8	2	5
Percentage of transfers resulting in live births <sup>b,c</sup>	62.5	4 / 13	3 / 8	0 / 2	2 / 5
Average number of embryos transferred	2.2	2.3	2.0	2.5	2.8
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	26		15		
Percentage of transfers resulting in live births <sup>b,c</sup>	57.7		4 / 15		
Average number of embryos transferred	2.1		1.8		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Geoffrey Sher, MD, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**WEILL MEDICAL COLLEGE OF CORNELL UNIVERSITY  
THE CENTER FOR REPRODUCTIVE MEDICINE AND INFERTILITY  
NEW YORK, NEW YORK**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	5%	Other factor	2%
GIFT	0%	With ICSI	65%	Ovulatory dysfunction	3%	Unknown factor	12%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	28%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	13%
		Used PGD	5%	Uterine factor	2%	Female & male factors	14%
		With eSET	1%	Male factor	18%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Zev Rosenwaks, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	706	519	676	437	257
Percentage of embryos transferred resulting in implantation <sup>b</sup>	32.5	23.2	14.0	8.7	3.8
Percentage of cycles resulting in pregnancies <sup>b</sup>	44.9	38.9	29.7	20.6	10.5
Percentage of cycles resulting in live births <sup>b,c</sup>	40.5	31.2	23.7	11.9	4.3
(Confidence Interval)	(36.9–44.2)	(27.2–35.4)	(20.5–27.1)	(9.0–15.3)	(2.2–7.5)
Percentage of retrievals resulting in live births <sup>b,c</sup>	43.3	34.0	28.1	14.3	5.9
Percentage of transfers resulting in live births <sup>b,c</sup>	46.3	35.5	29.8	15.0	6.5
Percentage of transfers resulting in singleton live births <sup>b</sup>	31.6	23.0	24.2	12.4	6.5
Percentage of cancellations <sup>b</sup>	6.5	8.3	15.7	16.9	27.2
Average number of embryos transferred	2.1	2.6	3.0	3.3	3.6
Percentage of pregnancies with twins <sup>b</sup>	34.4	31.2	19.4	11.1	11.1
Percentage of pregnancies with triplets or more <sup>b</sup>	1.9	5.4	2.0	6.7	0.0
Percentage of live births having multiple infants <sup>b,c</sup>	31.8	35.2	18.8	17.3	0 / 11
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	120	74	58	21	13
Percentage of transfers resulting in live births <sup>b,c</sup>	43.3	39.2	22.4	14.3	0 / 13
Average number of embryos transferred	1.7	1.7	1.7	1.6	1.7
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	164		84		
Percentage of transfers resulting in live births <sup>b,c</sup>	53.7		26.2		
Average number of embryos transferred	1.9		1.8		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Weill Medical College of Cornell University, The Center for Reproductive Medicine and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## EAST COAST FERTILITY PLAINVIEW, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	9%	Other factor	10%
GIFT	0%	With ICSI	52%	Ovulatory dysfunction	8%	Unknown factor	14%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	14%	<b>Multiple Factors:</b>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	5%	Female factors only	10%
		Used PGD	3%	Uterine factor	<1%	Female & male factors	13%
		With eSET	17%	Male factor	17%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by David Kreiner, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	203	92	104	62	32
Percentage of embryos transferred resulting in implantation <sup>b</sup>	42.9	23.6	15.6	12.2	4.2
Percentage of cycles resulting in pregnancies <sup>b</sup>	53.2	38.0	28.8	24.2	12.5
Percentage of cycles resulting in live births <sup>b,c</sup>	47.3	28.3	25.0	17.7	6.3
(Confidence Interval)	(40.3–54.4)	(19.4–38.6)	(17.0–34.4)	(9.2–29.5)	(0.8–20.8)
Percentage of retrievals resulting in live births <sup>b,c</sup>	49.0	30.6	28.3	20.4	7.1
Percentage of transfers resulting in live births <sup>b,c</sup>	50.8	32.5	28.9	22.4	8.3
Percentage of transfers resulting in singleton live births <sup>b</sup>	41.3	28.8	24.4	22.4	8.3
Percentage of cancellations <sup>b</sup>	3.4	7.6	11.5	12.9	12.5
Average number of embryos transferred	1.6	2.2	2.4	2.3	3.0
Percentage of pregnancies with twins <sup>b</sup>	22.2	17.1	13.3	0 / 15	0 / 4
Percentage of pregnancies with triplets or more <sup>b</sup>	0.0	0.0	0.0	0 / 15	0 / 4
Percentage of live births having multiple infants <sup>b,c</sup>	18.8	11.5	15.4	0 / 11	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	79	31	19	10	3
Percentage of transfers resulting in live births <sup>b,c</sup>	38.0	25.8	6 / 19	0 / 10	0 / 3
Average number of embryos transferred	1.9	1.7	2.1	2.2	2.3
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	47		29		
Percentage of transfers resulting in live births <sup>b,c</sup>	40.4		20.7		
Average number of embryos transferred	1.7		1.4		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** East Coast Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ROCHESTER FERTILITY CARE, PC ROCHESTER, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>			Patient Diagnosis				
IVF	100%	<b>Procedural Factors:</b>	Tubal factor	8%	Other factor	6%	
GIFT	0%	With ICSI	81%	Ovulatory dysfunction	2%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	8%	Female factors only	11%
		Used PGD	0%	Uterine factor	2%	Female & male factors	22%
		With eSET	0%	Male factor	20%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Rosalind A. Hayes, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	24	18	15	3	2
Percentage of embryos transferred resulting in implantation <sup>b</sup>	23.4	34.5	25.0	0 / 5	1 / 3
Percentage of cycles resulting in pregnancies <sup>b</sup>	37.5	5 / 18	5 / 15	0 / 3	1 / 2
Percentage of cycles resulting in live births <sup>b,c</sup>	37.5	5 / 18	4 / 15	0 / 3	1 / 2
(Confidence Interval)	(18.8–59.4)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	39.1	5 / 14	4 / 10	0 / 2	1 / 2
Percentage of transfers resulting in live births <sup>b,c</sup>	9 / 19	5 / 11	4 / 7	0 / 2	1 / 2
Percentage of transfers resulting in singleton live births <sup>b</sup>	7 / 19	2 / 11	4 / 7	0 / 2	1 / 2
Percentage of cancellations <sup>b</sup>	4.2	4 / 18	5 / 15	1 / 3	0 / 2
Average number of embryos transferred	2.5	2.6	2.9	2.5	1.5
Percentage of pregnancies with twins <sup>b</sup>	2 / 9	2 / 5	0 / 5		0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 9	1 / 5	0 / 5		0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	2 / 9	3 / 5	0 / 4		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	13	7	5	1	0
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 13	2 / 7	0 / 5	0 / 1	
Average number of embryos transferred	2.8	2.7	2.0	1.0	
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	14		14		
Percentage of transfers resulting in live births <sup>b,c</sup>	7 / 14		6 / 14		
Average number of embryos transferred	2.2		2.6		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Rochester Fertility Care, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## STRONG FERTILITY CENTER ROCHESTER, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	7%	Other factor	10%
GIFT	0%	With ICSI	73%	Ovulatory dysfunction	10%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	6%
		Used PGD	5%	Uterine factor	0%	Female & male factors	24%
		With eSET	<1%	Male factor	27%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by John T. Queenan, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	92	32	21	12	3
Percentage of embryos transferred resulting in implantation <sup>b</sup>	22.9	28.2	13.6	6.1	0 / 12
Percentage of cycles resulting in pregnancies <sup>b</sup>	33.7	43.8	33.3	2 / 12	0 / 3
Percentage of cycles resulting in live births <sup>b,c</sup>	30.4	37.5	33.3	0 / 12	0 / 3
(Confidence Interval)	(21.3–40.9)	(21.1–56.3)	(14.6–57.0)		
Percentage of retrievals resulting in live births <sup>b,c</sup>	33.7	41.4	7 / 18	0 / 11	0 / 3
Percentage of transfers resulting in live births <sup>b,c</sup>	34.1	44.4	7 / 18	0 / 10	0 / 3
Percentage of transfers resulting in singleton live births <sup>b</sup>	26.8	22.2	7 / 18	0 / 10	0 / 3
Percentage of cancellations <sup>b</sup>	9.8	9.4	14.3	1 / 12	0 / 3
Average number of embryos transferred	2.2	2.6	3.3	3.3	4.0
Percentage of pregnancies with twins <sup>b</sup>	19.4	6 / 14	1 / 7	0 / 2	
Percentage of pregnancies with triplets or more <sup>b</sup>	6.5	0 / 14	0 / 7	0 / 2	
Percentage of live births having multiple infants <sup>b,c</sup>	21.4	6 / 12	0 / 7		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	30	16	10	3	1
Percentage of transfers resulting in live births <sup>b,c</sup>	46.7	6 / 16	3 / 10	1 / 3	0 / 1
Average number of embryos transferred	2.1	2.1	1.7	2.3	1.0
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	25		8		
Percentage of transfers resulting in live births <sup>b,c</sup>	60.0		5 / 8		
Average number of embryos transferred	2.0		2.1		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Strong Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ISLAND REPRODUCTIVE SERVICES STATEN ISLAND, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	2%	Other factor	3%
GIFT	0%	With ICSI	89%	Ovulatory dysfunction	3%	Unknown factor	1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	17%
		Used PGD	4%	Uterine factor	0%	Female & male factors	54%
		With eSET	5%	Male factor	14%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Eric S. Knochenhauer, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	44	31	42	20	18
Percentage of embryos transferred resulting in implantation <sup>b</sup>	57.7	23.3	18.8	0.0	5.3
Percentage of cycles resulting in pregnancies <sup>b</sup>	52.3	32.3	26.2	0.0	4 / 18
Percentage of cycles resulting in live births <sup>b,c</sup>	45.5	29.0	19.0	0.0	1 / 18
(Confidence Interval)	(30.4–61.2)	(14.2–48.0)	(8.6–34.1)	(0.0–16.8)	
Percentage of retrievals resulting in live births <sup>b,c</sup>	46.5	33.3	22.2	0 / 16	1 / 17
Percentage of transfers resulting in live births <sup>b,c</sup>	54.1	36.0	22.9	0 / 16	1 / 17
Percentage of transfers resulting in singleton live births <sup>b</sup>	24.3	16.0	22.9	0 / 16	1 / 17
Percentage of cancellations <sup>b</sup>	2.3	12.9	14.3	20.0	1 / 18
Average number of embryos transferred	1.9	2.4	2.4	2.4	3.4
Percentage of pregnancies with twins <sup>b</sup>	56.5	5 / 10	3 / 11		0 / 4
Percentage of pregnancies with triplets or more <sup>b</sup>	8.7	0 / 10	1 / 11		0 / 4
Percentage of live births having multiple infants <sup>b,c</sup>	55.0	5 / 9	0 / 8		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	34	12	10	5	3
Percentage of transfers resulting in live births <sup>b,c</sup>	55.9	5 / 12	4 / 10	0 / 5	0 / 3
Average number of embryos transferred	2.4	2.0	2.5	3.2	2.0
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	7		12		
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 7		0 / 12		
Average number of embryos transferred	1.9		2.3		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Island Reproductive Services

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GOLD COAST IVF  
REPRODUCTIVE MEDICINE AND SURGERY CENTER  
SYOSSET, NEW YORK**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

**2010 ART CYCLE PROFILE**

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	4%	Other factor	0%
GIFT	0%	With ICSI	99%	Ovulatory dysfunction	11%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	15%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	13%
		Used PGD	0%	Uterine factor	0%	Female & male factors	35%
		With eSET	0%	Male factor	10%		

**2010 PREGNANCY SUCCESS RATES**

Data verified by Steven F. Palter, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	31	19	11	10	2
Percentage of embryos transferred resulting in implantation <sup>b</sup>	38.7	30.0	21.1	13.9	0 / 4
Percentage of cycles resulting in pregnancies <sup>b</sup>	51.6	10 / 19	5 / 11	3 / 10	0 / 2
Percentage of cycles resulting in live births <sup>b,c</sup>	48.4	9 / 19	4 / 11	3 / 10	0 / 2
(Confidence Interval)	(30.2–66.9)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	50.0	9 / 19	4 / 11	3 / 10	0 / 2
Percentage of transfers resulting in live births <sup>b,c</sup>	55.6	9 / 17	4 / 10	3 / 9	0 / 2
Percentage of transfers resulting in singleton live births <sup>b</sup>	33.3	7 / 17	3 / 10	1 / 9	0 / 2
Percentage of cancellations <sup>b</sup>	3.2	0 / 19	0 / 11	0 / 10	0 / 2
Average number of embryos transferred	2.3	2.4	3.8	4.0	2.0
Percentage of pregnancies with twins <sup>b</sup>	6 / 16	3 / 10	1 / 5	2 / 3	
Percentage of pregnancies with triplets or more <sup>b</sup>	1 / 16	0 / 10	1 / 5	0 / 3	
Percentage of live births having multiple infants <sup>b,c</sup>	6 / 15	2 / 9	1 / 4	2 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	10	3	3	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	3 / 10	1 / 3	1 / 3	0 / 2	
Average number of embryos transferred	2.4	2.0	2.3	3.0	
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	6		6		
Percentage of transfers resulting in live births <sup>b,c</sup>	6 / 6		3 / 6		
Average number of embryos transferred	2.0		2.2		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Gold Coast IVF, Reproductive Medicine and Surgery Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CNY FERTILITY CENTER SYRACUSE, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	8%	Other factor	7%
GIFT	0%	With ICSI	87%	Ovulatory dysfunction	7%	Unknown factor	13%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	12%	<b>Multiple Factors:</b>	
Combination	0%	Used gestational carrier	1%	Endometriosis	4%	Female factors only	21%
		Used PGD	3%	Uterine factor	2%	Female & male factors	16%
		With eSET	2%	Male factor	12%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Robert J. Kiltz, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	652	319	341	168	83
Percentage of embryos transferred resulting in implantation <sup>b</sup>	22.9	14.3	10.2	4.4	2.2
Percentage of cycles resulting in pregnancies <sup>b</sup>	36.2	26.0	17.6	10.1	6.0
Percentage of cycles resulting in live births <sup>b,c</sup>	30.4	18.8	14.1	5.4	4.8
(Confidence Interval)	(26.9–34.1)	(14.7–23.5)	(10.6–18.2)	(2.5–9.9)	(1.3–11.9)
Percentage of retrievals resulting in live births <sup>b,c</sup>	32.4	21.3	15.6	6.3	5.6
Percentage of transfers resulting in live births <sup>b,c</sup>	34.6	22.8	18.1	6.9	6.6
Percentage of transfers resulting in singleton live births <sup>b</sup>	22.9	15.2	14.3	6.2	6.6
Percentage of cancellations <sup>b</sup>	6.1	11.6	9.7	14.3	13.3
Average number of embryos transferred	2.5	2.8	2.8	3.0	3.0
Percentage of pregnancies with twins <sup>b</sup>	26.3	20.5	26.7	2 / 17	0 / 5
Percentage of pregnancies with triplets or more <sup>b</sup>	7.6	6.0	3.3	1 / 17	0 / 5
Percentage of live births having multiple infants <sup>b,c</sup>	33.8	33.3	20.8	1 / 9	0 / 4
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	148	62	53	16	7
Percentage of transfers resulting in live births <sup>b,c</sup>	16.2	17.7	15.1	1 / 16	1 / 7
Average number of embryos transferred	2.1	2.0	2.4	2.2	3.1
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	157		55		
Percentage of transfers resulting in live births <sup>b,c</sup>	40.8		16.4		
Average number of embryos transferred	2.6		2.4		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** CNY Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

## SUNY UPSTATE MEDICAL UNIVERSITY SYRACUSE, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

### 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	0%	Other factor	0%
GIFT	0%	With ICSI	75%	Ovulatory dysfunction	25%	Unknown factor	50%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	0%
		Used PGD	0%	Uterine factor	0%	Female & male factors	25%
		With eSET	0%	Male factor	0%		

### 2010 PREGNANCY SUCCESS RATES

Data verified by Shawky Badawy, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	6	2	0	0	0
Percentage of embryos transferred resulting in implantation <sup>b</sup>	5 / 17				
Percentage of cycles resulting in pregnancies <sup>b</sup>	3 / 6	0 / 2			
Percentage of cycles resulting in live births <sup>b,c</sup>	2 / 6	0 / 2			
(Confidence Interval)					
Percentage of retrievals resulting in live births <sup>b,c</sup>	2 / 6	0 / 1			
Percentage of transfers resulting in live births <sup>b,c</sup>	2 / 6				
Percentage of transfers resulting in singleton live births <sup>b</sup>	0 / 6				
Percentage of cancellations <sup>b</sup>	0 / 6	1 / 2			
Average number of embryos transferred	2.8				
Percentage of pregnancies with twins <sup>b</sup>	2 / 3				
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 3				
Percentage of live births having multiple infants <sup>b,c</sup>	2 / 2				
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	0	0	0	0	0
Percentage of transfers resulting in live births <sup>b,c</sup>					
Average number of embryos transferred					
<b>All Ages Combined<sup>e</sup></b>					
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	0		0		
Percentage of transfers resulting in live births <sup>b,c</sup>					
Average number of embryos transferred					

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** SUNY Upstate Medical University

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WESTCHESTER FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY WHITE PLAINS, NEW YORK

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 11–20.**

## 2010 ART CYCLE PROFILE

Type of ART <sup>a</sup>				Patient Diagnosis			
IVF	100%	<b>Procedural Factors:</b>		Tubal factor	5%	Other factor	0%
GIFT	0%	With ICSI	73%	Ovulatory dysfunction	5%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	24%
		Used PGD	1%	Uterine factor	3%	Female & male factors	40%
		With eSET	8%	Male factor	7%		

## 2010 PREGNANCY SUCCESS RATES

Data verified by Michael B. Blotner, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 <sup>d</sup>
<b>Fresh Embryos from Nondonor Eggs</b>					
Number of cycles	21	17	17	9	12
Percentage of embryos transferred resulting in implantation <sup>b</sup>	55.6	51.6	13.6	1 / 10	0 / 13
Percentage of cycles resulting in pregnancies <sup>b</sup>	52.4	11 / 17	3 / 17	1 / 9	1 / 12
Percentage of cycles resulting in live births <sup>b,c</sup>	42.9	9 / 17	2 / 17	1 / 9	0 / 12
(Confidence Interval)	(21.8–66.0)				
Percentage of retrievals resulting in live births <sup>b,c</sup>	9 / 18	9 / 17	2 / 13	1 / 7	0 / 5
Percentage of transfers resulting in live births <sup>b,c</sup>	9 / 14	9 / 16	2 / 10	1 / 5	0 / 4
Percentage of transfers resulting in singleton live births <sup>b</sup>	8 / 14	3 / 16	2 / 10	1 / 5	0 / 4
Percentage of cancellations <sup>b</sup>	14.3	0 / 17	4 / 17	2 / 9	7 / 12
Average number of embryos transferred	1.9	1.9	2.2	2.0	3.3
Percentage of pregnancies with twins <sup>b</sup>	4 / 11	6 / 11	1 / 3	0 / 1	0 / 1
Percentage of pregnancies with triplets or more <sup>b</sup>	0 / 11	0 / 11	0 / 3	0 / 1	0 / 1
Percentage of live births having multiple infants <sup>b,c</sup>	1 / 9	6 / 9	0 / 2	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of transfers	10	5	6	2	0
Percentage of transfers resulting in live births <sup>b,c</sup>	4 / 10	2 / 5	0 / 6	0 / 2	
Average number of embryos transferred	2.3	1.8	1.5	2.0	
<b>All Ages Combined<sup>e</sup></b>					
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of transfers	2		2		
Percentage of transfers resulting in live births <sup>b,c</sup>	1 / 2		0 / 2		
Average number of embryos transferred	2.0		1.5		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Westchester Fertility and Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects patient and treatment characteristics of ART cycles performed in 2010 using fresh nondonor eggs or embryos.

<sup>b</sup> When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

<sup>c</sup> A multiple-infant birth is counted as one live birth.

<sup>d</sup> Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers.

<sup>e</sup> All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.