

## ALABAMA FERTILITY SPECIALISTS BIRMINGHAM, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	42%	Tubal factor	21%	Uterine factor	1%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	25%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	11%	
				Endometriosis	34%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				27%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 89

Data verified by Michael P. Steinkampf, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	39	8	9	4	0	0
Percentage of cancellations	17.9	1 / 8	3 / 9	0 / 4		
Average number of embryos transferred	2.2	2.7	2.3	4.3		
Percentage of embryos transferred resulting in implantation	40.0	5 / 19	4 / 14	1 / 17		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 7	1 / 5	0 / 4		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	28.2	0 / 8	2 / 9	0 / 4		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 8	0 / 9	0 / 4		
Percentage of cycles resulting in live births	46.2	2 / 8	3 / 9	0 / 4		
Percentage of cycles resulting in pregnancy	48.7	2 / 8	3 / 9	2 / 4		
<b>Outcomes per Transfer</b>						
Number of transfers	30	7	6	4	0	0
Percentage of transfers resulting in singleton live births	36.7	0 / 7	2 / 6	0 / 4		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 6	0 / 4		
Percentage of transfers resulting in live births	60.0	2 / 7	3 / 6	0 / 4		
Percentage of transfers resulting in pregnancy	63.3	2 / 7	3 / 6	2 / 4		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	19	2	3	2	0	0
Percentage of pregnancies resulting in singleton live births	11 / 19	0 / 2	2 / 3	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 2	0 / 3	0 / 2		
Percentage of pregnancies resulting in live births	18 / 19	2 / 2	3 / 3	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	7	3	2	0	0
Number of transfers	6	7	3	2	0	0
Average number of embryos transferred	2.3	1.6	1.3	1.5		
Percentage of embryos transferred resulting in implantation	0 / 14	2 / 11	2 / 4	0 / 3		
Percentage of transfers resulting in singleton live births	0 / 6	0 / 7	1 / 3	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 7	0 / 3	0 / 2		
Percentage of transfers resulting in live births	0 / 6	1 / 7	1 / 3	0 / 2		
Percentage of transfers resulting in pregnancy	0 / 6	1 / 7	1 / 3	0 / 2		
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
<b>Donor Eggs</b>						
Number of cycles		8		3		
Number of transfers		8		2		
Average number of embryos transferred		2.1		2.5		
Percentage of embryos transferred resulting in implantation		6 / 17		2 / 5		
Percentage of transfers resulting in singleton live births		4 / 8		0 / 2		
Percentage of transfers resulting in live births		5 / 8		1 / 2		
Percentage of transfers resulting in pregnancy		5 / 8		1 / 2		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Alabama Fertility Specialists

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ART FERTILITY PROGRAM OF ALABAMA BIRMINGHAM, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	84%	Tubal factor	33%	Uterine factor	3%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	17%	Male factor	62%	
Used gestational carrier	1%			Diminished ovarian reserve	17%	Other factor	61%	
				Endometriosis	25%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				53%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 338

Data verified by Kathryn L. Honea, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	163	33	23	2	9	0
Percentage of cancellations	11.0	15.2	8.7	0 / 2	2 / 9	
Average number of embryos transferred	2.0	2.1	2.7	3.0	2.8	
Percentage of embryos transferred resulting in implantation	26.6	17.3	24.6	0 / 3	2 / 17	
Percentage of elective single embryo transfer (eSET)	5.3	0.0	0 / 19	0 / 1	0 / 5	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	26.4	18.2	39.1	0 / 2	0 / 9	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 2	0 / 9	
Percentage of cycles resulting in live births	34.4	21.2	47.8	0 / 2	1 / 9	
Percentage of cycles resulting in pregnancy	37.4	27.3	47.8	0 / 2	1 / 9	
<b>Outcomes per Transfer</b>						
Number of transfers	140	25	21	1	6	0
Percentage of transfers resulting in singleton live births	30.7	24.0	42.9	0 / 1	0 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 1	0 / 6	
Percentage of transfers resulting in live births	40.0	28.0	52.4	0 / 1	1 / 6	
Percentage of transfers resulting in pregnancy	43.6	36.0	52.4	0 / 1	1 / 6	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	61	9	11	0	1	0
Percentage of pregnancies resulting in singleton live births	70.5	6 / 9	9 / 11		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 11		0 / 1	
Percentage of pregnancies resulting in live births	91.8	7 / 9	11 / 11		1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	42	11	8	0	0	0
Number of transfers	37	9	6	0	0	0
Average number of embryos transferred	1.7	1.8	1.0			
Percentage of embryos transferred resulting in implantation	19.4	2 / 16	0 / 6			
Percentage of transfers resulting in singleton live births	24.3	2 / 9	0 / 6			
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 6			
Percentage of transfers resulting in live births	27.0	2 / 9	0 / 6			
Percentage of transfers resulting in pregnancy	32.4	2 / 9	0 / 6			
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			26		21	
Number of transfers			22		17	
Average number of embryos transferred			2.0		1.9	
Percentage of embryos transferred resulting in implantation			36.4		18.8	
Percentage of transfers resulting in singleton live births			27.3		1 / 17	
Percentage of transfers resulting in live births			40.9		3 / 17	
Percentage of transfers resulting in pregnancy			45.5		6 / 17	

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** ART Fertility Program of Alabama

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY OF ALABAMA AT BIRMINGHAM BIRMINGHAM, ALABAMA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

2011 ART CYCLE PROFILE				Patient Diagnosis <sup>b</sup>			
<b>Type of ART and Procedural Factors<sup>a</sup></b>				<b>Patient Diagnosis<sup>b</sup></b>			
IVF	100%	With ICSI	64%	Tubal factor	12%	Uterine factor	0%
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	13%	Male factor	30%
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	7%
				Endometriosis	16%	Unknown factor	17%
				Multiple Factors: Female factors only 18% Female & male factors 17%			

## 2011 ART SUCCESS RATES<sup>c,d</sup> Number of cycles in table: <sup>e</sup> 84 Data verified by Gordon W. Bates, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	34	9	10	2	1	0
Percentage of cancellations	2.9	2 / 9	2 / 10	1 / 2	0 / 1	
Average number of embryos transferred	2.2	2.5	2.8	2.0	2.0	
Percentage of embryos transferred resulting in implantation	37.9	3 / 15	13.6	0 / 2	0 / 2	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 6	0 / 8	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	23.5	1 / 9	3 / 10	0 / 2	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 9	0 / 10	0 / 2	0 / 1	
Percentage of cycles resulting in live births	47.1	2 / 9	3 / 10	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancy	50.0	2 / 9	3 / 10	0 / 2	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	30	6	8	1	1	0
Percentage of transfers resulting in singleton live births	26.7	1 / 6	3 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 6	0 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in live births	53.3	2 / 6	3 / 8	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	56.7	2 / 6	3 / 8	0 / 1	0 / 1	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	17	2	3	0	0	0
Percentage of pregnancies resulting in singleton live births	8 / 17	1 / 2	3 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 17	0 / 2	0 / 3			
Percentage of pregnancies resulting in live births	16 / 17	2 / 2	3 / 3			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	3	6	2	1	0	0
Number of transfers	3	5	2	1	0	0
Average number of embryos transferred	2.3	2.6	3.0	2.0		
Percentage of embryos transferred resulting in implantation	0 / 7	4 / 13	0 / 6	0 / 2		
Percentage of transfers resulting in singleton live births	0 / 3	0 / 5	0 / 2	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 5	0 / 2	0 / 1		
Percentage of transfers resulting in live births	0 / 3	1 / 5	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancy	1 / 3	3 / 5	0 / 2	0 / 1		
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	11		5			
Number of transfers	11		5			
Average number of embryos transferred	2.1		2.2			
Percentage of embryos transferred resulting in implantation	21.7		1 / 11			
Percentage of transfers resulting in singleton live births	0 / 11		1 / 5			
Percentage of transfers resulting in live births	1 / 11		1 / 5			
Percentage of transfers resulting in pregnancy	4 / 11		3 / 5			

## CURRENT CLINIC SERVICES AND PROFILE

<b>Current Name:</b> University of Alabama at Birmingham					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## HUNTSVILLE REPRODUCTIVE MEDICINE, PC HUNTSVILLE, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	77%	Tubal factor	27%	Uterine factor	7%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	18%	Male factor	39%	
Used gestational carrier	1%			Diminished ovarian reserve	39%	Other factor	15%	
				Endometriosis	19%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				35%
				Female & male factors				23%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 124

Data verified by Andrew J. Harper, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	50	16	15	2	0	1
Percentage of cancellations	2.0	0 / 16	0 / 15	1 / 2		0 / 1
Average number of embryos transferred	2.2	2.4	3.3	4.0		2.0
Percentage of embryos transferred resulting in implantation	35.0	41.0	19.6	0 / 4		0 / 2
Percentage of elective single embryo transfer (eSET)	0.0	0 / 15	0 / 14	0 / 1		0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	34.0	6 / 16	4 / 15	0 / 2		0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 16	0 / 15	0 / 2		0 / 1
Percentage of cycles resulting in live births	50.0	10 / 16	5 / 15	0 / 2		0 / 1
Percentage of cycles resulting in pregnancy	58.0	11 / 16	8 / 15	0 / 2		0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	47	16	14	1	0	1
Percentage of transfers resulting in singleton live births	36.2	6 / 16	4 / 14	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 14	0 / 1		0 / 1
Percentage of transfers resulting in live births	53.2	10 / 16	5 / 14	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	61.7	11 / 16	8 / 14	0 / 1		0 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	29	11	8	0	0	0
Percentage of pregnancies resulting in singleton live births	58.6	6 / 11	4 / 8			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 11	0 / 8			
Percentage of pregnancies resulting in live births	86.2	10 / 11	5 / 8			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	9	7	3	0	0	0
Number of transfers	9	7	3	0	0	0
Average number of embryos transferred	2.1	1.9	1.3			
Percentage of embryos transferred resulting in implantation	7 / 19	0 / 13	0 / 4			
Percentage of transfers resulting in singleton live births	2 / 9	0 / 7	0 / 3			
Percentage of transfers resulting in triplets or more live births	1 / 9	0 / 7	0 / 3			
Percentage of transfers resulting in live births	4 / 9	0 / 7	0 / 3			
Percentage of transfers resulting in pregnancy	4 / 9	0 / 7	1 / 3			
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		14		7		
Number of transfers		12		7		
Average number of embryos transferred		1.8		1.9		
Percentage of embryos transferred resulting in implantation		45.5		2 / 13		
Percentage of transfers resulting in singleton live births		6 / 12		2 / 7		
Percentage of transfers resulting in live births		8 / 12		2 / 7		
Percentage of transfers resulting in pregnancy		9 / 12		3 / 7		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Huntsville Reproductive Medicine, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CENTER FOR REPRODUCTIVE MEDICINE MOBILE, ALABAMA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

2011 ART CYCLE PROFILE				Patient Diagnosis <sup>b</sup>				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	83%	Tubal factor	24%	Uterine factor	3%	Multiple Factors: Female factors only 12% Female & male factors 18%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	9%	Male factor	40%	
Used gestational carrier	1%			Diminished ovarian reserve	19%	Other factor	15%	
				Endometriosis	23%	Unknown factor	0%	

### 2011 ART SUCCESS RATES<sup>c,d</sup> Number of cycles in table: <sup>e</sup> 243 Data verified by George T. Koulianos, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	98	31	26	12	2	1
Percentage of cancellations	9.2	19.4	7.7	4 / 12	0 / 2	1 / 1
Average number of embryos transferred	2.0	2.1	2.7	3.0	4.0	
Percentage of embryos transferred resulting in implantation	46.6	26.0	26.2	19.0	2 / 8	
Percentage of elective single embryo transfer (eSET)	4.7	0.0	0.0	0 / 7	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	29.6	9.7	26.9	0 / 12	1 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	2.0	0.0	0.0	0 / 12	0 / 2	0 / 1
Percentage of cycles resulting in live births	49.0	22.6	34.6	1 / 12	1 / 2	0 / 1
Percentage of cycles resulting in pregnancy	59.2	29.0	46.2	2 / 12	1 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	87	24	24	7	2	0
Percentage of transfers resulting in singleton live births	33.3	12.5	29.2	0 / 7	1 / 2	
Percentage of transfers resulting in triplets or more live births	2.3	0.0	0.0	0 / 7	0 / 2	
Percentage of transfers resulting in live births	55.2	29.2	37.5	1 / 7	1 / 2	
Percentage of transfers resulting in pregnancy	66.7	37.5	50.0	2 / 7	1 / 2	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	58	9	12	2	1	0
Percentage of pregnancies resulting in singleton live births	50.0	3 / 9	7 / 12	0 / 2	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	3.4	0 / 9	0 / 12	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	82.8	7 / 9	9 / 12	1 / 2	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	19	15	8	2	2	0
Number of transfers	18	12	5	2	2	0
Average number of embryos transferred	2.0	1.8	2.4	2.5	2.5	
Percentage of embryos transferred resulting in implantation	38.9	19.0	1 / 12	0 / 5	0 / 5	
Percentage of transfers resulting in singleton live births	8 / 18	2 / 12	1 / 5	0 / 2	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 12	0 / 5	0 / 2	0 / 2	
Percentage of transfers resulting in live births	11 / 18	2 / 12	1 / 5	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancy	12 / 18	6 / 12	1 / 5	0 / 2	0 / 2	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	20		7			
Number of transfers	18		7			
Average number of embryos transferred	2.0		1.9			
Percentage of embryos transferred resulting in implantation	33.3		0 / 13			
Percentage of transfers resulting in singleton live births	1 / 18		0 / 7			
Percentage of transfers resulting in live births	6 / 18		0 / 7			
Percentage of transfers resulting in pregnancy	7 / 18		1 / 7			

### CURRENT CLINIC SERVICES AND PROFILE

<b>Current Name:</b> Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY OF SOUTH ALABAMA IVF AND ART PROGRAM MOBILE, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	100%	Tubal factor	49%	Uterine factor	22%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	43%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	19%	
				Endometriosis	41%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				51%
				Female & male factors				22%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 37

Data verified by Botros M. Rizk, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	21	5	4	1	0	0
Percentage of cancellations	0.0	0 / 5	0 / 4	0 / 1		
Average number of embryos transferred	2.3	2.2	2.5	3.0		
Percentage of embryos transferred resulting in implantation	14.0	4 / 11	3 / 10	0 / 3		
Percentage of elective single embryo transfer (eSET)	0 / 16	0 / 4	0 / 3	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	23.8	3 / 5	0 / 4	0 / 1		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 5	0 / 4	0 / 1		
Percentage of cycles resulting in live births	23.8	3 / 5	0 / 4	0 / 1		
Percentage of cycles resulting in pregnancy	33.3	3 / 5	3 / 4	0 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	19	5	4	1	0	0
Percentage of transfers resulting in singleton live births	5 / 19	3 / 5	0 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 5	0 / 4	0 / 1		
Percentage of transfers resulting in live births	5 / 19	3 / 5	0 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	7 / 19	3 / 5	3 / 4	0 / 1		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	7	3	3	0	0	0
Percentage of pregnancies resulting in singleton live births	5 / 7	3 / 3	0 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 3	0 / 3			
Percentage of pregnancies resulting in live births	5 / 7	3 / 3	0 / 3			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	2	2	0	0	0
Number of transfers	2	2	2	0	0	0
Average number of embryos transferred	2.0	2.5	2.5			
Percentage of embryos transferred resulting in implantation	0 / 4	3 / 5	0 / 5			
Percentage of transfers resulting in singleton live births	0 / 2	0 / 2	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2	0 / 2			
Percentage of transfers resulting in live births	0 / 2	1 / 2	0 / 2			
Percentage of transfers resulting in pregnancy	0 / 2	2 / 2	0 / 2			
<b>All Ages Combined<sup>f</sup></b>						
	<b>Fresh Embryos</b>			<b>Frozen Embryos</b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** University of South Alabama IVF and ART Program

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# JOHN NELS ANDERSON, MD SOLDOTNA, ALASKA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	53%	Tubal factor	13%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	21%	Male factor	49%
Used gestational carrier	0%			Diminished ovarian reserve	10%	Other factor	28%
				Endometriosis	12%	Unknown factor	9%
				Multiple Factors:			
						Female factors only	9%
						Female & male factors	28%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 116

Data verified by John N. Anderson, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	62	16	16	2	0	0
Percentage of cancellations	8.1	3 / 16	0 / 16	0 / 2		
Average number of embryos transferred	2.6	2.3	2.4	3.0		
Percentage of embryos transferred resulting in implantation	12.9	28.0	5.9	0 / 6		
Percentage of elective single embryo transfer (eSET)	0.0	0 / 9	0 / 12	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	9.7	2 / 16	2 / 16	0 / 2		
Percentage of cycles resulting in triplets or more live births	0.0	1 / 16	0 / 16	0 / 2		
Percentage of cycles resulting in live births	16.1	3 / 16	2 / 16	0 / 2		
Percentage of cycles resulting in pregnancy	24.2	5 / 16	5 / 16	0 / 2		
<b>Outcomes per Transfer</b>						
Number of transfers	54	11	14	2	0	0
Percentage of transfers resulting in singleton live births	11.1	2 / 11	2 / 14	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	1 / 11	0 / 14	0 / 2		
Percentage of transfers resulting in live births	18.5	3 / 11	2 / 14	0 / 2		
Percentage of transfers resulting in pregnancy	27.8	5 / 11	5 / 14	0 / 2		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	15	5	5	0	0	0
Percentage of pregnancies resulting in singleton live births	6 / 15	2 / 5	2 / 5			
Percentage of pregnancies resulting in triplets or more live births	0 / 15	1 / 5	0 / 5			
Percentage of pregnancies resulting in live births	10 / 15	3 / 5	2 / 5			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	7	1	3	0	0	0
Number of transfers	7	1	3	0	0	0
Average number of embryos transferred	1.7	3.0	2.0			
Percentage of embryos transferred resulting in implantation	0 / 12	0 / 3	0 / 6			
Percentage of transfers resulting in singleton live births	0 / 7	0 / 1	0 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 1	0 / 3			
Percentage of transfers resulting in live births	0 / 7	0 / 1	0 / 3			
Percentage of transfers resulting in pregnancy	0 / 7	0 / 1	0 / 3			
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	7		2			
Number of transfers	6		2			
Average number of embryos transferred	2.5		1.5			
Percentage of embryos transferred resulting in implantation	1 / 15		0 / 3			
Percentage of transfers resulting in singleton live births	1 / 6		0 / 2			
Percentage of transfers resulting in live births	1 / 6		0 / 2			
Percentage of transfers resulting in pregnancy	1 / 6		0 / 2			

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** John Nels Anderson, MD

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	No			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# TROCHÉ FERTILITY CENTERS GLENDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	93%	Tubal factor	17%	Uterine factor	1%	Multiple Factors: Female factors only 2% Female & male factors 29%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	9%	Male factor	75%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	5%	
				Endometriosis	5%	Unknown factor	2%	

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 195

Data verified by Vladimir Troché, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	60	22	23	10	4	1
Percentage of cancellations	1.7	4.5	13.0	2 / 10	0 / 4	0 / 1
Average number of embryos transferred	2.1	2.6	3.7	4.0	5.0	5.0
Percentage of embryos transferred resulting in implantation	30.5	25.0	16.9	0.0	1 / 10	0 / 5
Percentage of elective single embryo transfer (eSET)	7.3	0.0	0 / 19	0 / 7	0 / 2	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	25.0	18.2	13.0	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in live births	40.0	31.8	30.4	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in pregnancy	43.3	40.9	47.8	0 / 10	1 / 4	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	55	20	19	7	2	1
Percentage of transfers resulting in singleton live births	27.3	20.0	3 / 19	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in live births	43.6	35.0	7 / 19	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	47.3	45.0	11 / 19	0 / 7	1 / 2	0 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	26	9	11	0	1	0
Percentage of pregnancies resulting in singleton live births	57.7	4 / 9	3 / 11		0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 9	0 / 11		0 / 1	
Percentage of pregnancies resulting in live births	92.3	7 / 9	7 / 11		0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	34	12	7	3	1	0
Number of transfers	32	11	6	3	1	0
Average number of embryos transferred	2.2	2.2	2.3	3.0	2.0	
Percentage of embryos transferred resulting in implantation	21.7	4.2	0 / 14	1 / 9	2 / 2	
Percentage of transfers resulting in singleton live births	31.3	1 / 11	0 / 6	1 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	3.1	0 / 11	0 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in live births	34.4	1 / 11	0 / 6	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	37.5	2 / 11	0 / 6	1 / 3	1 / 1	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		12		6		
Number of transfers		12		6		
Average number of embryos transferred		1.8		2.8		
Percentage of embryos transferred resulting in implantation		54.5		3 / 17		
Percentage of transfers resulting in singleton live births		4 / 12		3 / 6		
Percentage of transfers resulting in live births		7 / 12		3 / 6		
Percentage of transfers resulting in pregnancy		10 / 12		3 / 6		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Troché Fertility Centers

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ARIZONA REPRODUCTIVE MEDICINE SPECIALISTS PHOENIX, ARIZONA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	68%	Tubal factor	17%	Uterine factor	1%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	20%	Male factor	61%
Used gestational carrier	0%			Diminished ovarian reserve	47%	Other factor	9%
				Endometriosis	9%	Unknown factor	4%
				Multiple Factors: Female factors only 10% Female & male factors 43%			

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 297

Data verified by Drew V. Moffitt, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	72	36	34	6	2	0
Percentage of cancellations	6.9	5.6	23.5	0 / 6	0 / 2	
Average number of embryos transferred	2.2	2.2	2.4	3.3	2.0	
Percentage of embryos transferred resulting in implantation	24.8	20.6	8.8	0 / 13	1 / 2	
Percentage of elective single embryo transfer (eSET)	3.5	6.9	0.0	0 / 4	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	20.8	22.2	8.8	0 / 6	1 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 2	
Percentage of cycles resulting in live births	27.8	27.8	11.8	0 / 6	1 / 2	
Percentage of cycles resulting in pregnancy	36.1	33.3	11.8	0 / 6	1 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	58	31	24	4	1	0
Percentage of transfers resulting in singleton live births	25.9	25.8	12.5	0 / 4	1 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 1	
Percentage of transfers resulting in live births	34.5	32.3	16.7	0 / 4	1 / 1	
Percentage of transfers resulting in pregnancy	44.8	38.7	16.7	0 / 4	1 / 1	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	26	12	4	0	1	0
Percentage of pregnancies resulting in singleton live births	57.7	8 / 12	3 / 4		1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 4		0 / 1	
Percentage of pregnancies resulting in live births	76.9	10 / 12	4 / 4		1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	51	28	18	5	2	1
Number of transfers	49	26	18	5	2	1
Average number of embryos transferred	1.6	1.5	1.9	1.4	1.5	2.0
Percentage of embryos transferred resulting in implantation	26.6	25.6	29.4	2 / 7	1 / 3	1 / 2
Percentage of transfers resulting in singleton live births	22.4	30.8	6 / 18	0 / 5	0 / 2	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in live births	24.5	34.6	6 / 18	0 / 5	0 / 2	1 / 1
Percentage of transfers resulting in pregnancy	38.8	34.6	8 / 18	2 / 5	1 / 2	1 / 1
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		15		27		
Number of transfers		15		24		
Average number of embryos transferred		1.9		1.7		
Percentage of embryos transferred resulting in implantation		41.4		12.5		
Percentage of transfers resulting in singleton live births		5 / 15		16.7		
Percentage of transfers resulting in live births		7 / 15		16.7		
Percentage of transfers resulting in pregnancy		11 / 15		25.0		

### CURRENT CLINIC SERVICES AND PROFILE

<b>Current Name:</b> Arizona Reproductive Medicine Specialists					
Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 29 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## SOUTHWEST FERTILITY CENTER PHOENIX, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	93%	Tubal factor	11%	Uterine factor	7%	Multiple Factors: Female factors only 20% Female & male factors 46%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	26%	Male factor	57%	
Used gestational carrier	0%			Diminished ovarian reserve	43%	Other factor	10%	
				Endometriosis	23%	Unknown factor	4%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 74

Data verified by Sujatha Gunnala, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	32	11	8	5	1	0
Percentage of cancellations	3.1	0 / 11	0 / 8	0 / 5	0 / 1	
Average number of embryos transferred	1.9	2.2	2.4	2.2	2.0	
Percentage of embryos transferred resulting in implantation	16.7	4.5	2 / 19	1 / 11	0 / 2	
Percentage of elective single embryo transfer (eSET)	11.5	0 / 10	0 / 8	0 / 5	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	25.0	1 / 11	2 / 8	1 / 5	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 8	0 / 5	0 / 1	
Percentage of cycles resulting in live births	25.0	1 / 11	2 / 8	1 / 5	0 / 1	
Percentage of cycles resulting in pregnancy	25.0	2 / 11	3 / 8	1 / 5	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	29	10	8	5	1	0
Percentage of transfers resulting in singleton live births	27.6	1 / 10	2 / 8	1 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in live births	27.6	1 / 10	2 / 8	1 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	27.6	2 / 10	3 / 8	1 / 5	0 / 1	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	8	2	3	1	0	0
Percentage of pregnancies resulting in singleton live births	8 / 8	1 / 2	2 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 2	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	8 / 8	1 / 2	2 / 3	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	10	2	2	0	0	0
Number of transfers	9	2	2	0	0	0
Average number of embryos transferred	2.3	2.5	2.0			
Percentage of embryos transferred resulting in implantation	14.3	1 / 5	0 / 4			
Percentage of transfers resulting in singleton live births	1 / 9	1 / 2	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 9	0 / 2	0 / 2			
Percentage of transfers resulting in live births	2 / 9	1 / 2	0 / 2			
Percentage of transfers resulting in pregnancy	2 / 9	1 / 2	0 / 2			
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	1		2			
Number of transfers	1		2			
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation	1 / 2		1 / 4			
Percentage of transfers resulting in singleton live births	0 / 1		1 / 2			
Percentage of transfers resulting in live births	0 / 1		1 / 2			
Percentage of transfers resulting in pregnancy	1 / 1		1 / 2			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Southwest Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ADVANCED FERTILITY CARE SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	59%	Tubal factor	12%	Uterine factor	4%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	12%	Male factor	50%
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	8%
				Endometriosis	10%	Unknown factor	14%
				Multiple Factors:			
						Female factors only	9%
						Female & male factors	27%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 172

Data verified by Nathaniel Zoneraich, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	68	20	26	9	0	0
Percentage of cancellations	5.9	15.0	11.5	4 / 9		
Average number of embryos transferred	1.6	1.8	2.5	3.2		
Percentage of embryos transferred resulting in implantation	59.0	39.3	22.2	1 / 16		
Percentage of elective single embryo transfer (eSET)	39.0	5 / 15	4.5	0 / 5		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	30.9	45.0	15.4	1 / 9		
Percentage of cycles resulting in triplets or more live births	1.5	0.0	0.0	0 / 9		
Percentage of cycles resulting in live births	51.5	50.0	23.1	1 / 9		
Percentage of cycles resulting in pregnancy	61.8	60.0	38.5	1 / 9		
<b>Outcomes per Transfer</b>						
Number of transfers	62	16	22	5	0	0
Percentage of transfers resulting in singleton live births	33.9	9 / 16	18.2	1 / 5		
Percentage of transfers resulting in triplets or more live births	1.6	0 / 16	0.0	0 / 5		
Percentage of transfers resulting in live births	56.5	10 / 16	27.3	1 / 5		
Percentage of transfers resulting in pregnancy	67.7	12 / 16	45.5	1 / 5		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	42	12	10	1	0	0
Percentage of pregnancies resulting in singleton live births	50.0	9 / 12	4 / 10	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	2.4	0 / 12	0 / 10	0 / 1		
Percentage of pregnancies resulting in live births	83.3	10 / 12	6 / 10	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	17	8	3	3	0	0
Number of transfers	15	8	3	3	0	0
Average number of embryos transferred	1.9	1.9	2.0	2.3		
Percentage of embryos transferred resulting in implantation	46.4	9 / 15	2 / 6	1 / 7		
Percentage of transfers resulting in singleton live births	6 / 15	0 / 8	0 / 3	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 8	0 / 3	0 / 3		
Percentage of transfers resulting in live births	8 / 15	3 / 8	1 / 3	0 / 3		
Percentage of transfers resulting in pregnancy	10 / 15	6 / 8	1 / 3	2 / 3		
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		13		5		
Number of transfers		12		5		
Average number of embryos transferred		1.6		1.4		
Percentage of embryos transferred resulting in implantation		8 / 19		4 / 7		
Percentage of transfers resulting in singleton live births		2 / 12		1 / 5		
Percentage of transfers resulting in live births		4 / 12		2 / 5		
Percentage of transfers resulting in pregnancy		6 / 12		3 / 5		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Advanced Fertility Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ARIZONA ASSOCIATES FOR REPRODUCTIVE HEALTH SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	8%	Uterine factor	3%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	15%	Male factor	50%	
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	3%	
				Endometriosis	5%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				19%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 227

Data verified by Ketan S. Patel, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	79	48	34	11	4	0
Percentage of cancellations	7.6	10.4	11.8	2 / 11	0 / 4	
Average number of embryos transferred	2.0	2.1	2.5	2.9	2.5	
Percentage of embryos transferred resulting in implantation	47.4	27.3	25.0	7.7	1 / 10	
Percentage of elective single embryo transfer (eSET)	9.1	7.3	0.0	0 / 8	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	24.1	22.9	17.6	1 / 11	1 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 11	0 / 4	
Percentage of cycles resulting in live births	48.1	33.3	23.5	1 / 11	1 / 4	
Percentage of cycles resulting in pregnancy	54.4	35.4	32.4	3 / 11	1 / 4	
<b>Outcomes per Transfer</b>						
Number of transfers	68	42	26	9	4	0
Percentage of transfers resulting in singleton live births	27.9	26.2	23.1	1 / 9	1 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 4	
Percentage of transfers resulting in live births	55.9	38.1	30.8	1 / 9	1 / 4	
Percentage of transfers resulting in pregnancy	63.2	40.5	42.3	3 / 9	1 / 4	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	43	17	11	3	1	0
Percentage of pregnancies resulting in singleton live births	44.2	11 / 17	6 / 11	1 / 3	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 17	0 / 11	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	88.4	16 / 17	8 / 11	1 / 3	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	16	10	7	1	1	0
Number of transfers	15	10	7	1	1	0
Average number of embryos transferred	1.9	2.1	1.9	1.0	2.0	
Percentage of embryos transferred resulting in implantation	53.6	28.6	3 / 13	0 / 1	1 / 2	
Percentage of transfers resulting in singleton live births	6 / 15	4 / 10	2 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 10	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in live births	10 / 15	5 / 10	2 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	10 / 15	6 / 10	2 / 7	0 / 1	1 / 1	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	7		9			
Number of transfers	7		9			
Average number of embryos transferred	1.9		2.3			
Percentage of embryos transferred resulting in implantation	8 / 13		19.0			
Percentage of transfers resulting in singleton live births	2 / 7		2 / 9			
Percentage of transfers resulting in live births	4 / 7		3 / 9			
Percentage of transfers resulting in pregnancy	5 / 7		3 / 9			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Arizona Associates for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 4 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ARIZONA CENTER FOR FERTILITY STUDIES SCOTTSDALE, ARIZONA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	98%	With ICSI	98%	Tubal factor	10%	Uterine factor	4%
Unstimulated	0%	Used PGD	28%	Ovulatory dysfunction	14%	Male factor	31%
Used gestational carrier	2%			Diminished ovarian reserve	20%	Other factor	27%
				Endometriosis	7%	Unknown factor	3%
				Multiple Factors: Female factors only 3% Female & male factors 13%			

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 96

Data verified by Jay S. Nemiro, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	28	9	14	6	1	0
Percentage of cancellations	0.0	1 / 9	0 / 14	0 / 6	0 / 1	
Average number of embryos transferred	2.0	2.1	2.2	2.8	5.0	
Percentage of embryos transferred resulting in implantation	41.9	8 / 15	42.9	1 / 11	1 / 5	
Percentage of elective single embryo transfer (eSET)	9.5	0 / 6	0 / 10	0 / 3	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	32.1	4 / 9	4 / 14	0 / 6	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 9	0 / 14	0 / 6	0 / 1	
Percentage of cycles resulting in live births	39.3	6 / 9	6 / 14	0 / 6	0 / 1	
Percentage of cycles resulting in pregnancy	53.6	6 / 9	10 / 14	1 / 6	1 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	22	7	13	4	1	0
Percentage of transfers resulting in singleton live births	40.9	4 / 7	4 / 13	0 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 13	0 / 4	0 / 1	
Percentage of transfers resulting in live births	50.0	6 / 7	6 / 13	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	68.2	6 / 7	10 / 13	1 / 4	1 / 1	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	15	6	10	1	1	0
Percentage of pregnancies resulting in singleton live births	9 / 15	4 / 6	4 / 10	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 6	0 / 10	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	11 / 15	6 / 6	6 / 10	0 / 1	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	5	10	6	3	1	0
Number of transfers	5	9	6	3	1	0
Average number of embryos transferred	2.0	1.7	2.0	2.0	4.0	
Percentage of embryos transferred resulting in implantation	4 / 10	6 / 15	5 / 12	1 / 6	1 / 4	
Percentage of transfers resulting in singleton live births	4 / 5	3 / 9	1 / 6	1 / 3	1 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 9	0 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in live births	4 / 5	4 / 9	2 / 6	1 / 3	1 / 1	
Percentage of transfers resulting in pregnancy	4 / 5	5 / 9	3 / 6	2 / 3	1 / 1	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>			<b>Frozen Embryos</b>		
Number of cycles	12			1		
Number of transfers	10			1		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation	40.0			1 / 2		
Percentage of transfers resulting in singleton live births	5 / 10			0 / 1		
Percentage of transfers resulting in live births	6 / 10			0 / 1		
Percentage of transfers resulting in pregnancy	7 / 10			1 / 1		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Arizona Center for Fertility Studies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 44 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## IVF PHOENIX SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	91%	Tubal factor	20%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	4%	Male factor	53%
Used gestational carrier	6%			Diminished ovarian reserve	4%	Other factor	4%
				Endometriosis	0%	Unknown factor	24%
				Multiple Factors:			
						Female factors only	2%
						Female & male factors	9%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 45

Data verified by John L. Couvaras, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	15	4	8	4	2	0
Percentage of cancellations	0 / 15	0 / 4	0 / 8	0 / 4	1 / 2	
Average number of embryos transferred	2.1	2.3	2.4	3.0		
Percentage of embryos transferred resulting in implantation	21.7	2 / 9	2 / 17	2 / 12		
Percentage of elective single embryo transfer (eSET)	0 / 11	1 / 4	0 / 7	0 / 4		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	3 / 15	1 / 4	1 / 8	0 / 4	0 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 15	0 / 4	0 / 8	0 / 4	0 / 2	
Percentage of cycles resulting in live births	4 / 15	1 / 4	1 / 8	1 / 4	0 / 2	
Percentage of cycles resulting in pregnancy	4 / 15	1 / 4	1 / 8	1 / 4	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	11	4	7	4	0	0
Percentage of transfers resulting in singleton live births	3 / 11	1 / 4	1 / 7	0 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 4	0 / 7	0 / 4		
Percentage of transfers resulting in live births	4 / 11	1 / 4	1 / 7	1 / 4		
Percentage of transfers resulting in pregnancy	4 / 11	1 / 4	1 / 7	1 / 4		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	4	1	1	1	0	0
Percentage of pregnancies resulting in singleton live births	3 / 4	1 / 1	1 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 1	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	4 / 4	1 / 1	1 / 1	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	3	1	4	1	0	0
Number of transfers	3	1	4	1	0	0
Average number of embryos transferred	1.7	3.0	1.8	2.0		
Percentage of embryos transferred resulting in implantation	0 / 5	0 / 3	1 / 7	0 / 2		
Percentage of transfers resulting in singleton live births	0 / 3	0 / 1	1 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1	0 / 4	0 / 1		
Percentage of transfers resulting in live births	0 / 3	0 / 1	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	0 / 3	0 / 1	1 / 4	0 / 1		
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		3		0		
Number of transfers		3		0		
Average number of embryos transferred		1.7				
Percentage of embryos transferred resulting in implantation		1 / 5				
Percentage of transfers resulting in singleton live births		1 / 3				
Percentage of transfers resulting in live births		1 / 3				
Percentage of transfers resulting in pregnancy		1 / 3				

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** IVF Phoenix

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 10 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## FERTILITY TREATMENT CENTER TEMPE, ARIZONA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	98%	Tubal factor	2%	Uterine factor	<1%	
Unstimulated	<1%	Used PGD	4%	Ovulatory dysfunction	61%	Male factor	9%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	5%	
				Endometriosis	5%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				1%
				Female & male factors				4%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 353

Data verified by H. Randall Craig, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	64	33	26	20	8	0
Percentage of cancellations	0.0	0.0	0.0	0.0	0 / 8	
Average number of embryos transferred	2.2	2.3	2.4	2.5	2.3	
Percentage of embryos transferred resulting in implantation	28.9	23.6	17.9	0.0	0 / 9	
Percentage of elective single embryo transfer (eSET)	2.0	4.8	0.0	0 / 13	0 / 4	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	35.9	21.2	30.8	0.0	0 / 8	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	
Percentage of cycles resulting in live births	43.8	27.3	34.6	0.0	0 / 8	
Percentage of cycles resulting in pregnancy	43.8	36.4	38.5	5.0	0 / 8	
<b>Outcomes per Transfer</b>						
Number of transfers	54	24	23	16	4	0
Percentage of transfers resulting in singleton live births	42.6	29.2	34.8	0 / 16	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 4	
Percentage of transfers resulting in live births	51.9	37.5	39.1	0 / 16	0 / 4	
Percentage of transfers resulting in pregnancy	51.9	50.0	43.5	1 / 16	0 / 4	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	28	12	10	1	0	0
Percentage of pregnancies resulting in singleton live births	82.1	7 / 12	8 / 10	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 12	0 / 10	0 / 1		
Percentage of pregnancies resulting in live births	100.0	9 / 12	9 / 10	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	60	23	21	14	5	1
Number of transfers	60	23	21	14	5	1
Average number of embryos transferred	2.3	2.3	2.4	2.3	2.4	2.0
Percentage of embryos transferred resulting in implantation	31.6	32.1	31.4	18.8	0 / 12	0 / 2
Percentage of transfers resulting in singleton live births	35.0	30.4	23.8	1 / 14	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 5	0 / 1
Percentage of transfers resulting in live births	48.3	39.1	38.1	2 / 14	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	60.0	52.2	47.6	5 / 14	1 / 5	0 / 1
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	23		55			
Number of transfers	23		54			
Average number of embryos transferred	2.0		2.4			
Percentage of embryos transferred resulting in implantation	42.2		32.0			
Percentage of transfers resulting in singleton live births	34.8		29.6			
Percentage of transfers resulting in live births	47.8		44.4			
Percentage of transfers resulting in pregnancy	60.9		55.6			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Fertility Treatment Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 66 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ARIZONA CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY TUCSON, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	46%	Tubal factor	16%	Uterine factor	11%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	16%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	<1%	
				Endometriosis	57%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				21%
				Female & male factors				11%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 265

Data verified by Timothy J. Gelety, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	68	32	35	20	7	5
Percentage of cancellations	0.0	3.1	2.9	5.0	0 / 7	0 / 5
Average number of embryos transferred	2.5	3.0	3.4	3.3	3.7	3.6
Percentage of embryos transferred resulting in implantation	28.2	18.6	14.6	7.5	9.1	0 / 18
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 16	0 / 6	0 / 5
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	30.9	9.4	20.0	5.0	0 / 7	0 / 5
Percentage of cycles resulting in triplets or more live births	1.5	3.1	0.0	0.0	0 / 7	0 / 5
Percentage of cycles resulting in live births	41.2	21.9	25.7	5.0	1 / 7	0 / 5
Percentage of cycles resulting in pregnancy	50.0	31.3	37.1	20.0	1 / 7	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	62	29	30	16	6	5
Percentage of transfers resulting in singleton live births	33.9	10.3	23.3	1 / 16	0 / 6	0 / 5
Percentage of transfers resulting in triplets or more live births	1.6	3.4	0.0	0 / 16	0 / 6	0 / 5
Percentage of transfers resulting in live births	45.2	24.1	30.0	1 / 16	1 / 6	0 / 5
Percentage of transfers resulting in pregnancy	54.8	34.5	43.3	4 / 16	1 / 6	0 / 5
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	34	10	13	4	1	0
Percentage of pregnancies resulting in singleton live births	61.8	3 / 10	7 / 13	1 / 4	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.9	1 / 10	0 / 13	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	82.4	7 / 10	9 / 13	1 / 4	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	50	13	11	5	1	0
Number of transfers	48	13	11	5	1	0
Average number of embryos transferred	3.5	3.2	4.0	4.0	1.0	
Percentage of embryos transferred resulting in implantation	6.6	2.4	6.8	0.0	0 / 1	
Percentage of transfers resulting in singleton live births	8.3	1 / 13	2 / 11	0 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 11	0 / 5	0 / 1	
Percentage of transfers resulting in live births	12.5	1 / 13	2 / 11	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	18.8	1 / 13	3 / 11	0 / 5	0 / 1	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	11		7			
Number of transfers	5		7			
Average number of embryos transferred	2.2		3.4			
Percentage of embryos transferred resulting in implantation	1 / 11		8.3			
Percentage of transfers resulting in singleton live births	0 / 5		0 / 7			
Percentage of transfers resulting in live births	0 / 5		0 / 7			
Percentage of transfers resulting in pregnancy	1 / 5		2 / 7			

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Arizona Center for Reproductive Endocrinology and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE HEALTH CENTER TUCSON, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	93%	Tubal factor	17%	Uterine factor	9%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	14%	Male factor	46%
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	9%
				Endometriosis	18%	Unknown factor	10%
				Multiple Factors:			
						Female factors only	12%
						Female & male factors	22%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 307

Data verified by Scot M. Hutchison, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	73	19	20	8	2	0
Percentage of cancellations	4.1	0 / 19	15.0	1 / 8	0 / 2	
Average number of embryos transferred	1.6	1.6	1.6	2.0	2.0	
Percentage of embryos transferred resulting in implantation	30.2	4 / 11	6 / 19	0 / 2	0 / 2	
Percentage of elective single embryo transfer (eSET)	33.3	3 / 7	2 / 9	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	15.1	2 / 19	10.0	0 / 8	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0.0	0 / 8	0 / 2	
Percentage of cycles resulting in live births	16.4	2 / 19	15.0	0 / 8	0 / 2	
Percentage of cycles resulting in pregnancy	16.4	3 / 19	30.0	0 / 8	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	27	7	12	1	1	0
Percentage of transfers resulting in singleton live births	40.7	2 / 7	2 / 12	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 7	0 / 12	0 / 1	0 / 1	
Percentage of transfers resulting in live births	44.4	2 / 7	3 / 12	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	44.4	3 / 7	6 / 12	0 / 1	0 / 1	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	12	3	6	0	0	0
Percentage of pregnancies resulting in singleton live births	11 / 12	2 / 3	2 / 6			
Percentage of pregnancies resulting in triplets or more live births	0 / 12	0 / 3	0 / 6			
Percentage of pregnancies resulting in live births	12 / 12	2 / 3	3 / 6			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	89	20	12	7	1	0
Number of transfers	88	20	11	7	1	0
Average number of embryos transferred	1.3	1.6	1.7	2.3	2.0	
Percentage of embryos transferred resulting in implantation	26.3	28.1	5 / 19	1 / 16	0 / 2	
Percentage of transfers resulting in singleton live births	23.9	40.0	4 / 11	1 / 7	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 11	0 / 7	0 / 1	
Percentage of transfers resulting in live births	26.1	40.0	4 / 11	1 / 7	0 / 1	
Percentage of transfers resulting in pregnancy	34.1	45.0	7 / 11	1 / 7	0 / 1	
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
<b>Donor Eggs</b>						
Number of cycles		25		31		
Number of transfers		21		31		
Average number of embryos transferred		1.1		1.2		
Percentage of embryos transferred resulting in implantation		54.2		29.7		
Percentage of transfers resulting in singleton live births		57.1		29.0		
Percentage of transfers resulting in live births		57.1		29.0		
Percentage of transfers resulting in pregnancy		66.7		38.7		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Health Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 12 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ARKANSAS FERTILITY CENTER  
LITTLE ROCK FERTILITY CENTER  
LITTLE ROCK, ARKANSAS**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

**2011 ART CYCLE PROFILE**

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	50%	Tubal factor	13%	Uterine factor	2%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	16%	Male factor	14%	
Used gestational carrier	<1%			Diminished ovarian reserve	9%	Other factor	<1%	
				Endometriosis	5%	Unknown factor	49%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				5%

**2011 ART SUCCESS RATES<sup>c,d</sup>**

Number of cycles in table: <sup>e</sup> 308

Data verified by Dean M. Moutos, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	127	40	33	13	0	1
Percentage of cancellations	4.7	10.0	12.1	4 / 13		0 / 1
Average number of embryos transferred	1.9	2.2	2.4	2.2		
Percentage of embryos transferred resulting in implantation	38.2	24.4	17.7	5.0		
Percentage of elective single embryo transfer (eSET)	19.6	2.9	0.0	0 / 7		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	29.1	17.5	15.2	1 / 13		0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 13		0 / 1
Percentage of cycles resulting in live births	43.3	27.5	15.2	1 / 13		0 / 1
Percentage of cycles resulting in pregnancy	48.8	37.5	30.3	1 / 13		0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	115	35	26	9	0	0
Percentage of transfers resulting in singleton live births	32.2	20.0	19.2	1 / 9		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9		
Percentage of transfers resulting in live births	47.8	31.4	19.2	1 / 9		
Percentage of transfers resulting in pregnancy	53.9	42.9	38.5	1 / 9		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	62	15	10	1	0	0
Percentage of pregnancies resulting in singleton live births	59.7	7 / 15	5 / 10	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 10	0 / 1		
Percentage of pregnancies resulting in live births	88.7	11 / 15	5 / 10	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	45	16	11	3	1	0
Number of transfers	42	15	10	1	1	0
Average number of embryos transferred	1.7	1.7	1.7	1.0	2.0	
Percentage of embryos transferred resulting in implantation	20.5	20.0	4 / 17	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births	21.4	3 / 15	2 / 10	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 10	0 / 1	0 / 1	
Percentage of transfers resulting in live births	21.4	3 / 15	3 / 10	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	33.3	4 / 15	3 / 10	0 / 1	0 / 1	
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
<b>Donor Eggs</b>						
Number of cycles		6		12		
Number of transfers		6		6		
Average number of embryos transferred		2.2		2.0		
Percentage of embryos transferred resulting in implantation		6 / 13		1 / 12		
Percentage of transfers resulting in singleton live births		2 / 6		1 / 6		
Percentage of transfers resulting in live births		4 / 6		1 / 6		
Percentage of transfers resulting in pregnancy		4 / 6		1 / 6		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Arkansas Fertility Center, Little Rock Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# LIFESTART FERTILITY CENTER AGOURA HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis <sup>b</sup>				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	63%	Tubal factor	9%	Uterine factor	9%	Multiple Factors: Female factors only 18% Female & male factors 36%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	9%	Male factor	64%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	9%	
				Endometriosis	36%	Unknown factor	0%	

## 2011 ART SUCCESS RATES<sup>c,d</sup> Number of cycles in table:<sup>e</sup> 11 Data verified by Anita P. Singh, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	3	1	1	3	0	0
Percentage of cancellations	0 / 3	0 / 1	0 / 1	0 / 3		
Average number of embryos transferred	2.0	1.0	3.0	3.5		
Percentage of embryos transferred resulting in implantation	3 / 6	0 / 1	3 / 3	1 / 7		
Percentage of elective single embryo transfer (eSET)	0 / 3		0 / 1	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	1 / 3	0 / 1	0 / 1	1 / 3		
Percentage of cycles resulting in triplets or more live births	0 / 3	0 / 1	0 / 1	0 / 3		
Percentage of cycles resulting in live births	2 / 3	0 / 1	1 / 1	1 / 3		
Percentage of cycles resulting in pregnancy	3 / 3	0 / 1	1 / 1	1 / 3		
<b>Outcomes per Transfer</b>						
Number of transfers	3	1	1	2	0	0
Percentage of transfers resulting in singleton live births	1 / 3	0 / 1	0 / 1	1 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1	0 / 1	0 / 2		
Percentage of transfers resulting in live births	2 / 3	0 / 1	1 / 1	1 / 2		
Percentage of transfers resulting in pregnancy	3 / 3	0 / 1	1 / 1	1 / 2		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	3	0	1	1	0	0
Percentage of pregnancies resulting in singleton live births	1 / 3		0 / 1	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 3		0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	2 / 3		1 / 1	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	2 / 2					
Percentage of transfers resulting in singleton live births	0 / 1					
Percentage of transfers resulting in triplets or more live births	0 / 1					
Percentage of transfers resulting in live births	1 / 1					
Percentage of transfers resulting in pregnancy	1 / 1					
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	2		0			
Number of transfers	2		0			
Average number of embryos transferred	2.5					
Percentage of embryos transferred resulting in implantation	1 / 5					
Percentage of transfers resulting in singleton live births	1 / 2					
Percentage of transfers resulting in live births	1 / 2					
Percentage of transfers resulting in pregnancy	1 / 2					

## CURRENT CLINIC SERVICES AND PROFILE

<b>Current Name:</b> LifeStart Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ALTA BATES IN VITRO FERTILIZATION PROGRAM BERKELEY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	84%	Tubal factor	9%	Uterine factor	14%	Multiple Factors: Female factors only 17% Female & male factors 7%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	21%	Male factor	17%	
Used gestational carrier	3%			Diminished ovarian reserve	51%	Other factor	11%	
				Endometriosis	6%	Unknown factor	2%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 109

Data verified by Ryszard J. Chetkowski, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	8	10	7	4	3	0
Percentage of cancellations	1 / 8	1 / 10	0 / 7	0 / 4	2 / 3	
Average number of embryos transferred	2.0	2.4	2.6	4.5	2.0	
Percentage of embryos transferred resulting in implantation	5 / 12	13.6	4 / 18	3 / 18	0 / 2	
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 9	0 / 6	0 / 4	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	4 / 8	1 / 10	2 / 7	1 / 4	0 / 3	
Percentage of cycles resulting in triplets or more live births	0 / 8	0 / 10	0 / 7	0 / 4	0 / 3	
Percentage of cycles resulting in live births	4 / 8	2 / 10	3 / 7	2 / 4	0 / 3	
Percentage of cycles resulting in pregnancy	4 / 8	2 / 10	3 / 7	2 / 4	0 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	6	9	7	4	1	0
Percentage of transfers resulting in singleton live births	4 / 6	1 / 9	2 / 7	1 / 4	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 9	0 / 7	0 / 4	0 / 1	
Percentage of transfers resulting in live births	4 / 6	2 / 9	3 / 7	2 / 4	0 / 1	
Percentage of transfers resulting in pregnancy	4 / 6	2 / 9	3 / 7	2 / 4	0 / 1	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	4	2	3	2	0	0
Percentage of pregnancies resulting in singleton live births	4 / 4	1 / 2	2 / 3	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 2	0 / 3	0 / 2		
Percentage of pregnancies resulting in live births	4 / 4	2 / 2	3 / 3	2 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	15	4	3	3	4	0
Number of transfers	15	4	3	3	4	0
Average number of embryos transferred	1.9	2.3	3.7	2.7	4.8	
Percentage of embryos transferred resulting in implantation	35.7	1 / 9	0 / 11	1 / 8	0 / 19	
Percentage of transfers resulting in singleton live births	6 / 15	1 / 4	0 / 3	1 / 3	0 / 4	
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 4	0 / 3	0 / 3	0 / 4	
Percentage of transfers resulting in live births	8 / 15	1 / 4	0 / 3	1 / 3	0 / 4	
Percentage of transfers resulting in pregnancy	8 / 15	1 / 4	0 / 3	2 / 3	0 / 4	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	23		25			
Number of transfers	21		23			
Average number of embryos transferred	2.4		1.8			
Percentage of embryos transferred resulting in implantation	30.0		26.2			
Percentage of transfers resulting in singleton live births	28.6		21.7			
Percentage of transfers resulting in live births	42.9		30.4			
Percentage of transfers resulting in pregnancy	57.1		34.8			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Alta Bates In Vitro Fertilization Program

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 15 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CALIFORNIA CENTER FOR REPRODUCTIVE HEALTH  
BEVERLY HILLS REPRODUCTIVE FERTILITY CENTER  
BEVERLY HILLS, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

**2011 ART CYCLE PROFILE**

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	>99%	With ICSI	96%	Tubal factor	16%	Uterine factor	3%	Multiple Factors: Female factors only 12% Female & male factors 16%
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	8%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	43%	Other factor	8%	
				Endometriosis	9%	Unknown factor	8%	

**2011 ART SUCCESS RATES<sup>c,d</sup>**

Number of cycles in table: <sup>e</sup> 309

Data verified by Peyman Saadat, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	101	49	35	34	15	8
Percentage of cancellations	0.0	0.0	0.0	0.0	0 / 15	1 / 8
Average number of embryos transferred	2.8	3.2	3.2	3.6	3.3	2.3
Percentage of embryos transferred resulting in implantation	29.8	24.4	20.4	9.6	2.0	0 / 16
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0.0	0 / 15	0 / 6
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	30.7	28.6	37.1	14.7	0 / 15	0 / 8
Percentage of cycles resulting in triplets or more live births	2.0	0.0	2.9	0.0	0 / 15	0 / 8
Percentage of cycles resulting in live births	52.5	44.9	40.0	17.6	0 / 15	0 / 8
Percentage of cycles resulting in pregnancy	59.4	59.2	54.3	44.1	2 / 15	0 / 8
<b>Outcomes per Transfer</b>						
Number of transfers	101	49	32	32	15	7
Percentage of transfers resulting in singleton live births	30.7	28.6	40.6	15.6	0 / 15	0 / 7
Percentage of transfers resulting in triplets or more live births	2.0	0.0	3.1	0.0	0 / 15	0 / 7
Percentage of transfers resulting in live births	52.5	44.9	43.8	18.8	0 / 15	0 / 7
Percentage of transfers resulting in pregnancy	59.4	59.2	59.4	46.9	2 / 15	0 / 7
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	60	29	19	15	2	0
Percentage of pregnancies resulting in singleton live births	51.7	48.3	13 / 19	5 / 15	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	3.3	0.0	1 / 19	0 / 15	0 / 2	
Percentage of pregnancies resulting in live births	88.3	75.9	14 / 19	6 / 15	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	20	7	5	4	3	5
Number of transfers	20	7	5	4	3	5
Average number of embryos transferred	3.2	2.6	3.4	4.0	4.7	4.2
Percentage of embryos transferred resulting in implantation	23.4	3 / 18	1 / 17	0 / 16	2 / 14	4.8
Percentage of transfers resulting in singleton live births	25.0	1 / 7	1 / 5	0 / 4	1 / 3	0 / 5
Percentage of transfers resulting in triplets or more live births	5.0	0 / 7	0 / 5	0 / 4	0 / 3	0 / 5
Percentage of transfers resulting in live births	40.0	1 / 7	1 / 5	0 / 4	1 / 3	0 / 5
Percentage of transfers resulting in pregnancy	50.0	3 / 7	1 / 5	1 / 4	2 / 3	1 / 5
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
	Number of cycles	12	11			
Number of transfers	12	11				
Average number of embryos transferred	2.8	3.1				
Percentage of embryos transferred resulting in implantation	42.4	11.8				
Percentage of transfers resulting in singleton live births	3 / 12	2 / 11				
Percentage of transfers resulting in live births	7 / 12	3 / 11				
Percentage of transfers resulting in pregnancy	9 / 12	3 / 11				

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** California Center for Reproductive Health, Beverly Hills Reproductive Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 11 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE HEALTH & GYNECOLOGY  
(CRH&G)  
BEVERLY HILLS, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

**2011 ART CYCLE PROFILE**

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	59%	Tubal factor	19%	Uterine factor	4%
Unstimulated	0%	Used PGD	40%	Ovulatory dysfunction	6%	Male factor	57%
Used gestational carrier	1%			Diminished ovarian reserve	48%	Other factor	23%
				Endometriosis	<1%	Unknown factor	<1%
				Multiple Factors: Female factors only 14% Female & male factors 36%			

**2011 ART SUCCESS RATES<sup>c,d</sup>**

Number of cycles in table: <sup>e</sup> 124

Data verified by Sam Najmabadi, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	21	19	20	19	6	8
Percentage of cancellations	0.0	2 / 19	15.0	3 / 19	1 / 6	2 / 8
Average number of embryos transferred	2.0	2.2	2.0	1.6	1.2	2.3
Percentage of embryos transferred resulting in implantation	45.0	27.0	26.7	61.9	2 / 6	0 / 7
Percentage of elective single embryo transfer (eSET)	2 / 17	1 / 16	0 / 11	0 / 6	0 / 1	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	28.6	4 / 19	15.0	5 / 19	2 / 6	0 / 8
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0.0	0 / 19	0 / 6	0 / 8
Percentage of cycles resulting in live births	42.9	4 / 19	20.0	8 / 19	2 / 6	0 / 8
Percentage of cycles resulting in pregnancy	61.9	10 / 19	40.0	10 / 19	2 / 6	1 / 8
<b>Outcomes per Transfer</b>						
Number of transfers	20	17	15	13	5	3
Percentage of transfers resulting in singleton live births	30.0	4 / 17	3 / 15	5 / 13	2 / 5	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 15	0 / 13	0 / 5	0 / 3
Percentage of transfers resulting in live births	45.0	4 / 17	4 / 15	8 / 13	2 / 5	0 / 3
Percentage of transfers resulting in pregnancy	65.0	10 / 17	8 / 15	10 / 13	2 / 5	1 / 3
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	13	10	8	10	2	1
Percentage of pregnancies resulting in singleton live births	6 / 13	4 / 10	3 / 8	5 / 10	2 / 2	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 10	0 / 8	0 / 10	0 / 2	0 / 1
Percentage of pregnancies resulting in live births	9 / 13	4 / 10	4 / 8	8 / 10	2 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	5	2	4	2	0	0
Number of transfers	5	2	4	2	0	0
Average number of embryos transferred	2.4	3.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation	4 / 12	1 / 6	1 / 8	2 / 4		
Percentage of transfers resulting in singleton live births	2 / 5	1 / 2	1 / 4	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 2	0 / 4	0 / 2		
Percentage of transfers resulting in live births	3 / 5	1 / 2	1 / 4	1 / 2		
Percentage of transfers resulting in pregnancy	3 / 5	1 / 2	1 / 4	1 / 2		
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			16		2	
Number of transfers			16		2	
Average number of embryos transferred			1.9		2.5	
Percentage of embryos transferred resulting in implantation			54.8		2 / 5	
Percentage of transfers resulting in singleton live births			4 / 16		0 / 2	
Percentage of transfers resulting in live births			10 / 16		1 / 2	
Percentage of transfers resulting in pregnancy			10 / 16		1 / 2	

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Center for Reproductive Health & Gynecology, (CRH&G)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 8 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## SOUTHERN CALIFORNIA REPRODUCTIVE CENTER BEVERLY HILLS, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	56%	Tubal factor	11%	Uterine factor	5%	
Unstimulated	<1%	Used PGD	29%	Ovulatory dysfunction	10%	Male factor	25%	
Used gestational carrier	3%			Diminished ovarian reserve	40%	Other factor	22%	
				Endometriosis	2%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				11%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 613

Data verified by Mark W. Surrey, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	113	86	119	70	32	8
Percentage of cancellations	1.8	2.3	5.9	11.4	6.3	3 / 8
Average number of embryos transferred	1.8	2.1	2.3	2.9	2.6	2.5
Percentage of embryos transferred resulting in implantation	45.3	31.7	24.0	13.7	18.2	0 / 10
Percentage of elective single embryo transfer (eSET)	30.0	16.7	5.3	0.0	1 / 16	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	31.0	26.7	16.8	12.9	6.3	0 / 8
Percentage of cycles resulting in triplets or more live births	1.8	0.0	0.0	0.0	0.0	0 / 8
Percentage of cycles resulting in live births	43.4	31.4	26.1	15.7	12.5	0 / 8
Percentage of cycles resulting in pregnancy	50.4	39.5	36.1	21.4	25.0	0 / 8
<b>Outcomes per Transfer</b>						
Number of transfers	88	61	89	45	21	4
Percentage of transfers resulting in singleton live births	39.8	37.7	22.5	20.0	9.5	0 / 4
Percentage of transfers resulting in triplets or more live births	2.3	0.0	0.0	0.0	0.0	0 / 4
Percentage of transfers resulting in live births	55.7	44.3	34.8	24.4	19.0	0 / 4
Percentage of transfers resulting in pregnancy	64.8	55.7	48.3	33.3	38.1	0 / 4
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	57	34	43	15	8	0
Percentage of pregnancies resulting in singleton live births	61.4	67.6	46.5	9 / 15	2 / 8	
Percentage of pregnancies resulting in triplets or more live births	3.5	0.0	0.0	0 / 15	0 / 8	
Percentage of pregnancies resulting in live births	86.0	79.4	72.1	11 / 15	4 / 8	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	56	17	18	10	5	0
Number of transfers	53	17	17	10	3	0
Average number of embryos transferred	2.0	2.2	1.8	1.9	2.3	
Percentage of embryos transferred resulting in implantation	31.1	35.1	32.3	5 / 19	3 / 7	
Percentage of transfers resulting in singleton live births	32.1	6 / 17	5 / 17	3 / 10	1 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 17	0 / 10	0 / 3	
Percentage of transfers resulting in live births	37.7	9 / 17	7 / 17	3 / 10	2 / 3	
Percentage of transfers resulting in pregnancy	58.5	11 / 17	8 / 17	6 / 10	2 / 3	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	47		32			
Number of transfers	38		30			
Average number of embryos transferred	1.4		1.7			
Percentage of embryos transferred resulting in implantation	53.7		44.0			
Percentage of transfers resulting in singleton live births	47.4		36.7			
Percentage of transfers resulting in live births	57.9		46.7			
Percentage of transfers resulting in pregnancy	65.8		56.7			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Southern California Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 37 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## WEST COAST IVF CLINIC, INC. BEVERLY HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	0%	Tubal factor	50%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	50%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	0%	
				Endometriosis	0%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				50%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 2

Data verified by Michael Kamrava, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	1	0	0	0	0	0
Percentage of cancellations	0 / 1					
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	3 / 2					
Percentage of elective single embryo transfer (eSET)	0 / 1					
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	0 / 1					
Percentage of cycles resulting in triplets or more live births	1 / 1					
Percentage of cycles resulting in live births	1 / 1					
Percentage of cycles resulting in pregnancy	1 / 1					
<b>Outcomes per Transfer</b>						
Number of transfers	1	0	0	0	0	0
Percentage of transfers resulting in singleton live births	0 / 1					
Percentage of transfers resulting in triplets or more live births	1 / 1					
Percentage of transfers resulting in live births	1 / 1					
Percentage of transfers resulting in pregnancy	1 / 1					
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	1	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 1					
Percentage of pregnancies resulting in triplets or more live births	1 / 1					
Percentage of pregnancies resulting in live births	1 / 1					
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						
<b>All Ages Combined<sup>f</sup></b>						
	<b>Fresh Embryos</b>			<b>Frozen Embryos</b>		
Number of cycles	1			0		
Number of transfers	1			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	1 / 2					
Percentage of transfers resulting in singleton live births	1 / 1					
Percentage of transfers resulting in live births	1 / 1					
Percentage of transfers resulting in pregnancy	1 / 1					

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CARE OF ORANGE COUNTY BREA, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	83%	Tubal factor	9%	Uterine factor	2%	
Unstimulated	0%	Used PGD	13%	Ovulatory dysfunction	5%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	11%	
				Endometriosis	0%	Unknown factor	23%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				8%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 133

Data verified by C. Terence Lee, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	26	29	10	2	3	2
Percentage of cancellations	11.5	20.7	1 / 10	0 / 2	0 / 3	1 / 2
Average number of embryos transferred	2.1	2.0	2.7	2.0	4.3	7.0
Percentage of embryos transferred resulting in implantation	38.1	18.4	20.8	0 / 2	1 / 13	0 / 7
Percentage of elective single embryo transfer (eSET)	1 / 19	1 / 18	0 / 8	0 / 1	0 / 3	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	15.4	10.3	4 / 10	0 / 2	1 / 3	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 2	0 / 3	0 / 2
Percentage of cycles resulting in live births	34.6	17.2	4 / 10	0 / 2	1 / 3	0 / 2
Percentage of cycles resulting in pregnancy	42.3	20.7	5 / 10	0 / 2	1 / 3	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	20	19	9	1	3	1
Percentage of transfers resulting in singleton live births	20.0	3 / 19	4 / 9	0 / 1	1 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 9	0 / 1	0 / 3	0 / 1
Percentage of transfers resulting in live births	45.0	5 / 19	4 / 9	0 / 1	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy	55.0	6 / 19	5 / 9	0 / 1	1 / 3	0 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	11	6	5	0	1	0
Percentage of pregnancies resulting in singleton live births	4 / 11	3 / 6	4 / 5		1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 6	0 / 5		0 / 1	
Percentage of pregnancies resulting in live births	9 / 11	5 / 6	4 / 5		1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	18	16	5	1	3	0
Number of transfers	17	16	5	1	3	0
Average number of embryos transferred	1.9	2.3	2.6	2.0	4.0	
Percentage of embryos transferred resulting in implantation	28.1	30.6	1 / 13	1 / 2	0 / 12	
Percentage of transfers resulting in singleton live births	3 / 17	2 / 16	1 / 5	1 / 1	0 / 3	
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 16	0 / 5	0 / 1	0 / 3	
Percentage of transfers resulting in live births	5 / 17	6 / 16	1 / 5	1 / 1	0 / 3	
Percentage of transfers resulting in pregnancy	9 / 17	9 / 16	1 / 5	1 / 1	1 / 3	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	4		14			
Number of transfers	4		14			
Average number of embryos transferred	1.5		2.1			
Percentage of embryos transferred resulting in implantation	4 / 6		24.1			
Percentage of transfers resulting in singleton live births	0 / 4		5 / 14			
Percentage of transfers resulting in live births	1 / 4		6 / 14			
Percentage of transfers resulting in pregnancy	3 / 4		7 / 14			

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Fertility Care of Orange County

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 13 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CENTRAL CALIFORNIA IVF PROGRAM WOMEN'S SPECIALTY AND FERTILITY CENTER CLOVIS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	18%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	20%	Male factor	46%	
Used gestational carrier	3%			Diminished ovarian reserve	34%	Other factor	<1%	
				Endometriosis	6%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				24%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 244

Data verified by H. Michael Synn, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	76	28	33	16	5	5
Percentage of cancellations	3.9	0.0	15.2	4 / 16	0 / 5	1 / 5
Average number of embryos transferred	2.2	2.5	2.9	2.8	3.0	3.0
Percentage of embryos transferred resulting in implantation	23.7	19.4	14.1	6.5	0 / 15	0 / 6
Percentage of elective single embryo transfer (eSET)	1.5	0.0	0.0	0 / 10	0 / 4	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	17.1	25.0	18.2	2 / 16	0 / 5	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	3.6	3.0	0 / 16	0 / 5	0 / 5
Percentage of cycles resulting in live births	27.6	28.6	21.2	2 / 16	0 / 5	0 / 5
Percentage of cycles resulting in pregnancy	32.9	39.3	27.3	3 / 16	0 / 5	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	69	27	27	11	5	2
Percentage of transfers resulting in singleton live births	18.8	25.9	22.2	2 / 11	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	3.7	3.7	0 / 11	0 / 5	0 / 2
Percentage of transfers resulting in live births	30.4	29.6	25.9	2 / 11	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	36.2	40.7	33.3	3 / 11	0 / 5	0 / 2
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	25	11	9	3	0	0
Percentage of pregnancies resulting in singleton live births	52.0	7 / 11	6 / 9	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 11	1 / 9	0 / 3		
Percentage of pregnancies resulting in live births	84.0	8 / 11	7 / 9	2 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	36	15	9	1	2	0
Number of transfers	33	14	7	1	2	0
Average number of embryos transferred	2.1	2.1	2.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation	14.3	0.0	2 / 14	0 / 2	0 / 4	
Percentage of transfers resulting in singleton live births	12.1	0 / 14	0 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	3.0	0 / 14	0 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in live births	18.2	0 / 14	1 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	24.2	1 / 14	1 / 7	0 / 1	0 / 2	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	9		9			
Number of transfers	8		9			
Average number of embryos transferred	2.4		2.0			
Percentage of embryos transferred resulting in implantation	2 / 19		0 / 18			
Percentage of transfers resulting in singleton live births	2 / 8		0 / 9			
Percentage of transfers resulting in live births	2 / 8		0 / 9			
Percentage of transfers resulting in pregnancy	2 / 8		0 / 9			

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Central California IVF Program, Women's Specialty and Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CALIFORNIA IVF: DAVIS FERTILITY CENTER, INC. DAVIS, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	75%	Tubal factor	10%	Uterine factor	6%	Multiple Factors: Female factors only 7% Female & male factors 24%
Unstimulated	0%	Used PGD	10%	Ovulatory dysfunction	11%	Male factor	47%	
Used gestational carrier	2%			Diminished ovarian reserve	18%	Other factor	27%	
				Endometriosis	7%	Unknown factor	8%	

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 358

Data verified by Ernest J. Zeringue, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	65	32	19	14	0	2
Percentage of cancellations	4.6	0.0	2 / 19	0 / 14		2 / 2
Average number of embryos transferred	2.0	2.0	1.8	2.8		
Percentage of embryos transferred resulting in implantation	30.4	22.2	8.3	6.5		
Percentage of elective single embryo transfer (eSET)	2.1	0.0	0 / 9	0 / 10		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	15.4	15.6	2 / 19	2 / 14		0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 14		0 / 2
Percentage of cycles resulting in live births	29.2	25.0	2 / 19	2 / 14		0 / 2
Percentage of cycles resulting in pregnancy	32.3	31.3	2 / 19	2 / 14		0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	50	27	13	11	0	0
Percentage of transfers resulting in singleton live births	20.0	18.5	2 / 13	2 / 11		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 11		
Percentage of transfers resulting in live births	38.0	29.6	2 / 13	2 / 11		
Percentage of transfers resulting in pregnancy	42.0	37.0	2 / 13	2 / 11		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	21	10	2	2	0	0
Percentage of pregnancies resulting in singleton live births	47.6	5 / 10	2 / 2	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 10	0 / 2	0 / 2		
Percentage of pregnancies resulting in live births	90.5	8 / 10	2 / 2	2 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	56	19	10	7	0	2
Number of transfers	54	19	9	7	0	2
Average number of embryos transferred	2.1	2.0	1.9	1.9		2.0
Percentage of embryos transferred resulting in implantation	20.2	21.1	3 / 17	3 / 13		0 / 4
Percentage of transfers resulting in singleton live births	18.5	7 / 19	3 / 9	2 / 7		0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 19	0 / 9	0 / 7		0 / 2
Percentage of transfers resulting in live births	25.9	7 / 19	3 / 9	2 / 7		0 / 2
Percentage of transfers resulting in pregnancy	37.0	8 / 19	3 / 9	3 / 7		0 / 2
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	58		74			
Number of transfers	53		73			
Average number of embryos transferred	1.9		1.9			
Percentage of embryos transferred resulting in implantation	44.7		29.4			
Percentage of transfers resulting in singleton live births	35.8		20.5			
Percentage of transfers resulting in live births	58.5		32.9			
Percentage of transfers resulting in pregnancy	64.2		39.7			

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** California IVF Fertility Center, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 35 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**EAST BAY FERTILITY CENTER  
DUBLIN, CALIFORNIA**

---

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

## CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE ENCINITAS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	89%	Tubal factor	10%	Uterine factor	21%	
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	3%	Male factor	21%	
Used gestational carrier	8%			Diminished ovarian reserve	51%	Other factor	18%	
				Endometriosis	10%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				28%
				Female & male factors				10%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 71

Data verified by Lori L. Arnold, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	18	7	9	2	0	1
Percentage of cancellations	1 / 18	0 / 7	2 / 9	0 / 2		1 / 1
Average number of embryos transferred	2.4	2.7	2.5	3.0		
Percentage of embryos transferred resulting in implantation	17.5	5 / 19	5 / 15	1 / 6		
Percentage of elective single embryo transfer (eSET)	0 / 17	0 / 6	0 / 5	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	5 / 18	2 / 7	1 / 9	1 / 2		0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 18	0 / 7	0 / 9	0 / 2		0 / 1
Percentage of cycles resulting in live births	5 / 18	3 / 7	3 / 9	1 / 2		0 / 1
Percentage of cycles resulting in pregnancy	7 / 18	4 / 7	3 / 9	1 / 2		0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	17	7	6	2	0	0
Percentage of transfers resulting in singleton live births	5 / 17	2 / 7	1 / 6	1 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 7	0 / 6	0 / 2		
Percentage of transfers resulting in live births	5 / 17	3 / 7	3 / 6	1 / 2		
Percentage of transfers resulting in pregnancy	7 / 17	4 / 7	3 / 6	1 / 2		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	7	4	3	1	0	0
Percentage of pregnancies resulting in singleton live births	5 / 7	2 / 4	1 / 3	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 4	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	5 / 7	3 / 4	3 / 3	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	2	1	0	0	0
Number of transfers	2	1	1	0	0	0
Average number of embryos transferred	2.5	4.0	3.0			
Percentage of embryos transferred resulting in implantation	0 / 5	0 / 4	1 / 3			
Percentage of transfers resulting in singleton live births	0 / 2	0 / 1	1 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in live births	0 / 2	0 / 1	1 / 1			
Percentage of transfers resulting in pregnancy	0 / 2	0 / 1	1 / 1			
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>			<b>Frozen Embryos</b>		
Number of cycles	23			6		
Number of transfers	22			6		
Average number of embryos transferred	2.3			3.2		
Percentage of embryos transferred resulting in implantation	41.2			6 / 19		
Percentage of transfers resulting in singleton live births	36.4			2 / 6		
Percentage of transfers resulting in live births	54.5			3 / 6		
Percentage of transfers resulting in pregnancy	63.6			3 / 6		

### CURRENT CLINIC SERVICES AND PROFILE

<b>Current Name:</b> California Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 5 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE FERTILITY INSTITUTES-LOS ANGELES, NEW YORK, GUADALAJARA ENCINO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	98%	Tubal factor	4%	Uterine factor	2%
Unstimulated	0%	Used PGD	80%	Ovulatory dysfunction	1%	Male factor	9%
Used gestational carrier	2%			Diminished ovarian reserve	7%	Other factor	82%
				Endometriosis	1%	Unknown factor	3%
				Multiple Factors:			
						Female factors only	2%
						Female & male factors	5%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 169

Data verified by Jeffrey Steinberg, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	50	37	34	3	0	0
Percentage of cancellations	4.0	2.7	0.0	0 / 3		
Average number of embryos transferred	1.8	1.7	2.1	1.7		
Percentage of embryos transferred resulting in implantation	45.8	25.9	19.6	1 / 5		
Percentage of elective single embryo transfer (eSET)	22.0	17.4	4.5	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	34.0	27.0	20.6	1 / 3		
Percentage of cycles resulting in triplets or more live births	2.0	0.0	0.0	0 / 3		
Percentage of cycles resulting in live births	46.0	27.0	23.5	1 / 3		
Percentage of cycles resulting in pregnancy	54.0	37.8	29.4	1 / 3		
<b>Outcomes per Transfer</b>						
Number of transfers	47	32	27	3	0	0
Percentage of transfers resulting in singleton live births	36.2	31.3	25.9	1 / 3		
Percentage of transfers resulting in triplets or more live births	2.1	0.0	0.0	0 / 3		
Percentage of transfers resulting in live births	48.9	31.3	29.6	1 / 3		
Percentage of transfers resulting in pregnancy	57.4	43.8	37.0	1 / 3		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	27	14	10	1	0	0
Percentage of pregnancies resulting in singleton live births	63.0	10 / 14	7 / 10	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	3.7	0 / 14	0 / 10	0 / 1		
Percentage of pregnancies resulting in live births	85.2	10 / 14	8 / 10	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	5	1	2	3	0	0
Number of transfers	4	1	1	2	0	0
Average number of embryos transferred	2.5	3.0	1.0	2.5		
Percentage of embryos transferred resulting in implantation	5 / 10	0 / 3	0 / 1	0 / 5		
Percentage of transfers resulting in singleton live births	0 / 4	0 / 1	0 / 1	0 / 2		
Percentage of transfers resulting in triplets or more live births	1 / 4	0 / 1	0 / 1	0 / 2		
Percentage of transfers resulting in live births	2 / 4	0 / 1	0 / 1	0 / 2		
Percentage of transfers resulting in pregnancy	2 / 4	0 / 1	0 / 1	0 / 2		
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			28		6	
Number of transfers			28		6	
Average number of embryos transferred			2.1		1.8	
Percentage of embryos transferred resulting in implantation			47.5		6 / 11	
Percentage of transfers resulting in singleton live births			35.7		0 / 6	
Percentage of transfers resulting in live births			60.7		2 / 6	
Percentage of transfers resulting in pregnancy			64.3		2 / 6	

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** The Fertility Institutes-Los Angeles, New York, Guadalajara

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 21 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HRC FERTILITY-ENCINO ENCINO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	70%	Tubal factor	5%	Uterine factor	<1%	Multiple Factors: Female factors only <1% Female & male factors 14%
Unstimulated	<1%	Used PGD	10%	Ovulatory dysfunction	7%	Male factor	63%	
Used gestational carrier	0%			Diminished ovarian reserve	<1%	Other factor	23%	
				Endometriosis	6%	Unknown factor	10%	

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 490

Data verified by Michael A. Feinman, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	94	43	57	65	24	9
Percentage of cancellations	14.9	9.3	19.3	9.2	20.8	2 / 9
Average number of embryos transferred	2.2	2.0	2.8	3.7	3.2	2.9
Percentage of embryos transferred resulting in implantation	47.1	55.1	23.7	12.4	6.6	5.0
Percentage of elective single embryo transfer (eSET)	9.2	15.8	7.1	1.8	0 / 15	0 / 7
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	30.9	46.5	24.6	12.3	4.2	0 / 9
Percentage of cycles resulting in triplets or more live births	2.1	0.0	1.8	0.0	0.0	0 / 9
Percentage of cycles resulting in live births	54.3	69.8	35.1	20.0	8.3	0 / 9
Percentage of cycles resulting in pregnancy	61.7	72.1	49.1	36.9	20.8	2 / 9
<b>Outcomes per Transfer</b>						
Number of transfers	80	39	46	59	19	7
Percentage of transfers resulting in singleton live births	36.3	51.3	30.4	13.6	1 / 19	0 / 7
Percentage of transfers resulting in triplets or more live births	2.5	0.0	2.2	0.0	0 / 19	0 / 7
Percentage of transfers resulting in live births	63.8	76.9	43.5	22.0	2 / 19	0 / 7
Percentage of transfers resulting in pregnancy	72.5	79.5	60.9	40.7	5 / 19	2 / 7
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	58	31	28	24	5	2
Percentage of pregnancies resulting in singleton live births	50.0	64.5	50.0	33.3	1 / 5	0 / 2
Percentage of pregnancies resulting in triplets or more live births	3.4	0.0	3.6	0.0	0 / 5	0 / 2
Percentage of pregnancies resulting in live births	87.9	96.8	71.4	54.2	2 / 5	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	31	29	27	16	12	25
Number of transfers	29	28	24	16	9	23
Average number of embryos transferred	2.3	2.6	2.3	2.5	2.7	2.2
Percentage of embryos transferred resulting in implantation	22.7	16.2	29.1	25.0	12.5	22.0
Percentage of transfers resulting in singleton live births	34.5	35.7	29.2	2 / 16	3 / 9	17.4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	1 / 16	0 / 9	0.0
Percentage of transfers resulting in live births	41.4	35.7	45.8	4 / 16	3 / 9	26.1
Percentage of transfers resulting in pregnancy	55.2	50.0	54.2	5 / 16	3 / 9	39.1
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	53		5			
Number of transfers	46		2			
Average number of embryos transferred	2.0		3.5			
Percentage of embryos transferred resulting in implantation	46.7		2 / 7			
Percentage of transfers resulting in singleton live births	45.7		0 / 2			
Percentage of transfers resulting in live births	63.0		1 / 2			
Percentage of transfers resulting in pregnancy	76.1		1 / 2			

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** HRC Fertility-Encino

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ZOUVES FERTILITY CENTER FOSTER CITY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	94%	Tubal factor	10%	Uterine factor	3%
Unstimulated	0%	Used PGD	41%	Ovulatory dysfunction	16%	Male factor	28%
Used gestational carrier	5%			Diminished ovarian reserve	33%	Other factor	9%
				Endometriosis	20%	Unknown factor	6%
				Multiple Factors:			
						Female factors only	9%
						Female & male factors	14%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 537

Data verified by Christo Zouves, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	81	76	75	53	20	7
Percentage of cancellations	0.0	1.3	4.0	3.8	10.0	0 / 7
Average number of embryos transferred	2.2	2.4	2.8	2.3	2.2	1.3
Percentage of embryos transferred resulting in implantation	18.8	20.5	12.2	11.8	7.9	0 / 5
Percentage of elective single embryo transfer (eSET)	4.1	0.0	1.6	3.2	0 / 10	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	22.2	19.7	20.0	5.7	10.0	0 / 7
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 7
Percentage of cycles resulting in live births	28.4	28.9	22.7	9.4	10.0	0 / 7
Percentage of cycles resulting in pregnancy	38.3	35.5	26.7	18.9	20.0	0 / 7
<b>Outcomes per Transfer</b>						
Number of transfers	77	70	68	45	17	4
Percentage of transfers resulting in singleton live births	23.4	21.4	22.1	6.7	2 / 17	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 17	0 / 4
Percentage of transfers resulting in live births	29.9	31.4	25.0	11.1	2 / 17	0 / 4
Percentage of transfers resulting in pregnancy	40.3	38.6	29.4	22.2	4 / 17	0 / 4
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	31	27	20	10	4	0
Percentage of pregnancies resulting in singleton live births	58.1	55.6	75.0	3 / 10	2 / 4	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 10	0 / 4	
Percentage of pregnancies resulting in live births	74.2	81.5	85.0	5 / 10	2 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	39	34	15	6	0	0
Number of transfers	38	34	15	6	0	0
Average number of embryos transferred	2.1	2.0	2.1	2.3		
Percentage of embryos transferred resulting in implantation	30.8	23.2	25.8	2 / 14		
Percentage of transfers resulting in singleton live births	31.6	20.6	2 / 15	0 / 6		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 6		
Percentage of transfers resulting in live births	44.7	23.5	4 / 15	1 / 6		
Percentage of transfers resulting in pregnancy	60.5	44.1	6 / 15	3 / 6		
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			63		68	
Number of transfers			61		67	
Average number of embryos transferred			2.0		2.1	
Percentage of embryos transferred resulting in implantation			34.4		25.2	
Percentage of transfers resulting in singleton live births			27.9		25.4	
Percentage of transfers resulting in live births			44.3		32.8	
Percentage of transfers resulting in pregnancy			55.7		38.8	

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Zouves Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 41 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WEST COAST FERTILITY CENTERS FOUNTAIN VALLEY, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

2011 ART CYCLE PROFILE			
Type of ART and Procedural Factors <sup>a</sup>		Patient Diagnosis <sup>b</sup>	
IVF	100%	With ICSI	96%
Unstimulated	0%	Used PGD	33%
Used gestational carrier	0%		
		Tubal factor	30%
		Ovulatory dysfunction	16%
		Diminished ovarian reserve	34%
		Endometriosis	15%
		Uterine factor	10%
		Male factor	37%
		Other factor	28%
		Unknown factor	7%
		Multiple Factors:	
		Female factors only 30%	
		Female & male factors 26%	

## 2011 ART SUCCESS RATES<sup>c,d</sup> Number of cycles in table: <sup>e</sup> 155 Data verified by David G. Diaz, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	30	27	13	4	2	0
Percentage of cancellations	0.0	3.7	0 / 13	1 / 4	0 / 2	
Average number of embryos transferred	2.1	2.0	2.0	1.3	1.5	
Percentage of embryos transferred resulting in implantation	39.7	34.0	15.0	0 / 4	0 / 3	
Percentage of elective single embryo transfer (eSET)	0.0	4.8	0 / 9	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	33.3	29.6	2 / 13	0 / 4	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 4	0 / 2	
Percentage of cycles resulting in live births	46.7	37.0	2 / 13	0 / 4	0 / 2	
Percentage of cycles resulting in pregnancy	50.0	44.4	3 / 13	0 / 4	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	28	24	10	3	2	0
Percentage of transfers resulting in singleton live births	35.7	33.3	2 / 10	0 / 3	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 10	0 / 3	0 / 2	
Percentage of transfers resulting in live births	50.0	41.7	2 / 10	0 / 3	0 / 2	
Percentage of transfers resulting in pregnancy	53.6	50.0	3 / 10	0 / 3	0 / 2	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	15	12	3	0	0	0
Percentage of pregnancies resulting in singleton live births	10 / 15	8 / 12	2 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 15	0 / 12	0 / 3			
Percentage of pregnancies resulting in live births	14 / 15	10 / 12	2 / 3			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	29	20	10	1	2	0
Number of transfers	29	20	10	1	2	0
Average number of embryos transferred	2.0	1.9	2.2	1.0	2.0	
Percentage of embryos transferred resulting in implantation	37.9	26.3	36.4	0 / 1	1 / 4	
Percentage of transfers resulting in singleton live births	48.3	35.0	5 / 10	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1 / 10	0 / 1	0 / 2	
Percentage of transfers resulting in live births	51.7	35.0	6 / 10	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	58.6	50.0	6 / 10	0 / 1	1 / 2	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	12		5			
Number of transfers	12		5			
Average number of embryos transferred	2.1		1.8			
Percentage of embryos transferred resulting in implantation	48.0		6 / 9			
Percentage of transfers resulting in singleton live births	6 / 12		2 / 5			
Percentage of transfers resulting in live births	7 / 12		4 / 5			
Percentage of transfers resulting in pregnancy	8 / 12		4 / 5			

## CURRENT CLINIC SERVICES AND PROFILE

<b>Current Name:</b> West Coast Fertility Centers					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 37 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**XPERT FERTILITY CARE OF CALIFORNIA  
MINH N. HO, MD, FACOG  
FOUNTAIN VALLEY, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

**2011 ART CYCLE PROFILE**

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	41%	Tubal factor	11%	Uterine factor	4%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	29%	Male factor	46%
Used gestational carrier	5%			Diminished ovarian reserve	54%	Other factor	0%
				Endometriosis	0%	Unknown factor	0%
				Multiple Factors: Female factors only 7% Female & male factors 36%			

**2011 ART SUCCESS RATES<sup>c,d</sup>**

Number of cycles in table: <sup>e</sup> 28

Data verified by Minh N. Ho, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	7	9	3	3	0	0
Percentage of cancellations	0 / 7	0 / 9	0 / 3	0 / 3		
Average number of embryos transferred	3.3	3.2	4.7	3.3		
Percentage of embryos transferred resulting in implantation	34.8	34.5	0 / 14	2 / 10		
Percentage of elective single embryo transfer (eSET)	0 / 7	0 / 9	0 / 3	0 / 3		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	3 / 7	5 / 9	0 / 3	1 / 3		
Percentage of cycles resulting in triplets or more live births	0 / 7	0 / 9	0 / 3	0 / 3		
Percentage of cycles resulting in live births	5 / 7	5 / 9	0 / 3	1 / 3		
Percentage of cycles resulting in pregnancy	5 / 7	8 / 9	0 / 3	2 / 3		
<b>Outcomes per Transfer</b>						
Number of transfers	7	9	3	3	0	0
Percentage of transfers resulting in singleton live births	3 / 7	5 / 9	0 / 3	1 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 9	0 / 3	0 / 3		
Percentage of transfers resulting in live births	5 / 7	5 / 9	0 / 3	1 / 3		
Percentage of transfers resulting in pregnancy	5 / 7	8 / 9	0 / 3	2 / 3		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	5	8	0	2	0	0
Percentage of pregnancies resulting in singleton live births	3 / 5	5 / 8		1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 8		0 / 2		
Percentage of pregnancies resulting in live births	5 / 5	5 / 8		1 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

**All Ages Combined<sup>f</sup>**

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	3	3
Number of transfers	3	3
Average number of embryos transferred	3.7	4.3
Percentage of embryos transferred resulting in implantation	3 / 11	2 / 13
Percentage of transfers resulting in singleton live births	0 / 3	0 / 3
Percentage of transfers resulting in live births	0 / 3	1 / 3
Percentage of transfers resulting in pregnancy	2 / 3	1 / 3

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Xpert Fertility Care of California, Minh N. Ho, MD, FACOG

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH FREMONT, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	10%	Uterine factor	6%	Multiple Factors: Female factors only 5% Female & male factors 28%
Unstimulated	<1%	Used PGD	2%	Ovulatory dysfunction	9%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	52%	Other factor	6%	
				Endometriosis	2%	Unknown factor	6%	

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 733

Data verified by Lisa Farah-Eways, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	160	124	125	59	28	10
Percentage of cancellations	9.4	9.7	18.4	18.6	25.0	2 / 10
Average number of embryos transferred	2.1	2.4	3.1	3.8	4.6	3.8
Percentage of embryos transferred resulting in implantation	44.6	31.7	19.9	9.3	5.5	0 / 15
Percentage of elective single embryo transfer (eSET)	10.9	4.0	1.2	0.0	0 / 16	0 / 4
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	31.3	26.6	17.6	13.6	3.6	0 / 10
Percentage of cycles resulting in triplets or more live births	1.3	0.8	0.0	0.0	0.0	0 / 10
Percentage of cycles resulting in live births	46.9	41.1	26.4	15.3	3.6	0 / 10
Percentage of cycles resulting in pregnancy	52.5	48.4	35.2	25.4	14.3	0 / 10
<b>Outcomes per Transfer</b>						
Number of transfers	125	102	92	43	16	4
Percentage of transfers resulting in singleton live births	40.0	32.4	23.9	18.6	1 / 16	0 / 4
Percentage of transfers resulting in triplets or more live births	1.6	1.0	0.0	0.0	0 / 16	0 / 4
Percentage of transfers resulting in live births	60.0	50.0	35.9	20.9	1 / 16	0 / 4
Percentage of transfers resulting in pregnancy	67.2	58.8	47.8	34.9	4 / 16	0 / 4
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	84	60	44	15	4	0
Percentage of pregnancies resulting in singleton live births	59.5	55.0	50.0	8 / 15	1 / 4	
Percentage of pregnancies resulting in triplets or more live births	2.4	1.7	0.0	0 / 15	0 / 4	
Percentage of pregnancies resulting in live births	89.3	85.0	75.0	9 / 15	1 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	80	40	29	7	5	4
Number of transfers	79	39	29	7	4	3
Average number of embryos transferred	2.0	1.8	2.0	2.7	3.8	1.3
Percentage of embryos transferred resulting in implantation	30.6	37.5	23.7	4 / 19	0 / 15	0 / 4
Percentage of transfers resulting in singleton live births	35.4	35.9	27.6	1 / 7	0 / 4	0 / 3
Percentage of transfers resulting in triplets or more live births	1.3	0.0	0.0	0 / 7	0 / 4	0 / 3
Percentage of transfers resulting in live births	43.0	46.2	31.0	2 / 7	0 / 4	0 / 3
Percentage of transfers resulting in pregnancy	49.4	53.8	37.9	2 / 7	0 / 4	0 / 3
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
	Number of cycles	38	24			
Number of transfers	34	22				
Average number of embryos transferred	1.8	1.8				
Percentage of embryos transferred resulting in implantation	53.2	50.0				
Percentage of transfers resulting in singleton live births	32.4	50.0				
Percentage of transfers resulting in live births	55.9	59.1				
Percentage of transfers resulting in pregnancy	73.5	77.3				

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Kaiser Permanente Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CARE FERTILITY GLENDALE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	87%	Tubal factor	12%	Uterine factor	16%	Multiple Factors: Female factors only 13% Female & male factors 6%
Unstimulated	<1%	Used PGD	2%	Ovulatory dysfunction	13%	Male factor	14%	
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	20%	
				Endometriosis	3%	Unknown factor	17%	

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 291

Data verified by Rudy Quintero, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	81	19	25	24	17	0
Percentage of cancellations	6.2	0 / 19	8.0	12.5	1 / 17	
Average number of embryos transferred	2.2	2.5	2.8	3.4	3.8	
Percentage of embryos transferred resulting in implantation	13.1	34.3	9.5	10.6	2.4	
Percentage of elective single embryo transfer (eSET)	8.9	0 / 14	0 / 14	0 / 13	0 / 9	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	11.1	1 / 19	4.0	4.2	0 / 17	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 19	0.0	0.0	0 / 17	
Percentage of cycles resulting in live births	12.3	5 / 19	4.0	8.3	0 / 17	
Percentage of cycles resulting in pregnancy	21.0	7 / 19	8.0	20.8	2 / 17	
<b>Outcomes per Transfer</b>						
Number of transfers	60	14	15	14	11	0
Percentage of transfers resulting in singleton live births	15.0	1 / 14	1 / 15	1 / 14	0 / 11	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 15	0 / 14	0 / 11	
Percentage of transfers resulting in live births	16.7	5 / 14	1 / 15	2 / 14	0 / 11	
Percentage of transfers resulting in pregnancy	28.3	7 / 14	2 / 15	5 / 14	2 / 11	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	17	7	2	5	2	0
Percentage of pregnancies resulting in singleton live births	9 / 17	1 / 7	1 / 2	1 / 5	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	0 / 17	0 / 7	0 / 2	0 / 5	0 / 2	
Percentage of pregnancies resulting in live births	10 / 17	5 / 7	1 / 2	2 / 5	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	63	17	10	7	5	2
Number of transfers	57	17	8	5	4	2
Average number of embryos transferred	2.3	2.4	3.5	3.2	5.3	2.5
Percentage of embryos transferred resulting in implantation	17.3	17.1	10.7	1 / 16	4.8	0 / 5
Percentage of transfers resulting in singleton live births	17.5	3 / 17	1 / 8	0 / 5	0 / 4	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 8	0 / 5	0 / 4	0 / 2
Percentage of transfers resulting in live births	22.8	3 / 17	2 / 8	0 / 5	0 / 4	0 / 2
Percentage of transfers resulting in pregnancy	45.6	7 / 17	3 / 8	1 / 5	1 / 4	0 / 2
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		11		10		
Number of transfers		10		10		
Average number of embryos transferred		1.9		2.2		
Percentage of embryos transferred resulting in implantation		4 / 19		13.6		
Percentage of transfers resulting in singleton live births		2 / 10		3 / 10		
Percentage of transfers resulting in live births		3 / 10		3 / 10		
Percentage of transfers resulting in pregnancy		4 / 10		4 / 10		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** CARE Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 10 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

# COASTAL FERTILITY MEDICAL CENTER, INC. IRVINE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	91%	Tubal factor	8%	Uterine factor	2%	
Unstimulated	0%	Used PGD	9%	Ovulatory dysfunction	5%	Male factor	32%	
Used gestational carrier	1%			Diminished ovarian reserve	37%	Other factor	16%	
				Endometriosis	6%	Unknown factor	22%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				15%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 268

Data verified by Lawrence B. Werlin, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	65	38	34	22	1	0
Percentage of cancellations	1.5	7.9	5.9	18.2	0 / 1	
Average number of embryos transferred	2.2	2.6	2.8	3.0	3.0	
Percentage of embryos transferred resulting in implantation	19.7	18.1	15.7	10.0	0 / 3	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 10	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	15.4	18.4	26.5	9.1	0 / 1	
Percentage of cycles resulting in triplets or more live births	1.5	2.6	0.0	0.0	0 / 1	
Percentage of cycles resulting in live births	23.1	26.3	29.4	9.1	0 / 1	
Percentage of cycles resulting in pregnancy	29.2	28.9	32.4	13.6	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	61	32	30	10	1	0
Percentage of transfers resulting in singleton live births	16.4	21.9	30.0	2 / 10	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.6	3.1	0.0	0 / 10	0 / 1	
Percentage of transfers resulting in live births	24.6	31.3	33.3	2 / 10	0 / 1	
Percentage of transfers resulting in pregnancy	31.1	34.4	36.7	3 / 10	0 / 1	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	19	11	11	3	0	0
Percentage of pregnancies resulting in singleton live births	10 / 19	7 / 11	9 / 11	2 / 3		
Percentage of pregnancies resulting in triplets or more live births	1 / 19	1 / 11	0 / 11	0 / 3		
Percentage of pregnancies resulting in live births	15 / 19	10 / 11	10 / 11	2 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	23	25	16	7	3	0
Number of transfers	23	24	15	6	2	0
Average number of embryos transferred	2.3	2.3	2.4	2.3	3.0	
Percentage of embryos transferred resulting in implantation	24.5	25.0	33.3	1 / 14	0 / 6	
Percentage of transfers resulting in singleton live births	21.7	12.5	4 / 15	1 / 6	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 6	0 / 2	
Percentage of transfers resulting in live births	39.1	25.0	7 / 15	1 / 6	0 / 2	
Percentage of transfers resulting in pregnancy	39.1	33.3	8 / 15	1 / 6	0 / 2	
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
<b>Donor Eggs</b>						
Number of cycles		17		17		
Number of transfers		17		17		
Average number of embryos transferred		2.2		2.8		
Percentage of embryos transferred resulting in implantation		37.8		25.0		
Percentage of transfers resulting in singleton live births		6 / 17		4 / 17		
Percentage of transfers resulting in live births		10 / 17		6 / 17		
Percentage of transfers resulting in pregnancy		11 / 17		12 / 17		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Coastal Fertility Medical Center, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 40 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CENTER OF SOUTHERN CALIFORNIA IRVINE, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	87%	Tubal factor	10%	Uterine factor	13%	Multiple Factors: Female factors only 22% Female & male factors 9%
Unstimulated	0%	Used PGD	11%	Ovulatory dysfunction	10%	Male factor	19%	
Used gestational carrier	3%			Diminished ovarian reserve	38%	Other factor	20%	
				Endometriosis	10%	Unknown factor	15%	

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 149

Data verified by Ilene E. Hatch, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	26	18	18	16	11	1
Percentage of cancellations	3.8	2 / 18	2 / 18	4 / 16	0 / 11	0 / 1
Average number of embryos transferred	2.3	2.1	2.6	3.4	3.8	
Percentage of embryos transferred resulting in implantation	32.7	43.3	23.1	9.7	7.1	
Percentage of elective single embryo transfer (eSET)	4.2	2 / 13	0 / 13	0 / 9	0 / 11	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	38.5	8 / 18	4 / 18	1 / 16	0 / 11	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 18	0 / 18	0 / 16	0 / 11	0 / 1
Percentage of cycles resulting in live births	50.0	8 / 18	5 / 18	2 / 16	0 / 11	0 / 1
Percentage of cycles resulting in pregnancy	50.0	10 / 18	7 / 18	2 / 16	3 / 11	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	24	14	15	9	11	0
Percentage of transfers resulting in singleton live births	41.7	8 / 14	4 / 15	1 / 9	0 / 11	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 15	0 / 9	0 / 11	
Percentage of transfers resulting in live births	54.2	8 / 14	5 / 15	2 / 9	0 / 11	
Percentage of transfers resulting in pregnancy	54.2	10 / 14	7 / 15	2 / 9	3 / 11	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	13	10	7	2	3	0
Percentage of pregnancies resulting in singleton live births	10 / 13	8 / 10	4 / 7	1 / 2	0 / 3	
Percentage of pregnancies resulting in triplets or more live births	0 / 13	0 / 10	0 / 7	0 / 2	0 / 3	
Percentage of pregnancies resulting in live births	13 / 13	8 / 10	5 / 7	2 / 2	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	10	13	9	2	1	0
Number of transfers	10	12	8	2	1	0
Average number of embryos transferred	2.3	1.9	1.5	3.0	4.0	
Percentage of embryos transferred resulting in implantation	30.4	43.5	4 / 12	1 / 6	0 / 4	
Percentage of transfers resulting in singleton live births	2 / 10	6 / 12	4 / 8	1 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 12	0 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in live births	4 / 10	7 / 12	4 / 8	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	5 / 10	9 / 12	4 / 8	2 / 2	0 / 1	
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
<b>Donor Eggs</b>						
Number of cycles		5		19		
Number of transfers		5		17		
Average number of embryos transferred		1.8		1.9		
Percentage of embryos transferred resulting in implantation		6 / 9		31.3		
Percentage of transfers resulting in singleton live births		3 / 5		7 / 17		
Percentage of transfers resulting in live births		4 / 5		8 / 17		
Percentage of transfers resulting in pregnancy		5 / 5		9 / 17		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Fertility Center of Southern California

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 8 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**HOPE IVF AND FERTILITY CENTER  
IRVINE, CALIFORNIA**

---

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

**LIFE IVF CENTER**  
**FRANK D. YELIAN, MD, PC**  
**IRVINE, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

2011 ART CYCLE PROFILE				Patient Diagnosis <sup>b</sup>				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	94%	Tubal factor	14%	Uterine factor	6%	Multiple Factors: Female factors only 31% Female & male factors 6%
Unstimulated	69%	Used PGD	3%	Ovulatory dysfunction	5%	Male factor	13%	
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	34%	
				Endometriosis	22%	Unknown factor	13%	

**2011 ART SUCCESS RATES<sup>c,d</sup>**      Number of cycles in table: <sup>e</sup> 460      Data verified by Frank D. Yelian, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	26	31	46	31	13	18
Percentage of cancellations	3.8	6.5	2.2	3.2	1 / 13	1 / 18
Average number of embryos transferred	1.0	1.1	1.2	1.3	1.1	1.2
Percentage of embryos transferred resulting in implantation	12.0	45.2	25.0	10.8	0 / 13	0 / 19
Percentage of elective single embryo transfer (eSET)	9 / 10	6 / 8	7 / 15	1 / 9	0 / 1	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	11.5	29.0	17.4	6.5	0 / 13	0 / 18
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 13	0 / 18
Percentage of cycles resulting in live births	11.5	32.3	19.6	6.5	0 / 13	0 / 18
Percentage of cycles resulting in pregnancy	15.4	41.9	30.4	16.1	0 / 13	1 / 18
<b>Outcomes per Transfer</b>						
Number of transfers	24	29	44	30	12	16
Percentage of transfers resulting in singleton live births	12.5	31.0	18.2	6.7	0 / 12	0 / 16
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 12	0 / 16
Percentage of transfers resulting in live births	12.5	34.5	20.5	6.7	0 / 12	0 / 16
Percentage of transfers resulting in pregnancy	16.7	44.8	31.8	16.7	0 / 12	1 / 16
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	4	13	14	5	0	1
Percentage of pregnancies resulting in singleton live births	3 / 4	9 / 13	8 / 14	2 / 5		0 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 13	0 / 14	0 / 5		0 / 1
Percentage of pregnancies resulting in live births	3 / 4	10 / 13	9 / 14	2 / 5		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	56	64	65	57	15	23
Number of transfers	52	60	61	52	13	21
Average number of embryos transferred	1.3	1.1	1.2	1.3	1.3	1.1
Percentage of embryos transferred resulting in implantation	47.0	37.3	18.1	18.5	2 / 17	8.7
Percentage of transfers resulting in singleton live births	44.2	25.0	18.0	9.6	1 / 13	4.8
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 13	0.0
Percentage of transfers resulting in live births	50.0	28.3	18.0	11.5	1 / 13	4.8
Percentage of transfers resulting in pregnancy	55.8	45.0	23.0	23.1	2 / 13	9.5
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	0		15			
Number of transfers	0		14			
Average number of embryos transferred			1.4			
Percentage of embryos transferred resulting in implantation			40.0			
Percentage of transfers resulting in singleton live births			4 / 14			
Percentage of transfers resulting in live births			6 / 14			
Percentage of transfers resulting in pregnancy			6 / 14			

**CURRENT CLINIC SERVICES AND PROFILE**

<b>Current Name:</b> Life IVF Center, Frank D. Yelian, MD, PC					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 800 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REPRODUCTIVE FERTILITY CENTER-OC  
IRVINE, CALIFORNIA**

---

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

**LA JOLLA IVF  
LA JOLLA, CALIFORNIA**

---

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

# REPRODUCTIVE PARTNERS-UCSD REGIONAL FERTILITY CENTER LA JOLLA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	86%	Tubal factor	8%	Uterine factor	5%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	12%	Male factor	27%	
Used gestational carrier	2%			Diminished ovarian reserve	32%	Other factor	19%	
				Endometriosis	8%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				8%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 519

Data verified by V. Gabriel Garzo, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	120	76	77	50	14	1
Percentage of cancellations	5.8	11.8	10.4	28.0	1 / 14	0 / 1
Average number of embryos transferred	1.6	1.9	2.1	2.5	2.6	2.0
Percentage of embryos transferred resulting in implantation	58.2	50.9	33.1	16.2	12.9	0 / 2
Percentage of elective single embryo transfer (eSET)	35.5	14.5	1.7	0.0	0 / 11	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	38.3	28.9	29.9	6.0	4 / 14	0 / 1
Percentage of cycles resulting in triplets or more live births	0.8	0.0	0.0	0.0	0 / 14	0 / 1
Percentage of cycles resulting in live births	54.2	43.4	39.0	10.0	4 / 14	0 / 1
Percentage of cycles resulting in pregnancy	64.2	51.3	45.5	20.0	6 / 14	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	103	59	64	30	12	1
Percentage of transfers resulting in singleton live births	44.7	37.3	35.9	10.0	4 / 12	0 / 1
Percentage of transfers resulting in triplets or more live births	1.0	0.0	0.0	0.0	0 / 12	0 / 1
Percentage of transfers resulting in live births	63.1	55.9	46.9	16.7	4 / 12	0 / 1
Percentage of transfers resulting in pregnancy	74.8	66.1	54.7	33.3	6 / 12	0 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	77	39	35	10	6	0
Percentage of pregnancies resulting in singleton live births	59.7	56.4	65.7	3 / 10	4 / 6	
Percentage of pregnancies resulting in triplets or more live births	1.3	0.0	0.0	0 / 10	0 / 6	
Percentage of pregnancies resulting in live births	84.4	84.6	85.7	5 / 10	4 / 6	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	43	38	27	7	4	0
Number of transfers	38	34	24	3	1	0
Average number of embryos transferred	1.7	1.8	1.9	2.7	1.0	
Percentage of embryos transferred resulting in implantation	42.4	27.6	26.1	0 / 8	0 / 1	
Percentage of transfers resulting in singleton live births	31.6	35.3	20.8	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 3	0 / 1	
Percentage of transfers resulting in live births	50.0	41.2	29.2	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	60.5	47.1	50.0	0 / 3	0 / 1	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		35		27		
Number of transfers		31		23		
Average number of embryos transferred		1.4		1.9		
Percentage of embryos transferred resulting in implantation		74.4		25.6		
Percentage of transfers resulting in singleton live births		48.4		30.4		
Percentage of transfers resulting in live births		71.0		34.8		
Percentage of transfers resulting in pregnancy		80.6		47.8		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Partners-UCSD Regional Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 26 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE SCIENCES CENTER LA JOLLA, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	92%	Tubal factor	8%	Uterine factor	12%	Multiple Factors: Female factors only 14% Female & male factors 30%
Unstimulated	0%	Used PGD	24%	Ovulatory dysfunction	16%	Male factor	44%	
Used gestational carrier	8%			Diminished ovarian reserve	37%	Other factor	25%	
				Endometriosis	4%	Unknown factor	2%	

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 93

Data verified by Samuel H. Wood, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	12	11	11	3	0	0
Percentage of cancellations	1 / 12	0 / 11	1 / 11	1 / 3		
Average number of embryos transferred	2.0	2.7	2.8	3.0		
Percentage of embryos transferred resulting in implantation	50.0	26.7	25.0	0 / 6		
Percentage of elective single embryo transfer (eSET)	0 / 10	2 / 11	0 / 10	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	7 / 12	7 / 11	2 / 11	0 / 3		
Percentage of cycles resulting in triplets or more live births	0 / 12	0 / 11	0 / 11	0 / 3		
Percentage of cycles resulting in live births	9 / 12	7 / 11	3 / 11	0 / 3		
Percentage of cycles resulting in pregnancy	9 / 12	8 / 11	6 / 11	0 / 3		
<b>Outcomes per Transfer</b>						
Number of transfers	11	11	10	2	0	0
Percentage of transfers resulting in singleton live births	7 / 11	7 / 11	2 / 10	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 11	0 / 10	0 / 2		
Percentage of transfers resulting in live births	9 / 11	7 / 11	3 / 10	0 / 2		
Percentage of transfers resulting in pregnancy	9 / 11	8 / 11	6 / 10	0 / 2		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	9	8	6	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 9	7 / 8	2 / 6			
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 8	0 / 6			
Percentage of pregnancies resulting in live births	9 / 9	7 / 8	3 / 6			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	4	7	0	1	0
Number of transfers	6	4	6	0	1	0
Average number of embryos transferred	2.3	2.3	2.3		2.0	
Percentage of embryos transferred resulting in implantation	10 / 14	2 / 9	4 / 14		0 / 2	
Percentage of transfers resulting in singleton live births	1 / 6	0 / 4	2 / 6		0 / 1	
Percentage of transfers resulting in triplets or more live births	1 / 6	0 / 4	0 / 6		0 / 1	
Percentage of transfers resulting in live births	4 / 6	1 / 4	3 / 6		0 / 1	
Percentage of transfers resulting in pregnancy	5 / 6	1 / 4	3 / 6		0 / 1	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		19		19		
Number of transfers		19		19		
Average number of embryos transferred		1.9		2.2		
Percentage of embryos transferred resulting in implantation		51.4		42.9		
Percentage of transfers resulting in singleton live births		7 / 19		8 / 19		
Percentage of transfers resulting in live births		11 / 19		13 / 19		
Percentage of transfers resulting in pregnancy		12 / 19		13 / 19		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Sciences Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HRC FERTILITY-ORANGE COUNTY LAGUNA HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	85%	Tubal factor	6%	Uterine factor	1%	
Unstimulated	0%	Used PGD	30%	Ovulatory dysfunction	9%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	44%	
				Endometriosis	4%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				<1%
				Female & male factors				9%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 358

Data verified by Daniel A. Potter, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	105	55	66	24	8	3
Percentage of cancellations	10.5	21.8	15.2	12.5	1 / 8	0 / 3
Average number of embryos transferred	1.7	1.9	2.3	3.1	3.1	3.3
Percentage of embryos transferred resulting in implantation	49.7	36.1	34.1	10.6	9.1	2 / 10
Percentage of elective single embryo transfer (eSET)	31.3	14.3	5.1	0 / 18	0 / 5	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	44.8	23.6	28.8	20.8	1 / 8	2 / 3
Percentage of cycles resulting in triplets or more live births	1.0	3.6	1.5	0.0	0 / 8	0 / 3
Percentage of cycles resulting in live births	57.1	32.7	40.9	25.0	1 / 8	2 / 3
Percentage of cycles resulting in pregnancy	62.9	45.5	45.5	29.2	2 / 8	2 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	94	43	56	21	7	3
Percentage of transfers resulting in singleton live births	50.0	30.2	33.9	23.8	1 / 7	2 / 3
Percentage of transfers resulting in triplets or more live births	1.1	4.7	1.8	0.0	0 / 7	0 / 3
Percentage of transfers resulting in live births	63.8	41.9	48.2	28.6	1 / 7	2 / 3
Percentage of transfers resulting in pregnancy	70.2	58.1	53.6	33.3	2 / 7	2 / 3
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	66	25	30	7	2	2
Percentage of pregnancies resulting in singleton live births	71.2	52.0	63.3	5 / 7	1 / 2	2 / 2
Percentage of pregnancies resulting in triplets or more live births	1.5	8.0	3.3	0 / 7	0 / 2	0 / 2
Percentage of pregnancies resulting in live births	90.9	72.0	90.0	6 / 7	1 / 2	2 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	24	15	13	5	6	4
Number of transfers	23	14	13	5	6	4
Average number of embryos transferred	1.9	2.1	2.2	2.8	2.2	2.0
Percentage of embryos transferred resulting in implantation	53.5	31.0	39.3	4 / 14	3 / 13	4 / 8
Percentage of transfers resulting in singleton live births	39.1	7 / 14	6 / 13	3 / 5	2 / 6	2 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 13	0 / 5	0 / 6	0 / 4
Percentage of transfers resulting in live births	56.5	8 / 14	8 / 13	3 / 5	2 / 6	2 / 4
Percentage of transfers resulting in pregnancy	78.3	8 / 14	9 / 13	3 / 5	2 / 6	3 / 4
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			26		4	
Number of transfers			26		3	
Average number of embryos transferred			1.8		2.7	
Percentage of embryos transferred resulting in implantation			69.6		1 / 8	
Percentage of transfers resulting in singleton live births			61.5		1 / 3	
Percentage of transfers resulting in live births			88.5		1 / 3	
Percentage of transfers resulting in pregnancy			92.3		2 / 3	

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** HRC Fertility-Orange County

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ACACIO FERTILITY CENTER LAGUNA NIGUEL, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis <sup>b</sup>				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	86%	Tubal factor	11%	Uterine factor	11%	Multiple Factors: Female factors only 24% Female & male factors 24%
Unstimulated	<1%	Used PGD	13%	Ovulatory dysfunction	5%	Male factor	32%	
Used gestational carrier	3%			Diminished ovarian reserve	33%	Other factor	55%	
				Endometriosis	11%	Unknown factor	2%	

### 2011 ART SUCCESS RATES<sup>c,d</sup> Number of cycles in table: <sup>e</sup> 350 Data verified by Brian D. Acacio, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	64	37	47	43	29	27
Percentage of cancellations	4.7	10.8	19.1	11.6	6.9	29.6
Average number of embryos transferred	2.2	2.6	3.2	2.9	3.2	2.1
Percentage of embryos transferred resulting in implantation	25.8	20.7	15.8	8.0	2.7	3.3
Percentage of elective single embryo transfer (eSET)	0.0	3.4	0.0	3.6	0.0	0 / 8
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	25.0	24.3	17.0	9.3	6.9	0.0
Percentage of cycles resulting in triplets or more live births	0.0	0.0	2.1	0.0	0.0	0.0
Percentage of cycles resulting in live births	37.5	32.4	23.4	11.6	6.9	0.0
Percentage of cycles resulting in pregnancy	45.3	40.5	31.9	18.6	6.9	3.7
<b>Outcomes per Transfer</b>						
Number of transfers	59	31	37	35	23	14
Percentage of transfers resulting in singleton live births	27.1	29.0	21.6	11.4	8.7	0 / 14
Percentage of transfers resulting in triplets or more live births	0.0	0.0	2.7	0.0	0.0	0 / 14
Percentage of transfers resulting in live births	40.7	38.7	29.7	14.3	8.7	0 / 14
Percentage of transfers resulting in pregnancy	49.2	48.4	40.5	22.9	8.7	1 / 14
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	29	15	15	8	2	1
Percentage of pregnancies resulting in singleton live births	55.2	9 / 15	8 / 15	4 / 8	2 / 2	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	1 / 15	0 / 8	0 / 2	0 / 1
Percentage of pregnancies resulting in live births	82.8	12 / 15	11 / 15	5 / 8	2 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	26	13	13	6	2	4
Number of transfers	22	12	11	5	1	4
Average number of embryos transferred	2.4	2.2	2.5	2.8	1.0	2.8
Percentage of embryos transferred resulting in implantation	30.8	30.8	28.6	4 / 14	0 / 1	4 / 11
Percentage of transfers resulting in singleton live births	27.3	4 / 12	2 / 11	2 / 5	0 / 1	2 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 11	0 / 5	0 / 1	0 / 4
Percentage of transfers resulting in live births	40.9	6 / 12	4 / 11	3 / 5	0 / 1	3 / 4
Percentage of transfers resulting in pregnancy	50.0	6 / 12	6 / 11	3 / 5	0 / 1	3 / 4
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	31		8			
Number of transfers	29		8			
Average number of embryos transferred	2.4		2.8			
Percentage of embryos transferred resulting in implantation	41.4		36.4			
Percentage of transfers resulting in singleton live births	34.5		6 / 8			
Percentage of transfers resulting in live births	65.5		6 / 8			
Percentage of transfers resulting in pregnancy	72.4		7 / 8			

### CURRENT CLINIC SERVICES AND PROFILE

<b>Current Name:</b> Acacio Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 9 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# LOMA LINDA UNIVERSITY CENTER FOR FERTILITY AND IVF LOMA LINDA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	89%	Tubal factor	22%	Uterine factor	11%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	21%	Male factor	45%	
Used gestational carrier	<1%			Diminished ovarian reserve	41%	Other factor	4%	
				Endometriosis	10%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				28%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 211

Data verified by John D. Jacobson, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	68	33	32	12	5	0
Percentage of cancellations	7.4	6.1	6.3	3 / 12	1 / 5	
Average number of embryos transferred	2.2	2.4	2.9	3.0	2.8	
Percentage of embryos transferred resulting in implantation	31.8	31.0	12.2	0.0	0 / 11	
Percentage of elective single embryo transfer (eSET)	1.8	0.0	0.0	0 / 5	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	22.1	21.2	18.8	0 / 12	0 / 5	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 5	
Percentage of cycles resulting in live births	35.3	39.4	18.8	0 / 12	0 / 5	
Percentage of cycles resulting in pregnancy	45.6	45.5	34.4	2 / 12	0 / 5	
<b>Outcomes per Transfer</b>						
Number of transfers	59	30	28	8	4	0
Percentage of transfers resulting in singleton live births	25.4	23.3	21.4	0 / 8	0 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 4	
Percentage of transfers resulting in live births	40.7	43.3	21.4	0 / 8	0 / 4	
Percentage of transfers resulting in pregnancy	52.5	50.0	39.3	2 / 8	0 / 4	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	31	15	11	2	0	0
Percentage of pregnancies resulting in singleton live births	48.4	7 / 15	6 / 11	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 11	0 / 2		
Percentage of pregnancies resulting in live births	77.4	13 / 15	6 / 11	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	28	8	4	1	2	1
Number of transfers	26	8	4	1	2	1
Average number of embryos transferred	2.6	2.4	2.5	3.0	2.0	3.0
Percentage of embryos transferred resulting in implantation	17.9	1 / 19	1 / 10	0 / 3	1 / 4	0 / 3
Percentage of transfers resulting in singleton live births	19.2	1 / 8	0 / 4	0 / 1	1 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 4	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births	26.9	1 / 8	0 / 4	0 / 1	1 / 2	0 / 1
Percentage of transfers resulting in pregnancy	50.0	2 / 8	1 / 4	0 / 1	1 / 2	0 / 1
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		9		8		
Number of transfers		7		6		
Average number of embryos transferred		1.7		2.5		
Percentage of embryos transferred resulting in implantation		6 / 12		1 / 15		
Percentage of transfers resulting in singleton live births		1 / 7		1 / 6		
Percentage of transfers resulting in live births		3 / 7		1 / 6		
Percentage of transfers resulting in pregnancy		5 / 7		1 / 6		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Loma Linda University Center for Fertility and IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CALIFORNIA FERTILITY PARTNERS LOS ANGELES, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	>99%	With ICSI	78%	Tubal factor	11%	Uterine factor	28%	Multiple Factors: Female factors only 23% Female & male factors 24%
Unstimulated	<1%	Used PGD	5%	Ovulatory dysfunction	4%	Male factor	33%	
Used gestational carrier	14%			Diminished ovarian reserve	54%	Other factor	15%	
				Endometriosis	9%	Unknown factor	5%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 636

Data verified by Richard P. Marrs, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	56	55	96	83	45	13
Percentage of cancellations	8.9	14.5	11.5	28.9	26.7	2 / 13
Average number of embryos transferred	2.1	2.6	2.8	3.7	3.4	3.6
Percentage of embryos transferred resulting in implantation	31.8	27.5	9.8	7.2	6.4	5.6
Percentage of elective single embryo transfer (eSET)	6.3	6.7	0.0	0.0	0.0	0 / 10
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	28.6	34.5	13.5	9.6	11.1	0 / 13
Percentage of cycles resulting in triplets or more live births	1.8	0.0	0.0	0.0	0.0	0 / 13
Percentage of cycles resulting in live births	41.1	40.0	14.6	9.6	11.1	0 / 13
Percentage of cycles resulting in pregnancy	44.6	50.9	22.9	22.9	24.4	2 / 13
<b>Outcomes per Transfer</b>						
Number of transfers	50	46	79	56	32	10
Percentage of transfers resulting in singleton live births	32.0	41.3	16.5	14.3	15.6	0 / 10
Percentage of transfers resulting in triplets or more live births	2.0	0.0	0.0	0.0	0.0	0 / 10
Percentage of transfers resulting in live births	46.0	47.8	17.7	14.3	15.6	0 / 10
Percentage of transfers resulting in pregnancy	50.0	60.9	27.8	33.9	34.4	2 / 10
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	25	28	22	19	11	2
Percentage of pregnancies resulting in singleton live births	64.0	67.9	59.1	8 / 19	5 / 11	0 / 2
Percentage of pregnancies resulting in triplets or more live births	4.0	0.0	0.0	0 / 19	0 / 11	0 / 2
Percentage of pregnancies resulting in live births	92.0	78.6	63.6	8 / 19	5 / 11	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	12	16	19	17	12	6
Number of transfers	11	11	18	13	7	4
Average number of embryos transferred	2.2	2.1	2.1	2.2	2.7	3.0
Percentage of embryos transferred resulting in implantation	41.7	26.1	15.8	28.6	1 / 19	1 / 12
Percentage of transfers resulting in singleton live births	1 / 11	5 / 11	4 / 18	5 / 13	1 / 7	0 / 4
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 11	0 / 18	0 / 13	0 / 7	0 / 4
Percentage of transfers resulting in live births	5 / 11	5 / 11	4 / 18	5 / 13	1 / 7	0 / 4
Percentage of transfers resulting in pregnancy	7 / 11	6 / 11	6 / 18	9 / 13	2 / 7	1 / 4
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	130		76			
Number of transfers	123		57			
Average number of embryos transferred	1.9		2.1			
Percentage of embryos transferred resulting in implantation	56.4		34.7			
Percentage of transfers resulting in singleton live births	35.8		36.8			
Percentage of transfers resulting in live births	63.4		50.9			
Percentage of transfers resulting in pregnancy	71.5		59.6			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** California Fertility Partners

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 69 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CEDARS SINAI MEDICAL CENTER  
CENTER FOR FERTILITY AND REPRODUCTIVE MEDICINE  
LOS ANGELES, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

**2011 ART CYCLE PROFILE**

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	60%	Tubal factor	12%	Uterine factor	12%
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	10%	Male factor	35%
Used gestational carrier	0%			Diminished ovarian reserve	49%	Other factor	12%
				Endometriosis	7%	Unknown factor	13%
				Multiple Factors: Female factors only 19% Female & male factors 22%			

**2011 ART SUCCESS RATES<sup>c,d</sup>**

Number of cycles in table: <sup>e</sup> 68

Data verified by Margareta D. Pisarska, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	15	13	15	14	5	0
Percentage of cancellations	0 / 15	1 / 13	1 / 15	4 / 14	1 / 5	
Average number of embryos transferred	2.2	1.9	2.1	2.8	2.0	
Percentage of embryos transferred resulting in implantation	41.9	52.2	33.3	22.7	0 / 4	
Percentage of elective single embryo transfer (eSET)	1 / 14	1 / 12	1 / 11	0 / 8	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	4 / 15	3 / 13	4 / 15	3 / 14	0 / 5	
Percentage of cycles resulting in triplets or more live births	0 / 15	0 / 13	0 / 15	0 / 14	0 / 5	
Percentage of cycles resulting in live births	7 / 15	7 / 13	6 / 15	4 / 14	0 / 5	
Percentage of cycles resulting in pregnancy	8 / 15	9 / 13	7 / 15	4 / 14	0 / 5	
<b>Outcomes per Transfer</b>						
Number of transfers	14	12	13	8	2	0
Percentage of transfers resulting in singleton live births	4 / 14	3 / 12	4 / 13	3 / 8	0 / 2	
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 12	0 / 13	0 / 8	0 / 2	
Percentage of transfers resulting in live births	7 / 14	7 / 12	6 / 13	4 / 8	0 / 2	
Percentage of transfers resulting in pregnancy	8 / 14	9 / 12	7 / 13	4 / 8	0 / 2	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	8	9	7	4	0	0
Percentage of pregnancies resulting in singleton live births	4 / 8	3 / 9	4 / 7	3 / 4		
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 9	0 / 7	0 / 4		
Percentage of pregnancies resulting in live births	7 / 8	7 / 9	6 / 7	4 / 4		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	1	1	0	0	0
Number of transfers	0	1	1	0	0	0
Average number of embryos transferred		2.0	3.0			
Percentage of embryos transferred resulting in implantation		0 / 2	0 / 3			
Percentage of transfers resulting in singleton live births		0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births		0 / 1	0 / 1			
Percentage of transfers resulting in live births		0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy		0 / 1	0 / 1			
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			2		2	
Number of transfers			2		2	
Average number of embryos transferred			2.0		1.5	
Percentage of embryos transferred resulting in implantation			2 / 4		2 / 3	
Percentage of transfers resulting in singleton live births			0 / 2		2 / 2	
Percentage of transfers resulting in live births			1 / 2		2 / 2	
Percentage of transfers resulting in pregnancy			1 / 2		2 / 2	

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Cedars Sinai Medical Center, Center for Fertility and Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CHA FERTILITY CENTER LOS ANGELES, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	>99%	Tubal factor	6%	Uterine factor	2%	Multiple Factors: Female factors only 3% Female & male factors 4%
Unstimulated	<1%	Used PGD	19%	Ovulatory dysfunction	5%	Male factor	16%	
Used gestational carrier	<1%			Diminished ovarian reserve	60%	Other factor	9%	
				Endometriosis	<1%	Unknown factor	9%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 364

Data verified by Vicken P. Sepilian, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	51	31	28	8	6	5
Percentage of cancellations	0.0	0.0	0.0	0 / 8	0 / 6	0 / 5
Average number of embryos transferred	2.4	2.6	2.3	2.3	3.5	2.0
Percentage of embryos transferred resulting in implantation	27.1	21.5	18.0	1 / 18	4.8	0 / 8
Percentage of elective single embryo transfer (eSET)	2.2	0.0	0 / 18	1 / 6	0 / 6	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	23.5	16.1	25.0	1 / 8	1 / 6	0 / 5
Percentage of cycles resulting in triplets or more live births	2.0	0.0	0.0	0 / 8	0 / 6	0 / 5
Percentage of cycles resulting in live births	37.3	32.3	28.6	1 / 8	1 / 6	0 / 5
Percentage of cycles resulting in pregnancy	47.1	35.5	35.7	1 / 8	1 / 6	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	50	30	26	8	6	4
Percentage of transfers resulting in singleton live births	24.0	16.7	26.9	1 / 8	1 / 6	0 / 4
Percentage of transfers resulting in triplets or more live births	2.0	0.0	0.0	0 / 8	0 / 6	0 / 4
Percentage of transfers resulting in live births	38.0	33.3	30.8	1 / 8	1 / 6	0 / 4
Percentage of transfers resulting in pregnancy	48.0	36.7	38.5	1 / 8	1 / 6	0 / 4
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	24	11	10	1	1	0
Percentage of pregnancies resulting in singleton live births	50.0	5 / 11	7 / 10	1 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	4.2	0 / 11	0 / 10	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	79.2	10 / 11	8 / 10	1 / 1	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	22	11	2	2	1	3
Number of transfers	22	11	2	2	1	3
Average number of embryos transferred	2.5	2.6	2.0	3.0	2.0	2.7
Percentage of embryos transferred resulting in implantation	40.7	13.8	1 / 4	2 / 6	0 / 2	2 / 8
Percentage of transfers resulting in singleton live births	63.6	2 / 11	1 / 2	0 / 2	0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 2	0 / 2	0 / 1	0 / 3
Percentage of transfers resulting in live births	77.3	2 / 11	1 / 2	0 / 2	0 / 1	0 / 3
Percentage of transfers resulting in pregnancy	86.4	4 / 11	1 / 2	2 / 2	0 / 1	2 / 3
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	112		82			
Number of transfers	111		81			
Average number of embryos transferred	2.0		2.2			
Percentage of embryos transferred resulting in implantation	39.6		37.0			
Percentage of transfers resulting in singleton live births	32.4		27.2			
Percentage of transfers resulting in live births	49.5		46.9			
Percentage of transfers resulting in pregnancy	60.4		60.5			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** CHA Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 36 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PACIFIC FERTILITY CENTER-LOS ANGELES LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	93%	Tubal factor	12%	Uterine factor	1%	
Unstimulated	<1%	Used PGD	7%	Ovulatory dysfunction	11%	Male factor	33%	
Used gestational carrier	2%			Diminished ovarian reserve	12%	Other factor	39%	
				Endometriosis	4%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				15%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 386

Data verified by Vicken Sahakian, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	104	49	40	39	19	1
Percentage of cancellations	0.0	0.0	0.0	0.0	0 / 19	0 / 1
Average number of embryos transferred	2.2	2.3	2.5	2.5	3.0	1.0
Percentage of embryos transferred resulting in implantation	37.3	22.4	9.3	6.4	2.2	0 / 1
Percentage of elective single embryo transfer (eSET)	3.4	0.0	0.0	3.7	0 / 13	1 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	26.9	26.5	10.0	5.1	0 / 19	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 19	0 / 1
Percentage of cycles resulting in live births	48.1	30.6	10.0	7.7	0 / 19	0 / 1
Percentage of cycles resulting in pregnancy	50.0	40.8	17.5	10.3	1 / 19	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	103	48	38	34	15	1
Percentage of transfers resulting in singleton live births	27.2	27.1	10.5	5.9	0 / 15	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 15	0 / 1
Percentage of transfers resulting in live births	48.5	31.3	10.5	8.8	0 / 15	0 / 1
Percentage of transfers resulting in pregnancy	50.5	41.7	18.4	11.8	1 / 15	0 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	52	20	7	4	1	0
Percentage of pregnancies resulting in singleton live births	53.8	65.0	4 / 7	2 / 4	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 7	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	96.2	75.0	4 / 7	3 / 4	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	18	9	5	4	0	0
Number of transfers	18	9	5	4	0	0
Average number of embryos transferred	2.3	2.0	3.4	2.5		
Percentage of embryos transferred resulting in implantation	16.7	2 / 18	3 / 17	3 / 10		
Percentage of transfers resulting in singleton live births	4 / 18	2 / 9	1 / 5	1 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 9	0 / 5	0 / 4		
Percentage of transfers resulting in live births	4 / 18	2 / 9	2 / 5	2 / 4		
Percentage of transfers resulting in pregnancy	5 / 18	2 / 9	2 / 5	2 / 4		
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	69		29			
Number of transfers	67		29			
Average number of embryos transferred	2.2		2.2			
Percentage of embryos transferred resulting in implantation	43.1		20.6			
Percentage of transfers resulting in singleton live births	32.8		24.1			
Percentage of transfers resulting in live births	53.7		34.5			
Percentage of transfers resulting in pregnancy	59.7		34.5			

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Pacific Fertility Center-Los Angeles

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 10 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## UCLA FERTILITY CENTER LOS ANGELES, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	64%	Tubal factor	8%	Uterine factor	3%	Multiple Factors: Female factors only 7% Female & male factors 20%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	3%	Male factor	38%	
Used gestational carrier	1%			Diminished ovarian reserve	12%	Other factor	46%	
				Endometriosis	13%	Unknown factor	11%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 120

Data verified by T.C. Jackson Wu, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	29	13	24	10	6	1
Percentage of cancellations	3.4	0 / 13	4.2	1 / 10	0 / 6	0 / 1
Average number of embryos transferred	1.7	1.8	2.3	2.0	2.4	4.0
Percentage of embryos transferred resulting in implantation	28.9	7 / 16	29.2	1 / 14	0 / 12	0 / 4
Percentage of elective single embryo transfer (eSET)	5 / 19	2 / 9	0.0	0 / 5	0 / 4	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	10.3	2 / 13	37.5	1 / 10	0 / 6	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 13	0.0	0 / 10	0 / 6	0 / 1
Percentage of cycles resulting in live births	24.1	4 / 13	37.5	1 / 10	0 / 6	0 / 1
Percentage of cycles resulting in pregnancy	41.4	5 / 13	45.8	2 / 10	0 / 6	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	22	9	21	7	5	1
Percentage of transfers resulting in singleton live births	13.6	2 / 9	42.9	1 / 7	0 / 5	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0.0	0 / 7	0 / 5	0 / 1
Percentage of transfers resulting in live births	31.8	4 / 9	42.9	1 / 7	0 / 5	0 / 1
Percentage of transfers resulting in pregnancy	54.5	5 / 9	52.4	2 / 7	0 / 5	0 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	12	5	11	2	0	0
Percentage of pregnancies resulting in singleton live births	3 / 12	2 / 5	9 / 11	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 12	0 / 5	0 / 11	0 / 2		
Percentage of pregnancies resulting in live births	7 / 12	4 / 5	9 / 11	1 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	10	3	8	3	3	1
Number of transfers	10	3	8	2	3	1
Average number of embryos transferred	1.8	1.7	1.5	1.0	1.3	2.0
Percentage of embryos transferred resulting in implantation	9 / 18	4 / 5	3 / 12	0 / 2	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births	3 / 10	1 / 3	2 / 8	0 / 2	1 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 3	0 / 8	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in live births	4 / 10	2 / 3	2 / 8	0 / 2	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy	7 / 10	3 / 3	4 / 8	0 / 2	1 / 3	0 / 1
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	7		2			
Number of transfers	7		2			
Average number of embryos transferred	1.9		1.0			
Percentage of embryos transferred resulting in implantation	6 / 13		2 / 2			
Percentage of transfers resulting in singleton live births	2 / 7		2 / 2			
Percentage of transfers resulting in live births	4 / 7		2 / 2			
Percentage of transfers resulting in pregnancy	4 / 7		2 / 2			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** UCLA Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 8 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# USC REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	98%	With ICSI	66%	Tubal factor	13%	Uterine factor	14%	
Unstimulated	<1%	Used PGD	5%	Ovulatory dysfunction	13%	Male factor	42%	
Used gestational carrier	1%			Diminished ovarian reserve	58%	Other factor	12%	
				Endometriosis	10%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				20%
				Female & male factors				33%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 320

Data verified by Richard J. Paulson, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	38	40	46	50	19	4
Percentage of cancellations	5.3	7.5	2.2	16.0	3 / 19	0 / 4
Average number of embryos transferred	1.9	2.6	3.0	3.7	5.2	2.8
Percentage of embryos transferred resulting in implantation	52.9	15.6	11.2	10.6	3.8	0 / 11
Percentage of elective single embryo transfer (eSET)	14.3	0.0	2.4	0.0	0 / 15	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	28.9	30.0	21.7	8.0	1 / 19	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	2.5	0.0	0.0	0 / 19	0 / 4
Percentage of cycles resulting in live births	52.6	32.5	23.9	8.0	1 / 19	0 / 4
Percentage of cycles resulting in pregnancy	57.9	40.0	32.6	26.0	4 / 19	2 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	36	37	44	38	15	4
Percentage of transfers resulting in singleton live births	30.6	32.4	22.7	10.5	1 / 15	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	2.7	0.0	0.0	0 / 15	0 / 4
Percentage of transfers resulting in live births	55.6	35.1	25.0	10.5	1 / 15	0 / 4
Percentage of transfers resulting in pregnancy	61.1	43.2	34.1	34.2	4 / 15	2 / 4
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	22	16	15	13	4	2
Percentage of pregnancies resulting in singleton live births	50.0	12 / 16	10 / 15	4 / 13	1 / 4	0 / 2
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 16	0 / 15	0 / 13	0 / 4	0 / 2
Percentage of pregnancies resulting in live births	90.9	13 / 16	11 / 15	4 / 13	1 / 4	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	24	13	29	2	1	1
Number of transfers	24	13	29	2	1	1
Average number of embryos transferred	2.2	2.5	2.7	2.5	1.0	4.0
Percentage of embryos transferred resulting in implantation	26.9	15.2	22.8	1 / 5	0 / 1	0 / 4
Percentage of transfers resulting in singleton live births	25.0	3 / 13	31.0	1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0.0	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	33.3	4 / 13	34.5	1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	45.8	4 / 13	55.2	1 / 2	1 / 1	0 / 1
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	22		31			
Number of transfers	22		31			
Average number of embryos transferred	2.0		2.3			
Percentage of embryos transferred resulting in implantation	18.6		15.7			
Percentage of transfers resulting in singleton live births	18.2		29.0			
Percentage of transfers resulting in live births	27.3		32.3			
Percentage of transfers resulting in pregnancy	40.9		32.3			

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** USC Reproductive Endocrinology and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 53 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE FERTILITY AND GYNECOLOGY CENTER  
MONTEREY BAY IVF PROGRAM  
MONTEREY, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

2011 ART CYCLE PROFILE				Patient Diagnosis <sup>b</sup>			
<b>Type of ART and Procedural Factors<sup>a</sup></b>				<b>Patient Diagnosis<sup>b</sup></b>			
IVF	100%	With ICSI	71%	Tubal factor	14%	Uterine factor	1%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	17%	Male factor	57%
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	15%
				Endometriosis	8%	Unknown factor	0%
				<i>Multiple Factors:</i>			
				Female factors only 1%			
				Female & male factors 37%			

**2011 ART SUCCESS RATES<sup>c,d</sup>**      Number of cycles in table: <sup>e</sup> 79      Data verified by Edward J. Ramirez, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	29	11	5	8	6	3
Percentage of cancellations	0.0	2 / 11	0 / 5	2 / 8	0 / 6	1 / 3
Average number of embryos transferred	2.1	2.4	2.3	4.3	2.3	3.5
Percentage of embryos transferred resulting in implantation	29.3	2 / 19	6 / 7	1 / 17	1 / 9	0 / 7
Percentage of elective single embryo transfer (eSET)	7.4	0 / 7	0 / 2	0 / 4	0 / 3	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	20.7	1 / 11	1 / 5	0 / 8	1 / 6	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	1 / 5	0 / 8	0 / 6	0 / 3
Percentage of cycles resulting in live births	34.5	1 / 11	3 / 5	0 / 8	1 / 6	0 / 3
Percentage of cycles resulting in pregnancy	62.1	2 / 11	3 / 5	1 / 8	1 / 6	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	28	8	3	4	4	2
Percentage of transfers resulting in singleton live births	21.4	1 / 8	1 / 3	0 / 4	1 / 4	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	1 / 3	0 / 4	0 / 4	0 / 2
Percentage of transfers resulting in live births	35.7	1 / 8	3 / 3	0 / 4	1 / 4	0 / 2
Percentage of transfers resulting in pregnancy	64.3	2 / 8	3 / 3	1 / 4	1 / 4	0 / 2
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	18	2	3	1	1	0
Percentage of pregnancies resulting in singleton live births	6 / 18	1 / 2	1 / 3	0 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 2	1 / 3	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	10 / 18	1 / 2	3 / 3	0 / 1	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	3	2	0	1	0	0
Number of transfers	3	2	0	1	0	0
Average number of embryos transferred	2.0	1.5		1.0		
Percentage of embryos transferred resulting in implantation	2 / 6	1 / 3		1 / 1		
Percentage of transfers resulting in singleton live births	0 / 3	0 / 2		1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 2		0 / 1		
Percentage of transfers resulting in live births	1 / 3	0 / 2		1 / 1		
Percentage of transfers resulting in pregnancy	1 / 3	1 / 2		1 / 1		
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
	Number of cycles	7	4			
Number of transfers	5	3				
Average number of embryos transferred	1.6	2.3				
Percentage of embryos transferred resulting in implantation	3 / 8	0 / 7				
Percentage of transfers resulting in singleton live births	2 / 5	0 / 3				
Percentage of transfers resulting in live births	2 / 5	0 / 3				
Percentage of transfers resulting in pregnancy	4 / 5	0 / 3				

**CURRENT CLINIC SERVICES AND PROFILE**

<b>Current Name:</b> The Fertility and Gynecology Center, Monterey Bay IVF Program					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## NOVA IN VITRO FERTILIZATION MOUNTAIN VIEW, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	38%	Tubal factor	14%	Uterine factor	7%	Multiple Factors: Female factors only 12% Female & male factors 7%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	11%	Male factor	14%	
Used gestational carrier	<1%			Diminished ovarian reserve	49%	Other factor	3%	
				Endometriosis	16%	Unknown factor	9%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 255

Data verified by Richard J. Schmidt, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	56	36	42	22	19	1
Percentage of cancellations	0.0	0.0	2.4	9.1	1 / 19	0 / 1
Average number of embryos transferred	2.1	2.3	2.9	3.2	3.7	3.0
Percentage of embryos transferred resulting in implantation	42.7	27.4	26.8	4.9	9.1	0 / 3
Percentage of elective single embryo transfer (eSET)	7.4	12.1	8.3	0 / 18	0 / 15	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	39.3	16.7	23.8	13.6	4 / 19	0 / 1
Percentage of cycles resulting in triplets or more live births	1.8	0.0	0.0	0.0	0 / 19	0 / 1
Percentage of cycles resulting in live births	58.9	38.9	33.3	13.6	4 / 19	0 / 1
Percentage of cycles resulting in pregnancy	66.1	44.4	54.8	13.6	5 / 19	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	55	36	38	19	18	1
Percentage of transfers resulting in singleton live births	40.0	16.7	26.3	3 / 19	4 / 18	0 / 1
Percentage of transfers resulting in triplets or more live births	1.8	0.0	0.0	0 / 19	0 / 18	0 / 1
Percentage of transfers resulting in live births	60.0	38.9	36.8	3 / 19	4 / 18	0 / 1
Percentage of transfers resulting in pregnancy	67.3	44.4	60.5	3 / 19	5 / 18	0 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	37	16	23	3	5	0
Percentage of pregnancies resulting in singleton live births	59.5	6 / 16	43.5	3 / 3	4 / 5	
Percentage of pregnancies resulting in triplets or more live births	2.7	0 / 16	0.0	0 / 3	0 / 5	
Percentage of pregnancies resulting in live births	89.2	14 / 16	60.9	3 / 3	4 / 5	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	21	17	8	3	2	2
Number of transfers	21	17	8	3	2	2
Average number of embryos transferred	2.4	2.6	3.1	4.7	4.0	1.5
Percentage of embryos transferred resulting in implantation	19.6	17.8	4.0	0 / 14	1 / 8	0 / 3
Percentage of transfers resulting in singleton live births	28.6	5 / 17	1 / 8	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 8	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in live births	33.3	6 / 17	1 / 8	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in pregnancy	52.4	7 / 17	1 / 8	0 / 3	1 / 2	1 / 2
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	13		13			
Number of transfers	13		13			
Average number of embryos transferred	2.0		1.8			
Percentage of embryos transferred resulting in implantation	61.5		37.5			
Percentage of transfers resulting in singleton live births	5 / 13		7 / 13			
Percentage of transfers resulting in live births	9 / 13		8 / 13			
Percentage of transfers resulting in pregnancy	9 / 13		8 / 13			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Nova In Vitro Fertilization

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 9 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NEWPORT FERTILITY CENTER  
MARK KAN, MD  
NEWPORT BEACH, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

2011 ART CYCLE PROFILE				Patient Diagnosis <sup>b</sup>				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	88%	Tubal factor	7%	Uterine factor	16%	Multiple Factors: Female factors only 10% Female & male factors 8%
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	5%	Male factor	14%	
Used gestational carrier	8%			Diminished ovarian reserve	61%	Other factor	9%	
				Endometriosis	3%	Unknown factor	7%	

**2011 ART SUCCESS RATES<sup>c,d</sup>**      Number of cycles in table: <sup>e</sup> 97      Data verified by Mark T. Kan, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	19	8	18	14	5	2
Percentage of cancellations	1 / 19	0 / 8	0 / 18	4 / 14	1 / 5	0 / 2
Average number of embryos transferred	1.9	2.3	2.9	2.5	3.5	
Percentage of embryos transferred resulting in implantation	33.3	5 / 18	18.4	5.0	0 / 14	
Percentage of elective single embryo transfer (eSET)	3 / 17	0 / 8	0 / 16	0 / 6	0 / 4	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	8 / 19	4 / 8	5 / 18	1 / 14	0 / 5	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 8	0 / 18	0 / 14	0 / 5	0 / 2
Percentage of cycles resulting in live births	9 / 19	4 / 8	7 / 18	1 / 14	0 / 5	0 / 2
Percentage of cycles resulting in pregnancy	9 / 19	4 / 8	9 / 18	1 / 14	0 / 5	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	17	8	17	8	4	0
Percentage of transfers resulting in singleton live births	8 / 17	4 / 8	5 / 17	1 / 8	0 / 4	
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 8	0 / 17	0 / 8	0 / 4	
Percentage of transfers resulting in live births	9 / 17	4 / 8	7 / 17	1 / 8	0 / 4	
Percentage of transfers resulting in pregnancy	9 / 17	4 / 8	9 / 17	1 / 8	0 / 4	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	9	4	9	1	0	0
Percentage of pregnancies resulting in singleton live births	8 / 9	4 / 4	5 / 9	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 9	0 / 4	0 / 9	0 / 1		
Percentage of pregnancies resulting in live births	9 / 9	4 / 4	7 / 9	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	4	3	9	0	3	1
Number of transfers	4	3	9	0	3	1
Average number of embryos transferred	1.5	1.7	1.8		2.0	2.0
Percentage of embryos transferred resulting in implantation	1 / 6	1 / 5	2 / 16		0 / 6	0 / 2
Percentage of transfers resulting in singleton live births	1 / 4	1 / 3	2 / 9		0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 3	0 / 9		0 / 3	0 / 1
Percentage of transfers resulting in live births	1 / 4	1 / 3	2 / 9		0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	1 / 4	1 / 3	2 / 9		0 / 3	0 / 1
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	10		1			
Number of transfers	10		1			
Average number of embryos transferred	2.0		3.0			
Percentage of embryos transferred resulting in implantation	90.0		2 / 3			
Percentage of transfers resulting in singleton live births	2 / 10		1 / 1			
Percentage of transfers resulting in live births	10 / 10		1 / 1			
Percentage of transfers resulting in pregnancy	10 / 10		1 / 1			

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Newport Fertility Center, Mark Kan, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE SPECIALTY MEDICAL CENTER NEWPORT BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	49%	Tubal factor	7%	Uterine factor	3%	
Unstimulated	0%	Used PGD	34%	Ovulatory dysfunction	10%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	60%	Other factor	5%	
				Endometriosis	3%	Unknown factor	12%	
				Multiple Factors:				
				Female factors only				1%
				Female & male factors				23%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 77

Data verified by Beth A. Ary, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	11	10	9	2	2	1
Percentage of cancellations	0 / 11	0 / 10	0 / 9	0 / 2	1 / 2	0 / 1
Average number of embryos transferred	2.0	2.4	3.7	4.0	1.0	1.0
Percentage of embryos transferred resulting in implantation	13.6	27.3	12.1	0 / 8	0 / 1	0 / 1
Percentage of elective single embryo transfer (eSET)	2 / 10	1 / 9	0 / 8	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	1 / 11	6 / 10	1 / 9	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 10	1 / 9	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births	2 / 11	6 / 10	2 / 9	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	2 / 11	6 / 10	2 / 9	0 / 2	0 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	11	9	9	2	1	1
Percentage of transfers resulting in singleton live births	1 / 11	6 / 9	1 / 9	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 9	1 / 9	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	2 / 11	6 / 9	2 / 9	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	2 / 11	6 / 9	2 / 9	0 / 2	0 / 1	0 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	2	6	2	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 2	6 / 6	1 / 2			
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 6	1 / 2			
Percentage of pregnancies resulting in live births	2 / 2	6 / 6	2 / 2			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	5	3	1	1	0	0
Number of transfers	5	3	1	1	0	0
Average number of embryos transferred	2.0	3.3	2.0	5.0		
Percentage of embryos transferred resulting in implantation	5 / 10	1 / 10	0 / 2	0 / 5		
Percentage of transfers resulting in singleton live births	2 / 5	1 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	1 / 5	0 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in live births	3 / 5	1 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	3 / 5	1 / 3	0 / 1	0 / 1		
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>			<b>Frozen Embryos</b>		
Number of cycles	19			13		
Number of transfers	17			13		
Average number of embryos transferred	2.3			2.1		
Percentage of embryos transferred resulting in implantation	43.6			18.5		
Percentage of transfers resulting in singleton live births	4 / 17			4 / 13		
Percentage of transfers resulting in live births	8 / 17			4 / 13		
Percentage of transfers resulting in pregnancy	11 / 17			5 / 13		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Specialty Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## SOUTHERN CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE NEWPORT BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	87%	Tubal factor	8%	Uterine factor	7%	
Unstimulated	<1%	Used PGD	28%	Ovulatory dysfunction	8%	Male factor	37%	
Used gestational carrier	1%			Diminished ovarian reserve	30%	Other factor	38%	
				Endometriosis	14%	Unknown factor	7%	
				Multiple Factors:				
				Female factors only				23%
				Female & male factors				17%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 474

Data verified by Robert E. Anderson, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	85	67	84	46	23	5
Percentage of cancellations	5.9	7.5	11.9	21.7	13.0	1 / 5
Average number of embryos transferred	2.0	2.1	2.2	2.7	2.2	3.5
Percentage of embryos transferred resulting in implantation	45.0	31.7	22.4	13.7	0.0	0 / 7
Percentage of elective single embryo transfer (eSET)	11.4	9.3	10.3	0.0	0 / 7	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	28.2	29.9	21.4	10.9	0.0	0 / 5
Percentage of cycles resulting in triplets or more live births	2.4	0.0	0.0	0.0	0.0	0 / 5
Percentage of cycles resulting in live births	45.9	41.8	26.2	15.2	0.0	0 / 5
Percentage of cycles resulting in pregnancy	49.4	50.7	35.7	15.2	0.0	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	75	59	70	27	13	2
Percentage of transfers resulting in singleton live births	32.0	33.9	25.7	18.5	0 / 13	0 / 2
Percentage of transfers resulting in triplets or more live births	2.7	0.0	0.0	0.0	0 / 13	0 / 2
Percentage of transfers resulting in live births	52.0	47.5	31.4	25.9	0 / 13	0 / 2
Percentage of transfers resulting in pregnancy	56.0	57.6	42.9	25.9	0 / 13	0 / 2
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	42	34	30	7	0	0
Percentage of pregnancies resulting in singleton live births	57.1	58.8	60.0	5 / 7		
Percentage of pregnancies resulting in triplets or more live births	4.8	0.0	0.0	0 / 7		
Percentage of pregnancies resulting in live births	92.9	82.4	73.3	7 / 7		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	45	33	23	11	2	2
Number of transfers	41	31	20	9	2	2
Average number of embryos transferred	1.9	1.5	2.2	1.9	1.0	3.5
Percentage of embryos transferred resulting in implantation	41.6	52.1	45.5	2 / 17	0 / 2	1 / 7
Percentage of transfers resulting in singleton live births	29.3	45.2	30.0	1 / 9	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 2	0 / 2
Percentage of transfers resulting in live births	46.3	51.6	55.0	1 / 9	0 / 2	0 / 2
Percentage of transfers resulting in pregnancy	56.1	61.3	70.0	2 / 9	1 / 2	1 / 2
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	29		19			
Number of transfers	29		19			
Average number of embryos transferred	2.0		1.9			
Percentage of embryos transferred resulting in implantation	72.4		24.3			
Percentage of transfers resulting in singleton live births	31.0		4 / 19			
Percentage of transfers resulting in live births	82.8		5 / 19			
Percentage of transfers resulting in pregnancy	82.8		8 / 19			

### CURRENT CLINIC SERVICES AND PROFILE

<b>Current Name:</b> Southern California Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 28 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTHRIDGE CENTER FOR REPRODUCTIVE MEDICINE  
NORTHRIDGE, CALIFORNIA**

---

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

## LANE FERTILITY INSTITUTE NOVATO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	90%	Tubal factor	11%	Uterine factor	4%	Multiple Factors: Female factors only 0% Female & male factors 0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	4%	Male factor	7%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	0%	
				Endometriosis	0%	Unknown factor	44%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 27

Data verified by Danielle E. Lane, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	4	1	8	1	4	1
Percentage of cancellations	0 / 4	0 / 1	1 / 8	0 / 1	0 / 4	0 / 1
Average number of embryos transferred	2.0	2.0	2.9	2.0	4.5	
Percentage of embryos transferred resulting in implantation	4 / 6	1 / 2	30.0	1 / 2	1 / 18	
Percentage of elective single embryo transfer (eSET)	0 / 3	0 / 1	0 / 7	0 / 1	0 / 4	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	1 / 4	1 / 1	3 / 8	1 / 1	1 / 4	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 1	0 / 8	0 / 1	0 / 4	0 / 1
Percentage of cycles resulting in live births	1 / 4	1 / 1	4 / 8	1 / 1	1 / 4	0 / 1
Percentage of cycles resulting in pregnancy	3 / 4	1 / 1	5 / 8	1 / 1	1 / 4	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	3	1	7	1	4	0
Percentage of transfers resulting in singleton live births	1 / 3	1 / 1	3 / 7	1 / 1	1 / 4	
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1	0 / 7	0 / 1	0 / 4	
Percentage of transfers resulting in live births	1 / 3	1 / 1	4 / 7	1 / 1	1 / 4	
Percentage of transfers resulting in pregnancy	3 / 3	1 / 1	5 / 7	1 / 1	1 / 4	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	3	1	5	1	1	0
Percentage of pregnancies resulting in singleton live births	1 / 3	1 / 1	3 / 5	1 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 1	0 / 5	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	1 / 3	1 / 1	4 / 5	1 / 1	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	0	2	1	0	0
Number of transfers	2	0	2	1	0	0
Average number of embryos transferred	2.5		2.0	4.0		
Percentage of embryos transferred resulting in implantation	1 / 5		1 / 4	1 / 4		
Percentage of transfers resulting in singleton live births	1 / 2		1 / 2	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 2		0 / 2	0 / 1		
Percentage of transfers resulting in live births	1 / 2		1 / 2	1 / 1		
Percentage of transfers resulting in pregnancy	1 / 2		1 / 2	1 / 1		
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			2		1	
Number of transfers			2		1	
Average number of embryos transferred			1.5		2.0	
Percentage of embryos transferred resulting in implantation			1 / 3		0 / 2	
Percentage of transfers resulting in singleton live births			1 / 2		0 / 1	
Percentage of transfers resulting in live births			1 / 2		0 / 1	
Percentage of transfers resulting in pregnancy			1 / 2		0 / 1	

### CURRENT CLINIC SERVICES AND PROFILE

<b>Current Name:</b> Lane Fertility Institute					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 8 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## IVF-ORANGE SURGERY CENTER ORANGE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	100%	Tubal factor	5%	Uterine factor	0%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	43%	
				Endometriosis	0%	Unknown factor	19%	
				Multiple Factors:				
				Female factors only				0%
				Female & male factors				0%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 21

Data verified by Darush Mohyi, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	4	4	4	1	0	0
Percentage of cancellations	0 / 4	0 / 4	0 / 4	0 / 1		
Average number of embryos transferred	3.3	5.3	4.5	3.0		
Percentage of embryos transferred resulting in implantation	0 / 13	14.3	0 / 18	1 / 3		
Percentage of elective single embryo transfer (eSET)	0 / 4	0 / 4	0 / 4	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	0 / 4	1 / 4	0 / 4	0 / 1		
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 4	0 / 4	0 / 1		
Percentage of cycles resulting in live births	0 / 4	2 / 4	0 / 4	0 / 1		
Percentage of cycles resulting in pregnancy	0 / 4	2 / 4	0 / 4	1 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	4	4	4	1	0	0
Percentage of transfers resulting in singleton live births	0 / 4	1 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in live births	0 / 4	2 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in pregnancy	0 / 4	2 / 4	0 / 4	1 / 1		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	0	2	0	1	0	0
Percentage of pregnancies resulting in singleton live births		1 / 2		0 / 1		
Percentage of pregnancies resulting in triplets or more live births		0 / 2		0 / 1		
Percentage of pregnancies resulting in live births		2 / 2		0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	0	1	0	0	0
Number of transfers	2	0	1	0	0	0
Average number of embryos transferred	3.5		3.0			
Percentage of embryos transferred resulting in implantation	0 / 7		0 / 3			
Percentage of transfers resulting in singleton live births	0 / 2		0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 2		0 / 1			
Percentage of transfers resulting in live births	0 / 2		0 / 1			
Percentage of transfers resulting in pregnancy	0 / 2		0 / 1			
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			5		0	
Number of transfers			5		0	
Average number of embryos transferred			3.2			
Percentage of embryos transferred resulting in implantation			0 / 16			
Percentage of transfers resulting in singleton live births			0 / 5			
Percentage of transfers resulting in live births			0 / 5			
Percentage of transfers resulting in pregnancy			1 / 5			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** IVF-Orange Surgery Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## BAY IN VITRO FERTILIZATION CENTER FOR REPRODUCTIVE MEDICINE PALO ALTO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

2011 ART CYCLE PROFILE				Patient Diagnosis <sup>b</sup>				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	48%	Tubal factor	7%	Uterine factor	0%	
Unstimulated	0%	Used PGD	13%	Ovulatory dysfunction	23%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	16%	
				Endometriosis	3%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				13%

### 2011 ART SUCCESS RATES<sup>c,d</sup> Number of cycles in table: <sup>e</sup> 31 Data verified by Francis Polansky, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	11	3	3	3	2	1
Percentage of cancellations	0 / 11	0 / 3	0 / 3	0 / 3	0 / 2	0 / 1
Average number of embryos transferred	2.4	2.3	2.0	3.3	3.5	3.0
Percentage of embryos transferred resulting in implantation	23.1	3 / 7	2 / 6	0 / 10	0 / 7	1 / 3
Percentage of elective single embryo transfer (eSET)	0 / 11	0 / 3	0 / 2	0 / 3	0 / 2	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	2 / 11	1 / 3	0 / 3	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 3	0 / 3	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in live births	4 / 11	2 / 3	1 / 3	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	4 / 11	2 / 3	1 / 3	0 / 3	0 / 2	1 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	11	3	3	3	2	1
Percentage of transfers resulting in singleton live births	2 / 11	1 / 3	0 / 3	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 11	0 / 3	0 / 3	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births	4 / 11	2 / 3	1 / 3	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	4 / 11	2 / 3	1 / 3	0 / 3	0 / 2	1 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	4	2	1	0	0	1
Percentage of pregnancies resulting in singleton live births	2 / 4	1 / 2	0 / 1			0 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 2	0 / 1			0 / 1
Percentage of pregnancies resulting in live births	4 / 4	2 / 2	1 / 1			0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	2	2	0	0	0
Number of transfers	2	2	2	0	0	0
Average number of embryos transferred	2.0	3.5	2.0			
Percentage of embryos transferred resulting in implantation	2 / 4	1 / 7	0 / 4			
Percentage of transfers resulting in singleton live births	0 / 2	0 / 2	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2	0 / 2			
Percentage of transfers resulting in live births	1 / 2	0 / 2	0 / 2			
Percentage of transfers resulting in pregnancy	1 / 2	1 / 2	0 / 2			
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	2		0			
Number of transfers	2		0			
Average number of embryos transferred	1.5					
Percentage of embryos transferred resulting in implantation	2 / 3					
Percentage of transfers resulting in singleton live births	2 / 2					
Percentage of transfers resulting in live births	2 / 2					
Percentage of transfers resulting in pregnancy	2 / 2					

### CURRENT CLINIC SERVICES AND PROFILE

<b>Current Name:</b> Bay In Vitro Fertilization Center for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**STANFORD FERTILITY AND REPRODUCTIVE MEDICINE CENTER  
STANFORD UNIVERSITY DEPARTMENT OF GYNECOLOGY AND OBSTETRICS  
PALO ALTO, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

**2011 ART CYCLE PROFILE**

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	55%	Tubal factor	6%	Uterine factor	2%
Unstimulated	<1%	Used PGD	9%	Ovulatory dysfunction	10%	Male factor	59%
Used gestational carrier	2%			Diminished ovarian reserve	41%	Other factor	10%
				Endometriosis	14%	Unknown factor	10%
				Multiple Factors: Female factors only 4% Female & male factors 45%			

**2011 ART SUCCESS RATES<sup>c,d</sup>**

Number of cycles in table: <sup>e</sup> 766

Data verified by Valerie Baker, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	120	134	131	75	44	12
Percentage of cancellations	1.7	3.0	9.9	8.0	13.6	0 / 12
Average number of embryos transferred	2.1	2.3	2.6	3.1	4.8	5.0
Percentage of embryos transferred resulting in implantation	20.1	15.2	12.0	9.1	0.7	2.2
Percentage of elective single embryo transfer (eSET)	17.8	6.7	6.1	2.0	0.0	0 / 7
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	22.5	18.7	13.7	14.7	2.3	1 / 12
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 12
Percentage of cycles resulting in live births	30.0	23.1	16.0	14.7	2.3	1 / 12
Percentage of cycles resulting in pregnancy	32.5	26.9	23.7	21.3	11.4	3 / 12
<b>Outcomes per Transfer</b>						
Number of transfers	110	115	95	61	31	9
Percentage of transfers resulting in singleton live births	24.5	21.7	18.9	18.0	3.2	1 / 9
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 9
Percentage of transfers resulting in live births	32.7	27.0	22.1	18.0	3.2	1 / 9
Percentage of transfers resulting in pregnancy	35.5	31.3	32.6	26.2	16.1	3 / 9
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	39	36	31	16	5	3
Percentage of pregnancies resulting in singleton live births	69.2	69.4	58.1	11 / 16	1 / 5	1 / 3
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 16	0 / 5	0 / 3
Percentage of pregnancies resulting in live births	92.3	86.1	67.7	11 / 16	1 / 5	1 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	55	48	41	21	5	3
Number of transfers	54	48	40	21	5	3
Average number of embryos transferred	1.6	1.5	1.5	1.7	1.4	1.3
Percentage of embryos transferred resulting in implantation	28.7	24.3	23.7	19.4	2 / 7	1 / 4
Percentage of transfers resulting in singleton live births	25.9	22.9	15.0	23.8	2 / 5	1 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	0 / 3
Percentage of transfers resulting in live births	35.2	29.2	22.5	23.8	2 / 5	1 / 3
Percentage of transfers resulting in pregnancy	38.9	37.5	32.5	28.6	2 / 5	1 / 3

**All Ages Combined<sup>f</sup>**

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	51	26
Number of transfers	45	25
Average number of embryos transferred	2.0	1.3
Percentage of embryos transferred resulting in implantation	31.8	12.5
Percentage of transfers resulting in singleton live births	28.9	8.0
Percentage of transfers resulting in live births	37.8	8.0
Percentage of transfers resulting in pregnancy	53.3	16.0

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Stanford Fertility and Reproductive Medicine Center, Stanford University Department of Gynecology and Obstetrics

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 84 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## HRC FERTILITY-PASADENA PASADENA, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	>99%	With ICSI	64%	Tubal factor	2%	Uterine factor	1%	Multiple Factors: Female factors only <1% Female & male factors 5%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	4%	Male factor	31%	
Used gestational carrier	<1%			Diminished ovarian reserve	5%	Other factor	49%	
				Endometriosis	4%	Unknown factor	9%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 551

Data verified by Bradford A. Kolb, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	96	67	76	36	28	16
Percentage of cancellations	20.8	25.4	28.9	44.4	35.7	14 / 16
Average number of embryos transferred	2.5	2.6	3.1	3.2	3.7	2.5
Percentage of embryos transferred resulting in implantation	42.3	35.2	23.0	14.3	1.5	0 / 5
Percentage of elective single embryo transfer (eSET)	2.8	2.2	0.0	0 / 17	0 / 15	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	30.2	34.3	28.9	19.4	3.6	0 / 16
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 16
Percentage of cycles resulting in live births	52.1	46.3	35.5	19.4	3.6	0 / 16
Percentage of cycles resulting in pregnancy	60.4	50.7	43.4	25.0	7.1	0 / 16
<b>Outcomes per Transfer</b>						
Number of transfers	75	50	54	20	18	2
Percentage of transfers resulting in singleton live births	38.7	46.0	40.7	35.0	1 / 18	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 18	0 / 2
Percentage of transfers resulting in live births	66.7	62.0	50.0	35.0	1 / 18	0 / 2
Percentage of transfers resulting in pregnancy	77.3	68.0	61.1	45.0	2 / 18	0 / 2
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	58	34	33	9	2	0
Percentage of pregnancies resulting in singleton live births	50.0	67.6	66.7	7 / 9	1 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 2	
Percentage of pregnancies resulting in live births	86.2	91.2	81.8	7 / 9	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	43	22	12	11	6	32
Number of transfers	40	21	12	9	3	31
Average number of embryos transferred	2.4	2.3	3.0	2.8	3.7	2.5
Percentage of embryos transferred resulting in implantation	24.7	49.0	22.2	32.0	3 / 11	13.2
Percentage of transfers resulting in singleton live births	30.0	33.3	4 / 12	3 / 9	1 / 3	22.6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 12	0 / 9	0 / 3	0.0
Percentage of transfers resulting in live births	42.5	71.4	6 / 12	5 / 9	2 / 3	22.6
Percentage of transfers resulting in pregnancy	50.0	81.0	6 / 12	5 / 9	2 / 3	32.3
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	101		5			
Number of transfers	89		1			
Average number of embryos transferred	2.3		2.0			
Percentage of embryos transferred resulting in implantation	44.3		1 / 2			
Percentage of transfers resulting in singleton live births	44.9		1 / 1			
Percentage of transfers resulting in live births	62.9		1 / 1			
Percentage of transfers resulting in pregnancy	78.7		1 / 1			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** HRC Fertility-Pasadena

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PALO ALTO MEDICAL FOUNDATION  
REPRODUCTIVE ENDOCRINOLOGY & FERTILITY  
PORTOLA VALLEY, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

**2011 ART CYCLE PROFILE**

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	52%	Tubal factor	19%	Uterine factor	2%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	18%	Male factor	18%
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	6%
				Endometriosis	13%	Unknown factor	21%
				Multiple Factors:			
						Female factors only	12%
						Female & male factors	5%

**2011 ART SUCCESS RATES<sup>c,d</sup>**

Number of cycles in table: <sup>e</sup> 222

Data verified by Lillian M. Swiersz, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	59	26	28	18	19	4
Percentage of cancellations	23.7	19.2	17.9	2 / 18	9 / 19	1 / 4
Average number of embryos transferred	2.1	2.9	2.6	3.0	3.1	3.3
Percentage of embryos transferred resulting in implantation	25.3	6.6	10.9	7.1	3.2	0 / 10
Percentage of elective single embryo transfer (eSET)	17.5	4.8	0 / 19	0 / 12	0 / 9	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	18.6	7.7	10.7	1 / 18	1 / 19	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 19	0 / 4
Percentage of cycles resulting in live births	27.1	7.7	14.3	2 / 18	1 / 19	0 / 4
Percentage of cycles resulting in pregnancy	30.5	15.4	21.4	2 / 18	1 / 19	0 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	42	21	21	14	10	3
Percentage of transfers resulting in singleton live births	26.2	9.5	14.3	1 / 14	1 / 10	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 14	0 / 10	0 / 3
Percentage of transfers resulting in live births	38.1	9.5	19.0	2 / 14	1 / 10	0 / 3
Percentage of transfers resulting in pregnancy	42.9	19.0	28.6	2 / 14	1 / 10	0 / 3
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	18	4	6	2	1	0
Percentage of pregnancies resulting in singleton live births	11 / 18	2 / 4	3 / 6	1 / 2	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 4	0 / 6	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	16 / 18	2 / 4	4 / 6	2 / 2	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	26	15	18	3	4	0
Number of transfers	26	15	18	3	4	0
Average number of embryos transferred	1.5	1.5	2.0	2.0	2.8	
Percentage of embryos transferred resulting in implantation	20.0	18.2	22.2	2 / 6	2 / 11	
Percentage of transfers resulting in singleton live births	26.9	3 / 15	6 / 18	0 / 3	1 / 4	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 18	0 / 3	0 / 4	
Percentage of transfers resulting in live births	26.9	3 / 15	7 / 18	1 / 3	1 / 4	
Percentage of transfers resulting in pregnancy	30.8	4 / 15	9 / 18	1 / 3	1 / 4	
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			0		2	
Number of transfers			0		2	
Average number of embryos transferred					1.5	
Percentage of embryos transferred resulting in implantation					1 / 3	
Percentage of transfers resulting in singleton live births					1 / 2	
Percentage of transfers resulting in live births					1 / 2	
Percentage of transfers resulting in pregnancy					1 / 2	

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Palo Alto Medical Foundation, Reproductive Endocrinology & Fertility

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE PARTNERS-REDONDO BEACH REDONDO BEACH, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

2011 ART CYCLE PROFILE				Patient Diagnosis <sup>b</sup>				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	70%	Tubal factor	7%	Uterine factor	4%	Multiple Factors: Female factors only 4% Female & male factors 6%
Unstimulated	<1%	Used PGD	1%	Ovulatory dysfunction	4%	Male factor	20%	
Used gestational carrier	1%			Diminished ovarian reserve	23%	Other factor	36%	
				Endometriosis	3%	Unknown factor	16%	

### 2011 ART SUCCESS RATES<sup>c,d</sup> Number of cycles in table: <sup>e</sup> 682 Data verified by Bill Yee, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	105	95	135	74	61	16
Percentage of cancellations	5.7	6.3	17.0	10.8	21.3	7 / 16
Average number of embryos transferred	1.9	2.1	2.6	2.9	3.5	3.4
Percentage of embryos transferred resulting in implantation	42.9	37.0	19.5	8.0	4.5	4.2
Percentage of elective single embryo transfer (eSET)	17.0	5.3	1.0	3.9	0.0	0 / 7
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	29.5	24.2	21.5	13.5	3.3	1 / 16
Percentage of cycles resulting in triplets or more live births	1.0	0.0	0.0	0.0	0.0	0 / 16
Percentage of cycles resulting in live births	47.6	40.0	26.7	13.5	3.3	1 / 16
Percentage of cycles resulting in pregnancy	55.2	50.5	33.3	21.6	13.1	1 / 16
<b>Outcomes per Transfer</b>						
Number of transfers	93	82	103	60	38	7
Percentage of transfers resulting in singleton live births	33.3	28.0	28.2	16.7	5.3	1 / 7
Percentage of transfers resulting in triplets or more live births	1.1	0.0	0.0	0.0	0.0	0 / 7
Percentage of transfers resulting in live births	53.8	46.3	35.0	16.7	5.3	1 / 7
Percentage of transfers resulting in pregnancy	62.4	58.5	43.7	26.7	21.1	1 / 7
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	58	48	45	16	8	1
Percentage of pregnancies resulting in singleton live births	53.4	47.9	64.4	10 / 16	2 / 8	1 / 1
Percentage of pregnancies resulting in triplets or more live births	1.7	0.0	0.0	0 / 16	0 / 8	0 / 1
Percentage of pregnancies resulting in live births	86.2	79.2	80.0	10 / 16	2 / 8	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	36	33	26	10	8	8
Number of transfers	27	26	21	9	6	4
Average number of embryos transferred	2.0	1.8	2.0	2.6	2.5	2.0
Percentage of embryos transferred resulting in implantation	35.8	25.5	29.3	8.7	2 / 15	1 / 8
Percentage of transfers resulting in singleton live births	29.6	19.2	23.8	2 / 9	0 / 6	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 6	0 / 4
Percentage of transfers resulting in live births	44.4	23.1	28.6	2 / 9	0 / 6	0 / 4
Percentage of transfers resulting in pregnancy	66.7	38.5	47.6	3 / 9	2 / 6	1 / 4
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	47		28			
Number of transfers	35		25			
Average number of embryos transferred	1.5		1.8			
Percentage of embryos transferred resulting in implantation	49.0		31.1			
Percentage of transfers resulting in singleton live births	37.1		24.0			
Percentage of transfers resulting in live births	51.4		36.0			
Percentage of transfers resulting in pregnancy	71.4		48.0			

### CURRENT CLINIC SERVICES AND PROFILE

<b>Current Name:</b> Reproductive Partners-Redondo Beach					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NORTHERN CALIFORNIA FERTILITY MEDICAL CENTER ROSEVILLE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	72%	Tubal factor	17%	Uterine factor	8%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	26%	Male factor	51%
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	29%
				Endometriosis	12%	Unknown factor	4%
				Multiple Factors:			
						Female factors only	18%
						Female & male factors	40%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 589

Data verified by Carlos E. Soto-Albors, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	143	73	69	45	11	0
Percentage of cancellations	6.3	12.3	10.1	17.8	5 / 11	
Average number of embryos transferred	2.1	2.4	2.7	2.4	3.5	
Percentage of embryos transferred resulting in implantation	26.8	37.7	14.4	13.9	9.5	
Percentage of elective single embryo transfer (eSET)	2.6	1.9	0.0	0.0	0 / 5	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	22.4	21.9	17.4	15.6	0 / 11	
Percentage of cycles resulting in triplets or more live births	0.0	2.7	2.9	0.0	0 / 11	
Percentage of cycles resulting in live births	30.1	39.7	21.7	15.6	0 / 11	
Percentage of cycles resulting in pregnancy	37.8	41.1	24.6	24.4	2 / 11	
<b>Outcomes per Transfer</b>						
Number of transfers	121	58	57	33	6	0
Percentage of transfers resulting in singleton live births	26.4	27.6	21.1	21.2	0 / 6	
Percentage of transfers resulting in triplets or more live births	0.0	3.4	3.5	0.0	0 / 6	
Percentage of transfers resulting in live births	35.5	50.0	26.3	21.2	0 / 6	
Percentage of transfers resulting in pregnancy	44.6	51.7	29.8	33.3	2 / 6	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	54	30	17	11	2	0
Percentage of pregnancies resulting in singleton live births	59.3	53.3	12 / 17	7 / 11	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	6.7	2 / 17	0 / 11	0 / 2	
Percentage of pregnancies resulting in live births	79.6	96.7	15 / 17	7 / 11	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	83	54	15	8	3	1
Number of transfers	70	39	13	7	2	1
Average number of embryos transferred	2.3	2.2	2.5	1.9	3.0	2.0
Percentage of embryos transferred resulting in implantation	29.7	31.4	18.2	1 / 13	2 / 6	1 / 2
Percentage of transfers resulting in singleton live births	30.0	35.9	3 / 13	0 / 7	0 / 2	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in live births	44.3	41.0	4 / 13	0 / 7	1 / 2	1 / 1
Percentage of transfers resulting in pregnancy	48.6	53.8	6 / 13	1 / 7	1 / 2	1 / 1
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			51		33	
Number of transfers			47		28	
Average number of embryos transferred			2.0		2.1	
Percentage of embryos transferred resulting in implantation			48.4		28.3	
Percentage of transfers resulting in singleton live births			40.4		35.7	
Percentage of transfers resulting in live births			61.7		46.4	
Percentage of transfers resulting in pregnancy			68.1		53.6	

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Northern California Fertility Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH-SACRAMENTO SACRAMENTO, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

2011 ART CYCLE PROFILE			
Type of ART and Procedural Factors <sup>a</sup>		Patient Diagnosis <sup>b</sup>	
IVF	100%	With ICSI	72%
Unstimulated	0%	Used PGD	4%
Used gestational carrier	4%		
		Tubal factor	12%
		Ovulatory dysfunction	15%
		Diminished ovarian reserve	29%
		Endometriosis	2%
		Uterine factor	1%
		Male factor	48%
		Other factor	4%
		Unknown factor	8%
		Multiple Factors:	
		Female factors only 3%	
		Female & male factors 16%	

## 2011 ART SUCCESS RATES<sup>c,d</sup> Number of cycles in table: <sup>e</sup> 221 Data verified by Kenneth Vu, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	69	29	32	9	1	0
Percentage of cancellations	1.4	3.4	3.1	1 / 9	0 / 1	
Average number of embryos transferred	1.8	2.4	2.8	2.8	2.0	
Percentage of embryos transferred resulting in implantation	44.2	25.8	13.6	0.0	0 / 2	
Percentage of elective single embryo transfer (eSET)	20.3	0.0	0.0	0 / 7	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	34.8	31.0	21.9	0 / 9	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 1	
Percentage of cycles resulting in live births	49.3	44.8	21.9	0 / 9	0 / 1	
Percentage of cycles resulting in pregnancy	59.4	48.3	34.4	0 / 9	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	65	28	29	8	1	0
Percentage of transfers resulting in singleton live births	36.9	32.1	24.1	0 / 8	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 1	
Percentage of transfers resulting in live births	52.3	46.4	24.1	0 / 8	0 / 1	
Percentage of transfers resulting in pregnancy	63.1	50.0	37.9	0 / 8	0 / 1	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	41	14	11	0	0	0
Percentage of pregnancies resulting in singleton live births	58.5	9 / 14	7 / 11			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 11			
Percentage of pregnancies resulting in live births	82.9	13 / 14	7 / 11			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	28	17	12	2	1	0
Number of transfers	27	15	11	2	1	0
Average number of embryos transferred	2.0	1.9	2.2	2.5	4.0	
Percentage of embryos transferred resulting in implantation	45.5	31.0	25.0	2 / 5	0 / 4	
Percentage of transfers resulting in singleton live births	29.6	2 / 15	4 / 11	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	3.7	0 / 15	0 / 11	0 / 2	0 / 1	
Percentage of transfers resulting in live births	51.9	3 / 15	5 / 11	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	55.6	8 / 15	7 / 11	1 / 2	0 / 1	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		12		9		
Number of transfers		10		9		
Average number of embryos transferred		1.7		2.4		
Percentage of embryos transferred resulting in implantation		7 / 17		54.5		
Percentage of transfers resulting in singleton live births		2 / 10		5 / 9		
Percentage of transfers resulting in live births		4 / 10		8 / 9		
Percentage of transfers resulting in pregnancy		6 / 10		9 / 9		

## CURRENT CLINIC SERVICES AND PROFILE

<b>Current Name:</b> Kaiser Permanente Center for Reproductive Health-Sacramento					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

# FERTILITY SPECIALISTS MEDICAL GROUP SAN DIEGO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	86%	Tubal factor	11%	Uterine factor	11%	
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	13%	Male factor	63%	
Used gestational carrier	<1%			Diminished ovarian reserve	43%	Other factor	3%	
				Endometriosis	3%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				3%
				Female & male factors				43%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 233

Data verified by Arlene J. Morales, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	63	38	25	8	1	0
Percentage of cancellations	6.3	7.9	32.0	2 / 8	0 / 1	
Average number of embryos transferred	1.4	1.9	2.1	1.6	3.0	
Percentage of embryos transferred resulting in implantation	43.6	28.1	32.3	2 / 8	0 / 3	
Percentage of elective single embryo transfer (eSET)	55.8	19.4	0 / 10	1 / 4	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	33.3	26.3	24.0	1 / 8	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 1	
Percentage of cycles resulting in live births	39.7	34.2	28.0	1 / 8	0 / 1	
Percentage of cycles resulting in pregnancy	47.6	39.5	36.0	2 / 8	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	55	34	15	5	1	0
Percentage of transfers resulting in singleton live births	38.2	29.4	6 / 15	1 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 5	0 / 1	
Percentage of transfers resulting in live births	45.5	38.2	7 / 15	1 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	54.5	44.1	9 / 15	2 / 5	0 / 1	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	30	15	9	2	0	0
Percentage of pregnancies resulting in singleton live births	70.0	10 / 15	6 / 9	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 9	0 / 2		
Percentage of pregnancies resulting in live births	83.3	13 / 15	7 / 9	1 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	33	19	7	7	2	0
Number of transfers	31	16	6	7	2	0
Average number of embryos transferred	1.9	2.1	2.2	2.3	2.0	
Percentage of embryos transferred resulting in implantation	34.5	18.2	4 / 13	2 / 16	1 / 4	
Percentage of transfers resulting in singleton live births	16.1	4 / 16	2 / 6	0 / 7	1 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 6	0 / 7	0 / 2	
Percentage of transfers resulting in live births	35.5	4 / 16	3 / 6	0 / 7	1 / 2	
Percentage of transfers resulting in pregnancy	45.2	5 / 16	3 / 6	2 / 7	1 / 2	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	16		14			
Number of transfers	14		14			
Average number of embryos transferred	1.6		1.9			
Percentage of embryos transferred resulting in implantation	45.5		14.8			
Percentage of transfers resulting in singleton live births	5 / 14		4 / 14			
Percentage of transfers resulting in live births	7 / 14		4 / 14			
Percentage of transfers resulting in pregnancy	8 / 14		4 / 14			

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Fertility Specialists Medical Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 36 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NTC INFERTILITY CLINIC SAN DIEGO, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	91%	Tubal factor	39%	Uterine factor	<1%	Multiple Factors: Female factors only 3% Female & male factors 12%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	13%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	4%	Other factor	3%	
				Endometriosis	6%	Unknown factor	13%	

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 204

Data verified by Larry Laufer, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	80	39	20	4	0	0
Percentage of cancellations	3.8	10.3	15.0	1 / 4		
Average number of embryos transferred	1.9	2.0	2.2	3.0		
Percentage of embryos transferred resulting in implantation	29.8	32.8	21.2	2 / 6		
Percentage of elective single embryo transfer (eSET)	13.2	6.7	0 / 15	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	23.8	25.6	25.0	0 / 4		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 4		
Percentage of cycles resulting in live births	31.3	35.9	30.0	1 / 4		
Percentage of cycles resulting in pregnancy	42.5	43.6	30.0	1 / 4		
<b>Outcomes per Transfer</b>						
Number of transfers	70	33	15	2	0	0
Percentage of transfers resulting in singleton live births	27.1	30.3	5 / 15	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 15	0 / 2		
Percentage of transfers resulting in live births	35.7	42.4	6 / 15	1 / 2		
Percentage of transfers resulting in pregnancy	48.6	51.5	6 / 15	1 / 2		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	34	17	6	1	0	0
Percentage of pregnancies resulting in singleton live births	55.9	10 / 17	5 / 6	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 17	0 / 6	0 / 1		
Percentage of pregnancies resulting in live births	73.5	14 / 17	6 / 6	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	42	13	1	2	0	0
Number of transfers	42	13	1	2	0	0
Average number of embryos transferred	1.9	1.8	3.0	2.5		
Percentage of embryos transferred resulting in implantation	33.3	30.4	2 / 3	0 / 5		
Percentage of transfers resulting in singleton live births	38.1	4 / 13	0 / 1	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 13	0 / 1	0 / 2		
Percentage of transfers resulting in live births	45.2	4 / 13	1 / 1	0 / 2		
Percentage of transfers resulting in pregnancy	59.5	8 / 13	1 / 1	0 / 2		
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			2		1	
Number of transfers			1		1	
Average number of embryos transferred			2.0		2.0	
Percentage of embryos transferred resulting in implantation			2 / 2		0 / 2	
Percentage of transfers resulting in singleton live births			0 / 1		0 / 1	
Percentage of transfers resulting in live births			1 / 1		0 / 1	
Percentage of transfers resulting in pregnancy			1 / 1		0 / 1	

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** NMCS D Infertility

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SAN DIEGO FERTILITY CENTER  
(SDFC)  
SAN DIEGO, CALIFORNIA**

---

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

# LAUREL FERTILITY CARE SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	94%	Tubal factor	10%	Uterine factor	7%
Unstimulated	<1%	Used PGD	6%	Ovulatory dysfunction	15%	Male factor	30%
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	7%
				Endometriosis	6%	Unknown factor	23%
				Multiple Factors: Female factors only 8% Female & male factors 20%			

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 235

Data verified by Collin B. Smikle, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	47	34	38	18	12	1
Percentage of cancellations	4.3	2.9	5.3	1 / 18	0 / 12	0 / 1
Average number of embryos transferred	1.9	2.2	3.0	3.0	2.7	1.0
Percentage of embryos transferred resulting in implantation	37.5	24.2	10.1	10.3	6.7	0 / 1
Percentage of elective single embryo transfer (eSET)	15.0	3.8	0.0	0 / 11	0 / 9	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	29.8	32.4	7.9	3 / 18	0 / 12	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 18	0 / 12	0 / 1
Percentage of cycles resulting in live births	34.0	35.3	15.8	3 / 18	0 / 12	0 / 1
Percentage of cycles resulting in pregnancy	53.2	41.2	15.8	3 / 18	2 / 12	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	43	30	33	13	11	1
Percentage of transfers resulting in singleton live births	32.6	36.7	9.1	3 / 13	0 / 11	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 11	0 / 1
Percentage of transfers resulting in live births	37.2	40.0	18.2	3 / 13	0 / 11	0 / 1
Percentage of transfers resulting in pregnancy	58.1	46.7	18.2	3 / 13	2 / 11	0 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	25	14	6	3	2	0
Percentage of pregnancies resulting in singleton live births	56.0	11 / 14	3 / 6	3 / 3	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 6	0 / 3	0 / 2	
Percentage of pregnancies resulting in live births	64.0	12 / 14	6 / 6	3 / 3	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	33	9	13	7	1	2
Number of transfers	33	9	13	5	1	2
Average number of embryos transferred	2.2	2.2	2.2	3.2	5.0	2.5
Percentage of embryos transferred resulting in implantation	35.2	30.0	32.1	3 / 16	0 / 5	0 / 5
Percentage of transfers resulting in singleton live births	30.3	3 / 9	3 / 13	2 / 5	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	3.0	0 / 9	0 / 13	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in live births	45.5	3 / 9	4 / 13	2 / 5	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	57.6	6 / 9	7 / 13	3 / 5	0 / 1	0 / 2
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			14		6	
Number of transfers			14		5	
Average number of embryos transferred			1.9		2.4	
Percentage of embryos transferred resulting in implantation			48.1		8 / 12	
Percentage of transfers resulting in singleton live births			7 / 14		4 / 5	
Percentage of transfers resulting in live births			8 / 14		5 / 5	
Percentage of transfers resulting in pregnancy			11 / 14		5 / 5	

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Laurel Fertility Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 16 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PACIFIC FERTILITY CENTER SAN FRANCISCO, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

2011 ART CYCLE PROFILE				Patient Diagnosis <sup>b</sup>				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	40%	Tubal factor	5%	Uterine factor	4%	Multiple Factors: Female factors only 11% Female & male factors 12%
Unstimulated	1%	Used PGD	5%	Ovulatory dysfunction	7%	Male factor	25%	
Used gestational carrier	1%			Diminished ovarian reserve	44%	Other factor	24%	
				Endometriosis	8%	Unknown factor	9%	

## 2011 ART SUCCESS RATES<sup>c,d</sup> Number of cycles in table:<sup>e</sup> 1301 Data verified by Philip E. Chenette, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	131	131	195	109	64	17
Percentage of cancellations	3.8	13.7	16.9	21.1	25.0	6 / 17
Average number of embryos transferred	1.8	2.2	2.8	3.7	4.8	3.7
Percentage of embryos transferred resulting in implantation	27.1	17.6	15.2	9.3	4.1	11.5
Percentage of elective single embryo transfer (eSET)	34.5	18.3	3.4	2.6	2.2	0 / 7
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	28.2	13.7	18.5	5.5	9.4	1 / 17
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.5	0.0	0.0	0 / 17
Percentage of cycles resulting in live births	32.8	19.1	23.6	9.2	9.4	1 / 17
Percentage of cycles resulting in pregnancy	42.0	26.0	29.7	20.2	15.6	3 / 17
<b>Outcomes per Transfer</b>						
Number of transfers	121	106	155	81	46	7
Percentage of transfers resulting in singleton live births	30.6	17.0	23.2	7.4	13.0	1 / 7
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.6	0.0	0.0	0 / 7
Percentage of transfers resulting in live births	35.5	23.6	29.7	12.3	13.0	1 / 7
Percentage of transfers resulting in pregnancy	45.5	32.1	37.4	27.2	21.7	3 / 7
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	55	34	58	22	10	3
Percentage of pregnancies resulting in singleton live births	67.3	52.9	62.1	27.3	6 / 10	1 / 3
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	1.7	0.0	0 / 10	0 / 3
Percentage of pregnancies resulting in live births	78.2	73.5	79.3	45.5	6 / 10	1 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	98	93	74	29	14	5
Number of transfers	83	83	61	25	9	4
Average number of embryos transferred	1.6	1.6	1.8	2.1	2.6	2.5
Percentage of embryos transferred resulting in implantation	47.7	29.5	31.5	20.8	8.7	0 / 10
Percentage of transfers resulting in singleton live births	41.0	32.5	32.8	8.0	1 / 9	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 4
Percentage of transfers resulting in live births	50.6	36.1	37.7	12.0	1 / 9	0 / 4
Percentage of transfers resulting in pregnancy	62.7	44.6	45.9	40.0	3 / 9	0 / 4
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	163		178			
Number of transfers	152		156			
Average number of embryos transferred	1.4		1.5			
Percentage of embryos transferred resulting in implantation	50.7		37.4			
Percentage of transfers resulting in singleton live births	47.4		28.2			
Percentage of transfers resulting in live births	55.3		35.9			
Percentage of transfers resulting in pregnancy	64.5		48.1			

## CURRENT CLINIC SERVICES AND PROFILE

<b>Current Name:</b> Pacific Fertility Center					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 75 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UCSF CENTER FOR REPRODUCTIVE HEALTH SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	59%	Tubal factor	9%	Uterine factor	2%	
Unstimulated	<1%	Used PGD	3%	Ovulatory dysfunction	4%	Male factor	28%	
Used gestational carrier	1%			Diminished ovarian reserve	34%	Other factor	7%	
				Endometriosis	5%	Unknown factor	30%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				12%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 1155

Data verified by Marcelle I. Cedars, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	134	137	167	123	65	11
Percentage of cancellations	9.7	18.2	19.2	24.4	18.5	4 / 11
Average number of embryos transferred	1.6	1.9	2.8	3.8	4.7	4.9
Percentage of embryos transferred resulting in implantation	44.4	32.6	15.8	12.0	4.8	8.8
Percentage of elective single embryo transfer (eSET)	43.9	15.1	3.4	0.0	0.0	0 / 7
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	24.6	25.5	14.4	17.1	6.2	1 / 11
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 11
Percentage of cycles resulting in live births	35.8	30.7	21.0	19.5	9.2	1 / 11
Percentage of cycles resulting in pregnancy	42.5	39.4	28.7	26.8	13.8	1 / 11
<b>Outcomes per Transfer</b>						
Number of transfers	104	98	119	83	48	7
Percentage of transfers resulting in singleton live births	31.7	35.7	20.2	25.3	8.3	1 / 7
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 7
Percentage of transfers resulting in live births	46.2	42.9	29.4	28.9	12.5	1 / 7
Percentage of transfers resulting in pregnancy	54.8	55.1	40.3	39.8	18.8	1 / 7
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	57	54	48	33	9	1
Percentage of pregnancies resulting in singleton live births	57.9	64.8	50.0	63.6	4 / 9	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 1
Percentage of pregnancies resulting in live births	84.2	77.8	72.9	72.7	6 / 9	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	80	97	102	38	18	11
Number of transfers	71	81	93	34	13	9
Average number of embryos transferred	1.7	1.8	2.4	2.9	4.5	3.1
Percentage of embryos transferred resulting in implantation	35.8	36.8	21.8	15.3	5.1	10.7
Percentage of transfers resulting in singleton live births	47.9	30.9	32.3	23.5	3 / 13	3 / 9
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 13	0 / 9
Percentage of transfers resulting in live births	53.5	44.4	37.6	32.4	3 / 13	3 / 9
Percentage of transfers resulting in pregnancy	57.7	54.3	48.4	50.0	3 / 13	3 / 9
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
<b>Donor Eggs</b>						
Number of cycles		74		98		
Number of transfers		65		93		
Average number of embryos transferred		1.3		1.6		
Percentage of embryos transferred resulting in implantation		40.2		29.6		
Percentage of transfers resulting in singleton live births		49.2		35.5		
Percentage of transfers resulting in live births		50.8		37.6		
Percentage of transfers resulting in pregnancy		61.5		46.2		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** UCSF Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 75 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY PHYSICIANS OF NORTHERN CALIFORNIA SAN JOSE, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	72%	Tubal factor	13%	Uterine factor	3%	Multiple Factors: Female factors only 12% Female & male factors 34%
Unstimulated	<1%	Used PGD	4%	Ovulatory dysfunction	7%	Male factor	52%	
Used gestational carrier	<1%			Diminished ovarian reserve	48%	Other factor	14%	
				Endometriosis	12%	Unknown factor	7%	

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 620

Data verified by G. David Adamson, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	113	106	95	53	20	3
Percentage of cancellations	1.8	1.9	6.3	9.4	5.0	0 / 3
Average number of embryos transferred	1.8	2.0	2.5	2.9	3.5	1.7
Percentage of embryos transferred resulting in implantation	36.1	24.7	14.6	5.8	3.4	0 / 5
Percentage of elective single embryo transfer (eSET)	15.7	8.7	1.3	2.6	0 / 16	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	31.9	23.6	20.0	7.5	10.0	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 3
Percentage of cycles resulting in live births	46.0	32.1	24.2	11.3	10.0	0 / 3
Percentage of cycles resulting in pregnancy	51.3	36.8	34.7	17.0	10.0	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	105	99	85	48	17	3
Percentage of transfers resulting in singleton live births	34.3	25.3	22.4	8.3	2 / 17	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 17	0 / 3
Percentage of transfers resulting in live births	49.5	34.3	27.1	12.5	2 / 17	0 / 3
Percentage of transfers resulting in pregnancy	55.2	39.4	38.8	18.8	2 / 17	0 / 3
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	58	39	33	9	2	0
Percentage of pregnancies resulting in singleton live births	62.1	64.1	57.6	4 / 9	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 9	0 / 2	
Percentage of pregnancies resulting in live births	89.7	87.2	69.7	6 / 9	2 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	56	48	31	17	10	2
Number of transfers	55	48	30	17	10	1
Average number of embryos transferred	1.8	1.8	2.1	2.6	2.1	2.0
Percentage of embryos transferred resulting in implantation	14.1	14.3	14.1	11.4	9.5	1 / 2
Percentage of transfers resulting in singleton live births	18.2	22.9	16.7	2 / 17	2 / 10	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 10	0 / 1
Percentage of transfers resulting in live births	21.8	22.9	23.3	3 / 17	2 / 10	1 / 1
Percentage of transfers resulting in pregnancy	25.5	31.3	23.3	5 / 17	2 / 10	1 / 1
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	34		32			
Number of transfers	34		32			
Average number of embryos transferred	1.6		1.7			
Percentage of embryos transferred resulting in implantation	33.9		25.9			
Percentage of transfers resulting in singleton live births	20.6		34.4			
Percentage of transfers resulting in live births	32.4		37.5			
Percentage of transfers resulting in pregnancy	41.2		46.9			

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Fertility Physicians of Northern California

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

# REPRODUCTIVE SCIENCE CENTER OF THE SAN FRANCISCO BAY AREA SAN RAMON, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

2011 ART CYCLE PROFILE				Patient Diagnosis <sup>b</sup>				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	>99%	With ICSI	68%	Tubal factor	13%	Uterine factor	9%	Multiple Factors: Female factors only 13% Female & male factors 21%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	14%	Male factor	36%	
Used gestational carrier	<1%			Diminished ovarian reserve	36%	Other factor	13%	
				Endometriosis	7%	Unknown factor	11%	

## 2011 ART SUCCESS RATES<sup>c,d</sup> Number of cycles in table:<sup>e</sup> 1130 Data verified by Louis N. Weckstein, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	214	171	131	68	26	4
Percentage of cancellations	7.9	11.7	9.2	22.1	26.9	1 / 4
Average number of embryos transferred	1.9	2.1	2.6	3.5	4.0	3.3
Percentage of embryos transferred resulting in implantation	33.6	27.9	21.4	11.4	4.4	0 / 10
Percentage of elective single embryo transfer (eSET)	16.1	6.5	3.2	0.0	0 / 17	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	28.0	24.6	19.8	16.2	3.8	0 / 4
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0.0	0.0	0 / 4
Percentage of cycles resulting in live births	36.4	30.4	25.2	17.6	3.8	0 / 4
Percentage of cycles resulting in pregnancy	41.1	36.3	32.1	27.9	15.4	0 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	174	131	95	47	17	3
Percentage of transfers resulting in singleton live births	34.5	32.1	27.4	23.4	1 / 17	0 / 3
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	0.0	0 / 17	0 / 3
Percentage of transfers resulting in live births	44.8	39.7	34.7	25.5	1 / 17	0 / 3
Percentage of transfers resulting in pregnancy	50.6	47.3	44.2	40.4	4 / 17	0 / 3
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	88	62	42	19	4	0
Percentage of pregnancies resulting in singleton live births	68.2	67.7	61.9	11 / 19	1 / 4	
Percentage of pregnancies resulting in triplets or more live births	1.1	0.0	0.0	0 / 19	0 / 4	
Percentage of pregnancies resulting in live births	88.6	83.9	78.6	12 / 19	1 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	117	92	76	27	6	2
Number of transfers	109	80	64	22	6	1
Average number of embryos transferred	1.7	1.7	1.8	1.9	1.7	2.0
Percentage of embryos transferred resulting in implantation	35.9	38.8	21.4	12.2	3 / 10	1 / 2
Percentage of transfers resulting in singleton live births	32.1	33.8	25.0	9.1	3 / 6	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 6	0 / 1
Percentage of transfers resulting in live births	43.1	42.5	28.1	9.1	3 / 6	1 / 1
Percentage of transfers resulting in pregnancy	48.6	55.0	39.1	22.7	3 / 6	1 / 1
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	107		89			
Number of transfers	99		78			
Average number of embryos transferred	1.6		1.7			
Percentage of embryos transferred resulting in implantation	53.2		24.8			
Percentage of transfers resulting in singleton live births	44.4		21.8			
Percentage of transfers resulting in live births	60.6		29.5			
Percentage of transfers resulting in pregnancy	70.7		41.0			

## CURRENT CLINIC SERVICES AND PROFILE

<b>Current Name:</b> Reproductive Science Center of the San Francisco Bay Area					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SANTA BARBARA FERTILITY CENTER SANTA BARBARA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	81%	Tubal factor	25%	Uterine factor	3%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	2%	Male factor	9%
Used gestational carrier	4%			Diminished ovarian reserve	49%	Other factor	10%
				Endometriosis	3%	Unknown factor	22%
				Multiple Factors:			
						Female factors only	15%
						Female & male factors	6%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 67

Data verified by René B. Allen, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	11	4	16	10	10	1
Percentage of cancellations	1 / 11	0 / 4	2 / 16	1 / 10	1 / 10	0 / 1
Average number of embryos transferred	2.3	2.0	3.4	4.4	4.0	1.0
Percentage of embryos transferred resulting in implantation	47.8	1 / 8	12.8	5.7	5.6	0 / 1
Percentage of elective single embryo transfer (eSET)	0 / 10	1 / 4	0 / 13	0 / 7	0 / 8	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	3 / 11	1 / 4	1 / 16	1 / 10	2 / 10	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 4	0 / 16	0 / 10	0 / 10	0 / 1
Percentage of cycles resulting in live births	6 / 11	1 / 4	3 / 16	1 / 10	2 / 10	0 / 1
Percentage of cycles resulting in pregnancy	8 / 11	1 / 4	6 / 16	2 / 10	2 / 10	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	10	4	14	8	9	1
Percentage of transfers resulting in singleton live births	3 / 10	1 / 4	1 / 14	1 / 8	2 / 9	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 4	0 / 14	0 / 8	0 / 9	0 / 1
Percentage of transfers resulting in live births	6 / 10	1 / 4	3 / 14	1 / 8	2 / 9	0 / 1
Percentage of transfers resulting in pregnancy	8 / 10	1 / 4	6 / 14	2 / 8	2 / 9	0 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	8	1	6	2	2	0
Percentage of pregnancies resulting in singleton live births	3 / 8	1 / 1	1 / 6	1 / 2	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 1	0 / 6	0 / 2	0 / 2	
Percentage of pregnancies resulting in live births	6 / 8	1 / 1	3 / 6	1 / 2	2 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	2	1	3	3	0
Number of transfers	2	2	1	2	3	0
Average number of embryos transferred	1.0	1.5	3.0	2.0	4.7	
Percentage of embryos transferred resulting in implantation	1 / 2	1 / 3	0 / 3	0 / 4	1 / 14	
Percentage of transfers resulting in singleton live births	1 / 2	1 / 2	0 / 1	0 / 2	1 / 3	
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 2	0 / 1	0 / 2	0 / 3	
Percentage of transfers resulting in live births	1 / 2	1 / 2	0 / 1	0 / 2	1 / 3	
Percentage of transfers resulting in pregnancy	1 / 2	1 / 2	0 / 1	0 / 2	1 / 3	
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			2		2	
Number of transfers			2		2	
Average number of embryos transferred			2.0		2.0	
Percentage of embryos transferred resulting in implantation			0 / 4		2 / 4	
Percentage of transfers resulting in singleton live births			0 / 2		2 / 2	
Percentage of transfers resulting in live births			0 / 2		2 / 2	
Percentage of transfers resulting in pregnancy			1 / 2		2 / 2	

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Santa Barbara Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PARKER-ROSENMAN-RODI GYNECOLOGY AND INFERTILITY MEDICAL GROUP SANTA MONICA, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	89%	With ICSI	89%	Tubal factor	7%	Uterine factor	13%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	54%
Used gestational carrier	0%			Diminished ovarian reserve	52%	Other factor	9%
				Endometriosis	4%	Unknown factor	0%
				Multiple Factors:			
				Female factors only 9%			
				Female & male factors 33%			

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 46

Data verified by Ingrid A. Rodi, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	11	4	3	5	2	1
Percentage of cancellations	0 / 11	0 / 4	0 / 3	2 / 5	1 / 2	0 / 1
Average number of embryos transferred	1.9	3.3	2.5	4.5	2.0	5.0
Percentage of embryos transferred resulting in implantation	6 / 19	1 / 10	2 / 5	1 / 9	0 / 2	0 / 5
Percentage of elective single embryo transfer (eSET)	2 / 10	0 / 3	0 / 2	0 / 2	0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	4 / 11	1 / 4	2 / 3	1 / 5	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 4	0 / 3	0 / 5	0 / 2	0 / 1
Percentage of cycles resulting in live births	5 / 11	1 / 4	2 / 3	1 / 5	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	6 / 11	1 / 4	2 / 3	1 / 5	0 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	10	3	2	2	1	1
Percentage of transfers resulting in singleton live births	4 / 10	1 / 3	2 / 2	1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 3	0 / 2	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births	5 / 10	1 / 3	2 / 2	1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancy	6 / 10	1 / 3	2 / 2	1 / 2	0 / 1	0 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	6	1	2	1	0	0
Percentage of pregnancies resulting in singleton live births	4 / 6	1 / 1	2 / 2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 1	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	5 / 6	1 / 1	2 / 2	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	7	4	3	0	0	0
Number of transfers	7	4	2	0	0	0
Average number of embryos transferred	1.4	2.0	2.0			
Percentage of embryos transferred resulting in implantation	2 / 10	0 / 8	0 / 4			
Percentage of transfers resulting in singleton live births	2 / 7	0 / 4	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 4	0 / 2			
Percentage of transfers resulting in live births	2 / 7	0 / 4	0 / 2			
Percentage of transfers resulting in pregnancy	2 / 7	0 / 4	0 / 2			
<b>All Ages Combined<sup>f</sup></b>						
	<b>Fresh Embryos</b>			<b>Frozen Embryos</b>		
Number of cycles	2			4		
Number of transfers	2			4		
Average number of embryos transferred	1.0			1.0		
Percentage of embryos transferred resulting in implantation	0 / 2			2 / 4		
Percentage of transfers resulting in singleton live births	0 / 2			2 / 4		
Percentage of transfers resulting in live births	0 / 2			2 / 4		
Percentage of transfers resulting in pregnancy	1 / 2			2 / 4		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Parker-Rosenman-Rodi Gynecology and Infertility Medical Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 11 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SANTA MONICA FERTILITY SANTA MONICA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	93%	With ICSI	91%	Tubal factor	5%	Uterine factor	0%
Unstimulated	5%	Used PGD	21%	Ovulatory dysfunction	1%	Male factor	2%
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	66%
				Endometriosis	1%	Unknown factor	22%
				Multiple Factors:			
						Female factors only	7%
						Female & male factors	1%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 87

Data verified by John K. Jain, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	7	6	16	8	6	1
Percentage of cancellations	0 / 7	0 / 6	0 / 16	0 / 8	1 / 6	0 / 1
Average number of embryos transferred	2.2	3.0	2.8	4.4	4.8	8.0
Percentage of embryos transferred resulting in implantation	3 / 13	0 / 9	13.9	0.0	0 / 19	1 / 8
Percentage of elective single embryo transfer (eSET)	2 / 6	0 / 3	0 / 10	0 / 5	0 / 4	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	3 / 7	0 / 6	4 / 16	0 / 8	0 / 6	1 / 1
Percentage of cycles resulting in triplets or more live births	0 / 7	0 / 6	0 / 16	0 / 8	0 / 6	0 / 1
Percentage of cycles resulting in live births	3 / 7	0 / 6	4 / 16	0 / 8	0 / 6	1 / 1
Percentage of cycles resulting in pregnancy	3 / 7	0 / 6	5 / 16	0 / 8	1 / 6	1 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	6	3	13	5	4	1
Percentage of transfers resulting in singleton live births	3 / 6	0 / 3	4 / 13	0 / 5	0 / 4	1 / 1
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 3	0 / 13	0 / 5	0 / 4	0 / 1
Percentage of transfers resulting in live births	3 / 6	0 / 3	4 / 13	0 / 5	0 / 4	1 / 1
Percentage of transfers resulting in pregnancy	3 / 6	0 / 3	5 / 13	0 / 5	1 / 4	1 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	3	0	5	0	1	1
Percentage of pregnancies resulting in singleton live births	3 / 3		4 / 5		0 / 1	1 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 3		0 / 5		0 / 1	0 / 1
Percentage of pregnancies resulting in live births	3 / 3		4 / 5		0 / 1	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	3	1	4	3	1	0
Number of transfers	3	1	3	3	1	0
Average number of embryos transferred	1.3	3.0	1.7	2.3	1.0	
Percentage of embryos transferred resulting in implantation	0 / 4	0 / 3	2 / 5	0 / 7	0 / 1	
Percentage of transfers resulting in singleton live births	0 / 3	0 / 1	2 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 3	0 / 1	0 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in live births	0 / 3	0 / 1	2 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	0 / 3	0 / 1	2 / 3	0 / 3	0 / 1	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		21		10		
Number of transfers		21		10		
Average number of embryos transferred		1.2		1.7		
Percentage of embryos transferred resulting in implantation		48.0		4 / 17		
Percentage of transfers resulting in singleton live births		47.6		1 / 10		
Percentage of transfers resulting in live births		47.6		2 / 10		
Percentage of transfers resulting in pregnancy		66.7		4 / 10		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Santa Monica Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 83 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ADVANCED FERTILITY ASSOCIATES MEDICAL GROUP, INC. SANTA ROSA, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

2011 ART CYCLE PROFILE				Patient Diagnosis <sup>b</sup>				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	71%	Tubal factor	18%	Uterine factor	3%	Multiple Factors: Female factors only 11% Female & male factors 11%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	6%	Male factor	27%	
Used gestational carrier	1%			Diminished ovarian reserve	34%	Other factor	15%	
				Endometriosis	5%	Unknown factor	17%	

## 2011 ART SUCCESS RATES<sup>c,d</sup> Number of cycles in table: <sup>e</sup> 223 Data verified by Jennifer V. Ratcliffe, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	52	32	38	7	7	3
Percentage of cancellations	9.6	21.9	18.4	2 / 7	1 / 7	1 / 3
Average number of embryos transferred	2.1	2.4	2.8	4.5	3.8	1.5
Percentage of embryos transferred resulting in implantation	32.6	19.3	16.3	1 / 18	0 / 19	0 / 3
Percentage of elective single embryo transfer (eSET)	7.0	9.1	0.0	0 / 4	0 / 5	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	21.2	31.3	31.6	1 / 7	0 / 7	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 7	0 / 3
Percentage of cycles resulting in live births	34.6	31.3	34.2	1 / 7	0 / 7	0 / 3
Percentage of cycles resulting in pregnancy	46.2	40.6	36.8	2 / 7	0 / 7	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	44	24	31	4	5	2
Percentage of transfers resulting in singleton live births	25.0	41.7	38.7	1 / 4	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 4	0 / 5	0 / 2
Percentage of transfers resulting in live births	40.9	41.7	41.9	1 / 4	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	54.5	54.2	45.2	2 / 4	0 / 5	0 / 2
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	24	13	14	2	0	0
Percentage of pregnancies resulting in singleton live births	45.8	10 / 13	12 / 14	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	0 / 14	0 / 2		
Percentage of pregnancies resulting in live births	75.0	10 / 13	13 / 14	1 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	22	11	10	2	0	0
Number of transfers	22	11	8	2	0	0
Average number of embryos transferred	2.3	2.5	3.5	3.0		
Percentage of embryos transferred resulting in implantation	24.0	33.3	10.7	0 / 6		
Percentage of transfers resulting in singleton live births	45.5	5 / 11	3 / 8	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 11	0 / 8	0 / 2		
Percentage of transfers resulting in live births	50.0	6 / 11	3 / 8	0 / 2		
Percentage of transfers resulting in pregnancy	54.5	7 / 11	4 / 8	1 / 2		
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	18		21			
Number of transfers	18		17			
Average number of embryos transferred	1.8		2.2			
Percentage of embryos transferred resulting in implantation	57.6		16.2			
Percentage of transfers resulting in singleton live births	10 / 18		3 / 17			
Percentage of transfers resulting in live births	14 / 18		4 / 17			
Percentage of transfers resulting in pregnancy	15 / 18		6 / 17			

## CURRENT CLINIC SERVICES AND PROFILE

<b>Current Name:</b> Advanced Fertility Associates Medical Group, Inc.					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 17 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**VALLEY CENTER FOR REPRODUCTIVE HEALTH  
TINA KOOPERSMITH, MD  
SHERMAN OAKS, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

**2011 ART CYCLE PROFILE**

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	57%	Tubal factor	27%	Uterine factor	10%	
Unstimulated	0%	Used PGD	11%	Ovulatory dysfunction	33%	Male factor	54%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	21%	
				Endometriosis	6%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				25%
				Female & male factors				37%

**2011 ART SUCCESS RATES<sup>c,d</sup>**

Number of cycles in table: <sup>e</sup> 52

Data verified by Tina B. Koopersmith, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	11	3	9	5	0	0
Percentage of cancellations	1 / 11	0 / 3	1 / 9	1 / 5		
Average number of embryos transferred	1.6	2.0	3.2	2.8		
Percentage of embryos transferred resulting in implantation	1 / 13	2 / 4	4 / 19	0 / 11		
Percentage of elective single embryo transfer (eSET)	2 / 7	0 / 2	1 / 6	0 / 3		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	1 / 11	0 / 3	2 / 9	0 / 5		
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 3	0 / 9	0 / 5		
Percentage of cycles resulting in live births	1 / 11	1 / 3	3 / 9	0 / 5		
Percentage of cycles resulting in pregnancy	2 / 11	1 / 3	3 / 9	0 / 5		
<b>Outcomes per Transfer</b>						
Number of transfers	8	2	6	4	0	0
Percentage of transfers resulting in singleton live births	1 / 8	0 / 2	2 / 6	0 / 4		
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 2	0 / 6	0 / 4		
Percentage of transfers resulting in live births	1 / 8	1 / 2	3 / 6	0 / 4		
Percentage of transfers resulting in pregnancy	2 / 8	1 / 2	3 / 6	0 / 4		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	2	1	3	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 2	0 / 1	2 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 2	0 / 1	0 / 3			
Percentage of pregnancies resulting in live births	1 / 2	1 / 1	3 / 3			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	4	2	1	1	0
Number of transfers	6	4	2	1	1	0
Average number of embryos transferred	2.0	2.0	2.5	4.0	3.0	
Percentage of embryos transferred resulting in implantation	2 / 12	4 / 8	2 / 5	0 / 4	0 / 3	
Percentage of transfers resulting in singleton live births	1 / 6	2 / 4	1 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 4	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births	1 / 6	3 / 4	1 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	2 / 6	3 / 4	1 / 2	0 / 1	0 / 1	
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		5		5		
Number of transfers		4		5		
Average number of embryos transferred		1.5		1.6		
Percentage of embryos transferred resulting in implantation		1 / 6		1 / 8		
Percentage of transfers resulting in singleton live births		0 / 4		1 / 5		
Percentage of transfers resulting in live births		0 / 4		1 / 5		
Percentage of transfers resulting in pregnancy		1 / 4		1 / 5		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Valley Center for Reproductive Health, Tina Koopersmith, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## GARFIELD FERTILITY CENTER SOUTH PASADENA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	55%	Tubal factor	17%	Uterine factor	0%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	17%	Male factor	41%
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	0%
				Endometriosis	10%	Unknown factor	10%
				Multiple Factors:			
						Female factors only	14%
						Female & male factors	31%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 29

Data verified by Brian C. Su, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	7	7	6	2	0	0
Percentage of cancellations	0 / 7	1 / 7	0 / 6	0 / 2		
Average number of embryos transferred	1.8	2.5	3.7	2.0		
Percentage of embryos transferred resulting in implantation	3 / 11	5 / 15	4.5	0 / 4		
Percentage of elective single embryo transfer (eSET)	0 / 5	0 / 5	0 / 6	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	3 / 7	2 / 7	1 / 6	0 / 2		
Percentage of cycles resulting in triplets or more live births	0 / 7	0 / 7	0 / 6	0 / 2		
Percentage of cycles resulting in live births	3 / 7	3 / 7	1 / 6	0 / 2		
Percentage of cycles resulting in pregnancy	4 / 7	3 / 7	1 / 6	0 / 2		
<b>Outcomes per Transfer</b>						
Number of transfers	6	6	6	2	0	0
Percentage of transfers resulting in singleton live births	3 / 6	2 / 6	1 / 6	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 6	0 / 6	0 / 2		
Percentage of transfers resulting in live births	3 / 6	3 / 6	1 / 6	0 / 2		
Percentage of transfers resulting in pregnancy	4 / 6	3 / 6	1 / 6	0 / 2		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	4	3	1	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 4	2 / 3	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 3	0 / 1			
Percentage of pregnancies resulting in live births	3 / 4	3 / 3	1 / 1			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	1	0	0	0	0
Number of transfers	0	1	0	0	0	0
Average number of embryos transferred		1.0				
Percentage of embryos transferred resulting in implantation		0 / 1				
Percentage of transfers resulting in singleton live births		0 / 1				
Percentage of transfers resulting in triplets or more live births		0 / 1				
Percentage of transfers resulting in live births		0 / 1				
Percentage of transfers resulting in pregnancy		0 / 1				
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	4		1			
Number of transfers	2		0			
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation	2 / 4					
Percentage of transfers resulting in singleton live births	0 / 2					
Percentage of transfers resulting in live births	1 / 2					
Percentage of transfers resulting in pregnancy	1 / 2					

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Garfield Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE CENTER FOR FERTILITY AND GYNECOLOGY  
VERMESH CENTER FOR FERTILITY  
TARZANA, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

**2011 ART CYCLE PROFILE**

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	92%	Tubal factor	9%	Uterine factor	8%
Unstimulated	4%	Used PGD	6%	Ovulatory dysfunction	2%	Male factor	29%
Used gestational carrier	8%			Diminished ovarian reserve	45%	Other factor	18%
				Endometriosis	3%	Unknown factor	13%
				Multiple Factors: Female factors only 10% Female & male factors 13%			

**2011 ART SUCCESS RATES<sup>c,d</sup>**

Number of cycles in table: <sup>e</sup> 268

Data verified by Michael Vermesh, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	38	29	50	36	23	12
Percentage of cancellations	2.6	3.4	2.0	2.8	0.0	1 / 12
Average number of embryos transferred	1.9	2.5	3.1	4.3	3.4	2.9
Percentage of embryos transferred resulting in implantation	37.5	23.9	16.3	9.4	2.6	3.1
Percentage of elective single embryo transfer (eSET)	9.4	11.5	2.3	0.0	0 / 19	0 / 8
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	28.9	17.2	12.0	5.6	8.7	0 / 12
Percentage of cycles resulting in triplets or more live births	2.6	0.0	0.0	0.0	0.0	0 / 12
Percentage of cycles resulting in live births	44.7	34.5	22.0	11.1	8.7	0 / 12
Percentage of cycles resulting in pregnancy	50.0	41.4	32.0	30.6	13.0	3 / 12
<b>Outcomes per Transfer</b>						
Number of transfers	37	28	49	35	23	11
Percentage of transfers resulting in singleton live births	29.7	17.9	12.2	5.7	8.7	0 / 11
Percentage of transfers resulting in triplets or more live births	2.7	0.0	0.0	0.0	0.0	0 / 11
Percentage of transfers resulting in live births	45.9	35.7	22.4	11.4	8.7	0 / 11
Percentage of transfers resulting in pregnancy	51.4	42.9	32.7	31.4	13.0	3 / 11
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	19	12	16	11	3	3
Percentage of pregnancies resulting in singleton live births	11 / 19	5 / 12	6 / 16	2 / 11	2 / 3	0 / 3
Percentage of pregnancies resulting in triplets or more live births	1 / 19	0 / 12	0 / 16	0 / 11	0 / 3	0 / 3
Percentage of pregnancies resulting in live births	17 / 19	10 / 12	11 / 16	4 / 11	2 / 3	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	12	10	3	9	0	0
Number of transfers	12	10	3	9	0	0
Average number of embryos transferred	2.3	3.0	2.7	2.2		
Percentage of embryos transferred resulting in implantation	14.3	30.0	2 / 8	25.0		
Percentage of transfers resulting in singleton live births	2 / 12	3 / 10	0 / 3	2 / 9		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 10	0 / 3	0 / 9		
Percentage of transfers resulting in live births	3 / 12	4 / 10	0 / 3	2 / 9		
Percentage of transfers resulting in pregnancy	4 / 12	6 / 10	1 / 3	5 / 9		
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			26		20	
Number of transfers			26		20	
Average number of embryos transferred			2.2		2.4	
Percentage of embryos transferred resulting in implantation			46.6		20.8	
Percentage of transfers resulting in singleton live births			42.3		30.0	
Percentage of transfers resulting in live births			61.5		35.0	
Percentage of transfers resulting in pregnancy			73.1		40.0	

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** The Center for Fertility and Gynecology, Vermesh Center for Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 61 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TREE OF LIFE CENTER FOR FERTILITY  
SNUNIT BEN-OZER, MD  
TARZANA, CALIFORNIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

2011 ART CYCLE PROFILE				Patient Diagnosis <sup>b</sup>				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	58%	Tubal factor	6%	Uterine factor	18%	Multiple Factors: Female factors only 27% Female & male factors 39%
Unstimulated	0%	Used PGD	16%	Ovulatory dysfunction	6%	Male factor	42%	
Used gestational carrier	0%			Diminished ovarian reserve	70%	Other factor	21%	
				Endometriosis	9%	Unknown factor	9%	

**2011 ART SUCCESS RATES<sup>c,d</sup>**      Number of cycles in table: <sup>e</sup> 33      Data verified by Snunit Ben-Ozer, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	6	1	4	6	2	0
Percentage of cancellations	0 / 6	0 / 1	0 / 4	0 / 6	0 / 2	
Average number of embryos transferred	2.2	3.0	2.0	2.6	1.0	
Percentage of embryos transferred resulting in implantation	4 / 13	3 / 3	3 / 8	3 / 13	0 / 1	
Percentage of elective single embryo transfer (eSET)	0 / 5	0 / 1	0 / 3	1 / 4		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	4 / 6	0 / 1	3 / 4	3 / 6	0 / 2	
Percentage of cycles resulting in triplets or more live births	0 / 6	0 / 1	0 / 4	0 / 6	0 / 2	
Percentage of cycles resulting in live births	4 / 6	1 / 1	3 / 4	3 / 6	0 / 2	
Percentage of cycles resulting in pregnancy	4 / 6	1 / 1	4 / 4	3 / 6	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	6	1	4	5	1	0
Percentage of transfers resulting in singleton live births	4 / 6	0 / 1	3 / 4	3 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 1	0 / 4	0 / 5	0 / 1	
Percentage of transfers resulting in live births	4 / 6	1 / 1	3 / 4	3 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	4 / 6	1 / 1	4 / 4	3 / 5	0 / 1	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	4	1	4	3	0	0
Percentage of pregnancies resulting in singleton live births	4 / 4	0 / 1	3 / 4	3 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 4	0 / 1	0 / 4	0 / 3		
Percentage of pregnancies resulting in live births	4 / 4	1 / 1	3 / 4	3 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	0	3	0	0	0
Number of transfers	1	0	3	0	0	0
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation	0 / 2		1 / 6			
Percentage of transfers resulting in singleton live births	0 / 1		0 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 1		0 / 3			
Percentage of transfers resulting in live births	0 / 1		0 / 3			
Percentage of transfers resulting in pregnancy	0 / 1		1 / 3			
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	6		4			
Number of transfers	6		4			
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation	4 / 12		2 / 8			
Percentage of transfers resulting in singleton live births	3 / 6		2 / 4			
Percentage of transfers resulting in live births	3 / 6		2 / 4			
Percentage of transfers resulting in pregnancy	3 / 6		2 / 4			

**CURRENT CLINIC SERVICES AND PROFILE**

<b>Current Name:</b> Tree of Life Center for Fertility, Snunit Ben-Ozer, MD					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY AND SURGICAL ASSOCIATES OF CALIFORNIA THOUSAND OAKS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	11%	Uterine factor	7%	
Unstimulated	<1%	Used PGD	10%	Ovulatory dysfunction	13%	Male factor	26%	
Used gestational carrier	3%			Diminished ovarian reserve	42%	Other factor	11%	
				Endometriosis	7%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				10%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 702

Data verified by Gary Hubert, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	118	69	90	42	12	4
Percentage of cancellations	3.4	1.4	0.0	4.8	0 / 12	0 / 4
Average number of embryos transferred	2.0	2.4	2.9	3.5	3.8	5.0
Percentage of embryos transferred resulting in implantation	32.6	23.3	14.9	9.4	4.3	0.0
Percentage of elective single embryo transfer (eSET)	11.7	9.0	1.2	0.0	0 / 11	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	33.1	24.6	24.4	7.1	1 / 12	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	1.4	0.0	0.0	0 / 12	0 / 4
Percentage of cycles resulting in live births	47.5	34.8	30.0	14.3	1 / 12	0 / 4
Percentage of cycles resulting in pregnancy	55.1	44.9	41.1	31.0	4 / 12	1 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	114	68	90	40	12	4
Percentage of transfers resulting in singleton live births	34.2	25.0	24.4	7.5	1 / 12	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	1.5	0.0	0.0	0 / 12	0 / 4
Percentage of transfers resulting in live births	49.1	35.3	30.0	15.0	1 / 12	0 / 4
Percentage of transfers resulting in pregnancy	57.0	45.6	41.1	32.5	4 / 12	1 / 4
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	65	31	37	13	4	1
Percentage of pregnancies resulting in singleton live births	60.0	54.8	59.5	3 / 13	1 / 4	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	3.2	0.0	0 / 13	0 / 4	0 / 1
Percentage of pregnancies resulting in live births	86.2	77.4	73.0	6 / 13	1 / 4	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	73	58	40	9	5	2
Number of transfers	73	57	40	9	5	2
Average number of embryos transferred	2.1	2.1	2.4	3.1	2.6	2.0
Percentage of embryos transferred resulting in implantation	29.6	25.8	14.7	14.3	0 / 13	0 / 4
Percentage of transfers resulting in singleton live births	34.2	22.8	20.0	4 / 9	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	1.4	0.0	0.0	0 / 9	0 / 5	0 / 2
Percentage of transfers resulting in live births	43.8	29.8	22.5	4 / 9	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	54.8	47.4	35.0	4 / 9	0 / 5	0 / 2
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	78		102			
Number of transfers	78		102			
Average number of embryos transferred	2.0		2.1			
Percentage of embryos transferred resulting in implantation	50.6		23.7			
Percentage of transfers resulting in singleton live births	39.7		23.5			
Percentage of transfers resulting in live births	60.3		32.4			
Percentage of transfers resulting in pregnancy	67.9		41.2			

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Fertility and Surgical Associates of California

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 120 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## PACIFIC REPRODUCTIVE CENTER TORRANCE, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	97%	Tubal factor	13%	Uterine factor	7%	Multiple Factors: Female factors only 6% Female & male factors 17%
Unstimulated	0%	Used PGD	10%	Ovulatory dysfunction	14%	Male factor	42%	
Used gestational carrier	1%			Diminished ovarian reserve	16%	Other factor	21%	
				Endometriosis	11%	Unknown factor	2%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 341

Data verified by Rifaat Salem, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	116	57	68	25	15	4
Percentage of cancellations	1.7	1.8	2.9	4.0	2 / 15	0 / 4
Average number of embryos transferred	1.9	2.5	2.8	2.8	2.8	3.3
Percentage of embryos transferred resulting in implantation	36.7	25.6	10.8	10.4	5.6	0 / 13
Percentage of elective single embryo transfer (eSET)	5.5	3.8	1.7	4.3	0 / 10	0 / 4
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	34.5	24.6	16.2	16.0	1 / 15	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	0.0	2.9	0.0	0 / 15	0 / 4
Percentage of cycles resulting in live births	47.4	36.8	19.1	20.0	1 / 15	0 / 4
Percentage of cycles resulting in pregnancy	56.0	47.4	23.5	24.0	2 / 15	2 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	112	54	65	24	13	4
Percentage of transfers resulting in singleton live births	35.7	25.9	16.9	16.7	1 / 13	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	3.1	0.0	0 / 13	0 / 4
Percentage of transfers resulting in live births	49.1	38.9	20.0	20.8	1 / 13	0 / 4
Percentage of transfers resulting in pregnancy	58.0	50.0	24.6	25.0	2 / 13	2 / 4
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	65	27	16	6	2	2
Percentage of pregnancies resulting in singleton live births	61.5	51.9	11 / 16	4 / 6	1 / 2	0 / 2
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	2 / 16	0 / 6	0 / 2	0 / 2
Percentage of pregnancies resulting in live births	84.6	77.8	13 / 16	5 / 6	1 / 2	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	15	9	4	1	2	3
Number of transfers	14	9	4	1	2	3
Average number of embryos transferred	2.5	2.3	3.0	2.0	2.0	2.3
Percentage of embryos transferred resulting in implantation	11.4	14.3	2 / 12	0 / 2	0 / 4	1 / 7
Percentage of transfers resulting in singleton live births	1 / 14	3 / 9	0 / 4	0 / 1	0 / 2	1 / 3
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 9	0 / 4	0 / 1	0 / 2	0 / 3
Percentage of transfers resulting in live births	2 / 14	3 / 9	1 / 4	0 / 1	0 / 2	1 / 3
Percentage of transfers resulting in pregnancy	3 / 14	3 / 9	1 / 4	0 / 1	0 / 2	1 / 3
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	18		4			
Number of transfers	14		4			
Average number of embryos transferred	2.0		1.8			
Percentage of embryos transferred resulting in implantation	39.3		2 / 7			
Percentage of transfers resulting in singleton live births	8 / 14		2 / 4			
Percentage of transfers resulting in live births	9 / 14		2 / 4			
Percentage of transfers resulting in pregnancy	10 / 14		2 / 4			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Pacific Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## UNIVERSITY FERTILITY CENTER TORRANCE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	62%	Tubal factor	25%	Uterine factor	1%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	5%	Male factor	20%
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	19%
				Endometriosis	5%	Unknown factor	21%
				Multiple Factors: Female factors only 0% Female & male factors <1%			

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 197

Data verified by Omid A. Khorram, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	51	28	47	14	9	2
Percentage of cancellations	7.8	3.6	4.3	1 / 14	0 / 9	0 / 2
Average number of embryos transferred	2.7	3.0	3.2	3.2	4.0	2.0
Percentage of embryos transferred resulting in implantation	22.7	22.1	6.0	9.5	6.3	0 / 4
Percentage of elective single embryo transfer (eSET)	2.4	0.0	0.0	0 / 12	0 / 8	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	13.7	25.0	8.5	3 / 14	2 / 9	0 / 2
Percentage of cycles resulting in triplets or more live births	3.9	3.6	0.0	0 / 14	0 / 9	0 / 2
Percentage of cycles resulting in live births	21.6	35.7	10.6	3 / 14	2 / 9	0 / 2
Percentage of cycles resulting in pregnancy	29.4	42.9	27.7	5 / 14	4 / 9	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	41	26	42	13	8	2
Percentage of transfers resulting in singleton live births	17.1	26.9	9.5	3 / 13	2 / 8	0 / 2
Percentage of transfers resulting in triplets or more live births	4.9	3.8	0.0	0 / 13	0 / 8	0 / 2
Percentage of transfers resulting in live births	26.8	38.5	11.9	3 / 13	2 / 8	0 / 2
Percentage of transfers resulting in pregnancy	36.6	46.2	31.0	5 / 13	4 / 8	0 / 2
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	15	12	13	5	4	0
Percentage of pregnancies resulting in singleton live births	7 / 15	7 / 12	4 / 13	3 / 5	2 / 4	
Percentage of pregnancies resulting in triplets or more live births	2 / 15	1 / 12	0 / 13	0 / 5	0 / 4	
Percentage of pregnancies resulting in live births	11 / 15	10 / 12	5 / 13	3 / 5	2 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	19	4	6	2	2	1
Number of transfers	18	4	5	2	2	1
Average number of embryos transferred	3.6	4.0	3.0	2.5	2.5	4.0
Percentage of embryos transferred resulting in implantation	1.6	0 / 16	0 / 15	0 / 5	0 / 5	0 / 4
Percentage of transfers resulting in singleton live births	0 / 18	0 / 4	0 / 5	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 4	0 / 5	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births	0 / 18	0 / 4	0 / 5	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	4 / 18	0 / 4	0 / 5	0 / 2	0 / 2	0 / 1
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			9		3	
Number of transfers			8		3	
Average number of embryos transferred			2.5		3.3	
Percentage of embryos transferred resulting in implantation			55.0		1 / 10	
Percentage of transfers resulting in singleton live births			0 / 8		1 / 3	
Percentage of transfers resulting in live births			3 / 8		1 / 3	
Percentage of transfers resulting in pregnancy			7 / 8		1 / 3	

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** University Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE PARTNERS-WESTMINSTER WESTMINSTER, CALIFORNIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	59%	Tubal factor	10%	Uterine factor	5%	Multiple Factors: Female factors only 8% Female & male factors 2%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	8%	Male factor	16%	
Used gestational carrier	<1%			Diminished ovarian reserve	20%	Other factor	31%	
				Endometriosis	6%	Unknown factor	14%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 220

Data verified by Bill Yee, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	40	36	36	28	9	3
Percentage of cancellations	2.5	11.1	19.4	21.4	1 / 9	1 / 3
Average number of embryos transferred	1.8	2.3	2.5	2.7	3.0	4.0
Percentage of embryos transferred resulting in implantation	40.0	38.2	22.6	25.0	1 / 18	0 / 8
Percentage of elective single embryo transfer (eSET)	22.2	0.0	0.0	0 / 17	0 / 6	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	37.5	16.7	11.1	10.7	1 / 9	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	2.8	0.0	3.6	0 / 9	0 / 3
Percentage of cycles resulting in live births	50.0	36.1	16.7	21.4	1 / 9	0 / 3
Percentage of cycles resulting in pregnancy	57.5	47.2	33.3	32.1	1 / 9	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	36	30	25	19	6	2
Percentage of transfers resulting in singleton live births	41.7	20.0	16.0	3 / 19	1 / 6	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	3.3	0.0	1 / 19	0 / 6	0 / 2
Percentage of transfers resulting in live births	55.6	43.3	24.0	6 / 19	1 / 6	0 / 2
Percentage of transfers resulting in pregnancy	63.9	56.7	48.0	9 / 19	1 / 6	0 / 2
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	23	17	12	9	1	0
Percentage of pregnancies resulting in singleton live births	65.2	6 / 17	4 / 12	3 / 9	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	1 / 17	0 / 12	1 / 9	0 / 1	
Percentage of pregnancies resulting in live births	87.0	13 / 17	6 / 12	6 / 9	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	15	15	16	2	1	0
Number of transfers	14	14	13	2	1	0
Average number of embryos transferred	1.8	1.9	2.5	2.5	1.0	
Percentage of embryos transferred resulting in implantation	24.0	18.5	21.9	2 / 5	1 / 1	
Percentage of transfers resulting in singleton live births	4 / 14	3 / 14	3 / 13	2 / 2	1 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 14	0 / 13	0 / 2	0 / 1	
Percentage of transfers resulting in live births	5 / 14	4 / 14	3 / 13	2 / 2	1 / 1	
Percentage of transfers resulting in pregnancy	6 / 14	5 / 14	6 / 13	2 / 2	1 / 1	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	10		9			
Number of transfers	10		8			
Average number of embryos transferred	1.7		1.6			
Percentage of embryos transferred resulting in implantation	11 / 17		1 / 13			
Percentage of transfers resulting in singleton live births	2 / 10		1 / 8			
Percentage of transfers resulting in live births	6 / 10		1 / 8			
Percentage of transfers resulting in pregnancy	6 / 10		2 / 8			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Partners-Westminster

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ADVANCED REPRODUCTIVE MEDICINE  
UNIVERSITY OF COLORADO  
AURORA, COLORADO**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

**2011 ART CYCLE PROFILE**

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	60%	Tubal factor	10%	Uterine factor	4%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	12%	Male factor	37%
Used gestational carrier	4%			Diminished ovarian reserve	39%	Other factor	6%
				Endometriosis	6%	Unknown factor	14%
				Multiple Factors:			
						Female factors only	3%
						Female & male factors	18%

**2011 ART SUCCESS RATES<sup>c,d</sup>**

Number of cycles in table: <sup>e</sup> 146

Data verified by Ruben J. Alvero, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	37	24	20	2	0	1
Percentage of cancellations	10.8	12.5	15.0	0 / 2		0 / 1
Average number of embryos transferred	2.0	2.2	2.6	4.5		5.0
Percentage of embryos transferred resulting in implantation	36.4	34.0	26.7	1 / 9		0 / 5
Percentage of elective single embryo transfer (eSET)	6.3	5.0	0 / 15	0 / 2		0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	29.7	20.8	25.0	1 / 2		0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 2		0 / 1
Percentage of cycles resulting in live births	43.2	41.7	30.0	1 / 2		0 / 1
Percentage of cycles resulting in pregnancy	48.6	41.7	40.0	1 / 2		0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	33	21	17	2	0	1
Percentage of transfers resulting in singleton live births	33.3	23.8	5 / 17	1 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 2		0 / 1
Percentage of transfers resulting in live births	48.5	47.6	6 / 17	1 / 2		0 / 1
Percentage of transfers resulting in pregnancy	54.5	47.6	8 / 17	1 / 2		0 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	18	10	8	1	0	0
Percentage of pregnancies resulting in singleton live births	11 / 18	5 / 10	5 / 8	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 10	0 / 8	0 / 1		
Percentage of pregnancies resulting in live births	16 / 18	10 / 10	6 / 8	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	23	10	4	0	2	0
Number of transfers	22	10	4	0	2	0
Average number of embryos transferred	1.7	1.5	2.5		3.0	
Percentage of embryos transferred resulting in implantation	21.1	2 / 15	3 / 10		0 / 6	
Percentage of transfers resulting in singleton live births	18.2	2 / 10	3 / 4		0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 4		0 / 2	
Percentage of transfers resulting in live births	22.7	2 / 10	3 / 4		0 / 2	
Percentage of transfers resulting in pregnancy	31.8	2 / 10	3 / 4		0 / 2	
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		14		9		
Number of transfers		13		9		
Average number of embryos transferred		2.2		1.9		
Percentage of embryos transferred resulting in implantation		25.0		2 / 17		
Percentage of transfers resulting in singleton live births		4 / 13		2 / 9		
Percentage of transfers resulting in live births		4 / 13		2 / 9		
Percentage of transfers resulting in pregnancy		7 / 13		2 / 9		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Advanced Reproductive Medicine, University of Colorado

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 6 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE MEDICINE & FERTILITY CENTER COLORADO SPRINGS, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	97%	Tubal factor	14%	Uterine factor	2%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	22%	Male factor	84%	
Used gestational carrier	1%			Diminished ovarian reserve	17%	Other factor	7%	
				Endometriosis	<1%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				2%
				Female & male factors				46%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 121

Data verified by Paul C. Magarelli, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	49	14	8	4	2	0
Percentage of cancellations	4.1	0 / 14	0 / 8	0 / 4	0 / 2	
Average number of embryos transferred	2.1	1.8	3.0	3.0	2.0	
Percentage of embryos transferred resulting in implantation	40.8	40.0	0 / 12	2 / 9	1 / 2	
Percentage of elective single embryo transfer (eSET)	11.1	0 / 7	0 / 4	0 / 3	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	20.4	4 / 14	0 / 8	0 / 4	1 / 2	
Percentage of cycles resulting in triplets or more live births	2.0	0 / 14	0 / 8	0 / 4	0 / 2	
Percentage of cycles resulting in live births	34.7	6 / 14	0 / 8	1 / 4	1 / 2	
Percentage of cycles resulting in pregnancy	40.8	6 / 14	0 / 8	1 / 4	1 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	36	11	4	3	1	0
Percentage of transfers resulting in singleton live births	27.8	4 / 11	0 / 4	0 / 3	1 / 1	
Percentage of transfers resulting in triplets or more live births	2.8	0 / 11	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in live births	47.2	6 / 11	0 / 4	1 / 3	1 / 1	
Percentage of transfers resulting in pregnancy	55.6	6 / 11	0 / 4	1 / 3	1 / 1	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	20	6	0	1	1	0
Percentage of pregnancies resulting in singleton live births	50.0	4 / 6		0 / 1	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	5.0	0 / 6		0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	85.0	6 / 6		1 / 1	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	18	8	2	0	0	0
Number of transfers	13	7	1	0	0	0
Average number of embryos transferred	2.0	2.1	2.0			
Percentage of embryos transferred resulting in implantation	19.2	6 / 15	0 / 2			
Percentage of transfers resulting in singleton live births	3 / 13	0 / 7	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 7	0 / 1			
Percentage of transfers resulting in live births	4 / 13	3 / 7	0 / 1			
Percentage of transfers resulting in pregnancy	5 / 13	3 / 7	0 / 1			
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
<b>Donor Eggs</b>						
Number of cycles		9		7		
Number of transfers		8		7		
Average number of embryos transferred		2.3		2.1		
Percentage of embryos transferred resulting in implantation		7 / 18		3 / 15		
Percentage of transfers resulting in singleton live births		0 / 8		1 / 7		
Percentage of transfers resulting in live births		3 / 8		1 / 7		
Percentage of transfers resulting in pregnancy		4 / 8		2 / 7		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Medicine & Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 13 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ERIC H. SILVERSTEIN, MD, PROFESSIONAL LLC DBA  
THE FERTILITY CENTER OF COLORADO  
COLORADO SPRINGS, COLORADO**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

**2011 ART CYCLE PROFILE**

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	91%	Tubal factor	17%	Uterine factor	3%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	20%	Male factor	32%
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	2%
				Endometriosis	12%	Unknown factor	8%
				Multiple Factors: Female factors only 8% Female & male factors 17%			

**2011 ART SUCCESS RATES<sup>c,d</sup>**

Number of cycles in table: <sup>e</sup> 66

Data verified by Eric H. Silverstein, MD

Type of Cycle	Age of Woman						
	<35	35–37	38–40	41–42	43–44	>44	
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles	21	3	5	2	0	1	
Percentage of cancellations	0.0	0 / 3	1 / 5	0 / 2		0 / 1	
Average number of embryos transferred	1.8	2.0	2.5	1.5		2.0	
Percentage of embryos transferred resulting in implantation	23.7	1 / 6	2 / 10	2 / 3		0 / 2	
Percentage of elective single embryo transfer (eSET)	25.0	0 / 3	0 / 4	0 / 1		0 / 1	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in singleton live births	23.8	1 / 3	0 / 5	1 / 2		0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 3	0 / 5	0 / 2		0 / 1	
Percentage of cycles resulting in live births	28.6	1 / 3	1 / 5	1 / 2		0 / 1	
Percentage of cycles resulting in pregnancy	33.3	1 / 3	1 / 5	1 / 2		0 / 1	
<b>Outcomes per Transfer</b>							
Number of transfers	21	3	4	2	0	1	
Percentage of transfers resulting in singleton live births	23.8	1 / 3	0 / 4	1 / 2		0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 3	0 / 4	0 / 2		0 / 1	
Percentage of transfers resulting in live births	28.6	1 / 3	1 / 4	1 / 2		0 / 1	
Percentage of transfers resulting in pregnancy	33.3	1 / 3	1 / 4	1 / 2		0 / 1	
<b>Outcomes per Pregnancy</b>							
Number of pregnancies	7	1	1	1	0	0	
Percentage of pregnancies resulting in singleton live births	5 / 7	1 / 1	0 / 1	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 1	0 / 1	0 / 1			
Percentage of pregnancies resulting in live births	6 / 7	1 / 1	1 / 1	1 / 1			
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles	7	7	3	0	0	0	
Number of transfers	6	7	3	0	0	0	
Average number of embryos transferred	2.0	2.0	2.0				
Percentage of embryos transferred resulting in implantation	2 / 12	5 / 14	0 / 6				
Percentage of transfers resulting in singleton live births	2 / 6	1 / 7	0 / 3				
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 7	0 / 3				
Percentage of transfers resulting in live births	2 / 6	3 / 7	0 / 3				
Percentage of transfers resulting in pregnancy	3 / 6	3 / 7	0 / 3				
<b>All Ages Combined<sup>f</sup></b>							
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>				
	Number of cycles	13		4			
	Number of transfers	12		4			
	Average number of embryos transferred	1.8		1.8			
	Percentage of embryos transferred resulting in implantation	50.0		2 / 7			
	Percentage of transfers resulting in singleton live births	2 / 12		1 / 4			
	Percentage of transfers resulting in live births	4 / 12		1 / 4			
Percentage of transfers resulting in pregnancy	7 / 12		2 / 4				

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Eric H. Silverstein, MD, Professional LLC dba, The Fertility Center of Colorado

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## COLORADO REPRODUCTIVE ENDOCRINOLOGY DENVER, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	39%	Tubal factor	14%	Uterine factor	5%	Multiple Factors: Female factors only 13% Female & male factors 9%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	12%	Male factor	15%	
Used gestational carrier	0%			Diminished ovarian reserve	49%	Other factor	<1%	
				Endometriosis	8%	Unknown factor	19%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 101

Data verified by Susan W. Trout, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	34	8	9	8	2	0
Percentage of cancellations	11.8	2 / 8	1 / 9	2 / 8	0 / 2	
Average number of embryos transferred	2.1	2.2	2.4	2.6	2.5	
Percentage of embryos transferred resulting in implantation	13.0	3 / 11	3 / 12	2 / 13	0 / 5	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 4	0 / 3	0 / 5	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	11.8	1 / 8	1 / 9	1 / 8	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 8	0 / 9	0 / 8	0 / 2	
Percentage of cycles resulting in live births	14.7	2 / 8	2 / 9	1 / 8	0 / 2	
Percentage of cycles resulting in pregnancy	17.6	3 / 8	2 / 9	2 / 8	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	26	5	5	5	2	0
Percentage of transfers resulting in singleton live births	15.4	1 / 5	1 / 5	1 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 5	0 / 5	0 / 5	0 / 2	
Percentage of transfers resulting in live births	19.2	2 / 5	2 / 5	1 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	23.1	3 / 5	2 / 5	2 / 5	0 / 2	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	6	3	2	2	0	0
Percentage of pregnancies resulting in singleton live births	4 / 6	1 / 3	1 / 2	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 3	0 / 2	0 / 2		
Percentage of pregnancies resulting in live births	5 / 6	2 / 3	2 / 2	1 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	19	3	3	0	0	0
Number of transfers	15	3	3	0	0	0
Average number of embryos transferred	2.1	2.3	2.3			
Percentage of embryos transferred resulting in implantation	12.9	0 / 7	2 / 7			
Percentage of transfers resulting in singleton live births	3 / 15	0 / 3	2 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 3	0 / 3			
Percentage of transfers resulting in live births	3 / 15	0 / 3	2 / 3			
Percentage of transfers resulting in pregnancy	4 / 15	0 / 3	2 / 3			
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		7		8		
Number of transfers		7		7		
Average number of embryos transferred		2.0		1.9		
Percentage of embryos transferred resulting in implantation		2 / 14		4 / 13		
Percentage of transfers resulting in singleton live births		1 / 7		4 / 7		
Percentage of transfers resulting in live births		1 / 7		4 / 7		
Percentage of transfers resulting in pregnancy		2 / 7		5 / 7		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Colorado Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ROCKY MOUNTAIN CENTER FOR REPRODUCTIVE MEDICINE FORT COLLINS, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	91%	Tubal factor	16%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	18%	Male factor	28%
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	2%
				Endometriosis	12%	Unknown factor	19%
				Multiple Factors:			
						Female factors only	12%
						Female & male factors	15%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 67

Data verified by Kevin E. Bachus, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	19	9	5	2	0	0
Percentage of cancellations	2 / 19	0 / 9	0 / 5	0 / 2		
Average number of embryos transferred	2.0	2.2	3.0	3.0		
Percentage of embryos transferred resulting in implantation	47.1	20.0	8 / 15	0 / 6		
Percentage of elective single embryo transfer (eSET)	0 / 17	0 / 9	0 / 5	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	9 / 19	3 / 9	3 / 5	0 / 2		
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 9	0 / 5	0 / 2		
Percentage of cycles resulting in live births	12 / 19	3 / 9	5 / 5	0 / 2		
Percentage of cycles resulting in pregnancy	12 / 19	3 / 9	5 / 5	0 / 2		
<b>Outcomes per Transfer</b>						
Number of transfers	17	9	5	2	0	0
Percentage of transfers resulting in singleton live births	9 / 17	3 / 9	3 / 5	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 9	0 / 5	0 / 2		
Percentage of transfers resulting in live births	12 / 17	3 / 9	5 / 5	0 / 2		
Percentage of transfers resulting in pregnancy	12 / 17	3 / 9	5 / 5	0 / 2		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	12	3	5	0	0	0
Percentage of pregnancies resulting in singleton live births	9 / 12	3 / 3	3 / 5			
Percentage of pregnancies resulting in triplets or more live births	0 / 12	0 / 3	0 / 5			
Percentage of pregnancies resulting in live births	12 / 12	3 / 3	5 / 5			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	16	3	0	2	0	0
Number of transfers	16	3	0	2	0	0
Average number of embryos transferred	1.8	1.7		2.0		
Percentage of embryos transferred resulting in implantation	17.9	0 / 5		0 / 4		
Percentage of transfers resulting in singleton live births	3 / 16	0 / 3		0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 3		0 / 2		
Percentage of transfers resulting in live births	4 / 16	0 / 3		0 / 2		
Percentage of transfers resulting in pregnancy	5 / 16	0 / 3		0 / 2		
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			7		4	
Number of transfers			7		4	
Average number of embryos transferred			2.0		1.8	
Percentage of embryos transferred resulting in implantation			7 / 14		1 / 7	
Percentage of transfers resulting in singleton live births			1 / 7		0 / 4	
Percentage of transfers resulting in live births			2 / 7		0 / 4	
Percentage of transfers resulting in pregnancy			5 / 7		1 / 4	

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Rocky Mountain Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CONCEPTIONS REPRODUCTIVE ASSOCIATES LITTLETON, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	93%	Tubal factor	7%	Uterine factor	1%	Multiple Factors: Female factors only 6% Female & male factors 33%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	50%	
Used gestational carrier	<1%			Diminished ovarian reserve	47%	Other factor	9%	
				Endometriosis	5%	Unknown factor	9%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 445

Data verified by Mark R. Bush, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	122	40	27	12	1	0
Percentage of cancellations	4.1	7.5	11.1	2 / 12	0 / 1	
Average number of embryos transferred	1.8	1.9	2.0	2.3		
Percentage of embryos transferred resulting in implantation	59.9	59.1	35.9	6 / 18		
Percentage of elective single embryo transfer (eSET)	14.1	3.0	0 / 18	0 / 8		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	41.0	32.5	29.6	4 / 12	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 12	0 / 1	
Percentage of cycles resulting in live births	57.4	57.5	37.0	4 / 12	0 / 1	
Percentage of cycles resulting in pregnancy	65.6	72.5	51.9	6 / 12	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	98	34	20	8	0	0
Percentage of transfers resulting in singleton live births	51.0	38.2	40.0	4 / 8		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 8		
Percentage of transfers resulting in live births	71.4	67.6	50.0	4 / 8		
Percentage of transfers resulting in pregnancy	81.6	85.3	70.0	6 / 8		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	80	29	14	6	0	0
Percentage of pregnancies resulting in singleton live births	62.5	44.8	8 / 14	4 / 6		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 14	0 / 6		
Percentage of pregnancies resulting in live births	87.5	79.3	10 / 14	4 / 6		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	70	40	27	5	1	0
Number of transfers	68	38	27	5	1	0
Average number of embryos transferred	1.8	1.6	1.5	1.8	2.0	
Percentage of embryos transferred resulting in implantation	52.9	47.5	37.5	3 / 9	0 / 2	
Percentage of transfers resulting in singleton live births	51.5	52.6	29.6	2 / 5	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 1	
Percentage of transfers resulting in live births	63.2	60.5	40.7	2 / 5	0 / 1	
Percentage of transfers resulting in pregnancy	75.0	65.8	44.4	3 / 5	1 / 1	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	70		30			
Number of transfers	55		30			
Average number of embryos transferred	1.8		1.6			
Percentage of embryos transferred resulting in implantation	57.6		36.7			
Percentage of transfers resulting in singleton live births	30.9		26.7			
Percentage of transfers resulting in live births	58.2		40.0			
Percentage of transfers resulting in pregnancy	67.3		60.0			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Conceptions Reproductive Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 126 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## COLORADO CENTER FOR REPRODUCTIVE MEDICINE LONE TREE, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	93%	Tubal factor	5%	Uterine factor	8%	
Unstimulated	<1%	Used PGD	0%	Ovulatory dysfunction	9%	Male factor	24%	
Used gestational carrier	2%			Diminished ovarian reserve	44%	Other factor	15%	
				Endometriosis	9%	Unknown factor	19%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				14%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 1451

Data verified by William B. Schoolcraft, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	140	101	85	34	28	6
Percentage of cancellations	2.9	2.0	1.2	5.9	3.6	0 / 6
Average number of embryos transferred	1.9	2.2	2.6	3.0	3.3	2.6
Percentage of embryos transferred resulting in implantation	53.0	32.4	24.1	18.6	11.6	0 / 13
Percentage of elective single embryo transfer (eSET)	10.7	2.1	2.6	0.0	0.0	0 / 4
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	42.1	33.7	27.1	20.6	17.9	0 / 6
Percentage of cycles resulting in triplets or more live births	0.7	1.0	0.0	2.9	0.0	0 / 6
Percentage of cycles resulting in live births	65.0	45.5	35.3	32.4	25.0	0 / 6
Percentage of cycles resulting in pregnancy	70.7	55.4	49.4	35.3	35.7	0 / 6
<b>Outcomes per Transfer</b>						
Number of transfers	136	99	82	32	26	5
Percentage of transfers resulting in singleton live births	43.4	34.3	28.0	21.9	19.2	0 / 5
Percentage of transfers resulting in triplets or more live births	0.7	1.0	0.0	3.1	0.0	0 / 5
Percentage of transfers resulting in live births	66.9	46.5	36.6	34.4	26.9	0 / 5
Percentage of transfers resulting in pregnancy	72.8	56.6	51.2	37.5	38.5	0 / 5
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	99	56	42	12	10	0
Percentage of pregnancies resulting in singleton live births	59.6	60.7	54.8	7 / 12	5 / 10	
Percentage of pregnancies resulting in triplets or more live births	1.0	1.8	0.0	1 / 12	0 / 10	
Percentage of pregnancies resulting in live births	91.9	82.1	71.4	11 / 12	7 / 10	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	246	190	193	97	22	11
Number of transfers	246	190	192	97	22	11
Average number of embryos transferred	1.8	1.9	1.9	1.7	1.8	1.7
Percentage of embryos transferred resulting in implantation	61.8	56.4	50.0	44.7	30.8	4 / 19
Percentage of transfers resulting in singleton live births	39.0	40.5	35.9	46.4	27.3	4 / 11
Percentage of transfers resulting in triplets or more live births	0.4	0.0	2.1	0.0	0.0	0 / 11
Percentage of transfers resulting in live births	67.9	65.8	58.9	56.7	31.8	4 / 11
Percentage of transfers resulting in pregnancy	76.4	75.3	68.2	71.1	40.9	4 / 11
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	141		157			
Number of transfers	139		157			
Average number of embryos transferred	1.9		1.8			
Percentage of embryos transferred resulting in implantation	68.3		48.6			
Percentage of transfers resulting in singleton live births	38.8		39.5			
Percentage of transfers resulting in live births	76.3		61.1			
Percentage of transfers resulting in pregnancy	84.2		68.8			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Colorado Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 1001 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ROCKY MOUNTAIN FERTILITY CENTER, PC PARKER, COLORADO

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	77%	Tubal factor	16%	Uterine factor	6%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	12%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	65%	Other factor	5%	
				Endometriosis	5%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				27%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 82

Data verified by Deborah L. Smith, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	31	12	9	4	2	3
Percentage of cancellations	6.5	0 / 12	1 / 9	1 / 4	0 / 2	0 / 3
Average number of embryos transferred	2.1	2.1	3.0	3.3	5.0	2.3
Percentage of embryos transferred resulting in implantation	44.8	56.0	33.3	2 / 10	2 / 5	0 / 7
Percentage of elective single embryo transfer (eSET)	7.1	1 / 11	1 / 8	0 / 3	0 / 1	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	22.6	3 / 12	2 / 9	1 / 4	0 / 2	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 9	0 / 4	0 / 2	0 / 3
Percentage of cycles resulting in live births	45.2	8 / 12	4 / 9	1 / 4	1 / 2	0 / 3
Percentage of cycles resulting in pregnancy	61.3	9 / 12	4 / 9	1 / 4	1 / 2	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	28	12	8	3	1	3
Percentage of transfers resulting in singleton live births	25.0	3 / 12	2 / 8	1 / 3	0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12	0 / 8	0 / 3	0 / 1	0 / 3
Percentage of transfers resulting in live births	50.0	8 / 12	4 / 8	1 / 3	1 / 1	0 / 3
Percentage of transfers resulting in pregnancy	67.9	9 / 12	4 / 8	1 / 3	1 / 1	0 / 3
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	19	9	4	1	1	0
Percentage of pregnancies resulting in singleton live births	7 / 19	3 / 9	2 / 4	1 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 9	0 / 4	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	14 / 19	8 / 9	4 / 4	1 / 1	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	3	3	0	0	0
Number of transfers	6	3	2	0	0	0
Average number of embryos transferred	2.0	1.7	2.0			
Percentage of embryos transferred resulting in implantation	3 / 12	0 / 5	0 / 4			
Percentage of transfers resulting in singleton live births	3 / 6	0 / 3	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 3	0 / 2			
Percentage of transfers resulting in live births	3 / 6	0 / 3	0 / 2			
Percentage of transfers resulting in pregnancy	5 / 6	0 / 3	0 / 2			
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
<b>Donor Eggs</b>						
Number of cycles		9		0		
Number of transfers		8		0		
Average number of embryos transferred		1.8				
Percentage of embryos transferred resulting in implantation		8 / 14				
Percentage of transfers resulting in singleton live births		2 / 8				
Percentage of transfers resulting in live births		4 / 8				
Percentage of transfers resulting in pregnancy		6 / 8				

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Rocky Mountain Fertility Center, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CONNECTICUT FERTILITY ASSOCIATES BRIDGEPORT, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	38%	Tubal factor	4%	Uterine factor	10%	Multiple Factors: Female factors only 8% Female & male factors 4%
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	2%	Male factor	7%	
Used gestational carrier	5%			Diminished ovarian reserve	36%	Other factor	36%	
				Endometriosis	5%	Unknown factor	13%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 401

Data verified by Michael B. Doyle, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	50	41	30	27	15	5
Percentage of cancellations	2.0	4.9	6.7	14.8	4 / 15	2 / 5
Average number of embryos transferred	2.4	2.5	2.8	3.2	3.3	4.7
Percentage of embryos transferred resulting in implantation	23.3	15.3	4.2	6.3	0.0	0 / 14
Percentage of elective single embryo transfer (eSET)	4.3	0.0	9.1	1 / 18	0 / 9	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	14.0	19.5	10.0	3.7	0 / 15	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 15	0 / 5
Percentage of cycles resulting in live births	30.0	26.8	10.0	7.4	0 / 15	0 / 5
Percentage of cycles resulting in pregnancy	38.0	31.7	10.0	14.8	1 / 15	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	48	39	25	20	9	3
Percentage of transfers resulting in singleton live births	14.6	20.5	12.0	5.0	0 / 9	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 9	0 / 3
Percentage of transfers resulting in live births	31.3	28.2	12.0	10.0	0 / 9	0 / 3
Percentage of transfers resulting in pregnancy	39.6	33.3	12.0	20.0	1 / 9	0 / 3
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	19	13	3	4	1	0
Percentage of pregnancies resulting in singleton live births	7 / 19	8 / 13	3 / 3	1 / 4	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 13	0 / 3	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	15 / 19	11 / 13	3 / 3	2 / 4	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	14	13	11	3	4	1
Number of transfers	14	13	11	3	4	1
Average number of embryos transferred	2.3	2.2	2.4	3.0	2.8	2.0
Percentage of embryos transferred resulting in implantation	18.8	10.7	15.4	1 / 9	1 / 11	0 / 2
Percentage of transfers resulting in singleton live births	3 / 14	3 / 13	2 / 11	0 / 3	1 / 4	0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 13	0 / 11	0 / 3	0 / 4	0 / 1
Percentage of transfers resulting in live births	4 / 14	3 / 13	3 / 11	0 / 3	1 / 4	0 / 1
Percentage of transfers resulting in pregnancy	4 / 14	4 / 13	3 / 11	1 / 3	1 / 4	0 / 1
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		111		76		
Number of transfers		108		75		
Average number of embryos transferred		2.1		2.1		
Percentage of embryos transferred resulting in implantation		43.5		16.6		
Percentage of transfers resulting in singleton live births		32.4		21.3		
Percentage of transfers resulting in live births		58.3		28.0		
Percentage of transfers resulting in pregnancy		66.7		30.7		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Connecticut Fertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 35 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE CENTER FOR ADVANCED REPRODUCTIVE SERVICES  
AT THE UNIVERSITY OF CONNECTICUT HEALTH CENTER  
FARMINGTON, CONNECTICUT**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

**2011 ART CYCLE PROFILE**

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	74%	Tubal factor	12%	Uterine factor	6%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	13%	Male factor	33%
Used gestational carrier	<1%			Diminished ovarian reserve	7%	Other factor	32%
				Endometriosis	14%	Unknown factor	14%
				Multiple Factors: Female factors only 14% Female & male factors 14%			

**2011 ART SUCCESS RATES<sup>c,d</sup>**

Number of cycles in table:<sup>e</sup> 1172

Data verified by John C. Nulsen, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	399	191	182	95	39	14
Percentage of cancellations	12.0	13.6	20.9	26.3	30.8	5 / 14
Average number of embryos transferred	1.7	1.8	2.6	3.3	3.1	3.1
Percentage of embryos transferred resulting in implantation	39.8	24.2	19.4	10.2	1.5	4.0
Percentage of elective single embryo transfer (eSET)	25.0	10.9	2.5	0.0	0 / 19	0 / 5
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	29.8	20.9	17.0	9.5	0.0	0 / 14
Percentage of cycles resulting in triplets or more live births	0.3	0.0	0.5	0.0	0.0	0 / 14
Percentage of cycles resulting in live births	39.1	23.6	20.3	12.6	0.0	0 / 14
Percentage of cycles resulting in pregnancy	46.1	32.5	31.3	21.1	2.6	1 / 14
<b>Outcomes per Transfer</b>						
Number of transfers	332	152	129	62	22	8
Percentage of transfers resulting in singleton live births	35.8	26.3	24.0	14.5	0.0	0 / 8
Percentage of transfers resulting in triplets or more live births	0.3	0.0	0.8	0.0	0.0	0 / 8
Percentage of transfers resulting in live births	47.0	29.6	28.7	19.4	0.0	0 / 8
Percentage of transfers resulting in pregnancy	55.4	40.8	44.2	32.3	4.5	1 / 8
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	184	62	57	20	1	1
Percentage of pregnancies resulting in singleton live births	64.7	64.5	54.4	45.0	0 / 1	0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.5	0.0	1.8	0.0	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	84.8	72.6	64.9	60.0	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	91	55	37	13	3	0
Number of transfers	88	53	35	13	3	0
Average number of embryos transferred	1.6	1.5	1.7	2.2	2.3	
Percentage of embryos transferred resulting in implantation	46.0	41.3	31.7	27.6	1 / 7	
Percentage of transfers resulting in singleton live births	50.0	45.3	31.4	3 / 13	1 / 3	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 13	0 / 3	
Percentage of transfers resulting in live births	54.5	49.1	42.9	4 / 13	1 / 3	
Percentage of transfers resulting in pregnancy	64.8	56.6	42.9	6 / 13	1 / 3	
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		28		25		
Number of transfers		24		24		
Average number of embryos transferred		1.8		1.6		
Percentage of embryos transferred resulting in implantation		44.2		41.0		
Percentage of transfers resulting in singleton live births		37.5		33.3		
Percentage of transfers resulting in live births		54.2		45.8		
Percentage of transfers resulting in pregnancy		66.7		62.5		

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** The Center for Advanced Reproductive Services at the University of Connecticut Health Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# GREENWICH FERTILITY AND IVF CENTER, PC GREENWICH, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	35%	Tubal factor	14%	Uterine factor	0%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	10%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	6%	
				Endometriosis	7%	Unknown factor	22%	
				Multiple Factors:				
				Female factors only				8%
				Female & male factors				10%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 193

Data verified by Barry R. Witt, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	57	42	40	21	10	0
Percentage of cancellations	1.8	11.9	12.5	9.5	1 / 10	
Average number of embryos transferred	1.8	1.9	2.3	3.1	2.9	
Percentage of embryos transferred resulting in implantation	41.1	38.8	26.0	5.8	0.0	
Percentage of elective single embryo transfer (eSET)	23.5	12.1	0.0	0 / 17	0 / 8	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	36.8	28.6	25.0	9.5	0 / 10	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 10	
Percentage of cycles resulting in live births	49.1	42.9	30.0	9.5	0 / 10	
Percentage of cycles resulting in pregnancy	57.9	47.6	40.0	14.3	2 / 10	
<b>Outcomes per Transfer</b>						
Number of transfers	54	36	33	17	9	0
Percentage of transfers resulting in singleton live births	38.9	33.3	30.3	2 / 17	0 / 9	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 9	
Percentage of transfers resulting in live births	51.9	50.0	36.4	2 / 17	0 / 9	
Percentage of transfers resulting in pregnancy	61.1	55.6	48.5	3 / 17	2 / 9	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	33	20	16	3	2	0
Percentage of pregnancies resulting in singleton live births	63.6	60.0	10 / 16	2 / 3	0 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 3	0 / 2	
Percentage of pregnancies resulting in live births	84.8	90.0	12 / 16	2 / 3	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	12	6	3	1	1	0
Number of transfers	12	5	3	1	1	0
Average number of embryos transferred	1.6	1.8	1.7	2.0	2.0	
Percentage of embryos transferred resulting in implantation	6 / 19	2 / 9	4 / 5	1 / 2	0 / 2	
Percentage of transfers resulting in singleton live births	6 / 12	1 / 5	1 / 3	1 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 5	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births	6 / 12	1 / 5	2 / 3	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	7 / 12	2 / 5	3 / 3	1 / 1	0 / 1	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Greenwich Fertility and IVF Center, PC

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# YALE FERTILITY CENTER NEW HAVEN, CONNECTICUT

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	74%	Tubal factor	12%	Uterine factor	6%	
Unstimulated	<1%	Used PGD	5%	Ovulatory dysfunction	5%	Male factor	24%	
Used gestational carrier	1%			Diminished ovarian reserve	18%	Other factor	37%	
				Endometriosis	5%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				10%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 524

Data verified by Pasquale Patrizio, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	147	88	107	57	21	14
Percentage of cancellations	5.4	4.5	6.5	17.5	19.0	6 / 14
Average number of embryos transferred	2.2	2.3	2.5	2.6	2.4	2.8
Percentage of embryos transferred resulting in implantation	26.7	19.1	10.9	4.8	5.6	0 / 14
Percentage of elective single embryo transfer (eSET)	0.8	1.4	0.0	0.0	0 / 12	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	26.5	22.7	11.2	3.5	9.5	0 / 14
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 14
Percentage of cycles resulting in live births	37.4	29.5	15.0	5.3	9.5	0 / 14
Percentage of cycles resulting in pregnancy	43.5	34.1	17.8	14.0	9.5	0 / 14
<b>Outcomes per Transfer</b>						
Number of transfers	133	78	86	41	15	5
Percentage of transfers resulting in singleton live births	29.3	25.6	14.0	4.9	2 / 15	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 15	0 / 5
Percentage of transfers resulting in live births	41.4	33.3	18.6	7.3	2 / 15	0 / 5
Percentage of transfers resulting in pregnancy	48.1	38.5	22.1	19.5	2 / 15	0 / 5
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	64	30	19	8	2	0
Percentage of pregnancies resulting in singleton live births	60.9	66.7	12 / 19	2 / 8	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 19	0 / 8	0 / 2	
Percentage of pregnancies resulting in live births	85.9	86.7	16 / 19	3 / 8	2 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	21	4	5	4	5	4
Number of transfers	20	4	4	4	5	4
Average number of embryos transferred	2.0	2.3	2.0	2.5	2.2	1.5
Percentage of embryos transferred resulting in implantation	20.5	1 / 9	0 / 8	1 / 10	2 / 11	3 / 6
Percentage of transfers resulting in singleton live births	30.0	1 / 4	0 / 4	1 / 4	2 / 5	1 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0 / 4	0 / 4	0 / 4	0 / 5	0 / 4
Percentage of transfers resulting in live births	35.0	1 / 4	0 / 4	1 / 4	2 / 5	2 / 4
Percentage of transfers resulting in pregnancy	35.0	1 / 4	0 / 4	1 / 4	2 / 5	2 / 4
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		31		16		
Number of transfers		27		14		
Average number of embryos transferred		2.0		2.2		
Percentage of embryos transferred resulting in implantation		51.9		25.8		
Percentage of transfers resulting in singleton live births		33.3		3 / 14		
Percentage of transfers resulting in live births		66.7		4 / 14		
Percentage of transfers resulting in pregnancy		70.4		5 / 14		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Yale Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 24 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE MEDICINE ASSOCIATES OF CONNECTICUT NORWALK, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	67%	Tubal factor	11%	Uterine factor	6%	
Unstimulated	<1%	Used PGD	6%	Ovulatory dysfunction	25%	Male factor	23%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	16%	
				Endometriosis	5%	Unknown factor	21%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				12%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 776

Data verified by Mark P. Leondires, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	200	116	119	52	42	3
Percentage of cancellations	8.5	13.8	18.5	26.9	31.0	0 / 3
Average number of embryos transferred	1.9	2.1	2.7	3.1	3.2	2.0
Percentage of embryos transferred resulting in implantation	39.0	29.4	27.5	12.8	9.8	0 / 4
Percentage of elective single embryo transfer (eSET)	11.2	6.5	6.0	0.0	5.0	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	29.0	24.1	21.0	13.5	7.1	0 / 3
Percentage of cycles resulting in triplets or more live births	0.5	0.0	0.0	0.0	0.0	0 / 3
Percentage of cycles resulting in live births	44.0	33.6	32.8	15.4	7.1	0 / 3
Percentage of cycles resulting in pregnancy	49.0	38.8	41.2	25.0	21.4	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	176	96	89	38	26	2
Percentage of transfers resulting in singleton live births	33.0	29.2	28.1	18.4	11.5	0 / 2
Percentage of transfers resulting in triplets or more live births	0.6	0.0	0.0	0.0	0.0	0 / 2
Percentage of transfers resulting in live births	50.0	40.6	43.8	21.1	11.5	0 / 2
Percentage of transfers resulting in pregnancy	55.7	46.9	55.1	34.2	34.6	0 / 2
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	98	45	49	13	9	0
Percentage of pregnancies resulting in singleton live births	59.2	62.2	51.0	7 / 13	3 / 9	
Percentage of pregnancies resulting in triplets or more live births	1.0	0.0	0.0	0 / 13	0 / 9	
Percentage of pregnancies resulting in live births	89.8	86.7	79.6	8 / 13	3 / 9	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	70	44	38	9	1	0
Number of transfers	60	36	35	9	1	0
Average number of embryos transferred	1.9	1.9	2.0	1.7	5.0	
Percentage of embryos transferred resulting in implantation	49.6	30.4	28.6	4 / 15	0 / 5	
Percentage of transfers resulting in singleton live births	43.3	38.9	20.0	2 / 9	0 / 1	
Percentage of transfers resulting in triplets or more live births	3.3	0.0	2.9	0 / 9	0 / 1	
Percentage of transfers resulting in live births	58.3	44.4	31.4	3 / 9	0 / 1	
Percentage of transfers resulting in pregnancy	71.7	50.0	45.7	3 / 9	0 / 1	

### All Ages Combined<sup>f</sup>

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	42	40
Number of transfers	39	35
Average number of embryos transferred	1.8	2.0
Percentage of embryos transferred resulting in implantation	40.8	34.8
Percentage of transfers resulting in singleton live births	35.9	40.0
Percentage of transfers resulting in live births	51.3	51.4
Percentage of transfers resulting in pregnancy	56.4	60.0

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Medicine Associates of Connecticut

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 118 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NEW ENGLAND FERTILITY INSTITUTE STAMFORD, CONNECTICUT

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	78%	Tubal factor	8%	Uterine factor	4%	Multiple Factors: Female factors only 6% Female & male factors 7%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	11%	Male factor	20%	
Used gestational carrier	6%			Diminished ovarian reserve	42%	Other factor	15%	
				Endometriosis	2%	Unknown factor	12%	

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 305

Data verified by Gad Lavy, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	50	9	51	17	28	16
Percentage of cancellations	2.0	0 / 9	17.6	4 / 17	39.3	5 / 16
Average number of embryos transferred	2.4	2.5	2.9	3.0	2.6	3.0
Percentage of embryos transferred resulting in implantation	28.6	15.0	12.2	6.1	0.0	0.0
Percentage of elective single embryo transfer (eSET)	6.7	0 / 8	3.0	0 / 9	0 / 8	0 / 7
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	24.0	0 / 9	13.7	1 / 17	0.0	0 / 16
Percentage of cycles resulting in triplets or more live births	0.0	0 / 9	0.0	0 / 17	0.0	0 / 16
Percentage of cycles resulting in live births	38.0	1 / 9	15.7	1 / 17	0.0	0 / 16
Percentage of cycles resulting in pregnancy	48.0	3 / 9	27.5	3 / 17	0.0	0 / 16
<b>Outcomes per Transfer</b>						
Number of transfers	47	8	39	11	13	9
Percentage of transfers resulting in singleton live births	25.5	0 / 8	17.9	1 / 11	0 / 13	0 / 9
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0.0	0 / 11	0 / 13	0 / 9
Percentage of transfers resulting in live births	40.4	1 / 8	20.5	1 / 11	0 / 13	0 / 9
Percentage of transfers resulting in pregnancy	51.1	3 / 8	35.9	3 / 11	0 / 13	0 / 9
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	24	3	14	3	0	0
Percentage of pregnancies resulting in singleton live births	50.0	0 / 3	7 / 14	1 / 3		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 3	0 / 14	0 / 3		
Percentage of pregnancies resulting in live births	79.2	1 / 3	8 / 14	1 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	33	16	17	8	4	5
Number of transfers	32	16	16	8	3	5
Average number of embryos transferred	2.1	1.9	2.4	3.3	2.3	3.0
Percentage of embryos transferred resulting in implantation	22.1	19.4	2.6	3.8	0 / 7	0 / 15
Percentage of transfers resulting in singleton live births	18.8	3 / 16	1 / 16	0 / 8	0 / 3	0 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 16	0 / 8	0 / 3	0 / 5
Percentage of transfers resulting in live births	21.9	4 / 16	1 / 16	0 / 8	0 / 3	0 / 5
Percentage of transfers resulting in pregnancy	40.6	4 / 16	1 / 16	2 / 8	0 / 3	0 / 5
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	8		43			
Number of transfers	8		42			
Average number of embryos transferred	1.9		2.3			
Percentage of embryos transferred resulting in implantation	4 / 15		25.8			
Percentage of transfers resulting in singleton live births	4 / 8		23.8			
Percentage of transfers resulting in live births	4 / 8		35.7			
Percentage of transfers resulting in pregnancy	4 / 8		52.4			

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** New England Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 50 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## THE STAMFORD HOSPITAL STAMFORD, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	42%	Tubal factor	9%	Uterine factor	5%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	46%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	5%	
				Endometriosis	14%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				18%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 22

Data verified by Frances W. Ginsburg, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	7	1	2	2	0	0
Percentage of cancellations	1 / 7	0 / 1	0 / 2	1 / 2		
Average number of embryos transferred	2.8	3.0	3.5	4.0		
Percentage of embryos transferred resulting in implantation	1 / 17	0 / 3	0 / 7	0 / 4		
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 1	0 / 2	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	1 / 7	0 / 1	0 / 2	0 / 2		
Percentage of cycles resulting in triplets or more live births	0 / 7	0 / 1	0 / 2	0 / 2		
Percentage of cycles resulting in live births	1 / 7	0 / 1	0 / 2	0 / 2		
Percentage of cycles resulting in pregnancy	1 / 7	0 / 1	0 / 2	0 / 2		
<b>Outcomes per Transfer</b>						
Number of transfers	6	1	2	1	0	0
Percentage of transfers resulting in singleton live births	1 / 6	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in live births	1 / 6	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancy	1 / 6	0 / 1	0 / 2	0 / 1		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	1	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 1					
Percentage of pregnancies resulting in triplets or more live births	0 / 1					
Percentage of pregnancies resulting in live births	1 / 1					
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	7	0	0	2	0	1
Number of transfers	6	0	0	2	0	1
Average number of embryos transferred	2.0			2.0		3.0
Percentage of embryos transferred resulting in implantation	2 / 12			0 / 4		0 / 3
Percentage of transfers resulting in singleton live births	0 / 6			0 / 2		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 6			0 / 2		0 / 1
Percentage of transfers resulting in live births	1 / 6			0 / 2		0 / 1
Percentage of transfers resulting in pregnancy	1 / 6			0 / 2		0 / 1
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** The Stamford Hospital

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 3 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## WOMEN'S FERTILITY CENTER STAMFORD, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	87%	Tubal factor	20%	Uterine factor	2%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	4%	Male factor	26%
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	33%
				Endometriosis	13%	Unknown factor	13%
				Multiple Factors: Female factors only 24% Female & male factors 20%			

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 46

Data verified by Nora R. Miller, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	12	6	10	10	0	0
Percentage of cancellations	0 / 12	2 / 6	0 / 10	1 / 10		
Average number of embryos transferred	2.1	2.7	3.0	3.3		
Percentage of embryos transferred resulting in implantation	16.0	0 / 8	14.8	0.0		
Percentage of elective single embryo transfer (eSET)	0 / 12	0 / 3	0 / 9	0 / 9		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	2 / 12	0 / 6	2 / 10	0 / 10		
Percentage of cycles resulting in triplets or more live births	0 / 12	0 / 6	0 / 10	0 / 10		
Percentage of cycles resulting in live births	2 / 12	0 / 6	2 / 10	0 / 10		
Percentage of cycles resulting in pregnancy	3 / 12	0 / 6	3 / 10	0 / 10		
<b>Outcomes per Transfer</b>						
Number of transfers	12	3	9	9	0	0
Percentage of transfers resulting in singleton live births	2 / 12	0 / 3	2 / 9	0 / 9		
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 3	0 / 9	0 / 9		
Percentage of transfers resulting in live births	2 / 12	0 / 3	2 / 9	0 / 9		
Percentage of transfers resulting in pregnancy	3 / 12	0 / 3	3 / 9	0 / 9		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	3	0	3	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 3		2 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 3		0 / 3			
Percentage of pregnancies resulting in live births	2 / 3		2 / 3			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	1	1	1	0	0
Number of transfers	1	1	1	1	0	0
Average number of embryos transferred	2.0	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation	0 / 2	1 / 2	0 / 2	1 / 2		
Percentage of transfers resulting in singleton live births	0 / 1	1 / 1	0 / 1	1 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births	0 / 1	1 / 1	0 / 1	1 / 1		
Percentage of transfers resulting in pregnancy	0 / 1	1 / 1	0 / 1	1 / 1		
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>			<b>Frozen Embryos</b>		
Number of cycles	3			1		
Number of transfers	3			1		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation	3 / 6			1 / 2		
Percentage of transfers resulting in singleton live births	1 / 3			0 / 1		
Percentage of transfers resulting in live births	2 / 3			0 / 1		
Percentage of transfers resulting in pregnancy	2 / 3			1 / 1		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Women's Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## PARK AVENUE FERTILITY AND REPRODUCTIVE MEDICINE TRUMBULL, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	86%	Tubal factor	8%	Uterine factor	1%	Multiple Factors: Female factors only <1% Female & male factors 2%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	2%	Male factor	18%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	3%	
				Endometriosis	<1%	Unknown factor	38%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 154

Data verified by Andrew J. Levi, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	47	23	28	17	11	2
Percentage of cancellations	0.0	8.7	10.7	3 / 17	1 / 11	1 / 2
Average number of embryos transferred	1.8	1.7	2.1	2.4	2.9	
Percentage of embryos transferred resulting in implantation	40.7	27.6	26.1	10.3	3.8	
Percentage of elective single embryo transfer (eSET)	5.1	1 / 13	2 / 16	0 / 8	0 / 6	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	31.9	17.4	14.3	3 / 17	0 / 11	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 17	0 / 11	0 / 2
Percentage of cycles resulting in live births	46.8	26.1	21.4	3 / 17	0 / 11	0 / 2
Percentage of cycles resulting in pregnancy	61.7	26.1	32.1	3 / 17	1 / 11	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	44	17	22	12	9	0
Percentage of transfers resulting in singleton live births	34.1	4 / 17	18.2	3 / 12	0 / 9	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0.0	0 / 12	0 / 9	
Percentage of transfers resulting in live births	50.0	6 / 17	27.3	3 / 12	0 / 9	
Percentage of transfers resulting in pregnancy	65.9	6 / 17	40.9	3 / 12	1 / 9	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	29	6	9	3	1	0
Percentage of pregnancies resulting in singleton live births	51.7	4 / 6	4 / 9	3 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 6	0 / 9	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	75.9	6 / 6	6 / 9	3 / 3	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	4	5	3	0	0	0
Number of transfers	4	5	3	0	0	0
Average number of embryos transferred	1.5	1.6	3.3			
Percentage of embryos transferred resulting in implantation	2 / 6	3 / 8	1 / 10			
Percentage of transfers resulting in singleton live births	2 / 4	1 / 5	0 / 3			
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 5	0 / 3			
Percentage of transfers resulting in live births	2 / 4	1 / 5	0 / 3			
Percentage of transfers resulting in pregnancy	2 / 4	3 / 5	1 / 3			
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	6		8			
Number of transfers	6		8			
Average number of embryos transferred	2.0		1.9			
Percentage of embryos transferred resulting in implantation	5 / 12		4 / 15			
Percentage of transfers resulting in singleton live births	3 / 6		4 / 8			
Percentage of transfers resulting in live births	4 / 6		4 / 8			
Percentage of transfers resulting in pregnancy	4 / 6		4 / 8			

### CURRENT CLINIC SERVICES AND PROFILE

<b>Current Name:</b> Park Avenue Fertility and Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 6 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## DELAWARE INSTITUTE FOR REPRODUCTIVE MEDICINE, PA NEWARK, DELAWARE

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	83%	Tubal factor	47%	Uterine factor	4%	
Unstimulated	4%	Used PGD	6%	Ovulatory dysfunction	12%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	0%	
				Endometriosis	34%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				26%
				Female & male factors				3%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 208

Data verified by Jeffrey B. Russell, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	72	29	13	18	9	2
Percentage of cancellations	6.9	6.9	2 / 13	6 / 18	0 / 9	0 / 2
Average number of embryos transferred	1.9	2.1	2.0	1.9	3.0	1.0
Percentage of embryos transferred resulting in implantation	39.3	21.2	0 / 14	1 / 13	0 / 9	0 / 1
Percentage of elective single embryo transfer (eSET)	12.5	1 / 15	1 / 6	0 / 5	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	19.4	3.4	0 / 13	0 / 18	0 / 9	0 / 2
Percentage of cycles resulting in triplets or more live births	1.4	0.0	0 / 13	0 / 18	0 / 9	0 / 2
Percentage of cycles resulting in live births	31.9	13.8	0 / 13	0 / 18	0 / 9	0 / 2
Percentage of cycles resulting in pregnancy	36.1	13.8	1 / 13	1 / 18	0 / 9	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	46	16	7	7	3	1
Percentage of transfers resulting in singleton live births	30.4	1 / 16	0 / 7	0 / 7	0 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	2.2	0 / 16	0 / 7	0 / 7	0 / 3	0 / 1
Percentage of transfers resulting in live births	50.0	4 / 16	0 / 7	0 / 7	0 / 3	0 / 1
Percentage of transfers resulting in pregnancy	56.5	4 / 16	1 / 7	1 / 7	0 / 3	0 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	26	4	1	1	0	0
Percentage of pregnancies resulting in singleton live births	53.8	1 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	3.8	0 / 4	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	88.5	4 / 4	0 / 1	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	35	12	0	1	0	0
Number of transfers	31	12	0	1	0	0
Average number of embryos transferred	2.0	2.0		2.0		
Percentage of embryos transferred resulting in implantation	17.5	16.7		0 / 2		
Percentage of transfers resulting in singleton live births	29.0	4 / 12		0 / 1		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 12		0 / 1		
Percentage of transfers resulting in live births	29.0	4 / 12		0 / 1		
Percentage of transfers resulting in pregnancy	35.5	5 / 12		0 / 1		
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	10		7			
Number of transfers	5		3			
Average number of embryos transferred	1.6		2.3			
Percentage of embryos transferred resulting in implantation	0 / 8		5 / 7			
Percentage of transfers resulting in singleton live births	0 / 5		3 / 3			
Percentage of transfers resulting in live births	0 / 5		3 / 3			
Percentage of transfers resulting in pregnancy	0 / 5		3 / 3			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Delaware Institute for Reproductive Medicine, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE ASSOCIATES OF DELAWARE NEWARK, DELAWARE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	81%	Tubal factor	27%	Uterine factor	18%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	22%	Male factor	41%
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	14%
				Endometriosis	49%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only 34%			
				Female & male factors 33%			

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 416

Data verified by Ronald F. Feinberg, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	104	32	34	6	4	0
Percentage of cancellations	15.4	25.0	17.6	3 / 6	1 / 4	
Average number of embryos transferred	1.1	1.2	1.3	1.3	1.5	
Percentage of embryos transferred resulting in implantation	41.0	4 / 19	24.0	0 / 4	0 / 3	
Percentage of elective single embryo transfer (eSET)	90.6	10 / 13	10 / 15	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	27.9	3.1	14.7	0 / 6	0 / 4	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 4	
Percentage of cycles resulting in live births	27.9	6.3	14.7	0 / 6	0 / 4	
Percentage of cycles resulting in pregnancy	31.7	15.6	26.5	0 / 6	0 / 4	
<b>Outcomes per Transfer</b>						
Number of transfers	72	16	20	3	2	0
Percentage of transfers resulting in singleton live births	40.3	1 / 16	25.0	0 / 3	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0.0	0 / 3	0 / 2	
Percentage of transfers resulting in live births	40.3	2 / 16	25.0	0 / 3	0 / 2	
Percentage of transfers resulting in pregnancy	45.8	5 / 16	45.0	0 / 3	0 / 2	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	33	5	9	0	0	0
Percentage of pregnancies resulting in singleton live births	87.9	1 / 5	5 / 9			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 5	0 / 9			
Percentage of pregnancies resulting in live births	87.9	2 / 5	5 / 9			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	122	45	25	10	1	1
Number of transfers	110	42	25	6	1	1
Average number of embryos transferred	1.2	1.2	1.3	1.3	2.0	2.0
Percentage of embryos transferred resulting in implantation	50.0	52.0	33.3	1 / 8	1 / 2	1 / 2
Percentage of transfers resulting in singleton live births	41.8	40.5	36.0	1 / 6	0 / 1	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in live births	44.5	47.6	36.0	1 / 6	0 / 1	1 / 1
Percentage of transfers resulting in pregnancy	59.1	54.8	44.0	2 / 6	1 / 1	1 / 1
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	4		28			
Number of transfers	4		26			
Average number of embryos transferred	1.0		1.1			
Percentage of embryos transferred resulting in implantation	3 / 4		39.3			
Percentage of transfers resulting in singleton live births	3 / 4		26.9			
Percentage of transfers resulting in live births	3 / 4		30.8			
Percentage of transfers resulting in pregnancy	3 / 4		42.3			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Associates of Delaware

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 37 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE A.R.T. INSTITUTE OF WASHINGTON, INC.  
WALTER REED ARMY MEDICAL CENTER  
WASHINGTON, DISTRICT OF COLUMBIA**

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

**2011 ART CYCLE PROFILE**

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	77%	Tubal factor	29%	Uterine factor	1%	Multiple Factors: Female factors only 5% Female & male factors 9%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	11%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	6%	Other factor	2%	
				Endometriosis	6%	Unknown factor	17%	

**2011 ART SUCCESS RATES<sup>c,d</sup>**

Number of cycles in table: <sup>e</sup> 435

Data verified by James Segars, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	202	79	92	27	0	0
Percentage of cancellations	3.5	0.0	5.4	3.7		
Average number of embryos transferred	1.7	1.8	2.2	2.6		
Percentage of embryos transferred resulting in implantation	36.6	24.1	18.0	10.8		
Percentage of elective single embryo transfer (eSET)	16.8	19.4	5.3	0.0		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	24.8	22.8	16.3	7.4		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0		
Percentage of cycles resulting in live births	37.6	25.3	21.7	14.8		
Percentage of cycles resulting in pregnancy	46.0	36.7	28.3	29.6		
<b>Outcomes per Transfer</b>						
Number of transfers	190	75	85	25	0	0
Percentage of transfers resulting in singleton live births	26.3	24.0	17.6	8.0		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0		
Percentage of transfers resulting in live births	40.0	26.7	23.5	16.0		
Percentage of transfers resulting in pregnancy	48.9	38.7	30.6	32.0		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	93	29	26	8	0	0
Percentage of pregnancies resulting in singleton live births	53.8	62.1	57.7	2 / 8		
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0.0	0 / 8		
Percentage of pregnancies resulting in live births	81.7	69.0	76.9	4 / 8		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	23	5	5	1	1	0
Number of transfers	23	5	5	1	1	0
Average number of embryos transferred	1.5	1.0	1.6	2.0	1.0	
Percentage of embryos transferred resulting in implantation	42.9	0 / 5	4 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births	47.8	0 / 5	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 5	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births	52.2	0 / 5	2 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	56.5	0 / 5	2 / 5	0 / 1	0 / 1	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** The A.R.T. Institute of Washington, Inc., Walter Reed National Military Medical Center

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## COLUMBIA FERTILITY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	66%	Tubal factor	7%	Uterine factor	8%
Unstimulated	3%	Used PGD	4%	Ovulatory dysfunction	10%	Male factor	37%
Used gestational carrier	1%			Diminished ovarian reserve	18%	Other factor	28%
				Endometriosis	5%	Unknown factor	19%
				Multiple Factors: Female factors only 7% Female & male factors 20%			

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 753

Data verified by Safa Rifka, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	102	101	183	107	74	39
Percentage of cancellations	2.9	6.9	14.2	12.1	17.6	17.9
Average number of embryos transferred	2.1	2.0	2.3	2.7	2.7	2.0
Percentage of embryos transferred resulting in implantation	30.7	25.9	11.9	12.1	1.5	0.0
Percentage of elective single embryo transfer (eSET)	11.3	11.5	0.9	2.7	0.0	0 / 14
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	34.3	15.8	13.1	17.8	1.4	0.0
Percentage of cycles resulting in triplets or more live births	1.0	1.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births	41.2	28.7	14.2	18.7	1.4	0.0
Percentage of cycles resulting in pregnancy	45.1	29.7	18.0	22.4	1.4	0.0
<b>Outcomes per Transfer</b>						
Number of transfers	89	87	133	86	49	27
Percentage of transfers resulting in singleton live births	39.3	18.4	18.0	22.1	2.0	0.0
Percentage of transfers resulting in triplets or more live births	1.1	1.1	0.0	0.0	0.0	0.0
Percentage of transfers resulting in live births	47.2	33.3	19.5	23.3	2.0	0.0
Percentage of transfers resulting in pregnancy	51.7	34.5	24.8	27.9	2.0	0.0
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	46	30	33	24	1	0
Percentage of pregnancies resulting in singleton live births	76.1	53.3	72.7	79.2	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	2.2	3.3	0.0	0.0	0 / 1	
Percentage of pregnancies resulting in live births	91.3	96.7	78.8	83.3	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	28	33	18	14	8	5
Number of transfers	28	30	17	14	8	5
Average number of embryos transferred	1.7	1.7	1.8	1.7	2.0	2.0
Percentage of embryos transferred resulting in implantation	17.0	17.6	13.3	4.2	1 / 16	1 / 10
Percentage of transfers resulting in singleton live births	28.6	16.7	2 / 17	1 / 14	1 / 8	1 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 17	0 / 14	0 / 8	0 / 5
Percentage of transfers resulting in live births	28.6	20.0	3 / 17	1 / 14	1 / 8	1 / 5
Percentage of transfers resulting in pregnancy	28.6	23.3	3 / 17	1 / 14	1 / 8	1 / 5
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			22		19	
Number of transfers			17		18	
Average number of embryos transferred			1.9		1.8	
Percentage of embryos transferred resulting in implantation			21.9		33.3	
Percentage of transfers resulting in singleton live births			7 / 17		3 / 18	
Percentage of transfers resulting in live births			7 / 17		6 / 18	
Percentage of transfers resulting in pregnancy			7 / 17		8 / 18	

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Columbia Fertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 18 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE GEORGE WASHINGTON UNIVERSITY MEDICAL FACULTY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

2011 ART CYCLE PROFILE				Patient Diagnosis <sup>b</sup>				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	86%	Tubal factor	6%	Uterine factor	0%	Multiple Factors: Female factors only 2% Female & male factors 4%
Unstimulated	7%	Used PGD	12%	Ovulatory dysfunction	4%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	9%	
				Endometriosis	2%	Unknown factor	48%	

## 2011 ART SUCCESS RATES<sup>c,d</sup> Number of cycles in table: <sup>e</sup> 423 Data verified by Paul R. Gindoff, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	84	70	103	42	18	5
Percentage of cancellations	14.3	11.4	5.8	9.5	1 / 18	1 / 5
Average number of embryos transferred	1.6	1.6	2.1	2.4	2.3	3.0
Percentage of embryos transferred resulting in implantation	18.8	18.8	6.1	3.8	8.0	0 / 6
Percentage of elective single embryo transfer (eSET)	49.1	39.5	15.6	4.5	0 / 6	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	14.3	18.6	9.7	7.1	2 / 18	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 18	0 / 5
Percentage of cycles resulting in live births	15.5	20.0	9.7	7.1	2 / 18	0 / 5
Percentage of cycles resulting in pregnancy	20.2	22.9	11.7	9.5	2 / 18	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	61	53	84	33	11	2
Percentage of transfers resulting in singleton live births	19.7	24.5	11.9	9.1	2 / 11	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 11	0 / 2
Percentage of transfers resulting in live births	21.3	26.4	11.9	9.1	2 / 11	0 / 2
Percentage of transfers resulting in pregnancy	27.9	30.2	14.3	12.1	2 / 11	0 / 2
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	17	16	12	4	2	0
Percentage of pregnancies resulting in singleton live births	12 / 17	13 / 16	10 / 12	3 / 4	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	0 / 17	0 / 16	0 / 12	0 / 4	0 / 2	
Percentage of pregnancies resulting in live births	13 / 17	14 / 16	10 / 12	3 / 4	2 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	27	19	13	5	4	3
Number of transfers	26	17	13	4	3	3
Average number of embryos transferred	2.0	1.6	2.3	2.5	2.3	2.7
Percentage of embryos transferred resulting in implantation	5.8	10.7	10.0	4 / 10	0 / 7	0 / 8
Percentage of transfers resulting in singleton live births	11.5	1 / 17	1 / 13	1 / 4	0 / 3	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0 / 17	0 / 13	0 / 4	0 / 3	0 / 3
Percentage of transfers resulting in live births	11.5	2 / 17	2 / 13	2 / 4	0 / 3	0 / 3
Percentage of transfers resulting in pregnancy	11.5	2 / 17	2 / 13	3 / 4	0 / 3	0 / 3
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	21		9			
Number of transfers	18		7			
Average number of embryos transferred	1.5		2.3			
Percentage of embryos transferred resulting in implantation	29.6		3 / 16			
Percentage of transfers resulting in singleton live births	7 / 18		3 / 7			
Percentage of transfers resulting in live births	7 / 18		3 / 7			
Percentage of transfers resulting in pregnancy	8 / 18		3 / 7			

## CURRENT CLINIC SERVICES AND PROFILE

<b>Current Name:</b> The George Washington University Medical Faculty Associates					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 23 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## JAMES A. SIMON, MD, PC WASHINGTON, DISTRICT OF COLUMBIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	29%	Tubal factor	0%	Uterine factor	33%	Multiple Factors: Female factors only 0% Female & male factors 25%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	0%	
				Endometriosis	8%	Unknown factor	17%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 12

Data verified by James A. Simon, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	2	1	2	1	1	0
Percentage of cancellations	0 / 2	0 / 1	0 / 2	0 / 1	0 / 1	
Average number of embryos transferred	2.0		3.0	2.0		
Percentage of embryos transferred resulting in implantation	2 / 4		0 / 3	0 / 2		
Percentage of elective single embryo transfer (eSET)	0 / 2		0 / 1	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	0 / 2	0 / 1	0 / 2	0 / 1	0 / 1	
Percentage of cycles resulting in triplets or more live births	0 / 2	0 / 1	0 / 2	0 / 1	0 / 1	
Percentage of cycles resulting in live births	1 / 2	0 / 1	0 / 2	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancy	1 / 2	0 / 1	0 / 2	0 / 1	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	2	0	1	1	0	0
Percentage of transfers resulting in singleton live births	0 / 2		0 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 2		0 / 1	0 / 1		
Percentage of transfers resulting in live births	1 / 2		0 / 1	0 / 1		
Percentage of transfers resulting in pregnancy	1 / 2		0 / 1	0 / 1		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	1	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births	0 / 1					
Percentage of pregnancies resulting in triplets or more live births	0 / 1					
Percentage of pregnancies resulting in live births	1 / 1					
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	3	1	0	1	0
Number of transfers	0	3	1	0	1	0
Average number of embryos transferred		1.7	1.0		2.0	
Percentage of embryos transferred resulting in implantation		1 / 5	0 / 1		0 / 2	
Percentage of transfers resulting in singleton live births		1 / 3	0 / 1		0 / 1	
Percentage of transfers resulting in triplets or more live births		0 / 3	0 / 1		0 / 1	
Percentage of transfers resulting in live births		1 / 3	0 / 1		0 / 1	
Percentage of transfers resulting in pregnancy		1 / 3	0 / 1		0 / 1	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** James A. Simon, MD, PC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# BOCAFERTILITY BOCA RATON, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	37%	Tubal factor	5%	Uterine factor	7%	Multiple Factors: Female factors only 5% Female & male factors 6%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	5%	Male factor	20%	
Used gestational carrier	6%			Diminished ovarian reserve	57%	Other factor	12%	
				Endometriosis	<1%	Unknown factor	4%	

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 105

Data verified by Maurice (Moshe) R. Peress, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	26	10	18	8	3	0
Percentage of cancellations	0.0	2 / 10	3 / 18	0 / 8	1 / 3	
Average number of embryos transferred	2.1	2.1	2.1	2.4	3.5	
Percentage of embryos transferred resulting in implantation	20.4	9 / 17	3.3	2 / 19	0 / 7	
Percentage of elective single embryo transfer (eSET)	0.0	0 / 8	0 / 11	0 / 6	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	26.9	3 / 10	1 / 18	0 / 8	0 / 3	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 10	0 / 18	0 / 8	0 / 3	
Percentage of cycles resulting in live births	26.9	3 / 10	1 / 18	0 / 8	0 / 3	
Percentage of cycles resulting in pregnancy	42.3	6 / 10	1 / 18	2 / 8	0 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	23	8	14	8	2	0
Percentage of transfers resulting in singleton live births	30.4	3 / 8	1 / 14	0 / 8	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0 / 14	0 / 8	0 / 2	
Percentage of transfers resulting in live births	30.4	3 / 8	1 / 14	0 / 8	0 / 2	
Percentage of transfers resulting in pregnancy	47.8	6 / 8	1 / 14	2 / 8	0 / 2	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	11	6	1	2	0	0
Percentage of pregnancies resulting in singleton live births	7 / 11	3 / 6	1 / 1	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 6	0 / 1	0 / 2		
Percentage of pregnancies resulting in live births	7 / 11	3 / 6	1 / 1	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	3	1	0	0	0
Number of transfers	2	3	1	0	0	0
Average number of embryos transferred	2.5	2.0	2.0			
Percentage of embryos transferred resulting in implantation	3 / 5	0 / 6	0 / 2			
Percentage of transfers resulting in singleton live births	1 / 2	0 / 3	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 3	0 / 1			
Percentage of transfers resulting in live births	2 / 2	0 / 3	0 / 1			
Percentage of transfers resulting in pregnancy	2 / 2	0 / 3	0 / 1			
<b>All Ages Combined<sup>f</sup></b>						
	<b>Fresh Embryos</b>			<b>Frozen Embryos</b>		
Number of cycles	26			8		
Number of transfers	21			6		
Average number of embryos transferred	2.0			2.2		
Percentage of embryos transferred resulting in implantation	27.9			3 / 13		
Percentage of transfers resulting in singleton live births	19.0			1 / 6		
Percentage of transfers resulting in live births	38.1			2 / 6		
Percentage of transfers resulting in pregnancy	38.1			2 / 6		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** BocaFertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## PALM BEACH FERTILITY CENTER BOCA RATON, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	85%	Tubal factor	12%	Uterine factor	6%	Multiple Factors: Female factors only 10% Female & male factors 59%
Unstimulated	0%	Used PGD	21%	Ovulatory dysfunction	9%	Male factor	61%	
Used gestational carrier	10%			Diminished ovarian reserve	80%	Other factor	8%	
				Endometriosis	7%	Unknown factor	2%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 131

Data verified by Mark S. Denker, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	23	12	19	11	3	5
Percentage of cancellations	4.3	1 / 12	5 / 19	1 / 11	0 / 3	1 / 5
Average number of embryos transferred	2.1	1.9	2.5	2.3	3.0	2.0
Percentage of embryos transferred resulting in implantation	23.1	3 / 17	10.0	2 / 16	0 / 6	0 / 4
Percentage of elective single embryo transfer (eSET)	1 / 15	0 / 6	0 / 8	0 / 5	0 / 2	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	21.7	1 / 12	1 / 19	1 / 11	0 / 3	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 19	0 / 11	0 / 3	0 / 5
Percentage of cycles resulting in live births	30.4	2 / 12	1 / 19	1 / 11	0 / 3	0 / 5
Percentage of cycles resulting in pregnancy	30.4	2 / 12	2 / 19	2 / 11	0 / 3	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	19	9	8	7	2	2
Percentage of transfers resulting in singleton live births	5 / 19	1 / 9	1 / 8	1 / 7	0 / 2	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 9	0 / 8	0 / 7	0 / 2	0 / 2
Percentage of transfers resulting in live births	7 / 19	2 / 9	1 / 8	1 / 7	0 / 2	0 / 2
Percentage of transfers resulting in pregnancy	7 / 19	2 / 9	2 / 8	2 / 7	0 / 2	0 / 2
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	7	2	2	2	0	0
Percentage of pregnancies resulting in singleton live births	5 / 7	1 / 2	1 / 2	1 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 7	0 / 2	0 / 2	0 / 2		
Percentage of pregnancies resulting in live births	7 / 7	2 / 2	1 / 2	1 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	4	0	3	2	0	1
Number of transfers	4	0	3	1	0	1
Average number of embryos transferred	1.8		1.3	2.0		1.0
Percentage of embryos transferred resulting in implantation	1 / 7		0 / 4	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births	0 / 4		0 / 3	0 / 1		0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 4		0 / 3	0 / 1		0 / 1
Percentage of transfers resulting in live births	0 / 4		0 / 3	0 / 1		0 / 1
Percentage of transfers resulting in pregnancy	1 / 4		0 / 3	0 / 1		0 / 1
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	35		13			
Number of transfers	28		8			
Average number of embryos transferred	2.0		1.9			
Percentage of embryos transferred resulting in implantation	29.8		1 / 15			
Percentage of transfers resulting in singleton live births	32.1		1 / 8			
Percentage of transfers resulting in live births	46.4		1 / 8			
Percentage of transfers resulting in pregnancy	46.4		1 / 8			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Palm Beach Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 7 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ADVANCED REPRODUCTIVE CARE CENTER BOYNTON BEACH, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	55%	Tubal factor	16%	Uterine factor	40%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	12%	Male factor	40%	
Used gestational carrier	5%			Diminished ovarian reserve	32%	Other factor	4%	
				Endometriosis	0%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				24%
				Female & male factors				20%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 25

Data verified by Tibor E. Polcz, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	10	3	4	2	1	0
Percentage of cancellations	0 / 10	0 / 3	0 / 4	0 / 2	0 / 1	
Average number of embryos transferred	2.8	2.0	2.5	2.0	2.0	
Percentage of embryos transferred resulting in implantation	36.4	4 / 6	1 / 5	0 / 4	0 / 2	
Percentage of elective single embryo transfer (eSET)	0 / 8	0 / 2	0 / 2	0 / 2	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	2 / 10	1 / 3	1 / 4	0 / 2	0 / 1	
Percentage of cycles resulting in triplets or more live births	0 / 10	0 / 3	0 / 4	0 / 2	0 / 1	
Percentage of cycles resulting in live births	4 / 10	2 / 3	1 / 4	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancy	5 / 10	2 / 3	1 / 4	0 / 2	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	8	3	2	2	1	0
Percentage of transfers resulting in singleton live births	2 / 8	1 / 3	1 / 2	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 3	0 / 2	0 / 2	0 / 1	
Percentage of transfers resulting in live births	4 / 8	2 / 3	1 / 2	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	5 / 8	2 / 3	1 / 2	0 / 2	0 / 1	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	5	2	1	0	0	0
Percentage of pregnancies resulting in singleton live births	2 / 5	1 / 2	1 / 1			
Percentage of pregnancies resulting in triplets or more live births	0 / 5	0 / 2	0 / 1			
Percentage of pregnancies resulting in live births	4 / 5	2 / 2	1 / 1			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	1	0	1	0
Number of transfers	0	0	1	0	1	0
Average number of embryos transferred			3.0		2.0	
Percentage of embryos transferred resulting in implantation			0 / 3		0 / 2	
Percentage of transfers resulting in singleton live births			0 / 1		0 / 1	
Percentage of transfers resulting in triplets or more live births			0 / 1		0 / 1	
Percentage of transfers resulting in live births			0 / 1		0 / 1	
Percentage of transfers resulting in pregnancy			0 / 1		0 / 1	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	2		1			
Number of transfers	2		1			
Average number of embryos transferred	2.5		2.0			
Percentage of embryos transferred resulting in implantation	4 / 5		0 / 2			
Percentage of transfers resulting in singleton live births	0 / 2		0 / 1			
Percentage of transfers resulting in live births	2 / 2		0 / 1			
Percentage of transfers resulting in pregnancy	2 / 2		0 / 1			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Advanced Reproductive Care Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## FLORIDA FERTILITY INSTITUTE CLEARWATER, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	68%	Tubal factor	28%	Uterine factor	7%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	23%	Male factor	46%	
Used gestational carrier	<1%			Diminished ovarian reserve	44%	Other factor	14%	
				Endometriosis	14%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				24%
				Female & male factors				36%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 141

Data verified by Mark D. Sanchez, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	51	27	18	12	1	0
Percentage of cancellations	7.8	3.7	1 / 18	3 / 12	0 / 1	
Average number of embryos transferred	2.5	2.7	3.0	2.4	3.0	
Percentage of embryos transferred resulting in implantation	26.2	23.7	27.1	5 / 19	0 / 3	
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0 / 15	0 / 7	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	21.6	14.8	3 / 18	0 / 12	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 12	0 / 1	
Percentage of cycles resulting in live births	31.4	29.6	7 / 18	1 / 12	0 / 1	
Percentage of cycles resulting in pregnancy	37.3	37.0	10 / 18	3 / 12	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	42	22	16	8	1	0
Percentage of transfers resulting in singleton live births	26.2	18.2	3 / 16	0 / 8	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 16	0 / 8	0 / 1	
Percentage of transfers resulting in live births	38.1	36.4	7 / 16	1 / 8	0 / 1	
Percentage of transfers resulting in pregnancy	45.2	45.5	10 / 16	3 / 8	0 / 1	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	19	10	10	3	0	0
Percentage of pregnancies resulting in singleton live births	11 / 19	4 / 10	3 / 10	0 / 3		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 10	0 / 10	0 / 3		
Percentage of pregnancies resulting in live births	16 / 19	8 / 10	7 / 10	1 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	5	5	0	0	0	0
Number of transfers	5	5	0	0	0	0
Average number of embryos transferred	2.6	2.4				
Percentage of embryos transferred resulting in implantation	2 / 13	2 / 12				
Percentage of transfers resulting in singleton live births	0 / 5	2 / 5				
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 5				
Percentage of transfers resulting in live births	1 / 5	2 / 5				
Percentage of transfers resulting in pregnancy	1 / 5	2 / 5				
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	15		7			
Number of transfers	15		6			
Average number of embryos transferred	2.3		2.0			
Percentage of embryos transferred resulting in implantation	37.1		2 / 12			
Percentage of transfers resulting in singleton live births	7 / 15		1 / 6			
Percentage of transfers resulting in live births	9 / 15		1 / 6			
Percentage of transfers resulting in pregnancy	10 / 15		2 / 6			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Florida Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## INFERTILITY AND REPRODUCTIVE MEDICINE OF SOUTH BROWARD COOPER CITY, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	26%	Uterine factor	11%	
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	26%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	14%	
				Endometriosis	6%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				20%
				Female & male factors				29%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 35

Data verified by Kenneth Gelman, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	10	7	6	4	2	0
Percentage of cancellations	0 / 10	3 / 7	0 / 6	0 / 4	2 / 2	
Average number of embryos transferred	1.7	2.0	1.8	1.5		
Percentage of embryos transferred resulting in implantation	9 / 17	4 / 6	2 / 9	1 / 3		
Percentage of elective single embryo transfer (eSET)	0 / 7	0 / 3	0 / 4	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	3 / 10	2 / 7	1 / 6	0 / 4	0 / 2	
Percentage of cycles resulting in triplets or more live births	1 / 10	0 / 7	0 / 6	0 / 4	0 / 2	
Percentage of cycles resulting in live births	4 / 10	3 / 7	1 / 6	0 / 4	0 / 2	
Percentage of cycles resulting in pregnancy	5 / 10	3 / 7	2 / 6	2 / 4	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	10	3	5	2	0	0
Percentage of transfers resulting in singleton live births	3 / 10	2 / 3	1 / 5	0 / 2		
Percentage of transfers resulting in triplets or more live births	1 / 10	0 / 3	0 / 5	0 / 2		
Percentage of transfers resulting in live births	4 / 10	3 / 3	1 / 5	0 / 2		
Percentage of transfers resulting in pregnancy	5 / 10	3 / 3	2 / 5	2 / 2		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	5	3	2	2	0	0
Percentage of pregnancies resulting in singleton live births	3 / 5	2 / 3	1 / 2	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	1 / 5	0 / 3	0 / 2	0 / 2		
Percentage of pregnancies resulting in live births	4 / 5	3 / 3	1 / 2	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	4	0	0	0	0
Number of transfers	2	3	0	0	0	0
Average number of embryos transferred	2.5	2.0				
Percentage of embryos transferred resulting in implantation	1 / 5	4 / 6				
Percentage of transfers resulting in singleton live births	1 / 2	3 / 3				
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 3				
Percentage of transfers resulting in live births	1 / 2	3 / 3				
Percentage of transfers resulting in pregnancy	1 / 2	3 / 3				
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Infertility and Reproductive Medicine of South Broward

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## SOUTHWEST FLORIDA FERTILITY CENTER, PA FORT MYERS, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	34%	Tubal factor	18%	Uterine factor	6%
Unstimulated	2%	Used PGD	0%	Ovulatory dysfunction	4%	Male factor	31%
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	4%
				Endometriosis	4%	Unknown factor	20%
				Multiple Factors:			
						Female factors only	0%
						Female & male factors	18%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 49

Data verified by Jacob L. Glock, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	13	10	11	3	0	4
Percentage of cancellations	1 / 13	0 / 10	0 / 11	0 / 3		0 / 4
Average number of embryos transferred	2.8	2.7	2.8	3.0		1.5
Percentage of embryos transferred resulting in implantation	24.2	22.2	12.0	1 / 9		0 / 6
Percentage of elective single embryo transfer (eSET)	0 / 12	0 / 9	0 / 8	0 / 3		0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	4 / 13	3 / 10	1 / 11	1 / 3		0 / 4
Percentage of cycles resulting in triplets or more live births	0 / 13	0 / 10	0 / 11	0 / 3		0 / 4
Percentage of cycles resulting in live births	6 / 13	4 / 10	2 / 11	1 / 3		0 / 4
Percentage of cycles resulting in pregnancy	6 / 13	5 / 10	2 / 11	1 / 3		0 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	12	10	9	3	0	4
Percentage of transfers resulting in singleton live births	4 / 12	3 / 10	1 / 9	1 / 3		0 / 4
Percentage of transfers resulting in triplets or more live births	0 / 12	0 / 10	0 / 9	0 / 3		0 / 4
Percentage of transfers resulting in live births	6 / 12	4 / 10	2 / 9	1 / 3		0 / 4
Percentage of transfers resulting in pregnancy	6 / 12	5 / 10	2 / 9	1 / 3		0 / 4
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	6	5	2	1	0	0
Percentage of pregnancies resulting in singleton live births	4 / 6	3 / 5	1 / 2	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 6	0 / 5	0 / 2	0 / 1		
Percentage of pregnancies resulting in live births	6 / 6	4 / 5	2 / 2	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	1	1	1	0	0
Number of transfers	0	1	1	1	0	0
Average number of embryos transferred		2.0	2.0	4.0		
Percentage of embryos transferred resulting in implantation		1 / 2	1 / 2	2 / 4		
Percentage of transfers resulting in singleton live births		1 / 1	1 / 1	0 / 1		
Percentage of transfers resulting in triplets or more live births		0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births		1 / 1	1 / 1	1 / 1		
Percentage of transfers resulting in pregnancy		1 / 1	1 / 1	1 / 1		
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	4		1			
Number of transfers	4		1			
Average number of embryos transferred	2.5		2.0			
Percentage of embryos transferred resulting in implantation	2 / 10		0 / 2			
Percentage of transfers resulting in singleton live births	2 / 4		0 / 1			
Percentage of transfers resulting in live births	2 / 4		0 / 1			
Percentage of transfers resulting in pregnancy	2 / 4		0 / 1			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Southwest Florida Fertility Center, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## SPECIALISTS IN REPRODUCTIVE MEDICINE AND SURGERY, PA FORT MYERS, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	65%	Tubal factor	11%	Uterine factor	2%	
Unstimulated	0%	Used PGD	14%	Ovulatory dysfunction	12%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	7%	
				Endometriosis	19%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				10%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 126

Data verified by Craig R. Sweet, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	31	12	18	4	0	0
Percentage of cancellations	6.5	0 / 12	4 / 18	1 / 4		
Average number of embryos transferred	2.1	2.1	2.8	1.0		
Percentage of embryos transferred resulting in implantation	32.3	33.3	23.5	1 / 3		
Percentage of elective single embryo transfer (eSET)	11.1	0 / 8	0 / 11			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	19.4	3 / 12	3 / 18	1 / 4		
Percentage of cycles resulting in triplets or more live births	0.0	0 / 12	0 / 18	0 / 4		
Percentage of cycles resulting in live births	35.5	5 / 12	4 / 18	1 / 4		
Percentage of cycles resulting in pregnancy	45.2	5 / 12	5 / 18	1 / 4		
<b>Outcomes per Transfer</b>						
Number of transfers	29	10	12	3	0	0
Percentage of transfers resulting in singleton live births	20.7	3 / 10	3 / 12	1 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 12	0 / 3		
Percentage of transfers resulting in live births	37.9	5 / 10	4 / 12	1 / 3		
Percentage of transfers resulting in pregnancy	48.3	5 / 10	5 / 12	1 / 3		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	14	5	5	1	0	0
Percentage of pregnancies resulting in singleton live births	6 / 14	3 / 5	3 / 5	1 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 14	0 / 5	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	11 / 14	5 / 5	4 / 5	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	10	10	6	3	2	0
Number of transfers	10	7	6	3	1	0
Average number of embryos transferred	2.4	1.6	2.3	3.0	1.0	
Percentage of embryos transferred resulting in implantation	4.2	2 / 11	0 / 14	0 / 9	0 / 1	
Percentage of transfers resulting in singleton live births	0 / 10	2 / 7	0 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 10	0 / 7	0 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in live births	0 / 10	2 / 7	0 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	1 / 10	2 / 7	1 / 6	0 / 3	1 / 1	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>			<b>Frozen Embryos</b>		
Number of cycles	11			19		
Number of transfers	8			18		
Average number of embryos transferred	1.6			2.7		
Percentage of embryos transferred resulting in implantation	6 / 13			2.1		
Percentage of transfers resulting in singleton live births	2 / 8			1 / 18		
Percentage of transfers resulting in live births	4 / 8			1 / 18		
Percentage of transfers resulting in pregnancy	5 / 8			4 / 18		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Specialists in Reproductive Medicine and Surgery, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY OF FLORIDA WOMEN'S HEALTH AT MAGNOLIA PARKE GAINESVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	59%	Tubal factor	13%	Uterine factor	0%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	13%	Male factor	40%	
Used gestational carrier	3%			Diminished ovarian reserve	24%	Other factor	13%	
				Endometriosis	33%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				22%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 93

Data verified by Alice Rhoton-Vlasak, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	46	14	10	2	1	0
Percentage of cancellations	6.5	4 / 14	0 / 10	0 / 2	0 / 1	
Average number of embryos transferred	1.9	1.8	2.2	2.0	3.0	
Percentage of embryos transferred resulting in implantation	32.5	7 / 18	10.0	1 / 4	1 / 3	
Percentage of elective single embryo transfer (eSET)	5.1	0 / 7	0 / 8	0 / 2	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	28.3	3 / 14	2 / 10	1 / 2	0 / 1	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 10	0 / 2	0 / 1	
Percentage of cycles resulting in live births	39.1	5 / 14	2 / 10	1 / 2	0 / 1	
Percentage of cycles resulting in pregnancy	41.3	5 / 14	3 / 10	1 / 2	1 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	43	10	9	2	1	0
Percentage of transfers resulting in singleton live births	30.2	3 / 10	2 / 9	1 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in live births	41.9	5 / 10	2 / 9	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	44.2	5 / 10	3 / 9	1 / 2	1 / 1	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	19	5	3	1	1	0
Percentage of pregnancies resulting in singleton live births	13 / 19	3 / 5	2 / 3	1 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 5	0 / 3	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	18 / 19	5 / 5	2 / 3	1 / 1	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	7	1	1	0	0	0
Number of transfers	7	1	1	0	0	0
Average number of embryos transferred	1.7	2.0	1.0			
Percentage of embryos transferred resulting in implantation	3 / 12	0 / 2	1 / 1			
Percentage of transfers resulting in singleton live births	0 / 7	0 / 1	1 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 1	0 / 1			
Percentage of transfers resulting in live births	1 / 7	0 / 1	1 / 1			
Percentage of transfers resulting in pregnancy	2 / 7	0 / 1	1 / 1			
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
<b>Donor Eggs</b>						
Number of cycles		8		3		
Number of transfers		8		2		
Average number of embryos transferred		1.6		1.5		
Percentage of embryos transferred resulting in implantation		7 / 13		2 / 3		
Percentage of transfers resulting in singleton live births		3 / 8		2 / 2		
Percentage of transfers resulting in live births		5 / 8		2 / 2		
Percentage of transfers resulting in pregnancy		5 / 8		2 / 2		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** University of Florida & Shands Reproductive Medicine at Springhill

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ASSISTED FERTILITY PROGRAM OF NORTH FLORIDA JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	60%	Tubal factor	10%	Uterine factor	0%	
Unstimulated	0%	Used PGD	10%	Ovulatory dysfunction	16%	Male factor	40%	
Used gestational carrier	3%			Diminished ovarian reserve	8%	Other factor	16%	
				Endometriosis	19%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				5%
				Female & male factors				11%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 80

Data verified by Marwan M. Shaykh, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	31	19	8	2	2	1
Percentage of cancellations	3.2	2 / 19	0 / 8	0 / 2	0 / 2	0 / 1
Average number of embryos transferred	2.3	2.3	3.0	1.5	1.5	1.0
Percentage of embryos transferred resulting in implantation	20.0	10.3	0.0	0 / 3	0 / 3	0 / 1
Percentage of elective single embryo transfer (eSET)	3.8	0 / 13	0 / 6	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	22.6	1 / 19	0 / 8	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births	3.2	0 / 19	0 / 8	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births	29.0	2 / 19	0 / 8	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy	32.3	4 / 19	0 / 8	0 / 2	0 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	30	17	7	2	2	1
Percentage of transfers resulting in singleton live births	23.3	1 / 17	0 / 7	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	3.3	0 / 17	0 / 7	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births	30.0	2 / 17	0 / 7	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	33.3	4 / 17	0 / 7	0 / 2	0 / 2	0 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	10	4	0	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 10	1 / 4				
Percentage of pregnancies resulting in triplets or more live births	1 / 10	0 / 4				
Percentage of pregnancies resulting in live births	9 / 10	2 / 4				
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	4	2	0	0	0	0
Number of transfers	4	2	0	0	0	0
Average number of embryos transferred	2.0	1.5				
Percentage of embryos transferred resulting in implantation	1 / 8	0 / 3				
Percentage of transfers resulting in singleton live births	1 / 4	0 / 2				
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 2				
Percentage of transfers resulting in live births	1 / 4	0 / 2				
Percentage of transfers resulting in pregnancy	1 / 4	0 / 2				
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	6		5			
Number of transfers	6		5			
Average number of embryos transferred	2.2		1.0			
Percentage of embryos transferred resulting in implantation	6 / 13		2 / 5			
Percentage of transfers resulting in singleton live births	0 / 6		2 / 5			
Percentage of transfers resulting in live births	1 / 6		2 / 5			
Percentage of transfers resulting in pregnancy	3 / 6		2 / 5			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Assisted Fertility Program of North Florida

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## BROWN FERTILITY ASSOCIATES JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	59%	Tubal factor	11%	Uterine factor	0%	
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	17%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	43%	
				Endometriosis	18%	Unknown factor	3%	
				Multiple Factors:				
				Female factors only				29%
				Female & male factors				17%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 115

Data verified by Samuel E. Brown, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	41	17	14	15	6	5
Percentage of cancellations	9.8	2 / 17	0 / 14	4 / 15	1 / 6	0 / 5
Average number of embryos transferred	2.6	2.4	2.6	2.6	2.8	1.5
Percentage of embryos transferred resulting in implantation	24.7	21.2	10.8	0.0	0 / 14	0 / 6
Percentage of elective single embryo transfer (eSET)	0.0	0 / 12	0 / 13	0 / 8	0 / 5	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	12.2	3 / 17	0 / 14	0 / 15	0 / 6	0 / 5
Percentage of cycles resulting in triplets or more live births	0.0	0 / 17	1 / 14	0 / 15	0 / 6	0 / 5
Percentage of cycles resulting in live births	14.6	3 / 17	1 / 14	0 / 15	0 / 6	0 / 5
Percentage of cycles resulting in pregnancy	51.2	8 / 17	5 / 14	3 / 15	3 / 6	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	36	14	14	10	5	4
Percentage of transfers resulting in singleton live births	13.9	3 / 14	0 / 14	0 / 10	0 / 5	0 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	1 / 14	0 / 10	0 / 5	0 / 4
Percentage of transfers resulting in live births	16.7	3 / 14	1 / 14	0 / 10	0 / 5	0 / 4
Percentage of transfers resulting in pregnancy	58.3	8 / 14	5 / 14	3 / 10	3 / 5	0 / 4
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	21	8	5	3	3	0
Percentage of pregnancies resulting in singleton live births	23.8	3 / 8	0 / 5	0 / 3	0 / 3	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 8	1 / 5	0 / 3	0 / 3	
Percentage of pregnancies resulting in live births	28.6	3 / 8	1 / 5	0 / 3	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	1	1	0	0	0
Number of transfers	2	1	1	0	0	0
Average number of embryos transferred	2.0	3.0	2.0			
Percentage of embryos transferred resulting in implantation	0 / 4	0 / 3	0 / 2			
Percentage of transfers resulting in singleton live births	0 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births	0 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in live births	0 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy	0 / 2	0 / 1	0 / 1			
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		9		4		
Number of transfers		8		4		
Average number of embryos transferred		2.5		2.5		
Percentage of embryos transferred resulting in implantation		40.0		1 / 10		
Percentage of transfers resulting in singleton live births		3 / 8		1 / 4		
Percentage of transfers resulting in live births		4 / 8		1 / 4		
Percentage of transfers resulting in pregnancy		8 / 8		1 / 4		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Brown Fertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	25%	Uterine factor	10%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	18%	Male factor	63%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	5%	
				Endometriosis	18%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				42%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 742

Data verified by Kevin L. Winslow, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	235	68	58	19	3	3
Percentage of cancellations	5.1	13.2	6.9	1 / 19	0 / 3	0 / 3
Average number of embryos transferred	2.0	2.3	2.6	3.2	2.3	3.0
Percentage of embryos transferred resulting in implantation	34.1	21.3	14.4	3.6	1 / 7	1 / 9
Percentage of elective single embryo transfer (eSET)	7.7	3.6	0.0	0 / 17	0 / 2	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	30.2	16.2	10.3	1 / 19	0 / 3	1 / 3
Percentage of cycles resulting in triplets or more live births	1.3	0.0	0.0	0 / 19	0 / 3	0 / 3
Percentage of cycles resulting in live births	41.3	25.0	19.0	1 / 19	0 / 3	1 / 3
Percentage of cycles resulting in pregnancy	46.4	27.9	29.3	3 / 19	1 / 3	1 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	201	55	51	17	3	3
Percentage of transfers resulting in singleton live births	35.3	20.0	11.8	1 / 17	0 / 3	1 / 3
Percentage of transfers resulting in triplets or more live births	1.5	0.0	0.0	0 / 17	0 / 3	0 / 3
Percentage of transfers resulting in live births	48.3	30.9	21.6	1 / 17	0 / 3	1 / 3
Percentage of transfers resulting in pregnancy	54.2	34.5	33.3	3 / 17	1 / 3	1 / 3
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	109	19	17	3	1	1
Percentage of pregnancies resulting in singleton live births	65.1	11 / 19	6 / 17	1 / 3	0 / 1	1 / 1
Percentage of pregnancies resulting in triplets or more live births	2.8	0 / 19	0 / 17	0 / 3	0 / 1	0 / 1
Percentage of pregnancies resulting in live births	89.0	17 / 19	11 / 17	1 / 3	0 / 1	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	149	56	26	13	3	4
Number of transfers	146	54	25	13	3	4
Average number of embryos transferred	1.9	2.0	2.3	1.7	2.3	2.3
Percentage of embryos transferred resulting in implantation	17.7	13.9	13.8	18.2	1 / 7	1 / 9
Percentage of transfers resulting in singleton live births	15.1	24.1	20.0	1 / 13	0 / 3	1 / 4
Percentage of transfers resulting in triplets or more live births	0.0	0.0	4.0	0 / 13	0 / 3	0 / 4
Percentage of transfers resulting in live births	21.2	25.9	24.0	2 / 13	0 / 3	1 / 4
Percentage of transfers resulting in pregnancy	28.1	25.9	28.0	3 / 13	1 / 3	1 / 4
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	63		42			
Number of transfers	60		41			
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation	39.2		20.2			
Percentage of transfers resulting in singleton live births	30.0		9.8			
Percentage of transfers resulting in live births	45.0		19.5			
Percentage of transfers resulting in pregnancy	53.3		26.8			

## CURRENT CLINIC SERVICES AND PROFILE

<b>Current Name:</b> Florida Institute for Reproductive Medicine					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 14 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# JACKSONVILLE CENTER FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	29%	Tubal factor	11%	Uterine factor	2%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	21%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	13%	
				Endometriosis	31%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				12%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 308

Data verified by Michael D. Fox, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	104	50	43	8	2	0
Percentage of cancellations	4.8	4.0	16.3	1 / 8	0 / 2	
Average number of embryos transferred	1.9	2.2	2.0	1.8	2.0	
Percentage of embryos transferred resulting in implantation	29.7	17.0	18.6	0 / 9	0 / 4	
Percentage of elective single embryo transfer (eSET)	8.6	4.9	0.0	0 / 2	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	19.2	18.0	11.6	0 / 8	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0 / 8	0 / 2	
Percentage of cycles resulting in live births	30.8	26.0	14.0	0 / 8	0 / 2	
Percentage of cycles resulting in pregnancy	34.6	28.0	20.9	0 / 8	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	85	46	29	5	2	0
Percentage of transfers resulting in singleton live births	23.5	19.6	17.2	0 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 5	0 / 2	
Percentage of transfers resulting in live births	37.6	28.3	20.7	0 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	42.4	30.4	31.0	0 / 5	0 / 2	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	36	14	9	0	0	0
Percentage of pregnancies resulting in singleton live births	55.6	9 / 14	5 / 9			
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 14	0 / 9			
Percentage of pregnancies resulting in live births	88.9	13 / 14	6 / 9			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	35	16	14	1	0	2
Number of transfers	32	15	14	1	0	2
Average number of embryos transferred	1.9	1.5	1.9	2.0		2.0
Percentage of embryos transferred resulting in implantation	16.7	4.5	7.4	0 / 2		0 / 4
Percentage of transfers resulting in singleton live births	18.8	1 / 15	0 / 14	0 / 1		0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 15	0 / 14	0 / 1		0 / 2
Percentage of transfers resulting in live births	21.9	1 / 15	0 / 14	0 / 1		0 / 2
Percentage of transfers resulting in pregnancy	34.4	1 / 15	2 / 14	0 / 1		0 / 2
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		17		16		
Number of transfers		15		14		
Average number of embryos transferred		1.9		1.5		
Percentage of embryos transferred resulting in implantation		58.6		19.0		
Percentage of transfers resulting in singleton live births		3 / 15		3 / 14		
Percentage of transfers resulting in live births		8 / 15		3 / 14		
Percentage of transfers resulting in pregnancy		11 / 15		4 / 14		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Jacksonville Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CENTER FOR NATURAL IVF JUPITER, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	47%	Tubal factor	0%	Uterine factor	0%	
Unstimulated	6%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	100%	Other factor	18%	
				Endometriosis	0%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				18%
				Female & male factors				24%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 17

Data verified by Gene Manko, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	5	9	2	1
Percentage of cancellations			1 / 5	3 / 9	0 / 2	1 / 1
Average number of embryos transferred			1.0			
Percentage of embryos transferred resulting in implantation			0 / 2			
Percentage of elective single embryo transfer (eSET)						
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births			0 / 5	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in triplets or more live births			0 / 5	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in live births			0 / 5	0 / 9	0 / 2	0 / 1
Percentage of cycles resulting in pregnancy			0 / 5	0 / 9	0 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	0	0	2	0	0	0
Percentage of transfers resulting in singleton live births			0 / 2			
Percentage of transfers resulting in triplets or more live births			0 / 2			
Percentage of transfers resulting in live births			0 / 2			
Percentage of transfers resulting in pregnancy			0 / 2			
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	0	0	0	0	0	0
Percentage of pregnancies resulting in singleton live births						
Percentage of pregnancies resulting in triplets or more live births						
Percentage of pregnancies resulting in live births						
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in triplets or more live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						
<b>All Ages Combined<sup>f</sup></b>						
	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Center for Natural IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE MEDICINE  
LUTZ, FLORIDA**

---

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

# IVF FLORIDA MARGATE, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	69%	Tubal factor	17%	Uterine factor	2%	
Unstimulated	<1%	Used PGD	<1%	Ovulatory dysfunction	11%	Male factor	32%	
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	9%	
				Endometriosis	9%	Unknown factor	9%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				11%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 1045

Data verified by David I. Hoffman, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	261	149	200	92	35	16
Percentage of cancellations	5.4	8.1	14.5	17.4	25.7	9 / 16
Average number of embryos transferred	1.7	2.1	2.6	3.2	2.9	2.5
Percentage of embryos transferred resulting in implantation	37.5	23.6	13.2	5.7	1.6	1 / 15
Percentage of elective single embryo transfer (eSET)	28.2	0.9	0.7	0.0	0 / 16	0 / 4
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	24.5	16.1	12.5	4.3	0.0	0 / 16
Percentage of cycles resulting in triplets or more live births	0.8	0.0	0.0	0.0	0.0	0 / 16
Percentage of cycles resulting in live births	36.8	22.1	14.5	6.5	0.0	0 / 16
Percentage of cycles resulting in pregnancy	41.8	33.6	24.5	15.2	5.7	1 / 16
<b>Outcomes per Transfer</b>						
Number of transfers	230	123	156	66	22	6
Percentage of transfers resulting in singleton live births	27.8	19.5	16.0	6.1	0.0	0 / 6
Percentage of transfers resulting in triplets or more live births	0.9	0.0	0.0	0.0	0.0	0 / 6
Percentage of transfers resulting in live births	41.7	26.8	18.6	9.1	0.0	0 / 6
Percentage of transfers resulting in pregnancy	47.4	40.7	31.4	21.2	9.1	1 / 6
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	109	50	49	14	2	1
Percentage of pregnancies resulting in singleton live births	58.7	48.0	51.0	4 / 14	0 / 2	0 / 1
Percentage of pregnancies resulting in triplets or more live births	1.8	0.0	0.0	0 / 14	0 / 2	0 / 1
Percentage of pregnancies resulting in live births	88.1	66.0	59.2	6 / 14	0 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	85	42	23	23	6	3
Number of transfers	83	41	22	22	5	2
Average number of embryos transferred	1.5	1.6	1.9	2.2	1.8	1.0
Percentage of embryos transferred resulting in implantation	27.8	26.9	36.6	22.9	0 / 9	1 / 2
Percentage of transfers resulting in singleton live births	30.1	22.0	22.7	40.9	0 / 5	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 5	0 / 2
Percentage of transfers resulting in live births	32.5	29.3	31.8	40.9	0 / 5	0 / 2
Percentage of transfers resulting in pregnancy	43.4	36.6	59.1	54.5	0 / 5	1 / 2
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	75		35			
Number of transfers	67		33			
Average number of embryos transferred	1.7		1.7			
Percentage of embryos transferred resulting in implantation	45.3		38.2			
Percentage of transfers resulting in singleton live births	31.3		39.4			
Percentage of transfers resulting in live births	47.8		42.4			
Percentage of transfers resulting in pregnancy	68.7		57.6			

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** IVF Florida

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**VIERA FERTILITY CENTER  
FERTILITY AND REPRODUCTIVE MEDICINE CENTER FOR WOMEN  
MELBOURNE, FLORIDA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

**2011 ART CYCLE PROFILE**

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	30%	Tubal factor	26%	Uterine factor	23%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	23%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	17%	
				Endometriosis	13%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				32%
				Female & male factors				19%

**2011 ART SUCCESS RATES<sup>c,d</sup>**

Number of cycles in table: <sup>e</sup> 53

Data verified by Diran Chamoun, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	18	5	8	11	1	0
Percentage of cancellations	1 / 18	0 / 5	0 / 8	1 / 11	0 / 1	
Average number of embryos transferred	2.2	2.6	2.6	2.1	2.0	
Percentage of embryos transferred resulting in implantation	29.7	0 / 13	9.5	2 / 19	0 / 2	
Percentage of elective single embryo transfer (eSET)	0 / 16	0 / 5	0 / 8	0 / 5	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	5 / 18	0 / 5	2 / 8	0 / 11	0 / 1	
Percentage of cycles resulting in triplets or more live births	0 / 18	0 / 5	0 / 8	0 / 11	0 / 1	
Percentage of cycles resulting in live births	8 / 18	0 / 5	2 / 8	0 / 11	0 / 1	
Percentage of cycles resulting in pregnancy	8 / 18	0 / 5	4 / 8	2 / 11	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	17	5	8	9	1	0
Percentage of transfers resulting in singleton live births	5 / 17	0 / 5	2 / 8	0 / 9	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 17	0 / 5	0 / 8	0 / 9	0 / 1	
Percentage of transfers resulting in live births	8 / 17	0 / 5	2 / 8	0 / 9	0 / 1	
Percentage of transfers resulting in pregnancy	8 / 17	0 / 5	4 / 8	2 / 9	0 / 1	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	8	0	4	2	0	0
Percentage of pregnancies resulting in singleton live births	5 / 8		2 / 4	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0 / 8		0 / 4	0 / 2		
Percentage of pregnancies resulting in live births	8 / 8		2 / 4	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	0	0	0	0	0
Number of transfers	2	0	0	0	0	0
Average number of embryos transferred	1.5					
Percentage of embryos transferred resulting in implantation	0 / 3					
Percentage of transfers resulting in singleton live births	0 / 2					
Percentage of transfers resulting in triplets or more live births	0 / 2					
Percentage of transfers resulting in live births	0 / 2					
Percentage of transfers resulting in pregnancy	0 / 2					

**All Ages Combined<sup>f</sup>**

Donor Eggs	Fresh Embryos	Frozen Embryos
Number of cycles	3	5
Number of transfers	3	5
Average number of embryos transferred	2.0	2.0
Percentage of embryos transferred resulting in implantation	3 / 6	0 / 10
Percentage of transfers resulting in singleton live births	1 / 3	0 / 5
Percentage of transfers resulting in live births	2 / 3	0 / 5
Percentage of transfers resulting in pregnancy	2 / 3	1 / 5

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** Viera Fertility Center, Fertility and Reproductive Medicine Center for Women

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## FERTILITY & IVF CENTER OF MIAMI, INC. MIAMI, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	87%	Tubal factor	22%	Uterine factor	7%	
Unstimulated	<1%	Used PGD	6%	Ovulatory dysfunction	11%	Male factor	52%	
Used gestational carrier	1%			Diminished ovarian reserve	55%	Other factor	19%	
				Endometriosis	10%	Unknown factor	1%	
				Multiple Factors:				
				Female factors only				20%
				Female & male factors				37%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 574

Data verified by Michael H. Jacobs, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	131	120	101	62	18	6
Percentage of cancellations	6.9	6.7	18.8	19.4	2 / 18	1 / 6
Average number of embryos transferred	2.3	2.2	2.4	2.8	2.7	2.6
Percentage of embryos transferred resulting in implantation	30.0	25.4	22.0	10.7	9.4	0 / 13
Percentage of elective single embryo transfer (eSET)	4.4	2.2	1.4	0.0	0 / 10	0 / 4
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	23.7	24.2	12.9	12.9	2 / 18	0 / 6
Percentage of cycles resulting in triplets or more live births	1.5	1.7	0.0	0.0	0 / 18	0 / 6
Percentage of cycles resulting in live births	36.6	29.2	16.8	14.5	2 / 18	0 / 6
Percentage of cycles resulting in pregnancy	42.0	35.8	32.7	19.4	2 / 18	0 / 6
<b>Outcomes per Transfer</b>						
Number of transfers	118	105	73	46	12	5
Percentage of transfers resulting in singleton live births	26.3	27.6	17.8	17.4	2 / 12	0 / 5
Percentage of transfers resulting in triplets or more live births	1.7	1.9	0.0	0.0	0 / 12	0 / 5
Percentage of transfers resulting in live births	40.7	33.3	23.3	19.6	2 / 12	0 / 5
Percentage of transfers resulting in pregnancy	46.6	41.0	45.2	26.1	2 / 12	0 / 5
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	55	43	33	12	2	0
Percentage of pregnancies resulting in singleton live births	56.4	67.4	39.4	8 / 12	2 / 2	
Percentage of pregnancies resulting in triplets or more live births	3.6	4.7	0.0	0 / 12	0 / 2	
Percentage of pregnancies resulting in live births	87.3	81.4	51.5	9 / 12	2 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	32	21	21	8	5	6
Number of transfers	31	20	21	7	4	5
Average number of embryos transferred	1.7	2.0	1.9	1.9	1.8	1.8
Percentage of embryos transferred resulting in implantation	34.6	27.5	43.6	2 / 13	0 / 7	1 / 9
Percentage of transfers resulting in singleton live births	25.8	30.0	23.8	2 / 7	0 / 4	1 / 5
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 4	0 / 5
Percentage of transfers resulting in live births	35.5	35.0	33.3	2 / 7	0 / 4	1 / 5
Percentage of transfers resulting in pregnancy	41.9	45.0	52.4	2 / 7	0 / 4	1 / 5
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	39		4			
Number of transfers	32		4			
Average number of embryos transferred	2.2		2.0			
Percentage of embryos transferred resulting in implantation	55.1		2 / 8			
Percentage of transfers resulting in singleton live births	28.1		0 / 4			
Percentage of transfers resulting in live births	62.5		1 / 4			
Percentage of transfers resulting in pregnancy	65.6		1 / 4			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Fertility & IVF Center of Miami, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## UNIVERSITY OF MIAMI INFERTILITY CENTER MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	68%	Tubal factor	23%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 9%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	6%	Male factor	38%	
Used gestational carrier	2%			Diminished ovarian reserve	23%	Other factor	13%	
				Endometriosis	6%	Unknown factor	5%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 127

Data verified by George R. Attia, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	43	14	25	9	4	2
Percentage of cancellations	2.3	2 / 14	4.0	3 / 9	1 / 4	0 / 2
Average number of embryos transferred	2.2	2.6	2.3	1.8	2.0	4.5
Percentage of embryos transferred resulting in implantation	29.6	19.0	26.9	0 / 11	0 / 6	0 / 9
Percentage of elective single embryo transfer (eSET)	0.0	0 / 7	0 / 18	0 / 4	0 / 2	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	27.9	0 / 14	16.0	0 / 9	0 / 4	0 / 2
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0.0	0 / 9	0 / 4	0 / 2
Percentage of cycles resulting in live births	34.9	2 / 14	28.0	0 / 9	0 / 4	0 / 2
Percentage of cycles resulting in pregnancy	41.9	2 / 14	40.0	0 / 9	0 / 4	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	37	8	23	6	3	2
Percentage of transfers resulting in singleton live births	32.4	0 / 8	17.4	0 / 6	0 / 3	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0 / 8	0.0	0 / 6	0 / 3	0 / 2
Percentage of transfers resulting in live births	40.5	2 / 8	30.4	0 / 6	0 / 3	0 / 2
Percentage of transfers resulting in pregnancy	48.6	2 / 8	43.5	0 / 6	0 / 3	0 / 2
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	18	2	10	0	0	0
Percentage of pregnancies resulting in singleton live births	12 / 18	0 / 2	4 / 10			
Percentage of pregnancies resulting in triplets or more live births	0 / 18	0 / 2	0 / 10			
Percentage of pregnancies resulting in live births	15 / 18	2 / 2	7 / 10			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	15	3	5	2	0	0
Number of transfers	14	3	3	2	0	0
Average number of embryos transferred	1.9	2.0	2.3	2.0		
Percentage of embryos transferred resulting in implantation	25.9	2 / 6	0 / 7	1 / 4		
Percentage of transfers resulting in singleton live births	4 / 14	1 / 3	0 / 3	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 14	0 / 3	0 / 3	0 / 2		
Percentage of transfers resulting in live births	5 / 14	1 / 3	0 / 3	0 / 2		
Percentage of transfers resulting in pregnancy	6 / 14	1 / 3	0 / 3	1 / 2		
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		5		0		
Number of transfers		5		0		
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		6 / 10				
Percentage of transfers resulting in singleton live births		3 / 5				
Percentage of transfers resulting in live births		4 / 5				
Percentage of transfers resulting in pregnancy		5 / 5				

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** University of Miami Infertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## PALMETTO FERTILITY CENTER OF SOUTH FLORIDA MIAMI LAKES, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	94%	Tubal factor	12%	Uterine factor	3%	
Unstimulated	4%	Used PGD	9%	Ovulatory dysfunction	17%	Male factor	44%	
Used gestational carrier	3%			Diminished ovarian reserve	45%	Other factor	20%	
				Endometriosis	6%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				33%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 198

Data verified by Michael D. Graubert, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	61	31	29	6	2	2
Percentage of cancellations	6.6	0.0	3.4	0 / 6	0 / 2	1 / 2
Average number of embryos transferred	2.0	2.4	2.6	1.7	1.5	1.0
Percentage of embryos transferred resulting in implantation	45.9	24.6	21.2	0 / 5	0 / 3	0 / 1
Percentage of elective single embryo transfer (eSET)	7.7	0.0	0.0	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	41.0	29.0	17.2	0 / 6	0 / 2	0 / 2
Percentage of cycles resulting in triplets or more live births	1.6	0.0	0.0	0 / 6	0 / 2	0 / 2
Percentage of cycles resulting in live births	55.7	38.7	20.7	0 / 6	0 / 2	0 / 2
Percentage of cycles resulting in pregnancy	63.9	41.9	41.4	0 / 6	0 / 2	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	55	29	25	3	2	1
Percentage of transfers resulting in singleton live births	45.5	31.0	20.0	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in triplets or more live births	1.8	0.0	0.0	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births	61.8	41.4	24.0	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in pregnancy	70.9	44.8	48.0	0 / 3	0 / 2	0 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	39	13	12	0	0	0
Percentage of pregnancies resulting in singleton live births	64.1	9 / 13	5 / 12			
Percentage of pregnancies resulting in triplets or more live births	2.6	0 / 13	0 / 12			
Percentage of pregnancies resulting in live births	87.2	12 / 13	6 / 12			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	13	4	3	3	1	0
Number of transfers	13	4	3	3	1	0
Average number of embryos transferred	1.5	1.3	1.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation	40.0	3 / 5	1 / 3	0 / 6	1 / 2	
Percentage of transfers resulting in singleton live births	5 / 13	1 / 4	0 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 13	0 / 4	0 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in live births	6 / 13	1 / 4	0 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancy	6 / 13	3 / 4	1 / 3	0 / 3	1 / 1	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
	Number of cycles	30	13			
Number of transfers	23	13				
Average number of embryos transferred	1.9	1.6				
Percentage of embryos transferred resulting in implantation	61.4	47.6				
Percentage of transfers resulting in singleton live births	34.8	4 / 13				
Percentage of transfers resulting in live births	69.6	5 / 13				
Percentage of transfers resulting in pregnancy	78.3	9 / 13				

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CENTER FOR REPRODUCTIVE MEDICINE, PA ORLANDO, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	54%	Tubal factor	12%	Uterine factor	4%	
Unstimulated	<1%	Used PGD	2%	Ovulatory dysfunction	36%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	10%	
				Endometriosis	13%	Unknown factor	4%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				12%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 702

Data verified by Randall A. Loy, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	226	105	118	26	12	1
Percentage of cancellations	7.1	10.5	12.7	38.5	3 / 12	0 / 1
Average number of embryos transferred	1.7	1.9	2.2	2.2	2.8	3.0
Percentage of embryos transferred resulting in implantation	28.9	31.9	15.5	20.7	0.0	0 / 3
Percentage of elective single embryo transfer (eSET)	21.7	16.7	3.6	0 / 11	0 / 8	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	22.1	26.7	14.4	11.5	0 / 12	0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.8	0.0	0 / 12	0 / 1
Percentage of cycles resulting in live births	28.8	37.1	19.5	15.4	0 / 12	0 / 1
Percentage of cycles resulting in pregnancy	35.4	42.9	22.9	19.2	1 / 12	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	183	85	95	13	9	1
Percentage of transfers resulting in singleton live births	27.3	32.9	17.9	3 / 13	0 / 9	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	1.1	0 / 13	0 / 9	0 / 1
Percentage of transfers resulting in live births	35.5	45.9	24.2	4 / 13	0 / 9	0 / 1
Percentage of transfers resulting in pregnancy	43.7	52.9	28.4	5 / 13	1 / 9	0 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	80	45	27	5	1	0
Percentage of pregnancies resulting in singleton live births	62.5	62.2	63.0	3 / 5	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	3.7	0 / 5	0 / 1	
Percentage of pregnancies resulting in live births	81.3	86.7	85.2	4 / 5	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	72	21	45	11	2	9
Number of transfers	65	19	33	11	1	6
Average number of embryos transferred	1.9	1.9	1.9	1.8	2.0	2.0
Percentage of embryos transferred resulting in implantation	33.1	24.3	28.6	0.0	0 / 2	0 / 12
Percentage of transfers resulting in singleton live births	36.9	5 / 19	27.3	0 / 11	0 / 1	0 / 6
Percentage of transfers resulting in triplets or more live births	1.5	0 / 19	0.0	0 / 11	0 / 1	0 / 6
Percentage of transfers resulting in live births	49.2	6 / 19	33.3	0 / 11	0 / 1	0 / 6
Percentage of transfers resulting in pregnancy	60.0	9 / 19	45.5	2 / 11	0 / 1	0 / 6
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	36		18			
Number of transfers	29		17			
Average number of embryos transferred	1.5		2.1			
Percentage of embryos transferred resulting in implantation	43.2		45.7			
Percentage of transfers resulting in singleton live births	48.3		7 / 17			
Percentage of transfers resulting in live births	55.2		10 / 17			
Percentage of transfers resulting in pregnancy	65.5		13 / 17			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Center for Reproductive Medicine, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## NEW LEADERS IN INFERTILITY & ENDOCRINOLOGY, LLC PENSACOLA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	85%	Tubal factor	37%	Uterine factor	2%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	10%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	2%	
				Endometriosis	26%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				19%
				Female & male factors				26%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 178

Data verified by Barry A. Ripps, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	78	25	32	16	6	1
Percentage of cancellations	9.0	0.0	15.6	4 / 16	2 / 6	0 / 1
Average number of embryos transferred	1.9	2.3	2.3	1.9	2.0	
Percentage of embryos transferred resulting in implantation	31.8	34.1	25.6	2 / 13	0 / 8	
Percentage of elective single embryo transfer (eSET)	6.7	1 / 18	0 / 14	0 / 4	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	24.4	28.0	18.8	2 / 16	0 / 6	0 / 1
Percentage of cycles resulting in triplets or more live births	1.3	4.0	3.1	0 / 16	0 / 6	0 / 1
Percentage of cycles resulting in live births	32.1	40.0	21.9	2 / 16	0 / 6	0 / 1
Percentage of cycles resulting in pregnancy	35.9	48.0	28.1	2 / 16	0 / 6	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	59	19	17	7	4	0
Percentage of transfers resulting in singleton live births	32.2	7 / 19	6 / 17	2 / 7	0 / 4	
Percentage of transfers resulting in triplets or more live births	1.7	1 / 19	1 / 17	0 / 7	0 / 4	
Percentage of transfers resulting in live births	42.4	10 / 19	7 / 17	2 / 7	0 / 4	
Percentage of transfers resulting in pregnancy	47.5	12 / 19	9 / 17	2 / 7	0 / 4	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	28	12	9	2	0	0
Percentage of pregnancies resulting in singleton live births	67.9	7 / 12	6 / 9	2 / 2		
Percentage of pregnancies resulting in triplets or more live births	3.6	1 / 12	1 / 9	0 / 2		
Percentage of pregnancies resulting in live births	89.3	10 / 12	7 / 9	2 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	11	4	2	1	1	0
Number of transfers	11	4	2	0	1	0
Average number of embryos transferred	2.1	1.5	1.5		2.0	
Percentage of embryos transferred resulting in implantation	17.4	0 / 6	0 / 3		0 / 2	
Percentage of transfers resulting in singleton live births	1 / 11	0 / 4	0 / 2		0 / 1	
Percentage of transfers resulting in triplets or more live births	1 / 11	0 / 4	0 / 2		0 / 1	
Percentage of transfers resulting in live births	2 / 11	0 / 4	0 / 2		0 / 1	
Percentage of transfers resulting in pregnancy	2 / 11	0 / 4	0 / 2		0 / 1	
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		0		1		
Number of transfers		0		1		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation				0 / 2		
Percentage of transfers resulting in singleton live births				0 / 1		
Percentage of transfers resulting in live births				0 / 1		
Percentage of transfers resulting in pregnancy				0 / 1		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** New Leaders in Infertility & Endocrinology, LLC

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 12 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## FERTILITY & GENETICS PLANTATION, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	12%	Uterine factor	5%	Multiple Factors: Female factors only 5% Female & male factors 32%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	5%	Male factor	51%	
Used gestational carrier	0%			Diminished ovarian reserve	52%	Other factor	8%	
				Endometriosis	5%	Unknown factor	2%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 111

Data verified by Mick Abaé, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	31	23	20	20	4	3
Percentage of cancellations	6.5	0.0	10.0	5.0	0 / 4	0 / 3
Average number of embryos transferred	2.3	2.3	2.9	2.5	1.0	2.7
Percentage of embryos transferred resulting in implantation	45.5	39.6	21.2	8.6	0 / 1	0 / 8
Percentage of elective single embryo transfer (eSET)	3.4	13.6	0 / 16	0 / 10		0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	29.0	30.4	40.0	0.0	0 / 4	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 4	0 / 3
Percentage of cycles resulting in live births	58.1	56.5	40.0	0.0	0 / 4	0 / 3
Percentage of cycles resulting in pregnancy	64.5	65.2	45.0	10.0	0 / 4	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	29	23	18	14	1	3
Percentage of transfers resulting in singleton live births	31.0	30.4	8 / 18	0 / 14	0 / 1	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 14	0 / 1	0 / 3
Percentage of transfers resulting in live births	62.1	56.5	8 / 18	0 / 14	0 / 1	0 / 3
Percentage of transfers resulting in pregnancy	69.0	65.2	9 / 18	2 / 14	0 / 1	0 / 3
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	20	15	9	2	0	0
Percentage of pregnancies resulting in singleton live births	45.0	7 / 15	8 / 9	0 / 2		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 9	0 / 2		
Percentage of pregnancies resulting in live births	90.0	13 / 15	8 / 9	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	1	0	0	0
Number of transfers	0	0	1	0	0	0
Average number of embryos transferred			2.0			
Percentage of embryos transferred resulting in implantation			1 / 2			
Percentage of transfers resulting in singleton live births			1 / 1			
Percentage of transfers resulting in triplets or more live births			0 / 1			
Percentage of transfers resulting in live births			1 / 1			
Percentage of transfers resulting in pregnancy			1 / 1			
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			7		2	
Number of transfers			7		2	
Average number of embryos transferred			2.3		2.0	
Percentage of embryos transferred resulting in implantation			6 / 16		2 / 4	
Percentage of transfers resulting in singleton live births			2 / 7		1 / 2	
Percentage of transfers resulting in live births			4 / 7		1 / 2	
Percentage of transfers resulting in pregnancy			4 / 7		2 / 2	

### CURRENT CLINIC SERVICES AND PROFILE

<b>Current Name:</b> Fertility & Genetics					
Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## FERTILITY CENTER AND APPLIED GENETICS OF FLORIDA, INC. SARASOTA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	72%	Tubal factor	8%	Uterine factor	1%	Multiple Factors: Female factors only 5% Female & male factors 19%
Unstimulated	0%	Used PGD	18%	Ovulatory dysfunction	2%	Male factor	38%	
Used gestational carrier	4%			Diminished ovarian reserve	44%	Other factor	18%	
				Endometriosis	6%	Unknown factor	7%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 85

Data verified by Julio E. Pabon, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	24	11	10	4	0	1
Percentage of cancellations	4.2	1 / 11	2 / 10	0 / 4		0 / 1
Average number of embryos transferred	2.1	2.3	2.4	1.7		
Percentage of embryos transferred resulting in implantation	35.4	17.4	5 / 19	3 / 5		
Percentage of elective single embryo transfer (eSET)	4.5	0 / 9	0 / 5	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	37.5	4 / 11	2 / 10	0 / 4		0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 11	0 / 10	0 / 4		0 / 1
Percentage of cycles resulting in live births	50.0	4 / 11	3 / 10	1 / 4		0 / 1
Percentage of cycles resulting in pregnancy	58.3	4 / 11	5 / 10	1 / 4		0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	23	10	8	3	0	0
Percentage of transfers resulting in singleton live births	39.1	4 / 10	2 / 8	0 / 3		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 8	0 / 3		
Percentage of transfers resulting in live births	52.2	4 / 10	3 / 8	1 / 3		
Percentage of transfers resulting in pregnancy	60.9	4 / 10	5 / 8	1 / 3		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	14	4	5	1	0	0
Percentage of pregnancies resulting in singleton live births	9 / 14	4 / 4	2 / 5	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 14	0 / 4	0 / 5	0 / 1		
Percentage of pregnancies resulting in live births	12 / 14	4 / 4	3 / 5	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	9	4	2	0	0	0
Number of transfers	9	4	2	0	0	0
Average number of embryos transferred	2.0	2.3	1.5			
Percentage of embryos transferred resulting in implantation	5 / 18	4 / 9	1 / 3			
Percentage of transfers resulting in singleton live births	3 / 9	1 / 4	1 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 9	1 / 4	0 / 2			
Percentage of transfers resulting in live births	3 / 9	2 / 4	1 / 2			
Percentage of transfers resulting in pregnancy	6 / 9	2 / 4	1 / 2			
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	14		6			
Number of transfers	13		6			
Average number of embryos transferred	1.7		2.3			
Percentage of embryos transferred resulting in implantation	59.1		4 / 14			
Percentage of transfers resulting in singleton live births	3 / 13		1 / 6			
Percentage of transfers resulting in live births	6 / 13		2 / 6			
Percentage of transfers resulting in pregnancy	10 / 13		2 / 6			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Fertility Center and Applied Genetics of Florida, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 14 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## SOUTH FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE SOUTH MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	70%	Tubal factor	21%	Uterine factor	5%	
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	8%	Male factor	60%	
Used gestational carrier	<1%			Diminished ovarian reserve	14%	Other factor	45%	
				Endometriosis	11%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				41%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 715

Data verified by Juergen Eisermann, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	195	134	130	73	15	3
Percentage of cancellations	6.7	15.7	20.0	20.5	8 / 15	2 / 3
Average number of embryos transferred	1.9	1.8	1.9	2.0	1.7	4.0
Percentage of embryos transferred resulting in implantation	50.3	38.6	23.6	20.5	1 / 5	0 / 4
Percentage of elective single embryo transfer (eSET)	9.4	2.6	0.0	3.4	0 / 2	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	31.3	19.4	13.8	16.4	1 / 15	0 / 3
Percentage of cycles resulting in triplets or more live births	1.0	0.0	0.0	0.0	0 / 15	0 / 3
Percentage of cycles resulting in live births	51.3	31.3	18.5	16.4	1 / 15	0 / 3
Percentage of cycles resulting in pregnancy	56.9	36.6	23.1	19.2	1 / 15	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	172	93	84	36	3	1
Percentage of transfers resulting in singleton live births	35.5	28.0	21.4	33.3	1 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	1.2	0.0	0.0	0.0	0 / 3	0 / 1
Percentage of transfers resulting in live births	58.1	45.2	28.6	33.3	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy	64.5	52.7	35.7	38.9	1 / 3	0 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	111	49	30	14	1	0
Percentage of pregnancies resulting in singleton live births	55.0	53.1	60.0	12 / 14	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	1.8	0.0	0.0	0 / 14	0 / 1	
Percentage of pregnancies resulting in live births	90.1	85.7	80.0	12 / 14	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	39	16	16	7	4	1
Number of transfers	36	14	14	7	4	1
Average number of embryos transferred	1.9	2.0	1.9	2.0	1.5	3.0
Percentage of embryos transferred resulting in implantation	32.9	42.9	19.2	4 / 14	2 / 6	1 / 3
Percentage of transfers resulting in singleton live births	30.6	5 / 14	3 / 14	3 / 7	2 / 4	1 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0 / 14	0 / 14	0 / 7	0 / 4	0 / 1
Percentage of transfers resulting in live births	47.2	8 / 14	4 / 14	3 / 7	2 / 4	1 / 1
Percentage of transfers resulting in pregnancy	47.2	9 / 14	4 / 14	4 / 7	2 / 4	1 / 1
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			61		21	
Number of transfers			51		18	
Average number of embryos transferred			1.9		1.8	
Percentage of embryos transferred resulting in implantation			61.1		39.4	
Percentage of transfers resulting in singleton live births			35.3		8 / 18	
Percentage of transfers resulting in live births			68.6		8 / 18	
Percentage of transfers resulting in pregnancy			72.5		11 / 18	

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** South Florida Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 15 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE HEALTH ASSOCIATES, PA TAMPA, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	79%	Tubal factor	44%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	9%	Male factor	65%
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	22%
				Endometriosis	0%	Unknown factor	0%
				Multiple Factors:			
						Female factors only	9%
						Female & male factors	35%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 23

Data verified by Catherine L. Cowart, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	8	3	6	2	0	0
Percentage of cancellations	1 / 8	1 / 3	1 / 6	0 / 2		
Average number of embryos transferred	2.3	2.0	3.0	3.0		
Percentage of embryos transferred resulting in implantation	0 / 16	0 / 4	1 / 15	1 / 6		
Percentage of elective single embryo transfer (eSET)	0 / 7	0 / 2	0 / 5	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	0 / 8	0 / 3	1 / 6	1 / 2		
Percentage of cycles resulting in triplets or more live births	0 / 8	0 / 3	0 / 6	0 / 2		
Percentage of cycles resulting in live births	0 / 8	0 / 3	1 / 6	1 / 2		
Percentage of cycles resulting in pregnancy	0 / 8	1 / 3	1 / 6	1 / 2		
<b>Outcomes per Transfer</b>						
Number of transfers	7	2	5	2	0	0
Percentage of transfers resulting in singleton live births	0 / 7	0 / 2	1 / 5	1 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 7	0 / 2	0 / 5	0 / 2		
Percentage of transfers resulting in live births	0 / 7	0 / 2	1 / 5	1 / 2		
Percentage of transfers resulting in pregnancy	0 / 7	1 / 2	1 / 5	1 / 2		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	0	1	1	1	0	0
Percentage of pregnancies resulting in singleton live births		0 / 1	1 / 1	1 / 1		
Percentage of pregnancies resulting in triplets or more live births		0 / 1	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births		0 / 1	1 / 1	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	1	0	0	0
Number of transfers	0	0	1	0	0	0
Average number of embryos transferred			3.0			
Percentage of embryos transferred resulting in implantation			0 / 3			
Percentage of transfers resulting in singleton live births			0 / 1			
Percentage of transfers resulting in triplets or more live births			0 / 1			
Percentage of transfers resulting in live births			0 / 1			
Percentage of transfers resulting in pregnancy			0 / 1			
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	3		0			
Number of transfers	3		0			
Average number of embryos transferred	2.3					
Percentage of embryos transferred resulting in implantation	1 / 7					
Percentage of transfers resulting in singleton live births	0 / 3					
Percentage of transfers resulting in live births	0 / 3					
Percentage of transfers resulting in pregnancy	1 / 3					

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Health Associates, PA

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## THE REPRODUCTIVE MEDICINE GROUP TAMPA, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	43%	Tubal factor	18%	Uterine factor	1%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	8%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	15%	Other factor	7%	
				Endometriosis	16%	Unknown factor	20%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				10%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 595

Data verified by Timothy Yeko, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	168	120	115	40	8	1
Percentage of cancellations	6.0	9.2	10.4	12.5	1 / 8	0 / 1
Average number of embryos transferred	1.8	2.0	2.7	3.0	3.0	1.0
Percentage of embryos transferred resulting in implantation	40.7	22.4	13.1	7.1	0.0	0 / 1
Percentage of elective single embryo transfer (eSET)	11.2	1.1	0.0	0.0	0 / 6	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	32.1	18.3	11.3	12.5	0 / 8	0 / 1
Percentage of cycles resulting in triplets or more live births	0.6	0.8	0.9	0.0	0 / 8	0 / 1
Percentage of cycles resulting in live births	44.6	25.0	17.4	12.5	0 / 8	0 / 1
Percentage of cycles resulting in pregnancy	51.2	30.8	23.5	15.0	0 / 8	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	145	101	94	28	7	1
Percentage of transfers resulting in singleton live births	37.2	21.8	13.8	17.9	0 / 7	0 / 1
Percentage of transfers resulting in triplets or more live births	0.7	1.0	1.1	0.0	0 / 7	0 / 1
Percentage of transfers resulting in live births	51.7	29.7	21.3	17.9	0 / 7	0 / 1
Percentage of transfers resulting in pregnancy	59.3	36.6	28.7	21.4	0 / 7	0 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	86	37	27	6	0	0
Percentage of pregnancies resulting in singleton live births	62.8	59.5	48.1	5 / 6		
Percentage of pregnancies resulting in triplets or more live births	1.2	2.7	3.7	0 / 6		
Percentage of pregnancies resulting in live births	87.2	81.1	74.1	5 / 6		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	33	19	10	4	3	0
Number of transfers	32	19	8	4	3	0
Average number of embryos transferred	1.8	1.7	2.0	2.3	2.0	
Percentage of embryos transferred resulting in implantation	23.7	25.0	3 / 16	2 / 9	1 / 6	
Percentage of transfers resulting in singleton live births	28.1	8 / 19	3 / 8	0 / 4	1 / 3	
Percentage of transfers resulting in triplets or more live births	3.1	0 / 19	0 / 8	0 / 4	0 / 3	
Percentage of transfers resulting in live births	31.3	8 / 19	3 / 8	1 / 4	1 / 3	
Percentage of transfers resulting in pregnancy	43.8	9 / 19	3 / 8	1 / 4	1 / 3	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		56		18		
Number of transfers		47		18		
Average number of embryos transferred		1.9		2.0		
Percentage of embryos transferred resulting in implantation		39.8		22.2		
Percentage of transfers resulting in singleton live births		25.5		6 / 18		
Percentage of transfers resulting in live births		44.7		7 / 18		
Percentage of transfers resulting in pregnancy		53.2		9 / 18		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** This clinic has closed or reorganized since 2011. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## UNIVERSITY OF SOUTH FLORIDA IVF TAMPA, FLORIDA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	47%	Tubal factor	17%	Uterine factor	11%	
Unstimulated	2%	Used PGD	4%	Ovulatory dysfunction	10%	Male factor	36%	
Used gestational carrier	3%			Diminished ovarian reserve	31%	Other factor	7%	
				Endometriosis	4%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				15%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 267

Data verified by Shayne Plosker, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	80	29	37	27	10	2
Percentage of cancellations	2.5	3.4	13.5	22.2	1 / 10	0 / 2
Average number of embryos transferred	2.1	2.4	3.1	3.2	3.4	1.5
Percentage of embryos transferred resulting in implantation	27.6	30.3	15.6	7.8	4.2	0 / 3
Percentage of elective single embryo transfer (eSET)	4.2	3.7	0.0	0 / 18	0 / 6	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	21.3	24.1	13.5	7.4	1 / 10	0 / 2
Percentage of cycles resulting in triplets or more live births	1.3	0.0	2.7	0.0	0 / 10	0 / 2
Percentage of cycles resulting in live births	35.0	37.9	21.6	11.1	1 / 10	0 / 2
Percentage of cycles resulting in pregnancy	38.8	51.7	29.7	14.8	1 / 10	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	73	28	29	20	7	2
Percentage of transfers resulting in singleton live births	23.3	25.0	17.2	10.0	1 / 7	0 / 2
Percentage of transfers resulting in triplets or more live births	1.4	0.0	3.4	0.0	0 / 7	0 / 2
Percentage of transfers resulting in live births	38.4	39.3	27.6	15.0	1 / 7	0 / 2
Percentage of transfers resulting in pregnancy	42.5	53.6	37.9	20.0	1 / 7	0 / 2
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	31	15	11	4	1	0
Percentage of pregnancies resulting in singleton live births	54.8	7 / 15	5 / 11	2 / 4	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	3.2	0 / 15	1 / 11	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	90.3	11 / 15	8 / 11	3 / 4	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	23	9	8	2	1	1
Number of transfers	21	9	7	2	0	0
Average number of embryos transferred	1.8	1.9	2.0	2.5		
Percentage of embryos transferred resulting in implantation	43.2	8 / 17	4 / 14	2 / 5		
Percentage of transfers resulting in singleton live births	38.1	5 / 9	1 / 7	0 / 2		
Percentage of transfers resulting in triplets or more live births	0.0	0 / 9	0 / 7	0 / 2		
Percentage of transfers resulting in live births	47.6	6 / 9	2 / 7	1 / 2		
Percentage of transfers resulting in pregnancy	76.2	6 / 9	3 / 7	1 / 2		
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	21		17			
Number of transfers	21		16			
Average number of embryos transferred	2.0		1.9			
Percentage of embryos transferred resulting in implantation	51.2		16.7			
Percentage of transfers resulting in singleton live births	23.8		5 / 16			
Percentage of transfers resulting in live births	47.6		5 / 16			
Percentage of transfers resulting in pregnancy	71.4		7 / 16			

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** University of South Florida IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**F.I.R.S.T.**  
**FLORIDA INSTITUTE FOR REPRODUCTIVE SCIENCES AND TECHNOLOGIES**  
**WESTON, FLORIDA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

**2011 ART CYCLE PROFILE**

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	89%	With ICSI	77%	Tubal factor	27%	Uterine factor	2%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	20%	Male factor	30%
Used gestational carrier	4%			Diminished ovarian reserve	86%	Other factor	5%
				Endometriosis	11%	Unknown factor	2%
				Multiple Factors:			
				Female factors only 34%			
				Female & male factors 29%			

**2011 ART SUCCESS RATES<sup>c,d</sup>**

Number of cycles in table: <sup>e</sup> 56

Data verified by Minna R. Selub, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	7	2	13	4	0	0
Percentage of cancellations	0 / 7	0 / 2	0 / 13	0 / 4		
Average number of embryos transferred	3.5	3.0	3.4	4.0		
Percentage of embryos transferred resulting in implantation	4.8	2 / 6	0.0	0 / 12		
Percentage of elective single embryo transfer (eSET)	0 / 6	0 / 2	0 / 10	0 / 3		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	1 / 7	0 / 2	0 / 13	0 / 4		
Percentage of cycles resulting in triplets or more live births	0 / 7	0 / 2	0 / 13	0 / 4		
Percentage of cycles resulting in live births	1 / 7	1 / 2	0 / 13	0 / 4		
Percentage of cycles resulting in pregnancy	1 / 7	1 / 2	0 / 13	0 / 4		
<b>Outcomes per Transfer</b>						
Number of transfers	6	2	11	3	0	0
Percentage of transfers resulting in singleton live births	1 / 6	0 / 2	0 / 11	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 2	0 / 11	0 / 3		
Percentage of transfers resulting in live births	1 / 6	1 / 2	0 / 11	0 / 3		
Percentage of transfers resulting in pregnancy	1 / 6	1 / 2	0 / 11	0 / 3		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	1	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	1 / 1	0 / 1				
Percentage of pregnancies resulting in triplets or more live births	0 / 1	0 / 1				
Percentage of pregnancies resulting in live births	1 / 1	1 / 1				
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Average number of embryos transferred	3.0					
Percentage of embryos transferred resulting in implantation	1 / 3					
Percentage of transfers resulting in singleton live births	1 / 1					
Percentage of transfers resulting in triplets or more live births	0 / 1					
Percentage of transfers resulting in live births	1 / 1					
Percentage of transfers resulting in pregnancy	1 / 1					
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
	Number of cycles	29		0		
	Number of transfers	29		0		
	Average number of embryos transferred	3.1				
	Percentage of embryos transferred resulting in implantation	20.2				
	Percentage of transfers resulting in singleton live births	20.7				
	Percentage of transfers resulting in live births	31.0				
Percentage of transfers resulting in pregnancy	37.9					

**CURRENT CLINIC SERVICES AND PROFILE**

**Current Name:** F.I.R.S.T., Florida Institute for Reproductive Sciences and Technologies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CENTER OF ASSISTED REPRODUCTION & ENDOCRINOLOGY WINTER PARK, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	60%	Tubal factor	13%	Uterine factor	11%	Multiple Factors: Female factors only 8% Female & male factors 15%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	19%	Male factor	27%	
Used gestational carrier	4%			Diminished ovarian reserve	39%	Other factor	3%	
				Endometriosis	6%	Unknown factor	7%	

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 150

Data verified by Mark P. Trolice, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	46	29	18	5	2	0
Percentage of cancellations	4.3	3.4	0 / 18	0 / 5	0 / 2	
Average number of embryos transferred	2.0	2.3	2.7	1.8	2.0	
Percentage of embryos transferred resulting in implantation	24.1	26.2	22.0	1 / 9	0 / 4	
Percentage of elective single embryo transfer (eSET)	10.0	0.0	0 / 15	1 / 4	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	17.4	17.2	4 / 18	0 / 5	0 / 2	
Percentage of cycles resulting in triplets or more live births	2.2	0.0	0 / 18	0 / 5	0 / 2	
Percentage of cycles resulting in live births	28.3	37.9	6 / 18	0 / 5	0 / 2	
Percentage of cycles resulting in pregnancy	32.6	37.9	8 / 18	1 / 5	1 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	41	28	15	5	2	0
Percentage of transfers resulting in singleton live births	19.5	17.9	4 / 15	0 / 5	0 / 2	
Percentage of transfers resulting in triplets or more live births	2.4	0.0	0 / 15	0 / 5	0 / 2	
Percentage of transfers resulting in live births	31.7	39.3	6 / 15	0 / 5	0 / 2	
Percentage of transfers resulting in pregnancy	36.6	39.3	8 / 15	1 / 5	1 / 2	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	15	11	8	1	1	0
Percentage of pregnancies resulting in singleton live births	8 / 15	5 / 11	4 / 8	0 / 1	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	1 / 15	0 / 11	0 / 8	0 / 1	0 / 1	
Percentage of pregnancies resulting in live births	13 / 15	11 / 11	6 / 8	0 / 1	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	9	4	3	2	0	0
Number of transfers	5	3	3	1	0	0
Average number of embryos transferred	2.2	2.0	2.7	3.0		
Percentage of embryos transferred resulting in implantation	2 / 11	1 / 6	0 / 8	0 / 3		
Percentage of transfers resulting in singleton live births	2 / 5	1 / 3	0 / 3	0 / 1		
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 3	0 / 3	0 / 1		
Percentage of transfers resulting in live births	2 / 5	1 / 3	0 / 3	0 / 1		
Percentage of transfers resulting in pregnancy	2 / 5	1 / 3	0 / 3	0 / 1		
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		27		5		
Number of transfers		23		5		
Average number of embryos transferred		1.9		1.8		
Percentage of embryos transferred resulting in implantation		45.5		4 / 9		
Percentage of transfers resulting in singleton live births		43.5		2 / 5		
Percentage of transfers resulting in live births		60.9		3 / 5		
Percentage of transfers resulting in pregnancy		69.6		3 / 5		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Fertility Center of Assisted Reproduction & Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ATLANTA CENTER FOR REPRODUCTIVE MEDICINE ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	78%	Tubal factor	16%	Uterine factor	3%	
Unstimulated	<1%	Used PGD	4%	Ovulatory dysfunction	11%	Male factor	23%	
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	12%	
				Endometriosis	9%	Unknown factor	20%	
				Multiple Factors:				
				Female factors only				12%
				Female & male factors				10%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 741

Data verified by James P. Toner, MD, PhD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	260	144	91	26	5	3
Percentage of cancellations	4.6	8.3	6.6	0.0	0 / 5	1 / 3
Average number of embryos transferred	2.0	2.5	2.7	3.3	2.2	
Percentage of embryos transferred resulting in implantation	34.7	26.4	17.5	11.4	1 / 11	
Percentage of elective single embryo transfer (eSET)	6.6	2.6	2.9	0.0	0 / 4	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	26.5	25.0	19.8	7.7	1 / 5	0 / 3
Percentage of cycles resulting in triplets or more live births	0.0	2.1	0.0	0.0	0 / 5	0 / 3
Percentage of cycles resulting in live births	41.9	34.0	26.4	15.4	1 / 5	0 / 3
Percentage of cycles resulting in pregnancy	49.6	43.8	29.7	15.4	1 / 5	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	242	122	78	21	5	0
Percentage of transfers resulting in singleton live births	28.5	29.5	23.1	9.5	1 / 5	
Percentage of transfers resulting in triplets or more live births	0.0	2.5	0.0	0.0	0 / 5	
Percentage of transfers resulting in live births	45.0	40.2	30.8	19.0	1 / 5	
Percentage of transfers resulting in pregnancy	53.3	51.6	34.6	19.0	1 / 5	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	129	63	27	4	1	0
Percentage of pregnancies resulting in singleton live births	53.5	57.1	66.7	2 / 4	1 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	4.8	0.0	0 / 4	0 / 1	
Percentage of pregnancies resulting in live births	84.5	77.8	88.9	4 / 4	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	86	28	12	0	0	0
Number of transfers	79	27	12	0	0	0
Average number of embryos transferred	1.5	1.9	1.8			
Percentage of embryos transferred resulting in implantation	38.8	44.0	50.0			
Percentage of transfers resulting in singleton live births	31.6	25.9	6 / 12			
Percentage of transfers resulting in triplets or more live births	0.0	3.7	0 / 12			
Percentage of transfers resulting in live births	41.8	48.1	7 / 12			
Percentage of transfers resulting in pregnancy	48.1	59.3	8 / 12			
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
<b>Donor Eggs</b>						
Number of cycles		54		32		
Number of transfers		48		31		
Average number of embryos transferred		2.0		1.8		
Percentage of embryos transferred resulting in implantation		56.1		38.6		
Percentage of transfers resulting in singleton live births		33.3		25.8		
Percentage of transfers resulting in live births		68.8		45.2		
Percentage of transfers resulting in pregnancy		70.8		45.2		

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Atlanta Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 37 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## EMORY REPRODUCTIVE CENTER ATLANTA, GEORGIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	85%	Tubal factor	31%	Uterine factor	22%	
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	15%	Male factor	32%	
Used gestational carrier	2%			Diminished ovarian reserve	32%	Other factor	3%	
				Endometriosis	18%	Unknown factor	11%	
				Multiple Factors:				
				Female factors only				25%
				Female & male factors				22%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 226

Data verified by Donna Session, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	70	46	29	10	9	3
Percentage of cancellations	5.7	6.5	10.3	1 / 10	2 / 9	0 / 3
Average number of embryos transferred	1.9	2.2	3.2	3.7	3.8	3.0
Percentage of embryos transferred resulting in implantation	49.6	40.4	19.5	15.2	0.0	1 / 3
Percentage of elective single embryo transfer (eSET)	6.7	5.1	0.0	0 / 9	0 / 5	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	44.3	30.4	24.1	2 / 10	0 / 9	1 / 3
Percentage of cycles resulting in triplets or more live births	1.4	2.2	0.0	0 / 10	0 / 9	0 / 3
Percentage of cycles resulting in live births	60.0	47.8	34.5	3 / 10	0 / 9	1 / 3
Percentage of cycles resulting in pregnancy	65.7	52.2	51.7	4 / 10	0 / 9	1 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	63	41	26	9	7	1
Percentage of transfers resulting in singleton live births	49.2	34.1	26.9	2 / 9	0 / 7	1 / 1
Percentage of transfers resulting in triplets or more live births	1.6	2.4	0.0	0 / 9	0 / 7	0 / 1
Percentage of transfers resulting in live births	66.7	53.7	38.5	3 / 9	0 / 7	1 / 1
Percentage of transfers resulting in pregnancy	73.0	58.5	57.7	4 / 9	0 / 7	1 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	46	24	15	4	0	1
Percentage of pregnancies resulting in singleton live births	67.4	58.3	7 / 15	2 / 4		1 / 1
Percentage of pregnancies resulting in triplets or more live births	2.2	4.2	0 / 15	0 / 4		0 / 1
Percentage of pregnancies resulting in live births	91.3	91.7	10 / 15	3 / 4		1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	24	16	5	1	1	0
Number of transfers	24	16	5	1	1	0
Average number of embryos transferred	2.1	2.1	3.0	3.0	5.0	
Percentage of embryos transferred resulting in implantation	35.3	23.5	3 / 15	1 / 3	0 / 5	
Percentage of transfers resulting in singleton live births	37.5	6 / 16	0 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 16	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births	54.2	7 / 16	1 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancy	54.2	9 / 16	2 / 5	1 / 1	1 / 1	
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			5		7	
Number of transfers			5		7	
Average number of embryos transferred			2.0		2.3	
Percentage of embryos transferred resulting in implantation			6 / 10		3 / 16	
Percentage of transfers resulting in singleton live births			2 / 5		1 / 7	
Percentage of transfers resulting in live births			4 / 5		2 / 7	
Percentage of transfers resulting in pregnancy			4 / 5		2 / 7	

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Emory Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 2 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# GEORGIA REPRODUCTIVE SPECIALISTS, LLC ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	47%	Tubal factor	19%	Uterine factor	<1%	Multiple Factors: Female factors only 15% Female & male factors 11%
Unstimulated	0%	Used PGD	9%	Ovulatory dysfunction	14%	Male factor	22%	
Used gestational carrier	3%			Diminished ovarian reserve	23%	Other factor	19%	
				Endometriosis	10%	Unknown factor	21%	

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 428

Data verified by Mark Perloe, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	99	44	58	24	0	0
Percentage of cancellations	5.1	15.9	22.4	16.7		
Average number of embryos transferred	2.1	2.3	3.0	2.8		
Percentage of embryos transferred resulting in implantation	25.8	23.0	14.1	5.7		
Percentage of elective single embryo transfer (eSET)	4.8	0.0	0.0	0 / 17		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	20.2	13.6	15.5	12.5		
Percentage of cycles resulting in triplets or more live births	0.0	0.0	1.7	0.0		
Percentage of cycles resulting in live births	32.3	22.7	19.0	12.5		
Percentage of cycles resulting in pregnancy	38.4	29.5	22.4	20.8		
<b>Outcomes per Transfer</b>						
Number of transfers	86	32	42	19	0	0
Percentage of transfers resulting in singleton live births	23.3	18.8	21.4	3 / 19		
Percentage of transfers resulting in triplets or more live births	0.0	0.0	2.4	0 / 19		
Percentage of transfers resulting in live births	37.2	31.3	26.2	3 / 19		
Percentage of transfers resulting in pregnancy	44.2	40.6	31.0	5 / 19		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	38	13	13	5	0	0
Percentage of pregnancies resulting in singleton live births	52.6	6 / 13	9 / 13	3 / 5		
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 13	1 / 13	0 / 5		
Percentage of pregnancies resulting in live births	84.2	10 / 13	11 / 13	3 / 5		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	74	35	40	8	3	2
Number of transfers	68	33	36	7	3	1
Average number of embryos transferred	1.9	1.9	1.9	1.6	2.0	1.0
Percentage of embryos transferred resulting in implantation	19.0	27.4	17.4	3 / 11	1 / 6	0 / 1
Percentage of transfers resulting in singleton live births	19.1	30.3	13.9	2 / 7	1 / 3	0 / 1
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0 / 7	0 / 3	0 / 1
Percentage of transfers resulting in live births	25.0	39.4	16.7	2 / 7	1 / 3	0 / 1
Percentage of transfers resulting in pregnancy	32.4	39.4	36.1	4 / 7	1 / 3	0 / 1
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	14		27			
Number of transfers	13		26			
Average number of embryos transferred	2.1		1.8			
Percentage of embryos transferred resulting in implantation	44.4		26.1			
Percentage of transfers resulting in singleton live births	6 / 13		26.9			
Percentage of transfers resulting in live births	9 / 13		30.8			
Percentage of transfers resulting in pregnancy	10 / 13		38.5			

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Georgia Reproductive Specialists, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 20 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE BIOLOGY ASSOCIATES ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	91%	Tubal factor	12%	Uterine factor	4%	
Unstimulated	<1%	Used PGD	7%	Ovulatory dysfunction	17%	Male factor	28%	
Used gestational carrier	<1%			Diminished ovarian reserve	47%	Other factor	14%	
				Endometriosis	10%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				17%
				Female & male factors				17%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 1061

Data verified by Daniel Shapiro, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	206	117	122	58	28	4
Percentage of cancellations	5.3	8.5	11.5	12.1	10.7	0 / 4
Average number of embryos transferred	1.6	2.1	2.6	3.2	2.8	2.3
Percentage of embryos transferred resulting in implantation	29.9	24.3	15.6	9.4	5.9	0 / 7
Percentage of elective single embryo transfer (eSET)	43.5	18.4	5.1	0.0	0.0	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	27.7	27.4	18.9	13.8	7.1	0 / 4
Percentage of cycles resulting in triplets or more live births	0.0	1.7	0.0	0.0	0.0	0 / 4
Percentage of cycles resulting in live births	35.0	34.2	24.6	17.2	10.7	0 / 4
Percentage of cycles resulting in pregnancy	40.8	36.8	36.1	29.3	17.9	0 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	189	103	105	49	24	3
Percentage of transfers resulting in singleton live births	30.2	31.1	21.9	16.3	8.3	0 / 3
Percentage of transfers resulting in triplets or more live births	0.0	1.9	0.0	0.0	0.0	0 / 3
Percentage of transfers resulting in live births	38.1	38.8	28.6	20.4	12.5	0 / 3
Percentage of transfers resulting in pregnancy	44.4	41.7	41.9	34.7	20.8	0 / 3
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	84	43	44	17	5	0
Percentage of pregnancies resulting in singleton live births	67.9	74.4	52.3	8 / 17	2 / 5	
Percentage of pregnancies resulting in triplets or more live births	0.0	4.7	0.0	0 / 17	0 / 5	
Percentage of pregnancies resulting in live births	85.7	93.0	68.2	10 / 17	3 / 5	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	177	92	84	29	12	6
Number of transfers	174	90	83	28	12	6
Average number of embryos transferred	1.7	1.7	2.0	2.0	2.3	2.2
Percentage of embryos transferred resulting in implantation	42.8	27.3	32.7	26.3	14.3	2 / 13
Percentage of transfers resulting in singleton live births	33.9	32.2	32.5	25.0	4 / 12	2 / 6
Percentage of transfers resulting in triplets or more live births	1.7	0.0	0.0	0.0	0 / 12	0 / 6
Percentage of transfers resulting in live births	50.0	38.9	45.8	35.7	4 / 12	2 / 6
Percentage of transfers resulting in pregnancy	60.3	55.6	54.2	50.0	4 / 12	2 / 6
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>			<b>Frozen Embryos</b>		
Number of cycles	19			107		
Number of transfers	18			101		
Average number of embryos transferred	1.6			1.6		
Percentage of embryos transferred resulting in implantation	72.4			36.8		
Percentage of transfers resulting in singleton live births	7 / 18			39.6		
Percentage of transfers resulting in live births	13 / 18			47.5		
Percentage of transfers resulting in pregnancy	15 / 18			58.4		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Biology Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 121 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REPRODUCTIVE MEDICINE AND INFERTILITY ASSOCIATES AUGUSTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	56%	Tubal factor	32%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	42%
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	8%
				Endometriosis	11%	Unknown factor	13%
				Multiple Factors:			
						Female factors only	5%
						Female & male factors	13%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 38

Data verified by Adelina M. Emmi, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	16	9	0	0	0	0
Percentage of cancellations	1 / 16	1 / 9				
Average number of embryos transferred	1.8	1.9				
Percentage of embryos transferred resulting in implantation	48.1	7 / 15				
Percentage of elective single embryo transfer (eSET)	3 / 15	1 / 8				
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	7 / 16	4 / 9				
Percentage of cycles resulting in triplets or more live births	0 / 16	0 / 9				
Percentage of cycles resulting in live births	10 / 16	5 / 9				
Percentage of cycles resulting in pregnancy	10 / 16	6 / 9				
<b>Outcomes per Transfer</b>						
Number of transfers	15	8	0	0	0	0
Percentage of transfers resulting in singleton live births	7 / 15	4 / 8				
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 8				
Percentage of transfers resulting in live births	10 / 15	5 / 8				
Percentage of transfers resulting in pregnancy	10 / 15	6 / 8				
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	10	6	0	0	0	0
Percentage of pregnancies resulting in singleton live births	7 / 10	4 / 6				
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 6				
Percentage of pregnancies resulting in live births	10 / 10	5 / 6				
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	8	2	3	0	0	0
Number of transfers	6	1	2	0	0	0
Average number of embryos transferred	2.0	2.0	1.5			
Percentage of embryos transferred resulting in implantation	3 / 12	0 / 2	2 / 3			
Percentage of transfers resulting in singleton live births	3 / 6	0 / 1	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 1	0 / 2			
Percentage of transfers resulting in live births	3 / 6	0 / 1	1 / 2			
Percentage of transfers resulting in pregnancy	3 / 6	0 / 1	1 / 2			
<b>All Ages Combined<sup>f</sup></b>						
		<b>Fresh Embryos</b>	<b>Frozen Embryos</b>			
<b>Donor Eggs</b>						
Number of cycles		0	0			
Number of transfers		0	0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Reproductive Medicine and Infertility Associates

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## SERVY INSTITUTE FOR REPRODUCTIVE ENDOCRINOLOGY AUGUSTA, GEORGIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	52%	Tubal factor	29%	Uterine factor	23%	
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	20%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	9%	
				Endometriosis	18%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				33%
				Female & male factors				14%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 66

Data verified by Edouard Servy, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	23	9	13	2	0	1
Percentage of cancellations	0.0	1 / 9	2 / 13	2 / 2		0 / 1
Average number of embryos transferred	1.9	2.3	2.6			3.0
Percentage of embryos transferred resulting in implantation	38.9	4 / 16	13.0			0 / 3
Percentage of elective single embryo transfer (eSET)	2 / 18	0 / 7	0 / 9			0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	34.8	0 / 9	2 / 13	0 / 2		0 / 1
Percentage of cycles resulting in triplets or more live births	0.0	0 / 9	0 / 13	0 / 2		0 / 1
Percentage of cycles resulting in live births	43.5	1 / 9	2 / 13	0 / 2		0 / 1
Percentage of cycles resulting in pregnancy	47.8	2 / 9	3 / 13	0 / 2		0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	19	7	9	0	0	1
Percentage of transfers resulting in singleton live births	8 / 19	0 / 7	2 / 9			0 / 1
Percentage of transfers resulting in triplets or more live births	0 / 19	0 / 7	0 / 9			0 / 1
Percentage of transfers resulting in live births	10 / 19	1 / 7	2 / 9			0 / 1
Percentage of transfers resulting in pregnancy	11 / 19	2 / 7	3 / 9			0 / 1
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	11	2	3	0	0	0
Percentage of pregnancies resulting in singleton live births	8 / 11	0 / 2	2 / 3			
Percentage of pregnancies resulting in triplets or more live births	0 / 11	0 / 2	0 / 3			
Percentage of pregnancies resulting in live births	10 / 11	1 / 2	2 / 3			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	7	4	3	0	1	0
Number of transfers	6	3	3	0	1	0
Average number of embryos transferred	1.8	2.0	1.7		2.0	
Percentage of embryos transferred resulting in implantation	8 / 11	0 / 6	2 / 5		0 / 2	
Percentage of transfers resulting in singleton live births	0 / 6	0 / 3	2 / 3		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 3	0 / 3		0 / 1	
Percentage of transfers resulting in live births	3 / 6	0 / 3	2 / 3		0 / 1	
Percentage of transfers resulting in pregnancy	4 / 6	0 / 3	2 / 3		0 / 1	
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			2		1	
Number of transfers			2		1	
Average number of embryos transferred			2.0		2.0	
Percentage of embryos transferred resulting in implantation			1 / 4		2 / 2	
Percentage of transfers resulting in singleton live births			1 / 2		0 / 1	
Percentage of transfers resulting in live births			1 / 2		1 / 1	
Percentage of transfers resulting in pregnancy			1 / 2		1 / 1	

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Servy Massey Fertility Institute, Servy Institute for Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# COLUMBUS CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY, LLC COLUMBUS, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	87%	Tubal factor	47%	Uterine factor	0%	
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	85%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	0%	
				Endometriosis	15%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				37%
				Female & male factors				38%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 103

Data verified by Prakash J. Thiruppathi, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	41	14	10	1	2	0
Percentage of cancellations	4.9	3 / 14	3 / 10	0 / 1	0 / 2	
Average number of embryos transferred	2.2	2.2	2.3	3.0	2.0	
Percentage of embryos transferred resulting in implantation	29.7	31.8	1 / 16	2 / 3	0 / 4	
Percentage of elective single embryo transfer (eSET)	0.0	1 / 9	0 / 7	0 / 1	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	22.0	3 / 14	1 / 10	0 / 1	0 / 2	
Percentage of cycles resulting in triplets or more live births	0.0	0 / 14	0 / 10	0 / 1	0 / 2	
Percentage of cycles resulting in live births	31.7	5 / 14	1 / 10	1 / 1	0 / 2	
Percentage of cycles resulting in pregnancy	46.3	5 / 14	1 / 10	1 / 1	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	33	10	7	1	2	0
Percentage of transfers resulting in singleton live births	27.3	3 / 10	1 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in triplets or more live births	0.0	0 / 10	0 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in live births	39.4	5 / 10	1 / 7	1 / 1	0 / 2	
Percentage of transfers resulting in pregnancy	57.6	5 / 10	1 / 7	1 / 1	0 / 2	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	19	5	1	1	0	0
Percentage of pregnancies resulting in singleton live births	9 / 19	3 / 5	1 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 19	0 / 5	0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	13 / 19	5 / 5	1 / 1	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	20	1	2	2	1	0
Number of transfers	16	1	2	2	1	0
Average number of embryos transferred	2.4	3.0	1.5	2.0	3.0	
Percentage of embryos transferred resulting in implantation	28.2	1 / 3	0 / 3	2 / 4	2 / 3	
Percentage of transfers resulting in singleton live births	7 / 16	1 / 1	0 / 2	2 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 16	0 / 1	0 / 2	0 / 2	0 / 1	
Percentage of transfers resulting in live births	8 / 16	1 / 1	0 / 2	2 / 2	1 / 1	
Percentage of transfers resulting in pregnancy	8 / 16	1 / 1	0 / 2	2 / 2	1 / 1	
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	8		1			
Number of transfers	6		1			
Average number of embryos transferred	2.2		1.0			
Percentage of embryos transferred resulting in implantation	12 / 13		0 / 1			
Percentage of transfers resulting in singleton live births	1 / 6		0 / 1			
Percentage of transfers resulting in live births	5 / 6		0 / 1			
Percentage of transfers resulting in pregnancy	5 / 6		0 / 1			

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Columbus Center for Reproductive Endocrinology and Infertility, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CENTRAL GEORGIA FERTILITY INSTITUTE MACON, GEORGIA

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	63%	Tubal factor	10%	Uterine factor	10%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	20%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	0%	
				Endometriosis	60%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				10%
				Female & male factors				40%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 10

Data verified by William J. Butler, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	4	3	1	0	0	0
Percentage of cancellations	0 / 4	0 / 3	0 / 1			
Average number of embryos transferred	1.8	1.3				
Percentage of embryos transferred resulting in implantation	3 / 7	1 / 4				
Percentage of elective single embryo transfer (eSET)	1 / 4	0 / 1				
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	3 / 4	1 / 3	0 / 1			
Percentage of cycles resulting in triplets or more live births	0 / 4	0 / 3	0 / 1			
Percentage of cycles resulting in live births	3 / 4	1 / 3	0 / 1			
Percentage of cycles resulting in pregnancy	3 / 4	1 / 3	0 / 1			
<b>Outcomes per Transfer</b>						
Number of transfers	4	3	0	0	0	0
Percentage of transfers resulting in singleton live births	3 / 4	1 / 3				
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 3				
Percentage of transfers resulting in live births	3 / 4	1 / 3				
Percentage of transfers resulting in pregnancy	3 / 4	1 / 3				
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	3	1	0	0	0	0
Percentage of pregnancies resulting in singleton live births	3 / 3	1 / 1				
Percentage of pregnancies resulting in triplets or more live births	0 / 3	0 / 1				
Percentage of pregnancies resulting in live births	3 / 3	1 / 1				
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	1	1	0	0	0
Number of transfers	0	1	1	0	0	0
Average number of embryos transferred		2.0	1.0			
Percentage of embryos transferred resulting in implantation		0 / 2	0 / 1			
Percentage of transfers resulting in singleton live births		0 / 1	0 / 1			
Percentage of transfers resulting in triplets or more live births		0 / 1	0 / 1			
Percentage of transfers resulting in live births		0 / 1	0 / 1			
Percentage of transfers resulting in pregnancy		0 / 1	0 / 1			
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		0		0		0
Number of transfers		0				0
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Central Georgia Fertility Institute

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE GEORGIA CENTER FOR REPRODUCTIVE MEDICINE SAVANNAH, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	22%	Uterine factor	6%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	20%	Male factor	64%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	1%	
				Endometriosis	9%	Unknown factor	1%	
				Multiple Factors:				
				Female factors only				6%
				Female & male factors				41%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 162

Data verified by Patrick L. Blohm, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	60	24	10	2	1	0
Percentage of cancellations	5.0	4.2	0 / 10	0 / 2	0 / 1	
Average number of embryos transferred	2.0	2.2	2.2	2.5	3.0	
Percentage of embryos transferred resulting in implantation	34.6	33.3	9.1	0 / 5	0 / 3	
Percentage of elective single embryo transfer (eSET)	3.8	0.0	0 / 10	0 / 2	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	21.7	25.0	2 / 10	0 / 2	0 / 1	
Percentage of cycles resulting in triplets or more live births	1.7	4.2	0 / 10	0 / 2	0 / 1	
Percentage of cycles resulting in live births	36.7	37.5	2 / 10	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancy	41.7	50.0	3 / 10	1 / 2	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	53	23	10	2	1	0
Percentage of transfers resulting in singleton live births	24.5	26.1	2 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	1.9	4.3	0 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in live births	41.5	39.1	2 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	47.2	52.2	3 / 10	1 / 2	0 / 1	
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	25	12	3	1	0	0
Percentage of pregnancies resulting in singleton live births	52.0	6 / 12	2 / 3	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	4.0	1 / 12	0 / 3	0 / 1		
Percentage of pregnancies resulting in live births	88.0	9 / 12	2 / 3	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	25	13	11	2	1	3
Number of transfers	25	13	11	2	1	3
Average number of embryos transferred	2.1	2.2	1.9	2.0	1.0	2.3
Percentage of embryos transferred resulting in implantation	50.0	14.3	9.5	0 / 4	0 / 1	3 / 7
Percentage of transfers resulting in singleton live births	32.0	3 / 13	2 / 11	0 / 2	0 / 1	1 / 3
Percentage of transfers resulting in triplets or more live births	8.0	0 / 13	0 / 11	0 / 2	0 / 1	0 / 3
Percentage of transfers resulting in live births	60.0	3 / 13	2 / 11	0 / 2	0 / 1	2 / 3
Percentage of transfers resulting in pregnancy	76.0	5 / 13	2 / 11	0 / 2	0 / 1	2 / 3
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>		
Number of cycles		10		0		
Number of transfers		10		0		
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation		65.0				
Percentage of transfers resulting in singleton live births		6 / 10				
Percentage of transfers resulting in live births		8 / 10				
Percentage of transfers resulting in pregnancy		10 / 10				

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** The Georgia Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ADVANCED REPRODUCTIVE CENTER OF HAWAII HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	78%	Tubal factor	15%	Uterine factor	<1%	
Unstimulated	2%	Used PGD	3%	Ovulatory dysfunction	2%	Male factor	90%	
Used gestational carrier	<1%			Diminished ovarian reserve	55%	Other factor	6%	
				Endometriosis	5%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				1%
				Female & male factors				70%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 154

Data verified by Christopher T. Huang, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	30	25	27	26	7	8
Percentage of cancellations	30.0	28.0	11.1	11.5	0 / 7	1 / 8
Average number of embryos transferred	2.0	2.3	3.0	3.5	3.7	2.2
Percentage of embryos transferred resulting in implantation	27.8	32.4	21.4	0.0	0.0	1 / 11
Percentage of elective single embryo transfer (eSET)	0 / 15	0 / 15	0.0	0 / 16	0 / 6	0 / 4
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	20.0	12.0	25.9	0.0	0 / 7	1 / 8
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 7	0 / 8
Percentage of cycles resulting in live births	26.7	24.0	33.3	0.0	0 / 7	1 / 8
Percentage of cycles resulting in pregnancy	26.7	32.0	44.4	3.8	0 / 7	1 / 8
<b>Outcomes per Transfer</b>						
Number of transfers	18	16	23	17	6	5
Percentage of transfers resulting in singleton live births	6 / 18	3 / 16	30.4	0 / 17	0 / 6	1 / 5
Percentage of transfers resulting in triplets or more live births	0 / 18	0 / 16	0.0	0 / 17	0 / 6	0 / 5
Percentage of transfers resulting in live births	8 / 18	6 / 16	39.1	0 / 17	0 / 6	1 / 5
Percentage of transfers resulting in pregnancy	8 / 18	8 / 16	52.2	1 / 17	0 / 6	1 / 5
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	8	8	12	1	0	1
Percentage of pregnancies resulting in singleton live births	6 / 8	3 / 8	7 / 12	0 / 1		1 / 1
Percentage of pregnancies resulting in triplets or more live births	0 / 8	0 / 8	0 / 12	0 / 1		0 / 1
Percentage of pregnancies resulting in live births	8 / 8	6 / 8	9 / 12	0 / 1		1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	7	3	4	2	1	0
Number of transfers	5	3	3	2	1	0
Average number of embryos transferred	2.0	2.0	3.7	3.5	3.0	
Percentage of embryos transferred resulting in implantation	6 / 10	3 / 6	0 / 11	0 / 7	0 / 3	
Percentage of transfers resulting in singleton live births	2 / 5	1 / 3	0 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 5	0 / 3	0 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in live births	4 / 5	1 / 3	0 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancy	4 / 5	2 / 3	0 / 3	1 / 2	0 / 1	
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			8		6	
Number of transfers			6		6	
Average number of embryos transferred			2.0		2.2	
Percentage of embryos transferred resulting in implantation			8 / 12		9 / 13	
Percentage of transfers resulting in singleton live births			1 / 6		4 / 6	
Percentage of transfers resulting in live births			4 / 6		5 / 6	
Percentage of transfers resulting in pregnancy			4 / 6		6 / 6	

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Advanced Reproductive Center of Hawaii

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ADVANCED REPRODUCTIVE MEDICINE & GYNECOLOGY OF HAWAII, INC. HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	93%	Tubal factor	21%	Uterine factor	3%	Multiple Factors: Female factors only 4% Female & male factors 46%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	12%	Male factor	78%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	1%	
				Endometriosis	11%	Unknown factor	2%	

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 224

Data verified by John L. Frattarelli, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	59	52	38	22	8	6
Percentage of cancellations	3.4	3.8	2.6	9.1	1 / 8	0 / 6
Average number of embryos transferred	2.3	2.4	2.6	2.7	3.3	2.0
Percentage of embryos transferred resulting in implantation	35.0	24.3	13.0	9.3	0.0	1 / 4
Percentage of elective single embryo transfer (eSET)	0.0	0.0	0.0	0 / 17	0 / 7	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	49.2	26.9	18.4	22.7	0 / 8	0 / 6
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 8	0 / 6
Percentage of cycles resulting in live births	59.3	38.5	21.1	22.7	0 / 8	0 / 6
Percentage of cycles resulting in pregnancy	61.0	46.2	34.2	31.8	0 / 8	1 / 6
<b>Outcomes per Transfer</b>						
Number of transfers	54	47	36	20	7	2
Percentage of transfers resulting in singleton live births	53.7	29.8	19.4	25.0	0 / 7	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 7	0 / 2
Percentage of transfers resulting in live births	64.8	42.6	22.2	25.0	0 / 7	0 / 2
Percentage of transfers resulting in pregnancy	66.7	51.1	36.1	35.0	0 / 7	1 / 2
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	36	24	13	7	0	1
Percentage of pregnancies resulting in singleton live births	80.6	58.3	7 / 13	5 / 7		0 / 1
Percentage of pregnancies resulting in triplets or more live births	0.0	0.0	0 / 13	0 / 7		0 / 1
Percentage of pregnancies resulting in live births	97.2	83.3	8 / 13	5 / 7		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	9	4	0	1	0
Number of transfers	6	9	4	0	1	0
Average number of embryos transferred	2.0	1.6	2.5		3.0	
Percentage of embryos transferred resulting in implantation	4 / 12	4 / 14	4 / 10		2 / 3	
Percentage of transfers resulting in singleton live births	2 / 6	4 / 9	3 / 4		0 / 1	
Percentage of transfers resulting in triplets or more live births	0 / 6	0 / 9	0 / 4		0 / 1	
Percentage of transfers resulting in live births	3 / 6	4 / 9	3 / 4		1 / 1	
Percentage of transfers resulting in pregnancy	4 / 6	6 / 9	3 / 4		1 / 1	
<b>All Ages Combined<sup>f</sup></b>						
	<b>Donor Eggs</b>		<b>Fresh Embryos</b>		<b>Frozen Embryos</b>	
Number of cycles			15		4	
Number of transfers			15		4	
Average number of embryos transferred			2.2		2.0	
Percentage of embryos transferred resulting in implantation			48.5		4 / 8	
Percentage of transfers resulting in singleton live births			3 / 15		0 / 4	
Percentage of transfers resulting in live births			9 / 15		2 / 4	
Percentage of transfers resulting in pregnancy			10 / 15		2 / 4	

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Advanced Reproductive Medicine & Gynecology of Hawaii, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 17 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**HAWAII REPRODUCTIVE CENTER  
HONOLULU, HAWAII**

---

This clinic provided ART services during 2011 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act.

This clinic either did not submit 2011 ART cycle data or the clinic's Medical Director did not approve the clinic's 2011 ART cycle data for inclusion in this report.

# IVF HAWAII HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

## 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	85%	Tubal factor	49%	Uterine factor	0%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	26%	Male factor	49%	
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	18%	
				Endometriosis	73%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				47%
				Female & male factors				44%

## 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table:<sup>e</sup> 110

Data verified by Benton Chun, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	19	12	34	10	8	2
Percentage of cancellations	2 / 19	0 / 12	17.6	2 / 10	2 / 8	0 / 2
Average number of embryos transferred	2.1	2.7	3.0	3.1	4.5	3.5
Percentage of embryos transferred resulting in implantation	41.9	25.0	15.0	9.1	3.7	0 / 7
Percentage of elective single embryo transfer (eSET)	1 / 14	0 / 11	0.0	0 / 5	0 / 6	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	6 / 19	2 / 12	17.6	1 / 10	0 / 8	0 / 2
Percentage of cycles resulting in triplets or more live births	0 / 19	0 / 12	0.0	0 / 10	0 / 8	0 / 2
Percentage of cycles resulting in live births	9 / 19	5 / 12	23.5	1 / 10	0 / 8	0 / 2
Percentage of cycles resulting in pregnancy	10 / 19	6 / 12	29.4	2 / 10	1 / 8	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	15	12	27	7	6	2
Percentage of transfers resulting in singleton live births	6 / 15	2 / 12	22.2	1 / 7	0 / 6	0 / 2
Percentage of transfers resulting in triplets or more live births	0 / 15	0 / 12	0.0	0 / 7	0 / 6	0 / 2
Percentage of transfers resulting in live births	9 / 15	5 / 12	29.6	1 / 7	0 / 6	0 / 2
Percentage of transfers resulting in pregnancy	10 / 15	6 / 12	37.0	2 / 7	1 / 6	0 / 2
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	10	6	10	2	1	0
Percentage of pregnancies resulting in singleton live births	6 / 10	2 / 6	6 / 10	1 / 2	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0 / 10	0 / 6	0 / 10	0 / 2	0 / 1	
Percentage of pregnancies resulting in live births	9 / 10	5 / 6	8 / 10	1 / 2	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	4	9	5	2	0	0
Number of transfers	4	7	5	2	0	0
Average number of embryos transferred	2.3	2.1	2.0	4.0		
Percentage of embryos transferred resulting in implantation	2 / 9	3 / 15	2 / 10	0 / 8		
Percentage of transfers resulting in singleton live births	2 / 4	1 / 7	2 / 5	0 / 2		
Percentage of transfers resulting in triplets or more live births	0 / 4	0 / 7	0 / 5	0 / 2		
Percentage of transfers resulting in live births	2 / 4	2 / 7	2 / 5	0 / 2		
Percentage of transfers resulting in pregnancy	2 / 4	3 / 7	3 / 5	0 / 2		
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	4		1			
Number of transfers	2		1			
Average number of embryos transferred	2.5		3.0			
Percentage of embryos transferred resulting in implantation	0 / 5		0 / 3			
Percentage of transfers resulting in singleton live births	0 / 2		0 / 1			
Percentage of transfers resulting in live births	0 / 2		0 / 1			
Percentage of transfers resulting in pregnancy	0 / 2		1 / 1			

## CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** IVF Hawaii

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.  
<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.  
<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.  
<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## PACIFIC IN VITRO FERTILIZATION INSTITUTE HONOLULU, HAWAII

**A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.**

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	71%	Tubal factor	18%	Uterine factor	<1%	
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	8%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	6%	
				Endometriosis	38%	Unknown factor	1%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				25%

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 421

Data verified by Thomas S. Kosasa, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	63	48	53	38	21	11
Percentage of cancellations	7.9	12.5	17.0	18.4	19.0	3 / 11
Average number of embryos transferred	2.2	2.6	3.4	2.9	3.6	2.0
Percentage of embryos transferred resulting in implantation	35.6	20.4	11.1	5.1	1.9	0 / 12
Percentage of elective single embryo transfer (eSET)	2.3	0.0	0.0	0.0	0 / 13	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	19.0	10.4	9.4	5.3	0.0	0 / 11
Percentage of cycles resulting in triplets or more live births	0.0	0.0	0.0	0.0	0.0	0 / 11
Percentage of cycles resulting in live births	31.7	20.8	15.1	7.9	0.0	0 / 11
Percentage of cycles resulting in pregnancy	38.1	31.3	28.3	7.9	4.8	0 / 11
<b>Outcomes per Transfer</b>						
Number of transfers	45	36	40	27	15	6
Percentage of transfers resulting in singleton live births	26.7	13.9	12.5	7.4	0 / 15	0 / 6
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0.0	0.0	0 / 15	0 / 6
Percentage of transfers resulting in live births	44.4	27.8	20.0	11.1	0 / 15	0 / 6
Percentage of transfers resulting in pregnancy	53.3	41.7	37.5	11.1	1 / 15	0 / 6
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	24	15	15	3	1	0
Percentage of pregnancies resulting in singleton live births	50.0	5 / 15	5 / 15	2 / 3	0 / 1	
Percentage of pregnancies resulting in triplets or more live births	0.0	0 / 15	0 / 15	0 / 3	0 / 1	
Percentage of pregnancies resulting in live births	83.3	10 / 15	8 / 15	3 / 3	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	27	21	19	5	1	2
Number of transfers	25	21	18	4	1	2
Average number of embryos transferred	2.1	2.1	2.5	1.3	2.0	2.0
Percentage of embryos transferred resulting in implantation	36.5	34.1	22.2	1 / 5	1 / 2	0 / 4
Percentage of transfers resulting in singleton live births	44.0	14.3	2 / 18	1 / 4	0 / 1	0 / 2
Percentage of transfers resulting in triplets or more live births	0.0	0.0	0 / 18	0 / 4	0 / 1	0 / 2
Percentage of transfers resulting in live births	52.0	33.3	4 / 18	1 / 4	0 / 1	0 / 2
Percentage of transfers resulting in pregnancy	64.0	61.9	7 / 18	1 / 4	1 / 1	0 / 2
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>			<b>Frozen Embryos</b>		
Number of cycles	80			32		
Number of transfers	69			26		
Average number of embryos transferred	2.0			2.1		
Percentage of embryos transferred resulting in implantation	47.4			40.7		
Percentage of transfers resulting in singleton live births	24.6			23.1		
Percentage of transfers resulting in live births	52.2			34.6		
Percentage of transfers resulting in pregnancy	60.9			61.5		

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Pacific In Vitro Fertilization Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 1 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## TRIPLER ARMY MEDICAL CENTER IVF INSTITUTE TRIPLER AMC, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about how to interpret the statistics in this table, see pages 13–23.

### 2011 ART CYCLE PROFILE

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	57%	Tubal factor	56%	Uterine factor	8%	Multiple Factors: Female factors only 4% Female & male factors 16%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	0%	
				Endometriosis	4%	Unknown factor	16%	

### 2011 ART SUCCESS RATES<sup>c,d</sup>

Number of cycles in table: <sup>e</sup> 25

Data verified by Nia Middleton, MD

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	11	1	5	4	0	0
Percentage of cancellations	2 / 11	0 / 1	2 / 5	1 / 4		
Average number of embryos transferred	2.0	2.0	4.0	4.0		
Percentage of embryos transferred resulting in implantation	7 / 16	0 / 2	2 / 4	0 / 12		
Percentage of elective single embryo transfer (eSET)	0 / 8	0 / 1	0 / 1	0 / 3		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in singleton live births	1 / 11	0 / 1	0 / 5	0 / 4		
Percentage of cycles resulting in triplets or more live births	0 / 11	0 / 1	0 / 5	0 / 4		
Percentage of cycles resulting in live births	4 / 11	0 / 1	1 / 5	0 / 4		
Percentage of cycles resulting in pregnancy	5 / 11	0 / 1	1 / 5	1 / 4		
<b>Outcomes per Transfer</b>						
Number of transfers	8	1	1	3	0	0
Percentage of transfers resulting in singleton live births	1 / 8	0 / 1	0 / 1	0 / 3		
Percentage of transfers resulting in triplets or more live births	0 / 8	0 / 1	0 / 1	0 / 3		
Percentage of transfers resulting in live births	4 / 8	0 / 1	1 / 1	0 / 3		
Percentage of transfers resulting in pregnancy	5 / 8	0 / 1	1 / 1	1 / 3		
<b>Outcomes per Pregnancy</b>						
Number of pregnancies	5	0	1	1	0	0
Percentage of pregnancies resulting in singleton live births	1 / 5		0 / 1	0 / 1		
Percentage of pregnancies resulting in triplets or more live births	0 / 5		0 / 1	0 / 1		
Percentage of pregnancies resulting in live births	4 / 5		1 / 1	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	1	2	0	0	0
Number of transfers	1	1	2	0	0	0
Average number of embryos transferred	2.0	2.0	3.0			
Percentage of embryos transferred resulting in implantation	0 / 2	0 / 2	5 / 6			
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1	0 / 2			
Percentage of transfers resulting in triplets or more live births	0 / 1	0 / 1	1 / 2			
Percentage of transfers resulting in live births	0 / 1	0 / 1	2 / 2			
Percentage of transfers resulting in pregnancy	0 / 1	1 / 1	2 / 2			
<b>All Ages Combined<sup>f</sup></b>						
<b>Donor Eggs</b>	<b>Fresh Embryos</b>		<b>Frozen Embryos</b>			
Number of cycles	0		0			
Number of transfers	0		0			
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation						
Percentage of transfers resulting in singleton live births						
Percentage of transfers resulting in live births						
Percentage of transfers resulting in pregnancy						

### CURRENT CLINIC SERVICES AND PROFILE

**Current Name:** Tripler Army Medical Center IVF Institute

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Embryo cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each cycle.

<sup>c</sup> A multiple-infant birth is counted as one live birth if at least one infant is live born.

<sup>d</sup> When denominator is <20, rates are shown as fractions. Calculating percentages from these fractions may be misleading.

<sup>e</sup> Number excludes 0 oocyte/embryo banking cycle(s). (If 0, no banking cycles were reported.)

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.